

How to edit the catalogue

Everything lives in `catalogue.json`. You edit that one file, run two commands, and the web page, the Word document and the CSV all update together. You never edit the `.html` or the `.docx` directly — they get overwritten.

```
catalogue.json → python3 build_web.py → .csv + .html
                ↳ node build_docx.js → .docx
```

Three rules

- 1. **Text goes in double quotes.** `"access": "Open"` — never single quotes.
- 2. **Every line ends with a comma, except the last one in a block.** This is the mistake that breaks the file 90% of the time.
- 3. **Don't invent field names.** Every dataset uses the same 28 keys. If a field doesn't apply, write `"Not applicable"` — don't delete the line, or the table will have a hole in it.

To check you haven't broken anything before rebuilding:

```
python3 -c "import json; json.load(open('catalogue.json')); print('valid')"
```

If it prints an error with a line number, go to that line — the problem is almost always a missing or extra comma just above it.

Recipe A — change a field on an existing dataset

Find the record by its ID, change the text, save.

Example: dew-point was added to the Pará download (fix 1). Search for `"CLI-001"`, then edit:

```
"limitations": "Temperatures arrive in Kelvin (subtract 273.15). ... The Pará download was extended to dew-p
```

That's the whole operation. The web page and the Word file pick it up on the next build.

Which field to touch, for the fixes you sent:

Your fix	Record	Fields changed
1 · humidity for Pará	CLI-001, DER-003	limitations, key_variables, description
3 · human footprint source	ENV-007	nearly all — see Recipe C
4 · COVISA after ethics	HEA-003	sharing_conditions, holding_status, record_status, key_variables
5 · CGE at project start	CLI-004	sharing_conditions, holding_status, record_status
6 · INMET bias check	CLI-005	description, holding_status, limitations

Recipe B — add a new dataset

Copy any existing record, paste it below, change the values. Two things are easy to forget:

- 1. **Give it an ID that doesn't exist yet.** The prefix sets the colour and the section it lands in: `HEA` health, `CLI` climate, `ENV` environment, `REF` reference geography, `DER` derived by you.

2. Add it to the GRAIN table in build_web.py. This drives the two-bar resolution mark on the web page. Two numbers, 1 (coarse) to 5 (fine): space first, time second.

```
"CLI-006": (4, 5), # river gauges: fine in space, daily in time
"ENV-008": (5, 3), # 30 m water extent, monthly
```

Rough scale, if you're unsure:

	1	2	3	4
Space	global index	~9 km	~1 km, municipal ity	100-250 m
Time	static	annual	monthly	weekly

Miss this step and nothing breaks — the dataset just shows 3/3 by default.

Recipe C — the blank template

Copy this into the datasets list and fill it in.

```
{
  "id": "CLI-007",
  "title": "",
  "title_pt": "",
  "domain": "Climate",
  "projects": ["ACL-AMZ"],
  "description": "",
  "key_variables": "",
  "custodian": "",
  "producer": "",
  "contact": "",
  "spatial_coverage": "",
  "native_resolution": "",
  "analysis_unit": "",
  "temporal_coverage": "",
  "temporal_resolution": "",
  "update_frequency": "",
  "latency": "",
  "access": "Open",
  "access_url": "",
  "formats": "",
  "licence": "",
  "sharing_conditions": "",
  "personal_data": "No",
  "linkage_key": "",
  "limitations": "",
  "holding_status": "Candidate - not yet acquired",
  "steward": "IPSP Climate and Health Laboratory",
  "record_status": "Draft"
}
```

Three fields have a fixed set of values, because the web page filters and colours on them:

- domain — Health · Climate · Environment · Reference · Derived
- access — anything starting Open is green, Partly open is amber, Restricted or Internal is red
- projects — YF-TMIN · DENGUE-SUHI · ACL-AMZ , one or more

| Recipe D — update a gap

Gaps live in `gaps.json`, which sits beside the checkout and is not committed. Each one now carries a status, an owner and a date.

```
{
  "gap": "What is missing, in a short phrase.",
  "status": "Planned",
  "detail": "What is missing, in one or two sentences.",
  "action": "The step that closes it.",
  "owner": "IPSP",
  "when": "Next data cycle"
}
```

`status` must be exactly `Resolved`, `In progress` or `Planned` — those three strings set the colour and the label. When something is resolved, don't delete the gap: change the status and rewrite `action` to say what was done. The reviewer wants to see the closed ones, and the label above `action` flips from "Next step" to "What was done" on its own.

| Rebuild

```
python3 build_web.py      # → CSV and HTML
node build_docx.js        # → DOCX
```

Then bump `"version"` at the top of the file and add a row to the change-log table in `build_docx.js`.

| What changed in v0.2

Seven gaps were reviewed and the catalogue went from 24 to 26 datasets. The gap-by-gap detail is internal review material: it lives in `gaps.json`, which is not committed, and is rendered into the DOCX.