


Após copiar os arquivos realizar deploy

Executar comandos abaixo no diretório /liferay


./gradlew clean deploy createDockerfile  
(executando build)



The screenshot shows the Visual Studio Code interface with the Explorer view on the left displaying the project structure. The file explorer shows a directory tree for 'AGRICULTURE-AND-SUPPLY' with subdirectories like 'build', 'bundles', 'configs', 'common', 'dev', 'patching', 'tomcat', 'webapps', 'ROOT', 'WEB-INF', 'classes', 'system-ext.properties', 'portal-ext.properties', 'local', 'prd', 'uat', 'patching', 'tomcat', 'webapps', 'ROOT', 'WEB-INF', 'classes', 'system-ext.properties', 'portal-ext.properties', 'gradle', and 'modules'. The 'system-ext.properties' file is selected and its content is displayed in the editor. The terminal window at the bottom shows the following commands and output:

```
joefu@DESKTOP-2M7KQ8F MINGW64 /d/agriculture-and-supply (develop)
$ cd liferay/

joefu@DESKTOP-2M7KQ8F MINGW64 /d/agriculture-and-supply/liferay (develop)
$ ./gradlew clean deploy createDockerfile
<-----> 0% INITIALIZING [563ms]
> Evaluating settings
```



The screenshot shows the Visual Studio Code interface with the Explorer view on the left displaying the project structure. The file explorer shows a directory tree for 'AGRICULTURE-AND-SUPPLY' with subdirectories like 'bundles', 'configs', 'common', 'dev', 'patching', 'tomcat', 'webapps', 'ROOT', 'WEB-INF', 'classes', 'system-ext.properties', 'portal-ext.properties', 'local', 'prd', 'uat', 'patching', 'tomcat', 'webapps', 'ROOT', 'WEB-INF', 'classes', 'system-ext.properties', 'portal-ext.properties', 'gradle', and 'modules'. The 'system-ext.properties' file is selected and its content is displayed in the editor. The terminal window at the bottom shows the following commands and output:

```
Stopping container with ID 'liferay-liferay'.
No container with ID 'liferay-liferay' running.


> Task :removeDockerContainer
Removing container with ID 'liferay-liferay'.
No container with ID 'liferay-liferay' found.

> Task :cleanDockerImage
Removing image with ID 'liferay-liferay:7.3.10-dxp-2'.
No image with ID 'liferay-liferay:7.3.10-dxp-2' found.
<-----> 22% EXECUTING [48s]

> :downloadNode
```

cp LCP.json build/docker/

cd build/docker



The screenshot shows the Visual Studio Code interface with the Explorer view on the left displaying the project structure. The main editor shows the `system-ext.properties` file. The terminal at the bottom displays the output of a Gradle build, which was successful, and the execution of the `cp` and `cd` commands.

```
system-ext.properties - agriculture-and-supply - Visual Studio Code


liferay > configs > uat > tomcat > webapps > ROOT > WEB-INF > classes > system-ext.properties
1 # Set this to true for the portal to send the "X-Frame-Options: DENY" HTTP
2 # header to protect against clickjacking.
3 #
4 # Custom HTTP header values instead of "DENY" can be specified per URL via
5 # the properties "http.header.secure.x.frame.options.*".
6 #
7 http.header.secure.x.frame.options=false
8 #
9 # If the property "http.header.secure.x.frame.options" is set to true, then
10 # the portal will iterate through the properties
11 # "http.header.secure.x.frame.options.*" where the wildcard "*"
12 # is replaced with an int number starting from 0 and ending with 255 to find
13 # a pipe (|) delimited URL and HTTP header value pair (e.g. "/|SAMEORIGIN").
14 #

BUILD SUCCESSFUL in 3m 50s
37 actionable tasks: 32 executed, 5 up-to-date

joeFu@DESKTOP-2M7KQ8F MINGW64 /d/agriculture-and-supply/liferay (develop)
$ cp LCP.json build/docker/

joeFu@DESKTOP-2M7KQ8F MINGW64 /d/agriculture-and-supply/liferay (develop)
$ cd build/docker
```

lcp deploy





The screenshot shows the Visual Studio Code interface with the Explorer view on the left. The main editor shows the `system-ext.properties` file. The terminal at the bottom displays the output of the `lcp deploy` command, which prompts the user to select a project from a list and then shows the deployment status for the selected project.

```
system-ext.properties - agriculture-and-supply - Visual Studio Code


liferay > configs > uat > tomcat > webapps > ROOT > WEB-INF > classes > system-ext.properties
1 # Set this to true for the portal to send the "X-Frame-Options: DENY" HTTP
2 # header to protect against clickjacking.
3 #
4 # Custom HTTP header values instead of "DENY" can be specified per URL via
5 # the properties "http.header.secure.x.frame.options.*".
6 #
7 http.header.secure.x.frame.options=false
8 #
9 # If the property "http.header.secure.x.frame.options" is set to true, then
10 # the portal will iterate through the properties
11 # "http.header.secure.x.frame.options.*" where the wildcard "*"
12 # is replaced with an int number starting from 0 and ending with 255 to find
13 # a pipe (|) delimited URL and HTTP header value pair (e.g. "/|SAMEORIGIN").
14 #

$ lcp deploy
Please select a project from the list below:
# Project Status
1 saaagrosppedave-dev Ready
2 saaagrosppedave-uat Ready
3 saaagrosppedave-prd Ready
4 saaagrosppedave-infra Ready


? Type a number (#) or project name: 2
Services to deploy "liferay"
.: Deploying services to project saaagrosppedave-uat on liferay.cloud
.: Uploading services
```



## Serviços no ar




## Testar site





Executar Add (No navegador do VSCode) ou git add .

\$ git add .



```
system-ext.properties - agriculture-and-supply - Visual Studio Code

1 # Set this to true for the portal to send the "X-Frame-Options: DENY" HTTP
2 # header to protect against clickjacking.
3 #
4 # Custom HTTP header values instead of "DENY" can be specified per URL via
5 # the properties "http.header.secure.x.frame.options.*".
6 #
7 http.header.secure.x.frame.options=false
8 #
9 # If the property "http.header.secure.x.frame.options" is set to true, then
10 # the portal will iterate through the properties
11 # "http.header.secure.x.frame.options.*" where the wildcard "*"
12 # is replaced with an int number starting from 0 and ending with 255 to find
13 # a pipe (|) delimited URL and HTTP header value pair (e.g. "/|SAMEORIGIN").
14 #

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL


1 saaagrosppedave-dev Ready
2 saaagrosppedave-uat Ready
3 saaagrosppedave-prd Ready
4 saaagrosppedave-infra Ready

? Type a number (#) or project name: 2
Services to deploy "liferay"
✓Deploying services to project saaagrosppedave-uat on liferay.cloud
✓Deployment succeeded in 7m53s. Upload completed in 25s.
✓Deployment succeeded liferay-saaagrosppedave-uat.lfr.cloud

joefu@DESKTOP-2H7XMBF MINGW64 /d/agriculture-and-supply/liferay/build/docker (develop)
$
```

Executar commit

\$ git commit -m "fix(config): applying hotfix and att patching-tool version"



```
system-ext.properties - agriculture-and-supply - Visual Studio Code

1 # Set this to true for the portal to send the "X-Frame-Options: DENY" HTTP
2 # header to protect against clickjacking.
3 #
4 # Custom HTTP header values instead of "DENY" can be specified per URL via
5 # the properties "http.header.secure.x.frame.options.*".
6 #
7 http.header.secure.x.frame.options=false
8 #
9 # If the property "http.header.secure.x.frame.options" is set to true, then
10 # the portal will iterate through the properties
11 # "http.header.secure.x.frame.options.*" where the wildcard "*"
12 # is replaced with an int number starting from 0 and ending with 255 to find
13 # a pipe (|) delimited URL and HTTP header value pair (e.g. "/|SAMEORIGIN").
14 #


PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

? Type a number (#) or project name: 2
Services to deploy "liferay"
✓Deploying services to project saaagrosppedave-uat on liferay.cloud
✓Deployment succeeded in 7m53s. Upload completed in 25s.
✓Deployment succeeded liferay-saaagrosppedave-uat.lfr.cloud

joefu@DESKTOP-2H7XMBF MINGW64 /d/agriculture-and-supply/liferay/build/docker (develop)
$ git commit -m "feat(config): allow iframe"
[develop 2e8bf28] feat(config): allow iframe
2 files changed, 44 insertions(+)
create mode 100644 liferay/configs/dev/tomcat/webapps/ROOT/WEB-INF/classes/system-ext.properties
create mode 100644 liferay/configs/uat/tomcat/webapps/ROOT/WEB-INF/classes/system-ext.properties
```

Executar push

\$ git pull && git push




The screenshot shows the Visual Studio Code interface. The left sidebar displays the 'SOURCE CONTROL' view with a list of changes. The main editor area shows the 'system-ext.properties' file with the following content:

```
1 # Set this to true for the portal to send the "X-Frame-Options: DENY" HTTP
2 # header to protect against clickjacking.
3 #
4 # Custom HTTP header values instead of "DENY" can be specified per URL via
5 # the properties "http.header.secure.x.frame.options.*".
6 #
7 http.header.secure.x.frame.options=false
8 #
9 # If the property "http.header.secure.x.frame.options" is set to true, then
10 # the portal will iterate through the properties
11 # "http.header.secure.x.frame.options.*" where the wildcard "*"
12 # is replaced with an int number starting from 0 and ending with 255 to find
13 # a pipe (|) delimited URL and HTTP header value pair (e.g. "/[SAMEORIGIN]").
14 #
```

The terminal window at the bottom shows the following output:

```
create mode 100644 liferay/configs/dev/tomcat/webapps/ROOT/WEB-INF/classes/system-ext.properties
create mode 100644 liferay/configs/uat/tomcat/webapps/ROOT/WEB-INF/classes/system-ext.properties
joefu@DESKTOP-2H7KQ8F MINGW64 /d/agriculture-and-supply/liferay/build/docker (develop)
$ git pull && git push
Already up to date.
Enumerating objects: 15, done.
Counting objects: 100% (15/15), done.
Delta compression using up to 4 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (11/11), 1.15 KiB | 392.00 KiB/s, done.
Total 11 (delta 4), reused 0 (delta 0), pack-reused 0
```

Commit efetuado



gitlab.prodesp.sp.gov.br/saa/agrosp/-/commit/2e8bf285499e0f63e900c3d33db06534e2036a4

Menu

Search GitLab

agrosp

Project information

Repository

Files

Commits

Branches

Tags

Contributors

Graph

Compare

Locked Files

Issues0

Merge requests0

CI/CD

Deployments

Packages & Registries

Monitor

Analytics

Wiki

Snippets

Collapse sidebar

saa > agrosp > Commits > 2e8bf285

Commit 2e8bf285 authored 17 hours ago by Joel Oliveira

Browse filesOptions

feat(config): allow iframe

parent 3822f0d6 develop

No related merge requests found

Pipeline #76453 passed with stage in 0 seconds

Changes2Pipelines1

Showing 2 changed files with 44 additions and 0 deletions

Hide whitespace changesInlineSide-by-side

liferay/configs/dev/tomcat/webapps/ROOT/WEB-INF/classes/system-ext.properties+22 -0View file @2e8bf285

```
1 + # Set this to true for the portal to send the "X-Frame-Options: DENY" HTTP
2 + # header to protect against clickjacking.
3 + #
4 + # Custom HTTP header values instead of "DENY" can be specified per URL via
5 + # the properties "http.header.secure.x.frame.options.*".
6 + #
7 + http.header.secure.x.frame.options=false
8 + #
9 + # If the property "http.header.secure.x.frame.options" is set to true, then
10 + # the portal will iterate through the properties
11 + # "http.header.secure.x.frame.options.*" where the wildcard "*"
12 + # is replaced with an int number starting from 0 and ending with 255 to find
13 + # a pipe (|) delimited URL and HTTP header value pair (e.g. "/|SAVEDIRIGIN").
14 + #
15 + # Upon finding a matched a URL, the portal will use the custom HTTP header
16 + # value instead of the "DENY" value.
17 + #
18 + # By default, URLs that start with "/" will use a custom HTTP header value
```