

SSC CGL (COMBINED GRADUATE LEVEL - INSPECTOR, ASO, TAX ASST) —

SUBJECT COMPLETE QUESTION BANK

PRACTICE MATERIAL • VERIFIED QUESTION BANK

Total Questions: 585 • Mode: Single Subject Comprehensive Practice

Q.1. In SSC CGL Tier-1 context (Number Systems & Divisibility, Problem #1): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

- Unique integer solution verified by substitution theorem (Case $\square = 5$) Result derived via proportional reduction factor (Case $\square = 3$)
Optimal solution complying with geometric/arithmetic constraints (Case $\square = 4$) Calculated value matching standard baseline parameter (Case $\square = 2$)

Q.2. In SSC CGL Tier-1 context (HCF and LCM Applications, Problem #2): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

- Calculated value matching standard baseline parameter (Case $\square = 5$) Result derived via proportional reduction factor (Case $\square = 6$)
Optimal solution complying with geometric/arithmetic constraints (Case $\square = 7$) Unique integer solution verified by substitution theorem (Case $\square = 10$)

Q.3. In SSC CGL Tier-1 context (Simplification & Surds & Indices, Problem #3): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

- Result derived via proportional reduction factor (Case $\square = 9$) Calculated value matching standard baseline parameter (Case $\square = 6$)
Optimal solution complying with geometric/arithmetic constraints (Case $\square = 12$) Unique integer solution verified by substitution theorem (Case $\square = 15$)

Q.4. In SSC CGL Tier-1 context (Percentages & Successive Change, Problem #4): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

- Optimal solution complying with geometric/arithmetic constraints (Case $\square = 11$) Result derived via proportional reduction factor (Case $\square = 12$)
Calculated value matching standard baseline parameter (Case $\square = 8$) Unique integer solution verified by substitution theorem (Case $\square = 20$)

Q.5. In SSC CGL Tier-1 context (Profit, Loss & Discount / Marked Price, Problem #5): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

- Unique integer solution verified by substitution theorem (Case $\square = 25$) Result derived via proportional reduction factor (Case $\square = 15$)
Optimal solution complying with geometric/arithmetic constraints (Case $\square = 20$) Calculated value matching standard baseline parameter (Case $\square = 10$)

Q.6. In SSC CGL Tier-1 context (Simple & Compound Interest Differences, Problem #6): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

- Calculated value matching standard baseline parameter (Case $\square = 12$) Result derived via proportional reduction factor (Case $\square = 18$)
Optimal solution complying with geometric/arithmetic constraints (Case $\square = 14$) Unique integer solution verified by substitution theorem (Case $\square = 30$)

Q.7. In SSC CGL Tier-1 context (Ratio, Proportion & Mixture / Alligation, Problem #7): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

- Result derived via proportional reduction factor (Case $\square = 21$) Calculated value matching standard baseline parameter (Case $\square = 14$)
Optimal solution complying with geometric/arithmetic constraints (Case $\square = 28$) Unique integer solution verified by substitution theorem (Case $\square = 35$)

Q.8. In SSC CGL Tier-1 context (Time, Work, Pipes & Cisterns, Problem #8): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

- Optimal solution complying with geometric/arithmetic constraints (Case $\square = 22$) Result derived via proportional reduction factor (Case $\square = 24$)
Calculated value matching standard baseline parameter (Case $\square = 16$) Unique integer solution verified by substitution theorem (Case $\square = 40$)

Q.9. In SSC CGL Tier-1 context (Speed, Time, Distance & Trains / Boats, Problem #9): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

- Unique integer solution verified by substitution theorem (Case $\square = 15$) Result derived via proportional reduction factor (Case $\square = 27$)
Optimal solution complying with geometric/arithmetic constraints (Case $\square = 26$) Calculated value matching standard baseline parameter (Case $\square = 18$)

Q.10. In SSC CGL Tier-1 context (Averages, Weighted Mean & Partnerships, Problem #10): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 20$) Result derived via proportional reduction factor (Case $\square = 30$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 40$) Unique integer solution verified by substitution theorem (Case $\square = 50$)

Q.11. In SSC CGL Tier-1 context (Basic Algebraic Identities & Polynomials, Problem #11): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 33$) Calculated value matching standard baseline parameter (Case $\square = 22$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 44$) Unique integer solution verified by substitution theorem (Case $\square = 55$)

Q.12. In SSC CGL Tier-1 context (Linear & Quadratic Equations, Problem #12): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 48$) Result derived via proportional reduction factor (Case $\square = 36$)

Calculated value matching standard baseline parameter (Case $\square = 24$) Unique integer solution verified by substitution theorem (Case $\square = 60$)

Q.13. In SSC CGL Tier-1 context (Lines, Angles & Triangle Geometry (Centres), Problem #13): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 55$) Result derived via proportional reduction factor (Case $\square = 39$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 66$) Calculated value matching standard baseline parameter (Case $\square = 26$)

Q.14. In SSC CGL Tier-1 context (Circle Theorems (Tangents, Chords, Secants), Problem #14): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 28$) Result derived via proportional reduction factor (Case $\square = 42$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 56$) Unique integer solution verified by substitution theorem (Case $\square = 70$)

Q.15. In SSC CGL Tier-1 context (Coordinate Geometry & Distance / Slopes, Problem #15): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 45$) Calculated value matching standard baseline parameter (Case $\square = 30$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 60$) Unique integer solution verified by substitution theorem (Case $\square = 75$)

Q.16. In SSC CGL Tier-1 context (Trigonometric Ratios, Identities & Values, Problem #16): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 64$) Result derived via proportional reduction factor (Case $\square = 48$)

Calculated value matching standard baseline parameter (Case $\square = 32$) Unique integer solution verified by substitution theorem (Case $\square = 80$)

Q.17. In SSC CGL Tier-1 context (Heights and Distances (Angle of Elevation/Depression), Problem #17): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 55$) Result derived via proportional reduction factor (Case $\square = 51$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 66$) Calculated value matching standard baseline parameter (Case $\square = 34$)

Q.18. In SSC CGL Tier-1 context (2D Mensuration (Triangles, Quadrilaterals, Circles), Problem #18): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 36$) Result derived via proportional reduction factor (Case $\square = 54$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 72$) Unique integer solution verified by substitution theorem (Case $\square = 90$)

Q.19. In SSC CGL Tier-1 context (3D Mensuration (Cylinder, Cone, Sphere, Frustum), Problem #19): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 57$) Calculated value matching standard baseline parameter (Case $\square = 38$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 76$) Unique integer solution verified by substitution theorem (Case $\square = 95$)

Q.20. In SSC CGL Tier-1 context (Data Interpretation (Bar Graphs, Pie Charts, Tables), Problem #20): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 60$)

Calculated value matching standard baseline parameter (Case $\square = 40$)

Q.21. In SSC CGL Tier-1 context (Number Systems & Divisibility, Problem #21): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 100$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 63$)

Q.22. In SSC CGL Tier-1 context (HCF and LCM Applications, Problem #22): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 64$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 98$)

Q.23. In SSC CGL Tier-1 context (Simplification & Surds & Indices, Problem #23): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 69$)

Calculated value matching standard baseline parameter (Case $\square = 46$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 92$)

Q.24. In SSC CGL Tier-1 context (Percentages & Successive Change, Problem #24): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 72$)

Calculated value matching standard baseline parameter (Case $\square = 48$)

Q.25. In SSC CGL Tier-1 context (Profit, Loss & Discount / Marked Price, Problem #25): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 125$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 100$)

Q.26. In SSC CGL Tier-1 context (Simple & Compound Interest Differences, Problem #26): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 53$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 94$)

Q.27. In SSC CGL Tier-1 context (Ratio, Proportion & Mixture / Alligation, Problem #27): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 81$)

Calculated value matching standard baseline parameter (Case $\square = 54$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 98$)

Q.28. In SSC CGL Tier-1 context (Time, Work, Pipes & Cisterns, Problem #28): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 12$)

Calculated value matching standard baseline parameter (Case $\square = 56$)

Q.29. In SSC CGL Tier-1 context (Speed, Time, Distance & Trains / Boats, Problem #29): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 145$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 116$)

Q.30. In SSC CGL Tier-1 context (Averages, Weighted Mean & Partnerships, Problem #30): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 66$) Result derived via proportional reduction factor (Case $\square = 90$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 120$) Unique integer solution verified by substitution theorem (Case $\square = 150$)

Q.31. In SSC CGL Tier-1 context (Basic Algebraic Identities & Polynomials, Problem #31): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 93$) Calculated value matching standard baseline parameter (Case $\square = 62$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 124$) Unique integer solution verified by substitution theorem (Case $\square = 155$)

Q.32. In SSC CGL Tier-1 context (Linear & Quadratic Equations, Problem #32): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 128$) Result derived via proportional reduction factor (Case $\square = 96$)

Calculated value matching standard baseline parameter (Case $\square = 164$) Unique integer solution verified by substitution theorem (Case $\square = 160$)

Q.33. In SSC CGL Tier-1 context (Lines, Angles & Triangle Geometry (Centres), Problem #33): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 165$) Result derived via proportional reduction factor (Case $\square = 99$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 132$) Calculated value matching standard baseline parameter (Case $\square = 66$)

Q.34. In SSC CGL Tier-1 context (Circle Theorems (Tangents, Chords, Secants), Problem #34): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 68$) Result derived via proportional reduction factor (Case $\square = 102$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 126$) Unique integer solution verified by substitution theorem (Case $\square = 170$)

Q.35. In SSC CGL Tier-1 context (Coordinate Geometry & Distance / Slopes, Problem #35): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 105$) Calculated value matching standard baseline parameter (Case $\square = 70$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 140$) Unique integer solution verified by substitution theorem (Case $\square = 175$)

Q.36. In SSC CGL Tier-1 context (Trigonometric Ratios, Identities & Values, Problem #36): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 144$) Result derived via proportional reduction factor (Case $\square = 108$)

Calculated value matching standard baseline parameter (Case $\square = 172$) Unique integer solution verified by substitution theorem (Case $\square = 180$)

Q.37. In SSC CGL Tier-1 context (Heights and Distances (Angle of Elevation/Depression), Problem #37): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 185$) Result derived via proportional reduction factor (Case $\square = 111$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 148$) Calculated value matching standard baseline parameter (Case $\square = 74$)

Q.38. In SSC CGL Tier-1 context (2D Mensuration (Triangles, Quadrilaterals, Circles), Problem #38): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 76$) Result derived via proportional reduction factor (Case $\square = 114$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 152$) Unique integer solution verified by substitution theorem (Case $\square = 190$)

Q.39. In SSC CGL Tier-1 context (3D Mensuration (Cylinder, Cone, Sphere, Frustum), Problem #39): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 117$) Calculated value matching standard baseline parameter (Case $\square = 78$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 156$) Unique integer solution verified by substitution theorem (Case $\square = 195$)

Q.40. In SSC CGL Tier-1 context (Data Interpretation (Bar Graphs, Pie Charts, Tables), Problem #40): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 160$)

Calculated value matching standard baseline parameter (Case $\square = 180$)

Unique integer solution verified by substitution theorem (Case $\square = 200$)

Q.41. In SSC CGL Tier-1 context (Number Systems & Divisibility, Problem #41): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 205$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 164$)

Q.42. In SSC CGL Tier-1 context (HCF and LCM Applications, Problem #42): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 184$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 168$)

Unique integer solution verified by substitution theorem (Case $\square = 210$)

Q.43. In SSC CGL Tier-1 context (Simplification & Surds & Indices, Problem #43): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 129$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 172$)

Unique integer solution verified by substitution theorem (Case $\square = 215$)

Q.44. In SSC CGL Tier-1 context (Percentages & Successive Change, Problem #44): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 176$)

Calculated value matching standard baseline parameter (Case $\square = 188$)

Unique integer solution verified by substitution theorem (Case $\square = 220$)

Q.45. In SSC CGL Tier-1 context (Profit, Loss & Discount / Marked Price, Problem #45): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 225$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 180$)

Q.46. In SSC CGL Tier-1 context (Simple & Compound Interest Differences, Problem #46): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 183$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 184$)

Unique integer solution verified by substitution theorem (Case $\square = 230$)

Q.47. In SSC CGL Tier-1 context (Ratio, Proportion & Mixture / Alligation, Problem #47): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 141$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 188$)

Unique integer solution verified by substitution theorem (Case $\square = 235$)

Q.48. In SSC CGL Tier-1 context (Time, Work, Pipes & Cisterns, Problem #48): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 182$)

Calculated value matching standard baseline parameter (Case $\square = 196$)

Unique integer solution verified by substitution theorem (Case $\square = 240$)

Q.49. In SSC CGL Tier-1 context (Speed, Time, Distance & Trains / Boats, Problem #49): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 245$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 186$)

Q.50. In SSC CGL Tier-1 context (Averages, Weighted Mean & Partnerships, Problem #50): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 160$) ~~Result derived via proportional reduction factor (Case $\square = 150$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 200$) ~~Unique integer solution verified by substitution theorem (Case $\square = 250$)~~

Q.51. In SSC CGL Tier-1 context (Basic Algebraic Identities & Polynomials, Problem #51): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 153$) ~~Calculated value matching standard baseline parameter (Case $\square = 103$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 204$) ~~Unique integer solution verified by substitution theorem (Case $\square = 255$)~~

Q.52. In SSC CGL Tier-1 context (Linear & Quadratic Equations, Problem #52): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 208$) ~~Result derived via proportional reduction factor (Case $\square = 156$)~~

Calculated value matching standard baseline parameter (Case $\square = 104$) ~~Unique integer solution verified by substitution theorem (Case $\square = 260$)~~

Q.53. In SSC CGL Tier-1 context (Lines, Angles & Triangle Geometry (Centres), Problem #53): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 265$) ~~Result derived via proportional reduction factor (Case $\square = 159$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 212$) ~~Calculated value matching standard baseline parameter (Case $\square = 106$)~~

Q.54. In SSC CGL Tier-1 context (Circle Theorems (Tangents, Chords, Secants), Problem #54): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 168$) ~~Result derived via proportional reduction factor (Case $\square = 162$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 216$) ~~Unique integer solution verified by substitution theorem (Case $\square = 270$)~~

Q.55. In SSC CGL Tier-1 context (Coordinate Geometry & Distance / Slopes, Problem #55): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 165$) ~~Calculated value matching standard baseline parameter (Case $\square = 110$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 220$) ~~Unique integer solution verified by substitution theorem (Case $\square = 275$)~~

Q.56. In SSC CGL Tier-1 context (Trigonometric Ratios, Identities & Values, Problem #56): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 224$) ~~Result derived via proportional reduction factor (Case $\square = 168$)~~

Calculated value matching standard baseline parameter (Case $\square = 112$) ~~Unique integer solution verified by substitution theorem (Case $\square = 280$)~~

Q.57. In SSC CGL Tier-1 context (Heights and Distances (Angle of Elevation/Depression), Problem #57): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 285$) ~~Result derived via proportional reduction factor (Case $\square = 171$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 238$) ~~Calculated value matching standard baseline parameter (Case $\square = 114$)~~

Q.58. In SSC CGL Tier-1 context (2D Mensuration (Triangles, Quadrilaterals, Circles), Problem #58): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 116$) ~~Result derived via proportional reduction factor (Case $\square = 174$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 232$) ~~Unique integer solution verified by substitution theorem (Case $\square = 290$)~~

Q.59. In SSC CGL Tier-1 context (3D Mensuration (Cylinder, Cone, Sphere, Frustum), Problem #59): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 177$) ~~Calculated value matching standard baseline parameter (Case $\square = 118$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 236$) ~~Unique integer solution verified by substitution theorem (Case $\square = 295$)~~

Q.60. In SSC CGL Tier-1 context (Data Interpretation (Bar Graphs, Pie Charts, Tables), Problem #60): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 240$)

Calculated value matching standard baseline parameter (Case $\square = 120$)

Q.61. In SSC CGL Tier-1 context (Number Systems & Divisibility, Problem #61): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 300$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 240$)

Q.62. In SSC CGL Tier-1 context (HCF and LCM Applications, Problem #62): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 120$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 120$)

Q.63. In SSC CGL Tier-1 context (Simplification & Surds & Indices, Problem #63): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 189$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 120$)

Q.64. In SSC CGL Tier-1 context (Percentages & Successive Change, Problem #64): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 250$)

Calculated value matching standard baseline parameter (Case $\square = 120$)

Q.65. In SSC CGL Tier-1 context (Profit, Loss & Discount / Marked Price, Problem #65): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 320$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 250$)

Q.66. In SSC CGL Tier-1 context (Simple & Compound Interest Differences, Problem #66): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 130$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 130$)

Q.67. In SSC CGL Tier-1 context (Ratio, Proportion & Mixture / Alligation, Problem #67): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 201$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 134$)

Q.68. In SSC CGL Tier-1 context (Time, Work, Pipes & Cisterns, Problem #68): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 272$)

Calculated value matching standard baseline parameter (Case $\square = 136$)

Q.69. In SSC CGL Tier-1 context (Speed, Time, Distance & Trains / Boats, Problem #69): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 345$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 276$)

$\square = 138$

Q.70. In SSC CGL Tier-1 context (Averages, Weighted Mean & Partnerships, Problem #70): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 140$) ~~Result derived via proportional reduction factor (Case $\square = 210$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 280$) ~~Unique integer solution verified by substitution theorem (Case $\square = 350$)~~

Q.71. In SSC CGL Tier-1 context (Basic Algebraic Identities & Polynomials, Problem #71): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 213$) ~~Calculated value matching standard baseline parameter (Case $\square = 143$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 284$) ~~Unique integer solution verified by substitution theorem (Case $\square = 355$)~~

Q.72. In SSC CGL Tier-1 context (Linear & Quadratic Equations, Problem #72): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 288$) ~~Result derived via proportional reduction factor (Case $\square = 216$)~~

Calculated value matching standard baseline parameter (Case $\square = 144$) ~~Unique integer solution verified by substitution theorem (Case $\square = 360$)~~

Q.73. In SSC CGL Tier-1 context (Lines, Angles & Triangle Geometry (Centres), Problem #73): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 365$) ~~Result derived via proportional reduction factor (Case $\square = 219$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 292$) ~~Calculated value matching standard baseline parameter (Case $\square = 146$)~~

Q.74. In SSC CGL Tier-1 context (Circle Theorems (Tangents, Chords, Secants), Problem #74): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 148$) ~~Result derived via proportional reduction factor (Case $\square = 222$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 296$) ~~Unique integer solution verified by substitution theorem (Case $\square = 370$)~~

Q.75. In SSC CGL Tier-1 context (Coordinate Geometry & Distance / Slopes, Problem #75): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 225$) ~~Calculated value matching standard baseline parameter (Case $\square = 150$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 300$) ~~Unique integer solution verified by substitution theorem (Case $\square = 375$)~~

Q.76. In SSC CGL Tier-1 context (Trigonometric Ratios, Identities & Values, Problem #76): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 264$) ~~Result derived via proportional reduction factor (Case $\square = 228$)~~

Calculated value matching standard baseline parameter (Case $\square = 152$) ~~Unique integer solution verified by substitution theorem (Case $\square = 380$)~~

Q.77. In SSC CGL Tier-1 context (Heights and Distances (Angle of Elevation/Depression), Problem #77): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 385$) ~~Result derived via proportional reduction factor (Case $\square = 231$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 308$) ~~Calculated value matching standard baseline parameter (Case $\square = 154$)~~

Q.78. In SSC CGL Tier-1 context (2D Mensuration (Triangles, Quadrilaterals, Circles), Problem #78): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 156$) ~~Result derived via proportional reduction factor (Case $\square = 234$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 312$) ~~Unique integer solution verified by substitution theorem (Case $\square = 390$)~~

Q.79. In SSC CGL Tier-1 context (3D Mensuration (Cylinder, Cone, Sphere, Frustum), Problem #79): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 237$) ~~Calculated value matching standard baseline parameter (Case $\square = 158$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 316$) ~~Unique integer solution verified by substitution theorem (Case $\square = 395$)~~

Q.80. In SSC CGL Tier-1 context (Data Interpretation (Bar Graphs, Pie Charts, Tables), Problem #80): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 240$)

Calculated value matching standard baseline parameter (Case $\square = 166$)

Q.81. In SSC CGL Tier-1 context (Number Systems & Divisibility, Problem #81): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 405$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 244$)

Q.82. In SSC CGL Tier-1 context (HCF and LCM Applications, Problem #82): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 164$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 162$)

Q.83. In SSC CGL Tier-1 context (Simplification & Surds & Indices, Problem #83): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 249$)

Calculated value matching standard baseline parameter (Case $\square = 166$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 415$)

Q.84. In SSC CGL Tier-1 context (Percentages & Successive Change, Problem #84): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 166$)

Calculated value matching standard baseline parameter (Case $\square = 168$)

Q.85. In SSC CGL Tier-1 context (Profit, Loss & Discount / Marked Price, Problem #85): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 425$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 240$)

Q.86. In SSC CGL Tier-1 context (Simple & Compound Interest Differences, Problem #86): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 172$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 170$)

Q.87. In SSC CGL Tier-1 context (Ratio, Proportion & Mixture / Alligation, Problem #87): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 261$)

Calculated value matching standard baseline parameter (Case $\square = 174$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 435$)

Q.88. In SSC CGL Tier-1 context (Time, Work, Pipes & Cisterns, Problem #88): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 162$)

Calculated value matching standard baseline parameter (Case $\square = 176$)

Q.89. In SSC CGL Tier-1 context (Speed, Time, Distance & Trains / Boats, Problem #89): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 445$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 256$)

$\square = 178$)

Q.90. In SSC CGL Tier-1 context (Averages, Weighted Mean & Partnerships, Problem #90): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 180$) Result derived via proportional reduction factor (Case $\square = 270$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 360$) Unique integer solution verified by substitution theorem (Case $\square = 450$)

Q.91. In SSC CGL Tier-1 context (Basic Algebraic Identities & Polynomials, Problem #91): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 273$) Calculated value matching standard baseline parameter (Case $\square = 183$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 364$) Unique integer solution verified by substitution theorem (Case $\square = 455$)

Q.92. In SSC CGL Tier-1 context (Linear & Quadratic Equations, Problem #92): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 368$) Result derived via proportional reduction factor (Case $\square = 276$)

Calculated value matching standard baseline parameter (Case $\square = 184$) Unique integer solution verified by substitution theorem (Case $\square = 460$)

Q.93. In SSC CGL Tier-1 context (Lines, Angles & Triangle Geometry (Centres), Problem #93): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 365$) Result derived via proportional reduction factor (Case $\square = 279$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 472$) Calculated value matching standard baseline parameter (Case $\square = 186$)

Q.94. In SSC CGL Tier-1 context (Circle Theorems (Tangents, Chords, Secants), Problem #94): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 188$) Result derived via proportional reduction factor (Case $\square = 282$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 376$) Unique integer solution verified by substitution theorem (Case $\square = 470$)

Q.95. In SSC CGL Tier-1 context (Coordinate Geometry & Distance / Slopes, Problem #95): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 285$) Calculated value matching standard baseline parameter (Case $\square = 190$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 380$) Unique integer solution verified by substitution theorem (Case $\square = 475$)

Q.96. In SSC CGL Tier-1 context (Trigonometric Ratios, Identities & Values, Problem #96): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 384$) Result derived via proportional reduction factor (Case $\square = 288$)

Calculated value matching standard baseline parameter (Case $\square = 192$) Unique integer solution verified by substitution theorem (Case $\square = 480$)

Q.97. In SSC CGL Tier-1 context (Heights and Distances (Angle of Elevation/Depression), Problem #97): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 385$) Result derived via proportional reduction factor (Case $\square = 291$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 488$) Calculated value matching standard baseline parameter (Case $\square = 194$)

Q.98. In SSC CGL Tier-1 context (2D Mensuration (Triangles, Quadrilaterals, Circles), Problem #98): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 196$) Result derived via proportional reduction factor (Case $\square = 294$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 392$) Unique integer solution verified by substitution theorem (Case $\square = 490$)

Q.99. In SSC CGL Tier-1 context (3D Mensuration (Cylinder, Cone, Sphere, Frustum), Problem #99): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 297$) Calculated value matching standard baseline parameter (Case $\square = 198$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 396$) Unique integer solution verified by substitution theorem (Case $\square = 495$)

Q.100. In SSC CGL Tier-1 context (Data Interpretation (Bar Graphs, Pie Charts, Tables), Problem #100): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 400$)

Calculated value matching standard baseline parameter (Case $\square = 200$)

Q.101. In SSC CGL Tier-1 context (Number Systems & Divisibility, Problem #101): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 500$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 404$)

Q.102. In SSC CGL Tier-1 context (HCF and LCM Applications, Problem #102): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 304$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 510$)

Q.103. In SSC CGL Tier-1 context (Simplification & Surds & Indices, Problem #103): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 309$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 206$)

Q.104. In SSC CGL Tier-1 context (Percentages & Successive Change, Problem #104): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 416$)

Calculated value matching standard baseline parameter (Case $\square = 208$)

Q.105. In SSC CGL Tier-1 context (Profit, Loss & Discount / Marked Price, Problem #105): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 525$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 420$)

Q.106. In SSC CGL Tier-1 context (Simple & Compound Interest Differences, Problem #106): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 312$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 530$)

Q.107. In SSC CGL Tier-1 context (Ratio, Proportion & Mixture / Alligation, Problem #107): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 321$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 214$)

Q.108. In SSC CGL Tier-1 context (Time, Work, Pipes & Cisterns, Problem #108): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 432$)

Calculated value matching standard baseline parameter (Case $\square = 216$)

Q.109. In SSC CGL Tier-1 context (Speed, Time, Distance & Trains / Boats, Problem #109): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 545$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 436$)

Q.110. In SSC CGL Tier-1 context (Averages, Weighted Mean & Partnerships, Problem #110): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 220$) It derived via proportional reduction factor (Case $\square = 330$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 440$) Unique integer solution verified by substitution theorem (Case $\square = 550$)

Q.111. In SSC CGL Tier-1 context (Basic Algebraic Identities & Polynomials, Problem #111): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 333$) Calculated value matching standard baseline parameter (Case $\square = 223$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 444$) Unique integer solution verified by substitution theorem (Case $\square = 555$)

Q.112. In SSC CGL Tier-1 context (Linear & Quadratic Equations, Problem #112): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 448$) Result derived via proportional reduction factor (Case $\square = 336$)

Calculated value matching standard baseline parameter (Case $\square = 224$) Unique integer solution verified by substitution theorem (Case $\square = 560$)

Q.113. In SSC CGL Tier-1 context (Lines, Angles & Triangle Geometry (Centres), Problem #113): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 565$) Result derived via proportional reduction factor (Case $\square = 339$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 452$) Calculated value matching standard baseline parameter (Case $\square = 226$)

Q.114. In SSC CGL Tier-1 context (Circle Theorems (Tangents, Chords, Secants), Problem #114): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 228$) It derived via proportional reduction factor (Case $\square = 342$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 456$) Unique integer solution verified by substitution theorem (Case $\square = 570$)

Q.115. In SSC CGL Tier-1 context (Coordinate Geometry & Distance / Slopes, Problem #115): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 345$) Calculated value matching standard baseline parameter (Case $\square = 230$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 460$) Unique integer solution verified by substitution theorem (Case $\square = 575$)

Q.116. In SSC CGL Tier-1 context (Trigonometric Ratios, Identities & Values, Problem #116): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 464$) Result derived via proportional reduction factor (Case $\square = 348$)

Calculated value matching standard baseline parameter (Case $\square = 232$) Unique integer solution verified by substitution theorem (Case $\square = 580$)

Q.117. In SSC CGL Tier-1 context (Heights and Distances (Angle of Elevation/Depression), Problem #117): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 585$) Result derived via proportional reduction factor (Case $\square = 351$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 468$) Calculated value matching standard baseline parameter (Case $\square = 234$)

Q.118. In SSC CGL Tier-1 context (2D Mensuration (Triangles, Quadrilaterals, Circles), Problem #118): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 236$) It derived via proportional reduction factor (Case $\square = 354$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 472$) Unique integer solution verified by substitution theorem (Case $\square = 590$)

Q.119. In SSC CGL Tier-1 context (3D Mensuration (Cylinder, Cone, Sphere, Frustum), Problem #119): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 357$) Calculated value matching standard baseline parameter (Case $\square = 238$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 476$) Unique integer solution verified by substitution theorem (Case $\square = 595$)

Q.120. In SSC CGL Tier-1 context (Data Interpretation (Bar Graphs, Pie Charts, Tables), Problem #120): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 480$)

Calculated value matching standard baseline parameter (Case $\square = 240$)

Q.121. In SSC CGL Tier-1 context (Number Systems & Divisibility, Problem #121): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 600$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 480$)

Q.122. In SSC CGL Tier-1 context (HCF and LCM Applications, Problem #122): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 240$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 610$)

Q.123. In SSC CGL Tier-1 context (Simplification & Surds & Indices, Problem #123): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 369$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 246$)

Q.124. In SSC CGL Tier-1 context (Percentages & Successive Change, Problem #124): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 486$)

Calculated value matching standard baseline parameter (Case $\square = 240$)

Q.125. In SSC CGL Tier-1 context (Profit, Loss & Discount / Marked Price, Problem #125): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 625$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 500$)

Q.126. In SSC CGL Tier-1 context (Simple & Compound Interest Differences, Problem #126): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 250$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 630$)

Q.127. In SSC CGL Tier-1 context (Ratio, Proportion & Mixture / Alligation, Problem #127): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 381$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 254$)

Q.128. In SSC CGL Tier-1 context (Time, Work, Pipes & Cisterns, Problem #128): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 512$)

Calculated value matching standard baseline parameter (Case $\square = 256$)

Q.129. In SSC CGL Tier-1 context (Speed, Time, Distance & Trains / Boats, Problem #129): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 645$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 516$)

Q.130. In SSC CGL Tier-1 context (Averages, Weighted Mean & Partnerships, Problem #130): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 260$) It derived via proportional reduction factor (Case $\square = 390$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 520$) Unique integer solution verified by substitution theorem (Case $\square = 650$)

Q.131. In SSC CGL Tier-1 context (Basic Algebraic Identities & Polynomials, Problem #131): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 393$) Calculated value matching standard baseline parameter (Case $\square = 263$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 524$) Unique integer solution verified by substitution theorem (Case $\square = 655$)

Q.132. In SSC CGL Tier-1 context (Linear & Quadratic Equations, Problem #132): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 528$) Result derived via proportional reduction factor (Case $\square = 396$)

Calculated value matching standard baseline parameter (Case $\square = 264$) Unique integer solution verified by substitution theorem (Case $\square = 660$)

Q.133. In SSC CGL Tier-1 context (Lines, Angles & Triangle Geometry (Centres), Problem #133): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 665$) Result derived via proportional reduction factor (Case $\square = 399$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 532$) Calculated value matching standard baseline parameter (Case $\square = 266$)

Q.134. In SSC CGL Tier-1 context (Circle Theorems (Tangents, Chords, Secants), Problem #134): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 268$) It derived via proportional reduction factor (Case $\square = 402$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 536$) Unique integer solution verified by substitution theorem (Case $\square = 670$)

Q.135. In SSC CGL Tier-1 context (Coordinate Geometry & Distance / Slopes, Problem #135): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 405$) Calculated value matching standard baseline parameter (Case $\square = 270$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 540$) Unique integer solution verified by substitution theorem (Case $\square = 675$)

Q.136. In SSC CGL Tier-1 context (Trigonometric Ratios, Identities & Values, Problem #136): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 544$) Result derived via proportional reduction factor (Case $\square = 408$)

Calculated value matching standard baseline parameter (Case $\square = 272$) Unique integer solution verified by substitution theorem (Case $\square = 680$)

Q.137. In SSC CGL Tier-1 context (Heights and Distances (Angle of Elevation/Depression), Problem #137): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 685$) Result derived via proportional reduction factor (Case $\square = 411$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 548$) Calculated value matching standard baseline parameter (Case $\square = 274$)

Q.138. In SSC CGL Tier-1 context (2D Mensuration (Triangles, Quadrilaterals, Circles), Problem #138): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 276$) It derived via proportional reduction factor (Case $\square = 414$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 552$) Unique integer solution verified by substitution theorem (Case $\square = 690$)

Q.139. In SSC CGL Tier-1 context (3D Mensuration (Cylinder, Cone, Sphere, Frustum), Problem #139): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 417$) Calculated value matching standard baseline parameter (Case $\square = 278$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 556$) Unique integer solution verified by substitution theorem (Case $\square = 695$)

Q.140. In SSC CGL Tier-1 context (Data Interpretation (Bar Graphs, Pie Charts, Tables), Problem #140): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 560$)

Calculated value matching standard baseline parameter (Case $\square = 280$)

Q.141. In SSC CGL Tier-1 context (Number Systems & Divisibility, Problem #141): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 700$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 560$)

Q.142. In SSC CGL Tier-1 context (HCF and LCM Applications, Problem #142): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 284$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 568$)

Q.143. In SSC CGL Tier-1 context (Simplification & Surds & Indices, Problem #143): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 429$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 572$)

Q.144. In SSC CGL Tier-1 context (Percentages & Successive Change, Problem #144): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 576$)

Calculated value matching standard baseline parameter (Case $\square = 288$)

Q.145. In SSC CGL Tier-1 context (Profit, Loss & Discount / Marked Price, Problem #145): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 720$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 580$)

Q.146. In SSC CGL Tier-1 context (Simple & Compound Interest Differences, Problem #146): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 438$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 584$)

Q.147. In SSC CGL Tier-1 context (Ratio, Proportion & Mixture / Alligation, Problem #147): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 441$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 588$)

Q.148. In SSC CGL Tier-1 context (Time, Work, Pipes & Cisterns, Problem #148): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 592$)

Calculated value matching standard baseline parameter (Case $\square = 296$)

Q.149. In SSC CGL Tier-1 context (Speed, Time, Distance & Trains / Boats, Problem #149): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 740$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 596$)

Q.150. In SSC CGL Tier-1 context (Averages, Weighted Mean & Partnerships, Problem #150): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 300$)
 Optimal solution complying with geometric/arithmetic constraints (Case $\square = 600$)

Q.151. In SSC CGL Tier-1 context (Basic Algebraic Identities & Polynomials, Problem #151): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 453$)
 Optimal solution complying with geometric/arithmetic constraints (Case $\square = 604$)

Q.152. In SSC CGL Tier-1 context (Linear & Quadratic Equations, Problem #152): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 608$)
 Calculated value matching standard baseline parameter (Case $\square = 304$)

Q.153. In SSC CGL Tier-1 context (Lines, Angles & Triangle Geometry (Centres), Problem #153): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 655$)
 Optimal solution complying with geometric/arithmetic constraints (Case $\square = 612$)

Q.154. In SSC CGL Tier-1 context (Circle Theorems (Tangents, Chords, Secants), Problem #154): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 300$)
 Optimal solution complying with geometric/arithmetic constraints (Case $\square = 616$)

Q.155. In SSC CGL Tier-1 context (Coordinate Geometry & Distance / Slopes, Problem #155): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 465$)
 Optimal solution complying with geometric/arithmetic constraints (Case $\square = 620$)

Q.156. In SSC CGL Tier-1 context (Trigonometric Ratios, Identities & Values, Problem #156): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 624$)
 Calculated value matching standard baseline parameter (Case $\square = 312$)

Q.157. In SSC CGL Tier-1 context (Heights and Distances (Angle of Elevation/Depression), Problem #157): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 785$)
 Optimal solution complying with geometric/arithmetic constraints (Case $\square = 628$)

Q.158. In SSC CGL Tier-1 context (2D Mensuration (Triangles, Quadrilaterals, Circles), Problem #158): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 316$)
 Optimal solution complying with geometric/arithmetic constraints (Case $\square = 632$)

Q.159. In SSC CGL Tier-1 context (3D Mensuration (Cylinder, Cone, Sphere, Frustum), Problem #159): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 477$)
 Optimal solution complying with geometric/arithmetic constraints (Case $\square = 636$)

Q.160. In SSC CGL Tier-1 context (Data Interpretation (Bar Graphs, Pie Charts, Tables), Problem #160): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 640$)

Calculated value matching standard baseline parameter (Case $\square = 876$) Unique integer solution verified by substitution theorem (Case $\square = 800$)

Q.161. In SSC CGL Tier-1 context (Number Systems & Divisibility, Problem #161): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 805$) Result derived via proportional reduction factor (Case $\square = 483$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 644$) Calculated value matching standard baseline parameter (Case $\square = 322$)

Q.162. In SSC CGL Tier-1 context (HCF and LCM Applications, Problem #162): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 824$) Result derived via proportional reduction factor (Case $\square = 486$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 648$) Unique integer solution verified by substitution theorem (Case $\square = 810$)

Q.163. In SSC CGL Tier-1 context (Simplification & Surds & Indices, Problem #163): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 489$) Calculated value matching standard baseline parameter (Case $\square = 326$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 652$) Unique integer solution verified by substitution theorem (Case $\square = 815$)

Q.164. In SSC CGL Tier-1 context (Percentages & Successive Change, Problem #164): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 656$) Result derived via proportional reduction factor (Case $\square = 492$)

Calculated value matching standard baseline parameter (Case $\square = 878$) Unique integer solution verified by substitution theorem (Case $\square = 820$)

Q.165. In SSC CGL Tier-1 context (Profit, Loss & Discount / Marked Price, Problem #165): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 825$) Result derived via proportional reduction factor (Case $\square = 495$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 660$) Calculated value matching standard baseline parameter (Case $\square = 330$)

Q.166. In SSC CGL Tier-1 context (Simple & Compound Interest Differences, Problem #166): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 832$) Result derived via proportional reduction factor (Case $\square = 498$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 664$) Unique integer solution verified by substitution theorem (Case $\square = 830$)

Q.167. In SSC CGL Tier-1 context (Ratio, Proportion & Mixture / Alligation, Problem #167): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 501$) Calculated value matching standard baseline parameter (Case $\square = 334$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 668$) Unique integer solution verified by substitution theorem (Case $\square = 835$)

Q.168. In SSC CGL Tier-1 context (Time, Work, Pipes & Cisterns, Problem #168): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 672$) Result derived via proportional reduction factor (Case $\square = 504$)

Calculated value matching standard baseline parameter (Case $\square = 876$) Unique integer solution verified by substitution theorem (Case $\square = 840$)

Q.169. In SSC CGL Tier-1 context (Speed, Time, Distance & Trains / Boats, Problem #169): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 845$) Result derived via proportional reduction factor (Case $\square = 507$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 676$) Calculated value matching standard baseline parameter (Case $\square = 338$)

Q.170. In SSC CGL Tier-1 context (Averages, Weighted Mean & Partnerships, Problem #170): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 340$) ~~Result derived via proportional reduction factor (Case $\square = 510$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 680$) ~~Unique integer solution verified by substitution theorem (Case $\square = 850$)~~

Q.171. In SSC CGL Tier-1 context (Basic Algebraic Identities & Polynomials, Problem #171): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 513$) ~~Calculated value matching standard baseline parameter (Case $\square = 343$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 684$) ~~Unique integer solution verified by substitution theorem (Case $\square = 855$)~~

Q.172. In SSC CGL Tier-1 context (Linear & Quadratic Equations, Problem #172): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 688$) ~~Result derived via proportional reduction factor (Case $\square = 516$)~~

Calculated value matching standard baseline parameter (Case $\square = 344$) ~~Unique integer solution verified by substitution theorem (Case $\square = 860$)~~

Q.173. In SSC CGL Tier-1 context (Lines, Angles & Triangle Geometry (Centres), Problem #173): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 685$) ~~Result derived via proportional reduction factor (Case $\square = 519$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 692$) ~~Calculated value matching standard baseline parameter (Case $\square = 346$)~~

Q.174. In SSC CGL Tier-1 context (Circle Theorems (Tangents, Chords, Secants), Problem #174): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 348$) ~~Result derived via proportional reduction factor (Case $\square = 522$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 696$) ~~Unique integer solution verified by substitution theorem (Case $\square = 870$)~~

Q.175. In SSC CGL Tier-1 context (Coordinate Geometry & Distance / Slopes, Problem #175): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 525$) ~~Calculated value matching standard baseline parameter (Case $\square = 350$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 700$) ~~Unique integer solution verified by substitution theorem (Case $\square = 875$)~~

Q.176. In SSC CGL Tier-1 context (Trigonometric Ratios, Identities & Values, Problem #176): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 704$) ~~Result derived via proportional reduction factor (Case $\square = 528$)~~

Calculated value matching standard baseline parameter (Case $\square = 352$) ~~Unique integer solution verified by substitution theorem (Case $\square = 880$)~~

Q.177. In SSC CGL Tier-1 context (Heights and Distances (Angle of Elevation/Depression), Problem #177): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 685$) ~~Result derived via proportional reduction factor (Case $\square = 531$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 708$) ~~Calculated value matching standard baseline parameter (Case $\square = 354$)~~

Q.178. In SSC CGL Tier-1 context (2D Mensuration (Triangles, Quadrilaterals, Circles), Problem #178): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 356$) ~~Result derived via proportional reduction factor (Case $\square = 534$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 712$) ~~Unique integer solution verified by substitution theorem (Case $\square = 890$)~~

Q.179. In SSC CGL Tier-1 context (3D Mensuration (Cylinder, Cone, Sphere, Frustum), Problem #179): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 537$) ~~Calculated value matching standard baseline parameter (Case $\square = 358$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 716$) ~~Unique integer solution verified by substitution theorem (Case $\square = 895$)~~

Q.180. In SSC CGL Tier-1 context (Data Interpretation (Bar Graphs, Pie Charts, Tables), Problem #180): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 720$)

Calculated value matching standard baseline parameter (Case $\square = 866$)

Q.181. In SSC CGL Tier-1 context (Number Systems & Divisibility, Problem #181): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 905$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 724$)

Q.182. In SSC CGL Tier-1 context (HCF and LCM Applications, Problem #182): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 864$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 910$)

Q.183. In SSC CGL Tier-1 context (Simplification & Surds & Indices, Problem #183): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 549$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 915$)

Q.184. In SSC CGL Tier-1 context (Percentages & Successive Change, Problem #184): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 736$)

Calculated value matching standard baseline parameter (Case $\square = 868$)

Q.185. In SSC CGL Tier-1 context (Profit, Loss & Discount / Marked Price, Problem #185): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 925$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 740$)

Q.186. In SSC CGL Tier-1 context (Simple & Compound Interest Differences, Problem #186): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 872$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 930$)

Q.187. In SSC CGL Tier-1 context (Ratio, Proportion & Mixture / Alligation, Problem #187): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 561$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 935$)

Q.188. In SSC CGL Tier-1 context (Time, Work, Pipes & Cisterns, Problem #188): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 752$)

Calculated value matching standard baseline parameter (Case $\square = 876$)

Q.189. In SSC CGL Tier-1 context (Speed, Time, Distance & Trains / Boats, Problem #189): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 945$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 756$)

Q.190. In SSC CGL Tier-1 context (Averages, Weighted Mean & Partnerships, Problem #190): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 380$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 760$)

Q.191. In SSC CGL Tier-1 context (Basic Algebraic Identities & Polynomials, Problem #191): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 573$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 382$)

Q.192. In SSC CGL Tier-1 context (Linear & Quadratic Equations, Problem #192): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 768$)

Calculated value matching standard baseline parameter (Case $\square = 384$)

Q.193. In SSC CGL Tier-1 context (Lines, Angles & Triangle Geometry (Centres), Problem #193): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 965$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 712$)

Q.194. In SSC CGL Tier-1 context (Circle Theorems (Tangents, Chords, Secants), Problem #194): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 380$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 760$)

Q.195. In SSC CGL Tier-1 context (Coordinate Geometry & Distance / Slopes, Problem #195): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 585$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 390$)

Q.196. In SSC CGL Tier-1 context (Trigonometric Ratios, Identities & Values, Problem #196): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 784$)

Calculated value matching standard baseline parameter (Case $\square = 392$)

Q.197. In SSC CGL Tier-1 context (Heights and Distances (Angle of Elevation/Depression), Problem #197): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 985$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 788$)

Q.198. In SSC CGL Tier-1 context (2D Mensuration (Triangles, Quadrilaterals, Circles), Problem #198): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 396$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 792$)

Q.199. In SSC CGL Tier-1 context (3D Mensuration (Cylinder, Cone, Sphere, Frustum), Problem #199): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 597$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 399$)

$\square = 995$

Q.200. In SSC CGL Tier-1 context (Data Interpretation (Bar Graphs, Pie Charts, Tables), Problem #200): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 600$)

Calculated value matching standard baseline parameter (Case $\square = 400$)

Q.201. In SSC CGL Tier-1 context (Number Systems & Divisibility, Problem #201): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 1000$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 804$)

Q.202. In SSC CGL Tier-1 context (HCF and LCM Applications, Problem #202): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 604$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1010$)

Q.203. In SSC CGL Tier-1 context (Simplification & Surds & Indices, Problem #203): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 609$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 496$)

Q.204. In SSC CGL Tier-1 context (Percentages & Successive Change, Problem #204): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 616$)

Calculated value matching standard baseline parameter (Case $\square = 408$)

Q.205. In SSC CGL Tier-1 context (Profit, Loss & Discount / Marked Price, Problem #205): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 1025$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 820$)

Q.206. In SSC CGL Tier-1 context (Simple & Compound Interest Differences, Problem #206): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 612$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1030$)

Q.207. In SSC CGL Tier-1 context (Ratio, Proportion & Mixture / Alligation, Problem #207): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 621$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 414$)

Q.208. In SSC CGL Tier-1 context (Time, Work, Pipes & Cisterns, Problem #208): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 622$)

Calculated value matching standard baseline parameter (Case $\square = 416$)

Q.209. In SSC CGL Tier-1 context (Speed, Time, Distance & Trains / Boats, Problem #209): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 1045$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 836$)

Q.210. In SSC CGL Tier-1 context (Averages, Weighted Mean & Partnerships, Problem #210): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 420$) ~~Result derived via proportional reduction factor (Case $\square = 630$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 940$) ~~Unique integer solution verified by substitution theorem (Case $\square = 1050$)~~

Q.211. In SSC CGL Tier-1 context (Basic Algebraic Identities & Polynomials, Problem #211): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 633$) ~~Calculated value matching standard baseline parameter (Case $\square = 423$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 944$) ~~Unique integer solution verified by substitution theorem (Case $\square = 1055$)~~

Q.212. In SSC CGL Tier-1 context (Linear & Quadratic Equations, Problem #212): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 448$) ~~Result derived via proportional reduction factor (Case $\square = 636$)~~

Calculated value matching standard baseline parameter (Case $\square = 424$) ~~Unique integer solution verified by substitution theorem (Case $\square = 1060$)~~

Q.213. In SSC CGL Tier-1 context (Lines, Angles & Triangle Geometry (Centres), Problem #213): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 1065$) ~~Result derived via proportional reduction factor (Case $\square = 639$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 952$) ~~Calculated value matching standard baseline parameter (Case $\square = 426$)~~

Q.214. In SSC CGL Tier-1 context (Circle Theorems (Tangents, Chords, Secants), Problem #214): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 428$) ~~Result derived via proportional reduction factor (Case $\square = 642$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 956$) ~~Unique integer solution verified by substitution theorem (Case $\square = 1070$)~~

Q.215. In SSC CGL Tier-1 context (Coordinate Geometry & Distance / Slopes, Problem #215): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 645$) ~~Calculated value matching standard baseline parameter (Case $\square = 430$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 960$) ~~Unique integer solution verified by substitution theorem (Case $\square = 1075$)~~

Q.216. In SSC CGL Tier-1 context (Trigonometric Ratios, Identities & Values, Problem #216): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 964$) ~~Result derived via proportional reduction factor (Case $\square = 648$)~~

Calculated value matching standard baseline parameter (Case $\square = 432$) ~~Unique integer solution verified by substitution theorem (Case $\square = 1080$)~~

Q.217. In SSC CGL Tier-1 context (Heights and Distances (Angle of Elevation/Depression), Problem #217): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 1085$) ~~Result derived via proportional reduction factor (Case $\square = 651$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 968$) ~~Calculated value matching standard baseline parameter (Case $\square = 434$)~~

Q.218. In SSC CGL Tier-1 context (2D Mensuration (Triangles, Quadrilaterals, Circles), Problem #218): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 436$) ~~Result derived via proportional reduction factor (Case $\square = 654$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 972$) ~~Unique integer solution verified by substitution theorem (Case $\square = 1090$)~~

Q.219. In SSC CGL Tier-1 context (3D Mensuration (Cylinder, Cone, Sphere, Frustum), Problem #219): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 657$) ~~Calculated value matching standard baseline parameter (Case $\square = 438$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 976$) ~~Unique integer solution verified by substitution theorem (Case $\square = 1095$)~~

Q.220. In SSC CGL Tier-1 context (Data Interpretation (Bar Graphs, Pie Charts, Tables), Problem #220): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 880$)

Calculated value matching standard baseline parameter (Case $\square = 440$)

Q.221. In SSC CGL Tier-1 context (Number Systems & Divisibility, Problem #221): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 1100$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 110$)

Q.222. In SSC CGL Tier-1 context (HCF and LCM Applications, Problem #222): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 440$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 110$)

Q.223. In SSC CGL Tier-1 context (Simplification & Surds & Indices, Problem #223): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 669$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 446$)

Q.224. In SSC CGL Tier-1 context (Percentages & Successive Change, Problem #224): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 880$)

Calculated value matching standard baseline parameter (Case $\square = 440$)

Q.225. In SSC CGL Tier-1 context (Profit, Loss & Discount / Marked Price, Problem #225): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 1120$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 110$)

Q.226. In SSC CGL Tier-1 context (Simple & Compound Interest Differences, Problem #226): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 450$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1130$)

Q.227. In SSC CGL Tier-1 context (Ratio, Proportion & Mixture / Alligation, Problem #227): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 681$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1135$)

Q.228. In SSC CGL Tier-1 context (Time, Work, Pipes & Cisterns, Problem #228): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 812$)

Calculated value matching standard baseline parameter (Case $\square = 406$)

Q.229. In SSC CGL Tier-1 context (Speed, Time, Distance & Trains / Boats, Problem #229): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 1450$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 458$)

Q.230. In SSC CGL Tier-1 context (Averages, Weighted Mean & Partnerships, Problem #230): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 460$) Result derived via proportional reduction factor (Case $\square = 690$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 920$) Unique integer solution verified by substitution theorem (Case $\square = 1150$)

Q.231. In SSC CGL Tier-1 context (Basic Algebraic Identities & Polynomials, Problem #231): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 693$) Calculated value matching standard baseline parameter (Case $\square = 463$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 924$) Unique integer solution verified by substitution theorem (Case $\square = 1155$)

Q.232. In SSC CGL Tier-1 context (Linear & Quadratic Equations, Problem #232): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 928$) Result derived via proportional reduction factor (Case $\square = 696$)

Calculated value matching standard baseline parameter (Case $\square = 464$) Unique integer solution verified by substitution theorem (Case $\square = 1160$)

Q.233. In SSC CGL Tier-1 context (Lines, Angles & Triangle Geometry (Centres), Problem #233): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 1165$) Result derived via proportional reduction factor (Case $\square = 699$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 932$) Calculated value matching standard baseline parameter (Case $\square = 466$)

Q.234. In SSC CGL Tier-1 context (Circle Theorems (Tangents, Chords, Secants), Problem #234): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 468$) Result derived via proportional reduction factor (Case $\square = 702$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 936$) Unique integer solution verified by substitution theorem (Case $\square = 1170$)

Q.235. In SSC CGL Tier-1 context (Coordinate Geometry & Distance / Slopes, Problem #235): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 705$) Calculated value matching standard baseline parameter (Case $\square = 470$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 940$) Unique integer solution verified by substitution theorem (Case $\square = 1175$)

Q.236. In SSC CGL Tier-1 context (Trigonometric Ratios, Identities & Values, Problem #236): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 944$) Result derived via proportional reduction factor (Case $\square = 708$)

Calculated value matching standard baseline parameter (Case $\square = 472$) Unique integer solution verified by substitution theorem (Case $\square = 1180$)

Q.237. In SSC CGL Tier-1 context (Heights and Distances (Angle of Elevation/Depression), Problem #237): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 1185$) Result derived via proportional reduction factor (Case $\square = 711$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 948$) Calculated value matching standard baseline parameter (Case $\square = 474$)

Q.238. In SSC CGL Tier-1 context (2D Mensuration (Triangles, Quadrilaterals, Circles), Problem #238): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 476$) Result derived via proportional reduction factor (Case $\square = 714$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 952$) Unique integer solution verified by substitution theorem (Case $\square = 1190$)

Q.239. In SSC CGL Tier-1 context (3D Mensuration (Cylinder, Cone, Sphere, Frustum), Problem #239): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 717$) Calculated value matching standard baseline parameter (Case $\square = 478$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 956$) Unique integer solution verified by substitution theorem (Case $\square = 1195$)

Q.240. In SSC CGL Tier-1 context (Data Interpretation (Bar Graphs, Pie Charts, Tables), Problem #240): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 960$)

Calculated value matching standard baseline parameter (Case $\square = 480$)

Q.241. In SSC CGL Tier-1 context (Number Systems & Divisibility, Problem #241): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 1200$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 600$)

Q.242. In SSC CGL Tier-1 context (HCF and LCM Applications, Problem #242): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 484$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1210$)

Q.243. In SSC CGL Tier-1 context (Simplification & Surds & Indices, Problem #243): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 729$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 486$)

Q.244. In SSC CGL Tier-1 context (Percentages & Successive Change, Problem #244): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 732$)

Calculated value matching standard baseline parameter (Case $\square = 488$)

Q.245. In SSC CGL Tier-1 context (Profit, Loss & Discount / Marked Price, Problem #245): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 1225$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 490$)

Q.246. In SSC CGL Tier-1 context (Simple & Compound Interest Differences, Problem #246): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 492$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1230$)

Q.247. In SSC CGL Tier-1 context (Ratio, Proportion & Mixture / Alligation, Problem #247): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 741$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1235$)

Q.248. In SSC CGL Tier-1 context (Time, Work, Pipes & Cisterns, Problem #248): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 982$)

Calculated value matching standard baseline parameter (Case $\square = 491$)

Q.249. In SSC CGL Tier-1 context (Speed, Time, Distance & Trains / Boats, Problem #249): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 1245$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 498$)

Q.250. In SSC CGL Tier-1 context (Averages, Weighted Mean & Partnerships, Problem #250): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 500$)
Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1250$)
Result derived via proportional reduction factor (Case $\square = 750$)
Unique integer solution verified by substitution theorem (Case $\square = 1250$)

Q.251. In SSC CGL Tier-1 context (Basic Algebraic Identities & Polynomials, Problem #251): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 753$)
Optimal solution complying with geometric/arithmetic constraints (Case $\square = 503$)
Calculated value matching standard baseline parameter (Case $\square = 1255$)
Unique integer solution verified by substitution theorem (Case $\square = 1255$)

Q.252. In SSC CGL Tier-1 context (Linear & Quadratic Equations, Problem #252): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1008$)
Calculated value matching standard baseline parameter (Case $\square = 504$)
Result derived via proportional reduction factor (Case $\square = 756$)
Unique integer solution verified by substitution theorem (Case $\square = 1260$)

Q.253. In SSC CGL Tier-1 context (Lines, Angles & Triangle Geometry (Centres), Problem #253): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 1265$)
Optimal solution complying with geometric/arithmetic constraints (Case $\square = 506$)
Result derived via proportional reduction factor (Case $\square = 759$)
Calculated value matching standard baseline parameter (Case $\square = 1270$)

Q.254. In SSC CGL Tier-1 context (Circle Theorems (Tangents, Chords, Secants), Problem #254): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 508$)
Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1270$)
Result derived via proportional reduction factor (Case $\square = 762$)
Unique integer solution verified by substitution theorem (Case $\square = 1270$)

Q.255. In SSC CGL Tier-1 context (Coordinate Geometry & Distance / Slopes, Problem #255): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 765$)
Optimal solution complying with geometric/arithmetic constraints (Case $\square = 510$)
Calculated value matching standard baseline parameter (Case $\square = 1275$)
Unique integer solution verified by substitution theorem (Case $\square = 1275$)

Q.256. In SSC CGL Tier-1 context (Trigonometric Ratios, Identities & Values, Problem #256): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1024$)
Calculated value matching standard baseline parameter (Case $\square = 512$)
Result derived via proportional reduction factor (Case $\square = 768$)
Unique integer solution verified by substitution theorem (Case $\square = 1280$)

Q.257. In SSC CGL Tier-1 context (Heights and Distances (Angle of Elevation/Depression), Problem #257): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 1285$)
Optimal solution complying with geometric/arithmetic constraints (Case $\square = 514$)
Result derived via proportional reduction factor (Case $\square = 771$)
Calculated value matching standard baseline parameter (Case $\square = 1290$)

Q.258. In SSC CGL Tier-1 context (2D Mensuration (Triangles, Quadrilaterals, Circles), Problem #258): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 516$)
Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1290$)
Result derived via proportional reduction factor (Case $\square = 774$)
Unique integer solution verified by substitution theorem (Case $\square = 1290$)

Q.259. In SSC CGL Tier-1 context (3D Mensuration (Cylinder, Cone, Sphere, Frustum), Problem #259): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 777$)
Optimal solution complying with geometric/arithmetic constraints (Case $\square = 518$)
Calculated value matching standard baseline parameter (Case $\square = 1295$)
Unique integer solution verified by substitution theorem (Case $\square = 1295$)

Q.260. In SSC CGL Tier-1 context (Data Interpretation (Bar Graphs, Pie Charts, Tables), Problem #260): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 140$) Result derived via proportional reduction factor (Case $\square = 780$)

Calculated value matching standard baseline parameter (Case $\square = 520$) Unique integer solution verified by substitution theorem (Case $\square = 1300$)

Q.261. In SSC CGL Tier-1 context (Number Systems & Divisibility, Problem #261): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 1305$) Result derived via proportional reduction factor (Case $\square = 783$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1044$) Calculated value matching standard baseline parameter (Case $\square = 522$)

Q.262. In SSC CGL Tier-1 context (HCF and LCM Applications, Problem #262): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 524$) Result derived via proportional reduction factor (Case $\square = 786$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1048$) Unique integer solution verified by substitution theorem (Case $\square = 1310$)

Q.263. In SSC CGL Tier-1 context (Simplification & Surds & Indices, Problem #263): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 789$) Calculated value matching standard baseline parameter (Case $\square = 526$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1052$) Unique integer solution verified by substitution theorem (Case $\square = 1315$)

Q.264. In SSC CGL Tier-1 context (Percentages & Successive Change, Problem #264): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1056$) Result derived via proportional reduction factor (Case $\square = 792$)

Calculated value matching standard baseline parameter (Case $\square = 528$) Unique integer solution verified by substitution theorem (Case $\square = 1320$)

Q.265. In SSC CGL Tier-1 context (Profit, Loss & Discount / Marked Price, Problem #265): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 1325$) Result derived via proportional reduction factor (Case $\square = 795$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1060$) Calculated value matching standard baseline parameter (Case $\square = 530$)

Q.266. In SSC CGL Tier-1 context (Simple & Compound Interest Differences, Problem #266): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 532$) Result derived via proportional reduction factor (Case $\square = 798$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1064$) Unique integer solution verified by substitution theorem (Case $\square = 1330$)

Q.267. In SSC CGL Tier-1 context (Ratio, Proportion & Mixture / Alligation, Problem #267): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 801$) Calculated value matching standard baseline parameter (Case $\square = 534$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1068$) Unique integer solution verified by substitution theorem (Case $\square = 1335$)

Q.268. In SSC CGL Tier-1 context (Time, Work, Pipes & Cisterns, Problem #268): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1072$) Result derived via proportional reduction factor (Case $\square = 804$)

Calculated value matching standard baseline parameter (Case $\square = 536$) Unique integer solution verified by substitution theorem (Case $\square = 1340$)

Q.269. In SSC CGL Tier-1 context (Speed, Time, Distance & Trains / Boats, Problem #269): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 1345$) Result derived via proportional reduction factor (Case $\square = 807$)

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1076$) Calculated value matching standard baseline parameter (Case $\square = 538$)

Q.270. In SSC CGL Tier-1 context (Averages, Weighted Mean & Partnerships, Problem #270): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 540$) ~~Result derived via proportional reduction factor (Case $\square = 810$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1080$) ~~Unique integer solution verified by substitution theorem (Case $\square = 1350$)~~

Q.271. In SSC CGL Tier-1 context (Basic Algebraic Identities & Polynomials, Problem #271): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 813$) ~~Calculated value matching standard baseline parameter (Case $\square = 543$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1084$) ~~Unique integer solution verified by substitution theorem (Case $\square = 1355$)~~

Q.272. In SSC CGL Tier-1 context (Linear & Quadratic Equations, Problem #272): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1088$) ~~Result derived via proportional reduction factor (Case $\square = 816$)~~

Calculated value matching standard baseline parameter (Case $\square = 544$) ~~Unique integer solution verified by substitution theorem (Case $\square = 1360$)~~

Q.273. In SSC CGL Tier-1 context (Lines, Angles & Triangle Geometry (Centres), Problem #273): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 1365$) ~~Result derived via proportional reduction factor (Case $\square = 819$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1092$) ~~Calculated value matching standard baseline parameter (Case $\square = 546$)~~

Q.274. In SSC CGL Tier-1 context (Circle Theorems (Tangents, Chords, Secants), Problem #274): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 548$) ~~Result derived via proportional reduction factor (Case $\square = 822$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1096$) ~~Unique integer solution verified by substitution theorem (Case $\square = 1370$)~~

Q.275. In SSC CGL Tier-1 context (Coordinate Geometry & Distance / Slopes, Problem #275): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 825$) ~~Calculated value matching standard baseline parameter (Case $\square = 550$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1098$) ~~Unique integer solution verified by substitution theorem (Case $\square = 1375$)~~

Q.276. In SSC CGL Tier-1 context (Trigonometric Ratios, Identities & Values, Problem #276): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1104$) ~~Result derived via proportional reduction factor (Case $\square = 828$)~~

Calculated value matching standard baseline parameter (Case $\square = 552$) ~~Unique integer solution verified by substitution theorem (Case $\square = 1380$)~~

Q.277. In SSC CGL Tier-1 context (Heights and Distances (Angle of Elevation/Depression), Problem #277): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Unique integer solution verified by substitution theorem (Case $\square = 1385$) ~~Result derived via proportional reduction factor (Case $\square = 831$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1108$) ~~Calculated value matching standard baseline parameter (Case $\square = 554$)~~

Q.278. In SSC CGL Tier-1 context (2D Mensuration (Triangles, Quadrilaterals, Circles), Problem #278): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Calculated value matching standard baseline parameter (Case $\square = 556$) ~~Result derived via proportional reduction factor (Case $\square = 834$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1112$) ~~Unique integer solution verified by substitution theorem (Case $\square = 1390$)~~

Q.279. In SSC CGL Tier-1 context (3D Mensuration (Cylinder, Cone, Sphere, Frustum), Problem #279): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Result derived via proportional reduction factor (Case $\square = 837$) ~~Calculated value matching standard baseline parameter (Case $\square = 558$)~~

Optimal solution complying with geometric/arithmetic constraints (Case $\square = 1116$) ~~Unique integer solution verified by substitution theorem (Case $\square = 1395$)~~

Q.280. In SSC CGL Tier-1 context (Data Interpretation (Bar Graphs, Pie Charts, Tables), Problem #280): A candidate solves a problem where values follow standard proportional metrics. What is the mathematically accurate resultant value under prescribed constraints?

Optimal solution complying with geometric/arithmetic constraints (Case D=120) proportional reduction factor (Case $\square = 840$)

Calculated value matching standard baseline parameter (Case $\square = 560$)

Optimal integer solution verified by substitution theorem (Case $\square = 1400$)

Q.281. In SSC CGL Tier-2 Mathematical Abilities examination (Real Number Systems & Advanced Divisibility, Problem #1): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Optimal extreme parameter confirming boundary equality (Root C=17) coordinate / ratio coordinate meeting constraint limits (Root B=11)

Analytically proven integer constant under theorem conditions (Root C=13) value derived via quadratic/calculus resolution (Root A=7)

Q.282. In SSC CGL Tier-2 Mathematical Abilities examination (Surds, Indices & Continued Fractions, Problem #2): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Definite value derived via quadratic/calculus resolution (Root A=14) coordinate / ratio coordinate meeting constraint limits (Root B=22)

Analytically proven integer constant under theorem conditions (Root C=26) optimal extreme parameter confirming boundary equality (Root

D=34)

Q.283. In SSC CGL Tier-2 Mathematical Abilities examination (Complex Percentages & Depreciation Models, Problem #3): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Coordinate / ratio coordinate meeting constraint limits (Root B=33) definite value derived via quadratic/calculus resolution (Root A=21)

Analytically proven integer constant under theorem conditions (Root C=39) optimal extreme parameter confirming boundary equality (Root

D=51)

Q.284. In SSC CGL Tier-2 Mathematical Abilities examination (Profit, Loss, False Weight & Market Strategies, Problem #4): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Analytically proven integer constant under theorem conditions (Root C=52) coordinate / ratio coordinate meeting constraint limits (Root B=44)

Definite value derived via quadratic/calculus resolution (Root A=28) optimal extreme parameter confirming boundary equality (Root

D=68)

Q.285. In SSC CGL Tier-2 Mathematical Abilities examination (Compound Interest with Semi-Annual / Continuous Compounding, Problem #5): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Optimal extreme parameter confirming boundary equality (Root C=85) coordinate / ratio coordinate meeting constraint limits (Root B=55)

Analytically proven integer constant under theorem conditions (Root C=65) value derived via quadratic/calculus resolution (Root A=35)

Q.286. In SSC CGL Tier-2 Mathematical Abilities examination (Alligation & Advanced Mixtures with Sequential Dilution, Problem #6): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Definite value derived via quadratic/calculus resolution (Root A=42) coordinate / ratio coordinate meeting constraint limits (Root B=66)

Analytically proven integer constant under theorem conditions (Root C=78) optimal extreme parameter confirming boundary equality (Root

D=102)

Q.287. In SSC CGL Tier-2 Mathematical Abilities examination (Time & Work with Alternating Shifts & Efficiency Differentials, Problem #7): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Coordinate / ratio coordinate meeting constraint limits (Root B=77) definite value derived via quadratic/calculus resolution (Root A=49)

Analytically proven integer constant under theorem conditions (Root C=91) optimal extreme parameter confirming boundary equality (Root

D=119)

Q.288. In SSC CGL Tier-2 Mathematical Abilities examination (Relative Speed, Circular Tracks & Escalator Motion, Problem #8): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Analytically proven integer constant under theorem conditions (Root C=104) coordinate / ratio coordinate meeting constraint limits (Root B=88)

Definite value derived via quadratic/calculus resolution (Root A=50) optimal extreme parameter confirming boundary equality (Root

D=136)

Q.289. In SSC CGL Tier-2 Mathematical Abilities examination (Polynomial Roots, Factor Theorem & Symmetric Functions, Problem #9): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Optimal extreme parameter confirming boundary equality (Root C=153) coordinate / ratio coordinate meeting constraint limits (Root B=99)

Analytically proven integer constant under theorem conditions (Root C=171) value derived via quadratic/calculus resolution (Root A=63)

Q.290. In SSC CGL Tier-2 Mathematical Abilities examination (Quadratic Equations, Discriminant & Sign of Roots, Problem #10): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Definite value derived via quadratic/calculus resolution (Root A=70) coordinate / ratio coordinate meeting constraint limits (Root

B=110) optimal extreme parameter confirming boundary equality (Root

D=170)

- Q.291.** In SSC CGL Tier-2 Mathematical Abilities examination (Triangle Centres: Incentre, Circumcentre, Orthocentre & Centroid, Problem #11): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
- Coordinate / ratio coordinate meeting constraint limits (Root B=120) Definite value derived via quadratic/calculus resolution (Root A=77)
 - Analytically proven integer constant under theorem conditions (Root C=143) Optimal extreme parameter confirming boundary equality (Root D=187)
- Q.292.** In SSC CGL Tier-2 Mathematical Abilities examination (Cyclic Quadrilaterals & Tangent-Chord Angles, Problem #12): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
- Analytically proven integer constant under theorem conditions (Root C=156) Coordinate / ratio coordinate meeting constraint limits (Root B=132)
 - Definite value derived via quadratic/calculus resolution (Root A=80) Optimal extreme parameter confirming boundary equality (Root D=204)
- Q.293.** In SSC CGL Tier-2 Mathematical Abilities examination (Circles: Common External & Transverse Tangents, Problem #13): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
- Optimal extreme parameter confirming boundary equality (Root D=220) Coordinate / ratio coordinate meeting constraint limits (Root C=215)
 - Analytically proven integer constant under theorem conditions (Root B=143) Definite value derived via quadratic/calculus resolution (Root A=91)
- Q.294.** In SSC CGL Tier-2 Mathematical Abilities examination (Coordinate Geometry: Straight Lines, Collinearity & Intercepts, Problem #14): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
- Definite value derived via quadratic/calculus resolution (Root A=96) Coordinate / ratio coordinate meeting constraint limits (Root C=112)
 - Analytically proven integer constant under theorem conditions (Root B=154) Optimal extreme parameter confirming boundary equality (Root D=238)
- Q.295.** In SSC CGL Tier-2 Mathematical Abilities examination (Trigonometric Maxima and Minima & Advanced Identities, Problem #15): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
- Coordinate / ratio coordinate meeting constraint limits (Root B=105) Definite value derived via quadratic/calculus resolution (Root C=105)
 - Analytically proven integer constant under theorem conditions (Root A=195) Optimal extreme parameter confirming boundary equality (Root D=255)
- Q.296.** In SSC CGL Tier-2 Mathematical Abilities examination (Heights and Distances with Multi-Point Observations, Problem #16): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
- Analytically proven integer constant under theorem conditions (Root C=208) Coordinate / ratio coordinate meeting constraint limits (Root B=176)
 - Definite value derived via quadratic/calculus resolution (Root A=160) Optimal extreme parameter confirming boundary equality (Root D=272)
- Q.297.** In SSC CGL Tier-2 Mathematical Abilities examination (Complex 2D Mensuration & Shaded Region Areas, Problem #17): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
- Optimal extreme parameter confirming boundary equality (Root D=280) Coordinate / ratio coordinate meeting constraint limits (Root C=280)
 - Analytically proven integer constant under theorem conditions (Root B=187) Definite value derived via quadratic/calculus resolution (Root A=119)
- Q.298.** In SSC CGL Tier-2 Mathematical Abilities examination (3D Mensuration: Frustum, Prism, Pyramid & Tetrahedron, Problem #18): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
- Definite value derived via quadratic/calculus resolution (Root A=126) Coordinate / ratio coordinate meeting constraint limits (Root C=198)
 - Analytically proven integer constant under theorem conditions (Root B=198) Optimal extreme parameter confirming boundary equality (Root D=306)
- Q.299.** In SSC CGL Tier-2 Mathematical Abilities examination (Statistics: Mean, Median, Mode, Variance & Standard Deviation, Problem #19): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
- Coordinate / ratio coordinate meeting constraint limits (Root B=209) Definite value derived via quadratic/calculus resolution (Root C=133)
 - Analytically proven integer constant under theorem conditions (Root A=247) Optimal extreme parameter confirming boundary equality (Root D=323)
- Q.300.** In SSC CGL Tier-2 Mathematical Abilities examination (Probability Theory: Independent Events, Conditional & Cards/Dice, Problem #20): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
- Analytically proven integer constant under theorem conditions (Root C=260) Coordinate / ratio coordinate meeting constraint limits (Root B=220)
 - Definite value derived via quadratic/calculus resolution (Root A=180) Optimal extreme parameter confirming boundary equality (Root D=340)

- Q.301.** In SSC CGL Tier-2 Mathematical Abilities examination (Real Number Systems & Advanced Divisibility, Problem #21): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Optimal extreme parameter confirming boundary equality (Root C=357)
 Coordinate / ratio coordinate meeting constraint limits (Root B=231)
 Analytically proven integer constant under theorem conditions (Root A=147)
 Definite value derived via quadratic/calculus resolution (Root A=154)
- Q.302.** In SSC CGL Tier-2 Mathematical Abilities examination (Surds, Indices & Continued Fractions, Problem #22): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Coordinate / ratio coordinate meeting constraint limits (Root B=242)
 Optimal extreme parameter confirming boundary equality (Root D=374)
 Analytically proven integer constant under theorem conditions (Root A=154)
- Q.303.** In SSC CGL Tier-2 Mathematical Abilities examination (Complex Percentages & Depreciation Models, Problem #23): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Coordinate / ratio coordinate meeting constraint limits (Root B=251)
 Definite value derived via quadratic/calculus resolution (Root A=161)
 Analytically proven integer constant under theorem conditions (Root C=399)
 Optimal extreme parameter confirming boundary equality (Root D=374)
- Q.304.** In SSC CGL Tier-2 Mathematical Abilities examination (Profit, Loss, False Weight & Market Strategies, Problem #24): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Analytically proven integer constant under theorem conditions (Root C=312)
 Coordinate / ratio coordinate meeting constraint limits (Root B=264)
 Definite value derived via quadratic/calculus resolution (Root A=154)
 Optimal extreme parameter confirming boundary equality (Root D=408)
- Q.305.** In SSC CGL Tier-2 Mathematical Abilities examination (Compound Interest with Semi-Annual / Continuous Compounding, Problem #25): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Optimal extreme parameter confirming boundary equality (Root C=425)
 Coordinate / ratio coordinate meeting constraint limits (Root B=275)
 Analytically proven integer constant under theorem conditions (Root A=175)
 Definite value derived via quadratic/calculus resolution (Root A=162)
- Q.306.** In SSC CGL Tier-2 Mathematical Abilities examination (Alligation & Advanced Mixtures with Sequential Dilution, Problem #26): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Definite value derived via quadratic/calculus resolution (Root A=162)
 Coordinate / ratio coordinate meeting constraint limits (Root B=286)
 Analytically proven integer constant under theorem conditions (Root C=351)
 Optimal extreme parameter confirming boundary equality (Root D=442)
- Q.307.** In SSC CGL Tier-2 Mathematical Abilities examination (Time & Work with Alternating Shifts & Efficiency Differentials, Problem #27): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Coordinate / ratio coordinate meeting constraint limits (Root B=297)
 Definite value derived via quadratic/calculus resolution (Root A=189)
 Analytically proven integer constant under theorem conditions (Root C=351)
 Optimal extreme parameter confirming boundary equality (Root D=459)
- Q.308.** In SSC CGL Tier-2 Mathematical Abilities examination (Relative Speed, Circular Tracks & Escalator Motion, Problem #28): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Analytically proven integer constant under theorem conditions (Root C=364)
 Coordinate / ratio coordinate meeting constraint limits (Root B=308)
 Definite value derived via quadratic/calculus resolution (Root A=175)
 Optimal extreme parameter confirming boundary equality (Root D=476)
- Q.309.** In SSC CGL Tier-2 Mathematical Abilities examination (Polynomial Roots, Factor Theorem & Symmetric Functions, Problem #29): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Optimal extreme parameter confirming boundary equality (Root C=431)
 Coordinate / ratio coordinate meeting constraint limits (Root B=319)
 Analytically proven integer constant under theorem conditions (Root A=203)
 Definite value derived via quadratic/calculus resolution (Root A=200)
- Q.310.** In SSC CGL Tier-2 Mathematical Abilities examination (Quadratic Equations, Discriminant & Sign of Roots, Problem #30): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Definite value derived via quadratic/calculus resolution (Root A=200)
 Coordinate / ratio coordinate meeting constraint limits (Root B=330)
 Analytically proven integer constant under theorem conditions (Root C=399)
 Optimal extreme parameter confirming boundary equality (Root D=510)
- Q.311.** In SSC CGL Tier-2 Mathematical Abilities examination (Triangle Centres: Incentre, Circumcentre, Orthocentre & Centroid, Problem #31): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Coordinate / ratio coordinate meeting constraint limits (Root B=341)
 Definite value derived via quadratic/calculus resolution (Root A=217)
 Analytically proven integer constant under theorem conditions (Root C=403)
 Optimal extreme parameter confirming boundary equality (Root D=527)

- Q.312.** In SSC CGL Tier-2 Mathematical Abilities examination (Cyclic Quadrilaterals & Tangent-Chord Angles, Problem #32): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Analytically proven integer constant under theorem conditions (Root C=416) / ratio coordinate meeting constraint limits (Root B=352)
 Definite value derived via quadratic/calculus resolution (Root A=254) / optimal extreme parameter confirming boundary equality (Root D=544)
- Q.313.** In SSC CGL Tier-2 Mathematical Abilities examination (Circles: Common External & Transverse Tangents, Problem #33): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Optimal extreme parameter confirming boundary equality (Root C=561) / ratio coordinate meeting constraint limits (Root D=561)
 Analytically proven integer constant under theorem conditions (Root B=363) / definite value derived via quadratic/calculus resolution (Root A=231)
- Q.314.** In SSC CGL Tier-2 Mathematical Abilities examination (Coordinate Geometry: Straight Lines, Collinearity & Intercepts, Problem #34): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Definite value derived via quadratic/calculus resolution (Root A=258) / coordinate / ratio coordinate meeting constraint limits (Root B=374)
 Analytically proven integer constant under theorem conditions (Root C=442) / optimal extreme parameter confirming boundary equality (Root D=578)
- Q.315.** In SSC CGL Tier-2 Mathematical Abilities examination (Trigonometric Maxima and Minima & Advanced Identities, Problem #35): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Coordinate / ratio coordinate meeting constraint limits (Root B=385) / definite value derived via quadratic/calculus resolution (Root A=245)
 Analytically proven integer constant under theorem conditions (Root C=455) / optimal extreme parameter confirming boundary equality (Root D=595)
- Q.316.** In SSC CGL Tier-2 Mathematical Abilities examination (Heights and Distances with Multi-Point Observations, Problem #36): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Analytically proven integer constant under theorem conditions (Root C=468) / coordinate / ratio coordinate meeting constraint limits (Root B=396)
 Definite value derived via quadratic/calculus resolution (Root A=261) / optimal extreme parameter confirming boundary equality (Root D=612)
- Q.317.** In SSC CGL Tier-2 Mathematical Abilities examination (Complex 2D Mensuration & Shaded Region Areas, Problem #37): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Optimal extreme parameter confirming boundary equality (Root C=629) / coordinate / ratio coordinate meeting constraint limits (Root D=629)
 Analytically proven integer constant under theorem conditions (Root B=497) / definite value derived via quadratic/calculus resolution (Root A=259)
- Q.318.** In SSC CGL Tier-2 Mathematical Abilities examination (3D Mensuration: Frustum, Prism, Pyramid & Tetrahedron, Problem #38): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Definite value derived via quadratic/calculus resolution (Root A=266) / coordinate / ratio coordinate meeting constraint limits (Root B=418)
 Analytically proven integer constant under theorem conditions (Root C=494) / optimal extreme parameter confirming boundary equality (Root D=646)
- Q.319.** In SSC CGL Tier-2 Mathematical Abilities examination (Statistics: Mean, Median, Mode, Variance & Standard Deviation, Problem #39): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Coordinate / ratio coordinate meeting constraint limits (Root B=429) / definite value derived via quadratic/calculus resolution (Root A=273)
 Analytically proven integer constant under theorem conditions (Root C=517) / optimal extreme parameter confirming boundary equality (Root D=663)
- Q.320.** In SSC CGL Tier-2 Mathematical Abilities examination (Probability Theory: Independent Events, Conditional & Cards/Dice, Problem #40): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Analytically proven integer constant under theorem conditions (Root C=520) / coordinate / ratio coordinate meeting constraint limits (Root B=440)
 Definite value derived via quadratic/calculus resolution (Root A=280) / optimal extreme parameter confirming boundary equality (Root D=680)
- Q.321.** In SSC CGL Tier-2 Mathematical Abilities examination (Real Number Systems & Advanced Divisibility, Problem #41): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Optimal extreme parameter confirming boundary equality (Root C=697) / coordinate / ratio coordinate meeting constraint limits (Root D=697)
 Analytically proven integer constant under theorem conditions (Root B=451) / definite value derived via quadratic/calculus resolution (Root A=287)
- Q.322.** In SSC CGL Tier-2 Mathematical Abilities examination (Surd, Indices & Continued Fractions, Problem #42): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Definite value derived via quadratic/calculus resolution (Root A=294) / coordinate / ratio coordinate meeting constraint limits (Root B=462)
 Analytically proven integer constant under theorem conditions (Root C=546) / optimal extreme parameter confirming boundary equality (Root D=714)

- Q.323.** In SSC CGL Tier-2 Mathematical Abilities examination (Complex Percentages & Depreciation Models, Problem #43): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Coordinate / ratio coordinate meeting constraint limits (Root B=472) Definite value derived via quadratic/calculus resolution (Root A=301) Analytically proven integer constant under theorem conditions (Root D=731) Optimal extreme parameter confirming boundary equality (Root C=572)
- Q.324.** In SSC CGL Tier-2 Mathematical Abilities examination (Profit, Loss, False Weight & Market Strategies, Problem #44): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Analytically proven integer constant under theorem conditions (Root D=572) Coordinate / ratio coordinate meeting constraint limits (Root B=484) Definite value derived via quadratic/calculus resolution (Root A=301) Optimal extreme parameter confirming boundary equality (Root C=748)
- Q.325.** In SSC CGL Tier-2 Mathematical Abilities examination (Compound Interest with Semi-Annual / Continuous Compounding, Problem #45): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Optimal extreme parameter confirming boundary equality (Root D=765) Coordinate / ratio coordinate meeting constraint limits (Root B=495) Analytically proven integer constant under theorem conditions (Root A=315) Definite value derived via quadratic/calculus resolution (Root C=585)
- Q.326.** In SSC CGL Tier-2 Mathematical Abilities examination (Alligation & Advanced Mixtures with Sequential Dilution, Problem #46): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Definite value derived via quadratic/calculus resolution (Root A=322) Coordinate / ratio coordinate meeting constraint limits (Root B=506) Analytically proven integer constant under theorem conditions (Root D=782) Optimal extreme parameter confirming boundary equality (Root C=624)
- Q.327.** In SSC CGL Tier-2 Mathematical Abilities examination (Time & Work with Alternating Shifts & Efficiency Differentials, Problem #47): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Coordinate / ratio coordinate meeting constraint limits (Root B=517) Definite value derived via quadratic/calculus resolution (Root A=329) Analytically proven integer constant under theorem conditions (Root D=799) Optimal extreme parameter confirming boundary equality (Root C=644)
- Q.328.** In SSC CGL Tier-2 Mathematical Abilities examination (Relative Speed, Circular Tracks & Escalator Motion, Problem #48): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Analytically proven integer constant under theorem conditions (Root D=624) Coordinate / ratio coordinate meeting constraint limits (Root B=528) Definite value derived via quadratic/calculus resolution (Root A=301) Optimal extreme parameter confirming boundary equality (Root C=816)
- Q.329.** In SSC CGL Tier-2 Mathematical Abilities examination (Polynomial Roots, Factor Theorem & Symmetric Functions, Problem #49): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Optimal extreme parameter confirming boundary equality (Root D=833) Coordinate / ratio coordinate meeting constraint limits (Root B=539) Analytically proven integer constant under theorem conditions (Root A=343) Definite value derived via quadratic/calculus resolution (Root C=637)
- Q.330.** In SSC CGL Tier-2 Mathematical Abilities examination (Quadratic Equations, Discriminant & Sign of Roots, Problem #50): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Definite value derived via quadratic/calculus resolution (Root A=350) Coordinate / ratio coordinate meeting constraint limits (Root B=550) Analytically proven integer constant under theorem conditions (Root D=850) Optimal extreme parameter confirming boundary equality (Root C=650)
- Q.331.** In SSC CGL Tier-2 Mathematical Abilities examination (Triangle Centres: Incentre, Circumcentre, Orthocentre & Centroid, Problem #51): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Coordinate / ratio coordinate meeting constraint limits (Root B=561) Definite value derived via quadratic/calculus resolution (Root A=357) Analytically proven integer constant under theorem conditions (Root D=867) Optimal extreme parameter confirming boundary equality (Root C=676)
- Q.332.** In SSC CGL Tier-2 Mathematical Abilities examination (Cyclic Quadrilaterals & Tangent-Chord Angles, Problem #52): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Analytically proven integer constant under theorem conditions (Root D=676) Coordinate / ratio coordinate meeting constraint limits (Root B=572) Definite value derived via quadratic/calculus resolution (Root A=360) Optimal extreme parameter confirming boundary equality (Root C=884)
- Q.333.** In SSC CGL Tier-2 Mathematical Abilities examination (Circles: Common External & Transverse Tangents, Problem #53): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Optimal extreme parameter confirming boundary equality (Root D=901) Coordinate / ratio coordinate meeting constraint limits (Root B=583) Analytically proven integer constant under theorem conditions (Root A=371) Definite value derived via quadratic/calculus resolution (Root C=689)

Q.334. In SSC CGL Tier-2 Mathematical Abilities examination (Coordinate Geometry: Straight Lines, Collinearity & Intercepts, Problem #54): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=378)
- Coordinate / ratio coordinate meeting constraint limits (Root B=584)
- Analytically proven integer constant under theorem conditions (Root C=710)
- Optimal extreme parameter confirming boundary equality (Root D=918)

Q.335. In SSC CGL Tier-2 Mathematical Abilities examination (Trigonometric Maxima and Minima & Advanced Identities, Problem #55): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Coordinate / ratio coordinate meeting constraint limits (Root B=605)
- Definite value derived via quadratic/calculus resolution (Root C=385)
- Analytically proven integer constant under theorem conditions (Root D=15)
- Optimal extreme parameter confirming boundary equality (Root A=935)

Q.336. In SSC CGL Tier-2 Mathematical Abilities examination (Heights and Distances with Multi-Point Observations, Problem #56): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root C=728)
- Coordinate / ratio coordinate meeting constraint limits (Root B=616)
- Definite value derived via quadratic/calculus resolution (Root A=392)
- Optimal extreme parameter confirming boundary equality (Root D=952)

Q.337. In SSC CGL Tier-2 Mathematical Abilities examination (Complex 2D Mensuration & Shaded Region Areas, Problem #57): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Optimal extreme parameter confirming boundary equality (Root C=969)
- Coordinate / ratio coordinate meeting constraint limits (Root B=627)
- Analytically proven integer constant under theorem conditions (Root D=411)
- Definite value derived via quadratic/calculus resolution (Root A=399)

Q.338. In SSC CGL Tier-2 Mathematical Abilities examination (3D Mensuration: Frustum, Prism, Pyramid & Tetrahedron, Problem #58): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=406)
- Coordinate / ratio coordinate meeting constraint limits (Root B=638)
- Analytically proven integer constant under theorem conditions (Root C=754)
- Optimal extreme parameter confirming boundary equality (Root D=986)

Q.339. In SSC CGL Tier-2 Mathematical Abilities examination (Statistics: Mean, Median, Mode, Variance & Standard Deviation, Problem #59): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Coordinate / ratio coordinate meeting constraint limits (Root B=648)
- Definite value derived via quadratic/calculus resolution (Root C=413)
- Analytically proven integer constant under theorem conditions (Root D=367)
- Optimal extreme parameter confirming boundary equality (Root A=1003)

Q.340. In SSC CGL Tier-2 Mathematical Abilities examination (Probability Theory: Independent Events, Conditional & Cards/Dice, Problem #60): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root C=780)
- Coordinate / ratio coordinate meeting constraint limits (Root B=660)
- Definite value derived via quadratic/calculus resolution (Root A=420)
- Optimal extreme parameter confirming boundary equality (Root D=1020)

Q.341. In SSC CGL Tier-2 Mathematical Abilities examination (Real Number Systems & Advanced Divisibility, Problem #61): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Optimal extreme parameter confirming boundary equality (Root C=1037)
- Coordinate / ratio coordinate meeting constraint limits (Root B=671)
- Analytically proven integer constant under theorem conditions (Root D=427)
- Definite value derived via quadratic/calculus resolution (Root A=427)

Q.342. In SSC CGL Tier-2 Mathematical Abilities examination (Surds, Indices & Continued Fractions, Problem #62): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=484)
- Coordinate / ratio coordinate meeting constraint limits (Root B=682)
- Analytically proven integer constant under theorem conditions (Root C=806)
- Optimal extreme parameter confirming boundary equality (Root D=1054)

Q.343. In SSC CGL Tier-2 Mathematical Abilities examination (Complex Percentages & Depreciation Models, Problem #63): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Coordinate / ratio coordinate meeting constraint limits (Root B=693)
- Definite value derived via quadratic/calculus resolution (Root C=441)
- Analytically proven integer constant under theorem conditions (Root D=1071)
- Optimal extreme parameter confirming boundary equality (Root A=704)

Q.344. In SSC CGL Tier-2 Mathematical Abilities examination (Profit, Loss, False Weight & Market Strategies, Problem #64): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root C=832)
- Coordinate / ratio coordinate meeting constraint limits (Root B=704)
- Definite value derived via quadratic/calculus resolution (Root A=464)
- Optimal extreme parameter confirming boundary equality (Root D=1088)

Q.345. In SSC CGL Tier-2 Mathematical Abilities examination (Compound Interest with Semi-Annual / Continuous Compounding, Problem #65): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Optimal extreme parameter confirming boundary equality (Root C=105) / ratio coordinate meeting constraint limits (Root

Analytically proven integer constant under theorem conditions (Root D=145) / Definite value derived via quadratic/calculus resolution (Root

Q.346. In SSC CGL Tier-2 Mathematical Abilities examination (Alligation & Advanced Mixtures with Sequential Dilution, Problem #66): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Definite value derived via quadratic/calculus resolution (Root A=462) / ratio coordinate meeting constraint limits (Root

Analytically proven integer constant under theorem conditions (Root D=1122) / Optimal extreme parameter confirming boundary equality (Root

Q.347. In SSC CGL Tier-2 Mathematical Abilities examination (Time & Work with Alternating Shifts & Efficiency Differentials, Problem #67): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Coordinate / ratio coordinate meeting constraint limits (Root B=716) / Definite value derived via quadratic/calculus resolution (Root

Analytically proven integer constant under theorem conditions (Root D=1139) / Optimal extreme parameter confirming boundary equality (Root

Q.348. In SSC CGL Tier-2 Mathematical Abilities examination (Relative Speed, Circular Tracks & Escalator Motion, Problem #68): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Analytically proven integer constant under theorem conditions (Root C=844) / ratio coordinate meeting constraint limits (Root

Definite value derived via quadratic/calculus resolution (Root A=400) / Optimal extreme parameter confirming boundary equality (Root

Q.349. In SSC CGL Tier-2 Mathematical Abilities examination (Polynomial Roots, Factor Theorem & Symmetric Functions, Problem #69): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Optimal extreme parameter confirming boundary equality (Root C=173) / ratio coordinate meeting constraint limits (Root

Analytically proven integer constant under theorem conditions (Root D=974) / Definite value derived via quadratic/calculus resolution (Root

Q.350. In SSC CGL Tier-2 Mathematical Abilities examination (Quadratic Equations, Discriminant & Sign of Roots, Problem #70): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Definite value derived via quadratic/calculus resolution (Root A=490) / ratio coordinate meeting constraint limits (Root

Analytically proven integer constant under theorem conditions (Root D=1190) / Optimal extreme parameter confirming boundary equality (Root

Q.351. In SSC CGL Tier-2 Mathematical Abilities examination (Triangle Centres: Incentre, Circumcentre, Orthocentre & Centroid, Problem #71): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Coordinate / ratio coordinate meeting constraint limits (Root B=701) / Definite value derived via quadratic/calculus resolution (Root

Analytically proven integer constant under theorem conditions (Root D=1207) / Optimal extreme parameter confirming boundary equality (Root

Q.352. In SSC CGL Tier-2 Mathematical Abilities examination (Cyclic Quadrilaterals & Tangent-Chord Angles, Problem #72): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Analytically proven integer constant under theorem conditions (Root C=936) / ratio coordinate meeting constraint limits (Root

Definite value derived via quadratic/calculus resolution (Root A=500) / Optimal extreme parameter confirming boundary equality (Root

Q.353. In SSC CGL Tier-2 Mathematical Abilities examination (Circles: Common External & Transverse Tangents, Problem #73): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Optimal extreme parameter confirming boundary equality (Root C=241) / ratio coordinate meeting constraint limits (Root

Analytically proven integer constant under theorem conditions (Root D=1241) / Definite value derived via quadratic/calculus resolution (Root

Q.354. In SSC CGL Tier-2 Mathematical Abilities examination (Coordinate Geometry: Straight Lines, Collinearity & Intercepts, Problem #74): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Definite value derived via quadratic/calculus resolution (Root A=508) / ratio coordinate meeting constraint limits (Root

Analytically proven integer constant under theorem conditions (Root D=1258) / Optimal extreme parameter confirming boundary equality (Root

Q.355. In SSC CGL Tier-2 Mathematical Abilities examination (Trigonometric Maxima and Minima & Advanced Identities, Problem #75): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Coordinate / ratio coordinate meeting constraint limits (Root B=825) / Definite value derived via quadratic/calculus resolution (Root

Analytically proven integer constant under theorem conditions (Root D=1275) / Optimal extreme parameter confirming boundary equality (Root

Q.356. In SSC CGL Tier-2 Mathematical Abilities examination (Heights and Distances with Multi-Point Observations, Problem #76): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root C=1088) / ratio coordinate meeting constraint limits (Root B=836)
- Definite value derived via quadratic/calculus resolution (Root A=560) / optimal extreme parameter confirming boundary equality (Root D=1292)

Q.357. In SSC CGL Tier-2 Mathematical Abilities examination (Complex 2D Mensuration & Shaded Region Areas, Problem #77): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Optimal extreme parameter confirming boundary equality (Root C=1009) / ratio coordinate meeting constraint limits (Root B=847)
- Analytically proven integer constant under theorem conditions (Root A=539) / definite value derived via quadratic/calculus resolution (Root D=1301)

Q.358. In SSC CGL Tier-2 Mathematical Abilities examination (3D Mensuration: Frustum, Prism, Pyramid & Tetrahedron, Problem #78): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=546) / coordinate / ratio coordinate meeting constraint limits (Root B=858)
- Analytically proven integer constant under theorem conditions (Root C=1054) / optimal extreme parameter confirming boundary equality (Root D=1326)

Q.359. In SSC CGL Tier-2 Mathematical Abilities examination (Statistics: Mean, Median, Mode, Variance & Standard Deviation, Problem #79): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Coordinate / ratio coordinate meeting constraint limits (Root B=869) / definite value derived via quadratic/calculus resolution (Root A=553)
- Analytically proven integer constant under theorem conditions (Root C=1027) / optimal extreme parameter confirming boundary equality (Root D=1343)

Q.360. In SSC CGL Tier-2 Mathematical Abilities examination (Probability Theory: Independent Events, Conditional & Cards/Dice, Problem #80): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root C=1040) / coordinate / ratio coordinate meeting constraint limits (Root B=880)
- Definite value derived via quadratic/calculus resolution (Root A=560) / optimal extreme parameter confirming boundary equality (Root D=1360)

Q.361. In SSC CGL Tier-2 Mathematical Abilities examination (Real Number Systems & Advanced Divisibility, Problem #81): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Optimal extreme parameter confirming boundary equality (Root C=1077) / ratio coordinate meeting constraint limits (Root B=891)
- Analytically proven integer constant under theorem conditions (Root A=567) / definite value derived via quadratic/calculus resolution (Root D=1353)

Q.362. In SSC CGL Tier-2 Mathematical Abilities examination (Surds, Indices & Continued Fractions, Problem #82): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=574) / coordinate / ratio coordinate meeting constraint limits (Root B=902)
- Analytically proven integer constant under theorem conditions (Root C=1069) / optimal extreme parameter confirming boundary equality (Root D=1394)

Q.363. In SSC CGL Tier-2 Mathematical Abilities examination (Complex Percentages & Depreciation Models, Problem #83): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Coordinate / ratio coordinate meeting constraint limits (Root B=919) / definite value derived via quadratic/calculus resolution (Root A=581)
- Analytically proven integer constant under theorem conditions (Root C=1079) / optimal extreme parameter confirming boundary equality (Root D=1411)

Q.364. In SSC CGL Tier-2 Mathematical Abilities examination (Profit, Loss, False Weight & Market Strategies, Problem #84): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root C=1092) / ratio coordinate meeting constraint limits (Root B=924)
- Definite value derived via quadratic/calculus resolution (Root A=589) / optimal extreme parameter confirming boundary equality (Root D=1428)

Q.365. In SSC CGL Tier-2 Mathematical Abilities examination (Compound Interest with Semi-Annual / Continuous Compounding, Problem #85): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Optimal extreme parameter confirming boundary equality (Root C=1145) / coordinate / ratio coordinate meeting constraint limits (Root B=935)
- Analytically proven integer constant under theorem conditions (Root A=595) / definite value derived via quadratic/calculus resolution (Root D=1462)

Q.366. In SSC CGL Tier-2 Mathematical Abilities examination (Alligation & Advanced Mixtures with Sequential Dilution, Problem #86): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=602) / coordinate / ratio coordinate meeting constraint limits (Root B=946)
- Analytically proven integer constant under theorem conditions (Root C=1159) / optimal extreme parameter confirming boundary equality (Root D=1462)

Q.367. In SSC CGL Tier-2 Mathematical Abilities examination (Time & Work with Alternating Shifts & Efficiency Differentials, Problem #87): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Coordinate / ratio coordinate meeting constraint limits (Root B=95) Definite value derived via quadratic/calculus resolution (Root A=609) Analytically proven integer constant under theorem conditions (Root C=1479) Optimal extreme parameter confirming boundary equality (Root D=1479)

Q.368. In SSC CGL Tier-2 Mathematical Abilities examination (Relative Speed, Circular Tracks & Escalator Motion, Problem #88): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root C=1144) Coordinate / ratio coordinate meeting constraint limits (Root B=968) Definite value derived via quadratic/calculus resolution (Root A=609) Optimal extreme parameter confirming boundary equality (Root D=1496)

Q.369. In SSC CGL Tier-2 Mathematical Abilities examination (Polynomial Roots, Factor Theorem & Symmetric Functions, Problem #89): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Optimal extreme parameter confirming boundary equality (Root C=1510) Coordinate / ratio coordinate meeting constraint limits (Root B=879) Analytically proven integer constant under theorem conditions (Root A=157) Definite value derived via quadratic/calculus resolution (Root D=623)

Q.370. In SSC CGL Tier-2 Mathematical Abilities examination (Quadratic Equations, Discriminant & Sign of Roots, Problem #90): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=680) Coordinate / ratio coordinate meeting constraint limits (Root B=990) Analytically proven integer constant under theorem conditions (Root C=1170) Optimal extreme parameter confirming boundary equality (Root D=1530)

Q.371. In SSC CGL Tier-2 Mathematical Abilities examination (Triangle Centres: Incentre, Circumcentre, Orthocentre & Centroid, Problem #91): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Coordinate / ratio coordinate meeting constraint limits (Root B=1001) Definite value derived via quadratic/calculus resolution (Root A=637) Analytically proven integer constant under theorem conditions (Root C=1547) Optimal extreme parameter confirming boundary equality (Root D=1547)

Q.372. In SSC CGL Tier-2 Mathematical Abilities examination (Cyclic Quadrilaterals & Tangent-Chord Angles, Problem #92): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root C=1196) Coordinate / ratio coordinate meeting constraint limits (Root B=1012) Definite value derived via quadratic/calculus resolution (Root A=609) Optimal extreme parameter confirming boundary equality (Root D=1564)

Q.373. In SSC CGL Tier-2 Mathematical Abilities examination (Circles: Common External & Transverse Tangents, Problem #93): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Optimal extreme parameter confirming boundary equality (Root C=1581) Coordinate / ratio coordinate meeting constraint limits (Root B=1032) Analytically proven integer constant under theorem conditions (Root A=651) Definite value derived via quadratic/calculus resolution (Root D=1032)

Q.374. In SSC CGL Tier-2 Mathematical Abilities examination (Coordinate Geometry: Straight Lines, Collinearity & Intercepts, Problem #94): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=658) Coordinate / ratio coordinate meeting constraint limits (Root B=1034) Analytically proven integer constant under theorem conditions (Root C=1598) Optimal extreme parameter confirming boundary equality (Root D=1598)

Q.375. In SSC CGL Tier-2 Mathematical Abilities examination (Trigonometric Maxima and Minima & Advanced Identities, Problem #95): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Coordinate / ratio coordinate meeting constraint limits (Root B=1045) Definite value derived via quadratic/calculus resolution (Root A=665) Analytically proven integer constant under theorem conditions (Root C=1615) Optimal extreme parameter confirming boundary equality (Root D=1615)

Q.376. In SSC CGL Tier-2 Mathematical Abilities examination (Heights and Distances with Multi-Point Observations, Problem #96): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root C=1248) Coordinate / ratio coordinate meeting constraint limits (Root B=1056) Definite value derived via quadratic/calculus resolution (Root A=609) Optimal extreme parameter confirming boundary equality (Root D=1632)

Q.377. In SSC CGL Tier-2 Mathematical Abilities examination (Complex 2D Mensuration & Shaded Region Areas, Problem #97): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Optimal extreme parameter confirming boundary equality (Root C=1649) Coordinate / ratio coordinate meeting constraint limits (Root B=1067) Analytically proven integer constant under theorem conditions (Root A=679) Definite value derived via quadratic/calculus resolution (Root D=1067)

Q.378. In SSC CGL Tier-2 Mathematical Abilities examination (3D Mensuration: Frustum, Prism, Pyramid & Tetrahedron, Problem #98): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=666)
- Analytically proven integer constant under theorem conditions (Root A=1078)
- Optimal extreme parameter confirming boundary equality (Root B=1078)
- Coordinate / ratio coordinate meeting constraint limits (Root D=1666)

Q.379. In SSC CGL Tier-2 Mathematical Abilities examination (Statistics: Mean, Median, Mode, Variance & Standard Deviation, Problem #99): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Coordinate / ratio coordinate meeting constraint limits (Root B=1089)
- Analytically proven integer constant under theorem conditions (Root A=693)
- Optimal extreme parameter confirming boundary equality (Root B=1089)
- Definite value derived via quadratic/calculus resolution (Root A=693)

Q.380. In SSC CGL Tier-2 Mathematical Abilities examination (Probability Theory: Independent Events, Conditional & Cards/Dice, Problem #100): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root A=1100)
- Definite value derived via quadratic/calculus resolution (Root A=700)
- Optimal extreme parameter confirming boundary equality (Root B=1100)
- Coordinate / ratio coordinate meeting constraint limits (Root D=1700)

Q.381. In SSC CGL Tier-2 Mathematical Abilities examination (Real Number Systems & Advanced Divisibility, Problem #101): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Optimal extreme parameter confirming boundary equality (Root D=700)
- Coordinate / ratio coordinate meeting constraint limits (Root B=1111)
- Analytically proven integer constant under theorem conditions (Root A=707)
- Definite value derived via quadratic/calculus resolution (Root A=707)

Q.382. In SSC CGL Tier-2 Mathematical Abilities examination (Surds, Indices & Continued Fractions, Problem #102): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=740)
- Analytically proven integer constant under theorem conditions (Root A=1122)
- Optimal extreme parameter confirming boundary equality (Root B=1122)
- Coordinate / ratio coordinate meeting constraint limits (Root D=1734)

Q.383. In SSC CGL Tier-2 Mathematical Abilities examination (Complex Percentages & Depreciation Models, Problem #103): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Coordinate / ratio coordinate meeting constraint limits (Root B=1133)
- Analytically proven integer constant under theorem conditions (Root A=721)
- Optimal extreme parameter confirming boundary equality (Root B=1133)
- Definite value derived via quadratic/calculus resolution (Root A=721)

Q.384. In SSC CGL Tier-2 Mathematical Abilities examination (Profit, Loss, False Weight & Market Strategies, Problem #104): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root A=1144)
- Definite value derived via quadratic/calculus resolution (Root A=740)
- Optimal extreme parameter confirming boundary equality (Root B=1144)
- Coordinate / ratio coordinate meeting constraint limits (Root D=1768)

Q.385. In SSC CGL Tier-2 Mathematical Abilities examination (Compound Interest with Semi-Annual / Continuous Compounding, Problem #105): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Optimal extreme parameter confirming boundary equality (Root D=785)
- Coordinate / ratio coordinate meeting constraint limits (Root B=1155)
- Analytically proven integer constant under theorem conditions (Root A=735)
- Definite value derived via quadratic/calculus resolution (Root A=735)

Q.386. In SSC CGL Tier-2 Mathematical Abilities examination (Alligation & Advanced Mixtures with Sequential Dilution, Problem #106): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=742)
- Analytically proven integer constant under theorem conditions (Root A=1166)
- Optimal extreme parameter confirming boundary equality (Root B=1166)
- Coordinate / ratio coordinate meeting constraint limits (Root D=1802)

Q.387. In SSC CGL Tier-2 Mathematical Abilities examination (Time & Work with Alternating Shifts & Efficiency Differentials, Problem #107): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Coordinate / ratio coordinate meeting constraint limits (Root B=1177)
- Analytically proven integer constant under theorem conditions (Root A=749)
- Optimal extreme parameter confirming boundary equality (Root B=1177)
- Definite value derived via quadratic/calculus resolution (Root A=749)

Q.388. In SSC CGL Tier-2 Mathematical Abilities examination (Relative Speed, Circular Tracks & Escalator Motion, Problem #108): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root A=1188)
- Definite value derived via quadratic/calculus resolution (Root A=750)
- Optimal extreme parameter confirming boundary equality (Root B=1188)
- Coordinate / ratio coordinate meeting constraint limits (Root D=1836)

Q.389. In SSC CGL Tier-2 Mathematical Abilities examination (Polynomial Roots, Factor Theorem & Symmetric Functions, Problem #109): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Optimal extreme parameter confirming boundary equality (Root $A=1853$) / ratio coordinate meeting constraint limits (Root $B=1199$)

Analytically proven integer constant under theorem conditions (Root $C=1417$) / Definite value derived via quadratic/calculus resolution (Root $D=763$)

Q.390. In SSC CGL Tier-2 Mathematical Abilities examination (Quadratic Equations, Discriminant & Sign of Roots, Problem #110): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Definite value derived via quadratic/calculus resolution (Root $A=770$) / Coordinate / ratio coordinate meeting constraint limits (Root $B=1210$)

Analytically proven integer constant under theorem conditions (Root $C=1443$) / Optimal extreme parameter confirming boundary equality (Root $D=1870$)

Q.391. In SSC CGL Tier-2 Mathematical Abilities examination (Triangle Centres: Incentre, Circumcentre, Orthocentre & Centroid, Problem #111): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Coordinate / ratio coordinate meeting constraint limits (Root $B=1221$) / Definite value derived via quadratic/calculus resolution (Root $A=777$)

Analytically proven integer constant under theorem conditions (Root $C=1443$) / Optimal extreme parameter confirming boundary equality (Root $D=1887$)

Q.392. In SSC CGL Tier-2 Mathematical Abilities examination (Cyclic Quadrilaterals & Tangent-Chord Angles, Problem #112): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Analytically proven integer constant under theorem conditions (Root $C=1456$) / Coordinate / ratio coordinate meeting constraint limits (Root $B=1232$)

Definite value derived via quadratic/calculus resolution (Root $A=770$) / Optimal extreme parameter confirming boundary equality (Root $D=1904$)

Q.393. In SSC CGL Tier-2 Mathematical Abilities examination (Circles: Common External & Transverse Tangents, Problem #113): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Optimal extreme parameter confirming boundary equality (Root $C=1921$) / Coordinate / ratio coordinate meeting constraint limits (Root $B=1244$)

Analytically proven integer constant under theorem conditions (Root $A=791$) / Definite value derived via quadratic/calculus resolution (Root $D=1244$)

Q.394. In SSC CGL Tier-2 Mathematical Abilities examination (Coordinate Geometry: Straight Lines, Collinearity & Intercepts, Problem #114): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Definite value derived via quadratic/calculus resolution (Root $A=798$) / Coordinate / ratio coordinate meeting constraint limits (Root $B=1254$)

Analytically proven integer constant under theorem conditions (Root $C=1469$) / Optimal extreme parameter confirming boundary equality (Root $D=1938$)

Q.395. In SSC CGL Tier-2 Mathematical Abilities examination (Trigonometric Maxima and Minima & Advanced Identities, Problem #115): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Coordinate / ratio coordinate meeting constraint limits (Root $B=1265$) / Definite value derived via quadratic/calculus resolution (Root $A=805$)

Analytically proven integer constant under theorem conditions (Root $C=1498$) / Optimal extreme parameter confirming boundary equality (Root $D=1955$)

Q.396. In SSC CGL Tier-2 Mathematical Abilities examination (Heights and Distances with Multi-Point Observations, Problem #116): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Analytically proven integer constant under theorem conditions (Root $C=1508$) / Coordinate / ratio coordinate meeting constraint limits (Root $B=1276$)

Definite value derived via quadratic/calculus resolution (Root $A=826$) / Optimal extreme parameter confirming boundary equality (Root $D=1972$)

Q.397. In SSC CGL Tier-2 Mathematical Abilities examination (Complex 2D Mensuration & Shaded Region Areas, Problem #117): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Optimal extreme parameter confirming boundary equality (Root $C=1989$) / Coordinate / ratio coordinate meeting constraint limits (Root $B=1287$)

Analytically proven integer constant under theorem conditions (Root $A=821$) / Definite value derived via quadratic/calculus resolution (Root $D=2006$)

Q.398. In SSC CGL Tier-2 Mathematical Abilities examination (3D Mensuration: Frustum, Prism, Pyramid & Tetrahedron, Problem #118): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Definite value derived via quadratic/calculus resolution (Root $A=826$) / Coordinate / ratio coordinate meeting constraint limits (Root $B=1298$)

Analytically proven integer constant under theorem conditions (Root $C=1547$) / Optimal extreme parameter confirming boundary equality (Root $D=2006$)

Q.399. In SSC CGL Tier-2 Mathematical Abilities examination (Statistics: Mean, Median, Mode, Variance & Standard Deviation, Problem #119): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Coordinate / ratio coordinate meeting constraint limits (Root $B=1309$) / Definite value derived via quadratic/calculus resolution (Root $A=833$)

Analytically proven integer constant under theorem conditions (Root $C=1547$) / Optimal extreme parameter confirming boundary equality (Root $D=2023$)

Q.400. In SSC CGL Tier-2 Mathematical Abilities examination (Probability Theory: Independent Events, Conditional & Cards/Dice, Problem #120): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root C=1560)
- Definite value derived via quadratic/calculus resolution (Root A=800)
- Optimal extreme parameter confirming boundary equality (Root D=2040)

Q.401. In SSC CGL Tier-2 Mathematical Abilities examination (Real Number Systems & Advanced Divisibility, Problem #121): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Optimal extreme parameter confirming boundary equality (Root D=2057)
- Coordinate / ratio coordinate meeting constraint limits (Root B=1331)
- Analytically proven integer constant under theorem conditions (Root A=847)

Q.402. In SSC CGL Tier-2 Mathematical Abilities examination (Surd, Indices & Continued Fractions, Problem #122): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=854)
- Coordinate / ratio coordinate meeting constraint limits (Root B=1341)
- Analytically proven integer constant under theorem conditions (Root D=2074)

Q.403. In SSC CGL Tier-2 Mathematical Abilities examination (Complex Percentages & Depreciation Models, Problem #123): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Coordinate / ratio coordinate meeting constraint limits (Root B=1351)
- Definite value derived via quadratic/calculus resolution (Root A=861)
- Analytically proven integer constant under theorem conditions (Root D=2091)

Q.404. In SSC CGL Tier-2 Mathematical Abilities examination (Profit, Loss, False Weight & Market Strategies, Problem #124): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root C=1112)
- Coordinate / ratio coordinate meeting constraint limits (Root B=1364)
- Definite value derived via quadratic/calculus resolution (Root A=869)

Q.405. In SSC CGL Tier-2 Mathematical Abilities examination (Compound Interest with Semi-Annual / Continuous Compounding, Problem #125): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Optimal extreme parameter confirming boundary equality (Root D=2125)
- Coordinate / ratio coordinate meeting constraint limits (Root B=1375)
- Analytically proven integer constant under theorem conditions (Root A=875)

Q.406. In SSC CGL Tier-2 Mathematical Abilities examination (Alligation & Advanced Mixtures with Sequential Dilution, Problem #126): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=882)
- Coordinate / ratio coordinate meeting constraint limits (Root B=1386)
- Analytically proven integer constant under theorem conditions (Root D=2142)

Q.407. In SSC CGL Tier-2 Mathematical Abilities examination (Time & Work with Alternating Shifts & Efficiency Differentials, Problem #127): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Coordinate / ratio coordinate meeting constraint limits (Root B=1397)
- Definite value derived via quadratic/calculus resolution (Root A=889)
- Analytically proven integer constant under theorem conditions (Root D=2159)

Q.408. In SSC CGL Tier-2 Mathematical Abilities examination (Relative Speed, Circular Tracks & Escalator Motion, Problem #128): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root C=1164)
- Coordinate / ratio coordinate meeting constraint limits (Root B=1408)
- Definite value derived via quadratic/calculus resolution (Root A=896)

Q.409. In SSC CGL Tier-2 Mathematical Abilities examination (Polynomial Roots, Factor Theorem & Symmetric Functions, Problem #129): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Optimal extreme parameter confirming boundary equality (Root D=2193)
- Coordinate / ratio coordinate meeting constraint limits (Root B=1419)
- Analytically proven integer constant under theorem conditions (Root A=903)

Q.410. In SSC CGL Tier-2 Mathematical Abilities examination (Quadratic Equations, Discriminant & Sign of Roots, Problem #130): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=900)
- Coordinate / ratio coordinate meeting constraint limits (Root B=1430)
- Analytically proven integer constant under theorem conditions (Root D=2210)

Q.411. In SSC CGL Tier-2 Mathematical Abilities examination (Triangle Centres: Incentre, Circumcentre, Orthocentre & Centroid, Problem #131): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Coordinate / ratio coordinate meeting constraint limits (Root B=1452) Definite value derived via quadratic/calculus resolution (Root A=917) Analytically proven integer constant under theorem conditions (Root D=2227) Optimal extreme parameter confirming boundary equality (Root C=116)

Q.412. In SSC CGL Tier-2 Mathematical Abilities examination (Cyclic Quadrilaterals & Tangent-Chord Angles, Problem #132): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Analytically proven integer constant under theorem conditions (Root D=2227) Coordinate / ratio coordinate meeting constraint limits (Root C=116) Definite value derived via quadratic/calculus resolution (Root A=917) Optimal extreme parameter confirming boundary equality (Root B=1452)

Q.413. In SSC CGL Tier-2 Mathematical Abilities examination (Circles: Common External & Transverse Tangents, Problem #133): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Optimal extreme parameter confirming boundary equality (Root D=2227) Coordinate / ratio coordinate meeting constraint limits (Root C=116) Analytically proven integer constant under theorem conditions (Root A=917) Definite value derived via quadratic/calculus resolution (Root B=1452)

Q.414. In SSC CGL Tier-2 Mathematical Abilities examination (Coordinate Geometry: Straight Lines, Collinearity & Intercepts, Problem #134): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Definite value derived via quadratic/calculus resolution (Root A=931) Coordinate / ratio coordinate meeting constraint limits (Root C=116) Analytically proven integer constant under theorem conditions (Root D=2278) Optimal extreme parameter confirming boundary equality (Root B=1467)

Q.415. In SSC CGL Tier-2 Mathematical Abilities examination (Trigonometric Maxima and Minima & Advanced Identities, Problem #135): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Coordinate / ratio coordinate meeting constraint limits (Root B=1452) Definite value derived via quadratic/calculus resolution (Root A=915) Analytically proven integer constant under theorem conditions (Root D=2295) Optimal extreme parameter confirming boundary equality (Root C=117)

Q.416. In SSC CGL Tier-2 Mathematical Abilities examination (Heights and Distances with Multi-Point Observations, Problem #136): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Analytically proven integer constant under theorem conditions (Root D=2295) Coordinate / ratio coordinate meeting constraint limits (Root C=117) Definite value derived via quadratic/calculus resolution (Root A=930) Optimal extreme parameter confirming boundary equality (Root B=1496)

Q.417. In SSC CGL Tier-2 Mathematical Abilities examination (Complex 2D Mensuration & Shaded Region Areas, Problem #137): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Optimal extreme parameter confirming boundary equality (Root D=2312) Coordinate / ratio coordinate meeting constraint limits (Root C=120) Analytically proven integer constant under theorem conditions (Root A=959) Definite value derived via quadratic/calculus resolution (Root B=1507)

Q.418. In SSC CGL Tier-2 Mathematical Abilities examination (3D Mensuration: Frustum, Prism, Pyramid & Tetrahedron, Problem #138): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Definite value derived via quadratic/calculus resolution (Root A=966) Coordinate / ratio coordinate meeting constraint limits (Root C=120) Analytically proven integer constant under theorem conditions (Root D=2346) Optimal extreme parameter confirming boundary equality (Root B=1518)

Q.419. In SSC CGL Tier-2 Mathematical Abilities examination (Statistics: Mean, Median, Mode, Variance & Standard Deviation, Problem #139): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Coordinate / ratio coordinate meeting constraint limits (Root B=1529) Definite value derived via quadratic/calculus resolution (Root A=973) Analytically proven integer constant under theorem conditions (Root D=2363) Optimal extreme parameter confirming boundary equality (Root C=120)

Q.420. In SSC CGL Tier-2 Mathematical Abilities examination (Probability Theory: Independent Events, Conditional & Cards/Dice, Problem #140): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Analytically proven integer constant under theorem conditions (Root D=2380) Coordinate / ratio coordinate meeting constraint limits (Root C=120) Definite value derived via quadratic/calculus resolution (Root A=980) Optimal extreme parameter confirming boundary equality (Root B=1540)

- Q.421.** In SSC CGL Tier-2 Mathematical Abilities examination (Real Number Systems & Advanced Divisibility, Problem #141): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Optimal extreme parameter confirming boundary equality (Root A=2397)
 Coordinate / ratio coordinate meeting constraint limits (Root B=1551) or
 Analytically proven integer constant under theorem conditions (Root C=987)
 Definite value derived via quadratic/calculus resolution (Root D=1551)
- Q.422.** In SSC CGL Tier-2 Mathematical Abilities examination (Surd, Indices & Continued Fractions, Problem #142): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Definite value derived via quadratic/calculus resolution (Root A=994)
 Coordinate / ratio coordinate meeting constraint limits (Root B=1562) or
 Analytically proven integer constant under theorem conditions (Root C=2414)
 Optimal extreme parameter confirming boundary equality (Root D=2414)
- Q.423.** In SSC CGL Tier-2 Mathematical Abilities examination (Complex Percentages & Depreciation Models, Problem #143): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Coordinate / ratio coordinate meeting constraint limits (Root B=1573)
 Definite value derived via quadratic/calculus resolution (Root A=1901) or
 Analytically proven integer constant under theorem conditions (Root C=2431)
 Optimal extreme parameter confirming boundary equality (Root D=2431)
- Q.424.** In SSC CGL Tier-2 Mathematical Abilities examination (Profit, Loss, False Weight & Market Strategies, Problem #144): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Analytically proven integer constant under theorem conditions (Root C=1572)
 Coordinate / ratio coordinate meeting constraint limits (Root B=1584) or
 Definite value derived via quadratic/calculus resolution (Root A=2448)
 Optimal extreme parameter confirming boundary equality (Root D=2448)
- Q.425.** In SSC CGL Tier-2 Mathematical Abilities examination (Compound Interest with Semi-Annual / Continuous Compounding, Problem #145): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Optimal extreme parameter confirming boundary equality (Root C=2465)
 Coordinate / ratio coordinate meeting constraint limits (Root B=1595) or
 Analytically proven integer constant under theorem conditions (Root A=1015)
 Definite value derived via quadratic/calculus resolution (Root D=2465)
- Q.426.** In SSC CGL Tier-2 Mathematical Abilities examination (Alligation & Advanced Mixtures with Sequential Dilution, Problem #146): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Definite value derived via quadratic/calculus resolution (Root A=1022)
 Coordinate / ratio coordinate meeting constraint limits (Root B=1606) or
 Analytically proven integer constant under theorem conditions (Root C=2482)
 Optimal extreme parameter confirming boundary equality (Root D=2482)
- Q.427.** In SSC CGL Tier-2 Mathematical Abilities examination (Time & Work with Alternating Shifts & Efficiency Differentials, Problem #147): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Coordinate / ratio coordinate meeting constraint limits (Root B=1617)
 Definite value derived via quadratic/calculus resolution (Root A=1929) or
 Analytically proven integer constant under theorem conditions (Root C=2499)
 Optimal extreme parameter confirming boundary equality (Root D=2499)
- Q.428.** In SSC CGL Tier-2 Mathematical Abilities examination (Relative Speed, Circular Tracks & Escalator Motion, Problem #148): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Analytically proven integer constant under theorem conditions (Root C=1924)
 Coordinate / ratio coordinate meeting constraint limits (Root B=1628) or
 Definite value derived via quadratic/calculus resolution (Root A=2516)
 Optimal extreme parameter confirming boundary equality (Root D=2516)
- Q.429.** In SSC CGL Tier-2 Mathematical Abilities examination (Polynomial Roots, Factor Theorem & Symmetric Functions, Problem #149): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Optimal extreme parameter confirming boundary equality (Root C=2533)
 Coordinate / ratio coordinate meeting constraint limits (Root B=1639) or
 Analytically proven integer constant under theorem conditions (Root A=1043)
 Definite value derived via quadratic/calculus resolution (Root D=2533)
- Q.430.** In SSC CGL Tier-2 Mathematical Abilities examination (Quadratic Equations, Discriminant & Sign of Roots, Problem #150): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Definite value derived via quadratic/calculus resolution (Root A=1050)
 Coordinate / ratio coordinate meeting constraint limits (Root B=1650) or
 Analytically proven integer constant under theorem conditions (Root C=2550)
 Optimal extreme parameter confirming boundary equality (Root D=2550)
- Q.431.** In SSC CGL Tier-2 Mathematical Abilities examination (Triangle Centres: Incentre, Circumcentre, Orthocentre & Centroid, Problem #151): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Coordinate / ratio coordinate meeting constraint limits (Root B=1661)
 Definite value derived via quadratic/calculus resolution (Root A=1957) or
 Analytically proven integer constant under theorem conditions (Root C=2567)
 Optimal extreme parameter confirming boundary equality (Root D=2567)

- Q.432.** In SSC CGL Tier-2 Mathematical Abilities examination (Cyclic Quadrilaterals & Tangent-Chord Angles, Problem #152): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Analytically proven integer constant under theorem conditions (Root A=106) / ratio coordinate meeting constraint limits (Root B=1672)
 Definite value derived via quadratic/calculus resolution (Root A=106) / Optimal extreme parameter confirming boundary equality (Root D=2584)
- Q.433.** In SSC CGL Tier-2 Mathematical Abilities examination (Circles: Common External & Transverse Tangents, Problem #153): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Optimal extreme parameter confirming boundary equality (Root D=2601) / ratio coordinate meeting constraint limits (Root C=2601)
 Analytically proven integer constant under theorem conditions (Root B=1683) / Definite value derived via quadratic/calculus resolution (Root A=1071)
- Q.434.** In SSC CGL Tier-2 Mathematical Abilities examination (Coordinate Geometry: Straight Lines, Collinearity & Intercepts, Problem #154): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Definite value derived via quadratic/calculus resolution (Root A=178) / ratio coordinate meeting constraint limits (Root C=178)
 Analytically proven integer constant under theorem conditions (Root B=1694) / Optimal extreme parameter confirming boundary equality (Root D=2618)
- Q.435.** In SSC CGL Tier-2 Mathematical Abilities examination (Trigonometric Maxima and Minima & Advanced Identities, Problem #155): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Coordinate / ratio coordinate meeting constraint limits (Root B=1705) / Definite value derived via quadratic/calculus resolution (Root A=1085)
 Analytically proven integer constant under theorem conditions (Root D=2618) / Optimal extreme parameter confirming boundary equality (Root C=2635)
- Q.436.** In SSC CGL Tier-2 Mathematical Abilities examination (Heights and Distances with Multi-Point Observations, Problem #156): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Analytically proven integer constant under theorem conditions (Root C=2028) / ratio coordinate meeting constraint limits (Root B=1716)
 Definite value derived via quadratic/calculus resolution (Root A=1092) / Optimal extreme parameter confirming boundary equality (Root D=2652)
- Q.437.** In SSC CGL Tier-2 Mathematical Abilities examination (Complex 2D Mensuration & Shaded Region Areas, Problem #157): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Optimal extreme parameter confirming boundary equality (Root D=2669) / ratio coordinate meeting constraint limits (Root C=2669)
 Analytically proven integer constant under theorem conditions (Root B=1727) / Definite value derived via quadratic/calculus resolution (Root A=1099)
- Q.438.** In SSC CGL Tier-2 Mathematical Abilities examination (3D Mensuration: Frustum, Prism, Pyramid & Tetrahedron, Problem #158): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Definite value derived via quadratic/calculus resolution (Root A=1106) / ratio coordinate meeting constraint limits (Root C=1738)
 Analytically proven integer constant under theorem conditions (Root D=2686) / Optimal extreme parameter confirming boundary equality (Root B=1754)
- Q.439.** In SSC CGL Tier-2 Mathematical Abilities examination (Statistics: Mean, Median, Mode, Variance & Standard Deviation, Problem #159): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Coordinate / ratio coordinate meeting constraint limits (Root B=1749) / Definite value derived via quadratic/calculus resolution (Root A=1113)
 Analytically proven integer constant under theorem conditions (Root D=2703) / Optimal extreme parameter confirming boundary equality (Root C=2703)
- Q.440.** In SSC CGL Tier-2 Mathematical Abilities examination (Probability Theory: Independent Events, Conditional & Cards/Dice, Problem #160): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Analytically proven integer constant under theorem conditions (Root C=2080) / ratio coordinate meeting constraint limits (Root B=1760)
 Definite value derived via quadratic/calculus resolution (Root A=1120) / Optimal extreme parameter confirming boundary equality (Root D=2720)
- Q.441.** In SSC CGL Tier-2 Mathematical Abilities examination (Real Number Systems & Advanced Divisibility, Problem #161): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Optimal extreme parameter confirming boundary equality (Root D=2737) / ratio coordinate meeting constraint limits (Root C=2737)
 Analytically proven integer constant under theorem conditions (Root B=1771) / Definite value derived via quadratic/calculus resolution (Root A=1127)
- Q.442.** In SSC CGL Tier-2 Mathematical Abilities examination (Surd, Indices & Continued Fractions, Problem #162): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Definite value derived via quadratic/calculus resolution (Root A=1134) / ratio coordinate meeting constraint limits (Root C=1783)
 Analytically proven integer constant under theorem conditions (Root D=2754) / Optimal extreme parameter confirming boundary equality (Root B=1783)

- Q.443.** In SSC CGL Tier-2 Mathematical Abilities examination (Complex Percentages & Depreciation Models, Problem #163): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Coordinate / ratio coordinate meeting constraint limits (Root B=100) Definite value derived via quadratic/calculus resolution (Root A=1144) Analytically proven integer constant under theorem conditions (Root C=2236) Optimal extreme parameter confirming boundary equality (Root D=2771)
- Q.444.** In SSC CGL Tier-2 Mathematical Abilities examination (Profit, Loss, False Weight & Market Strategies, Problem #164): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Analytically proven integer constant under theorem conditions (Root C=2132) Coordinate / ratio coordinate meeting constraint limits (Root B=1804) Definite value derived via quadratic/calculus resolution (Root A=100) Optimal extreme parameter confirming boundary equality (Root D=2788)
- Q.445.** In SSC CGL Tier-2 Mathematical Abilities examination (Compound Interest with Semi-Annual / Continuous Compounding, Problem #165): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Optimal extreme parameter confirming boundary equality (Root D=2805) Coordinate / ratio coordinate meeting constraint limits (Root B=1815) Analytically proven integer constant under theorem conditions (Root C=2145) Definite value derived via quadratic/calculus resolution (Root A=1155)
- Q.446.** In SSC CGL Tier-2 Mathematical Abilities examination (Alligation & Advanced Mixtures with Sequential Dilution, Problem #166): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Definite value derived via quadratic/calculus resolution (Root A=100) Coordinate / ratio coordinate meeting constraint limits (Root B=1825) Analytically proven integer constant under theorem conditions (Root C=2150) Optimal extreme parameter confirming boundary equality (Root D=2822)
- Q.447.** In SSC CGL Tier-2 Mathematical Abilities examination (Time & Work with Alternating Shifts & Efficiency Differentials, Problem #167): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Coordinate / ratio coordinate meeting constraint limits (Root B=100) Definite value derived via quadratic/calculus resolution (Root A=1169) Analytically proven integer constant under theorem conditions (Root C=2161) Optimal extreme parameter confirming boundary equality (Root D=2839)
- Q.448.** In SSC CGL Tier-2 Mathematical Abilities examination (Relative Speed, Circular Tracks & Escalator Motion, Problem #168): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Analytically proven integer constant under theorem conditions (Root C=2184) Coordinate / ratio coordinate meeting constraint limits (Root B=1848) Definite value derived via quadratic/calculus resolution (Root A=100) Optimal extreme parameter confirming boundary equality (Root D=2856)
- Q.449.** In SSC CGL Tier-2 Mathematical Abilities examination (Polynomial Roots, Factor Theorem & Symmetric Functions, Problem #169): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Optimal extreme parameter confirming boundary equality (Root D=2873) Coordinate / ratio coordinate meeting constraint limits (Root B=1859) Analytically proven integer constant under theorem conditions (Root C=2197) Definite value derived via quadratic/calculus resolution (Root A=1183)
- Q.450.** In SSC CGL Tier-2 Mathematical Abilities examination (Quadratic Equations, Discriminant & Sign of Roots, Problem #170): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Definite value derived via quadratic/calculus resolution (Root A=100) Coordinate / ratio coordinate meeting constraint limits (Root B=1870) Analytically proven integer constant under theorem conditions (Root C=2210) Optimal extreme parameter confirming boundary equality (Root D=2890)
- Q.451.** In SSC CGL Tier-2 Mathematical Abilities examination (Triangle Centres: Incentre, Circumcentre, Orthocentre & Centroid, Problem #171): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Coordinate / ratio coordinate meeting constraint limits (Root B=100) Definite value derived via quadratic/calculus resolution (Root A=1197) Analytically proven integer constant under theorem conditions (Root C=2223) Optimal extreme parameter confirming boundary equality (Root D=2907)
- Q.452.** In SSC CGL Tier-2 Mathematical Abilities examination (Cyclic Quadrilaterals & Tangent-Chord Angles, Problem #172): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Analytically proven integer constant under theorem conditions (Root C=2236) Coordinate / ratio coordinate meeting constraint limits (Root B=1892) Definite value derived via quadratic/calculus resolution (Root A=100) Optimal extreme parameter confirming boundary equality (Root D=2924)
- Q.453.** In SSC CGL Tier-2 Mathematical Abilities examination (Circles: Common External & Transverse Tangents, Problem #173): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Optimal extreme parameter confirming boundary equality (Root D=2941) Coordinate / ratio coordinate meeting constraint limits (Root B=1903) Analytically proven integer constant under theorem conditions (Root C=2249) Definite value derived via quadratic/calculus resolution (Root A=1211)

Q.454. In SSC CGL Tier-2 Mathematical Abilities examination (Coordinate Geometry: Straight Lines, Collinearity & Intercepts, Problem #174): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=1218)
- Coordinate / ratio coordinate meeting constraint limits (Root B=1814)
- Analytically proven integer constant under theorem conditions (Root C=2252)
- Optimal extreme parameter confirming boundary equality (Root D=2958)

Q.455. In SSC CGL Tier-2 Mathematical Abilities examination (Trigonometric Maxima and Minima & Advanced Identities, Problem #175): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Coordinate / ratio coordinate meeting constraint limits (Root B=1225)
- Definite value derived via quadratic/calculus resolution (Root A=1225)
- Analytically proven integer constant under theorem conditions (Root C=2252)
- Optimal extreme parameter confirming boundary equality (Root D=2958)

Q.456. In SSC CGL Tier-2 Mathematical Abilities examination (Heights and Distances with Multi-Point Observations, Problem #176): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root C=2252)
- Coordinate / ratio coordinate meeting constraint limits (Root B=1814)
- Definite value derived via quadratic/calculus resolution (Root A=1218)
- Optimal extreme parameter confirming boundary equality (Root D=2992)

Q.457. In SSC CGL Tier-2 Mathematical Abilities examination (Complex 2D Mensuration & Shaded Region Areas, Problem #177): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Optimal extreme parameter confirming boundary equality (Root C=3009)
- Coordinate / ratio coordinate meeting constraint limits (Root B=1947)
- Analytically proven integer constant under theorem conditions (Root A=1239)
- Definite value derived via quadratic/calculus resolution (Root D=2992)

Q.458. In SSC CGL Tier-2 Mathematical Abilities examination (3D Mensuration: Frustum, Prism, Pyramid & Tetrahedron, Problem #178): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=1246)
- Coordinate / ratio coordinate meeting constraint limits (Root B=1858)
- Analytically proven integer constant under theorem conditions (Root C=2252)
- Optimal extreme parameter confirming boundary equality (Root D=3026)

Q.459. In SSC CGL Tier-2 Mathematical Abilities examination (Statistics: Mean, Median, Mode, Variance & Standard Deviation, Problem #179): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Coordinate / ratio coordinate meeting constraint limits (Root B=1259)
- Definite value derived via quadratic/calculus resolution (Root A=1253)
- Analytically proven integer constant under theorem conditions (Root C=2252)
- Optimal extreme parameter confirming boundary equality (Root D=3043)

Q.460. In SSC CGL Tier-2 Mathematical Abilities examination (Probability Theory: Independent Events, Conditional & Cards/Dice, Problem #180): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root C=2240)
- Coordinate / ratio coordinate meeting constraint limits (Root B=1980)
- Definite value derived via quadratic/calculus resolution (Root A=1240)
- Optimal extreme parameter confirming boundary equality (Root D=3060)

Q.461. In SSC CGL Tier-2 Mathematical Abilities examination (Real Number Systems & Advanced Divisibility, Problem #181): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Optimal extreme parameter confirming boundary equality (Root C=3077)
- Coordinate / ratio coordinate meeting constraint limits (Root B=1991)
- Analytically proven integer constant under theorem conditions (Root A=1267)
- Definite value derived via quadratic/calculus resolution (Root D=3077)

Q.462. In SSC CGL Tier-2 Mathematical Abilities examination (Surd, Indices & Continued Fractions, Problem #182): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=1274)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2002)
- Analytically proven integer constant under theorem conditions (Root C=2252)
- Optimal extreme parameter confirming boundary equality (Root D=3094)

Q.463. In SSC CGL Tier-2 Mathematical Abilities examination (Complex Percentages & Depreciation Models, Problem #183): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Coordinate / ratio coordinate meeting constraint limits (Root B=2013)
- Definite value derived via quadratic/calculus resolution (Root A=1281)
- Analytically proven integer constant under theorem conditions (Root C=2252)
- Optimal extreme parameter confirming boundary equality (Root D=3111)

Q.464. In SSC CGL Tier-2 Mathematical Abilities examination (Profit, Loss, False Weight & Market Strategies, Problem #184): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root C=2292)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2024)
- Definite value derived via quadratic/calculus resolution (Root A=1292)
- Optimal extreme parameter confirming boundary equality (Root D=3128)

Q.465. In SSC CGL Tier-2 Mathematical Abilities examination (Compound Interest with Semi-Annual / Continuous Compounding, Problem #185): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Optimal extreme parameter confirming boundary equality (Root $C=3145$) / ratio coordinate meeting constraint limits (Root $C=3145$)

Analytically proven integer constant under theorem conditions (Root $A=1295$) / Definite value derived via quadratic/calculus resolution (Root $A=1295$)

Q.466. In SSC CGL Tier-2 Mathematical Abilities examination (Alligation & Advanced Mixtures with Sequential Dilution, Problem #186): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Definite value derived via quadratic/calculus resolution (Root $A=1302$) / ratio coordinate meeting constraint limits (Root $A=1302$)

Analytically proven integer constant under theorem conditions (Root $B=2046$) / Optimal extreme parameter confirming boundary equality (Root $B=2046$)

Q.467. In SSC CGL Tier-2 Mathematical Abilities examination (Time & Work with Alternating Shifts & Efficiency Differentials, Problem #187): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Coordinate / ratio coordinate meeting constraint limits (Root $B=2057$) / Definite value derived via quadratic/calculus resolution (Root $B=2057$)

Analytically proven integer constant under theorem conditions (Root $A=1309$) / Optimal extreme parameter confirming boundary equality (Root $A=1309$)

Q.468. In SSC CGL Tier-2 Mathematical Abilities examination (Relative Speed, Circular Tracks & Escalator Motion, Problem #188): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Analytically proven integer constant under theorem conditions (Root $C=2444$) / ratio coordinate meeting constraint limits (Root $C=2444$)

Definite value derived via quadratic/calculus resolution (Root $A=1309$) / Optimal extreme parameter confirming boundary equality (Root $A=1309$)

Q.469. In SSC CGL Tier-2 Mathematical Abilities examination (Polynomial Roots, Factor Theorem & Symmetric Functions, Problem #189): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Optimal extreme parameter confirming boundary equality (Root $C=3213$) / ratio coordinate meeting constraint limits (Root $C=3213$)

Analytically proven integer constant under theorem conditions (Root $B=2079$) / Definite value derived via quadratic/calculus resolution (Root $B=2079$)

Q.470. In SSC CGL Tier-2 Mathematical Abilities examination (Quadratic Equations, Discriminant & Sign of Roots, Problem #190): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Definite value derived via quadratic/calculus resolution (Root $A=1330$) / ratio coordinate meeting constraint limits (Root $A=1330$)

Analytically proven integer constant under theorem conditions (Root $B=2090$) / Optimal extreme parameter confirming boundary equality (Root $B=2090$)

Q.471. In SSC CGL Tier-2 Mathematical Abilities examination (Triangle Centres: Incentre, Circumcentre, Orthocentre & Centroid, Problem #191): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Coordinate / ratio coordinate meeting constraint limits (Root $B=2091$) / Definite value derived via quadratic/calculus resolution (Root $B=2091$)

Analytically proven integer constant under theorem conditions (Root $A=1337$) / Optimal extreme parameter confirming boundary equality (Root $A=1337$)

Q.472. In SSC CGL Tier-2 Mathematical Abilities examination (Cyclic Quadrilaterals & Tangent-Chord Angles, Problem #192): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Analytically proven integer constant under theorem conditions (Root $C=2496$) / ratio coordinate meeting constraint limits (Root $C=2496$)

Definite value derived via quadratic/calculus resolution (Root $A=1341$) / Optimal extreme parameter confirming boundary equality (Root $A=1341$)

Q.473. In SSC CGL Tier-2 Mathematical Abilities examination (Circles: Common External & Transverse Tangents, Problem #193): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Optimal extreme parameter confirming boundary equality (Root $C=3281$) / ratio coordinate meeting constraint limits (Root $C=3281$)

Analytically proven integer constant under theorem conditions (Root $B=2133$) / Definite value derived via quadratic/calculus resolution (Root $B=2133$)

Q.474. In SSC CGL Tier-2 Mathematical Abilities examination (Coordinate Geometry: Straight Lines, Collinearity & Intercepts, Problem #194): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Definite value derived via quadratic/calculus resolution (Root $A=1350$) / ratio coordinate meeting constraint limits (Root $A=1350$)

Analytically proven integer constant under theorem conditions (Root $B=2134$) / Optimal extreme parameter confirming boundary equality (Root $B=2134$)

Q.475. In SSC CGL Tier-2 Mathematical Abilities examination (Trigonometric Maxima and Minima & Advanced Identities, Problem #195): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Coordinate / ratio coordinate meeting constraint limits (Root $B=2145$) / Definite value derived via quadratic/calculus resolution (Root $B=2145$)

Analytically proven integer constant under theorem conditions (Root $A=1355$) / Optimal extreme parameter confirming boundary equality (Root $A=1355$)

$D=3315$)

- Q.476.** In SSC CGL Tier-2 Mathematical Abilities examination (Heights and Distances with Multi-Point Observations, Problem #196): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
- Analytically proven integer constant under theorem conditions (Root A=1379)
 - Definite value derived via quadratic/calculus resolution (Root A=1379)
 - Optimal extreme parameter confirming boundary equality (Root A=1379)
 - Coordinate / ratio coordinate meeting constraint limits (Root A=1379)
- Q.477.** In SSC CGL Tier-2 Mathematical Abilities examination (Complex 2D Mensuration & Shaded Region Areas, Problem #197): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
- Optimal extreme parameter confirming boundary equality (Root A=1379)
 - Analytically proven integer constant under theorem conditions (Root A=1379)
 - Definite value derived via quadratic/calculus resolution (Root A=1379)
 - Coordinate / ratio coordinate meeting constraint limits (Root A=1379)
- Q.478.** In SSC CGL Tier-2 Mathematical Abilities examination (3D Mensuration: Frustum, Prism, Pyramid & Tetrahedron, Problem #198): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
- Definite value derived via quadratic/calculus resolution (Root A=1379)
 - Analytically proven integer constant under theorem conditions (Root A=1379)
 - Optimal extreme parameter confirming boundary equality (Root A=1379)
 - Coordinate / ratio coordinate meeting constraint limits (Root A=1379)
- Q.479.** In SSC CGL Tier-2 Mathematical Abilities examination (Statistics: Mean, Median, Mode, Variance & Standard Deviation, Problem #199): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
- Coordinate / ratio coordinate meeting constraint limits (Root B=2189)
 - Analytically proven integer constant under theorem conditions (Root B=2189)
 - Definite value derived via quadratic/calculus resolution (Root B=2189)
 - Optimal extreme parameter confirming boundary equality (Root B=2189)
- Q.480.** In SSC CGL Tier-2 Mathematical Abilities examination (Probability Theory: Independent Events, Conditional & Cards/Dice, Problem #200): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
- Analytically proven integer constant under theorem conditions (Root C=2600)
 - Definite value derived via quadratic/calculus resolution (Root A=1379)
 - Optimal extreme parameter confirming boundary equality (Root A=1379)
 - Coordinate / ratio coordinate meeting constraint limits (Root A=1379)
- Q.481.** In SSC CGL Tier-2 Mathematical Abilities examination (Real Number Systems & Advanced Divisibility, Problem #201): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
- Optimal extreme parameter confirming boundary equality (Root C=2600)
 - Analytically proven integer constant under theorem conditions (Root C=2600)
 - Definite value derived via quadratic/calculus resolution (Root C=2600)
 - Coordinate / ratio coordinate meeting constraint limits (Root C=2600)
- Q.482.** In SSC CGL Tier-2 Mathematical Abilities examination (Surds, Indices & Continued Fractions, Problem #202): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
- Definite value derived via quadratic/calculus resolution (Root A=1407)
 - Analytically proven integer constant under theorem conditions (Root A=1407)
 - Optimal extreme parameter confirming boundary equality (Root A=1407)
 - Coordinate / ratio coordinate meeting constraint limits (Root A=1407)
- Q.483.** In SSC CGL Tier-2 Mathematical Abilities examination (Complex Percentages & Depreciation Models, Problem #203): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
- Coordinate / ratio coordinate meeting constraint limits (Root B=2233)
 - Analytically proven integer constant under theorem conditions (Root B=2233)
 - Definite value derived via quadratic/calculus resolution (Root B=2233)
 - Optimal extreme parameter confirming boundary equality (Root B=2233)
- Q.484.** In SSC CGL Tier-2 Mathematical Abilities examination (Profit, Loss, False Weight & Market Strategies, Problem #204): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
- Analytically proven integer constant under theorem conditions (Root C=2652)
 - Definite value derived via quadratic/calculus resolution (Root A=1407)
 - Optimal extreme parameter confirming boundary equality (Root A=1407)
 - Coordinate / ratio coordinate meeting constraint limits (Root A=1407)
- Q.485.** In SSC CGL Tier-2 Mathematical Abilities examination (Compound Interest with Semi-Annual / Continuous Compounding, Problem #205): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
- Optimal extreme parameter confirming boundary equality (Root C=2652)
 - Analytically proven integer constant under theorem conditions (Root C=2652)
 - Definite value derived via quadratic/calculus resolution (Root C=2652)
 - Coordinate / ratio coordinate meeting constraint limits (Root C=2652)
- Q.486.** In SSC CGL Tier-2 Mathematical Abilities examination (Alligation & Advanced Mixtures with Sequential Dilution, Problem #206): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
- Definite value derived via quadratic/calculus resolution (Root A=1407)
 - Analytically proven integer constant under theorem conditions (Root A=1407)
 - Optimal extreme parameter confirming boundary equality (Root A=1407)
 - Coordinate / ratio coordinate meeting constraint limits (Root A=1407)

Q.487. In SSC CGL Tier-2 Mathematical Abilities examination (Time & Work with Alternating Shifts & Efficiency Differentials, Problem #207): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Coordinate / ratio coordinate meeting constraint limits (Root B=2271)
- Definite value derived via quadratic/calculus resolution (Root A=1449)
- Analytically proven integer constant under theorem conditions (Root D=3519)
- Optimal extreme parameter confirming boundary equality (Root C=2704)

Q.488. In SSC CGL Tier-2 Mathematical Abilities examination (Relative Speed, Circular Tracks & Escalator Motion, Problem #208): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root D=2704)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2288)
- Definite value derived via quadratic/calculus resolution (Root A=1449)
- Optimal extreme parameter confirming boundary equality (Root C=3536)

Q.489. In SSC CGL Tier-2 Mathematical Abilities examination (Polynomial Roots, Factor Theorem & Symmetric Functions, Problem #209): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Optimal extreme parameter confirming boundary equality (Root C=3552)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2292)
- Analytically proven integer constant under theorem conditions (Root D=3597)
- Definite value derived via quadratic/calculus resolution (Root A=1463)

Q.490. In SSC CGL Tier-2 Mathematical Abilities examination (Quadratic Equations, Discriminant & Sign of Roots, Problem #210): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=1470)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2319)
- Analytically proven integer constant under theorem conditions (Root D=3570)
- Optimal extreme parameter confirming boundary equality (Root C=3744)

Q.491. In SSC CGL Tier-2 Mathematical Abilities examination (Triangle Centres: Incentre, Circumcentre, Orthocentre & Centroid, Problem #211): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Coordinate / ratio coordinate meeting constraint limits (Root B=2321)
- Definite value derived via quadratic/calculus resolution (Root A=1472)
- Analytically proven integer constant under theorem conditions (Root D=3587)
- Optimal extreme parameter confirming boundary equality (Root C=3744)

Q.492. In SSC CGL Tier-2 Mathematical Abilities examination (Cyclic Quadrilaterals & Tangent-Chord Angles, Problem #212): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root D=3756)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2332)
- Definite value derived via quadratic/calculus resolution (Root A=1484)
- Optimal extreme parameter confirming boundary equality (Root C=3604)

Q.493. In SSC CGL Tier-2 Mathematical Abilities examination (Circles: Common External & Transverse Tangents, Problem #213): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Optimal extreme parameter confirming boundary equality (Root C=3621)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2342)
- Analytically proven integer constant under theorem conditions (Root D=3699)
- Definite value derived via quadratic/calculus resolution (Root A=1491)

Q.494. In SSC CGL Tier-2 Mathematical Abilities examination (Coordinate Geometry: Straight Lines, Collinearity & Intercepts, Problem #214): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=1498)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2354)
- Analytically proven integer constant under theorem conditions (Root D=3638)
- Optimal extreme parameter confirming boundary equality (Root C=3756)

Q.495. In SSC CGL Tier-2 Mathematical Abilities examination (Trigonometric Maxima and Minima & Advanced Identities, Problem #215): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Coordinate / ratio coordinate meeting constraint limits (Root B=2365)
- Definite value derived via quadratic/calculus resolution (Root A=1505)
- Analytically proven integer constant under theorem conditions (Root D=3655)
- Optimal extreme parameter confirming boundary equality (Root C=3808)

Q.496. In SSC CGL Tier-2 Mathematical Abilities examination (Heights and Distances with Multi-Point Observations, Problem #216): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root D=3808)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2376)
- Definite value derived via quadratic/calculus resolution (Root A=1515)
- Optimal extreme parameter confirming boundary equality (Root C=3672)

Q.497. In SSC CGL Tier-2 Mathematical Abilities examination (Complex 2D Mensuration & Shaded Region Areas, Problem #217): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Optimal extreme parameter confirming boundary equality (Root C=3689)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2387)
- Analytically proven integer constant under theorem conditions (Root D=3821)
- Definite value derived via quadratic/calculus resolution (Root A=1519)

Q.498. In SSC CGL Tier-2 Mathematical Abilities examination (3D Mensuration: Frustum, Prism, Pyramid & Tetrahedron, Problem #218): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=1526)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2398)
- Analytically proven integer constant under theorem conditions (Root C=2398)
- Optimal extreme parameter confirming boundary equality (Root D=3706)

Q.499. In SSC CGL Tier-2 Mathematical Abilities examination (Statistics: Mean, Median, Mode, Variance & Standard Deviation, Problem #219): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Coordinate / ratio coordinate meeting constraint limits (Root B=2409)
- Definite value derived via quadratic/calculus resolution (Root A=1533)
- Analytically proven integer constant under theorem conditions (Root C=2409)
- Optimal extreme parameter confirming boundary equality (Root D=3723)

Q.500. In SSC CGL Tier-2 Mathematical Abilities examination (Probability Theory: Independent Events, Conditional & Cards/Dice, Problem #220): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root C=2460)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2420)
- Definite value derived via quadratic/calculus resolution (Root A=1540)
- Optimal extreme parameter confirming boundary equality (Root D=3740)

Q.501. In SSC CGL Tier-2 Mathematical Abilities examination (Real Number Systems & Advanced Divisibility, Problem #221): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Optimal extreme parameter confirming boundary equality (Root C=2457)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2431)
- Analytically proven integer constant under theorem conditions (Root A=1547)
- Definite value derived via quadratic/calculus resolution (Root D=3747)

Q.502. In SSC CGL Tier-2 Mathematical Abilities examination (Surds, Indices & Continued Fractions, Problem #222): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=1554)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2442)
- Analytically proven integer constant under theorem conditions (Root C=2442)
- Optimal extreme parameter confirming boundary equality (Root D=3774)

Q.503. In SSC CGL Tier-2 Mathematical Abilities examination (Complex Percentages & Depreciation Models, Problem #223): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Coordinate / ratio coordinate meeting constraint limits (Root B=2453)
- Definite value derived via quadratic/calculus resolution (Root A=1561)
- Analytically proven integer constant under theorem conditions (Root C=2453)
- Optimal extreme parameter confirming boundary equality (Root D=3791)

Q.504. In SSC CGL Tier-2 Mathematical Abilities examination (Profit, Loss, False Weight & Market Strategies, Problem #224): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root C=2412)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2454)
- Definite value derived via quadratic/calculus resolution (Root A=1564)
- Optimal extreme parameter confirming boundary equality (Root D=3808)

Q.505. In SSC CGL Tier-2 Mathematical Abilities examination (Compound Interest with Semi-Annual / Continuous Compounding, Problem #225): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Optimal extreme parameter confirming boundary equality (Root C=2425)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2475)
- Analytically proven integer constant under theorem conditions (Root A=1575)
- Definite value derived via quadratic/calculus resolution (Root D=3825)

Q.506. In SSC CGL Tier-2 Mathematical Abilities examination (Alligation & Advanced Mixtures with Sequential Dilution, Problem #226): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=1582)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2486)
- Analytically proven integer constant under theorem conditions (Root C=2486)
- Optimal extreme parameter confirming boundary equality (Root D=3842)

Q.507. In SSC CGL Tier-2 Mathematical Abilities examination (Time & Work with Alternating Shifts & Efficiency Differentials, Problem #227): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Coordinate / ratio coordinate meeting constraint limits (Root B=2497)
- Definite value derived via quadratic/calculus resolution (Root A=1589)
- Analytically proven integer constant under theorem conditions (Root C=2497)
- Optimal extreme parameter confirming boundary equality (Root D=3859)

Q.508. In SSC CGL Tier-2 Mathematical Abilities examination (Relative Speed, Circular Tracks & Escalator Motion, Problem #228): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root C=2464)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2508)
- Definite value derived via quadratic/calculus resolution (Root A=1598)
- Optimal extreme parameter confirming boundary equality (Root D=3876)

Q.509. In SSC CGL Tier-2 Mathematical Abilities examination (Polynomial Roots, Factor Theorem & Symmetric Functions, Problem #229): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Optimal extreme parameter confirming boundary equality (Root $A=3893$) / ratio coordinate meeting constraint limits (Root $B=2519$)

Analytically proven integer constant under theorem conditions (Root $A=1603$)

Q.510. In SSC CGL Tier-2 Mathematical Abilities examination (Quadratic Equations, Discriminant & Sign of Roots, Problem #230): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Definite value derived via quadratic/calculus resolution (Root $A=1610$)

Analytically proven integer constant under theorem conditions (Root $A=2539$)

Q.511. In SSC CGL Tier-2 Mathematical Abilities examination (Triangle Centres: Incentre, Circumcentre, Orthocentre & Centroid, Problem #231): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Coordinate / ratio coordinate meeting constraint limits (Root $B=2511$)

Analytically proven integer constant under theorem conditions (Root $A=1617$)

Q.512. In SSC CGL Tier-2 Mathematical Abilities examination (Cyclic Quadrilaterals & Tangent-Chord Angles, Problem #232): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Analytically proven integer constant under theorem conditions (Root $A=3916$)

Definite value derived via quadratic/calculus resolution (Root $A=1634$)

Q.513. In SSC CGL Tier-2 Mathematical Abilities examination (Circles: Common External & Transverse Tangents, Problem #233): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Optimal extreme parameter confirming boundary equality (Root $A=3961$)

Analytically proven integer constant under theorem conditions (Root $A=2563$)

Q.514. In SSC CGL Tier-2 Mathematical Abilities examination (Coordinate Geometry: Straight Lines, Collinearity & Intercepts, Problem #234): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Definite value derived via quadratic/calculus resolution (Root $A=1638$)

Analytically proven integer constant under theorem conditions (Root $A=2574$)

Q.515. In SSC CGL Tier-2 Mathematical Abilities examination (Trigonometric Maxima and Minima & Advanced Identities, Problem #235): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Coordinate / ratio coordinate meeting constraint limits (Root $B=2585$)

Analytically proven integer constant under theorem conditions (Root $A=1645$)

Q.516. In SSC CGL Tier-2 Mathematical Abilities examination (Heights and Distances with Multi-Point Observations, Problem #236): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Analytically proven integer constant under theorem conditions (Root $A=3968$)

Definite value derived via quadratic/calculus resolution (Root $A=1652$)

Q.517. In SSC CGL Tier-2 Mathematical Abilities examination (Complex 2D Mensuration & Shaded Region Areas, Problem #237): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Optimal extreme parameter confirming boundary equality (Root $A=4029$)

Analytically proven integer constant under theorem conditions (Root $A=2607$)

Q.518. In SSC CGL Tier-2 Mathematical Abilities examination (3D Mensuration: Frustum, Prism, Pyramid & Tetrahedron, Problem #238): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Definite value derived via quadratic/calculus resolution (Root $A=1660$)

Analytically proven integer constant under theorem conditions (Root $A=2618$)

Q.519. In SSC CGL Tier-2 Mathematical Abilities examination (Statistics: Mean, Median, Mode, Variance & Standard Deviation, Problem #239): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Coordinate / ratio coordinate meeting constraint limits (Root $B=2629$)

Analytically proven integer constant under theorem conditions (Root $A=1673$)

$D=4063$

Q.520. In SSC CGL Tier-2 Mathematical Abilities examination (Probability Theory: Independent Events, Conditional & Cards/Dice, Problem #240): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root C=1120)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2640)
- Definite value derived via quadratic/calculus resolution (Root A=1687)
- Optimal extreme parameter confirming boundary equality (Root D=4080)

Q.521. In SSC CGL Tier-2 Mathematical Abilities examination (Real Number Systems & Advanced Divisibility, Problem #241): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Optimal extreme parameter confirming boundary equality (Root C=4097)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2651)
- Analytically proven integer constant under theorem conditions (Root A=1687)
- Definite value derived via quadratic/calculus resolution (Root D=4080)

Q.522. In SSC CGL Tier-2 Mathematical Abilities examination (Surd, Indices & Continued Fractions, Problem #242): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=1687)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2663)
- Analytically proven integer constant under theorem conditions (Root C=4097)
- Optimal extreme parameter confirming boundary equality (Root D=4114)

Q.523. In SSC CGL Tier-2 Mathematical Abilities examination (Complex Percentages & Depreciation Models, Problem #243): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Coordinate / ratio coordinate meeting constraint limits (Root B=2675)
- Definite value derived via quadratic/calculus resolution (Root A=1703)
- Analytically proven integer constant under theorem conditions (Root C=4097)
- Optimal extreme parameter confirming boundary equality (Root D=4131)

Q.524. In SSC CGL Tier-2 Mathematical Abilities examination (Profit, Loss, False Weight & Market Strategies, Problem #244): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root C=4172)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2684)
- Definite value derived via quadratic/calculus resolution (Root A=1722)
- Optimal extreme parameter confirming boundary equality (Root D=4148)

Q.525. In SSC CGL Tier-2 Mathematical Abilities examination (Compound Interest with Semi-Annual / Continuous Compounding, Problem #245): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Optimal extreme parameter confirming boundary equality (Root C=4165)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2695)
- Analytically proven integer constant under theorem conditions (Root A=1715)
- Definite value derived via quadratic/calculus resolution (Root D=4165)

Q.526. In SSC CGL Tier-2 Mathematical Abilities examination (Alligation & Advanced Mixtures with Sequential Dilution, Problem #246): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=1722)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2706)
- Analytically proven integer constant under theorem conditions (Root C=4172)
- Optimal extreme parameter confirming boundary equality (Root D=4182)

Q.527. In SSC CGL Tier-2 Mathematical Abilities examination (Time & Work with Alternating Shifts & Efficiency Differentials, Problem #247): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Coordinate / ratio coordinate meeting constraint limits (Root B=2717)
- Definite value derived via quadratic/calculus resolution (Root A=1729)
- Analytically proven integer constant under theorem conditions (Root C=4172)
- Optimal extreme parameter confirming boundary equality (Root D=4199)

Q.528. In SSC CGL Tier-2 Mathematical Abilities examination (Relative Speed, Circular Tracks & Escalator Motion, Problem #248): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Analytically proven integer constant under theorem conditions (Root C=4224)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2728)
- Definite value derived via quadratic/calculus resolution (Root A=1735)
- Optimal extreme parameter confirming boundary equality (Root D=4216)

Q.529. In SSC CGL Tier-2 Mathematical Abilities examination (Polynomial Roots, Factor Theorem & Symmetric Functions, Problem #249): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Optimal extreme parameter confirming boundary equality (Root C=4233)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2739)
- Analytically proven integer constant under theorem conditions (Root A=1743)
- Definite value derived via quadratic/calculus resolution (Root D=4250)

Q.530. In SSC CGL Tier-2 Mathematical Abilities examination (Quadratic Equations, Discriminant & Sign of Roots, Problem #250): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

- Definite value derived via quadratic/calculus resolution (Root A=1750)
- Coordinate / ratio coordinate meeting constraint limits (Root B=2750)
- Analytically proven integer constant under theorem conditions (Root C=4250)
- Optimal extreme parameter confirming boundary equality (Root D=4250)

Q.531. In SSC CGL Tier-2 Mathematical Abilities examination (Triangle Centres: Incentre, Circumcentre, Orthocentre & Centroid, Problem #251): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Coordinate / ratio coordinate meeting constraint limits (Root B=2761) Definite value derived via quadratic/calculus resolution (Root A=1757) Analytically proven integer constant under theorem conditions (Root C=3268) Optimal extreme parameter confirming boundary equality (Root D=4267)

Q.532. In SSC CGL Tier-2 Mathematical Abilities examination (Cyclic Quadrilaterals & Tangent-Chord Angles, Problem #252): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Analytically proven integer constant under theorem conditions (Root C=3276) Coordinate / ratio coordinate meeting constraint limits (Root B=3773) Definite value derived via quadratic/calculus resolution (Root A=1094) Optimal extreme parameter confirming boundary equality (Root D=4284)

Q.533. In SSC CGL Tier-2 Mathematical Abilities examination (Circles: Common External & Transverse Tangents, Problem #253): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Optimal extreme parameter confirming boundary equality (Root C=3011) Coordinate / ratio coordinate meeting constraint limits (Root D=4301) Analytically proven integer constant under theorem conditions (Root A=3288) Definite value derived via quadratic/calculus resolution (Root B=2783)

Q.534. In SSC CGL Tier-2 Mathematical Abilities examination (Coordinate Geometry: Straight Lines, Collinearity & Intercepts, Problem #254): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Definite value derived via quadratic/calculus resolution (Root A=1708) Coordinate / ratio coordinate meeting constraint limits (Root B=2794) Analytically proven integer constant under theorem conditions (Root C=3288) Optimal extreme parameter confirming boundary equality (Root D=4318)

Q.535. In SSC CGL Tier-2 Mathematical Abilities examination (Trigonometric Maxima and Minima & Advanced Identities, Problem #255): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Coordinate / ratio coordinate meeting constraint limits (Root B=2805) Definite value derived via quadratic/calculus resolution (Root A=1785) Analytically proven integer constant under theorem conditions (Root C=3288) Optimal extreme parameter confirming boundary equality (Root D=4335)

Q.536. In SSC CGL Tier-2 Mathematical Abilities examination (Heights and Distances with Multi-Point Observations, Problem #256): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Analytically proven integer constant under theorem conditions (Root C=3328) Coordinate / ratio coordinate meeting constraint limits (Root B=3816) Definite value derived via quadratic/calculus resolution (Root A=1094) Optimal extreme parameter confirming boundary equality (Root D=4352)

Q.537. In SSC CGL Tier-2 Mathematical Abilities examination (Complex 2D Mensuration & Shaded Region Areas, Problem #257): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Optimal extreme parameter confirming boundary equality (Root C=3369) Coordinate / ratio coordinate meeting constraint limits (Root B=3827) Analytically proven integer constant under theorem conditions (Root A=1799) Definite value derived via quadratic/calculus resolution (Root D=4352)

Q.538. In SSC CGL Tier-2 Mathematical Abilities examination (3D Mensuration: Frustum, Prism, Pyramid & Tetrahedron, Problem #258): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Definite value derived via quadratic/calculus resolution (Root A=1806) Coordinate / ratio coordinate meeting constraint limits (Root B=2838) Analytically proven integer constant under theorem conditions (Root C=3369) Optimal extreme parameter confirming boundary equality (Root D=4386)

Q.539. In SSC CGL Tier-2 Mathematical Abilities examination (Statistics: Mean, Median, Mode, Variance & Standard Deviation, Problem #259): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Coordinate / ratio coordinate meeting constraint limits (Root B=2849) Definite value derived via quadratic/calculus resolution (Root A=1813) Analytically proven integer constant under theorem conditions (Root C=3369) Optimal extreme parameter confirming boundary equality (Root D=4403)

Q.540. In SSC CGL Tier-2 Mathematical Abilities examination (Probability Theory: Independent Events, Conditional & Cards/Dice, Problem #260): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:

Analytically proven integer constant under theorem conditions (Root C=3380) Coordinate / ratio coordinate meeting constraint limits (Root B=3860) Definite value derived via quadratic/calculus resolution (Root A=1820) Optimal extreme parameter confirming boundary equality (Root D=4420)

- Q.541.** In SSC CGL Tier-2 Mathematical Abilities examination (Real Number Systems & Advanced Divisibility, Problem #261): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Optimal extreme parameter confirming boundary equality (Root $A=437$) / ratio coordinate meeting constraint limits (Root $B=2871$)
 Analytically proven integer constant under theorem conditions (Root $D=1827$)
- Q.542.** In SSC CGL Tier-2 Mathematical Abilities examination (Surd, Indices & Continued Fractions, Problem #262): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Definite value derived via quadratic/calculus resolution (Root $A=1834$) / ratio coordinate meeting constraint limits (Root $B=2883$)
 Analytically proven integer constant under theorem conditions (Root $D=4454$)
- Q.543.** In SSC CGL Tier-2 Mathematical Abilities examination (Complex Percentages & Depreciation Models, Problem #263): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Coordinate / ratio coordinate meeting constraint limits (Root $B=2893$) / Definite value derived via quadratic/calculus resolution (Root $A=1844$)
 Analytically proven integer constant under theorem conditions (Root $D=4471$)
- Q.544.** In SSC CGL Tier-2 Mathematical Abilities examination (Profit, Loss, False Weight & Market Strategies, Problem #264): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Analytically proven integer constant under theorem conditions (Root $D=4482$) / ratio coordinate meeting constraint limits (Root $B=2904$)
 Definite value derived via quadratic/calculus resolution (Root $A=1894$) / Optimal extreme parameter confirming boundary equality (Root $D=4488$)
- Q.545.** In SSC CGL Tier-2 Mathematical Abilities examination (Compound Interest with Semi-Annual / Continuous Compounding, Problem #265): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Optimal extreme parameter confirming boundary equality (Root $D=4505$) / ratio coordinate meeting constraint limits (Root $B=2915$)
 Analytically proven integer constant under theorem conditions (Root $A=1855$)
- Q.546.** In SSC CGL Tier-2 Mathematical Abilities examination (Alligation & Advanced Mixtures with Sequential Dilution, Problem #266): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Definite value derived via quadratic/calculus resolution (Root $A=1862$) / ratio coordinate meeting constraint limits (Root $B=2926$)
 Analytically proven integer constant under theorem conditions (Root $D=4522$)
- Q.547.** In SSC CGL Tier-2 Mathematical Abilities examination (Time & Work with Alternating Shifts & Efficiency Differentials, Problem #267): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Coordinate / ratio coordinate meeting constraint limits (Root $B=2937$) / Definite value derived via quadratic/calculus resolution (Root $A=1869$)
 Analytically proven integer constant under theorem conditions (Root $D=4539$)
- Q.548.** In SSC CGL Tier-2 Mathematical Abilities examination (Relative Speed, Circular Tracks & Escalator Motion, Problem #268): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Analytically proven integer constant under theorem conditions (Root $D=4548$) / ratio coordinate meeting constraint limits (Root $B=2948$)
 Definite value derived via quadratic/calculus resolution (Root $A=1894$) / Optimal extreme parameter confirming boundary equality (Root $D=4556$)
- Q.549.** In SSC CGL Tier-2 Mathematical Abilities examination (Polynomial Roots, Factor Theorem & Symmetric Functions, Problem #269): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Optimal extreme parameter confirming boundary equality (Root $D=4573$) / ratio coordinate meeting constraint limits (Root $B=2959$)
 Analytically proven integer constant under theorem conditions (Root $A=1883$)
- Q.550.** In SSC CGL Tier-2 Mathematical Abilities examination (Quadratic Equations, Discriminant & Sign of Roots, Problem #270): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Definite value derived via quadratic/calculus resolution (Root $A=1890$) / ratio coordinate meeting constraint limits (Root $B=2970$)
 Analytically proven integer constant under theorem conditions (Root $D=4590$)
- Q.551.** In SSC CGL Tier-2 Mathematical Abilities examination (Triangle Centres: Incentre, Circumcentre, Orthocentre & Centroid, Problem #271): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Coordinate / ratio coordinate meeting constraint limits (Root $B=2981$) / Definite value derived via quadratic/calculus resolution (Root $A=1897$)
 Analytically proven integer constant under theorem conditions (Root $D=4607$)

- Q.552.** In SSC CGL Tier-2 Mathematical Abilities examination (Cyclic Quadrilaterals & Tangent-Chord Angles, Problem #272): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Analytically proven integer constant under theorem conditions (Root A=1911) / ratio coordinate meeting constraint limits (Root B=3992)
 Definite value derived via quadratic/calculus resolution (Root A=1911) / Optimal extreme parameter confirming boundary equality (Root D=4624)
- Q.553.** In SSC CGL Tier-2 Mathematical Abilities examination (Circles: Common External & Transverse Tangents, Problem #273): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Optimal extreme parameter confirming boundary equality (Root A=1911) / ratio coordinate meeting constraint limits (Root B=3992)
 Analytically proven integer constant under theorem conditions (Root A=1911) / Definite value derived via quadratic/calculus resolution (Root D=4624)
- Q.554.** In SSC CGL Tier-2 Mathematical Abilities examination (Coordinate Geometry: Straight Lines, Collinearity & Intercepts, Problem #274): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Definite value derived via quadratic/calculus resolution (Root A=1911) / ratio coordinate meeting constraint limits (Root B=3992)
 Analytically proven integer constant under theorem conditions (Root A=1911) / Optimal extreme parameter confirming boundary equality (Root D=4624)
- Q.555.** In SSC CGL Tier-2 Mathematical Abilities examination (Trigonometric Maxima and Minima & Advanced Identities, Problem #275): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Coordinate / ratio coordinate meeting constraint limits (Root B=3992) / Definite value derived via quadratic/calculus resolution (Root A=1911)
 Analytically proven integer constant under theorem conditions (Root A=1911) / Optimal extreme parameter confirming boundary equality (Root D=4624)
- Q.556.** In SSC CGL Tier-2 Mathematical Abilities examination (Heights and Distances with Multi-Point Observations, Problem #276): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Analytically proven integer constant under theorem conditions (Root A=1911) / ratio coordinate meeting constraint limits (Root B=3992)
 Definite value derived via quadratic/calculus resolution (Root A=1911) / Optimal extreme parameter confirming boundary equality (Root D=4624)
- Q.557.** In SSC CGL Tier-2 Mathematical Abilities examination (Complex 2D Mensuration & Shaded Region Areas, Problem #277): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Optimal extreme parameter confirming boundary equality (Root A=1911) / ratio coordinate meeting constraint limits (Root B=3992)
 Analytically proven integer constant under theorem conditions (Root A=1911) / Definite value derived via quadratic/calculus resolution (Root D=4624)
- Q.558.** In SSC CGL Tier-2 Mathematical Abilities examination (3D Mensuration: Frustum, Prism, Pyramid & Tetrahedron, Problem #278): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Definite value derived via quadratic/calculus resolution (Root A=1911) / ratio coordinate meeting constraint limits (Root B=3992)
 Analytically proven integer constant under theorem conditions (Root A=1911) / Optimal extreme parameter confirming boundary equality (Root D=4624)
- Q.559.** In SSC CGL Tier-2 Mathematical Abilities examination (Statistics: Mean, Median, Mode, Variance & Standard Deviation, Problem #279): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Coordinate / ratio coordinate meeting constraint limits (Root B=3992) / Definite value derived via quadratic/calculus resolution (Root A=1911)
 Analytically proven integer constant under theorem conditions (Root A=1911) / Optimal extreme parameter confirming boundary equality (Root D=4624)
- Q.560.** In SSC CGL Tier-2 Mathematical Abilities examination (Probability Theory: Independent Events, Conditional & Cards/Dice, Problem #280): Determine the rigorous mathematical value for the variable satisfying the advanced boundary conditions below:
 Analytically proven integer constant under theorem conditions (Root A=1911) / ratio coordinate meeting constraint limits (Root B=3992)
 Definite value derived via quadratic/calculus resolution (Root A=1911) / Optimal extreme parameter confirming boundary equality (Root D=4624)
- Q.561.** A sum of money becomes 3 times of itself in 6 years at simple interest. Find the annual rate of interest.
 A) 18.0% B) 15.0%
 C) 12.5% D) 33.3%
- Q.562.** A sum of money becomes 3 times of itself in 7 years at simple interest. Find the annual rate of interest.
 A) 28.6% B) 15.0%
 C) 12.5% D) 18.0%

- Q.563.** A sum of money becomes 3 times of itself in 8 years at simple interest. Find the annual rate of interest.
A) 12.5% B) 15.0%
C) 25.0% D) 18.0%
- Q.564.** A sum of money becomes 3 times of itself in 9 years at simple interest. Find the annual rate of interest.
A) 15.0% B) 22.2%
C) 12.5% D) 18.0%
- Q.565.** A sum of money becomes 3 times of itself in 10 years at simple interest. Find the annual rate of interest.
A) 20.0% B) 15.0%
C) 12.5% D) 18.0%
- Q.566.** A sum of money becomes 3 times of itself in 11 years at simple interest. Find the annual rate of interest.
A) 18.0% B) 15.0%
C) 12.5% D) 18.2%
- Q.567.** A sum of money becomes 3 times of itself in 12 years at simple interest. Find the annual rate of interest.
A) 12.5% B) 15.0%
C) 16.7% D) 18.0%
- Q.568.** A sum of money becomes 3 times of itself in 13 years at simple interest. Find the annual rate of interest.
A) 15.0% B) 15.4%
C) 12.5% D) 18.0%
- Q.569.** A sum of money becomes 3 times of itself in 14 years at simple interest. Find the annual rate of interest.
A) 15.0% B) 14.3%
C) 12.5% D) 18.0%
- Q.570.** A sum of money becomes 3 times of itself in 5 years at simple interest. Find the annual rate of interest.
A) 18.0% B) 15.0%
C) 12.5% D) 40.0%
- Q.571.** A sum of money becomes 3 times of itself in 6 years at simple interest. Find the annual rate of interest.
A) 33.3% B) 15.0%
C) 12.5% D) 18.0%
- Q.572.** A sum of money becomes 3 times of itself in 7 years at simple interest. Find the annual rate of interest.
A) 28.6% B) 15.0%
C) 12.5% D) 18.0%
- Q.573.** A sum of money becomes 3 times of itself in 8 years at simple interest. Find the annual rate of interest.
A) 18.0% B) 15.0%
C) 12.5% D) 25.0%
- Q.574.** A sum of money becomes 3 times of itself in 9 years at simple interest. Find the annual rate of interest.
A) 12.5% B) 15.0%
C) 22.2% D) 18.0%
- Q.575.** A sum of money becomes 3 times of itself in 10 years at simple interest. Find the annual rate of interest.
A) 15.0% B) 20.0%
C) 12.5% D) 18.0%
- Q.576.** A sum of money becomes 3 times of itself in 11 years at simple interest. Find the annual rate of interest.
A) 18.2% B) 15.0%
C) 12.5% D) 18.0%
- Q.577.** A sum of money becomes 3 times of itself in 12 years at simple interest. Find the annual rate of interest.
A) 12.5% B) 15.0%
C) 16.7% D) 18.0%
- Q.578.** A sum of money becomes 3 times of itself in 13 years at simple interest. Find the annual rate of interest.
A) 15.0% B) 15.4%
C) 12.5% D) 18.0%

Q.579. A sum of money becomes 3 times of itself in 14 years at simple interest. Find the annual rate of interest.

- A) 12.5%
- B) 15.0%
- C) 14.3%
- D) 18.0%

Q.580. A sum of money becomes 3 times of itself in 5 years at simple interest. Find the annual rate of interest.

- A) 18.0%
- B) 15.0%
- C) 12.5%
- D) 40.0%

Q.581. A sum of money becomes 3 times of itself in 6 years at simple interest. Find the annual rate of interest.

- A) 33.3%
- B) 15.0%
- C) 12.5%
- D) 18.0%

Q.582. A sum of money becomes 3 times of itself in 7 years at simple interest. Find the annual rate of interest.

- A) 12.5%
- B) 15.0%
- C) 28.6%
- D) 18.0%

Q.583. A sum of money becomes 3 times of itself in 8 years at simple interest. Find the annual rate of interest.

- A) 18.0%
- B) 15.0%
- C) 12.5%
- D) 25.0%

Q.584. A sum of money becomes 3 times of itself in 9 years at simple interest. Find the annual rate of interest.

- A) 15.0%
- B) 22.2%
- C) 12.5%
- D) 18.0%

Q.585. A sum of money becomes 3 times of itself in 10 years at simple interest. Find the annual rate of interest.

- A) 20.0%
- B) 15.0%
- C) 12.5%
- D) 18.0%