

SSC CGL (COMBINED GRADUATE LEVEL - INSPECTOR, ASO, TAX ASST) — SUBJECT COMPLETE QUESTION BANK

PRACTICE MATERIAL • VERIFIED QUESTION BANK

Total Questions: 37 • Mode: Single Subject Comprehensive Practice

- Q.1.** '©@'%@ 'YG 'éB')M'ò .y 20% 'Y@ "YC'iM'y? "TMK'%G '©0 •ù 'yC"TM#" "2 '©(" '©\$ 'éG•" "ù\$'%G '©M" "\$ù6'B" " 'é@ 'Y0"
[English]: If the price of sugar increases by 20%, by what percent must a household reduce consumption so that expenditure remains unchanged?
A) 16.67% (16 !T%) B) 20%
C) 25% D) 15%
- Q.2.** •ù 'iA'Y>'%&"é0 'Y?'%@ "Y8"Ù\$" * " # R " R " &"2 "Ù0'é?'R ") (Successive Discounts) 'iG'I> "TMH-B 'Y2 "%.'IA")M'ò , 'ùM
[English]: A shopkeeper offers two successive discounts of 20% and 10%. What is the single equivalent discount?
A) 28% B) 30%
C) 25% D) 27%
- Q.3.** •ù 'ÉG•%."é("YM'ù>'©>" @ •Y*'%@ "Y8"Ù\$" • "2 "Ù0'ò .")2'Ù/ '©0 'ÉG'©("r "â &"é5"â " \$"â 9", * " 'IA 1 'Y?'yM" > 'YG "%M"
[English]: A dishonest dealer professes to sell at cost price but uses a false weight of 900g instead of 1kg. Find his profit percentage.
A) 11.11% (11 !Q%) B) 10%
C) 12.5% D) 9%
- Q.4.** 'YK•, "%0"é6"ò 8"é"é0'2 , "Ù/"é 'Y@ 'i0 "%G 8 "Y0"Ù7"1 'éG•" &"1 " (" 9"2 "é\$" 9"%d "Y9" "%0"é6"ò "ù\$'%G "Y0"Ù7"1 'éG•"
[English]: A sum doubles itself in 8 years at simple interest. In how many years will it become 4 times?
A) 24 "Y0"Ù7 / 24 Years B) 16 "Y0"Ù7 / 16 Years
C) 32 "Y0"Ù7 / 32 Years D) 20 "Y0"Ù7 / 20 Years
- Q.5.** 10,000 'Y@ " >"i? '©0 10% "Y>" M"y?'R &" 8"r " 5" M"r "r 'YM" 5"9&"Ù"ò , "Ù/"é 'i0 "%>'y>" # 'ÉM'ù>'Â "â •)\$ "F-f'erence
[English]: Find the difference between CI and SI on 10,000 at 10% per annum for 2 years:
A) 100 B) 150
C) 1200 D) 150
- Q.6.** 'ù&"ò B = 2 : 3 'l%"â " C = 4 : 5 "TMK, 'IK A : B : C 'Y> •Y(" *é\$ 'YM'ù> "TMK'y>?
[English]: If A : B = 2 : 3 and B : C = 4 : 5, find A : B : C:
A) 8 : 12 : 15 B) 6 : 9 : 15
C) 8 : 10 : 15 D) 4 : 6 : 10
- Q.7.** A 'Y?'%@ 'Y>" M'ò "2 &"ù('éG•" \$'Y> B •TM8" "é0"Ù/ 'YK 15 'i?', .y '©B" > 'Y0 "%0 'i> "TMH-B &"1("1 'é?) " " , "é0"Ù/ 'YK 'Y"
[English]: A can do a piece of work in 10 days and B in 15 days. Working together, in how many days will they finish the work?
A) 6 'i?', ò b Fys B) 8 'i?', ò , Fys
C) 5 'i?', ò r Fys D) 7 'i?', ò r Fys
- Q.8.** '©>•* A •ù 'Y@ 'YK 6 '% 'ùG 'éG•" -" 8'Y\$â 9", " *é'¢ " "%G 8 '% 'ùG 'éG•" "é2" " 8'Y\$â 9"%d 'iK'%K•" *é'¢ 'R 8"é"
[English]: Pipe A fills a tank in 6 hours and Pipe B empties it in 8 hours. If both open together, in how many hours will the tank fill?
A) 24 '% 'ùG / 24 Hours B) 14 '% 'ùG / 14 Hours
C) 18 '% 'ùG / 18 Hours D) 12 '% 'ùG / 12 Hours
- Q.9.** 180 'é@'ù0 ") 'É@ •ù " G") "é!"É@ 54 'Y?'é@/'% 'ù> 'Y@ '©>" 8"r 'R •)-"r "2 "ù\$'%G "%G'Y ' .y '©>" " G'y@?
[English]: A 180m long train running at 54 km/h will cross a pole in how many seconds?
A) 12 "%G'Y ' ò " 6V6öæG0 B) 10 "%G'Y ' ò 6V6öæG0
C) 15 "%G'Y ' ò R 6V6öæG0 D) 18 "%G'Y ' ò , 6V6öæG0
- Q.10.** "i>•)\$ 'É2 'éG•" 'R ("é5 'Y@ '©>" "ù." ù •) "â 9", \$'Y> 'y>" > 'Y@ '©>" "ù." ù •) "â 9"%d 'y>" > 'YG •Y(" ")2 (Downstream)
[English]: Speed of a boat in still water is 10 km/h and stream speed is 2 km/h. How much time will it take to go 36 km downstream?
A) 3 '% 'ùG / 3 Hours B) 4 '% 'ùG / 4 Hours
C) 3.6 '% 'ùG / 3.6 Hours D) 4.5 '% 'ùG / 4.5 Hours
- Q.11.** '©M" %â S *"Ù0"é "9\$ "ù "% 'iM'ù>'9 'Y> 'l8'B "Ù/"â 9"1 "ãð
[English]: What is the average of first 50 natural numbers?
A) 25.5 B) 25
C) 26 D) 50

- Q.12.** '©?'I> 'I0 '©A'IM" " 5" M'I."é(•I/" "â '%A'©>'B R 2 "™H–B B 5" M"r , "é& •™('Y@ •I/" "â /"1 43 "Y0"Ù7 "™K'y>–B *""ù\$ "â " [English]: The ratio of present ages of father and son is 5 : 2. After 4 years, sum of their ages will be 43. Find father's present age:
- A) 25 "Y0"Ù7 / 25 Years B) 30 "Y0"Ù7 / 30 Years
C) 35 "Y0"Ù7 / 35 Years D) 20 "Y0"Ù7 / 20 Years
- Q.13.** 'ù&"ò 8•) "Ù/"â C f ³cs2 ("Â f" 8"r *)0"Ù#I "Y?"Ù>ÉM'ò 9"2Â \$"² v²r "r 8"Ù%"é('©0 'YL', 8"â •) •i 'y>? [English]: If number 481k673 is completely divisible by 9, find the digit in place of 'k':
- A) 7 B) 2
C) 5 D) 6
- Q.14.** 'yA'9('12 (7 y u - 3 u x) 'éG•" 'Y>•, "â •) (Unit Digit) 'YM'ù> "™K'y>? [English]: Find the unit digit in the expression (7 y u - 3 u x):
- A) 4 B) 6
C) 3 D) 7
- Q.15.** 'iK "%o 'iM'ù>'9 'Y>•Y(" ""é\$ 3 : 4 "™H 'I%"â "%o "â .–i8–b ,,,4b' B 9"%od •™('Y> ")f"%of (LCM) 'YM'ù> "™K'y>? [English]: The ratio of two numbers is 3 : 4 and their HCF is 4. What is their LCM?
- A) 48 B) 36
C) 24 D) 60
- Q.16.** ¹40 '©M" \$"ò "ù "Ù0"â 5"é2"r "é5"" "² "c *""Ù0'I? 'Y?'yM" > "Y>")G '©>"Y2 'YG "%o>'R "ù8 •Y(" ""é\$ 'éG•" . "ù2"é/"â "é 'Y? 'é [English]: In what ratio must rice at ¹40/kg be mixed with rice at ¹60/kg so that mixture costs ¹45/kg?
- A) 3 : 1 B) 1 : 3
C) 2 : 1 D) 3 : 2
- Q.17.** •ù "YC'IM'B " "" ?'y? 44 "%oG'é@ "™H–B "%o "â "Ù7"y\$"Ù0'12 (Area) 'YM'ù> "™K'y>? [English]: The circumference of a circle is 44 cm. What is its area?
- A) 154 "%oG'é@² / 154 cm² B) 308 "%oG'é@² / 308 cm²
C) 77 "%oG'é@² / 77 cm² D) 616 "%oG'é@² / 616 cm²
- Q.18.** •ù ") 'Â 5"9\$"Ù\$" / "i 'YA 'YG •i""é0 'Y@ 'IM" ?'ÉM'ù> 7 "%oG'é@ 'I%"â •) "é 24 "%oG'é@ "™H–B 6•) " "â 5'YM" *""97"Ù " / 'YM [English]: Base radius of a cone is 7 cm and height is 24 cm. Find its curved surface area:
- A) 550 "%oG'é@² / 550 cm² B) 500 "%oG'é@² / 500 cm²
C) 616 "%oG'é@² / 616 cm² D) 450 "%oG'é@² / 450 cm²
- Q.19.** A 'I0 B '%oG 'YM" . "i ¹20,000 'I0 ¹30,000 ") "é " 'R 5"Ù/"é*""é0 "iA" B 'Y?'ù>–B 5" M"r "r •) \$ 'éG•" " 2 ¹15,000 'Y>")>'Ò 9" – [English]: A and B started a business investing ¹20,000 and ¹30,000 respectively. Total annual profit is ¹15,000. What is B's share?
- A) ¹9,000 B) ¹6,000
C) ¹7,500 D) ¹10,000
- Q.20.** 'ù&"ò , ² ÷, Ò B 9"2Â \$"² <" ² ÷<" "â . "é('YM'ù> "™K'y>? [English]: If $x + 1/x = 4$, find the value of $x^2 + 1/x^2$:
- A) 14 B) 16
C) 18 D) 12
- Q.21.** 'ù&"ò F Â , = 4/3 "™K, 'IK sin ; , "â . "é('YM'ù> "™K'y>? [English]: If $\tan ; , \hat{O} B \hat{O} A \hat{v} \dagger B \text{---} 2 F \dagger R$ alue of $\sin ; f \hat{d}$
- A) 4/5 B) 3/5
C) 5/4 D) 3/4
- Q.22.** "YM'ù> 'É 24 ÷ 4 × (3 + 1) - 6 + 2 'Y> "%o0")\$'â . "é('YM'ù> "™K'y>? [English]: Simplify the expression $24 \div 4 \times (3 + 1) - 6 + 2$:
- A) 20 B) 18
C) 24 D) 16
- Q.23.** 'iK "YM'ù> "Ù\$"ò 'R 9" 8"Ù%"é("%oG 'YM" . "i 4 'Y?'é@/'%o 'ù> 'I0 5 'Y?'é@/'%o 'ù> 'Y@ 'y\$"ò 8"r 5"ù*" @'B &"ù6"é •" . "y '©2'I0 [English]: Two persons start from the same point in opposite directions at 4 km/h and 5 km/h. After 3 hours, distance between them is:
- A) 27 'Y?'é@ / 27 km B) 15 'Y?'é@ / 15 km
C) 3 'Y?'é@ / 3 km D) 30 'Y?'é@ / 30 km

- Q.24.** •ù '©A'%>"R .y 'iK •™."Ù." &"Y>" %yd 'É@'I("r 5"é2"r 'ém'é@'i5"é0 'YK 'YA"" 5"% 'é\$"'1 'Y> 60% 'é\$ 'é?")> 'I0 "Y9 1200 'é
[English]: In an election between two candidates, the winner got 60% of valid votes and won by 1200 votes. Total valid votes were:
A) 6,000 B) 5,000
C) 7,200 D) 4,800
- Q.25.** A 'I0 B 'Y?"%@ 'Y>" M'ò "2 "Ù0'é6•2 b &"ù('I0 8 'i?', .y 'Y0 "%@ 'IG "™H•)d '©B" G 'Y>" M'ò " 'É&")0" " C 9"%d A 'Y> "™H
[English]: A and B can do a work in 6 days and 8 days respectively. Total wages for the work is ₹1400. Find A's share:
A) ₹800 B) ₹600
C) ₹700 D) ₹750
- Q.26.** 'ù&"ò 'R 5"9\$"Ù\$ 'I0 •ù "Y0"Ù 'Y> '©0"ù."é* "%."é("™K, 'IK •™('YG 'YM"yG'IM" +")K•" "â '%A'©>'B "Ù/"â 9"1 "ãð
[English]: If the perimeter of a circle and a square are equal, what is the ratio of their areas?
A) 14 : 11 ("YC'IM'B "â, ' <"â' ò B 11 B) 11 : 14
C) 22 : 7 D) 1 : 1
- Q.27.** 'Y?"%@ "%@ 'iM'ù> 'YK 56 "%G 'Ù>'r &"y("r ** 6"y7"12 29 '©M" >'©M'B 9"1\$ "â 9"%d •™8" 8•) "Ù/"â "2, 8"r -"é 'iG'%G '©0 "iG
[English]: A number when divided by 56 gives a remainder of 29. What will be the remainder when divided by 8?
A) 5 B) 3
C) 7 D) 1
- Q.28.** ₹500 'Y@ 'y(" >"i? '©0 2 "Y0"Ù7 'Y> "%>'y>" # 'ÉM'ù>Â "C 9"%d "Y>" M"y?'R, "Ù/"é 'i0 'YM'ù> "™H?
[English]: The simple interest on ₹500 for 2 years is ₹40. What is the annual rate of interest?
A) 4% B) 5%
C) 6% D) 3.5%
- Q.29.** •ù 'É2"Ù2"y,"é '%G •Y*"%@ 11"Y@•" **é0" .y 100 " ('É("é 'É?"%8"r "%@ "â "%\$ 5 " ('É""Â 'ù>-B 5" '©>" @ 'YG 'É>'b
[English]: A batsman scores 100 runs in his 11th innings, increasing his average by 5 runs. Find his new average:
A) 50 " (/ 50 Runs B) 45 " (/ 45 Runs
C) 55 " (/ 55 Runs D) 60 " (/ 60 Runs
- Q.30.** 9 'I0 25 'Y> 'é""Ù/"é(" **é\$ " „ÖV â &÷ ÷ tional) 'YM'ù> "™K'y>?
[English]: What is the mean proportional between 9 and 25?
A) 15 B) 17
C) 12 D) 20
- Q.31.** A 'Y?"%@ 'Y>" M'ò "2 " &"ù("1 'éG•" " " "%@ 'Y>" M'ò "2 , &"ù("1 'éG•" **)0"â " 8'Y\$ "â 9"%d "YG 4 'i?'%K•" \$'R 'R 8"é0
[English]: A can do a work in 12 days and B in 18 days. They work together for 4 days, then A leaves. In how many days will B alone complete the remaining work?
A) 6 'i?'€ B) 8 'i?', f, F ys)
C) 10 'i?'€ D) 7 'i?'€
- Q.32.** 180 'é@'ù0 ") 'É@ •ù " G") "é!"É@ 54 'Y?'é@/'% "ù> 'Y@ 'y\$ "ò 8"r "" 0"™@ "™H-B 'R •)-r "2 **é0 'Y0'%G 'éG•" /"" "ù\$'%
[English]: A 180m long train is running at a speed of 54 km/h. How much time will it take to cross a pole?
A) 10 "%G'Y ' B) 12 "%G'Y ' f " 6V6ðæG2•
C) 15 "%G'Y ' D) 18 "%G'Y '
- Q.33.** ₹15,000 'Y@ 'y(" >"i? '©0 2 "Y0"Ù7 'YG ")?•ò R 5"é0"Ù7"ù 'i0 "%G '© "Ù0"YC'iM'y? 'ÉM'ù>Â " 8"é""é0'2, "Ù/"é 'Y> •Y 'I0 'Y
[English]: What is the difference between CI and SI on ₹15,000 for 2 years at 10% per annum?
A) ₹120 B) ₹150 (₹150)
C) ₹180 D) ₹200
- Q.34.** •ù 'iA'Y>%"&"é0 'Y?"%@ "Y8"Ù\$" "r •) "ù\$ 'éB")M'ò * " # R " ") 'iG'%G 'YG 'É>'b -" # R "â 2"é- •Y0"Ù "ù\$ 'Y0'I> "™H-B /
[English]: A shopkeeper gives 20% discount on marked price and still gains 20%. If cost price is ₹500, what is the marked price?
A) ₹650 B) ₹700
C) ₹750 (₹750) D) ₹800
- Q.35.** •ù 'YH")G 'éG•" " Â S **%8"r " #R **%8"r "r 8"ù "Ù "r 2 4 : 5 'YG •Y(" **é\$ 'éG•" 9"% -B /'i? 'YH")G 'éG•" " 2 'y(" >"i? ₹170
[English]: A bag contains ₹1, 50p and 25p coins in the ratio 3 : 4 : 5. If total amount is ₹170, find the number of 50p coins:
A) 80 B) 100
C) 120 (120 coins) D) 150

Q.36. •ù ") 'Â 5"9\$"Ù\$" / 'ÉG")('YG •i""é0 'Y@ 'IM" ?'ÉM'ù> 7 "%G'é@ 'l0 •© '©>•, 8"y." 9"%d •y8'Y> 'YA"" *97"Ù " / 'YM"yG'IM"

[English]: Find the Total Surface Area of a right circular cylinder with radius 7cm and height 10cm:

A) 648 "%G'é@²

B) 748 "%G'é@² (748 cm²)

C) 848 "%G'é@²

D) 924 "%G'é@²

Q.37. 'ù&"ò 6-â , + cos ;, Ò !£" 6÷2 , 'IK cos ;, Ò 6-â , 'Y> 'é>', "Ù/"â 9"1 "ãð

[English]: If $\sin ;, ^2 6\div 2 , = " 2 \cos ;, \hat{A} F\hat{+}V\hat{a} v\hat{+} B \text{---} 2 F\hat{+}R$ `alue of $\cos ;, \hat{O} 6\text{--}\hat{a} , ?$

A) " 2 sin ;€

B) " 2 tan ;€

C) sin ;€

D) 1