B2B API Document

Pathology Bookings API Core API \Box GET getAccessToken API https://t25crm.healthians.co.in/api/<partner_name>/getAccessTok en This API would be used to authenticate all sessions initiated towards Healthians with Partner. Basic Authentication will be applied in this API. We will be providing you an api_key and api_secret_key for fetching the Access Token The TTL of the Access Token will be of 1hour. **AUTHORIZATION** Basic Auth Username <username> Password <password>

POST checkServiceabilityByLocation_v2

A

https://t25crm.healthians.co.in/api/<partner_name>/checkService abilityByLocation_v2

Check Serviceability By Location v2

Overview

This API endpoint allows you to check the serviceability of a location. By providing precise location details, the system determines whether services are available in the specified area.

Request Body:

- [lat] (string, required): Latitude of the location.
- [long] (string, required): Longitude of the location.
- zipcode (string): zipcode of the provided location.

Response:

The response for this request can be represented as a JSON schema:

```
json

{
    "status": true,
    "message": "This Lat Long is serviceable.",
    "data": {
        "zone_id": "86"
    },
    "resCode": "RES0001",
    "code": 200
}
```

AUTHORIZATION Bearer Token

Token <token>

Body raw (json)

```
json
{
    "lat": "18.96569570177629",
    "long": "72.80431170101929",
    "zipcode" : "122016"
}
```

POST getSlotsByLocation

A

https://t25crm.healthians.co.in/api/<partner_name>/getSlotsByLoc ation

Overview

This API endpoint allows partners to retrieve available slots by location (lat, long), date in YYYY-MM-DD format, and zone_id (retrieved from checkServiceabilityByLocation_v2 API). The available slots will be for today + 7 days.

Slots will **not** be available for dates **before today** or **after today + 7 days**.

Request Body

- slot_date (string): The date for which slots are to be retrieved.
- zone_id (string): The ID of the zone for which slots are to be retrieved. You will get zone_id from checkServiceabilityByLocation_v2 API's response.
- lat (string): The latitude of the location for which slots are to be retrieved.
- [long] (string): The longitude of the location for which slots are to be retrieved.

Response

The response is in JSON format and has the following schema:

- status (boolean): Indicates the success or failure of the request.
- message (string): Additional information or error message.
- data (array): Contains the slot information with various attributes such as booked count, end time, free count, peak hours, sample type ID, slot date, slot time, STM ID, total count, state ID, state, city ID, and city.
- resCode (string): Response code.
- code (number): Numeric code for the response.

AUTHORIZATION Bearer Token

Token <token>

Body raw (json)

json

```
"slot_date":"2024-05-08",
    "zone_id":"53",
    "lat": "28.4595",
    "long": "77.0266",
    "zipcode" : "122016"
```

POST freezeSlot_v1

 \Box

https://t25crm.healthians.co.in/api/<partner_name>/freezeSlot_v1

This API is used to freeze the slot for a booking.

This API is used to temporarily reserve a booking slot for **15 minutes** to ensure availability during the booking process. If the booking is not completed within this time, the slot may be assigned to another vendor, leading to a booking failure.

The slot_id returned in the response might differ from the initially requested one, but the date and time of the slot will remain unchanged. This slot_id must be used in subsequent API calls like createBooking_v3 or setSlotForBooking to confirm the booking.

ATTRIBUTE	CHILD ATTRIBUTE	DESCRIPTIO N	DATA TYPE
slot_id		Slot id is used to get sample collection date and time which are taken from checkServic eabilityByLo cation_v2 api.	Integer
vendor_billin g_user_id		Billing user id at vendor's end.	String

AUTHORIZATION Bearer Token

Token <token>

Authorization

Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJhc Glfc291cmNlX2lkljoiMTYiLCJhcGlfc291cmNlX25 hbWUiOiJjYXJIZml0liwiY2hhbm5lbF90eXBlljoiM ylslmNoYW5uZWxfdXNlcil6ljQ1OClslnJlZnJlc2hf dG9rZW4iOiJkWnFFaXF4SGVZQlNzYVRkcktCSy lslnRpbWVzdGFtcCl6MTYwNTgwMDkzM30.3m KCOz5g1gAiElAmlKboFLaNT8M2-YlwtqGDji6mQio

Body raw (json)

```
json
{
    "slot_id": "9586908",
    "vendor_billing_user_id": "768449"
}
```

POST B2B Get Partner Products

A

https://t25crm.healthians.co.in/api/<partner_name>/getPartnerPro ducts

The API fetches all products that are available in a given ZIP code.

The type of product being requested in key "product_type". It can be:

- package (a group of tests bundled together)
- **profile** (a set of tests for a specific condition)
- parameter (a single test)
- Blank ("") (returns all available tests in the ZIP code)

The type of test being requested in key "test_type". It can be:

- pathology (laboratory tests for blood, urine, etc.)
- radiology (imaging tests like X-ray, MRI, etc.)

The response includes **pricing details**, which represent the **agreed price** between **Healthians and the partner**.

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
zipcode	6-digit valid pincode.	Integer	YES - if city_id is not provided.
product_type	Product type for which details are needed.	String	NO
product_type _id	Product type id for which details are needed.	String	NO
start	Number From where you want to start	String	NO
limit	Limit of data	String	NO

test_type can be pathology or radiology.

To get city_id refer to getActiveZipcodes API

AUTHORIZATION Bearer Token

Token <token>

```
json

{
    "zipcode":"122006",
    "product_type":"profile",
    "product_type_id":"",
    "start":"0",
    "limit":"40",
    "test_type":"pathology"
}
```

ATTRIBUTE	CHILD ATTRIBUTE	DESCRIPTIO N	DATA TYPE
customer		Customer key is to get the details of the customer including child keys mentioned below.	Collection
	customer_id	Used to uniquely identify each customers.	String
	customer_na me	Name of the of the customer for whom the test is booked.	String

customer_calling_number and mobile has to be same, communication will be done on provided number.

Booking flow has the capability to handle multiple customers with multiple packages in the same booking.

Payment_option can be "prepaid" or "cod".

zone_id to be retrived from checkServiceabilityByLocation_v2 API

Partner needs to send their unique cust ids for each customer.

Partner need to send encrypted values in checksum for booking creation.

For partial Payment:

- In partial payment some amount will be paid by partner and remaining amount will be collected by healthians during sample collection from customer.
- "partial_paid_amount" key will be used and value should be more than 0 and "payment_option" should be "prepaid".

Error Messages and Resolution:

Error msg-1:

Prices for mentioned test are not approved/uploaded. Healthians Low Energy Checkup (package_91) , "

Resolution:

This error comes, when any tests "package_xxxx", "profile_xxxx" or "parameter_xxxx" prices is not available in requested city, you need to reachout to business team to get price updated.

Error msg-2:

"checkSum Mismatch"

Resolution:

Need to send encrypted values in checksum for booking creation.

URL for ref for generating encrypted values in checksum in different languages:

https://partners.healthians.com/#/sample_checksum_code/sha256

Error msg-3:

"Basic Female Package can't be booked for male customer."

Resolution:

Some tests are gender specific, so need to book those which are valid of gender requested.

Error msg-4:

"Advance Child Care (test) cannot be booked in Gurgaon as Lab is not tagged. Please reach out to Healthians team."

Resolution:

This needs to be esclated to business team.

Error msg-5:

"This slot has been allocated to another booking, please try selecting another slot."

Resolution:

As message defined that slot has already been consumed, so need to get new availabe slot from **getSlotsByLocation** API.

Error msg-6:

"This phone number attached with different customer"

Resolution:

This error message says that the user once registered with combination of Mobile and vendor_billing_user_id is not exactly same. **The**

vendor_billing_user_id and customer_id can be retrived from getVendorIdDetailsEnd API.

AUTHORIZATION Bearer Token

Token <token>

HEADERS

X-Checksum 71cf97170cc1d36b7230ac40d503a9aa5889d71 a7cabc7da5d48f689a1521a27

```
json
   "customer": [
           "customer id": "CUYEFNRUQB343B",
           "customer_name": "RAHUL SHARMA",
           "relation": "self",
           "age": 31,
           "dob": "05/07/1994",
           "gender": "M",
           "contact_number": "8377736411",
           "email": "",
           "application_number": "APN0001-12/445_1(100)-9
       3
   ],
   "slot": {
       "slot_id": "11432603"
   "package": [
       £
           "deal_id": [
               "profile_1", "parameter_625", "package_119"
       3
   "customer_calling_number": "8377736411",
   "billing_cust_name": "RAHUL SHARMA",
   "gender": "M",
   "mobile": "8377736411",
   "email": "rahulsharma@gmail.com",
   "state": 26,
   "cityId": 23,
   "sub_locality": "Plot No-518, Phase III, Udyog Vihar ]
   "latitude": "28.512195944534703",
   "longitude": "77.08483249142313",
   "address": "Sector 19",
   "zipcode": "122016",
```

```
"landmark": "Near Toll",
    "altmobile": "9877823482",
    "altemail": "rahul.sh201@gmail.com",
    "hard_copy": 0,
    "vendor_booking_id": "897234897232333",
    "vendor_billing_user_id": "CUYEFNRUQB343B",
    "payment_option": "prepaid",
    "discounted_price": 400,
    "zone_id": 53
}
```

POST getCustomerReport_v2 API

https://t25crm.healthians.co.in/api/<partner_name>/getCustomerR eport_v2

API response return only full/partial latest varified report.

Partial Reports Allowed

If allow_partial_report value, If this flag is set to 1, the system will send partial reports whenever they are available.

The user will receive multiple reports over time until the full report is ready.

Example:

- A blood test consists of **5 parameters**.
- 3 parameters are ready today, so a partial report is sent.
- The remaining 2 parameters are ready tomorrow, and then the full report is sent.

Full Reports Allowed

If this flag is set to 0, the system will not send partial reports.

The user will receive only one response, which is the full report.

Key Differences Between 1 and 0

<pre>allow_partial_report = 1</pre>	<pre>allow_partial_report = 0</pre>
Sends partial reports before the full report.	Sends only the final report when all results are ready.
User gets multiple reports over time.	User gets only one report.
Useful when some test results are available early.	Useful when users only need the complete report.

If allow_partial_report is 0, we will only give reposne untill full report is availabe.

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
booking_id	Booking ID (Healthians Booking/Ord er Id) to get report.	Integer	YES
vendor_billin g_user_id	Billing user id at vendor's end .	String	YES
vendor_custo mer_id	Vendor customer ID is customer ID at vendor's end.	String	YES
allow_partial _report	Send this Flag to 1 to fetch report even if its partially available	Integer	YES

allow_partial_report =1 then the API return the full/partial any report that is latest and verified

allow_partial_report=0 then the API only rerturn the full latest varified report

HEADERS

Content-Type application/json

Authorization Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJhc Glfc291cmNlX2lkljoiMTYiLCJhcGlfc291cmNlX25 hbWUiOiJjYXJIZml0liwiY2hhbm5lbF90eXBlljoiM ylslmNoYW5uZWxfdXNlcil6ljQ1OClslnJIZnJlc2hf dG9rZW4iOiJHZnpYUkVTbEVPV1pWWFBTZldFV ilslnRpbWVzdGFtcCl6MTYwNjgyNDk3NH0.c9R TkXsghFSBc7eTFVA5Uv04MTPE0yw1MaeaWkx

Vwkc

Body raw

{"booking_id":"5098620361","vendor_billing_user_id":"f4362

 Θ

https://t25crm.healthians.co.in/api/<partner_name>/addOnBookin g_v1

This API can be used for doing an add-on on an existing booking.

- We can add tests on an existing customer(need to use customer_id used in createBooking_v3 API) or we can add new customer with required tests.
- The vendor_billing_user_id has to be same as used in createBooking_v3 API.
- If both the customer and package arrays have the same number of elements, we can map each customer with the corresponding package based on their index position.
- addon_discounted_price: If any add-on is booked on mrp 2000 and discount is 500 then the addon_discounted_price will be "1500".
- addon_order_type = It describe the addon order type. The value can either be "prepaid" or "cod".
- Partner need to send encrypted values in checksum for booking addon.

ATTRIBUTE	CHILD ATTRIBUTE	DESCRIPTIO N	DATA TYPE
order_id		Order ID is Booking ID of Healthians.	String
customer		Contains details of customers.	Collection
	customer_id	Used to uniquely identify each customers.	String
	customer_na me	Name of the of the customer for whom the test is booked.	String
	customer_ag e	Age of the of the customer for whom the	Integer

AUTHORIZATION Bearer Token

Token <token>

Authorization Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJhc Glfc291cmNlX2lkljoiMTliLCJhcGlfc291cmNlX25h bWUiOiJtZmluZSIslmNoYW5uZWxfdHlwZSI6ljMi LCJjaGFubmVsX3VzZXliOilxOTEiLCJyZWZyZXN oX3Rva2VuljoiR2ZyVXNHbERpSEZNZGd5SFdlQ UsiLCJ0aW1lc3RhbXAiOjE1NzYwNDUyMDd9.0 MPKFijEwAafNgUCHgY_d0yy3veS1HvbW1WyW

X2yVPQ

Content-Type application/json

X-Checksum e19d797590f15f5e9c00cfa37cc2f6dd0fb95323

dc519b750b1255f142b9400e

```
json
{
    "order_id": "1387699557812",
    "customer": [
        £
            "customer_id" : "YIUYID68768JH66",
            "customer_name": "Sachin Kapoor",
            "customer_age": "34",
            "customer_gender": "M"
        3,
            "customer_id" : "JHJKH554657DCCDDJ",
            "customer_name": "Puneeta Sharma",
            "customer_age": "29",
            "customer_gender": "F"
        3
    ],
    "package": [
        £
            "deal_id": [
                "package_103", "profile_2"
        3,
        Z
            "deal_id": [
                "package_99", "parameter_625"
        3
    ],
    "vendor_billing_user_id": "3127265",
    "addon_discounted_price" : 1100,
```

```
"addon_order_type" : "prepaid"
}
```

POST cancelBooking API

https://t25crm.healthians.co.in/api/<partner_name>/cancelBookin g

This API enables **partners** to cancel a booking by providing a **valid booking ID**. However, cancellation is only allowed under specific conditions:

Valid Booking Status

- The booking must be in one of the following statuses before it can be canceled:
 - Order Booked (BS002) The booking has only been placed.
 - Sample Collector Assigned (BS005) A sample collector has been assigned, but the collection is yet to be completed.

Handling Bookings with Multiple Customers

- If a single booking contains multiple customers, then:
 - API allows partners to cancel only a specific customer from the booking while keeping other customers active.

Partial vs Complete Cancellation

- Partial Cancellation: If only one or a few customers from a booking need to be canceled, API requests should be made for only those customers.
- Complete Cancellation: If all customers in the booking need to be canceled, the partner must send multiple API requests, one for each customer, to fully cancel the booking.

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
booking_id	Booking ID (Healthians Booking/Ord er Id) to check status	Integer	YES
vendor_billin g_user_id	Vendor billing user id at vendor's end .	String	YES
vendor_custo mer_id	Vendor customer id at vendor's end .	String	YES
remarks	Reason to cancel the booking	String	YES

HEADERS

Authorization Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJlUzl1NiJ9.eyJhc Glfc291cmNlX2lkljoiOSlsImFwaV9zb3VyY2Vfbm FtZSl6lk5ldG1lZHMiLCJjaGFubmVsX3R5cGUiOil zliwiY2hhbm5lbF91c2VyljoiMTk5liwicmVmcmVz aF90b2tlbil6lkZZQWdVak9Hc1Z6WWZEQU9Qa0 F1liwidGltZXN0YW1wljoxNTc1NjM5MjM0fQ.beo XiFDl2brSgi_35Tj9SeZaeFe7yelsF5Y3TJbiaxo

Content-Type application/json

Body raw

{"booking_id":"1715622590","vendor_billing_user_id":"1234

POST rescheduleBookingByCustomer_v1 API

https://t25crm.healthians.co.in/api/<partner_name>/rescheduleBo okingByCustomer_v1

The **Reschedule Booking API** allows partners to update the scheduled date and time of a booking for a **future date**. This ensures flexibility for customers who need to modify their appointment.

Required Parameters for Rescheduling

To successfully reschedule a booking, the following details must be provided in the API request:

- booking_id → The unique identifier of the existing booking.
- slot_id → The new time slot in which the booking should be rescheduled, this will be retrived from getSlotsByLocation API.
- **customer_id** → All customer ids exist in a booking.
- reschedule_reason → The reason for modifying the booking schedule.

Partial reschedules (for only a subset of customers) are not allowed.

The **response includes a new booking ID**, which will be considered for sample collection.

 Partner need to send encrypted values in checksum for booking addon.

EndFragment

ATTRIBUTE	CHILD ATTRIBUTE	DESCRIPTIO N	DATA TYPE
booking_id		Healthians Booking/Ord er ID	Integer
slot		Slot contains the details of slots in which slot you wants to reschedule the booking. Valid slot ids are taken from getSlotsByZi pCode_v1 api.	Collection
	slot_id	Slot id is used to get sample	Integer

X-Checksum 7d6dbba414539def9d1c1f03479f091f034807ee

1d326b47d78bdc177caf0dde

Authorization Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJhc Glfc291cmNlX2lkljoiMTAyNSlsImFwaV9zb3VyY2 VfbmFtZSl6lnplYWx0aGl4cGFydG5lcilsImNoYW 5uZWxfdHlwZSl6ljMiLCJjaGFubmVsX3VzZXliOil 3ODYzliwibGVhZF9zb3VyY2UiOilwliwicmVmcm VzaF90b2tlbil6lldnSXZldktSVW5ieXJmc0FQU1l NliwidGltZXN0YW1wljoxNzM5Nzk0OTc3fQ.yGc-lsC8lXiTSLly1LeZf1zAgVBx-Jk5VPKxM45yxnc

Body raw (json)

POST getBookingCustomerDigitalValue API



 $\label{lem:https://t25crm.healthians.co.in/api/<partner_name>/getBookingCustomerDigitalValue$

This API allows partners to **fetch real-time digital test data** for each parameter within a booking. The data is provided on **customer basis**, enabling to track test results even before the final report PDF is generated.

Use Cases:

Real-Time Test Tracking

 Customers and partners can track the progress of test results without waiting for the final report.

Enhanced User Experience

 Partners can use this API to build an engaging dashboard that dynamically updates as test results become available.

▼ Early Insights for Customers

• Customers can **view individual test results** as they are updated instead of waiting for the complete report.

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
booking_id	Healthinas Booking/Ord er ID to get customer digital value.	Integer	YES
vendor_billin g_user_id	Billing user id at vendor's end .	String	YES
vendor_custo mer_id	Customer id at vendor's end .	String	YES

AUTHORIZATION Bearer Token

Token <token>

HEADERS

Authorization Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJhc Glfc291cmNlX2lkljoiMTYiLCJhcGlfc291cmNlX25 hbWUiOiJjYXJIZml0liwiY2hhbm5lbF90eXBlljoiM ylslmNoYW5uZWxfdXNlcil6ljcwNSlslnJlZnJlc2hf dG9rZW4iOiJuQVJYaGtFQ25GTEVva0JMR2dEail slnRpbWVzdGFtcCl6MTYwMTg4ODk4Mn0._4nS

mKImCOAzIBw4fVBLcq6nwogr1-

oV8BWL8yuolBg

Content-Type application/json

Body raw

```
{
    "booking_id": "1387680171776",
    "vendor_billing_user_id": "NPUoV3789p",
```

POST getBookingStatus API

https://t25crm.healthians.co.in/api/<partner_name>/getBookingSt atus

This API enables partners to **retrieve the current order stage** for a customer's booking. It provides real-time updates on the **overall booking status**, **customer status**, **and test status**, helping partners track and manage bookings efficiently.

In ref booking id, we can get the new booking id geneated againt the requested booking id.

Use Cases:

▼ Real-time Tracking of Orders

 Partners can use this API to fetch live updates on bookings and customer test progress.

Automated Customer Notifications

 This data can be used to send SMS/Email alerts about booking and test progress.

March 1 Better User Experience

• The API response can be used to **display order tracking details** in the partner's application.

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
booking_id	Booking ID (Healthians Booking/Ord er Id) to check status	Integer	YES

HEADERS

Content-Type application/json

Authorization Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJhc Glfc291cmNlX2lkljoiMTliLCJhcGlfc291cmNlX25h bWUiOiJtZmluZSlslmNoYW5uZWxfdHlwZSl6ljMi LCJjaGFubmVsX3VzZXliOilxOTEiLCJyZWZyZXN oX3Rva2VuljoiUkl4dFpDeE9QbnNCVkJtdUdMdnkiLCJ0aW1lc3RhbXAiOjE1Njc1MTg5MzB9.SmwDCrDBZzW98xzjQQcDL7n6Te13iEEZsvyTpxFfTU8

Body raw

```
{"booking_id":"1713892217"}
```

POST setSlotForBooking API

https://t25crm.healthians.co.in/api/<partner_name>/setSlotForBooking

This API is designed to assign a new slot for bookings that have been rejected from the lab's end due to specific issues such as insufficient sample quantity, improper temperature maintenance, or other lab-related rejections.

When a booking is rejected by the lab, partners can use this API to reassign a **new slot** for sample collection, ensuring that the bookings sample can be recollected.

How to Retrieve the New Booking ID?

To reassign a slot, partners first need to fetch the **new booking reference ID** from one of the following sources:

- getBookingStatus API → The rejected booking will contain a new reference booking ID (ref_booking_id) the status should be BS0018.
- Webhook Notification → When a booking is rejected, a webhook event is triggered, and the response will contain the new reference booking ID with status BS018.

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
booking_id	Booking ID to set slot	Integer	YES
slot_id	Slot ID needs to be set. slot_id can be fetched from getSlotsByZi pCode_v1 API	Integer	YES

Authorization Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJhc Glfc291cmNlX2lkljoiMTYiLCJhcGlfc291cmNlX25 hbWUiOiJjYXJIZmlOliwiY2hhbm5lbF90eXBlljoiM ylslmNoYW5uZWxfdXNlcil6ljcwNSlslnJlZnJlc2hf dG9rZW4iOiJtbUZGWVNnT3d3dER1d1ptbEZkZS lslnRpbWVzdGFtcCl6MTYwMDg2MTA4NH0.HP QNckA-NP9XLRIAB7FqgQWSKK7CEX18aBD-

stotPfs

Content-Type application/json

Body raw (json)

```
json
{"booking_id" : 1720280678, "slot_id" : 3075662}
```

POST getPhleboMaskNumber

https://t25crm.healthians.co.in/api/<partner_name>/getPhleboMas kNumber

This API is designed to **retrieve the masked contact number and name of the phlebotomist (phlebo) assigned to a booking**. The purpose of this API is to allow secure and controlled communication between the customer and the assigned phlebo **without revealing the phlebo's actual phone number**.

- The masked number will be available only if:
- A phlebo is assigned to the booking.
- The sample has not been collected yet.
- The customer is using the same phone number that was used during booking (customer_calling_number, mobile in createBooking_v3 API).

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
booking_id	Booking ID to get phlebo mask number (This will be the masked number when customer will call to that number, it will connect with Healthians Phlebotomist).	Integer	YES

HEADERS

Authorization Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJhc Glfc291cmNlX2lkljoiMTAyNSIsImFwaV9zb3VyY2 VfbmFtZSI6InplYWx0aGl4cGFydG5lciIsImNoYW 5uZWxfdHlwZSI6IjMiLCJjaGFubmVsX3VzZXliOil 3ODYzliwibGVhZF9zb3VyY2UiOilwliwicmVmcm VzaF90b2tlbil6llpNdmtlYWN2c1VuUHhSZ1pPW W1DliwidGltZXN0YW1wIjoxNzM5ODgzMDc5fQ. BriVxdma8IPPr3BjYVZ34dncizvtfJkZ3sFQnTk_tt

Υ

Content-Type application/json

Body raw

```
{
    "booking_id": "1387699648369"
}
```

POST getProductDetails API (Newly Launched)



- This API will return product informations like test name, fasting hours, reporting time, gender, age group, description for parameter,profile and package.
- This API will also list out all constituents i.e parameter id(s) if being queried for any specific package or profile.

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
deal_type	deal type is the unit of test	String	YES
deal_type_id	deal type id is the id of test unit	Integer	YES

AUTHORIZATION Bearer Token

Token <token>

Body raw (json)

```
json
{
    "deal_type": "package",
    "deal_type_id": 94
}
```

POST getVendorldDetails API (Newly Launched)



- This API will return vendor customer id mapped with a specific mobile number.
- This will also return sub family members vendor customer id as well if requested mobile number is mapped with vendor user id as family head.
- This will be helpful to get the customer_id and vendor_biiling_user_id
 of existing customers, which will be ustilised in createBooking_v3 API
 booking.

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
mobile_numb er	Mobile number to get vendor's customer id details	Integer	YES

AUTHORIZATION Bearer Token

Token <token>

Body raw (json)

```
json
{
    "mobile_number" : 7895304730
}
```

POST getPartnerTaggedPrices



https://t25crm.healthians.co.in/api/<partner_name>/getPartnerTag gedPrices

- The API is designed to enable users to receive a link via email. This link grants access to download a CSV file.
- The CSV file contains information about tests and their corresponding prices. These tests and prices are specifically those that are active in cities agreed upon between Healthians and the partner.
- The delivery method for accessing the CSV file is via email. Users
 would receive an email containing a link. Clicking on this link would
 lead them to download the CSV file.

AUTHORIZATION Bearer Token

Token <token>

Body raw (json)

```
json
{
    "data": {
        "communication_email": "deepali@gmail.com,anuj@gma
    }
}
```

POST getBookingMer API (Newly Launched)

https://t25crm.healthians.co.in/api/<partner_name>/getBookingM er

This API will return a pdf file for customer who has undergone MER process (Medical Examination Report) during sample collection. And the details provided by customer filled in form will be shown here.

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
booking_id	Healthinas Booking/Ord er ID to get booking MER	Integer	YES

Body raw (json)

```
json
{
    "booking_id": 7497463960
}
```

GET getActiveZipcodes API

https://t25crm.healthians.co.in/api/<partner_name>/getActiveZipc odes

This API can be used by our Partner to validate and to check the Active and Serviceable Zipcodes of Healthians.

LIEADEDO

Authorization

Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJhc Glfc291cmNlX2lkljoiOClsImFwaV9zb3VyY2Vfbm FtZSI6lk5ldG1lZHMiLCJjaGFubmVsX3R5cGUiOiI zliwiY2hhbm5lbF91c2VyljoiMjAxliwicmVmcmVza F90b2tlbil6lm9oaENCTIRyaFlqVklGS0J4aVlOliwi dGltZXN0YW1wljoxNTY0Mzg0MTk1fQ.fFvqbtip H95bhJvwRrl5PolbyFSQ0gUhpZfD09LvBRw

Customized API

POST updateVendorCustomerId

https://t25crm.healthians.co.in/api/<partner_name>/updateVendor CustomerId

Generated from cURL: curl --location

'https://t27crm.healthians.co.in/api//updateVendorCustomerId'

- --header 'Content-Type: application/json'
- --header 'Authorization: Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJhcGlfc291cmNlX2lkljoiMTAxOS IslmFwaV9zb3VyY2VfbmFtZSl6lmVjbGlwliwiY2hhbm5lbF90eXBlljoiMyIslm NoYW5uZWxfdXNlcil6ljc4MTAiLCJsZWFkX3NvdXJjZSl6ljAiLCJyZWZyZXNo X3Rva2VuljoiTnlCbExuSk9leGFPaGZKSEljQlgiLCJ0aW1lc3RhbXAiOjE3NDE3 ODIwNzZ9.V4UfBnwlwjMxnflwcw6xjlOKO9Qi05-0IJJJ7B66czk'

```
--data '{
```

"vendor_user_id": "sdafsdfs",

"hlt_gen_vendor_id": "hlthns-cZpvn2yZZGpslm1snGlwbWw=" }'

This API is used to update vendor customer id of customer against healthians generated vendor user id.

HEADERS

Content-Type application/json

Authorization Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJhc Glfc291cmNlX2lkljoiMTAxOSlslmFwaV9zb3VyY2 VfbmFtZSl6lmVjbGlwliwiY2hhbm5lbF90eXBlljoi MylslmNoYW5uZWxfdXNlcil6ljc4MTAiLCJsZWF kX3NvdXJjZSl6ljAiLCJyZWZyZXNoX3Rva2Vuljoi TnlCbExuSk9leGFPaGZKSEljQlgiLCJ0aW1lc3Rhb XAiOjE3NDE3ODlwNzZ9.V4UfBnwlwjMxnflwcw 6xjlOKO9Qi05-0lJJJ7B66czk

Body raw (json)

```
json

{
    "vendor_user_id": "nivaB20001",
    "hlt_gen_vendor_id": "hlthns-cZpvn2yZZGpslm1snWptbWY='
}
```

POST createUpdateLead API (for limited partners)



https://t25crm.healthians.co.in/api/<partner_name>/createUpdate Lead

Create Lead API

ATTRIBUTE	CHILD ATTRIBUTE	DESCRIPTIO N	DATA TYPE
lead_data		Lead details either to create new lead or update existing lead	Integer
	first_name	First name of lead	String
	last_name	Last name of	String

Token <token>

Body raw (json)

```
ison

{
    "lead_data": {
        "first_name": "Test",
        "last_name": "",
        "contact_number": 4433221122,
        "email": "test.healthians@gmail.com",
        "age": 21,
        "gender": "M",
        "lead_city_name": "Agra"
    }
}
```

POST getBookingReport (for limited partners)

⊕

https://t25crm.healthians.co.in/api/<partner_name>/getBookingRe port

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
booking_id	Healthians Booking/Ord er ID to get booking report	Integer	YES

AUTHORIZATION Bearer Token

Token <token>

Content-Type application/json

Authorization Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJhc Glfc291cmNlX2lkljoiMTYiLCJhcGlfc291cmNlX25 hbWUiOiJjYXJIZmlOliwiY2hhbm5lbF90eXBlljoiM ylslmNoYW5uZWxfdXNlcil6ljQ1OClslnJlZnJlc2hf dG9rZW4iOiJHZnpYUkVTbEVPV1pWWFBTZldFV ilslnRpbWVzdGFtcCl6MTYwNjgyNDk3NH0.c9R TkXsghFSBc7eTFVA5Uv04MTPE0yw1MaeaWkx

Vwkc

Body raw

```
{
    "booking_id":"36605484784"
}
```

POST getBookingDigitalValue API (for limited partners)



https://t25crm.healthians.co.in/api/<partner_name>/getBookingDi gitalValue

TRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
booking_id	Healthians Booking/Ord er ID to get booking digital value	Integer	YES

AUTHORIZATION Bearer Token

Token <token>

Authorization Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJhc Glfc291cmNlX2lkljoiMTYiLCJhcGlfc291cmNlX25 hbWUiOiJjYXJIZml0liwiY2hhbm5lbF90eXBlljoiM ylslmNoYW5uZWxfdXNlcil6ljcwNSlslnJIZnJlc2hf dG9rZW4iOiJuQVJYaGtFQ25GTEVva0JMR2dEail slnRpbWVzdGFtcCl6MTYwMTg4ODk4Mn0._4nS

mKImCOAzlBw4fVBLcq6nwogr1-

oV8BWL8yuolBg

Content-Type application/json

Body raw

```
{
    "booking_id": "36606368903"
}
```

POST convertToInvoice API (for limited partners)



https://t25crm.healthians.co.in/api/<partner_name>/convertTolnvo ice

This API is used to convert COD bookings to Prepaid.

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
booking_id	Healthians Booking/Ord er ID to convert to invoice	Integer	YES

AUTHORIZATION Bearer Token

Token <token>

Body raw (json)

```
json
{
    "booking_id": "3643452123"
}
```

POST getUserDeviceReport

https://t25crm.healthians.co.in/api/<partner_name>/getUserDevic eReport

get the CGM Device TXT file

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
booking_id	Booking ID (Healthians Booking/Ord er Id)	Integer	YES
vendor_billin g_user_id	Billing user id at vendor's end .	String	YES
vendor_custo mer_id	Customer id at vendor's	Sting	YES

Authorization

Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJhc Glfc291cmNlX2lkljoiMTYiLCJhcGlfc291cmNlX25 hbWUiOiJjYXJIZml0liwiY2hhbm5lbF90eXBlljoiM ylslmNoYW5uZWxfdXNlcil6ljQ10ClslnJlZnJlc2hf dG9rZW4iOiJFcWd3TEplU2JYbXhWZ29MUEtwZ ilslnRpbWVzdGFtcCl6MTYyNzM4NTA2Mn0.OOI ZdFoszyRX9WDJyaBfktDOt6hGN8curBK1fDjaW nA

Body raw (json)

```
json

{
"booking_id":"2144741549",
"vendor_billing_user_id":"81209",
"vendor_customer_id":"CF88649320"
}
```

Scans - Radiology Bookings API

GET getAccessToken



https://t7crm.healthians.co.in/api/<partner_name>/getAccessToke n

StartFragment

Using this API access token will be generated after successful authentication. This token will be used in other APIs for authentication

AUTHORIZATION Basic Auth

Username <username>

Password <password>

POST getProductsDetailsRadiology



By using this API, you will get the list of Product detail.

Such as Test Name, Lab ID, Lab address, Name, distance from lat-long (in Kms).

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
zipcode	6-digit valid zip code.	Integer	YES
lat	Latitude from provided zip code	String	YES

AUTHORIZATION Bearer Token

Token <token>

https://t7crm.healthians.co.in/api/<partnername>/getTimeSlotFromMerchant

- Get merchant_id from Product Details List API.
- Pass this merchant id in the following request.
- In response, you will get list of slot_ids & Slot Time.

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
merchant_id	Lab ld for which slots needed.	Integer	YES
deal_type	Details of test added as combination of deal_type and deal_id combined with "_".	String	YES

AUTHORIZATION Bearer Token

Token <token>

```
json

{
   "merchant_id": "255",
   "deal_type": "parameter_4644",
   "date":"2023-05-31"
}
```

https://t7crm.healthians.co.in/api/<partnername>/createRadiology Booking_v1

This API will be used for the creation of Radiology booking.

ATTRIBUTE	CHILD ATTRIBUTE	CHILD ATTRIBUTE 2	DESCRIPTIO N
patient			Patient key is to get the details of the customer including child keys mentioned below.
	customer_id		Used to uniquely identify each customers.

AUTHORIZATION Bearer Token

Token <token>

```
"deal_id": "4644",
                    "deal_type": "parameter",
                    "merchant_id": "255",
                    "slot_id": "20",
                    "slot_date": "2023-05-31",
                    "slot_time": "07:00PM - 08:00PM"
                3
       3
    "billing_cust_name": "Parv",
   "billing_cust_gender": "M",
    "billing_cust_email": "praveen.singh@healthians.com",
   "billing_cust_mobile_number": "9879898798",
    "billing_cust_user_id": "99797330276508",
    "sub_locality": "Healthians, Phase III, Udyog Vihar I]
    "address": "3434, Healthians, Phase III, Udyog Vihar ]
    "house number": "3434",
   "latitude": "28.5113258",
    "longitude": "77.0909357",
    "city_id": "23",
   "state": "26",
    "pincode": "122016",
   "landmark": "phase lll",
    "payment_option": "cod",
    "discount": 0,
    "hard_copy": 0
3
```

POST getBookingStatus

A

https://t7crm.healthians.co.in/api/<partnername>/getBookingStatu s

This API will be used to check the current status of Radiology booking.

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
booking_id	Booking ID (Healthians Booking/Ord er Id) to check status	Integer	YES

Token <token>

Body raw (json)

```
json
{
   "booking_id": "1387654758671"
}
```

POST getCustomerReport_v2

⊕

https://t7crm.healthians.co.in/api/<partnername>/getCustomerRep ort_v2

This API will be used to check the current status of Radiology booking.

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
booking_id	Booking ID (Healthians Booking/Ord er Id) to get report.	Integer	YES
vendor_billin g_user_id	Billing user id at vendor's end .	String	YES
vendor_custo	Vendor	String	YES

AUTHORIZATION Bearer Token

Token

```
json

{
   "booking_id":"1387654758671",
   "vendor_billing_user_id":"99797330276508",
   "vendor_customer_id":"99797332877661"
}
```

POST getBookingReport



https://t7crm.healthians.co.in/api/<partnername>/getBookingReport

This API will be used to fetch the report of all the customers in the booking.

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
booking_id	Healthians Booking/Ord er ID to get booking report	Integer	YES

AUTHORIZATION Bearer Token

Token <token>

```
json
{
   "booking_id": "1387654758671"
}
```

https://t7crm.healthians.co.in/api/<partnername>/addOnRadiology Booking_v1

This HTTP POST request is used to add radiology booking for a partner on the t7crm.healthians.co.in API. The request should be made to the /api//addOnRadiologyBooking_v1 endpoint.

Request Body

- The request body should be in raw format and should contain a JSON object with the following structure:
 - o patient (array):
 - relation (string): The relation of the patient.
 - age (number): The age of the patient.
 - gender (string): The gender of the patient.
 - email (string): The email of the patient.
 - customer_id (string): The vendor customer ID of the customer.
 - customer_name (string): The name of the customer.
 - test (array):
 - deal_id (string): The ID of the deal.
 - deal_type (string): The type of deal.
 - merchant_id (string): The ID of the merchant.
 - slot_id (string): The ID of the slot.
 - slot_date (string): The date of the slot.
 - slot_time (string): The time of the slot.
 - order_id (string): The ID of the order.
 - billing_cust_user_id (string): The ID of the billing customer user.
 - payment_option (string): The payment option.

ATTRIBUTE	CHILD ATTRIBUTE	CHILD ATTRIBUTE 2	DESCRIPTIO N
patient			Patient key is to get the details of the customer including child keys mentioned below.
	customer_id		Used to uniquely identify each customers.
	customer_na me		Name of the of the customer for whom the test is booked.

AUTHORIZATION Bearer Token

Token <token>

HEADERS

X-Checksum d66f51e47ca38785c5907a7687caaf5f456edf93 bca130928ada97b48648ec5b

POST cancelRadiologyBookingByTest_v1

⊕

cancelRadiologyBookingByTest_v1

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
order_id	Order ID is booking on which test needs to be cancel.	String	YES
billing_cust_u ser_id	Billing user id is user id at vendor's end.	String	YES
customer_id	Used to uniquely identify each customers.	String	YES
merchant_id	Lab ID selected for the test.	Integer	YES
deal_type	Type of the test	String	YES

AUTHORIZATION Bearer Token

Token <token>

```
json

{
    "order_id": "1387673323102",
    "billing_cust_user_id": "99797330276508",
    "customer_id": "99797330276508",
    "deal_id": "4673",
    "deal_type": "parameter",
    "merchant_id": "255"
}
```

POST rescheduleRadiologyBookingByTest_v1

https://t7crm.healthians.co.in/api/<partnername>/rescheduleRadio logyBookingByTest_v1

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
order_id	Order ID is booking on which test needs to be cancel.	String	YES
billing_cust_u ser_id	Billing user id is user id at vendor's end.	String	YES
customer_id	Used to uniquely identify each customers.	String	YES
merchant_id	Lab ID selected for the test.	Integer	YES
deal_type	Type of the test	String	YES

AUTHORIZATION Bearer Token

Token <token>

```
json

{
    "order_id": "1387673323102",
    "billing_cust_user_id": "99797330276508",
    "customer_id": "99797330276508",
    "deal_id": "4592",
    "deal_type": "parameter",
    "merchant_id": "255",
    "slot_id": "3",
    "slot_date": "2023-12-22",
    "slot_time": "10:00AM - 11:00AM"
}
```

POST cancelRadiologyBooking_v1

⊕

https://t7crm.healthians.co.in/api/<partnername>/cancelRadiology Booking_v1

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
order_id	Order ID is booking on which test needs to be cancel.	String	YES
billing_cust_u ser_id	Billing user id is user id at vendor's end.	String	YES
remarks	Remarks why to cancel the booking	String	YES

AUTHORIZATION Bearer Token

Token <token>

```
json
{
    "order_id": "1387673323102",
    "billing_cust_user_id": "99797330276508",
```

```
"remarks" : "this is for testing cancelling"
}
```

POST getRadiologyCustomerReport

⊕

https://t7crm.healthians.co.in/api/<partnername>/getRadiologyCu stomerReport

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
booking_id	Order ID is booking on which test needs to be cancel.	String	YES
vendor_billin g_user_id	Billing user id is user id at vendor's end.	String	YES
vendor_custo mer_id	Used to uniquely identify each customers.	String	YES

-- This API is for getting the Radiology Booking Report (Customer Wise)

API RESPONSE

```
"status": true,
"message": "Signed URL generated!",
"data": [
"verified_at": "",
"report_url": "https://s3echl-dev-mumbai.s3.ap-south-
1.amazonaws.com/uploads/reports/2023/12/20/6582894cbfbb3.pdf?X-
Amz-Content-Sha256=UNSIGNED-PAYLOAD&X-Amz-Algorithm=AWS4-
HMAC-SHA256&X-Amz-
Credential=AKIA2MCSDGCWBZGZ3GMN/20231220/ap-south-
1/s3/aws4_request&X-Amz-Date=20231220T062920Z&X-Amz-
SignedHeaders=host&X-Amz-Expires=1200&X-Amz-
Signature=b629b9b7c1af7457637a7f36f0b0965fcdf7790a43a6c9840737c
eb9b9016f12",
"vendor_billing_user_id": "99797330276508"
}
"resCode": "RES0001",
"code": 200
}
```

Token <token>

Body raw (json)

```
json

{
    "booking_id": "1387673323102",
    "vendor_billing_user_id": "99797330276508",
    "vendor_customer_id": "99797330276508"
}
```

POST getRadiologyBookingReport



https://t7crm.healthians.co.in/api/<partnername>/getRadiologyBookingReport

This API is for getting the Radiology Booking Report (Full Booking Report)

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
order_id	Order ID is booking on which test needs to be cancel.	String	YES

API RESPONSE

```
"status": true,
"message": "Signed URL generated!",
"data": [
{
"booking_id": "1387673370452",
"vendor_billing_user_id": "99797330276508",
"customer": [
{
"cust_name": "Parvas",
"cust_age": "25",
"cust_gender": "M",
"vendor_customer_id": "99797330276508",
"reports": [
{
"url": "https://s3echl-dev-mumbai.s3.ap-south-
```

```
1.amazonaws.com/uploads/reports/2023/12/20/6582894cbfbb3.pdf?X-
Amz-Content-Sha256=UNSIGNED-PAYLOAD&X-Amz-Algorithm=AWS4-
HMAC-SHA256&X-Amz-
Credential=AKIA2MCSDGCWBZGZ3GMN/20231220/ap-south-
1/s3/aws4_request&X-Amz-Date=20231220T063048Z&X-Amz-
SignedHeaders=host&X-Amz-Expires=1200&X-Amz-
Signature=c5f6119e22e6bb8ed2fb6612d82fed5355da3442340ce127906b
24afb4822186",
"date": "2023-12-20 11:57:25"
}
1
},
"cust_name": "Almora",
"cust_age": "25",
"cust_gender": "M",
"vendor_customer_id": null,
"reports": [
"url": "https://s3echl-dev-mumbai.s3.ap-south-
1.amazonaws.com/uploads/reports/2023/12/20/658289ff85416.pdf?X-
Amz-Content-Sha256=UNSIGNED-PAYLOAD&X-Amz-Algorithm=AWS4-
HMAC-SHA256&X-Amz-
Credential=AKIA2MCSDGCWBZGZ3GMN/20231220/ap-south-
1/s3/aws4_request&X-Amz-Date=20231220T063048Z&X-Amz-
SignedHeaders=host&X-Amz-Expires=1200&X-Amz-
Signature=d966bf38df0c945ae5473e625920628b1b86e3808aef946aa44
27d58debbee52",
"date": "2023-12-20 12:00:24"
}
]
"resCode": "RES0001",
"code": 200
}
AUTHORIZATION Bearer Token
Token
                       <token>
Body raw (json)
   json
```

```
{
    "booking_id": "1387673323102"
}
```

VDOC Consultation

GET getAccessToken API



https://t7crm.healthians.co.in/api/<partner_name>/getAccessToke n

StartFragment

Using this API access token will be generated after successful authentication. This token will be used in other APIs for authentication

AUTHORIZATION Basic Auth

Username <username>

Password <password>

POST getSpecialityList API



https://t7crm.healthians.co.in/api/<partner_name>/getSpecialityLis t

This API is used to get the list of all the specialities

AUTHORIZATION Bearer Token

Token <token>

POST getSpecialityDoctorList



https://t7crm.healthians.co.in/api/<partner_name>/getSpecialityDo ctorList

This API will provide you the list of all the doctors and its details according to the doctor speciality.

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
speciality_ke y	Speciality for which the list of doctor is required. You can get speciality key from getSpeciality List API.	String	YES

AUTHORIZATION Bearer Token

Token <token>

Body raw (json)

```
json
{
    "speciality_key":"skin-and-hair-specialist"
}
```

POST getSlotForDoctor

⊕

https://t7crm.healthians.co.in/api/<partner_name>/getSlotForDoct or

Get Slot for Doctor

This endpoint allows you to retrieve available slots for a specific doctor

Request Body

- collection_date (string, required): The date for which the slots are to be retrieved.
- doctor_id (string, required): The unique identifier of the doctor.

Response

- status (boolean): Indicates the status of the request.
- message (string): A message related to the request.
- data (array): An array of available slots with details such as availability, slot date, slot time, STM ID as slot id

• code (integer): A code associated with the response.

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
collection_da te	Date for which slots are needed.	Date	YES
doctor_id	Doctor ID is used to get slot of particular doctors, which can be fetched from getSpeciality DoctorList API.	String	YES

AUTHORIZATION Bearer Token

Token <token>

Body raw (json)

```
json
{
    "collection_date": "2023-12-24",
    "doctor_id": "nWaxjYygPRjaX44-392k0A"
}
```

POST verifyUser

https://t25crm.healthians.co.in/api/<partner_name>/verifyUser

HEADERS

Content-Type

application/json

Authorization

Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJhc Glfc291cmNlX2lkljoiODMiLCJhcGlfc291cmNlX25 hbWUiOiJmaW5oYWF0liwiY2hhbm5lbF90eXBlljo iMylslmNoYW5uZWxfdXNlcil6ljkwMTQiLCJsZWF kX3NvdXJjZSl6ljAiLCJyZWZyZXNoX3Rva2Vuljoi

Т

Cookie

hlcrm_session=a%3A5%3A%7Bs%3A10%3A%22 session_id%22%3Bs%3A32%3A%2296538ea3c 3c5124f09429f9f53f6660e%22%3Bs%3A10%3A%22ip_address%22%3Bs%3A10%3A%2210.0.1. 181%22%3Bs%3A10%3A%22user_agent%22%3Bs%3A21%3A%22PostmanRuntime%2F7.42.0%22 %3Bs%3A13%3A%22last_activity%22%3Bi%3A1 728026815%3Bs%3A9%3A%22user_data%22% 3Bs%3A0%3A%22%22%3B%7D4b938d894207 5f402ff9eef0be6c3bebde39a8bf

Body raw (json)

```
json
{
    "contact_number":7895304730
}
```

POST book Consultation

A

https://t7crm.healthians.co.in/api/<partner_name>/bookConsultati on

This HTTP POST request is used to book a consultation through the specified partner's CRM system. The request should include the customer's details such as ID, name, age, date of birth, gender, contact number, email, selected doctor's ID, and slot ID/STM Id for the consultation.

Upon successful execution, the API returns a status code of 200 along with a JSON response containing a boolean status, an optional message, response code, and a code value.

For detailed information on the request payload and response structure, refer to the API documentation.

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
customer_id	Unique customer ID for consultation.	String	YES
customer_na me	Customer name for consultation.	String	YES
age	Date for which slots needed.	Integer	YES
gender	Gender of customer	String	YES
contact_num ber	Contact number of	Integer	YES

Response Data:

```
Plain Text

"status": true,
    "message": "Consultation Successfully Booked for Servi
"resCode": "RES0001",
    "data": {
        "booking_id": "AS197051",
        "consultation_id": "BAhv9ewyMvxl0BHfYnDvsw",
        "customer_name": "kite",
        "doctor_name": "Dr. Aganvdoctest Nandal",
        "schedule_date_time": "2023-12-24 06:00:00"
},
```

AUTHORIZATION Bearer Token

Token <token>

```
json
{
    "customer_id": "f210f119ff1ac8663ece265b5796e740afe861
```

```
"customer_name": "Stuart Binny",
    "age": 26,
    "dob": "10/09/1994",
    "gender": "F",
    "contact_number": "7838505263",
    "email": "sumit.munjal@healthians.com",
    "doctor_id": "nWaxjYygPRjaX44-392k0A",
    "slot_id": "683793814"
}
```

POST upload Customer Medical Prescription

⊕

https://t7crm.healthians.co.in/api/<partner_name>/uploadCustome rPrescription

The endpoint

https://t7crm.healthians.co.in/api//uploadCustomerPrescrip tion is a POST request that is used to upload a customer's medical prescription. The request should include the booking_id, consultation_id, and the image of the prescription.

```
Plain Text

Note:

• In a single request, you will be allowed to upload of the maximum of the prescription upload request allowed for a the maximum file size allowed of MB and Image should in the maximum file size allowed of the ma
```

```
Plain Text

Response
{
    "status": true,
    "message": "Documents uploaded successfully..",
    "data": 932,
    "code": 200
}
```

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
booking_id	Booking ID to upload customer prescription.	Integer	YES
consultation_ id	Consultation ID which is provided at the time of book consultation.	String	YES
image	Upload Prescription image or any other document related to consultation.	String	YES

AUTHORIZATION Bearer Token

Token <token>

Body raw (json)

```
json

{
    "booking_id": "AS197051",
    "consultation_id": "BAhv9ewyMvxl0BHfYnDvsw",
    "image" : "data:application/pdf;base64,JVBERi0xLjUKMyA}
```

POST download Prescription

凸

https://t27crm.healthians.co.in/api/<partner_name>/downloadCust omerPrescription

Download Customer Prescription

This endpoint is used to download the prescription for a customer provided by doctor. It is an HTTP POST request to the specified URL with the partner's name included in the path.

Request Body

- booking_id (string): The ID of the booking for which the prescription is to be downloaded.
- consultation_id (string): The ID of the consultation associated with the prescription.

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
booking_id	Booking ID to download customer prescription.	Integer	Yes
consultation_ id	Consultation ID which is provided at the time of book consultation.	String	Yes

Response

```
Plain Text

"status": true,

"message": "Successfully fetch records ..",

"data": "https://s3healthians-dev.s3.ap-southeast-1.an

"resCode": "RES0001",

"code": 200
}
```

- status (boolean): Indicates the status of the request.
- message (string): A message related to the status of the request.
- data (null): The prescription data, if available.
- resCode (string): A specific response code.
- code (integer): An additional http code related to the response status.

AUTHORIZATION Bearer Token

Token <token>

```
json
£
   "booking_id": "AS197051",
    "consultation_id": "BAhv9ewyMvx10BHfYnDvsw"
3
```

Raise ticket API

POST getTicketTypes

⊕

https://t25crm.healthians.co.in/api/<partner_name>/getTicketType

This API will give the Ticket Type list.

AUTHORIZATION Bearer Token

Token <token>

HEADERS

Authorization Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJhc Glfc291cmNlX2lkljoiODQ5liwiYXBpX3NvdXJjZV9 uYW1lljoiYW51YmhhdnRlc3QiLCJjaGFubmVsX3R 5cGUiOiIzliwiY2hhbm5lbF91c2VyljoiMTA5NilsImxIYWRfc291cmNlljoiMClsInJIZnJlc2hfdG9rZW4i OiJNUEFHeVRXZXZIUGdtZE1pamNRbSlsInRpbW VzdGFtcCl6MTY4NDMxMTY1MX0.Lkb-

ggclQ2ydU4vatNDKOKVi9KvkC23Rntt3jAqyAnw

Cookie ci_crm_session=a%3A5%3A%7Bs%3A10%3A%2

> 2session_id%22%3Bs%3A32%3A%22c1106f34e 5b8801bf3c7a2948921f329%22%3Bs%3A10%3 A%22ip_address%22%3Bs%3A14%3A%22182.74 .128.251%22%3Bs%3A10%3A%22user_agent%2 2%3Bs%3A21%3A%22PostmanRuntime%2F7.32. 2%22%3Bs%3A13%3A%22last_activity%22%3Bi %3A1684311646%3Bs%3A9%3A%22user_data% 22%3Bs%3A0%3A%22%22%3B%7D0183285a7a

3108eb67b3197d62f1b721d88ba47b



https://t25crm.healthians.co.in/api/<partner_name>/getIssueTypes
ByTicket

This API will result Issue type list.

AUTHORIZATION Bearer Token

Token <token>

HEADERS

Content-Type application/json

Authorization Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJhc Glfc291cmNlX2lkljoiODQ5liwiYXBpX3NvdXJjZV9 uYW1lljoiYW51YmhhdnRlc3QiLCJjaGFubmVsX3R 5cGUiOilzliwiY2hhbm5lbF91c2VyljoiMTA5NilsIm xIYWRfc291cmNlljoiMClsInJIZnJlc2hfdG9rZW4i OiJNUEFHeVRXZXZIUGdtZE1pamNRbSIsInRpbW

VzdGFtcCl6MTY4NDMxMTY1MX0.Lkb-

ggclQ2ydU4vatNDKOKVi9KvkC23Rntt3jAqyAnw

Cookie ci_crm_session=a%3A5%3A%7Bs%3A10%3A%2

2session_id%22%3Bs%3A32%3A%22c1106f34e 5b8801bf3c7a2948921f329%22%3Bs%3A10%3 A%22ip_address%22%3Bs%3A14%3A%22182.74 .128.251%22%3Bs%3A10%3A%22user_agent%2 2%3Bs%3A21%3A%22PostmanRuntime%2F7.32. 2%22%3Bs%3A13%3A%22last_activity%22%3Bi %3A1684311646%3Bs%3A9%3A%22user_data% 22%3Bs%3A0%3A%22%22%3B%7D0183285a7a

3108eb67b3197d62f1b721d88ba47b

Body raw

```
{
   "data" :
   {
      "ticket_type_id" : 7
   }
}
```

AUTHORIZATION Bearer Token

Token <token>

Body raw (json)

```
json

{
    "data": {
        "issue_type": 217,
        "ticket_type": 7,
        "description": "This is description",
        "booking_id": "",
        "subject": "This is subject",
        "email_addresses": "",
        "file_upload": [
             "]
        ]
    }
}
```

User Registration

POST New Request

⊕

https://t25crm.healthians.co.in/api/<partner_name>/userRegistrati on

User Registration

This endpoint allows partners to register users for quick bookings on camp

Request Body

- mobile_number (string, required): The user's mobile number.
- name (string, required): The user's name.
- age (string, required): The user's age.
- gender (string, required): The user's gender.
- email (string, required): The user's email address.
- vendor_customer_id (string, required): The vendor's customer ID.
- dob (string, required): The user's date of birth.

Response

The response will be a JSON object with the following properties:

- status (boolean): Indicates the status of the registration.
- message (string): Additional information or error message.
- code (integer): The status code of the response.

Example

```
json

{
    "status": true,
    "message": "",
    "code": 0
}
```

AUTHORIZATION Bearer Token

Token <token>

Body raw (json)

```
json

{
    "mobile_number":"9999900000",
    "name": "Alex",
    "age": "20",
    "gender": "M",
    "email":"abc@yahoo.com",
    "vendor_customer_id": "VEDOR_00032434",
    "dob": "05/07/1993"
}
```

Depricated APIs <Do Not Use>

```
POST createBooking_v1 API <SOON TO DEPRECATE>
```



ATTRIBUTE	CHILD ATTRIBUTE	DESCRIPTIO N	DATA TYPE
customer		Customer key is to get the details of the customer including child keys mentioned below.	Collection
	customer_id	Used to uniquely identify each customers.	String
	customer_na me	Name of the of the customer for whom the test is booked.	String

Mandatory fields (mobile, gender, age, slot_id, deal_id, customer_calling_number, billing_cust_name).

Get address. (Home Add, Add2, locality, Landmark, city, state, zip code).

Get customer information. (Name, Age, gender, phone, Email, unique vendor user_id) & related tests and family details.

Customer dob format should me in "dd/mm/yyyy".

Booking flow must have the capability to handle multiple customers with multiple packages in the same booking.

Payment_option can be "prepaid" or "cod".

Partner needs to send their unique cust ids for each customer.

Partner need to send encrypted values in checksum for booking creation.

For partial Payment:

- In partial payment some amount will be paid by partner and remaining amount will be collected by healthians during sample collection from customer.
- "partial_paid_amount" key will be used and value should be more than 0 and "payment_option" should be "prepaid".

Token <token>

HEADERS

Authorization Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJhc Glfc291cmNlX2lkljoiMTliLCJhcGlfc291cmNlX25h bWUiOiJjYXJIZml0liwiY2hhbm5lbF90eXBlljoiMyl slmNoYW5uZWxfdXNlcil6ljQ1OClslnJlZnJlc2hfd G9rZW4iOiJHQVpVbXJrV1VoWUxVY09GTkZkUS lslnRpbWVzdGFtcCl6MTYxMzczMjE1Mn0.ZyhKp OLaESI9jfJZLg4oTlC8DRRKd_HXxrlbByGmb1Y

Content-Type application/json

X-Checksum 477ca0f132d622d550f121363383c9287a2d7f2

c09246b6c879e107ca77c7561

```
json
£
    "customer": [
        Ę
            "customer_id": "PRANSHU2121",
            "customer_name": "PRANSHU SINGH",
            "relation": "self",
            "age": "",
            "dob": "05/07/1994",
            "gender": "M",
            "contact_number": "",
            "email": "",
            "application_number": "APPLN0001-12/445_1(100)
        },
            "customer_id": "HUYTTTUE0023",
            "customer_name": "Vivek K",
            "relation": "others",
            "age": "",
            "dob": "05/07/2018",
            "gender": "M",
            "contact_number": "",
            "email": "",
            "application_number": "APPLN0001-12/445_1(101)
        3,
        {
            "customer_id": "HUYTTTUE00238786y8",
            "customer_name": "Vivek KU",
            "relation": "others",
            "age": "",
            "dob": "05/07/1994",
```

```
"gender": "M",
            "contact_number": "",
            "email": "",
            "application number": "APPLN0001-12/445 1(102)
        3
    ],
    "slot": {
        "slot_id": "684318413"
    ζ,
    "package": [
        {
            "deal_id": [
                "profile_1","profile_3"
        3,
        £
            "deal id": [
                "profile_1", "parameter_2251"
        3,
        Ę
            "deal_id": [
                "profile_1", "package_91", "parameter_2252"
        3
    "customer_calling_number": "8529873332",
    "billing_cust_name": "PRANSHU SINGH",
    "gender": "M",
    "mobile": "8529873332",
    "email": "deepali@gmail.com",
    "state": 26,
    "cityId": 23,
    "sub_locality": "Plot No-518, Phase III, Udyog Vihar ]
    "latitude": "28.512195944534703",
    "longitude": "77.08483249142313",
    "address": "Sector 19",
    "zipcode": "122016",
    "landmark": "Udyog Vihar III",
    "altmobile": "",
    "altemail": "",
    "hard_copy": 0,
    "vendor_booking_id": "6ca268eedfcff49b774cd1c46f",
    "vendor_billing_user_id": "PRANSHU2121",
    "payment_option": "prepaid",
    "discounted_price": 400,
    "zone_id": 53
3
```

POST getSlotsByZipCode_v1 API <SOON TO DEPRECATE>



This API shall be used to fetch available time slots for sample collection, this will get called every time a user selects a date for sample collection.

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
zipcode	Valid 6-digit Zip code to check serviceability .	Integer	YES
slot_date	Date for which slot is needed.	String	YES

AUTHORIZATION Bearer Token

Token <token>

HEADERS

Authorization Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJhc Glfc291cmNlX2lkljoiMTYiLCJhcGlfc291cmNlX25 hbWUiOiJjYXJIZml0liwiY2hhbm5lbF90eXBlljoiM ylslmNoYW5uZWxfdXNlcil6ljQ10ClslnJIZnJlc2hf dG9rZW4iOiJMZnlQbVRKU0l3WUlkbHRPckFiYyl slnRpbWVzdGFtcCl6MTYxMzQ2MTE5Mn0.yCou qiN_ugV2GR7jfxyFtOD2lKolsUgFEZrbc_wV97Q

Content-Type application/json

Body raw

```
{
    "zipcode": "122016",
```

```
"slot_date": "2022-06-17",

"lat": 28.51142585840809,

"long": 77.09071705141955,

"amount": 500,

"isDeviceSlot": 0
}
```

POST checkServiceabilityByLocation API <SOON TO DEPRECATE>

https://t25crm.healthians.co.in/api/<partner_name>/checkService abilityByLocation

This API would be used by our Partner to fetch serviceable Zipcodes of Healthians and accordingly display packages for those serviceable locations.

ATTRIBUTE	DESCRIPTIO N	DATA TYPE	MANDATOR Y
zipcode	Valid 6-digit Zip code to check serviceability	Integer	YES
lat	Latitude from provided zipcode	String	YES
long	Longitude from	String	YES

HEADERS

Content-Type application/json

Authorization Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJhc Glfc291cmNIX2lkljoiMTYiLCJhcGlfc291cmNIX25 hbWUiOiJjYXJIZml0liwiY2hhbm5lbF90eXBlljoiM yIsImNoYW5uZWxfdXNIcil6IjcwNSIsInJIZnJIc2hfdG9rZW4iOiJyZ3JJUVpPbUJZdXFETmVSampOdCIsInRpbWVzdGFtcCl6MTYwMjg1MjU0N30.PxtKlkMNCA2T7U880jHB3ce8LN5W4_oJO_LTvDAoc_k

Body raw

```
{
    "zipcode": "400026",
    "lat": "18.96569570177629",
    "long": "72.80431170101929"
}
```

POST getCustomerReport_v1 API<DEPRECATE><DO NOT USE>

https://t25crm.healthians.co.in/api/<partner_name>/getCustomerR eport_v1

API response result return partial or full any report that is latest and verified.

HEADERS

Content-Type application/json

Authorization Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJhc Glfc291cmNlX2lkljoiMTYiLCJhcGlfc291cmNlX25 hbWUiOiJjYXJIZml0liwiY2hhbm5lbF90eXBlljoiM ylslmNoYW5uZWxfdXNlcil6ljcwNSlslnJlZnJlc2hf dG9rZW4iOiJza2V4Tldhc3hudmNNeUh5a3lBVS lslnRpbWVzdGFtcCl6MTYwMzEwMTUyMH0.lFa TxpZphBxSOawiQG5cmVCuZSDtrkzshaiRD9xH7

nQ

```
json
{"booking_id":"2130577365","vendor_billing_user_id":"40265
```

POST checkZipCodeServiceability API < DEPRECATE > < DO NOT USE >

http://t25crm.healthians.co.in/api/<partner_name>/checkZipCode Serviceability

This API would be used by our Partner to fetch serviceable Zipcodes of Healthians and accordingly display packages for those serviceable locations.

HEADERS

Authorization Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJhc Glfc291cmNlX2lkljoiOClsImFwaV9zb3VyY2Vfbm FtZSI6lk5ldG1lZHMiLCJjaGFubmVsX3R5cGUiOiI zliwiY2hhbm5lbF91c2VyljoiMjAxliwicmVmcmVza F90b2tlbil6lm9oaENCTIRyaFlqVklGS0J4aVlOliwi dGltZXN0YW1wljoxNTY0Mzg0MTk1fQ.fFvqbtip H95bhJvwRrl5PolbyFSQ0gUhpZfD09LvBRw

Content-Type application/json

Body raw

{"zipcode":"122001"}

POST getSlotsByZipCode API <DEPRECATE><DO NOT USE>

http://t25crm.healthians.co.in/api/carefit/getSlotsByZipCode

This API shall be used to fetch available time slots for sample collection, this will get called every time a user selects a date for sample collection.

HEADERS

Authorization Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJhc Glfc291cmNlX2lkljoiMTYiLCJhcGlfc291cmNlX25 hbWUiOiJjYXJIZml0liwiY2hhbm5lbF90eXBlljoiM ylslmNoYW5uZWxfdXNlcil6ljcwNSlslnJlZnJlc2hf dG9rZW4iOiJNVVZmbUVKSnhXREtPa2VKVFNS UCIsInRpbWVzdGFtcCI6MTYwMTQ2MTM3MX0.eqSX37y9UdQHr5IBf2NzIYWou5wih5rnvBEds30

Gq-o

Content-Type application/json

Body raw

```
{"zipcode":"122001","slot_date":"2019-10-01"}
```

POST getCustomerReport API < DEPRECATE > < DO **NOT USE>**

http://t25crm.healthians.co.in/api/<partner_name>/getCustomerR eport

This API shall be used to fetch the customer's report post their booking completion

HEADERS

Content-Type application/json

Authorization Bearer

> eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJhc Glfc291cmNlX2lkljoiOClsImFwaV9zb3VyY2Vfbm FtZSI6Ik5IdG1IZHMiLCJjaGFubmVsX3R5cGUiOil zliwiY2hhbm5lbF91c2VyljoiMjAxliwicmVmcmVza F90b2tlbil6lktqRVpMRE9DRG9pYnVxaFVlRVZCli widGltZXN0YW1wljoxNTY1MDkyMTQ1fQ.3PdQlli np_J3zu2g3ad4Xfr6SX4lSlgZhElKJp_ciCg

Body raw

```
{"booking_id":"1683502228","vendor_billing_user_id":"3","\
```

GET getPopularPackages API<DEPRECATE><DO NOT USE>

https://t25crm.healthians.co.in/api/<partner_name>/getPopularPa ckages

This API shall be used to fetch all Partner packages dynamically from the Healthians Catalog.

Bearer

HEADERS

Authorization

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJhc Glfc291cmNlX2lkljoiOClsImFwaV9zb3VyY2Vfbm FtZSl6lk5ldG1lZHMiLCJjaGFubmVsX3R5cGUiOil zliwiY2hhbm5lbF91c2VyljoiMjAxliwicmVmcmVza F90b2tlbil6lkF6S0JyQ0pBb3hldlpBQkpmTG9Kli widGltZXN0YW1wljoxNTY0Mzg2NDlzfQ.lbM1bT F2Y3JaGWHtXv85nJvyOUvx8DYLNz7hxv7yoYl

 \Box

POST getSlotsByBookingId <DEPRECATE><DO NOT USE>

https://t25crm.healthians.co.in/api/<partner_name>/getSlotsByBookingId

This API shall be used to fetch available time slots for sample collection to reschedule the booking, this will get called every time a user selects a date for sample collection.

AUTHORIZATION Bearer Token

Token <token>

HEADERS

Content-Type application/json

```
json
{
    "slot_date": "2020-04-26",
```

```
"booking_id": "1718029387"
```