

We already own [Dealermri.com](https://dealermri.com) and [Automotivecopilot.com](https://automotivecopilot.com) and I have Jamie checking to see if anyone else is using these.

Strolid Auto Rollout Plan

From Copilot → Brain (Dealer MRI) → LLM → Dealer

1. Purpose

Align Strolid Auto leadership on a clear, staged rollout that:

1. Makes **Automotive Copilot** indispensable inside our dealers.
 2. Turns **Dealer MRI (strolidGPT)** into the “conversation brain” for groups and rooftops.
 3. Positions us to connect **external LLM traffic** → **Automotive Copilot** → **dealers** in a controlled, high-value way.
-

2. The Stack (Simple View)

- **Vconic – Infra**
 - vCon standard + Conserver
 - Captures and normalizes all conversations and events.
- **Dealer MRI (The Brain)-**
 - Scans calls, texts, chats, emails, CRM/DMS data.
 - Shows what's healthy, what's broken, and who we can still save.
- **Automotive Copilot (The Action Layer)**
 - Dealer Mode: assistant for shoppers + reps (web/SMS/voice, rep-assist).

- Network Mode: API that routes external conversations (OEMs, portals, LLMs) into the right dealer and keeps the customer warm.
 - **Dealers / OEMs / LLMs**
 - Dealers consume MRI & Copilot.
 - OEMs/portals and LLMs hand us automotive-intent conversations via Copilot.
-

3. Phase 1 – Stand Up Automotive Copilot Inside Dealers (Dealer Mode)

Goal: Prove that Copilot + our BDC creates more engagement, better follow-up, and more shows/solds at a handful of dealers/groups.

1.1 Choose initial pilot partners

- 3–5 dealers or groups that:
 - Already trust us and use our reporting.
 - Have at least one “champion” who will give feedback.
 - Are okay being on early versions (with visible upside).

1.2 Define Copilot v1 scope (keep it tight)

Surface: pick *one* to start per pilot (you can vary across pilots):

- Dealer website widget, **or**
- SMS assistant, **or**
- Rep-assist (summaries + drafted replies).

Capabilities v1 (must have):

- For shoppers:

- Answer: “Do you have X?”, “What’s my payment look like?”, “Is this vehicle available?”, “Can I book a test drive/service?”
- Always aim to:
 - Capture name + best contact info + consent.
 - Offer handoff: “Do you want a specialist to text/call you?”
- For reps:
 - Summarize calls.
 - Draft first replies for texts/emails.
 - Suggest “next best contact” from recent activity.

Data grounding:

- Inventory feed.
- CRM basics (lead status, recent activity).
- Conversations via vCon (so everything flows into MRI later).

1.3 Implement Copilot and integrate with existing workflows

- Wire Copilot into:
 - Dealer’s website or SMS entry point.
 - Our BDC workflows so humans see Copilot leads immediately.
 - CRM so leads and transcripts land where stores already live.
- Train BDC & store teams on:
 - How Copilot introduces them to customers.
 - How to pick up conversations that Copilot starts.

1.4 Instrument results

For each pilot, track:

- **of Copilot conversations.**
- **of leads created (with usable contact info).**
- **of human handoffs.**
- **of appointments set → shows → sold / ROs.**
- Response time vs non-Copilot leads.

Output: A small set of case studies:

“Dealer X – Copilot on the website generated Y leads/month with Z% show/sold and cut response time by N%.”

4. Phase 2 – Make Dealer MRI the Daily “Brain” for Stores and Groups

Goal: Turn Dealer MRI into the **diagnostic** and “**today’s work list**” that leadership and managers rely on.

2.1 Define Dealer MRI v1

Inputs:

- Calls (metadata + transcripts).
- SMS/chat/email.
- Web leads.
- CRM events (status changes, tasks, notes).
- Copilot interactions (treated like any other conversation).

Core outputs v1:

- **“Today” view:**
 - Hot complaints/unhappy customers.
 - “Save-a-deal” opportunities (strong interest, no next step).
 - Missed follow-ups (no response beyond X hours / days).
- **Store dashboard:**
 - Response times.
 - Engagement by channel.
 - Appointment set/show/sold.
 - Volume by lane (sales, service, BDC).
- **Simple group view (if multi-rooftop):**
 - Compare rooftops on the above metrics.
 - Identify where we’re winning/struggling.

2.2 Deploy MRI to same pilots + a few more

- Roll MRI into the same pilot dealers from Phase 1.
- Add 2–3 more stores that might not have Copilot yet but will benefit from the diagnostic.

2.3 Make MRI part of the weekly operating rhythm

- For each MRI customer, define a simple cadence:
 - Weekly leadership review (15–30 min).
 - Daily “today’s work” list for BDC/management.
- Update internal ops so:
 - Our BDC teams use MRI to prioritize outreach.
 - Our CS managers use MRI to prepare for dealer calls.

2.4 Prove that MRI + Copilot + BDC changes outcomes

Measure and document:

- Deals and ROs “saved” because MRI surfaced them.
- Reduction in missed follow-ups.
- Improvements in show/sold for leads engaged via MRI/Copilot.
- Manager feedback: “I now know what to focus on when I start my day.”

Output:

“Dealer MRI is not just a report. It’s the brain that tells us – and the dealer – what’s happening and what to do today.”

5. Phase 3 – Turn Copilot Into a Network Connector (OEMs / Portals)

Goal: Prove that Automotive Copilot can sit **outside** the dealer’s own site and still route high-intent conversations into the right store.

3.1 Productize Copilot API (Network Mode)

Define a simple API:

- **Input:**
 - Conversation text (or transcript/audio link).
 - Shopper info (zip, make/model interest, sales vs service).
 - Consent flag.
- **Inside:**
 - Normalize to vCon (Vconic).
 - Use our routing rules (brand, geography, group preferences).
 - Create/update lead in the dealer's CRM.
 - Flag in Dealer MRI as "network-originated."
- **Output:**
 - Selected dealer info.
 - Confirmation of lead/CRM ID.
 - Optional "here's what to say next" suggestion.

3.2 Land 1–2 OEM / portal / finance pilots

Candidates:

- An OEM digital retailing flow.
- A marketplace / portal.
- A service or warranty partner with consumer flows.

Offer:

"When your flow detects 'I want to talk to a dealer' or 'I want to book something', send us the conversation + ZIP. Automotive Copilot will select the dealer, create the lead in CRM, keep the shopper warm if needed, and we'll give you full outcome reporting."

3.3 Integrate pilots into MRI and BDC

- Ensure these “network” leads:
 - Show up clearly in Dealer MRI as a special channel.
 - Are prioritized by BDC and store teams.
 - Have clear reporting back to the OEM/portal partner.

Output:

“External flows can plug into Automotive Copilot and push real business into our dealers, with MRI and BDC closing the loop.”

6. Phase 4 – LLM → Copilot → Dealer (The Connector Play)

Goal: Position Automotive Copilot as the **default way** for LLM platforms to hand real automotive shoppers to real dealers.

4.1 Define the “Automotive Intent Handoff” spec

High-level:

- A standard payload for:
 - Conversation history (as vCon).
 - Intent (buy/lease/sell/service).
 - Location and brand constraints.
 - Consent / contact permissions.
- A simple endpoint:
 - “POST here when your user says ‘I want a dealer’.”

4.2 Wrap Copilot API with LLM-friendly docs

- Developer docs that show:
 - Example: user chat → vCon → Copilot endpoint.
 - Simple sandbox mode.
 - Clear guarantees: consent, routing, CRM push, outcome tracking.

4.3 Run a controlled pilot

Start small:

- One region, a few brands.
- One or two front-ends:
 - An OEM-branded assistant.
 - A specific LLM integration / marketplace.

Measure:

- **of LLM-originated conversations.**
- **of successful dealer connections.**

- Appointments / shows / sales from that channel.
- User satisfaction and dealer satisfaction.

Output:

“When any LLM or external assistant sees real automotive intent, Automotive Copilot is the safest, most effective way to turn that into a warm dealer connection, powered by Strolid Auto.”

7. What This Means for Strolid Auto

For our team

- We stop thinking of ourselves as “just BDC + reporting” and lean fully into:
 - **Dealer MRI** = the brain / diagnostic.
 - **Automotive Copilot** = the assistant / connector.
 - **BDC** = the execution engine that runs on top of both.

For investors and partners

- Clear story:
 - We already sit on top of the conversations.
 - We’re becoming the **conversation CRM** for auto retail.
 - We’re building the **copilot and connector** that links shoppers, dealers, OEMs, and LLMs.

Here’s a **single, clean text diagram** you can paste straight into Word (no special formatting, no bullets, no bold).

You can just copy from “SYSTEM OVERVIEW” down:

SYSTEM OVERVIEW – FROM COPILOT → BRAIN → LLM → DEALER

Consumers / External Systems

- Shoppers on dealer websites
- Shoppers in OEM / portal flows
- Shoppers using LLMs (ChatGPT, etc.)

|



Vconic (Infra Layer)

- Captures conversations from all sources
- Normalizes them into vCon (standard format)
- Adds metadata, consent, context



Dealer MRI (Brain)

- Reads all vCons (calls, texts, chats, emails, web leads)
- Looks at CRM / DMS events
- Finds:
 - Hot opportunities and intent
 - Complaints and friction
 - Missed follow-ups
 - Save-a-deal chances
- Produces:
 - “Today’s work” list
 - Store and group dashboards



Automotive Copilot (Action Layer)

Dealer Mode (inside the store)

- Website / SMS / chat / voice assistant for shoppers
- Answers questions (inventory, payment, trade, availability)
- Captures contact info and consent
- Offers smooth handoff to humans
- Rep assist: summaries, drafted replies, next-best action

None

1. Network Mode (outside entry points)
2. - API for OEMs, portals, and LLM platforms
3. - Accepts vCon + intent + location + consent
4. - Selects the right dealer
5. - Creates/updates the lead in CRM
6. - Keeps the shopper warm until the store engages
7. |
8. ▼

Dealer Systems and Teams

- CRM updated with full context and conversation history
- BDC and sales use:
 - Leads and tasks pushed by Copilot
 - “Today’s work” from Dealer MRI
- Managers use Dealer MRI dashboards to run the day
- Outcomes (set / show / sold / RO) feed back into MRI and Vconic

END-TO-END FLOW (SUMMARY)

1. **Shopper talks somewhere (dealer site, OEM site, portal, or LLM).**
2. **Conversation is sent into Vconic and converted into a vCon.**
3. **Dealer MRI analyzes the vCon and decides urgency, opportunity, and ownership.**
4. **Automotive Copilot:**
 - **If external: routes to the right dealer, creates the CRM record, keeps the shopper warm.**
 - **If dealer-owned: answers questions, captures info, and hands off to the team.**
5. **Dealer teams work the lead; Dealer MRI tracks results and improves the next decisions.**

ROLL-OUT TIMELINE (HIGH LEVEL)

Phase 1 – Next 1-2 months

- **Deploy Automotive Copilot (Dealer Mode) on one surface per pilot dealer (website widget, SMS, or rep-assist).**
- **Stand up Dealer MRI v1 for those same pilots:**
 - **“Today’s work” list**
 - **Basic store / group dashboards**
- **Prove lift:**
 - **More leads from Copilot**
 - **Faster response times**
 - **More shows / sold and saved deals**
- **Document 3–5 case studies with clear before/after results.**

Phase 2 – 6 to 18 months

- **Roll out Dealer MRI + Copilot to a larger set of dealers and groups (target: 30–50 rooftops using MRI, 20+ using Copilot).**
- **Productize Automotive Copilot API (Network Mode) for OEMs / portals.**
- **Launch 1–2 pilots with OEM, marketplace, or finance/warranty partners sending conversations into Copilot.**
- **Integrate network-originated leads into MRI and BDC workflows with clear reporting on set / show / sold by channel and partner.**

Phase 3 – 18 to 30+ months

- **Define and publish the “Automotive Intent Handoff” spec (vCon-based payload and simple endpoint).**
- **Wrap Copilot as an LLM-friendly connector:**
 - **Accept conversations from LLM platforms**
 - **Route to dealers**
 - **Push into CRM**

- **Return outcome summaries**
 - **Run limited-region pilots with LLM / marketplace partners.**
 - **Position Strolid Auto as:**
 - **The conversation CRM and brain (Dealer MRI)**
 - **The copilot and connector (Automotive Copilot)**
 - **The exclusive automotive retail vertical on Vconic.**
-