
OneNote
Abhishek Srivastava
head 400
head 300
head 200
head 100
100
200
300
400
10 200
20 300
30 400
40 null


OneNote
Abhishek Srivastava
head
head 400
head 300
head 200
head 100
hff = 400
hff = 400
hff = 400
hff = 400
10
20
30
40
01:12:31 / 03:08:41


OneNote
Abhishek Srivastava
100
10
NULL
200
20
100
300
30
400
400
40
500
500
50
600
600
60
NULL
100
head
prev
cur
prev
cur
head
20 → 10
prev
30 → 40 → 50 → 60
cur
ask your friend to
h_ray the remaining


OneNote File Edit View Insert Format Notebooks Tools Window Help
Wed 30 Apr 9:48 PM
OneNote
Home Insert Draw View Tell me
Share
Text Mode
Lasso Select
Insert Space
Eraser
Pen
Marker
Highlighter
Ink Colour
0.25 mm
0.35 mm
0.5 mm
0.7 mm
1 mm
Abhishek Srivastava
500
10
NULL
HW : create a clone of a linked list
A: 1. create a copy of LL
2. reverse copy
3. check if it matches with org. LL
AS

To **sort** a linked list using the **merge-sort** algorithm we follow three steps

- **divide** the linked list into two sub-lists around the mid-point
- **recursively** sort the two sub-lists
- **merge** the two sorted sub-lists such that the merged list is sorted.



Abhishek Srivastava



01:29.10 / 02.58.38


OneNote
Remove Duplicates from Sorted Linked List I (leetcode)
100
10 200
200
10 300
300
20 400
400
30 500
500
30 600
600
40 NULL
100
head
01shahishreeyam@gmail.com
100
10 300
300
20 400
400
30 600
600
40 NULL
100
head
Abhishek Srivastava


Remove Duplicates from Sorted Linked List II
100
10
200
200
20
300
300
20
400
400
30
500
500
30
600
600
40
NULL
100
head
01shahishreeyam@gmail.com
100
10
600
600
40
NULL
100
head
Abhishek Srivastava

[HW] Remove Duplicates from Sorted Linked List II

10 → 10 → 10 → 20 → 30 → . . . . .

Remove Duplicates from Sorted Linked List II

01shahishreeyam@gmail.com


OneNote
Abhishek Srivastava
om Sorted Linked List II
10 → 10 → 10 → 20 → 30 → .....
* head can change
• try to impl this recursively
• then do it iteratively
from Sorted Linked List II
300
20
400
400
30
500
500
30
600
600
40
NULL
01shahishreeyam@gmail.com