
PROJECT STATUS

FOR2107 First results


Progress toward reproducing the Tozzi framework

75 scans · 67 selected participants · first circuit profiles

23 July 2026 | What the first evidence shows



The scientific idea



Can brain-circuit patterns reveal clinically meaningful subgroups?

Tozzi et al. answered this using a large sample and several scan conditions. Our current analysis tests the same idea using resting-state scans first.

Which scan conditions can we compare?

Tozzi et al.	Relationship	FOR2107
Task-free fMRI scan	**Close**	Resting-state fMRI scan
Conscious Facial Expressions of Emotion Task	**Related**	Face-matching task
Non-conscious Facial Expressions of Emotion Task	**Related**	Subliminal affective-priming task
Go–NoGo Task	**Missing**	No direct equivalent
No equivalent	**Additional**	Episodic memory-encoding task Retrieval is performed outside the scanner

FOR2107 supports a strong **rest-plus-emotion adaptation**. The missing Go–NoGo task prevents an exact multimodal replication; memory encoding offers a separate extension.

Test of the pipeline

75	67	17	50
RESTING-STATE SCANS	SELECTED PARTICIPANTS	CLINICAL	HEALTHY CONTROLS

Achieved

Resting-state circuit profiles can now be produced for every available participant.

First evidence


Different average circuit patterns appear when groups are formed.


Still needed

Task scans, motion assessment, and a larger clinical sample.

Bottom line: the measurement workflow is ready; the evidence for reproducible patient subgroups is not.

What the first results show





Observable

The available data produce distinct average circuit patterns.

Not established

Separation is not stronger than chance, groups are small, and symptoms do not differ reliably.

Outlook

Complete the evidence

Full participant set, task-based measures, and motion assessment.

Challenge the result

Show that the same patterns persist across samples and analysis choices.

Show clinical value

Demonstrate reliable differences in symptoms, behavior, or treatment response.

One design decision remains: without a direct Go/NoGo equivalent, define the goal as either a **partial replication** or a **scientific extension using the closest available task** before analyzing task data.

Current assessment: feasibility demonstrated; replication evidence pending.