

title	Site Context Brief — Cottages at Arcade Springs
date	2026-08-28
address	4535, 4537, 4539 & 4541 Arcade Rd SW, Lilburn, GA 30047 (Gwinnett County; PINs R6123 033 / 015 / 014 / 162; Land Lot 123, 6th District; approx. 33.87985, -84.11968)
skill	site-planner (as:environmental-analysis, as:mobility-analysis, as:demographics-analysis, as:site-history)
status	DRAFT — preliminary planning context; not a sealed document

Site Context Brief — Cottages at Arcade Springs

Project: R-2 rezoning (City of Lilburn, Ord. 2023-603 §402) for a ~44-home, one-story, 55+ (HOPA) detached cottage community on the 9.44-acre four-parcel Arcade Road assemblage. **Purpose of this document:** the site analysis that should inform the first design conversation — climate, hazards, soils, access, transit, the people who live here, the neighbors, and the planning climate — before zoning envelope, programming or pricing. It does not analyze the zoning envelope (see FACTS.md §3 and the ordinance excerpts) and it does not re-price the project (see the 2026-08-25 ledger). **How to read it:** FACTS.md (2026-08-28) is the single source of truth for geometry, topography, the stream, sewer inverts, zoning text and program decisions; nothing here contradicts it. Every number below carries a source and a vintage; items that could not be sourced are marked **Not available** rather than estimated. Straight-line distances are labeled as such; drive distances are free-flow OSRM routing. Four sub-analyses were run in parallel on 2026-08-28 (environmental, mobility, demographics, site history) and are integrated in §7–8.

1. Site identity

The Arcade Springs assemblage is a 9.44-acre, four-parcel "bowling alley" — 236 ft wide at Arcade Rd, 246 ft at the rear, roughly 1,740 ft deep — that runs N28.7°W off a 13,800–15,300-vpd county collector between two very different neighbors: the 1970–71 brick split-levels of King David Manor (no HOA; 2026 FMV median \$349,200) on its northeast line and the 2007–2016 stone-and-shingle estates of Legends at Parkview (HOA; median \$693,500) on its southwest line, with 1970s Nantucket closing the rear. Two houses (1972 and 1987) sit at the front; the rear two-thirds is Piedmont hardwood on eroded Appling–Pacolet clays over gneiss, falling northeast-to-southwest across a mid-strip swale, a 952–958-ft ridge, and a 921-ft pocket where an unnamed headwater of Jackson Creek reaches 30 ft inside the property line. It is Zone X, Seismic Design Category B, Radon Zone 1 and Climate Zone 3A — an ordinary metro-Atlanta building site with one extraordinary dimension: it is a single-frontage strip in a city whose 2024 plan and 2026 draft plan both say, in effect, "single-family only south of the tracks, and match what is there." The site sits inside one of Lilburn's oldest and most owner-occupied census tracts (504.61: 35.5 % aged 55+, 90 % owner-occupied, 67 % of homes built before 1980 — ACS 2020–2024) and is one of the few large infill parcels left on this stretch of Arcade Rd. What makes it distinct is the pairing: a physically constrained sliver that can only ever be one lane of houses, next to a resident population that has no one-story alternative within the city limits — the single 55+ product ever built in Lilburn (Cottages at Noble Village) sold out.

2. Key numbers at a glance

Metric	Value	Source	Vintage
Assemblage	9.44 ac deeded (9.58 GIS); 236–246 ft × ~1,740 ft; only frontage Arcade Rd, ≈237 ft	FACTS §1 (Gwinnett GIS)	2026-08-28
Zoning / plan	R-1 → requested R-2; 2024 Comp Plan "Established Residential"; 2026 draft plan almost certainly "Suburban-Low" — single-family cottages "Appropriate"; "Do not further extend sewer in this area"	FACTS §3; 2026 CPA draft pp. 51–54, 72–73	2026-06-16 draft
Prior case	RZ-2025-01 (MU, 104 condos) tabled 2025-08-28, never heard → no §1003-11 12-month bar apparent	PC minutes	2025-08-28
Flood / seismic / radon	Zone X (panel 13135C0114F, 2006-09-29); SDC B; EPA Radon Zone 1	FEMA NFHL; USGS; GA Radon Program	live / 2023 / 2024
Climate	CZ 3A; 49.7 in rain; HDD 2,767 / CDD 1,882; design DB 21.7 °F / 93.7 °F; dew point 74.2 °F	NCEI 1991–2020; ASHRAE 2021	—
Soils	HSG B Appling/Pacolet/Gwinnett over most of the site; HYB = Helena (HSG D, wet) at the front SW corner; ARE = Ashlar (rock 22–40 in) under both pond sites ; no hydric units	NRCS SDA GA135	2025-09-02
Receiving water	Jackson Creek headwaters — 303(d) Not Supporting (bacteria, bio; urban runoff)	GA EPD 2024 305(b)/303(d)	2024
Walk / Bike Score	5 / 18	Walk Score	2026-08-28

Metric	Value	Source	Vintage
Transit	Ride Gwinnett Route 25 stop at Killian Hill @ Arcado, 0.30 mi ; inside $\frac{3}{4}$ -mi ADA paratransit band; no Sunday service; no microtransit in Lilburn	Ride Gwinnett GTFS 2026-07-02	2026
Arcado Rd	Minor collector, 35 mph, 14,800 AADT (2017) ; left-turn lane not warranted (< 75 lots); ISD 390 ft; access spacing 244 ft (Arcadia Place opposite the NE frontage end)	GDOT via ARC; Gwinnett DOT 2007; UDO \$900	2017 / 2007 / 2014
Fire / EMS	First-due Station 3, 2.9 mi / 6 min; 1,700-ft dead end > IFC D103.4's 750 ft	Gwinnett GIS; OSRM	2026-08-28
Tract 504.61	35.5 % aged 55+; 25.7 % 65+; 90.1 % owner-occupied; 66.9 % built pre-1980; median value \$301,500 (wide MOE)	ACS 2020–2024	2024
ZCTA 30047	70,121 pop; 25.8 % 55+; median HH income \$88,652; 76.0 % owner-occupied; median value \$367,300; ≈8,500 owner-householders 55+	ACS 2020–2024	2024
Lilburn city	15,390 pop (16,369 est. 2025); 25.0 % 55+; 48.2 % Hispanic; 5.43 mills proposed 2026 + new \$40k senior exemption	ACS 2020–2024; PEP; City of Lilburn	2024–2026
Adjoining values	Legends at Parkview 14 abutting lots FMV \$579,100–\$894,600 (median \$693,500); King David Manor 13 lots \$292,800–\$412,500 (median \$349,200); Nantucket 3 lots \$308,400–\$417,000	Gwinnett 2026 digest	2026-01-01
Comparable 55+	Cottages at Noble Village (Lilburn, 1,225–1,450 sf) sold out; resales \$342,500–\$414,900; Soleil Summit Chase (Snellville) mid-\$500s; Saddlebrook ≈\$447k	listing sites	2026-08-28
Market	Lilburn ZHVI \$401,137 (–2.6 % YoY, 2026-06); Redfin Lilburn median \$380,000 (2026-03); FMLS Atlanta detached 4.4 months supply (2026-07)	Zillow; Redfin; FMLS	2026
Neighbor opposition (2025)	Petition 1,025 signatures; six objections — traffic, capacity, air/noise, stormwater , character, spot-zoning	Change.org	2025-08
Site houses / basis	4541: 1972; 4535: 1987 (4,267 sf); 2026 FMV all four \$1,267,600; recorded purchases 2023–24 total \$1,572,500	Gwinnett 2026 digest; listings	2026

3. Environment and climate

Verified geometry, topography, stream, floodplain and sewer facts are in FACTS.md §1–2 and are not restated except where extended. Climate normals are for Atlanta Hartsfield (USW00013874, ~24 mi SW); the nearest Gwinnett station (Norcross, USC00096407, ~7 mi WNW) publishes precipitation normals only.

3.1 Climate (NOAA/NCEI 1991–2020 U.S. Climate Normals; ASHRAE 2021 Handbook of Fundamentals)

Metric	Value	Source	Vintage / accessed
Annual mean max / min / avg temperature	71.9 / 53.2 / 62.6 °F	NCEI normals, USW00013874	1991–2020; accessed 2026-08-28
Annual precipitation	49.71 in (Atlanta); 54.73 in (Norcross)	NCEI normals (Norcross USC00096407)	1991–2020
Wettest / driest months	Jul 5.27 in / Apr 3.36 in — no dry season	NCEI monthly normals	1991–2020
Annual snowfall	2.9 in	NCEI monthly normals	1991–2020
Heating / cooling degree days (base 65)	2,767 / 1,882 (NCEI); 2,578 / 1,969 (ASHRAE)	NCEI; ASHRAE station sheet 722190	1991–2020; ASHRAE POR 1994–2019
July / January mean max–min	89.1–71.3 °F / 52.3–34.3 °F	NCEI monthly normals	1991–2020
ASHRAE heating design dry-bulb	99.6 %: 21.7 °F; 99 %: 26.4 °F	ASHRAE 722190 sheet	2021 HOF
ASHRAE cooling design DB / MCWB	0.4 %: 93.7 / 73.8 °F; 1 %: 91.6 / 73.6 °F; dew point 0.4 %: 74.2 °F	ASHRAE 722190 sheet	2021 HOF

Metric	Value	Source	Vintage / accessed
Record high / low (airport, GHCN-Daily)	106 °F (2012-06-30) / -8 °F (1985-01-21)	NCEI daily summaries	1930–2026-08-24
Climate zone	IECC / ASHRAE 3A (Gwinnett County); Köppen Cfa	ASHRAE 169-2013 Addendum a county table	2020
Prevailing wind	NW Nov–May (27–32 % of hours Dec–Feb); W Jun–Jul; E Aug–Oct; mean 8.6 mph; 6.6 % calm	NCEI hourly normals, wind	1991–2020
Solar noon altitude (computed: 90° – 33.88° ± 23.44°)	Jun 21: 79.6°; equinox: 56.1°; Dec 21: 32.7°	arithmetic	computed
Sunrise / sunset azimuth (computed)	Jun 21: 61° / 299° (14.3 h day); Dec 21: 119° / 241° (9.7 h)	arithmetic	computed

Orientation reading. The lane runs N28.7°W. Houses on the NE side of the lane face SW (front azimuth ≈241°); houses on the SW side face NE (≈61°). In June the sun sets at azimuth 299° and is still at 25° altitude at 5 pm solar time, so the **SW-facing front porches of the NE-side lots and the SW-facing rear patios of the SW-side lots take the hot western sun**; a roof overhang cannot block sun that low. NE-facing fronts (SW-side lots) get morning sun and shaded afternoons — the better porch orientation. Winter noon sun at 32.7° gives useful passive gain to every SW/SE wall.

3.2 Hazards

Hazard	Finding	Source	Vintage/ accessed
Flood	Zone X — Area of Minimal Flood Hazard ; FIRM panel 13135C0114F , effective 2006-09-29 . Confirms FACTS §2. The headwater stream is not a FEMA-mapped watercourse; the local 50 + 25-ft buffer, not a BFE, governs the rear pocket.	FEMA NFHL layer 28 query; panel layer 3	NFHL live; accessed 2026-08-28
Seismic (ASCE 7-22, Risk Cat. II, Site Class D assumed)	SS 0.25 g, S1 0.094 g, SDS 0.21 g, SD1 0.13 g → Seismic Design Category B ; PGA_M 0.12 g	USGS design-values service	2023 NSHM; accessed 2026-08-28
Radon	Gwinnett is one of four Georgia counties in EPA Radon Zone 1 (highest potential). ZIP-level test statistics: Not available (UGA map is graphic-only).	Georgia Radon Program fact sheet, 2024 ; EPA Georgia map	2024 / 1993
Tornado	12 tornado segments in Gwinnett County 1950–2024 (max F/EF2; 2 deaths, 18 injuries); nearest recorded track ≈2 mi (EF0, 2020-10-10)	SPC tornado database ; NWS Peachtree City severe climatology	1950–2024
Ice storm benchmark	Feb 11–13, 2014: ¼ to over ½ in ice accumulation near Atlanta	NWS FFC event page	2014
Air quality (ozone, 2015 8-hr NAAQS)	Atlanta 7-county area incl. Gwinnett: Marginal nonattainment redesignated to maintenance effective 2022-11-16; 2023–2025 area design value 0.073 ppm (above the 0.070 standard); Gwinnett monitor 131350002: 0.067 ppm	EPA Green Book, Georgia ; EPA ozone design values 2023–2025 ; Federal Register 2022-17846	Green Book to 2026-07-31
Termite	Georgia is in the IRC "very heavy" termite infestation probability zone	2021 IRC Fig. R301.2(7) , via PNNL BASC	2021 IRC
Wildfire	Not a factor in the sources consulted; not assessed further	—	—

3.3 Soils and geology (NRCS Soil Data Access, survey area GA135; Gwinnett GIS soils layer)

The seven map units flagged in FACTS §2 resolve as follows. Locations are from 54 point samples of the Gwinnett GIS soils layer on a 100 × 80-ft grid in site-local coordinates (u along the strip from Arcade Rd), so boundaries are approximate.

Unit	Series (NRCS name)	Slope	HSG	Drainage	Depth to rock	Shrink-swell (max LEP)	Hydric	NRCS limitation ratings (septic / dwellings / local roads)	Where on site
AmC2	Appling sandy loam, 6–10 %, moderately eroded	6–10 %	B	Well	none < 2 m	2.1 (low)	No	Somewhat limited / Not limited / Very limited (low strength)	Front half, u 0–800 (lane and NE side)
ApB	Appling–Hard Labor complex, 2–6 % (Appling 60 %, Hard Labor 25 %)	2–6 %	B (Hard Labor C)	Well / moderately well; Hard Labor seasonal water table ≈32 in	none	1.5	No	Hard Labor: very limited septic, somewhat limited dwellings (wetness)	Band at u ≈400–500
PfC2	Pacolet sandy loam, 6–10 %, moderately eroded	6–10 %	B	Well	none	1.8	No	Somewhat limited / Not limited / Somewhat limited	Ridge and NE flank, u 800–1,400; includes the stream-head pocket
GeB2	Gwinnett clay loam, 2–6 %, eroded	2–6 %	B	Well	paralithic 40–60 in	1.5	No	Somewhat limited / Not limited / Somewhat limited	NW corner only (u ≈1,700, SW)
GgE2	Gwinnett loam, 10–25 %, eroded	10–25 %	B	Well	paralithic ≈50 in	1.5	No	Very limited for all (slope)	Rear, u 1,400–1,700
ARE	Ashlar–Rion–Waterree complex, 10–25 %	10–25 %	B	Well	Ashlar: lithic bedrock 22–40 in; Waterree: paralithic 20–40 in	1.5	No	Very limited for all (slope, depth to rock)	Mid swale u 800–1,100 (lane and SW side = Pond 1) and u ≈1,500 SW (Pond 2)
HYB	Helena sandy loam, 2–6 %	2–6 %	D	Moderately well; seasonal high water table ≈24 in	none	3.5 (moderate)	No	Very limited for septic, dwellings, roads and excavations (wetness)	Front SW corner, u 0–200, v ≈ –200 — the amenity block, entry pavement and sewer tie-in area

Sources: [NRCS Soil Data Access](#) (tables mapunit, muaggatt, component, corestrictions, chorizon, cointerp; mukeys 639990, 639929, 639972, 639948, 639953, 640009, 639955; data as of 2025-09-02); [Gwinnett GIS soils layer 1](#); [1967 Soil Survey of Gwinnett County \(archive\)](#). Accessed 2026-08-28.

Findings that extend FACTS:

- **No map unit on site is rated hydric by NRCS.** FACTS §2 asked whether HYB was a hydric floodplain unit at the stream; it is not — HYB is Helena sandy loam (HSG D, water table ≈2 ft, moderate shrink-swell) and it sits at the **front SW corner**, under the planned amenity block and the sewer tie-in, not at the rear pocket. Expect undercut or moisture-conditioned fill, slab moisture detailing and careful pavement subgrade there.
- **Shallow gneiss (ARE, rock at roughly 2–3.5 ft)** underlies exactly the two proposed pond sites and the mid-swale lane crossing — rock-excavation risk for Pond 1, Pond 2 and any deep sewer trench at u 800–1,100. Rock probes before committing detention volumes.
- The "2" suffix (AmC2, PfC2, GeB2, GgE2) marks eroded phases with clayey kaolinitic subsoil exposed: highly erodible during grading, poor infiltration for runoff-reduction practices, and "very limited" for local roads (low strength) on Appling.
- Elsewhere HSG B, low shrink-swell, no water table: good ground for slab-on-grade cottages with conventional footings.
- Bedrock is biotite gneiss / mica schist / amphibolite under a saprolite mantle ([Georgia Geologic Survey 1999 via Macrostrat](#); [USGS HA 730-G](#)).

3.4 Hydrology, receiving waters and buffers

- FACTS §2 topography and stream facts stand (921.6–958.2 ft NAVD88; ridge u 1,080–1,200; low pocket 921.6 ft at u 1,384; headwater stream entering the SW line at u 1,356–1,392; second branch just outside the SW line at u 868–1,038).
- Receiving waters: the site drains SW into the **Jackson Creek** basin (Gwinnett major-basin layer), USGS HUC-12 **030701030307 "Garner Creek–Yellow River"**, Yellow River → Ocmulgee. Sources: [Gwinnett GIS basins, layer 7](#); [USGS WBD](#). Accessed 2026-08-28.
- **Impairment:** Georgia EPD 2024 Integrated 305(b)/303(d) list (EPA-approved 2024-09-03): *Jackson Creek, headwaters to Sweetwater Creek* (GAR030701030315, Gwinnett, 8.4 mi) — **Not Supporting, Categories 4a/5, Bacteria and Bio F (fish community), source: urban runoff, TMDL priority 2025**; Camp Creek headwaters–Jackson Creek (GAR030701030314) 4a Bacteria; Garner Creek (GAR030701030326) 4a Bacteria/Bio F. Source: [GA EPD 2024 305\(b\)/303\(d\) Excel](#).

- Buffer law: O.C.G.A. §12-7-6(b)(15) — 25-ft state buffer "as measured horizontally from the point where vegetation has been wrested by normal stream flow" ([GA EPD Field Guide, Sept 2017](#)); Metro North Georgia Water Planning District Model Stream Buffer Protection Ordinance — 50-ft undisturbed buffer from top of bank plus 25-ft impervious setback (75 ft), sewer easements ≥ 25 ft from top of bank ([MNGWPD](#)). Lilburn applies the 50 + 25 (FACTS §2). Field delineation of "top of bank" at the stream head is the controlling survey item for the rear lots.

3.5 Trees and ecology

- Lilburn Code of Ordinances Ch. 109 Art. V (Buffers, Landscaping and Vegetation; codified through Ord. 2026-665): residential subdivisions must submit a tree preservation plan meeting **16 tree density units (TDU) per acre** (§109-168(3), §109-169), calculated exclusive of zoning-buffer acreage; existing trees ≥ 3 in DBH credited per Table B; **preserved trees ≥ 12 in earn up to 4 $\times$ credit**, plus 50 % in required yards or floodplain; replacement trees per Table C (2-in 0.5 TDU ... 4-in 0.7 TDU); plans by a landscape architect, urban forester or arborist (§109-177). Lilburn has **no "specimen tree" definition** — the term appears only in the rezoning environmental question (Ord. 2023-603 §1003). Source: [Municode, Lilburn Ch. 109 Art. V](#) (accessed 2026-08-28).
- County tree-canopy percentage from a primary source: Not available. USFWS IPaC species screen: not run.
- The wooded rear (u > 1,300: stream head, 75-ft setback, GgE2 slopes) absorbs the 16-TDU requirement at multiplied credit while screening Nantucket Dr — a triple asset.

3.6 Design implications for one-story 55+ cottages (Climate Zone 3A)

- **Cooling-first envelope:** dehumidification drives comfort more than sensible load (0.4 % dew point 74.2 °F); R-49 attic with radiant-barrier decking, tight envelope, low-SHGC glazing on SW/W walls; heat pumps sized to the 93.7 / 73.8 °F design day.
- **Porches:** the 6-ft depth in FACTS §4 is the floor; make west-exposed porches (SW-facing fronts on NE-side lots, rear patios on SW-side lots) 8 ft deep with vertical screening and canopy trees; put the primary outdoor room on the NE side wherever the plan allows.
- **Foundations:** slab-on-grade with zero-step entries suits the HSG B soils and removes crawlspace humidity; add capillary break, sub-slab vapor retarder and a passive radon stack (Zone 1). Plan for undercut on HYB (front SW corner) and rock in ARE at the ponds and mid-swale lane.
- **Termite (very heavy):** treated sills, 6-in clearance to grade, borate-treated framing or shields, no foam-to-grade contact, pre-treatment.
- **Ice-storm resilience:** underground electric in the lane, generator-ready clubhouse (warming center), limb-clear zone over the lane, ice-tolerant street trees.
- **Erosion / stormwater:** eroded kaolinitic subsoils on a NE→SW cross-slope demand phased clearing and immediate stabilization; infiltration-based runoff reduction will test poorly on clay subsoil — favor bioretention with underdrains; confirm the rock line at both ponds before fixing detention volumes; the impaired receiving stream (Jackson Creek, urban runoff) makes the water-quality volume and the preserved creek woods a substantive, not cosmetic, part of the application narrative.

4. Mobility and access

Position check (Gwinnett GIS parcels layer 7 + OpenStreetMap, accessed 2026-08-28): Arcade Rd runs from US-29 in downtown Lilburn southeast to Killian Hill Rd, then southwest past the site to Rockbridge Rd (3.69 mi). At the site the road runs NE–SW and the assemblage lies on its **northwest** side, extending N28.7°W (consistent with FACTS §1). Killian Hill Rd is 0.3 mi NE; Rockbridge Rd 0.7 mi SW; downtown Lilburn 2.0 mi by road. **Arcadia Place (a Lilburn city street) meets Arcade Rd about 60 ft from the assemblage's NE front corner**, i.e. opposite the NE end of the 237-ft frontage. Drive distances/times are OSRM routing on OpenStreetMap (free-flow); straight-line distances are from OSM/Gwinnett GIS coordinates.

4.1 Walkability

Metric	Value	Source	Vintage / accessed
Walk Score (4541 Arcade Rd SW)	5 / 100 — "Car-Dependent"	Walk Score	2026-08-28
Bike Score	18 / 100 — "Somewhat Bikeable"	same	2026-08-28
Transit Score	Not available (not published for the address or the city)	Walk Score Lilburn	2026-08-28
Sidewalk on Arcade Rd at the frontage	Not verified — no public Gwinnett sidewalk inventory found; OSM tags none	Gwinnett GIS hub ; OSM	2026-08-28

Metric	Value	Source	Vintage / accessed
Nearest signal	Arcado Rd @ Killian Hill Rd, 0.3 mi NE (no marked crossings mapped)	OSM Overpass	2026-08-28
Nearest mapped crosswalks	Arcado Rd @ Cole Dr signal, 0.5 mi SW; Arcado @ Rockbridge Rd SW signal, 0.7 mi	OSM Overpass	2026-08-28

4.2 Transit

Item	Value	Source	Vintage / accessed
Nearest fixed route	Ride Gwinnett Route 25 "GTC – Stone Mountain" stops at "Killian Hill Road at Arcado Road": stop 2528 (toward Stone Mountain) 0.30 mi straight-line from the site point; stop 2578 (toward Gwinnett Place Transit Center) 0.31 mi. Walk ≈0.3 mi along Arcado Rd to the Killian Hill signal	Ride Gwinnett GTFS, feed 2026-07-02; Route 25 schedule	feedvalid 2026-07-02 → 2026-12-26
Route 25 corridor and service	GTC → Pleasant Hill Rd → US-29 → Lilburn (Church St @ Library, Main St) → Killian Hill Rd → Five Forks Trickum Rd → Rockbridge Rd → Stone Mountain; 54 stops. Weekday 17 trips, 50-min headway, 6:36 am–7:56 pm (SB) / 6:51 am–8:11 pm (NB); Saturday hourly; no Sunday service. Launched 2023-08-26	GTFS stop_times; Gwinnett news 2023-08-29	feed 2026-07-02
Route 30 "Lilburn – GTC"	Nearest stop Lawrenceville Hwy @ US Postal, 1.5 mi straight-line; ~30-min weekday headway	GTFS; Route 30 schedule	feed 2026-07-02
2026 local network	Routes 10A/10B, 20, 25, 30, 35, 40, 50, 70; Mon–Sat only; Route 45 discontinued 2026-06-27	Routes & schedules	2026-08-28
ADA para transit	Curb-to-curb within ¾ mile of local fixed routes , both trip ends; Mon–Sat, fixed-route hours; certification by application. Site ≈0.3 mi from Route 25 → inside the buffer	Paratransit information	2026-08-28
Microtransit	Snellville, Lawrenceville, Norcross zones only; Lilburn not covered	Microtransit	2026-08-28
2024-11-05 transit referendum	Failed: 53.45 % No (217,007) / 46.55 % Yes (188,977) — 1 % sales tax, 30 yr, ~75 projects incl. countywide microtransit. No dedicated funding for expansion	11Alive ; WSB-TV	2024-11
Gwinnett Senior Services transportation	Age 60+ (or spouse), county residents: assisted door-through-door (medical and non-medical, mileage fee); unassisted curb-to-curb for scheduled non-emergency medical (income-based cost share); senior-center transport. Residents register individually; HOPA residents aged 55–59 are not eligible. Nearest senior center: Centerville (3025 Bethany Church Rd, Snellville) 7.0 mi / 13 min; Lawrenceville 11.7 mi; Norcross distance Not available	Senior Services	2026-08-28
Xpress commuter (ATL/GRTA)	Network restructured 2025-06-16 (27 → 15 routes). Indian Trail P&R (1900 Indian Trail Lilburn Rd NW), 5.6 mi / 11 min: Route 415 (→ Emory) and 416 (→ Downtown), M–F peak only, \$3; Hewatt Rd P&R (2331 Hewatt Rd), 5.2 mi / 11 min: Route 419 → Downtown/Midtown, \$4	Xpress corridor changes; 415; 416; 419	2025-09
MARTA rail	Doraville 12.6 mi / 22 min; Indian Creek 12.1 mi / 25 min	OSRM/OSM	2026-08-28

4.3 Roads and traffic

Metric	Value	Source	Vintage / accessed
Arcado Rd classification	Gwinnett GIS ROADCLASS Minor Collector , county-owned and maintained, inside Lilburn; GDOT functional class 6U Urban Minor Collector	Gwinnett GIS streets, layer 6 ; ARC GDOT counts layer	2026-08-28
Posted speed	35 mph , US-29 to Rockbridge Rd; 25-mph school zones at Killian Hill Christian School and Arcado ES (speed cameras)	Gwinnett Speed Zone Ordinance list (GDOT-approved 2025-09-10)	2025-09
Arcado Rd AADT	GDOT station 135-6689 (between Killian Hill Rd and US-29, 0.58 mi NE of the site): 14,800 (2017) ; 14,500 (2016); 14,200 (2015); 13,300 (2014); trucks 2.2 %. No GDOT station on the Killian Hill–Rockbridge segment. Post-2017 values: Not available (check TADA manually). Consistent with FACTS \$1's 13,800–15,300 vpd	ARC Open Data, GDOT AADT 2008–2017; GDOT TADA	2017

Metric	Value	Source	Vintage / access ed
Killian Hill Rd	GDOT 4U Urban Minor Arterial; station 135-6356 (N of Arcado) 17,200 (2016) ; station 135-0358 (S of Arcado) 20,400 (2017) . Posted 45 mph through the Arcado intersection	same ARC layer; speed-zone list	2017 / 2025
Arcado @ Killian Hill intersection	Signalized. 2017 SPLOST F-1262-03 "Killian Hill Road at Arcado Road Intersection Improvements" — Concept Complete , Tier I, no construction date	2017 SPLOST project handout (as of May 2025)	2025-05
Killian Hill Rd widening	2017 SPLOST F-1262, Church St → Arcado Rd, 2 → 5 lanes — Concept Complete (unchanged since May 2024); limits stop at Arcado Rd; F-1233-02 matching funds (county \$1,400,000 / city \$328,395) listed as a potential county/city project. Lilburn CID once cited \$25M and construction "in 4–5 years" (page now 404). Sidewalk/turn-lane scope and schedule: Not available	same handout; Gwinnett DOT SPLOST program (May 2024) ; Lilburn CID (404)	2025-05
2023 SPLOST nearby	F-1482 Arcado Rd @ CSX crossing (concept; near downtown); M-1353 Paxton Ln @ Killian Hill Rd (design, construction late 2027); F-1498 Killian Hill Rd Trickum MS access (complete). No Arcado Rd sidewalk or road project at the site	2023 SPLOST handout (as of Sept 2025)	2025-09
Gwinnett Destination 2050 CTP	Executive summary names no Arcado Rd project; sidewalk/bike needs "prevalent throughout the county"	CTP executive summary	2024-06
Driveway / access standards (county road)	Gwinnett DOT right-of-way permit. Gwinnett UDO §900-40 Table 900.2 intersection sight distance 390 ft at 35 mph (445 ft at 40; 500 ft at 45; 2-lane, 7.5-s gap, AASHTO Case B1); Table 900.3 access spacing 244 ft centerline-to-centerline at 35 mph ; Table 900.1 minor-collector R/W 60–80 ft	UDO §900-40 ; UDO §900-10 ; ROW permits	UDO 2014
Left-turn-lane warrant	Gwinnett DOT <i>Criteria and Guidelines for Left Turn Lanes</i> (2007-06-20), Table 1 (residential): 2-lane road, 30–35 mph, ADT ≥ 6,000 → left-turn lane required at ≥ 75 lots. 44 lots → not warranted . Counts must be < 2 years old or a developer 24-hr count	Gwinnett DOT left-turn criteria	2007

4.4 Regional access (OSRM / OpenStreetMap, free-flow, accessed 2026-08-28)

Destination	Drive
US-29 @ Killian Hill Rd / @ Arcado Rd–Main St	1.9 mi, 5 min / 2.0 mi, 4 min
Ronald Reagan Pkwy west terminus @ US-29	3.3 mi, 8 min
I-85 exit 102 (Beaver Ruin) / exit 101 (Indian Trail)	6.1 mi, 11 min / 6.2 mi, 13 min
US-78 @ East Park Place; I-285 exit 39 @ US-78	5.7 mi, 13 min; 11.2 mi, 18 min
Downtown Lilburn (City Hall, 340 Main St)	2.0 mi, 5 min
Piedmont Eastside Medical Center (Snellville)	7.7 mi, 17 min
Northside Hospital Gwinnett (Lawrenceville)	10.9 mi, 20 min
Emory Decatur / Emory Hillandale	14.6 mi, 22 min / 16.6 mi, 31 min
Grocery: Kroger 4155 Lawrenceville Hwy / Publix 4045 Five Forks Trickum Rd / Walmart 4004 Lawrenceville Hwy / Publix 375 Rockbridge Rd	2.1 mi / 2.4 mi / 2.6 mi / 3.9 mi
Pharmacy: Killian Hill Pharmacy, 1025 Killian Hill Rd SW	2.2 mi, 5 min
Urgent care: Eastside Urgent Care, 976 Killian Hill Rd SW	2.0 mi, 5 min
Gwinnett Fire Station 3, 4394 Five Forks Trickum Rd — first-due per GIS station-boundary layer	2.9 mi, 6 min (Station 25, 3575 Lawrenceville Hwy 3.5 mi; Station 2, 12 Harmony Grove Rd 4.1 mi)
Lilburn Police HQ, 4600 Lawrenceville Hwy	2.4 mi, 5 min

Hospitals and fire stations from Gwinnett GIS GC_Main layers 22/23/29; amenities from OSM Overpass; [Lilburn Police](#). Gwinnett Fire & Emergency Services publishes ISO 2/2X (2024-05-01), CFAI accreditation and 107,658 calls (2025) but **no response-time statistic — Not available** ([GFES about](#)).

4.5 Trails and bicycle

Camp Creek Greenway: 4.2 mi paved multi-use trail (ADA; sidewalk and boardwalk) linking Lilburn City Park, Lions Club Park and Killian Hill Rd; parking at City Park, Lions Club Park and Velva Ct ([City of Lilburn](#)). Nearest mapped segment 0.9 mi straight-line / 1.4 mi drive; City Park trailhead (76 Main St NW) 1.4 mi / 4 min. **No trail or bike lane exists or is programmed on Arcado Rd or Killian Hill Rd** (OSM; SPLOST lists) — although the 2026 draft plan's Suburban-Low policy calls for a Killian Hill sidepath (§6.5).

Gwinnett Countywide Trails Master Plan: Camp Creek Greenway is a Signature Trail; nearby active items are the Norcross-to-Lilburn Trail at Indian Trail/Beaver Ruin (2017 SPLOST F-1083) and a Southwest Gwinnett Safe Access Study node at Five Forks Trickum @ Killian Hill ([Trails in the works](#)).

4.6 Site-access implications

- **One full-movement driveway** on a 2-lane, 35-mph minor collector at ~14,800 vpd (2017). A left-turn lane is **not warranted** (44 lots < 75) and ~13–14 peak-hour trips fall below the 21-trip TIS threshold (FACTS §3). A right-in/right-out is neither required nor desirable on an undivided road (it would push U-turns to the Killian Hill and Cole Dr signals).
- **Entrance alignment:** Arcadia Place enters Arcado Rd opposite the NE end of the frontage. FACTS §4 places the entrance "centered on the frontage," which would sit roughly 175 ft from Arcadia's centerline — short of the 244-ft spacing in UDO Table 900.3. Either align the lane with Arcadia Place as a four-leg intersection or shift it SW to ≥ 244 ft; settle with Gwinnett DOT and the city at the pre-app.
- **Sight distance:** 390 ft each way at 35 mph (445 ft if DOT applies a 40-mph design speed) on a curved frontage — field survey required.
- **Dead-end lane ~1,700 ft (IFC 2018 App. D103.4, > 750 ft):** no secondary access is possible — the rear abuts Nantucket Dr lots and both long sides abut R-1 lots with no stub streets. Mitigation stays NFPA 13D sprinklers, a 22-ft clear lane and T-turnarounds. First-due fire/EMS is Station 3 at 2.9 mi / 6 min free-flow.
- **Pedestrian link to transit:** the only route to the Route 25 stops is ~0.3 mi along Arcado Rd with no verified sidewalk. Build the 5-ft frontage sidewalk (Lilburn checklist) and ask the county/city to close the gap to Killian Hill — a cheap, credible "transit-served 55+ community" argument since the site is inside the ADA paratransit band.
- School bus: not applicable (HOPA).

5. Demographics and market

Geography (Census Geocoder, accessed 2026-08-28): the site is in Census Tract **504.61** (GEOID 13135050461), Lilburn city (place FIPS **46356**), Gwinnett County (13135), ZCTA 30047. All ACS figures are **2020–2024 5-year** estimates pulled from the data.census.gov table API on 2026-08-28. Tract 504.61 is small (2020 count 2,655; ACS population 2,997 ±771) — its figures are indicative only and carry wide margins of error.

5.1 Headline table

Metric	ZCTA 30047	Lilburn city	Gwinnett County	Tract 504.61	Source (ACS 2020–2024 unless noted)
Population	70,121	15,390	979,864	2,997 (±771)	DP05_0001E
2020 Census / 2010 Census	69,172 / 59,660 ¹	14,502 / 11,596 (+25.1 %)	957,062 / 805,321 (+18.8 %)	2,655 / n.a.	DHC 2020 P1; SF1 2010 P1
Population estimate, July 1 2025	n.a.	16,369	1,018,099	n.a.	Census PEP V2025
Median age	37.5	35.7	36.0	42.4	DP05_0018E
Age 55+ share	25.8 %	25.0 %	23.2 %	35.5 %	DP05_0013/14/24PE
Age 65+ share	14.2 %	16.6 %	11.3 %	25.7 %	DP05_0024PE
Households with a person 65+	30.3 %	37.3 %	23.8 %	53.1 %	DP02_0015PE
Householder 65+ living alone (% of households)	7.1 %	11.9 %	6.2 %	7.6 %	DP02_0009PE + 0013PE
Households / mean household size	21,727 / 3.21	5,065 / 3.01	327,043 / 2.98	1,152 / 2.60	DP02_0001E / 0016E
Median household income (2024 \$)	\$88,652	\$63,581	\$87,890	\$65,000 (±\$37,244)	DP03_0062E
Households earning ≥ \$100k	45.5 %	30.3 %	44.1 %	39.4 %	DP03_0059–61PE
Households with Social Security / retirement income	29.0 % / 21.9 %	35.1 % / 22.1 %	22.4 % / 17.8 %	51.5 % / 43.6 %	DP03_0066 / 0068PE
Poverty rate	15.0 %	22.9 %	10.8 %	1.0 %	DP03_0128PE
Housing units / owner-occupied	22,443 / 76.0 %	5,291 / 61.4 %	340,962 / 66.3 %	1,186 / 90.1 %	DP04_0001E / 0046PE
Median value, owner-occupied	\$367,300	\$329,700	\$380,900	\$301,500 (±\$78,844)	DP04_0089E
Median gross rent	\$1,850	\$1,778	\$1,810	\$2,455	DP04_0134E
1-unit detached share	84.6 %	71.3 %	70.6 %	98.8 %	DP04_0007PE

Metric	ZCTA 30047	Lilburn city	Gwinnett County	Tract 504.61	Source (ACS 2020–2024 unless noted)
Built before 1980	33.4 %	25.6 %	13.9 %	66.9 %	DP04_0022–26PE
Owner units without a mortgage	34.8 %	36.2 %	29.8 %	29.6 %	DP04_0092PE
Zero-vehicle households	2.3 %	3.5 %	3.8 %	1.0 %	DP04_0058PE
Owner-householders aged 55–64 / 65+	23.4 % / 28.0 %	16.4 % / 39.5 %	23.2 % / 23.1 %	9.2 % / 55.5 %	S2502_C04_014–017E
Disability rate, 65–74 / 75+	16.8 % / 46.6 %	13.3 % / 67.9 %	19.3 % / 44.6 %	12.2 % / 81.7 %	S1810_C03_017 / 018E
Bachelor's or higher (25+)	39.9 %	27.9 %	39.0 %	39.0 %	DP02_0068PE
Hispanic / NH White / NH Black / NH Asian	29.0 / 30.0 / 17.7 / 17.8 %	48.2 / 21.0 / 14.2 / 13.5 %	23.7 / 30.6 / 27.8 / 13.2 %	31.2 / 34.6 / 22.3 / 7.5 %	DP05_0090 / 96 / 97 / 99PE
Foreign-born / non-English at home	31.7 / 49.1 %	35.2 / 61.2 %	28.4 / 38.1 %	16.0 / 44.0 %	DP02_0094 / 0114PE
Labor-force participation / ACS unemployment	61.4 / 4.2 %	63.7 / 5.1 %	68.6 / 4.2 %	75.4 / 5.3 %	DP03_0002 / 0009PE
Drove alone / carpool / work-from-home / transit	67.2 / 14.0 / 16.3 / 0.7 %	61.8 / 24.9 / 10.8 / 0.1 %	66.7 / 11.8 / 18.4 / 0.5 %	43.0 / 33.9 / 21.9 / 0.4 %	DP03_0019–24PE
Mean travel time to work	33.5 min	31.9 min	32.8 min	28.1 min	DP03_0025E

¹ 2010 and 2020 ZCTA boundaries differ; not strictly comparable. Sources: [data.census.gov table API \(DP02/03/04/05, S0101, S1810, S2502, DHC 2020 P1/P12, SF1 2010 P1\)](https://data.census.gov/tables/API/DPO2/03/04/05/S0101,S1810,S2502,DHC2020/P1/P12,SF12010/P1); [Census Geocoder](#); [Census PEP V2025 cities and counties](#); [ACS variable dictionary](#). All accessed 2026-08-28.

Lilburn 2020 Decennial age structure (DHC P12): 55+ = 3,685 (25.4 %); 65+ = 1,961 (13.5 %) → ACS 2020–2024 65+ = 16.6 % (2,558 ±531). The city is aging faster than the county.

Industry mix of employed residents (DP03): ZCTA 30047 — education/health 19.1 %, retail 13.3 %, professional/management 13.2 %, construction 12.2 %; Lilburn city — construction 19.6 %, retail 16.0 %, accommodation/food 12.0 %; Gwinnett — education/health 18.8 %, professional 14.9 %, retail 11.9 %.

5.2 Senior-housing demand

- **Local move-down pool** (S2502 × owner-occupied units): owner-householders aged 55+ ≈ 8,500 in ZCTA 30047 (51.4 % of 16,508 owner units), ≈ 1,740 in Lilburn city (55.9 % of 3,110), ≈ 100,000 in Gwinnett (46.3 % of 216,729). One-third of the ZIP's owners carry no mortgage (equity for an all-cash cottage purchase). 33 % of the ZIP's housing and 67 % of the site tract's was built before 1980 — 1970s two-story stock (King David Manor, built ~1970) with no one-level alternative inside the city.
- **Regional forecast:** ARC Series 17 (Feb 2024) — 21-county region 7.9 M by 2050; residents 75+ rise from under 5 % (2020) to about 12 % (926,700) by 2050; Gwinnett 957,062 → 1,200,534 (+25 %) by 2050 ([Rough Draft Atlanta, 2024-02-14](#); [ARC forecasts](#)). Earlier ARC series (AJC, 2019-10-11): Gwinnett 55+ from 177,717 (19.8 %, 2015) to 506,169 (34.1 %, 2050) (AJC). Gwinnett-specific 65+ counts from the Series 17 dashboard: Not available.
- Gwinnett 2045 Unified Plan (adopted 2024-02-20) projects >500,000 new residents by 2045; 65+ figures: Not available ([Gwinnett 2045 Unified Plan](#)). Gwinnett issued RFP RP054-24 (2024-10-09) for a county-wide 60+ senior-services needs assessment (RFP).
- **National product benchmarks** (NAHB Eye on Housing, July 2026, from Census SOC): 47,000 age-restricted starts in 2025 (3.45 % of all starts), 30,000 single-family; median age-restricted SF price **\$523,000**, average 2,500 sf, \$166/sf, average lot 0.19 ac ([NAHB, 2026-07](#)); 17 % of NAHB builders build age-restricted product ([NAHB, 2025-10](#)). NAHB/Wells Fargo HMI: 35 in Aug 2026, below 40 for 15 straight months ([NAHB, 2026-08](#)). NAHB 55+ HMI: Not available (page 404).

5.3 Competitive set (builder/listing sites, accessed 2026-08-28; commercial sources)

Community	City (distance)	Builder	Product	Size (sf)	Price	Years	HOA
Cottages at Noble Village , 4817 Church St NW	Lilburn (~2 mi, downtown)	Seed Capital Investments	gated 55+ 2 BR / 2 BA cottages, zero-step (one listing site calls them attached/condo — verify tenure)	1,225–1,450	opened "\$380s+ / from \$399,900"; resales \$342,500–\$375,000; current list \$414,900; sold out (Jan 2026)	2020–2023	\$93–\$280/mo
Soleil Summit Chase, 3465 Rosebud Rd SW	Snellville	Patrick Malloy Communities	265 detached ranch, gated, clubhouse/pool/pickleball	1,418–2,818	mid-\$500s–high-\$600s (avg ≈ \$570k)	2024–	\$389/mo
Saddlebrook	Snellville	Century Communities	130 detached ranch, gated	1,704–3,098	avg ≈ \$446,600	2017–	n.a.

Community	City (distance)	Builder	Product	Size (sf)	Price	Years	HOA
Gladstone Landing	Snellville	Paran Homes	66 attached TH, master-on-main	1,940–2,029	avg ≈ \$355,800	2019–2022	\$175–\$200/mo
Kelly Preserve	Loganville	n.a.	85 detached, gated	n.a.	\$300k–\$400k	2023–	n.a.
Courtyards at Bailey Farms	Dacula	n.a.	128 detached	n.a.	\$400k–\$700k	2023–	n.a.

Sources: [Cottages at Noble Village \(Jome\)](#), [Homes by Marco](#); [Soleil Summit Chase \(55places\)](#), [PMC pre-sale](#); [Saddlebrook](#); [Gladstone Landing](#); [55places Snellville](#), [55places Lawrenceville](#). Tucker/Stone Mountain 55+ listings: Not available. **No detached 55+ community exists inside Lilburn today; the only Lilburn 55+ product (Noble Village) sold out.**

5.4 Housing market (commercial sources; Zillow/Redfin blocked direct fetch, figures from their indexed pages)

- Zillow ZHVI: Lilburn city \$401,137 (–2.6 % YoY, ~23 days to pending, through 2026-06-30); ZIP 30047 \$386,338 (–0.5 % YoY); Gwinnett \$408,823 (–2.6 % YoY, ~34 days to pending, 2026-07-31) — [Zillow Lilburn](#), [Zillow 30047](#), [Zillow Gwinnett](#).
- Redfin: Lilburn median sale \$380,000 (March 2026, –10.1 % YoY), \$183/sf (+5.2 %), 65 days on market; Gwinnett \$421,000 (three months to June 2026, –1.0 %) — [Redfin Lilburn](#), [Redfin Gwinnett](#).
- Supply: Lilburn months of supply — Not available. Atlanta MSA July 2026 (Georgia MLS): median \$405,000 (+2.5 % YoY), 4.82 months ([GAMLS](#)); FMLS Greater Atlanta July 2026 detached: median \$475,000, 4.4 months, 38 DOM, 98.5 % sale-to-list; attached \$355,180, 6.5 months ([FMLS via Simply List Atlanta, 2026-08-13](#)).
- **Legends at Parkview** (abutting SW): built 2007–2012, 3,300–7,000 sf, 5–7 BR; sales \$625,000 (Jan 2024, 4,286 sf), \$645,000 (Sep 2024, 3,433 sf), \$665,000 (May 2023), \$875,000 (Apr 2022, 5,415 sf); ≈ \$165/sf; HOA "\$760–\$800" (period not stated); lot sizes Not available — [Homes by Marco](#), [neighborhoods.com](#). Consistent with the FACTS \$1 digest range of \$580k–\$895k.
- **King David Manor** (abutting NE): built ~1970, average 1,468 sf (listings 1,482–2,587 sf), no HOA; closed sales \$345,000–\$422,000, median \$383,500 (dates not shown); 206 King David Dr \$332,500 (Aug 2022, 1,700 sf) — [neighborhoods.com](#), [Zillow 206 King David Dr](#).
- **Price positioning for a 1,444–1,600 sf one-story cottage**: Noble Village 1,225–1,450 sf resold at \$342,500–\$375,000 (≈ \$260–\$290/sf); Soleil's 1,418-sf plan sits in a mid-\$500s community; Saddlebrook (1,704 sf+) ≈ \$446k; national age-restricted SF median \$523,000 at 2,500 sf. A \$400–\$450k cottage here would sit between Noble Village and Soleil and above the ZIP's \$367,300 median owner-occupied value. (The project ledger of 2026-08-25 carries the pro-forma; this brief does not re-price.)

5.5 Property tax — a decision-relevant selling point

- 2025 millage (Gwinnett Tax Commissioner, updated 2025-08-26): county general fund 6.95; fire 3.20; recreation 1.00; GCPS M&O 18.70 (adopted 2025-08-13) + school bond 1.45 — county + school inside Lilburn = 31.6 mills; city billed separately ([millage rates](#); [GCPS FY2026 millage](#)). 2026: county general fund held at 6.95 (adopted 2026-08-04) ([Gwinnett news](#)); 2026 school and city rates not final.
- City of Lilburn: 4.43 mills 2015–2025; **5.430 mills proposed for 2026**, adoption at a special called meeting 2026-08-31 (pending as of today); city exemptions: S1R homestead \$10,000, L5 senior (65+) \$10,000, plus an **additional \$40,000 senior exemption beginning 2026** ([Lilburn Taxes](#); [Lilburn news flash](#); [Gwinnett Daily Post, 2025-02-24](#)).
- Gwinnett senior exemptions: **L5A — age 65+, household income ≤ \$124,648 (2026) → 100 % exemption from school M&O and bond (20.15 mills in 2025) on the home and up to one acre**, plus \$10,000 county / \$7,000 recreation; VOE freezes county assessed value for any homesteaded owner ([available exemptions](#); [senior exemption FAQ](#)).
- Illustrative (derived; verify with the Tax Commissioner): \$400,000 cottage at 40 % assessment = \$160,000; non-senior with S1R ≈ \$5,400/yr (2025 rates, county + school + city); owner 65+ with L5A + city L5 + the 2026 \$40k ≈ \$2,300/yr — roughly a 55–60 % cut, and the L5A income cap covers most retirees.

5.6 Employment and economy

- BLS LAUS, Gwinnett County (series LAUCN131350000000003): June 2026 **3.4 %** (preliminary); May 2.9 %; Apr 2.6 %; Georgia 3.6 %, U.S. 4.4 % ([BLS API](#); [GDOL Gwinnett profile, Jul 2026](#)). June 2026 labor force 529,962.
- QCEW 2025 annual average (GDOL): 390,090 jobs; avg weekly wage \$1,314; retail 12.4 %, health care 11.9 %, local government 9.1 %.
- Largest employers (Partnership Gwinnett; vintage not stated): GCPS 19,375; Gwinnett County 8,142; Northside Hospital Gwinnett 3,800 (Lawrenceville); Publix 2,800; **Piedmont Eastside Medical Center 1,200 (Snellville — nearest hospital)** ([Partnership Gwinnett](#)). Gwinnett Chamber major-employer list: Not available (page 404).

5.7 Schools

HOPA 55+ yields zero students (FACTS §2). Cluster: Camp Creek ES / Trickum MS / **Parkview HS — Niche 2026 overall "A", #9 public high school in Gwinnett, #52 in Georgia, 3,216 students, 19:1 (Niche; GCPS profile)**. GCPS capacity data: Not available. The cluster's reputation matters less to the buyer than to the neighbors — it underpins Legends at Parkview values and is why "zero students" is worth stating in the letter of intent.

6. Site history and neighborhood context

Method note: Gwinnett qPublic returned HTTP 403 to every fetch on 2026-08-28; parcel data below is from the Gwinnett Tax Assessor 2026 digest (assessment date 2026-01-01, already extracted to data/owners-found.json) and listing portals. Distances are **straight-line** from the site centroid (33.87985, -84.11968) using OpenStreetMap/Nominatim coordinates unless stated.

6.1 The four parcels

Parcel	Fact	Source	Vintage
4541 Arcado (R6123 033)	Brick split-level built 1972 , 3 BR / 2.5 BA, ~2,053 sf (Zillow ≈1.7k); listing says public sewer; sold 2024-09-06 for \$622,500 combined with 4539 (DB 61414/683); 2026 FMV \$285,000 (land \$60,000 + dwelling \$225,000); 2024 tax \$624	Movoto 4541 ; 2026 digest	accessed 2026-08-28
4539 (015)	Vacant 2.00 ac; 2026 FMV \$87,200 (land only); same 2024 sale	2026 digest	2026-01-01
4537 (014)	"Residual Land" 2.00 ac; 2026 FMV \$6,800 ; sold 2023-07-20 for \$950,000 combined with 4535 (DB 60727/25)	2026 digest	2026-01-01
4535 (162)	Built 1987 , 4,267 sf, 3–4 BR / 4–5 BA, full finished basement, 4.45 ac; 2026 FMV \$888,600 (land \$246,300 + dwelling \$642,300); 2024 tax \$10,098. Listed 2022 at \$1,095,000 → \$975,000; listed 2026-02-12 at \$1,700,000 → \$1,499,000 (2026-03-12) → expired 2026-06-14 (MLS 7718389). Septic vs sewer "not specified" — VERIFY	Movoto 4535 ; 2026 digest	accessed 2026-08-28
Combined 2026 FMV, four parcels	\$1,267,600 (assessor); combined recorded purchase prices 2023–2024: \$1,572,500	2026 digest	2026-01-01
Zoning history on the parcels	Only RZ-2025-01 (R-1 → MU; 104 condos + 24,000 sf commercial). Tabled 2025-08-28 by the Planning Commission for a defective legal ad; never re-advertised; absent from every 2025–2026 PC and Council agenda scanned through PC 2026-08-27. No staff report, PC recommendation or Council vote exists → no denial, so Ord. 2023-603 §1003-11's 12-month bar is not apparently triggered . Formal disposition (withdrawn vs dormant) still needs written confirmation from the Planning Director, since §1003-10 bars withdrawal after advertisement	PC agenda 2025-08-28 ; PC minutes item 4709 ; 2026 agendas _01222026-683 ... _08272026-712	accessed 2026-08-28
Environm ental history	GA EPD Hazardous Site Inventory / UST searches: no Arcado Rd or Killian Hill Rd entries — none found ; no industrial legacy. 4541 on public sewer per listing; 4535 septic status unknown	GA EPD HSI	accessed 2026-08-28
Adjoining R-2 "Arcado Road Tow nhomes"	County zoning layer: TYPE R2, jurisdiction Lilburn, record created 2014-05, modified 2025-02; Gwinnett DWR sewer project S2018D0315 "Arcado Road Townhomes" (the outfall in FACTS §2). Rezoning case number/year: Not available . (The only Arcado Rd townhome rezoning in the press — 255 Arcado Rd, 26 TH, approved 4-0 on 2016-05-10 — geocodes ~0.44 mi NE and is probably a different parcel; VERIFY on the city zoning map)	Gwinnett GIS zoning/sewer layers; AJC 2016	accessed 2026-08-28

6.2 Adjoining subdivisions — character and values

Subdivision	Era / builder	Product	Values (2026 digest FMV of abutting lots; recent sales)	Source
Legends at Parkview (SW side; plat 118/187)	GIS subdivision record 2005-04; sewer permit B2007D0060; homes built 2007–2016; builder Not available	3,433–7,000 sf two-story "Tudor and Traditional," stone/shingle exteriors; HOA (registered agent Liberty Community Management)	14 abutting lots FMV \$579,100–\$894,600 (median \$693,500) ; sales \$612k–\$665k (2023–2024); listings \$625k–\$685k	Homes by Marco ; 2026 digest
King David Manor (NE side; plat S/159, Unit 1)	1970–71; no HOA	Brick split-levels and ranches, 1,482–2,609 sf, lots 0.45–0.76 ac	13 abutting lots FMV \$292,800–\$412,500 (median \$349,200) ; 266 King David Dr \$350,000 (2023-07-27); 206 King David Dr \$332,500 (2022-08); 4531 Arcado (front corner) \$350,300, same owner since 1989	Zillow 206 King David Dr ; 2026 digest

Subdivision	Era / builder	Product	Values (2026 digest FMV of abutting lots; recent sales)	Source
Nantucket (NW end; plats 1/268, 3/73, 4/157)	1975–79; no HOA	1970s traditional / ranch	3 abutting lots FMV \$308,400–\$417,000; 4520 Nantucket Dr \$278,400 (2021-05-14)	Zillow/Trulia; 2026 digest

The site is the seam between a 1970s brick neighborhood on one long side and a 2007–2016 stone-and-shingle estate subdivision on the other; the proposed one-story cottages will be the lowest-massed buildings on the strip, and their values would land between King David Manor and Legends at Parkview.

6.3 Civic and community uses (straight-line distances, OSM/Nominatim)

- **Schools:** Trickum MS 0.46 mi N; Parkview HS (998 Cole Dr SW) 1.44 mi S; Camp Creek ES on the Cole Dr campus ≈1.3 mi (a conflicting geocode at "100 Arcade Rd" 0.81 mi N — VERIFY address); Killian Hill Christian School 0.67 mi; Providence Christian Academy 1.73 mi.
- **Churches:** Iglesia Bautista (St Marks Dr) 0.17 mi; Camp Creek Primitive Baptist (est. 1823) 0.54 mi; Living Way Vietnamese Alliance 0.55 mi; Killian Hill Baptist 0.66 mi; Parkview Christian 0.78 mi; Salem Missionary Baptist (c. 1834) 1.27 mi; First Baptist Lilburn (1840) 1.44 mi; Lilburn Christian Church (314 Arcade Rd) 1.50 mi.
- **Civic:** Lilburn City Park (76 Main St) 0.95 mi; Camp Creek Greenway nearest segment 0.97 mi; City Hall + Gwinnett County Public Library Lilburn branch (340 Main St; opened 2016-10-18, ~19,000 sf library) 1.39 mi; Wynne-Russell House 1.69 mi; Lilburn Activity Building (788 Hillcrest Rd, former library, Gwinnett Parks community rooms) 2.11 mi; BAPS Shri Swaminarayan Mandir (460 Rockbridge Rd NW) 2.46 mi.
- **Senior services:** Sunrise Senior Living (3997 Five Forks Trickum Rd) 1.83 mi; Gwinnett senior centers — Centerville (3075 Bethany Church Rd, Snellville) ≈6 mi, Lawrenceville (225 Benson St) 9.75 mi, Norcross (5030 Georgia Belle Ct) distance Not available; Gwinnett Senior Services Center, 567 Swanson Dr, Lawrenceville.
- **Hospitals:** Piedmont Eastside Medical Center (Snellville) 5.64 mi; Northside Hospital Gwinnett (Lawrenceville) 8.2 mi; Emory Decatur 11.2 mi.
- **Grocery / pharmacy clusters:** Killian Hill Rd / Five Forks Trickum Rd — Publix (4045 Five Forks Trickum) 1.68 mi, Killian Hill Pharmacy 1.79 mi; US-29 / Pleasant Hill — Walmart Supercenter (4004 Lawrenceville Hwy) 1.68 mi, Kroger (4155 Lawrenceville Hwy) 1.72 mi, ALDI 2.0 mi; Rockbridge Rd / Killian Hill — Ingles + CVS 1.96 mi; Rockbridge / US-29 — Publix 2.55 mi, Walgreens 2.44 mi, CVS 2.57 mi.

Sources: OpenStreetMap Overpass + Nominatim (accessed 2026-08-28); [AJC, new Lilburn City Hall and library](#); [Gwinnett news, Lilburn Activity Building](#).

6.4 Architectural character and historic resources

- Lilburn: McDaniel settlement; Seaboard Air Line rail 1890; renamed 1896 for Lilburn Trigg Myers; incorporated 1910; downtown fire 1920; charter dissolved 1939, re-established 1955 ([Wikipedia](#); [Old Town Lilburn history](#)).
- **Wynne-Russell House (1826, Plantation Plain, NRHP 1977)** is the city's only NRHP property, 1.69 mi away ([AJC](#)). The **Old Town Overlay** (design guidelines; Design Review Board created by Ord. 2026-670, adopted 2026-04-13) is the city's only historic/design overlay; the county overlay layer returns **zero features at the site** — no historic district or design overlay touches Arcade Rd ([Ord. 2026-670](#)).
- "Arcado" name origin: Not available (Arcado ES, 1981, was named for the pre-existing road).
- Arcade Rd housing stock: 1965–1987 houses on 0.5–4-ac lots (4423 Arcade 1965; 4541 1972; 4535 1987); King David Manor brick split-levels and ranches (1970–71); Nantucket (1975–79); Legends at Parkview stone/shingle two-story (2007–16). A Table 4.2 "compatibility" argument should rest on one-story massing (lower than every neighbor), brick or stone water tables and porch piers echoing King David Manor's brick and Legends' stone, gable roofs, recessed garages and the 20-ft perimeter buffer.

6.5 Planning context

2024 Comprehensive Plan (ARC-prepared, adopted Feb 2024; [PDF](#)), p. 37 "Established Residential": *"The area is characterized by single-family houses on larger lots, and the street networks are typically curvilinear. There is little vacant land or opportunity for redevelopment, so the existing pattern is expected to continue; however infill parcels offer opportunities for some variety... Higher density development will generally not be encouraged in the area, as other parts of the City already offer a range of housing types."* Other signals: p. 10 — 64 % of survey participants favored "Horizontal Density Increase (Accessory Dwelling Units, **Cottage Courts**, Minimum Lot Requirement Reductions, etc.)" over vertical density; 59 % said Lilburn has the "Right Amount of Senior Housing" and 59 % "Need(s) Less Medium- and High-Density Housing." p. 27 — steering committee's strongest support: live/work, **cottage homes**, ADUs, duplexes. p. 47 work item **H.03: "Incentivize accommodations for aging population and elements of**

visitability (accessible living, masters on main) within all medium and high density residential districts." SWOT (pp. 99–101): "Affordable housing for seniors is needed"; "seniors are moving away"; "No sidewalks down Killian Hill."

2026 Comprehensive Plan Amendment — DRAFT 6.16.26 (TSW, 110 pp; draft; plan page) — not in FACTS; material. The 2024 plan carried the 2019 character-area map forward for lack of consensus; the amendment replaces it with a six-class Future Development Map (Core-High/Medium/Low, Suburban-High/Medium/Low; map p. 52): *"the future development approach recognizes that the Lilburn community wants to retain the character of the neighborhoods south of the railroad tracks. As such, almost all properties—aside from existing commercial and light industrial uses—received the lowest intensity designation"* (p. 51, verified from the PDF text). The site is 0.83 mi **south** of the CSX line, so it is almost certainly **Suburban-Low** (pp. 72–73, verified from the PDF text on 2026-08-28): *"Suburban-Low consists of the remaining residential properties south of the railroad tracks. Its current character includes large-lot single-family, particularly where sewer is lacking. There are some newer single-family developments on smaller lots, but they still exhibit suburban form. Of all designations, Suburban-Low is expected to experience the least change. Any new development is likely to be a one-for-one replacement of an existing house."* Target density: 1–3 stories. Its stoplight chart (p. 73) lists **Single-Family Cottages and Single-Family as "Appropriate"**; rowhouses and quad/tri/duplexes "Appropriate with Considerations — Only at major intersections (e.g., Arcade Road and Killian Hill Road)"; mixed use (vertical and horizontal), multifamily, office, retail, hotel and industrial "Not Appropriate." Other policies (p. 73): **"Do not further extend sewer in this area"**; "Encourage new developments to match existing design character"; "Redesign Killian Hill Road to include a sidepath." Zoning-code strategies (p. 73): "Require new development to orient towards the main corridors and/or regional trails"; "Improve street/block connectivity"; **"Allow for a modest variety of housing types, including single-family cottages and infill"**; "Incorporate site design standards to create a scale of development compatible with existing patterns"; "Require sidewalks." The land-use table (p. 54) defines Single-Family Cottages as *"Small footprint single-family houses typically 1,200 square feet or less. Can be standalone, around a courtyard, or within mixed residential areas"* — the 1,444–1,600-sf plans read as plain "Single-Family," also "Appropriate." Ch. 4 (p. 31) calls Arcade Rd a major corridor with "high speeds, wide crossings... limited pedestrian and bicycle safety." Status: PC close-out hearing 2026-06-25; Council transmittal to DCA 2026-07-13; adoption pending (not on the 2026-08-10 agenda); a **UDO rewrite** is under way (code diagnostic 2026-07-07). Engagement comments in the appendix include "No more density in Parkview Cluster" and "Don't build one more house/townhome/apt community until school population/overcrowding is addressed." **VERIFY the site's Future Development Map class and whether the UDO alters R-2 cottage standards before filing.**

Precedent cases (all accessed 2026-08-28):

- **RZ-2024-01** (4413/4423 Arcade Rd at Killian Hill; MU, 23 TH + commercial, 6.15 du/ac): staff recommended denial for plan non-conformance; **Council denied 2024-06-10** (staff report; minutes).
- **RZ-2014-02 / Ord. 2014-469** (MU, 14.32 ac at Killian Hill/Arcado; opposed by a "Lilburn Rezoning Opposition" petition citing traffic, tree loss, cut-through, schools) → built as The Preserve at Killian Hill townhomes; **Phase 3 MCP approved 2023-03-13 for 24 detached cottage lots** (3,500-sf lots, 40-ft widths, 1,400 sf min) + 14,000 sf commercial (Patch 2014; Preserve Ph. 3 staff report).
- **Annsbury Park** (70 Killian Hill Rd, beside Trickum MS; Stanley Martin): **140 "cottage lot" R-2 subdivision on 27 ac**, 2,067–3,241 sf, \$450k–\$539k, HOA \$104/mo, under construction.
- **Cottages at Noble Village** (Main St roundabout): 55+ one-level 2 BR / 2 BA cottages, ~68 units on 8.5 ac, built 2020–23, sold out; resales \$342,500–\$414,900.
- Downtown pipeline: First & Main (DDA, 21 TH + commercial, site work since 2025-11), Rangewater 269 apartments, six-story Porchline, Main Street Townes (80 rental TH), Young St 68 TH (SUP-2022-02), Downtown Master Concept charrette 2026-02-16/20. RZ-2026-01 (city-initiated, 249 Poplar, OI → R-1) and LAN-26-01 (annexation of 114 Arcade Rd) in June 2026 (2026 agendas).
- **Moratoria:** townhome/MU application moratorium Jan–Apr 2020 (AJC); commercial-building moratorium Res. 2026-01 (2026-02-09) ended 2026-04-13; Res. 2026-10 (2026-08-10) 90-day moratorium on non-residential in the Old Town Overlay. **None affects residential rezonings.** Ord. 2025-657 (2025-10-13) amended §602/§603/Art. 14; "Single-family (cluster-cottage, creative lot configuration)" remains **P** in R-2 (Ord. 2025-657).
- **Gwinnett 2045 Unified Plan** (adopted 2024-02-20): west-Gwinnett "Daily Communities" include "Lilburn Halo," "Parkview," "Killian Hill"; sewer single-family areas are "Traditional+" (townhomes, plexes, cottages, SF appropriate); the R-100 land 314 ft away: class Not available (2045 Unified Plan). The Killian Hill Small Area Plan (adopted 2025-07-22) covers the US-78 node ~4+ mi south, not this site.

6.6 Commercial activity

Lilburn Main St / Old Town (1.4 mi): library, city hall, small storefronts, restaurants, actively redeveloping. US-29 / Pleasant Hill (1.7–2.0 mi): the real grocery and big-box node (Walmart Supercenter, Kroger, ALDI, Nam Dae Mun). Killian Hill / Five Forks Trickum (1.7–1.8 mi): Publix, independent pharmacy, Sunrise Senior Living. Rockbridge / US-29 (2.4–2.6 mi): Publix, CVS, Walgreens, BAPS traffic. The 2026 draft plan calls US-29 "aging commercial properties, large surface parking areas" ripe for mixed

use, and Uptown (US-29/Killian Hill) "not experiencing as much redevelopment demand as Old Town."

6.7 Neighbor sentiment and sensitivities

1. **Petition against RZ-2025-01** — "Protect Our Neighborhoods" (Change.org, started 2025-08-20): **1,025–1,026 signatures**, no updates as of 2026-08-28. Six objections: traffic and fatal accidents on Arcade Rd; school, utility and EMS capacity; air quality, noise and stress "particularly affecting children and seniors"; **stormwater runoff, erosion, flooding**; loss of "quiet, single-family homes" character; spot-zoning precedent ([petition](#)). A 55+ HOPA detached plan at 4.7 du/ac answers traffic, schools and character directly (0 students; ~13–14 PM peak trips) but **not stormwater** — that is where the rebuttal must be strongest, and no pond may discharge toward Village Green Ct.
2. **Organized abutters**: Legends at Parkview has an HOA (registered agent Liberty Community Management); King David Manor and Nantucket have **no HOA**, so those neighbors appear individually.
3. **Council record**: the last Arcade/Killian Hill MU-with-townhomes case was denied (2024-06-10) after a staff denial recommendation; both prior Arcade MU attempts drew petitions. Cottage-lot **R-2** cases, by contrast, are being approved and built (Annsbury Park 140 lots; Preserve Ph. 3 24 cottage lots) — the correct precedents to cite.
4. **Timing**: a 2026-09-25 filing lands mid-adoption of the 2026 plan amendment and the UDO rewrite. Suburban-Low's green light for single-family cottages is an asset; "Do not further extend sewer in this area" is a liability for the rear-phase off-site sewer line and should be pre-negotiated with staff and Gwinnett DWR.

Gaps: qPublic blocked (no deed detail beyond the digest; 4535 septic/sewer unconfirmed); Legends at Parkview builder; "Arcade Road Townhomes" case number; site's exact class on the draft Future Development Map; Gwinnett 2045 class for the nearby R-100 land; Camp Creek ES address conflict; road (vs straight-line) distances not computed.

7. Synthesis — connecting the four analyses

7.1 Opportunities

1. **The plan language has moved toward this product, not away from it.** The 2024 Comprehensive Plan's "Established Residential" text (p. 37) already allowed "infill parcels ... some variety," the 2024 survey favored horizontal density ("Cottage Courts") 64:36, and the 2026 draft amendment's Suburban-Low chart rates Single-Family Cottages and Single-Family "Appropriate" while directing the zoning code to "allow for a modest variety of housing types, including single-family cottages and infill" (draft pp. 54, 73). A one-story detached cottage plan at 4.7 du/ac is the one residential product on the strip that is plan-consistent under both the adopted plan and the draft — the 2025 MU filing and the 2024 MU case at Killian Hill were not.
2. **The buyer lives next door.** Tract 504.61 is 35.5 % aged 55+, 90 % owner-occupied and 67 % pre-1980 housing; ZIP 30047 holds roughly 8,500 owner-householders aged 55+ (ACS 2020–2024), a third of ZIP owners carry no mortgage, and the only 55+ product ever built in Lilburn (Cottages at Noble Village, 1,225–1,450 sf) sold out with resales at \$342k–\$415k. King David Manor's 1970 split-levels are exactly the houses the target buyer is leaving. This is a move-down market inside a single school cluster, which also makes "zero students" a credible, checkable promise to the Parkview-cluster neighbors.
3. **Tax exemptions do the marketing.** Gwinnett's L5A (65+, income ≤ \$124,648 in 2026) removes the 20.15-mill school levy entirely, and Lilburn adds a \$40,000 senior exemption in 2026 — roughly a 55–60 % cut on a \$400k cottage (derived; verify). Few Gwinnett 55+ communities sit inside a city with its own senior exemption.
4. **The physical constraints line up with the program.** The stream head, its 75-ft setback, the GgE2 slopes and the wooded rear ($u > 1,300$) are unbuildable for lots but perfect for the 16-TDU/acre tree requirement (preserved ≥12-in trees earn up to 4× credit), the ≥20 % open-space target and a walking loop — the three things a 55+ HOA wants. Zone X, SDC B, HSG B soils over most of the front 1,300 ft and low shrink-swell favor cheap slab-on-grade, zero-step construction.
5. **Precedent is on the R-2 cottage side.** Annsbury Park (140 R-2 cottage lots by Trickum MS, Stanley Martin, under construction) and The Preserve at Killian Hill Phase 3 (24 cottage lots on 3,500-sf, 40-ft lots, approved 2023-03-13) are the cases to cite; both are on Killian Hill Rd within 1.5 mi and both have smaller lots than the 50 × 100-ft basis here.
6. **The refiling clock is not running.** RZ-2025-01 was tabled on 2025-08-28 for a defective ad and never heard, so no §1003-11 denial bar exists (confirm in writing). The 2025 petition's 1,025 signatures were against a 104-condo MU plan; three of its six objections (traffic, schools, single-family character) are structurally answered by a HOPA detached plan.

7.2 Constraints

1. **"Do not further extend sewer in this area."** The 2026 draft plan's Suburban-Low policy (p. 73) collides with the rear-phase sewer options in FACTS §2 (an off-site 8-in line to the Legends at Parkview main, or a lift station). It does not affect the front ~1,000 ft, which drains by gravity to the existing "Arcade Road Townhomes" outfall manhole (invert 927.13). The lots beyond the $u \approx 1,100$ –1,200 ridge (the FACTS §4 Phase 2) are the ones at risk; the plan-consistency argument for Phase 2 must be made at the pre-app, not discovered at the hearing. Note also that the draft's own text expects "one-for-one replacement of an

existing house" in Suburban-Low — 44 for 2 is a change in kind, and the letter of intent should own that.

2. **Rock and wet ground sit exactly where the engineering wants to dig.** ARE (Ashlar, gneiss at 22–40 in) underlies both proposed ponds (u 800–1,100 and u ≈1,500) and the mid-swale lane; HYB (Helena, HSG D, water table ≈24 in, moderate shrink-swell) underlies the front SW corner where the amenity block, entry pavement and sewer tie-in go. The 2025 hydro basis (10,000 cf/disturbed acre) may not be achievable in rock at the assumed depth. Order rock probes and infiltration tests before the LDP grading plan is drawn.
3. **Stormwater is the neighbors' unanswered objection.** The receiving stream (Jackson Creek headwaters, GAR030701030315) is on Georgia's 2024 303(d) list for bacteria and biology from urban runoff; the site's eroded kaolinitic clays are highly erodible and infiltrate poorly; the cross-slope falls toward Village Green Ct; and "stormwater runoff, erosion, flooding" was objection #4 in the 2025 petition. The design cannot rely on infiltration-based runoff reduction and must show, in the application, that no pond discharges toward the Legends lots.
4. **Sun and heat on the wrong side.** Half the houses (the NE-side lots) front SW into the June sunset (az 267–299°, 25° altitude at 5 pm), in a climate with a 0.4 % design dew point of 74.2 °F and 1,882 cooling degree days; a 6-ft porch will be uninhabitable on summer afternoons. Porch depth, screening and shade trees on that side are a design cost, not an option.
5. **Single frontage, single access, 1,700-ft dead end.** No secondary emergency access is physically possible (FACTS §4); IFC 2018 App. D103.4 makes dead ends over 750 ft a special-approval item; NFPA 13D sprinklers are the accepted mitigation but add cost per unit. Arcade Rd is a 35-mph, 2-lane minor collector at 14,800 vpd (GDOT station 135-6689, 2017 — the latest retrievable). A left-turn lane is not warranted (44 lots is under the 75-lot trigger in Gwinnett DOT's 2007 criteria), but the entrance must clear 390 ft of intersection sight distance each way on a curved frontage, and a frontage-centered entrance would sit ~175 ft from Arcadia Place — under the 244-ft access spacing in Gwinnett UDO Table 900.3 — so the lane either aligns with Arcadia Place or shifts SW. The Killian Hill Rd widening (F-1262, Church St → Arcade Rd, 2 → 5 lanes) and the Arcade/Killian Hill intersection project (F-1262-03) are both only "Concept Complete" with no construction date, so no relief from through-traffic can be assumed in the plan horizon.
6. **Car-dependent by design.** Zero-vehicle households are 1–2 % in the tract and ZIP; transit use to work is under 1 %. Walk Score is 5. The one transit asset is real but thin: Ride Gwinnett Route 25 stops at Killian Hill Rd @ Arcade Rd, 0.30 mi away (weekday 50-min headways, Saturday hourly, no Sunday), which puts the site inside the ¾-mile ADA paratransit band — but the walk is along Arcade Rd with no verified sidewalk. Gwinnett Senior Services transportation is 60+ only, Lilburn has no microtransit zone, and the November 2024 transit referendum failed 53–47, so nothing better is funded. Parking at 2/unit + guest bays is not negotiable downward here the way it would be near transit; the site's walkability story rests on the internal loop and on the (unbuilt) Arcade sidewalk/Killian Hill sidepath, not on destinations.
7. **The hearing lands during a plan and code rewrite.** A 2026-09-25 filing meets PC on 10/22 and Council on 11/9 while the 2026 Comprehensive Plan Amendment is between DCA transmittal (2026-07-13) and adoption and the UDO diagnostic (2026-07-07) is under way. Staff may ask that the case wait for the new code; the risk is delay more than denial.
8. **Neighbors are organized on one side and individual on the other.** Legends at Parkview has an HOA (Liberty Community Management); King David Manor and Nantucket do not. Outreach has to be two different campaigns.

7.3 Cross-cutting connections

- **Environmental × history:** The 1970 King David Manor lots were built before the 1972 Clean Water Act stormwater regime and Lilburn's 1999 tree ordinance; the site's clay subsoil, the 303(d) listing and a petition that named runoff mean the stormwater exhibit will be read more closely than the elevations.
- **Demographics × history:** A 35 %-55+ tract with no HOA on two of three sides is also the tract most likely to supply the petition's signers *and* the cottages' buyers. The same households.
- **Environmental × mobility:** The stream pocket and the ridge that blocks gravity sewer are at the far end of the only lane; Phase 2 is the expensive phase on every axis — sewer, rock, fire access length and plan policy. Sequence the application so Phase 1 (the front ~1,000 ft of lane that drains by gravity) stands alone.
- **Mobility × demographics:** Low car-free share and the L5A exemption argue for a buyer who drives, owns outright and stays — which is also the resident profile that generates the fewest peak trips (0.30/DU) and no students. Say so in the §1003-7 criteria.

8. Recommendations for the design team

1. **Take five questions to the pre-application conference and get the answers in writing before anything is drawn to scale.** (a) Disposition of RZ-2025-01 — tabled, not denied, so no §1003-11 bar (Ord. 2023-603); (b) the site's class on the 2026 draft Future Development Map and how "Do not further extend sewer in this area" (draft p. 73) is read against a Phase 2 line into an already-sewered subdivision versus an on-site lift station; (c) whether staff will hear the case before the UDO rewrite lands; (d) the cottage-home buffer reading (20 ft under Table 4.1; §313(1) coincidence with the rear yard); (e) with Gwinnett

DOT, whether the entrance must align with Arcadia Place or clear 244 ft from it. Items (b), (c) and (e) are new since FACTS was written.

2. **Design Phase 1 to stand alone and make the application about Phase 1.** Every hard constraint clusters at the rear: the ridge that blocks gravity sewer, the stream head and its 75-ft setback, the GgE2 slopes, the rock under Pond 2, the far end of a 1,700-ft dead end, and the draft plan's sewer policy. The front ~1,000 ft drains by gravity to the existing outfall manhole (invert 927.13), sits on HSG B Appling soils and — by derivation from FACTS §4 (1,000 ft of lane, 50-ft lots both sides, less the amenity block at u 20–220 and Pond 1 at u 760–940 on the SW side) — holds on the order of 25 lots plus the amenity block; verify against the site plan. Show Phase 2 as a future phase with its sewer route unresolved rather than letting it carry the case.
3. **Spend the first engineering dollars in the ground, not on renderings.** In addition to the boundary/topographic survey and sewer-invert survey already planned: rock probes at both pond sites and the mid-swale lane crossing (ARE, gneiss at 22–40 in); test pits and an undercut plan at the front SW corner (HYB Helena, water table ≈24 in) where the amenity block, entry pavement and sewer tie-in go; infiltration tests (expect poor on eroded kaolinitic clays — plan bioretention with underdrains); a field delineation of top-of-bank at the stream head; and a certified-arborist inventory of ≥12-in trees in the rear woods for the 16-TDU/acre credit. These decide whether the 2025 hydro basis (10,000 cf per disturbed acre) is achievable and where the lot line at the rear really falls.
4. **Make stormwater and the creek woods the centerpiece exhibit, and run two separate neighbor campaigns.** The receiving stream is 303(d)-listed for urban runoff; the cross-slope falls toward Village Green Ct; and "stormwater runoff, erosion, flooding" was the one 2025 objection a HOPA detached plan does not answer by itself. Show, in the application, that no pond outfalls toward the Legends lots, that the WQv is treated, and that the stream pocket is a recorded conservation area. Then brief the Legends at Parkview HOA (Liberty Community Management) as an organization, and King David Manor and Nantucket — which have no HOA — house by house; the same 55+ households that signed the petition are the cottages' buyers.
5. **Let the climate and the access constraints shape the house and the lane.** NE-side lots front the June sunset (azimuth 267–299°, 25° altitude at 5 pm): give those fronts 8-ft porches with vertical screening and canopy trees, low-SHGC glazing on W/SW walls, and put the primary outdoor room on the NE side of every plan that allows it. Build every house slab-on-grade, zero-step, radon-ready (Zone 1), termite-detailed (very heavy zone) and NFPA 13D-sprinklered (the dead-end mitigation); put electric underground and make the clubhouse generator-ready (2014 ice-storm benchmark). Build the 5-ft frontage sidewalk and ask the county/city to close the ~0.3-mi gap to the Route 25 stop at Killian Hill — the cheapest credible "transit-served 55+" claim available. Keep 2 spaces per unit plus guest bays; at Walk Score 5 and 1–2 % car-free households, parking is not a negotiating chip here.

9. Not available / to verify

- Post-2017 GDOT AADT for Arcade Rd (station 135-6689) — check TADA manually; a developer 24-hr count will be required for the driveway permit in any case.
- Sidewalk presence along the Arcade Rd frontage and to Killian Hill Rd; Walk Score Transit Score; Gwinnett fire/EMS response-time statistics.
- Killian Hill Rd widening (F-1262) scope and schedule beyond "Concept Complete"; whether it adds sidewalks or turn lanes at Arcade.
- The site's exact class on the 2026 draft Future Development Map (inferred Suburban-Low from p. 51 text and location south of the CSX line); whether the UDO rewrite changes R-2 cottage standards; adoption date of the plan amendment.
- Formal disposition of RZ-2025-01 (tabled vs withdrawn vs dormant) — written confirmation from the Planning Director.
- 4535 Arcade Rd septic vs sewer status; qPublic deed detail (site returned 403); Legends at Parkview builder; the adjoining "Arcade Road Townhomes" R-2 case number and year; Camp Creek ES address conflict; Norcross Senior Center distance.
- Gwinnett-specific 65+ forecasts from ARC Series 17; Lilburn months-of-supply; NAHB 55+ HMI; Gwinnett tree-canopy percentage from a primary source; ZIP-level radon test statistics; monthly temperature normals for a Gwinnett station.
- USFWS IPaC species screen (not run); Georgia's adopted ASCE 7 edition (SDC B expected under either).
- Property-tax illustration in §5.5 is derived from published 2025 millage and 2026 exemptions; verify with the Gwinnett Tax Commissioner and the City of Lilburn once the 2026 rates are adopted (city rate hearing 2026-08-31).

10. Principal sources

Every figure above carries its own link; the primary sources are listed once here. All accessed 2026-08-28 unless a vintage is given.

Project facts: [status/cottage-submission-2026-08-28/FACTS.md](#) (Gwinnett GIS parcels/zoning/streets/sewer/streams/floodplain/soils; USGS 3DEP; Lilburn Ord. 2023-603; 2026 Application Instructions; 2024

Comprehensive Plan).

Environment: NCEI U.S. Climate Normals 1991–2020, Atlanta USW00013874 and Norcross USC00096407; ASHRAE 2021 HOF station 722190; ASHRAE 169-2013 Add. a; FEMA NFHL; USGS ASCE 7-22 design values; Georgia Radon Program fact sheet 2024; SPC tornado database 1950–2024; NWS Peachtree City severe-weather climatology and Feb 2014 ice storm; EPA Green Book, Georgia; NRCS Soil Data Access; USGS WBD; GA EPD 2024 305(b)/303(d); GA EPD state-waters buffer field guide 2017; MNGWPD model stream-buffer ordinance; Lilburn Code Ch. 109 Art. V (Municode).

Mobility: Walk Score; Ride Gwinnett GTFS (feed 2026-07-02), routes & schedules, paratransit, microtransit; Gwinnett Senior Services; Xpress; ARC Open Data — GDOT AADT 2008–2017; Gwinnett speed-zone ordinance list (2025-09); 2017 SPLOST project handout (May 2025); 2023 SPLOST project handout (Sept 2025); Gwinnett DOT left-turn-lane criteria (2007); Gwinnett UDO §900-40; Camp Creek Greenway; Gwinnett trails in the works; OpenStreetMap (Overpass, Nominatim, OSRM).

Demographics and market: data.census.gov ACS 2020–2024 5-year (DP02/03/04/05, S0101, S1810, S2502); Census Geocoder; Census PEP V2025; ARC population forecasts; NAHB age-restricted housing characteristics (2026-07); Zillow Lilburn; Redfin Lilburn; Gwinnett Tax Commissioner millage and exemptions; City of Lilburn taxes; BLS LAUS; GDOL Gwinnett profile; Niche — Parkview HS; 55+ community listings (55places, Jome, Homes by Marco).

History and planning: Gwinnett Tax Assessor 2026 digest (data/owners-found.json); 2024 Comprehensive Plan; 2026 Comprehensive Plan Amendment DRAFT 6.16.26; Lilburn Agenda Center (PC and Council 2025–2026); RZ-2024-01 staff report and Council minutes 2024-06-10; Preserve at Killian Hill Ph. 3 staff report; Ord. 2025-657; Ord. 2026-670; Gwinnett 2045 Unified Plan; Change.org petition, RZ-2025-01; AJC, Gwinnett Daily Post and Patch coverage linked in §6; listing portals (Movoto, Zillow, Redfin, Homes by Marco).

Disclaimer: *This is an AI-generated analysis for preliminary planning purposes. All findings must be verified by a licensed professional before use in design, permitting, or regulatory submissions.*