

A
Birds
Superb fairy wrens Canberra, Australia
Hihi Tiritiri Matangi Island, New Zealand
Hihi Karori, New Zealand
Blue tits La Rouvière, France
Blue tits Pirio, France
Blue tits Muro, France
Great tits Wytham Woods, UK
Great tits Hoge Veluwe, the Netherlands
Collared flycatchers Gotland, Sweden
Song sparrows Mandarte Island, Canada
Mammals
Snow voles Graubünden, Switzerland
Red squirrels Kluane, Canada
Spotted hyenas Ngorongoro Crater, Tanzania
Meerkats Kalahari, South Africa
Red deer Isle of Rum, UK
Soay sheep St. Kilda, UK
Bighorn sheep Ram Mountain, Canada
Rhesus macaques Cayo Santiago, Puerto Rico
Yellow baboons Amboseli National Park, Kenya
0.2
0.4
0.6
0.8
1.0
Effective size relative to census, N_e/N
B
Effective size relative to census, N_e/N
1.0
0.8
0.6
0.4
0.2
$G = 1$
$G = 1 - V_A$
curves: κ = 1 (no pair bond) and
κ = 2 (strict monogamy); points at
each population's own κ
10^{-3}
10^{-2}
10^{-1}
10^{0}
V_A
$G = 1$: mode, 50% and 95% HPD
$G = 1 - \hat{V}_A$: mode
No pair bond
Social monogamy