

NEUBIAS: European Network of Bioimage Analysts, paving their way ...



BIAS
Bioimage Data
Analysis Courses
(Kota Miura, EMBL)
2012-2017



15
Training Schools
415 trainees
(almost 1000 applicants)

2012 2013 2014 2015 2016 2017 2018 2019 2020

EuBIAS Symposium
Barcelona Paris





1st Taggathons
(2013-2015)



NEUBIAS Conference
Lisbon, Szeged, Luxembourg,
Bordeaux



50 Short -term Scientific
Missions, 2 books, more ...




Online
Tools
& Repositories



NEUBIAS Academy

- Support Life Scientists, Early Careers, Bioimage Analysts, Facility Staff and Developers
- Provide sustainable material and activities focused on:

Training in Bioimage Analysis



- Series of Webinars and online lectures

<http://neubiasacademy.org>

Today's team



Martin Weigert

Group Leader at EPFL
Machine Learning and Computational Microscopy

Panelists:

We will answer your questions


Olivier Burri
EPFL,
Lausanne



Siân Culley
UCL,
London



Uwe Schmidt
MPI-CBG,
Dresden





Introduction to Nuclei Segmentation with StarDist




Martin Weigert, Olivier Burri, Siân Culley, Uwe Schmidt
Neubias Academy @ Home, April 28th, 2020

The webinar will start 15:40 CEST

If you are already here:


- 1. Please follow the instructions to the right**
- 2. Please answer the short questions in the poll**
(which should popup on your zoom screen)



Webinar Material:

https://github.com/maweigert/neubias_academy_stardist

Speakers/Moderators:



Martin Weigert
EPFL

@martweig



Uwe Schmidt
MPI-CBG, Dresden
 CBG
Max Planck Institute
of Molecular Cell Biology
and Genetics

@uschmidt83



Olivier Burri
EPFL

@ChigureKun



Siân Culley
UCL, London
 UCL


@SuperResoluSian

1. Introduction to nuclei segmentation and StarDist
2. Questions & Answers 1
3. How to use StarDist
4. StarDist in a core facility
5. Questions & Answers 2


Introduction to nuclei segmentation and StarDist

Cell/Nuclei Segmentation in Microscopy

2D - Fluorescence




Data from Caicedo et al, 2019



Data from Anna Maria Tsakiroglou (Manchester)


Cell/Nuclei Segmentation in Microscopy

2D - RGB/Histopathology



H&E stain, data from CancerImagingArchive


2D + time (Brightfield)




Mouse stem cells, data from cell tracking challenge

Cell/Nuclei Segmentation in Microscopy

3D (+time)




Paryphale Data from Ko Sugiyama




C. elegans Data from Dagmar Kainmüller

Computer Vision - Common Problems


Single Object



Multiple Objects




Currently the most successful paradigm: Supervised deep learning




Deep (Convolutional) Neural Networks trained on annotated training data (ground truth, GT)

Our Problem: Nuclei Segmentation




Challenges: many crowded objects, noisy images


Common (DL) approaches for nuclei segmentation



Image




GT




Bottom-Up

First segment, then localize



2 Class U-Net

Ronneberger et al. (2015)




3 Class U-Net

Caicedo et al.(2019)

Top-Down

First localize, then segment




Mask-RCNN


He et al (2017)

- Affinity based methods Wolf, Pape et al. (2018), Hirsch et al. (2020)
- Embedding based methods Neven et al. (2019), Stringer et al. (2020)


Problems for crowded objects



Image




GT




Bottom-Up

First segment, then localize



2 Class U-Net




3 Class U-Net

Mislocalization
Fused segmentation maps

Top-Down





First localize, then segment




Mask-RCNN

Mislocalization
Bounding box overlap > threshold


StarDist: Principle




StarDist: Principle




StarDist: Principle



Non-Maximum-Suppression (NMS)




StarDist: Principle




Important:
Assumes objects are star-convex


Star-Convex









Not Star-Convex



StarDist: Example



Training process




Comparison with common methods


Coffee-Beans (Synthetic)

Predictions


GT




U-Net (2 class)






U-Net (3 class)



Mask-RCNN




StarDist




Comparison with common methods


Coffee-Beans (Synthetic)



DSB 2018 (Kaggle Challenge) Caicedo et al (2019)




Accuracy Measures



low threshold: already slightly overlaps are counted as TP (high AP)

high threshold: only almost complete overlaps are counted as TP (low AP)



Precision

$$\frac{TP}{TP + FP}$$


Recall

$$\frac{TP}{TP + FN}$$

Average Precision (AP)
Accuracy


$$\frac{TP}{TP + FP + FN}$$


Example: crowded lymphoma cells




100 μm

Anna Maria Tsakiroglou (Manchester)






Example: crowded lymphoma cells





Example: Histopathology (H&E stain)



Whole Slide H&E (Sarcoma), (15mm x 6mm, 32k x 14k pixels, 1.35 GB)


Example: Histopathology (H&E stain)






2 mm

Example: Brightfield



StarDist for 3D images

Similar approach:




Additional Considerations:

- Ray choice: Fibonacci Lattice on sphere ~ 96 points
- Data anisotropy: Adjust rays according to GT anisotropy
- Non-Maximum Suppression of large sets of polyhedra (> 2 Mio candidates)

Examples 3D

C. elegans (L1)

- 28 Stacks
- ~15k annotated cells
- almost isotropic resolution




(Kainmueller Lab, MDC Berlin)




Examples 3D

Parhyale hawaiensis

- 6 stacks
- ~1500 annotated cells
- highly anisotropic resolution



(Ko Sugarawa, IGF Lyon)



Questions & Answers 1

How to use StarDist

How to use StarDist



Main python library

```
pip install stardist
```

<https://github.com/mpicbg-csbd/stardist>

- Training and prediction for 2D/3D images
- Neural network backend keras/tensorflow via csbdeep
- Sensible training defaults
- Multi-Core NMS, tiled prediction
- Image normalization
- Segmentation/Detection measures
- Model export to Fiji


```
from stardist.models import StarDist2D, StarDist3D
model = StarDist2D(config, name = "mymodel")
Using default values: prob_thresh=0.5, nms_thresh=0.4.
model.train(X,Y,validation_data=(Xv,Yv))
Epoch 1/400
 53/100 [=====>.....] - ETA: 26s - loc_
t_loss: 8.6035 - prob_kld: 0.3578 - dist_relevant_mae: 8
labels, _ = model.predict_instances(img)
```



Fiji Plugin


<https://imagej.net/StarDist>

- Prediction for 2D images by already trained models
- Scriptable
- CPU and GPU support (via CSBDeep-Fiji by Deborah Schmidt, MPI-CBG)




How to use StarDist on your own data

- 2D data
- similar to pretrained images (H&E, fluorescent nuclei)




- 2D data dissimilar to pretrained
- 3D data



Pretrained Models (2D)



Fluorescence Microscopy
Single Channel



Data Science Bowl 2018
Caicedo et al. (2018)

~ 600 images (2D)
~ 20k annotations

Histopathology
RGB H&E



MoNuSeg
Kumar et al (2017)

~ 30 Images (2D)
~ 22k annotations

Pretrained Models (2D)



```
from stardist.models import StarDist2D

StarDist2D.from_pretrained()


There are 4 registered models for 'StarDist2D':

Name           Alias(es)
_____
'2D_versatile_fluo'  'Versatile (fluorescent nuclei)'
'2D_versatile_he'    'Versatile (H&E nuclei)'
'2D_paper_dsb2018'   'DSB 2018 (from StarDist 2D paper)'
'2D_demo'           None

model = StarDist2D.from_pretrained('2D_versatile_fluo')


labels, _ = model.predict_instances(img)

Found model '2D_versatile_fluo' for 'StarDist2D'.
Loading network weights from 'weights_best.h5'.
Loading thresholds from 'thresholds.json'.
Using default values: prob_thresh=0.479071, nms_thresh=0.3.
```





- Try different scalings
- Invert intensity, RGB -> grayscale,
- Play around with the prob and overlap (NMS) threshold

Demo: Pretrained models in Python and Fiji (2D)



Training of custom models

If the pretrained models do not work on your 2D images (or your data is 3D) you need to training your own model



Data from Silvia Monari, EPFL

- Needs user annotated Image/label pairs
- GPU workstation
- Python
- Training time from scratch:
 - 2D: 30min-2h
 - 3D: 4h-12h

Training of custom models


Demo Jupyter Notebooks for 2D and 3D data that you can adapt and run on your (or your facilities) GPU-workstation



<https://github.com/mpicbg-csbd/stardist/tree/master/examples>


Jupyter Notebooks examples in 2D and 3D

1. Data preparation/inspection
2. Training of the StarDist model
3. Prediction on new images



This screenshot shows the GitHub repository page for 'stardist/examples'. The repository is owned by 'mpicbg-csbd' and has a single branch named 'master'. The 'Code' tab is selected. The repository contains several files and folders:

- 2D: Refine stardist2d calculations and add new test
- 3D: update notebooks and docstring
- other2D: small change in example
- README.md: examples: small fix and add readme
- README.md: (empty)




This screenshot shows the GitHub repository page for 'stardist/examples/2D'. The repository is owned by 'mpicbg-csbd' and has a single branch named 'master'. The 'Code' tab is selected. The repository contains three Jupyter notebook files:

- 1_data.ipynb: Refine stardist2d calculations and add new test
- 2_training.ipynb: small bugfixes
- 3_prediction.ipynb: small bugfixes

Training data generation


Generate corresponding Image/Mask pairs:

2D





Images

3D



Masks



- Image/Mask: tif format
- Mask: Every cell pixel has to have a different label (dense labeling)
- Use crops from different regions/timepoints
- Size: at least 128^2 (2D) or 96^3 (3D)
- Number: $N > 10$ (2D) and $N > 4$ (3D)

Training data generation

```

data/
  └── train
    ├── images
    │   ├── img_1.tif
    │   ├── img_2.tif
    │   ├── img_3.tif
    │   ├── img_4.tif
    │   ├── img_5.tif
    │   └── img_6.tif
    └── masks
        ├── mask_1.tif
        ├── mask_2.tif
        ├── mask_3.tif
        ├── mask_4.tif
        ├── mask_5.tif
        └── mask_6.tif
  └── test
    ├── images
    │   ├── img_6.tif
    │   ├── img_7.tif
    │   └── img_8.tif
    └── masks
        ├── mask_6.tif
        ├── mask_7.tif
        └── mask_8.tif

```

Generate corresponding Image/Mask pairs:


- Image/Mask: tif format
- Mask: Every cell pixel has to have a different label (dense labeling)
- Use crops from different regions/timepoints, e.g.
2D: > 10 of size 128x128
3D: > 4 of size 32x96x96
- Split into (non-overlapping) train and test for validation

Annotation Software (2D)



Fiji/ImageJ

- Draw Roi per object (Roi-Manager)
- Convert to label mask (e.g. see [here](#))



<http://fiji.sc/>


Schindelin et al. (2012)

Schneider, Rasband et al (2012)



Fiji + LabKit

- Directly draw label mask




<https://imagej.net/Labkit>

M. Arzt, MPI-CBG



QuPath

- Draw ROI per object
- Convert to label mask



<https://qupath.github.io>


Bankhead et al. (2017)

Annotation Software (3D)



Fiji + LabKit

- Directly draw label mask
- Reorder z -> t (to not miss a plane)




<https://imagej.net/Labkit>

M. Arzt, MPI-CBG



Painter

- For very large volumes (> GBs)
- Powerful but slightly steeper learning curve




<https://github.com/saalfeldlab/paintera>

P. Hanslovsky, S. Saalfeld et al Janelia







Data Augmentation

Artificially create more training data by transforming existing images/masks into different, yet plausible versions

Original



Flip/90 degree Rotation




Data Augmentation

Artificially create more training data by transforming existing images/masks into different, yet plausible versions

Original

Identity




Identity







Elastic deformation

Elastic





Elastic







Data Augmentation

Artificially create more training data by transforming existing images/masks into different, yet plausible versions


Original



Noise/Intensity shift



Demo: Training of custom models (python)




Webinar Demo on Google Colab
(Click to try it out!)

Where to ask questions / get help?

Github project issues page

- Technical questions
- Bugs, unexpected behavior
- Missing functionality

<https://github.com/mpicbg-csbd/stardist/issues>




The screenshot shows the GitHub project issues page for mpicbg-csbd/stardist. The URL in the address bar is https://github.com/mpicbg-csbd/stardist/issues. The page has a dark theme. At the top, there are navigation links: Pull requests, Issues, Marketplace, Explore. Below that, the repository name mpicbg-csbd / stardist is displayed. The main area shows a list of 13 open issues. One specific issue is highlighted: "#46 opened 6 days ago by VolkerH" with the title "Cannot find pre-trained model "versatile" from Fiji in '.h5` format". Other visible issues include "Where will the predictions be saved after running prediction notebook?" and "Stardist prediction allocates full gpu". There are filters at the bottom left, including a search bar for "is:issue is:open".

Image.sc forum

- Usage questions
- Best practices
- Problems with training/data

<https://forum.image.sc> (use tag “stardist”!)



The screenshot shows a forum post on the Image.sc platform. The URL in the address bar is https://forum.image.sc/t/batch-processing-time-series-with-stardist-in-fiji/36507. The post is titled "Batch Processing Time Series with StarDist in Fiji". It is categorized under "Usage & Issues" and includes tags "fiji, stardist". The post was made by a user named Cameron.Nowell, indicated by a pink circular icon with a white letter 'C'. The message content starts with "Hi All," and continues: "I am finally getting around to play with StarDist in earnest and have hit a snag in batch processing in Fiji with it. The data is 3 channel time series of celltrack/PI/AnnexinV for looking at apoptosis. We have a Fiji macro that has served us well over the years but StarDist is much faster and more robust at pulling out the nuclei. I am hitting a few issues when trying to batch process it however. I am using Stardist with default settings and if I run without activating batch mode it all works fine with Label image output or ROI manager output." The timestamp "10d" is visible at the top right of the post.

StarDist in a core facility

Questions & Answers 2