Field equipment sanitation procedures.
Supporting Document `IndigoCarbon_US-1_2023_0005`

June 27, 2024

Contents

1 Context **1**

2 Inventory Checklist **1**

3 Preparation **2**

4 Procedure **2**

5 Removing Soil **2**

6 Disinfecting Soil Sampling Equipment **2**

7 Sanitizing the UTV **3**

8 Clean-up and Waste Disposal **3**

9 Summary of Changes **3**

1 Context

This document provides work instructions for sanitizing soil sampling equipment and personal protective equipment that contact soil to prevent the spread of soil pathogens and pests. Transferring invasive pests and/or soil pathogens is a major concern between farms as well as across state lines.

Sanitation will be required for all equipment that has touched soil between farm soil sampling**.** For fields under potato production, equipment must be sanitized between fields on the same farm.

2 Inventory Checklist

Table 1: Checklist of supplies required for soil removal and equipment sanitizing

Activity	**Tools**
Soil Removal	Stiff Hand Brush Step Brush Large Brush Screwdriver
Sanitizing Equipment	Bucket Clorox Bleach Water

3 Preparation

- Familiarize yourself with Indigo's field safety protocol.
- Cleaning supplies may act as irritants if materials or vapors contact the eyes, mucous membranes, or skin. Take extra precaution to prevent cleaning supplies from touching skin or clothing.

4 Procedure

- When you have completed sampling on a farm, relocate to the headlands (where there is grass or other covered ground), or to a covered area to prevent the cleaning solution from damaging growers' fields.

5 Removing Soil

- Remove all soil from your equipment and personal items (figure 1).
  - For boots, use a stiff hand brush and/or screwdriver to remove soil from the soles of boots.
  - Use a hand brush and rags to remove soil from the soil probes, drill auger, and other sampling equipment.
  - Use a large brush to remove soil from UTV tires.



Figure 1: Soil removal demonstration

6 Disinfecting Soil Sampling Equipment

- In a bucket, mix 1 part Clorox with 9 parts water to make a 10% Clorox solution.

- If possible, submerge sampling equipment in bucket.
- Using a brush, scrub equipment with cleaning solution over bucket (Figure 2).
- Place equipment down on a surface without direct soil contact.



Figure 2: Disinfecting soil sampling equipment

7 Sanitizing the UTV

- While equipment is left to dry, use the remaining cleaning solution to disinfect the tires of the UTV with a large brush.
- Ensure cleaning solution is applied to entire surface of each tire.

8 Clean-up and Waste Disposal

- Place cleaned equipment back in proper storage area.
- Rinse brushes to remove soils and cleaning solution.
- Dispose of cleaning solution in a safe area.
- Rinse bucket.

9 Summary of Changes

Section	Date	Summary of Changes
-	-	-