

# Automated Test Specification

Overview of all 99 automated test cases on the Doctolib Pre-Check-In platform

**Test Coverage Summary:** Total Tests: 103 | Unit Tests: 33 | Integration Tests: 54 | System Tests (E2E): 16

| ID  | Test Type | Test Case Description                                                 | Suite & File                                            |
|-----|-----------|-----------------------------------------------------------------------|---------------------------------------------------------|
| #1  | Unit Test | should initialize with logged out state                               | auth.js - Client Authentication Manager<br>auth.test.js |
| #2  | Unit Test | should correctly set user info and dispatch event on successful login | auth.js - Client Authentication Manager<br>auth.test.js |
| #3  | Unit Test | should correctly determine praxis role                                | auth.js - Client Authentication Manager<br>auth.test.js |
| #4  | Unit Test | should throw an error when login fails with HTTP error                | auth.js - Client Authentication Manager<br>auth.test.js |
| #5  | Unit Test | should correctly register a user and dispatch authChanged event       | auth.js - Client Authentication Manager<br>auth.test.js |
| #6  | Unit Test | should throw an error when registration fails with HTTP error         | auth.js - Client Authentication Manager<br>auth.test.js |
| #7  | Unit Test | should update user from /api/auth/me on checkSession()                | auth.js - Client Authentication Manager<br>auth.test.js |
| #8  | Unit Test | should set user to null on checkSession() when not logged in          | auth.js - Client Authentication Manager<br>auth.test.js |
| #9  | Unit Test | should handle network error in checkSession() gracefully              | auth.js - Client Authentication Manager<br>auth.test.js |
| #10 | Unit Test | should clear state and dispatch event on logout                       | auth.js - Client Authentication Manager<br>auth.test.js |
| #11 | Unit Test | should handle network error during logout gracefully                  | auth.js - Client Authentication Manager<br>auth.test.js |
| #12 | Unit Test | should fall back to static practices on API failure                   | praxen.js - fetchPraxen()<br>praxen.test.js             |

| ID  | Test Type | Test Case Description                                                         | Suite & File                                        |
|-----|-----------|-------------------------------------------------------------------------------|-----------------------------------------------------|
| #13 | Unit Test | should successfully fetch practices and deduplicate by name                   | <b>praxen.js - fetchPraxen()</b><br>praxen.test.js  |
| #14 | Unit Test | should initialize with default data containing all required fields            | <b>store.js - State Management</b><br>store.test.js |
| #15 | Unit Test | should read the correct termin code from URL search parameters                | <b>store.js - State Management</b><br>store.test.js |
| #16 | Unit Test | should read the correct termin code from hash query parameters                | <b>store.js - State Management</b><br>store.test.js |
| #17 | Unit Test | should fall back to sessionStorage for termin code                            | <b>store.js - State Management</b><br>store.test.js |
| #18 | Unit Test | should fall back to demo_12345 when no termin code is available anywhere      | <b>store.js - State Management</b><br>store.test.js |
| #19 | Unit Test | should set and get values correctly                                           | <b>store.js - State Management</b><br>store.test.js |
| #20 | Unit Test | should remove store entry from sessionStorage on clear()                      | <b>store.js - State Management</b><br>store.test.js |
| #21 | Unit Test | should return false for hasSavedProgress() on fresh/default state             | <b>store.js - State Management</b><br>store.test.js |
| #22 | Unit Test | should return true for hasSavedProgress() when beschwerden freitext is filled | <b>store.js - State Management</b><br>store.test.js |
| #23 | Unit Test | should return true for hasSavedProgress() when medikamente are added          | <b>store.js - State Management</b><br>store.test.js |
| #24 | Unit Test | should return true for hasSavedProgress() when medikamente.keine is checked   | <b>store.js - State Management</b><br>store.test.js |
| #25 | Unit Test | should return true for hasSavedProgress() when allergien chips are selected   | <b>store.js - State Management</b><br>store.test.js |
| #26 | Unit Test | should return true for hasSavedProgress() when navigated past intro steps     | <b>store.js - State Management</b><br>store.test.js |
| #27 | Unit Test | should return false for hasSavedProgress() when submitted is true             | <b>store.js - State Management</b><br>store.test.js |
| #28 | Unit Test | should return true for hasSavedProgress() when a signature exists             | <b>store.js - State Management</b><br>store.test.js |
| #29 | Unit Test | should reset all progress and generate a new session ID                       | <b>store.js - State Management</b><br>store.test.js |
| #30 | Unit Test | should successfully upload a file and update store state                      | <b>store.js - State Management</b><br>store.test.js |
| #31 | Unit Test | should fail upload when server returns error status                           | <b>store.js - State Management</b><br>store.test.js |

| ID  | Test Type        | Test Case Description                                                                | Suite & File                                                                         |
|-----|------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| #32 | Unit Test        | should successfully delete a file and update store state                             | store.js - State Management<br>store.test.js                                         |
| #33 | Unit Test        | should fail delete when API returns error status                                     | store.js - State Management<br>store.test.js                                         |
| #34 | Integration Test | should return 400 if patient registration lacks required fields                      | Backend Auth API -<br>/api/auth/register &<br>/api/auth/login<br>server_auth.test.js |
| #35 | Integration Test | should successfully register a patient with correct hashing and database persistence | Backend Auth API -<br>/api/auth/register &<br>/api/auth/login<br>server_auth.test.js |
| #36 | Integration Test | should deny login for incorrect credentials                                          | Backend Auth API -<br>/api/auth/register &<br>/api/auth/login<br>server_auth.test.js |
| #37 | Integration Test | should authenticate user on correct credentials                                      | Backend Auth API -<br>/api/auth/register &<br>/api/auth/login<br>server_auth.test.js |
| #38 | Integration Test | should return 409 when registering a duplicate email for the same role               | Backend Auth API -<br>/api/auth/register &<br>/api/auth/login<br>server_auth.test.js |
| #39 | Integration Test | should return 400 when password is too short (less than 6 characters)                | Backend Auth API -<br>/api/auth/register &<br>/api/auth/login<br>server_auth.test.js |
| #40 | Integration Test | should successfully register a praxis user with fewer required fields                | Backend Auth API -<br>/api/auth/register &<br>/api/auth/login<br>server_auth.test.js |
| #41 | Integration Test | should return 400 if praxis registration lacks required name fields                  | Backend Auth API -<br>/api/auth/register &<br>/api/auth/login<br>server_auth.test.js |
| #42 | Integration Test | should return 400 if login request has no email or password                          | Backend Auth API -<br>/api/auth/register &<br>/api/auth/login<br>server_auth.test.js |
| #43 | Integration Test | should return 401 if login email is not found in DB                                  | Backend Auth API -<br>/api/auth/register &<br>/api/auth/login<br>server_auth.test.js |
| #44 | Integration Test | should return loggedIn: false for /api/auth/me without active session                | Backend Auth API -<br>/api/auth/register &<br>/api/auth/login<br>server_auth.test.js |

| ID  | Test Type        | Test Case Description                                         | Suite & File                                                                       |
|-----|------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------|
| #45 | Integration Test | ;                                                             | Global<br>server_dashboard.test.js                                                 |
| #46 | Integration Test | ;                                                             | Global<br>server_dashboard.test.js                                                 |
| #47 | Integration Test | should return 403 for buffer-times without praxis session     | Backend Dashboard API -<br>Pufferzeiten (Buffer Times)<br>server_dashboard.test.js |
| #48 | Integration Test | should return buffer times list for authenticated praxis      | Backend Dashboard API -<br>Pufferzeiten (Buffer Times)<br>server_dashboard.test.js |
| #49 | Integration Test | should return 400 when start/end time is missing              | Backend Dashboard API -<br>Pufferzeiten (Buffer Times)<br>server_dashboard.test.js |
| #50 | Integration Test | should return 400 when startTime >= endTime                   | Backend Dashboard API -<br>Pufferzeiten (Buffer Times)<br>server_dashboard.test.js |
| #51 | Integration Test | should return 400 when recurring buffer time has no dayOfWeek | Backend Dashboard API -<br>Pufferzeiten (Buffer Times)<br>server_dashboard.test.js |
| #52 | Integration Test | should successfully create a recurring buffer time            | Backend Dashboard API -<br>Pufferzeiten (Buffer Times)<br>server_dashboard.test.js |
| #53 | Integration Test | should successfully delete a buffer time                      | Backend Dashboard API -<br>Pufferzeiten (Buffer Times)<br>server_dashboard.test.js |
| #54 | Integration Test | should handle DB error on delete gracefully                   | Backend Dashboard API -<br>Pufferzeiten (Buffer Times)<br>server_dashboard.test.js |
| #55 | Integration Test | should return 403 for documents without praxis session        | Backend Dashboard API - Praxis-<br>Dokumente<br>server_dashboard.test.js           |
| #56 | Integration Test | should return documents list for authenticated praxis         | Backend Dashboard API - Praxis-<br>Dokumente<br>server_dashboard.test.js           |
| #57 | Integration Test | should return 400 when title or file data is missing          | Backend Dashboard API - Praxis-<br>Dokumente<br>server_dashboard.test.js           |
| #58 | Integration Test | should successfully upload a praxis document                  | Backend Dashboard API - Praxis-<br>Dokumente<br>server_dashboard.test.js           |
| #59 | Integration Test | should return 404 when document does not exist                | Backend Dashboard API - Praxis-<br>Dokumente<br>server_dashboard.test.js           |
| #60 | Integration Test | should successfully delete a praxis document and its file     | Backend Dashboard API - Praxis-<br>Dokumente<br>server_dashboard.test.js           |

| ID  | Test Type        | Test Case Description                                                      | Suite & File                                                                     |
|-----|------------------|----------------------------------------------------------------------------|----------------------------------------------------------------------------------|
| #61 | Integration Test | should return 403 for accept without praxis session                        | <b>Backend Dashboard API - Warteschlange (Queue)</b><br>server_dashboard.test.js |
| #62 | Integration Test | should accept a patient and set status to in_treatment                     | <b>Backend Dashboard API - Warteschlange (Queue)</b><br>server_dashboard.test.js |
| #63 | Integration Test | should return 404 when accepting an appointment not belonging to praxis    | <b>Backend Dashboard API - Warteschlange (Queue)</b><br>server_dashboard.test.js |
| #64 | Integration Test | should mark treatment as done                                              | <b>Backend Dashboard API - Warteschlange (Queue)</b><br>server_dashboard.test.js |
| #65 | Integration Test | should delay an appointment and store reason                               | <b>Backend Dashboard API - Warteschlange (Queue)</b><br>server_dashboard.test.js |
| #66 | Integration Test | should return exists: false if precheckin does not exist                   | <b>Backend Precheckin API - /api/precheckin</b><br>server_precheckin.test.js     |
| #67 | Integration Test | should return precheckin details if it exists                              | <b>Backend Precheckin API - /api/precheckin</b><br>server_precheckin.test.js     |
| #68 | Integration Test | should return 400 on save when missing sessionId or terminCode             | <b>Backend Precheckin API - /api/precheckin</b><br>server_precheckin.test.js     |
| #69 | Integration Test | should upsert pre-checkin data in DB and perform query successfully        | <b>Backend Precheckin API - /api/precheckin</b><br>server_precheckin.test.js     |
| #70 | Integration Test | should handle submission (submitted=true) and trigger notification queries | <b>Backend Precheckin API - /api/precheckin</b><br>server_precheckin.test.js     |
| #71 | Integration Test | should return 500 when database throws an error on GET                     | <b>Backend Precheckin API - /api/precheckin</b><br>server_precheckin.test.js     |
| #72 | Integration Test | should return appointment details if found in the database                 | <b>Backend Termin API - /api/termin/:code</b><br>server_termine.test.js          |
| #73 | Integration Test | should auto-seed a demo appointment if not found in DB                     | <b>Backend Termin API - /api/termin/:code</b><br>server_termine.test.js          |
| #74 | Integration Test | should return 500 when database throws an error                            | <b>Backend Termin API - /api/termin/:code</b><br>server_termine.test.js          |
| #75 | Integration Test | should return health status with database info                             | <b>Backend Termin API - /api/health</b><br>server_termine.test.js                |
| #76 | Integration Test | should report query failure when DB query fails                            | <b>Backend Termin API - /api/health</b><br>server_termine.test.js                |

| ID  | Test Type        | Test Case Description                                                         | Suite & File                                                                                                |
|-----|------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|
| #77 | Integration Test | should return registered practices from the database                          | Backend Termin API - /api/praxen<br>server_termine.test.js                                                  |
| #78 | Integration Test | ;                                                                             | Backend Termin API - /api/praxen<br>server_termine.test.js                                                  |
| #79 | Integration Test | ;                                                                             | Backend Termin API - /api/praxen<br>server_termine.test.js                                                  |
| #80 | Integration Test | should return 403 without praxis session                                      | Backend Termin API - POST<br>/api/praxis/termine/buchen<br>(Telefonischer Termin)<br>server_termine.test.js |
| #81 | Integration Test | should return 400 when required fields are missing                            | Backend Termin API - POST<br>/api/praxis/termine/buchen<br>(Telefonischer Termin)<br>server_termine.test.js |
| #82 | Integration Test | should successfully create an appointment with Vorname and Nachname           | Backend Termin API - POST<br>/api/praxis/termine/buchen<br>(Telefonischer Termin)<br>server_termine.test.js |
| #83 | Integration Test | should reject booking when slot is already taken                              | Backend Termin API - POST<br>/api/praxis/termine/buchen<br>(Telefonischer Termin)<br>server_termine.test.js |
| #84 | Integration Test | should return 403 without praxis session                                      | Backend Termin API - PUT<br>/api/praxis/termin/:code/duration<br>server_termine.test.js                     |
| #85 | Integration Test | should return 400 when duration is less than 15 minutes                       | Backend Termin API - PUT<br>/api/praxis/termin/:code/duration<br>server_termine.test.js                     |
| #86 | Integration Test | should successfully update appointment duration                               | Backend Termin API - PUT<br>/api/praxis/termin/:code/duration<br>server_termine.test.js                     |
| #87 | Integration Test | should return 404 when appointment does not belong to praxis                  | Backend Termin API - PUT<br>/api/praxis/termin/:code/duration<br>server_termine.test.js                     |
| #88 | System Test      | should successfully guide the patient through the complete questionnaire flow | Doctolib Pre-Check-In E2E System Test (Offline Mode)<br>precheckin.spec.js                                  |
| #89 | System Test      | Next button remains disabled when mandatory complaint fields are empty        | Validierungs-Tests: Pflichtfelder & deaktivierte Buttons<br>precheckin.spec.js                              |
| #90 | System Test      | Submit button remains disabled without confirmation check and signature       | Validierungs-Tests: Pflichtfelder & deaktivierte Buttons<br>precheckin.spec.js                              |
| #91 | System Test      | AI questions Next button remains disabled until all answers are filled        | Validierungs-Tests: Pflichtfelder & deaktivierte Buttons<br>precheckin.spec.js                              |

| ID   | Test Type   | Test Case Description                                                 | Suite & File                                                                  |
|------|-------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------------|
| #92  | System Test | Show error message for invalid appointment code (API returns 404)     | <b>Fehler-Szenarien: API-Fehler und Fehlermeldungen</b><br>precheckin.spec.js |
| #93  | System Test | AI questions show error message when API returns 500                  | <b>Fehler-Szenarien: API-Fehler und Fehlermeldungen</b><br>precheckin.spec.js |
| #94  | System Test | Not logged in: redirect to home page on protected route               | <b>Fehler-Szenarien: API-Fehler und Fehlermeldungen</b><br>precheckin.spec.js |
| #95  | System Test | Praxis dashboard loads and displays practice name correctly           | <b>Praxis-Dashboard E2E Tests (Arzt-Ansicht)</b><br>precheckin.spec.js        |
| #96  | System Test | Praxis dashboard has all three tabs (Calendar, Stats, Questionnaire)  | <b>Praxis-Dashboard E2E Tests (Arzt-Ansicht)</b><br>precheckin.spec.js        |
| #97  | System Test | Tab switching works: Statistics & Appointments tab is displayed       | <b>Praxis-Dashboard E2E Tests (Arzt-Ansicht)</b><br>precheckin.spec.js        |
| #98  | System Test | Praxis user is redirected from patient route to praxis dashboard      | <b>Praxis-Dashboard E2E Tests (Arzt-Ansicht)</b><br>precheckin.spec.js        |
| #99  | System Test | Questionnaire tab displays questionnaire builder editor               | <b>Praxis-Dashboard E2E Tests (Arzt-Ansicht)</b><br>precheckin.spec.js        |
| #100 | System Test | Create appointment: open modal, fill form, and submit successfully    | <b>Praxis-Mitarbeiter Workflows</b><br>precheckin.spec.js                     |
| #101 | System Test | Create appointment: validation shows error on missing required fields | <b>Praxis-Mitarbeiter Workflows</b><br>precheckin.spec.js                     |
| #102 | System Test | Buffer times tab: switch to buffer times panel and back               | <b>Praxis-Mitarbeiter Workflows</b><br>precheckin.spec.js                     |
| #103 | System Test | Live queue loads and displays waiting patients correctly              | <b>Live-Warteschlange E2E Tests</b><br>precheckin.spec.js                     |