

Verifying Distributed Algorithms with Interactive Theorem Provers: A Survey of Approaches

MAXWELL MOIR, University of Canterbury, New Zealand

Formal verification is a topical field in modern Computer Science. Proving the correctness of programs is not only elegant in a theoretical sense, but is often necessary in mission-critical applications. Due to the difficulty in formalizing programs, reliability in industry is often left to automated testing. However, in specific circumstances where correctness must be ensured, formal proofs may be required.

CCS Concepts: • **Theory of computation** → **Logic and verification**.

Additional Key Words and Phrases: distributed systems, formal verification, proof assistants

ACM Reference Format:

Maxwell Moir. 2026. Verifying Distributed Algorithms with Interactive Theorem Provers: A Survey of Approaches. *J. ACM* 000, 0, Article 000 (2026), 4 pages. <https://doi.org/XXXXXXX.XXXXXXX>

1 INTRODUCTION

In an increasingly interconnected world, distributed algorithms play an integral part in much of the software we use on a daily basis. Ensuring these algorithms function as intended protects against failures that may be technically, economically, or even medically, critical.

1.1 Motivation

Distributed systems are famously difficult to implement correctly. Their divided and concurrent nature can often lead to subtle bugs that are difficult to reproduce. Additionally, errors can propagate throughout a system, and partial failures can create unexpected state spaces. For this reason, it is often unrealistic to achieve total coverage with traditional testing. Formal verification can provide a strong guarantee of correctness in these situations. Interactive theorem proving as a verification method is specifically strong for distributed systems, as it can verify correctness in all states without iteratively exploring them. Theorem proving also allows for flexibility such as the parameterization of systems, such as verifying an algorithm for any N nodes.

1.2 Scope of Survey

Other approaches to the verification of distributed algorithms are outside the scope of this survey, except when used as comparison.

1.3 Contributions

For this reason, this survey will explore the verification of distributed algorithms with interactive theorem provers. It provides a taxonomy of different theorem-based verification approaches and frameworks, reviews several common tools, and contrasts with other verification approaches.

Author's address: Maxwell Moir, University of Canterbury, Christchurch, New Zealand, mimo199@uclive.ac.nz.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

© 2026 Copyright held by the owner/author(s). Publication rights licensed to ACM.

ACM 0004-5411/2026/0-ART000

<https://doi.org/XXXXXXX.XXXXXXX>

2 PRELIMINARY

2.1 Distributed Algorithms

Distributed computing is a fundamental field in Computer Science. It concerns the inter-communication between distinct autonomous components in a system. This patterns shows up often, usually when there is a network of multiple devices.

There are several common challenges in distributed computing that are often the targets of formal verification. For example, consensus protocols such as Paxos Another example is Byzantine Fault Tolerance.

2.2 Interactive Theorem Provers

Interactive Theorem Provers, or proof assistants, have seen a recent surge in popularity among computer scientists and mathematicians alike. Proof assistants are tools used to assist with the human development of formal proofs. These formal proofs can then be automatically checked by the machine, ensuring correctness at each stage of the process. Theorem provers are extremely useful in the formal verification of protocols, where they can be used to ensure specific properties of a sytem hold. For this reason proof assistants such as Coq, Lean, Isabelle, and Dafny have become popular for verifying distributed algorithms.

2.3 Verification

Verifying the correctness of a program requires that specific conditions about a system can be shown to hold in certain states. These conditions can be arbitrairily chosen, but usually represent ... The two most notable property categories of a system are "Safety" and "Liveness". A safety property ensures protection against unfavourable events, whereas liveness properties make sure that the program functions as intended.

Fault tolerance is another notable aspect of ensuring a program works as intended. Byzantine fault tolerance, specifically, is a common problem in

3 METHODOLOGY

3.1 Literature Search Strategy

To identify relevant papers, we used a systematic literature search strategy. We chose to query two databases, the ACM digital library and IEEE Xplore. These databases were accessed on April 17 2026.

To ensure the quality of of this review, we decided to follow the PRISMA framework to inform our search strategy. The search strategy can be summarized into multiple steps. First, we curated relevant keywords and constructed seach queries to compile relevant papers based on the guiding questions of the survey. This led to the following seach query:

("proof assistant" OR "theorem prover" OR "mechanized verification" OR "formal verification") AND ("distributed protocol" OR "distributed algorithm")

This query yeilded 213 results from the ACM Digital Library and 49 results from IEEE Xplore.

3.2 Inclusion and Exclusion Criteria

These results were then screened based on standard inclusion and exclusion requirements. Papers primarily focusing on model checking and duplicates were removed. In addition, only papers that explicitly concerned distributed systems and proof assistants were included. This reduced the result count to 37 for ACM and XX for IEEE Xplore. From this point, papers commonly cited in these results were added. From these, the most relevant papers were selected from the remainders.

4 APPROACHES TO VERIFYING DISTRIBUTED ALGORITHMS

4.1 Tools and Common frameworks

There are many languages and frameworks used for the verification of distributed systems. The most commonly used tool in the literature is Rocq *formally*

Verdi [11] Diesel [9]

Iron Fleet [4] Veil [6] TLAPS [2]

4.2 Proof techniques

Inductive invariants Temporal logic based Refinement based Compositional [12] Automation

5 CASE STUDIES

5.1 Consensus

[3],

5.2 Byzantine Fault Tolerance

Another fundamental problem in distributed computing is Byzantine Fault Tolerance. This problem was originally introduced by Lamport et. al [5], and addresses partial malfunction in a distributed system. The problem

BFT [12]

5.3 Blockchain variants

Blockchain consensus [7] Blockchain Byzantine [10]

5.4 Verified software

AWS [1] Mongo [8]

Nam id fermentum dui. Suspendisse sagittis tortor a nulla , in pulvinar ex pretium. Sed interdum orci quis metus euismod, et sagittis enim maximus. Vestibulum gravida massa ut suscipit

6 COMPARATIVE ANALYSIS

6.1 Verification Strategy

In contrast to using an interactive theorem prover, there are several other methods one might use to formally verify a distributed system. Each of these other verification approaches has its own advantages and disadvantages in relation to theorem proving. The two other predominant methods of formally verifying distributed systems are using model checking and manual proofs.

Many solutions to the previously mentioned problems are based on manual proofs. This makes sense, as manual proofs are much more flexible than the other two methods.

Model checking is another approach for verifying the correctness of a distributed system. Model checking expands the state space, exhaustively exploring every possible state and ensuring that the correctness properties hold in each one. Examples of

Theorem proving also has its relative merits. One of the strengths of using an interactive theorem prover is that the state space expansion problem is not an issue. Invariant based theorems will necessarily hold for any transition between states, so there is no need to check them if a system has been verified in this way.

7 CHALLENGES AND FUTURE DIRECTIONS

One of the common criticisms of formal verification is that it is too difficult to apply practically.

... AI

8 CONCLUSION

This paper aims to provide a broad

REFERENCES

- [1] Marc Brooker and Ankush Desai. 2025. Systems Correctness Practices at Amazon Web Services. *Commun. ACM* 68, 6 (June 2025), 38–42. <https://doi.org/10.1145/3729175>
- [2] Denis Cousineau, Damien Doligez, Leslie Lamport, Stephan Merz, Daniel Ricketts, and Hernan Vanzetto. 2012. TLA+ Proofs. *Proceedings of the 18th International Symposium on Formal Methods (FM 2012)*, Dimitra Giannakopoulou and Dominique Mery, editors. Springer-Verlag Lecture Notes in Computer Science 7436 (Jan. 2012), 147–154.
- [3] Digital Equipment Corporation and Leslie Lamport. 2019. *The Part-Time Parliament*. Association for Computing Machinery. <https://doi.org/10.1145/3335772.3335939>
- [4] Chris Hawblitzel, Jon Howell, Manos Kapritsos, Jacob R. Lorch, Bryan Parno, Michael L. Roberts, Srinath Setty, and Brian Zill. 2015. IronFleet: Proving Practical Distributed Systems Correct. In *Proceedings of the 25th Symposium on Operating Systems Principles (SOSP '15)*. Association for Computing Machinery, New York, NY, USA, 1–17. <https://doi.org/10.1145/2815400.2815428>
- [5] Leslie Lamport, Robert Shostak, and Marshall Pease. 2019. The Byzantine Generals Problem. In *Concurrency: The Works of Leslie Lamport*. Association for Computing Machinery, New York, NY, USA, 203–226.
- [6] George Pirlea, Vladimir Gladshtein, Elad Kinsbruner, Qiyuan Zhao, and Ilya Sergey. 2025. Veil: A Framework for Automated and Interactive Verification of Transition Systems. In *Computer Aided Verification: 37th International Conference, CAV 2025, Zagreb, Croatia, July 23–25, 2025, Proceedings, Part III*. Springer-Verlag, Berlin, Heidelberg, 26–41. https://doi.org/10.1007/978-3-031-98682-6_2
- [7] George Pirlea and Ilya Sergey. 2018. Mechanising Blockchain Consensus. In *Proceedings of the 7th ACM SIGPLAN International Conference on Certified Programs and Proofs*. ACM, Los Angeles CA USA, 78–90. <https://doi.org/10.1145/3167086>
- [8] William Schultz, Ian Dardik, and Stavros Tripakis. 2022. Formal Verification of a Distributed Dynamic Reconfiguration Protocol. In *Proceedings of the 11th ACM SIGPLAN International Conference on Certified Programs and Proofs (CPP 2022)*. Association for Computing Machinery, New York, NY, USA, 143–152. <https://doi.org/10.1145/3497775.3503688>
- [9] Ilya Sergey, James R. Wilcox, and Zachary Tatlock. 2017. Programming and Proving with Distributed Protocols. *Proc. ACM Program. Lang.* 2, POPL (Dec. 2017), 28:1–28:30. <https://doi.org/10.1145/3158116>
- [10] Pierre Tholoniati and Vincent Gramoli. 2022. Formal Verification of Blockchain Byzantine Fault Tolerance. In *Handbook on Blockchain*, Duc A. Tran, My T. Thai, and Bhaskar Krishnamachari (Eds.). Vol. 194. Springer International Publishing, Cham, 389–412. https://doi.org/10.1007/978-3-031-07535-3_12
- [11] James R. Wilcox, Doug Woos, Pavel Panchekha, Zachary Tatlock, Xi Wang, Michael D. Ernst, and Thomas Anderson. 2015. Verdi: A Framework for Implementing and Formally Verifying Distributed Systems. In *Proceedings of the 36th ACM SIGPLAN Conference on Programming Language Design and Implementation (PLDI '15)*. Association for Computing Machinery, New York, NY, USA, 357–368. <https://doi.org/10.1145/2737924.2737958>
- [12] Qiyuan Zhao, George Pirlea, Karolina Grzeszkiewicz, Seth Gilbert, and Ilya Sergey. 2024. Compositional Verification of Composite Byzantine Protocols. In *Proceedings of the 2024 on ACM SIGSAC Conference on Computer and Communications Security (CCS '24)*. Association for Computing Machinery, New York, NY, USA, 34–48. <https://doi.org/10.1145/3658644.3690355>