

# IPv6 at Home

## NAT64, DNS64, OpenVPN

Maksim Melnikau

# IPv6

ifconfig eth0

Link encap:Ethernet HWaddr 52:54:00:03:c2:e6

inet addr:31.130.202.37 Bcast:31.130.202.63 Mask:255.255.255.192

# IPv6

ifconfig eth0

Link encap:Ethernet HWaddr 52:54:00:03:c2:e6

inet addr:31.130.202.37 Bcast:31.130.202.63 Mask:255.255.255.192

inet6 addr: fe80::5054:ff:fe03:c2e6/64 Scope:Link

# IPv6

ifconfig eth0

Link encap:Ethernet HWaddr 52:54:00:03:c2:e6

inet addr:31.130.202.37 Bcast:31.130.202.63 Mask:255.255.255.192

inet6 addr: fe80::5054:ff:fe03:c2e6/64 Scope:Link

inet6 addr: 2001:67c:2268:1003:5054:ff:fe03:c2e6/64 Scope:Global

# IPv6 in Belarus

## Providers

- ▶ MTS\*
- ▶ Velcom\*
- ▶ who else ?!

host google.com

google.com has address 173.194.112.32

google.com has IPv6 address 2a00:1450:4001:801::1003

# VPS with IPv6 (1/2)

## Requirements

- ▶ IPv6 address
- ▶ subnet /64
- ▶ as closer as possible

# VPS with IPv6 (1/2)

## Requirements

- ▶ IPv6 address
- ▶ subnet /64
- ▶ as closer as possible

## Advertisement

- ▶ <http://www.datahata.by/>



## VPS with IPv6 (2/2)

```
ping6 -c 1 -n google.com
```

```
PING google.com(2a00:1450:4001:c02::8a) 56 data bytes  
64 bytes from 2a00:1450:4001:c02::8a: icmp_seq=1 ttl=55 time=46.5 ms
```

```
--- google.com ping statistics ---
```

```
1 packets transmitted, 1 received, 0% packet loss, time 0ms  
rtt min/avg/max/mdev = 46.518/46.518/46.518/0.000 ms
```




# OpenVPN

`/etc/openvpn/server.conf`

```
dev tun
tun-ipv6
push tun-ipv6
push "route-ipv6 2000::/3"
push "dhcp-option DNS 31.130.202.37"      # nat64/dns64
server-ipv6 2001:67c:2268:1007:1::/64
```

`/etc/sysctl.conf`

```
net.ipv6.conf.all.forwarding=1
net.ipv6.conf.all.accept_ra=2
```



## NAT64, DNS64 (2/3)

[/etc/tayga.conf](#)

```
prefix 2001:67c:2268:1007:ffff::/96
```

[/etc/bind/named.conf.options](#)

```
options {  
    listen-on-v6 { any; };  
    allow-query { any; };  
    dns64 2001:67c:2268:1007:ffff::/96 {  
        clients { any; };  
    };  
};
```

## NAT64, DNS64 (3/3)

host `mlug.linux.by`

`mlug.linux.by` has address `216.59.3.46`

`mlug.linux.by` has IPv6 address `2001:67c:2268:1007:ffff:0:d83b:32e`

`curl -6 -v 'http://mlug.linux.by'`

```
* Rebuilt URL to: http://mlug.linux.by/
* Hostname was NOT found in DNS cache
*   Trying 2001:67c:2268:1007:ffff:0:d83b:32e...
> GET / HTTP/1.1
...
< HTTP/1.1 200 OK
...
```

# Demo

# Thank You. Questions

Maksim Melnikau

<mailto:maxposedon@gmail.com>

<https://plus.google.com/+MaksimMelnikau>

<http://en.wikipedia.org/wiki/IPv6>

<https://community.openvpn.net/openvpn/wiki/IPv6>

<https://ipvsix.me/?p=106>

<http://www.datahata.by/>