## Package 'Lab5'

October 21, 2015

1
4
y a

q

## **Format**

```
List of 10
$ url
        : chr "http://www.val.se/val/val2014/statistik/2014_riksdagsval_per_kommun.xls"
 $ status code: int 200
 $ headers :List of 9
                  : chr "Wed, 21 Oct 2015 08:37:23 GMT"
  ..$ date
                  : chr "Apache"
  ..$ server
  ..$ last-modified : chr "Fri, 03 Oct 2014 06:18:22 GMT"
  ..$ etag : chr "\"10c358-1d400-5047eb32cc780\""
  ..$ accept-ranges : chr "bytes"
  ..$ content-length: chr "119808"
  ..$ cache-control : chr "max-age=3600"
  ..$ expires : chr "Wed, 21 Oct 2015 09:37:23 GMT"
  ..$ content-type : chr "application/vnd.ms-excel"
  ..- attr(*, "class")= chr [1:2] "insensitive" "list"
 $ all_headers:List of 1
  ..$ :List of 3
  ....$ status : int 200
  .. ..$ version: chr "HTTP/1.1"
  ....$ headers:List of 9
  .....$ date : chr "Wed, 21 Oct 2015 08:37:23 GMT"
  .. ... server
                       : chr "Apache"
  .....$ last-modified : chr "Fri, 03 Oct 2014 06:18:22 GMT"
  .....$ etag : chr "\"10c358-1d400-5047eb32cc780\""
  \dots saccept-ranges : chr "bytes"
  .. .. ..$ content-length: chr "119808"
  .....$ cache-control : chr "max-age=3600"
                    : chr "Wed, 21 Oct 2015 09:37:23 GMT"
  .. .. ..$ expires
  ....$ content-type : chr "application/vnd.ms-excel"
  .... - attr(*, "class")= chr [1:2] "insensitive" "list"
             :'data.frame': 0 obs. of 7 variables:
 $ cookies
  ..$ domain : logi(0)
              : logi(0)
  ..$ flag
              : logi(0)
  ..$ path
  ..$ secure : logi(0)
  ..$ expiration:Classes 'POSIXct', 'POSIXt' num(0)
  ..$ name : logi(0)
  ..$ value
              : logi(0)
 $ content : raw [1:119808] d0 cf 11 e0 ...
            : POSIXct[1:1], format: "2015-10-21 08:37:23"
 $ date
 $ times
             : Named num [1:6] 0 0.00528 0.00551 0.00568 0.34289 ...
 ..- attr(*, "names")= chr [1:6] "redirect" "namelookup" "connect" "pretransfer" ...
 $ request :List of 7
 ..$ method : chr "GET"
         : chr "http://www.val.se/val/val2014/statistik/2014_riksdagsval_per_kommun.xls"
  ..$ headers : Named chr "application/json, text/xml, application/xml, */*"
  .. ..- attr(*, "names")= chr "Accept"
              : NULL
  ..$ fields
              :List of 2
  ..$ options
  .. ..$ useragent
                   : chr "libcurl/7.43.0 r-curl/0.9.3 httr/1.0.0"
  ....$ customrequest: chr "GET"
  ..$ auth_token: NULL
```

q 3

```
..$ output : list()
...- attr(*, "class")= chr [1:2] "write_memory" "write_function"
..- attr(*, "class")= chr "request"
$ handle :Class 'curl_handle' <externalptr>
- attr(*, "class")= chr "response"
```

## Author(s)

Maxime Bonneau, Niclas Lovsjö

## Index

\*Topic **datasets** q, 1 q, 1