

Glaven, as a player sees it

The rules engine is in good shape. What surrounds it still reads like the companion app it came from, with a board in the middle. The game doesn't show what's happening on the board, doesn't explain what to do next, and treats destructive taps casually. This page walks through what I saw in a real playthrough, what the code says, and concrete proposals with mockups built from the game's own art.

Played Scenario 1, Black Barrow · Tinkerer + Cragheart · iPad Pro 13" simulator **Read** Board/, Views/, Utilities/, Managers/ (three parallel code audits, every claim spot-checked)

Result 101 findings, 10 headline proposals, 4-phase plan

Summary

Five things hold it back

The board is mute Every monster is the same red square with a number. HP, conditions, shields and attacks never appear on the board. <code>updateHealthBar</code> and <code>animateAttack</code> exist but are never called.	No “what now?” No initiative tracker, no prompt after pressing an action, and button labels such as “Execute: Sufferdamage” come from raw enum names.	Pacing stalls Every attack, including monster attacks, needs a two-tap modal. Monster turns run on a fixed 400 ms timer that can't be skipped, and the Animation Speed setting is never read.	Progress is fragile Exit, “< Menu” and New Game act on one tap. “< Menu” wipes the campaign. The game only saves when the app goes to the background, so after a relaunch my whole scenario was gone.	Companion leftovers About 93% of <code>Views/</code> is unreachable, Settings is mostly placebo, there's no campaign layer between scenarios, and the board HUD uses none of the theme tokens.
--	---	---	---	--


Ten changes, before and after

Each one pairs a screenshot from my playthrough with a mockup of the proposal. The mockups use the game's own map tile, thumbnails and icons, so they show where the existing art could take the game, not a new art style.

1 Make the board carry the information


Monster types can't be told apart, and HP and conditions live only in the side panel. This is the single biggest legibility gap, and the art for it already ships in `Images/monster/thumbnail` (231 files).

● TODAY



Red squares with 10 pt numbers; the elite is marked only by a thin gold stroke. The monster I'd just stunned shows no stun on the board.

● PROPOSED



Thumbnail tokens with a standee badge (gold = elite), an HP bar, and condition chips. Gold ring = whose turn it is. Dashed red rings = valid targets, with a predicted outcome before you commit. The out-of-range guard is dimmed.

BUILD

- Monster token = pre-masked circular thumbnail texture (no `SKCropNode`), standee badge, elite base plate.
- Call a `refreshStatus(health:max:conditions:shield:retaliate:)` from `sufferDamage`, `heal`, `applyCondition`.
- Tokens at about $0.78 \times$ hex width instead of 30–36 pt in a 76 pt hex.

ALSO FIXES


- Elite styling missing on spawned monsters (only applied in `buildBoard`).
- Summons show the owner's colour instead of a green “S”.
- Tapping the red hex outside the tiny token does nothing today.

`PieceSpriteNode.swift:79-82, 125-168` · `BoardCoordinator+Spawning.swift:64` · `BoardScene.swift:104-110` · `BoardCoordinator.swift:1889`

2 Give the board the screen, and tell the player what to do

The board gets about 38% of the iPad's width. Two fixed 276 pt black columns (mostly empty) and a 270 pt bottom bar take the rest, and every phase change reflows them. After you press an action nothing says what to tap next.

● TODAY




“Turn in Progress” and “Turn: tinkerer (20)” say the same thing twice. The ability card for Bandit Guard is still a spinner. The bottom scrim covers a third of the board, and the five action buttons come in four different styles.

BUILD

- Initiative rail from `coordinator.turnOrder` (it already tracks `completed`).
- `instructionBanner(for: interactionMode)` covering all 12 selecting modes.
- Fixed-width, content-sized side panels as collapsible drawers, so the layout no longer shifts between phases.

BoardView.swift:25-39, 108-169, 311-361, 418-453 · BoardCoordinator.swift:15-33, 865-875 · ElementView.swift:75-78

● PROPOSED



An initiative rail replaces the phase pill. Panels shrink to their content. Both played cards stay visible as their real card scans, with the current half lit. A single instruction banner always names the next tap and offers Skip and Cancel. The log becomes a short toast stream.


ALSO FIXES

- “Round 0” shown during setup and the first card pick.
- No way to skip a single action or cancel targeting; “Skip Half” throws away the rest of the half.
- Elements on the HUD can be tapped and changed by hand.

3 Resolve combat in place, with the real cards on screen

Today each draw blocks the board. One Bandit Guard attack took four taps: Draw, Apply, then a damage dialog whose six red “LOSE” buttons shout out the normal choice. The proposal keeps the card art the game already shows, and gives every card a fixed home on screen. Your two played cards sit bottom-left, your hand only appears when you need it, and modifier cards always flip in the right-hand column, never over the board.


● TODAY · DRAW



A full-screen modal for every attack. The card art is good, but the board, shield and result are hidden behind it.

● PROPOSED · ONE ATTACK EACH WAY, FOUR MOMENTS

● TODAY · WHEN HIT



The hand is shown as text cards with a red “LOSE” on each. The usual answer, “Take 3 Damage”, is the quietest control.

a You pick a target



Stun Shot's top half is lit on the real card. Rings mark valid targets, and a chip previews the result before you commit. The modifier deck waits face-down in its tray.

b The card flips in its tray



Tapping the target draws. The real +1 card flips above the deck, with the math as chips beneath it. Damage and the stun land on the board. It moves on after a beat, and a tap holds it.

Monsters draw for themselves



The acting monster's ability card is lit. Its draw flips in the same tray, under a “Monster deck” label, so the player always knows where to look, and it needs no tap.

BUILD

- Played cards: the `CardImages/<edition>/<cardId>.jpeg` scans already used by the magnifier, with a half-highlight overlay.
- Modifier tray: `ImageLoader.amCardImage` art, the existing flip from `AttackModifierDrawOverlay` moved into a docked view, plus breakdown chips from `CombatResolver.damageBreakdown`.
- Setting “Draw modifiers for: My attacks / All”. Monster draws use the `autoResolvePrompts` path but still animate in the tray.

BoardCoordinator+Combat.swift:68-87 · AttackModifierDrawOverlay.swift:32-84, 303-401 · Views/Footer/AttackModifierCardView.swift:12-27 · BoardView.swift:1072-1206, 1568 · BoardCoordinator.swift:222, 240-262

You decide how to take the hit



Your hand rises as real cards only for this choice. “Take 3” is the primary action. Picking a card lifts it and turns the button into “Lose Ink Bomb”, so it's always select, then confirm.


ALSO FIXES

- Apply no longer shows the result (“Apply ×2”) before the flip finishes.
- Perk effects (poison, pierce, rolling) get a chip, because perk cards render as plain “+X” art.
- Card loss is select, then confirm, instead of a single tap inside a scrolling row.
- Falls back to the text card when no scan exists (non-GH editions).

4 Show attacks, damage and turns as they happen

I watched a monster turn. Guard 2 slid two hexes, a modal appeared, and the only trace on the board was a small red “-3” beside my Tinkerer. It disappeared fast and is hard to read on the orange floor.

● TODAY



The “-3” is a child of the piece node, so a killing blow's number is deleted with the dying piece within 0.3 s. Misses and fully blocked hits show nothing.

PieceSpriteNode.swift:157-230 · BoardScene.swift:251-266 · BoardCoordinator+Combat.swift:42-120 · MonsterTurnController.swift:52-141

● PROPOSED SEQUENCE


BEAT	ON THE BOARD	SPRITEKIT
Turn start	Gold ring on the actor; camera eases to it if off-screen; dashed arrow to its focus for 0.5 s	repeatForever scale/alpha · move(to:) .easeInEaseOut
Move	Eased step-by-step walk with a small bob. Jump arcs, fly floats with a shadow, teleport blinks	timingMode per segment · zPosition lift
Beat	250 ms pause between move and attack	wait(forDuration:) × speed
Attack	Melee lunge, or a projectile for ranged; target flashes and shakes	existing animateAttack · moveBy ±3 pt
Result	Outlined “-3”, “BLOCKED”, “MISS” or “+2” heal on a scene-level effects layer; condition icon pops in	effectsLayer · attributedText stroke
Death	Number stays readable; token tips over and fades; exhaustion uses a separate desaturate	zRotation · colorize

One effectsLayer plus one animationSpeed multiplier covers almost all of this.

5 Speak like a game, not a debugger

Internal IDs, grid coordinates and enum names leak into almost every line the player reads. One `displayName(for: PieceID)` plus a small `GameText` formatter fixes the log, the prompts and VoiceOver together.

TODAY



PROPOSED REWRITES

SEEN IN THE GAME	READS AS
Placed gh-cragheart at (3, 4)	Cragheart takes position
Turn: tinkerer (20)	Tinkerer · 20
gh-tinkerer: TOP Stun Shot (init 20) / BTM Hook Gun	Tinkerer plays Stun Shot (20) and Hook Gun
tinkerer → bandit-guard #1: 1+0(mod) -1(shield) = 0	Tinkerer hits Bandit Guard 1 (elite): 1 + 0 – 1 shield = no damage · Stunned
bandit-guard #2: Move 2 to (2,2)	Bandit Guard 2 moves 2
Execute: Sufferdamage	Suffer 1 damage
47 Flamethrow / er	47 Flamethrower (allow 2 lines, no mid-word break)
Monsters acting...	Bandit Guard 2 is acting...
Diff · V.Hard · Lv1 · TOP/BTM	Difficulty · Very Hard · Starting Level · Top / Bottom

PieceID.swift:33-45 · BoardView.swift:120-131, 314, 419, 1096 · BoardCoordinator.swift:1278-1974 (9 sites) · PlayerTurnController.swift:182-690 · CardSelectionPanel.swift:59

6 Never lose a player's progress

I relaunched mid-scenario and the menu offered only New Game: no Continue, round 1 lost. In code, several taps throw progress away with no prompt.

● TODAY

ACTION	WHAT HAPPENS
Red “Exit” pill on the board	Ends the scenario at once; no confirmation, no save
“< Menu” on the setup screen	Calls <code>newGame()</code> : party, completed scenarios and achievements wiped
Finish a scenario	Rewards applied in memory, then <code>exitBoard()</code> . Pressing Continue reloads the older autosave over them
Continue after relaunch	Never rebuilds the board; drops you in setup with mid-fight HP
Force-quit or crash	Saves only on background/inactive, so everything since the last background is gone

● PROPOSED


CHANGE	WHERE
Autosave at end of each round, on scenario end and on exit	<code>RoundManager</code> · <code>confirmScenarioEnd</code> · <code>exitBoard</code>
Replace Exit with a ≡ pause menu: Resume, Rules, Settings, Save & Quit, Abandon (confirm)	<code>BoardView.swift:151-166</code>
“< Menu” only navigates; “Abandon campaign” is separate and destructive-styled	<code>GameSetupView.swift:93-95</code>
Continue restores the board from <code>boardSnapshot</code> and says what it resumes	<code>MainMenuView.swift:35-40</code> · <code>BoardCoordinator.swift:2008</code>
Hex taps preview first, commit on a second tap; snapshot-based Undo until the next draw	<code>BoardCoordinator.swift:1866-1918</code>

`GlavenGame.swift:26-30` · `GameManager.swift:155-197, 270-298` · `BoardCoordinator.swift:627-655, 1176-1181`


7 A front door that feels like Gloomhaven

The menu is a flat slate screen with a cartoon mascot and three buttons. The parchment and world textures in `Images/textures` go unused here, and there's no music, motion or credits.

● TODAY



● PROPOSED




Key art from `bg-gh.jpg` with a vignette and a slow drift. Continue becomes a card that says exactly what it resumes. Load and Credits join the menu (both views exist but can't be reached). The mascot moves to Credits as an easter egg.

MainMenuView.swift:8-53 · LogoView.swift:28-32 · AboutSheet.swift:36-67 · SoundPlayer.swift:25-35

8 Frame each scenario: intro, then results


The scenario's name appears once, as a log line. 63 of 113 GH scenarios have special rules and 25 have objectives, but the board never shows them. The end screen always says “All enemies have been defeated” and shows lifetime XP rather than XP gained.

● TODAY



Straight to “Place Characters”. Starting hexes only appear after you tap a character chip, and they're flat opaque yellow.

● PROPOSED




Content from `scenarios/01.json` and `label/en.json`. The card stays reachable from a Goal chip in the HUD. The results screen reuses the unreachable `ScenarioConclusionSheet` and `RewardsSummaryView`.

BoardView.swift:910-1044 · ScenarioManager.swift:94-104 · Views/Scenario/ScenarioRulesView, ScenarioSetupView, ScenarioConclusionSheet (unreachable)


9 Settings that actually change the game

About 16 of the 20 controls do nothing. Initiative, loot-deck, standee and Frosthaven toggles are companion-app leftovers, while the settings an automated game needs (speed, auto-draw, audio, readability) are missing or unwired.

● TODAY



● PROPOSED



Grouped by what a player wants to change. Every row is wired, and companion-only rows are deleted rather than hidden.

PreferencesSheet.swift:35-315 · SettingsManager.swift:24-25 · SoundPlayer.swift:38-85

10 One visual system across menus and board

The board HUD and the menus use two different visual languages. `Board/` has 0 uses of `GlavenTheme` or `GlavenFont` , 308 named system colours, 82 fixed font sizes (37 of them 9 pt or smaller) and 10 corner radii. System blue (no `AccentColor` asset) sits next to blackletter type.

TOKEN	TODAY	PROPOSED
Accent	iOS system blue on primary buttons (23 uses of <code>Color.accentColor</code>)	Brass <code>#C8922E</code> as an <code>AccentColor</code> asset; blue kept only for informational states
Display type	Pirata One in 6 places; fake “fantasy” via <code>.serif</code> on the end screen	Pirata One for screen titles, card names and big numbers; never for body or buttons
Body type	System, 7–11 pt fixed sizes; Majalla (288 KB) loaded but used 0 times	System text styles with an 11 pt floor, multiplied by UI Scale (not replacing Dynamic Type); drop Majalla
Surfaces	Black at 0.4/0.6/0.92 opacity, 10 radii	<code>BoardTheme</code> panel / raised / scrim tokens; radius S 6 · M 10 · L 16
Semantic colour	Green, yellow and cyan each mean 2–3 things on the board	One <code>HighlightStyle</code> per interaction, each with a colour-blind-safe hue plus a shape cue (crosshair, footprints, dashes)
Motion	Overlays pop in; repeating pulses ignore Reduce Motion	One <code>.snappy</code> transition per overlay; cross-fades under Reduce Motion

`GlavenTheme.swift` · `FontLoader.swift:43-46` · `BoardView.swift` (98 × `.system(size:)`) · `Assets.xcassets` (no `AccentColor`)

Suggested order

Sequenced so that early phases remove risk and confusion cheaply and later ones build on shared pieces (an effects layer, display names, theme tokens). Effort is a rough single-developer guess.

I · Safety & words

about 2–3 days

- Autosave per round, on scenario end and on exit
- Confirm or replace Exit, “< Menu” and New Game
- `displayName` and readable action labels everywhere
- Read-only elements, “Round 0” fix, no `NSSound.beep()`
- Delete placebo settings
- Text lint, label, persistence and pacing tests

II · Readable board

about 1–1.5 weeks

- Thumbnail tokens, HP, conditions, elite plates
- Initiative rail and instruction banner
- Multi-hex and rotated overlays (about 330 affected)
- Hex hit-testing via `pixelToHex` ; stable panel layout
- `HighlightStyle` with shape cues

III · Game feel

about 1–2 weeks

- Effects layer: attacks, floats, deaths
- Movement easing, jump, fly, teleport
- Auto-draw for monsters; speed and fast-forward
- Camera: fit, clamp, anchored zoom, follow
- Room reveal without rebuilding the scene; SFX set

IV · The game around it

about 2–3 weeks

- Main menu art, music, credits
- Scenario intro and results screen
- Town hub from the existing party, shop and perk views
- World-map scenario picker
- Theme tokens, type scale, VoiceOver pass

Automated checks for UI and UX

Each check below protects a group of findings, so a regression fails `swift test` or CI instead of reaching a player. Most build on what the repo already has: headless `ScenarioSimulator` playthroughs, golden transcripts, and the nightly all-scenarios run. Ground rule for the work ahead: every bug fix lands with a test that fails before the fix and passes after it.

CHECK	WHAT IT ASSERTS	GUARDS	RUNS IN
Player-text lint	Play seeded scenarios through <code>ScenarioSimulator</code> and collect every log line, prompt, banner and button label from one <code>GameText</code> formatter. Fail on raw IDs (<code>gh-...</code> , <code>char(...)</code> , <code>bandit-guard #2</code>), grid coordinates (<code>3</code> , <code>4</code>) , lowercase figure names, <code>...</code> , and enum-style words.	#5, copy findings	<code>swift test</code> ; all scenarios nightly
Label exhaustiveness	Loop over every <code>ActionType</code> , <code>Condition</code> , <code>Element</code> and <code>InteractionMode</code> case (CaseIterable). Each must have a non-empty display label, and every selecting mode must have instruction-banner text. A new enum case without copy fails the build's tests.	“Execute: Sufferdamage”, missing prompts	<code>swift test</code>
Board scene state	Build <code>BoardScene</code> headless (SpriteKit doesn't need a view). After damage, a condition, a spawn or a door opening, check the node tree: the token shows HP and conditions, spawned elites are styled, the overlay sprite count equals the overlay's cell count, opened doors drop their overlay, and floating text lives on the effects layer.	#1, #4, multi-hex overlays, elite-on-spawn	<code>swift test</code>
Persistence & navigation	Use <code>GameManager</code> with an in-memory SwiftData container. Assert a save is written at round end, scenario end and exit; Continue restores the board from the snapshot; “< Menu” keeps the campaign; New Game tears the board down; rewards survive a Continue.	#6, all data-loss findings	<code>swift test</code>
Pacing budget	Count the prompts the simulator's <code>PlayerPolicy</code> answers per round under default settings. Monster attacks must add no modal, and a full round stays under a set budget, so blocking dialogs can't creep back in.	#3, modal pacing	<code>swift test</code>
Settings wiring	For each setting shown in Preferences, a test changes it and observes the effect: <code>animationSpeed</code> changes <code>scene.speed</code> and the turn delay, the sound toggle silences the launch sting, haptics follow their own toggle.	#9, placebo settings	<code>swift test</code>
Snapshot tests	Render the key SwiftUI states (card selection, player turn, damage choice, scenario intro, main menu, settings) with swift-snapshot-testing. Use four sizes: iPad 13” landscape, iPad mini portrait, Mac 1280×800, and one extra-large Dynamic Type size. Reference images are reviewed in diffs like the golden transcripts.	Layout shifts, overflow, “Flamethrow/er”, clipped text	<code>swift test</code> (macOS host)

CHECK	WHAT IT ASSERTS	GUARDS	RUNS IN
Accessibility audit	New XCUITest target on an iPad simulator. A <code>-uiTestScenario 1 -seed 2</code> launch argument jumps straight to a seeded board. Run <code>performAccessibilityAudit()</code> (contrast, hit regions, labels, Dynamic Type clipping) on each phase, plus one scripted turn: place, pick cards, attack, end turn.	44 pt targets, VoiceOver, contrast	CI on push to <code>main</code>
Source lint	SwiftLint custom rules, or a small test that scans <code>Board/</code> and <code>Views/</code> . It flags <code>.system(size:)</code> below 11, <code>Color.accentColor</code> , colour literals outside the theme, <code>NSSound.beep</code> , <code>rawValue.capitalized</code> in UI text, and <code>hashValue</code> used for colours.	#10, visual-system drift	<code>swift test</code> / pre-commit

Recommended order: the first four run with no new dependencies and can land in phase I alongside the fixes they guard. Snapshot tests add one package dependency. The accessibility audit needs a UI test target in `project.yml` and the launch-argument hook, which also makes simulator screenshots for future reviews reproducible.

Every finding

Consolidated from the playthrough and the three code audits, with duplicates merged.

“Seen in play” marks issues I hit in the simulator. File references are relative to

GlavenGame/ .

- All
- High
- Medium
- Low
- Seen in play

BOARD & ANIMATION · 25		
HIGH	Every monster type renders as the same red square with a 10 pt number SEEN IN PLAY	PROPOSAL Circular thumbnail tokens (assets ship), standee badge, elite base plate Board/PieceSpriteNode.swift:79-82 Effort: Medium
HIGH	No HP, conditions, shield or retaliate on the board; updateHealthBar is never called SEEN IN PLAY	PROPOSAL refreshStatus() hooked into sufferDamage / heal / applyCondition; HP bar and condition arc Board/PieceSpriteNode.swift:125-152 Effort: Medium
HIGH	Attacks have no on-board visual; animateAttack is never called SEEN IN PLAY	PROPOSAL Attacker→target line, melee lunge or projectile, target flash and shake Board/BoardCoordinator+Combat.swift:42-120 Effort: Medium
HIGH	The killing-blow number is deleted with the dying piece; misses and blocked hits show nothing SEEN IN PLAY	PROPOSAL Scene-level effectsLayer; outlined text; MISS / BLOCKED / NEGATED labels Board/PieceSpriteNode.swift:171-229 Effort: Small
HIGH	Nothing marks whose turn it is or the monster focus; selectedPiece is never read SEEN IN PLAY	PROPOSAL Pulsing ring under the actor; 0.5 s dashed arrow to the focus Board/BoardCoordinator.swift:918, 1981 Effort: Small
HIGH	Multi-hex overlays draw only their first hex and ignore rotation (about 330 across scenario maps)	PROPOSAL Sprite on every cell, or one centroid sprite with zRotation from direction Board/BoardScene.swift:155-167 Effort: Medium

HIGH	A room reveal rebuilds the whole scene, shifts offsets, snaps the camera and drops in-flight effects PROPOSAL Fix offsets from full scenario bounds; fade in only the new tile; ease the camera Board/BoardCoordinator.swift:1709-1716 Effort: Medium
HIGH	macOS: mouse-down commits taps, so a pan that starts on a highlighted hex moves the character PROPOSAL Resolve taps on mouseUp below a drag threshold, as on iOS Board/BoardScene.swift:332-337 Effort: Small
MEDIUM	Hex hit-testing uses overlapping bounding boxes in dictionary order PROPOSAL HexMath.pixelToHex with cube rounding Board/BoardScene.swift:306-313 Effort: Small
MEDIUM	Highlight colours mean several things (green = jump, heal, summon) and colour is the only cue SEEN IN PLAY PROPOSAL HighlightStyle enum: distinct colour-blind-safe hue plus shape cue per interaction Board/BoardCoordinator.swift:664-1534 Effort: Medium
MEDIUM	Starting hexes appear only after picking a character, as flat opaque yellow over the art SEEN IN PLAY PROPOSAL Show them on entry as outlined, translucent hexes Board/BoardView.swift:217-263 Effort: Small
MEDIUM	Movement is linear 0.2 s per hex; jump, fly, teleport and push all look like walking PROPOSAL Eased walk with bob; arc, float, blink and knockback variants Board/BoardScene.swift:251-266 Effort: Medium
MEDIUM	Opened doors keep drawing as closed PROPOSAL Remove or swap the door overlay in openDoor and buildBoard Board/BoardScene.swift:91-100 Effort: Small
MEDIUM	Camera never fits the board, can pan off it, zoom is additive and unanchored PROPOSAL Fit to bounds minus HUD insets, clamp with SKConstraint, multiplicative anchored zoom, trackpad magnify Board/BoardScene.swift:23, 117-120, 317-393 Effort: Medium

MEDIUM	iOS tap/pan threshold is in scene units; pan and pinch fight; the recogniser is re-added on each didMove PROPOSAL View-space threshold; ignore pan with 2 touches; remove recogniser in willMove Board/BoardScene.swift:53-55, 357-393 Effort: Small
MEDIUM	Camera never follows off-screen actors PROPOSAL Ease to the actor before its turn (toggle in settings) Board/MonsterTurnController.swift:52-78 Effort: Small
MEDIUM	Invisibility alpha and other visual state lost on rebuild and undo PROPOSAL Single syncPieceVisuals() after every build Board/BoardScene.swift:102-110 Effort: Small
MEDIUM	No AoE preview before committing an area attack PROPOSAL Hatched overlay of AoEResolver hexes on first tap, commit on second Board/BoardCoordinator.swift:1370-1375 Effort: Medium
MEDIUM	Map tiles are 1× (e.g. a1a 400×227 px) and look soft next to the 2× overlays PROPOSAL Ship @2x tile art or cap maxZoom near 1.5 Resources/Images/map-tiles Effort: Medium
LOW	Loot tokens are a yellow circle with a “g”; treasure-coin.png is unused; stacks show no count PROPOSAL Coin texture with count badge; fly to looter on pickup Board/BoardScene.swift:178-199 Effort: Small
LOW	Heal reuses the gold loot float; condition application has no visual PROPOSAL Green heal float; condition icon pop Board/BoardCoordinator+Rules.swift:79-114 Effort: Small
LOW	Spawns pop in instantly; exhaustion reuses monster death PROPOSAL Scale-in with a puff; desaturate and tip-over for exhaustion Board/BoardScene.swift:209-221 Effort: Small

LOW	Background is flat while bg-gh.jpg ships unused here PROPOSAL Dim textured background with vignette below tiles Board/BoardScene.swift:42 Effort: Small
LOW	Overlays on one hex share a name, so removing a trap can remove the wrong sprite PROPOSAL Name by type and coord Board/BoardScene.swift:165-173 Effort: Small
LOW	Performance: one SKShapeNode per highlight, textures re-uploaded each build, 60 fps when idle PROPOSAL Tinted sprite highlights, SKTexture cache, lower FPS when idle Board/BoardScene.swift:129-157, 271-287 Effort: Small
TURN FLOW & HUD · 26	
HIGH	No initiative or turn-order tracker; order appears once as a log line SEEN IN PLAY PROPOSAL Initiative rail from turnOrder with portraits, numbers and done state Board/BoardView.swift:120-131 Effort: Medium
HIGH	After pressing Execute nothing says what to tap; only colour signals the mode SEEN IN PLAY PROPOSAL instructionBanner(for: interactionMode) with Cancel Board/BoardView.swift:311-317 Effort: Small
HIGH	Action buttons print raw enum names (“Execute: Sufferdamage”, “Execute: Concatenation”); card/custom actions do nothing SEEN IN PLAY PROPOSAL Label from describeAction; auto-skip non-interactive actions Board/BoardView.swift:314 Effort: Small
HIGH	Can't skip a single action or cancel targeting; “Skip Half” discards the rest of the half SEEN IN PLAY PROPOSAL Skip this action, Cancel, and a confirmed “Skip rest of half” Board/PlayerTurnController.swift:149-168 Effort: Small
HIGH	Side panels and bottom bar take about 60% of the screen and reflow on every phase change SEEN IN PLAY PROPOSAL Content-sized drawers with fixed widths; compact layout under about 900 pt Board/BoardView.swift:25-39, 493-509 Effort: Medium

HIGH	Top bar about 1000 pt wide and the monster strip doesn't scroll; overflows on iPad portrait and with 4+ monster types PROPOSAL Merge phase and turn, shrink elements, horizontal scroll on the strip Board/MonsterAbilityStripView.swift:17-26 Effort: Small
HIGH	Monster ability strip is blank for non-GH editions and offline (remote card images) SEEN IN PLAY PROPOSAL Always render the data-driven card; use scanned art only when cached Utilities/ImageLoader.swift:139-178 Effort: Small
HIGH	Important events (forced long rest, exhaustion, room revealed, boss special) appear only in the 10 pt log PROPOSAL Banner/toast queue; boss specials wait for acknowledgement Board/BoardCoordinator.swift:797, 1133, 1719 Effort: Small
HIGH	Tapping the HUD element board changes element state by hand PROPOSAL Read-only on the board; separate look for “infused this turn” Views/Shared/ElementView.swift:75-131 Effort: Small
MEDIUM	Card selection badges the first card “TOP — Init X” although top/bottom is chosen during the turn SEEN IN PLAY PROPOSAL “Lead · Initiative X” and “Second”, with an accurate hint Board/CardSelectionPanel.swift:55-80 Effort: Small
MEDIUM	Card panel widens on selection and hides the board; its hint overlaps the battle log; card titles break mid-word SEEN IN PLAY PROPOSAL Fixed panel height, constant card size, 2-line titles Board/CardSelectionPanel.swift:79 Effort: Small
MEDIUM	During a turn only the current card is visible SEEN IN PLAY PROPOSAL Both cards side by side, current half lit, done halves checked Board/BoardView.swift:430-453 Effort: Small
MEDIUM	Bottom half defaults to “Execute: Loot” (a lost card) with the basic Move 2 as a small secondary SEEN IN PLAY PROPOSAL Flag loss actions in the label; show the default action at equal weight Board/BoardView.swift:311-354 Effort: Small

MEDIUM	“Default: Attack 2” stays visible after it stops working; “Next Phase” is unclear SEEN IN PLAY PROPOSAL Hide on the same predicate; “Continue to bottom half” Board/PlayerTurnController.swift:168 Effort: Small
MEDIUM	“Round 0” during setup and the first card pick; “Turn in Progress” says nothing; defeat shows “Scenario Complete” SEEN IN PLAY PROPOSAL Show the upcoming round; phase-specific labels Board/BoardView.swift:143, 171-179 Effort: Small
MEDIUM	Monster turns: “Monsters acting...” only, no actor highlight, no pause or speed control (also used for summons) SEEN IN PLAY PROPOSAL Actor banner plus ring; Pause/Step/Speed; “Summons acting...” Board/BoardView.swift:418-422 Effort: Small
MEDIUM	Tapping a figure shows nothing PROPOSAL Inspector popover: HP, shield, retaliate, conditions, current card Board/BoardCoordinator.swift:1980 Effort: Medium
MEDIUM	Multi-target: chosen targets just lose their highlight, can't be deselected, auto-fires PROPOSAL Numbered badges, tap to deselect, Confirm Board/BoardCoordinator.swift:1922-1946 Effort: Small
MEDIUM	Hand, discard, lost and active piles are bare numbers next to unlabelled 9 pt icons; piles can't be browsed SEEN IN PLAY PROPOSAL Labelled counts that open a pile viewer; list active bonuses Board/BoardView.swift:558-572 Effort: Medium
MEDIUM	Placed characters can't be repositioned before Begin Scenario PROPOSAL Tap a placed chip or piece to pick it up again Board/BoardView.swift:263 Effort: Small
MEDIUM	Short-rest modal: double divider, misleading “Take 1 Damage to Re-pick”, offered every round PROPOSAL Correct copy (random re-pick, once), per-character opt-out Board/BoardView.swift:1289-1398 Effort: Small

MEDIUM	Card image preview hard-codes CardImages/gh PROPOSAL Key by edition; hide the magnifier when no image exists Board/BoardView.swift:1568 Effort: Small
MEDIUM	No Mac keyboard shortcuts on the board; hover-only help never reaches iPad PROPOSAL Return/Esc/Space/⌘Z; info buttons on touch Board/BoardView.swift Effort: Small
LOW	Battle log jumps to the bottom while reading back; 3-line truncation; meaningless count SEEN IN PLAY PROPOSAL Auto-scroll only at bottom; expandable entries; filters Board/BoardView.swift:837-885 Effort: Small
LOW	Log icons collide with game icons (damage uses the fire flame; loot uses the XP star) SEEN IN PLAY PROPOSAL Distinct glyphs Board/BoardCoordinator.swift:56-65 Effort: Small
LOW	Monster preview border colour uses String.hashValue, so it changes every launch PROPOSAL Stable hash or theme colour Board/BoardView.swift:1548 Effort: Small
COMBAT & PACING · 6	
HIGH	Every attack, monster attacks included, requires Draw then Apply in a full-screen modal SEEN IN PLAY PROPOSAL “Draw modifiers for” setting; auto-resolve others as toasts Board/BoardCoordinator+Combat.swift:68-72 Effort: Small
HIGH	Modifier modal hides shield, pierce, effects and the final damage; perk effects render as plain +X SEEN IN PLAY PROPOSAL Effect chips under each card and a breakdown line; disable Apply until revealed Board/AttackModifierDrawOverlay.swift:56-84 Effort: Small
HIGH	Damage dialog: six red LOSE buttons outweigh “Take damage”; no exhaustion warning; one-tap card loss in a scroll row SEEN IN PLAY PROPOSAL Primary “Take N”, secondary “Lose a card...” with select + confirm; warn on exhaustion Board/BoardView.swift:1072-1206 Effort: Small

HIGH	Animation Speed and Animations settings are shown but never read; 400 ms delay is fixed PROPOSAL Wire to scene.speed and turnDelayNanoseconds; fast-forward on tap Managers/SettingsManager.swift:24 Effort: Small
MEDIUM	No beat between a monster's move and its attack SEEN IN PLAY PROPOSAL 250 ms pause, scaled by speed Board/MonsterTurnController.swift:77 Effort: Small
MEDIUM	Hex tap commits a move immediately with no path preview; no undo PROPOSAL Preview path (with trap and hazard warnings), second tap commits; snapshot undo Board/BoardCoordinator.swift:1260-1283, 1866 Effort: Medium
TEXT & COPY · 8	
HIGH	Logs and prompts show internal IDs and coordinates: “Placed gh-cragheart at (3, 4)”, “bandit-guard #2” SEEN IN PLAY PROPOSAL displayName(for: PieceID) and a GameText formatter; no coordinates Engine/PieceID.swift:33-45 Effort: Small
MEDIUM	Inconsistent capitalisation of names (“tinkerer” vs “Bandit Guard”), conditions and elements SEEN IN PLAY PROPOSAL Title-case names; capitalised conditions and elements Board/BoardView.swift:1096 Effort: Small
MEDIUM	Abbreviations and jargon: Diff, V.Hard, Lvl, TOP/BTM, Rng, Tgt, chars SEEN IN PLAY PROPOSAL Spell out, or use the game's icons Views/GameSetupView.swift:149-203 Effort: Small
MEDIUM	Wrong tooltip: “Summons act on your initiative with their own ability cards” PROPOSAL Correct the rules text Board/AbilityCardView.swift:592 Effort: Small
MEDIUM	Victory and defeat text is hard-coded (“All enemies have been defeated.”), wrong for objective scenarios PROPOSAL Pass the end reason from endScenario Board/BoardView.swift:914-916 Effort: Small

LOW	Mixed conventions: LOSE / LOSS / WILL BE LOST / OUT; “...” vs “...”; “Lv2” vs “Lvl”; mixed tap/click verbs SEEN IN PLAY PROPOSAL A one-page string style guide Board/★ Effort: Small
LOW	Copy contradiction: “Choose 2–4” but 1 character can start SEEN IN PLAY PROPOSAL Require 2 or say “1–4” Views/GameSetupView.swift:134 Effort: Small
LOW	About copy is stale: “Companion App for Gloomhaven”, “army design”, hard-coded version PROPOSAL Rewrite as a fan-made adaptation; read version from the bundle Views/Dialogs/AboutSheet.swift:36-67 Effort: Small
MENUS & CAMPAIGN FLOW · 19	
HIGH	Relaunch loses the scenario: autosave only on background/inactive SEEN IN PLAY PROPOSAL Save each round, at scenario end and on exit GlavenGame.swift:26-30 Effort: Small
HIGH	Finishing a scenario can lose its rewards (exit without save, then Continue reloads the older autosave) PROPOSAL Save in confirmScenarioEnd; Continue prefers the in-memory game Board/BoardCoordinator.swift:1176-1181 Effort: Small
HIGH	“◀ Menu” on the setup screen calls newGame() and wipes the campaign PROPOSAL Navigate only; separate confirmed “Abandon campaign” Views/GameSetupView.swift:93-95 Effort: Small
HIGH	Board “Exit” ends the scenario in one tap; no pause menu SEEN IN PLAY PROPOSAL ≡ pause menu with Save & Quit and a confirmed Abandon Board/BoardView.swift:151-166 Effort: Small
HIGH	Continue never resumes a scenario in progress PROPOSAL Rebuild through startScenario and apply the snapshot; label what it resumes Views/MainMenuView.swift:35-40 Effort: Medium

HIGH	New Game discards the autosave without asking; ⌘⇧N from the board leaves the scene alive so the next start fails silently PROPOSAL Confirm; newGame() calls exitBoard() GlavenGame.swift:80-85 Effort: Small
HIGH	No scenario intro: name, goal, special rules (63/113 scenarios) never shown SEEN IN PLAY PROPOSAL Intro card before placement; Goal chip in the HUD Board/BoardView.swift:109-170 Effort: Medium
HIGH	End screen omits XP gained, bonus XP, gold, achievements, unlocks PROPOSAL Results screen from ScenarioConclusionSheet and RewardsSummaryView Board/BoardView.swift:1021-1044 Effort: Medium
HIGH	No campaign layer: shop, level-up, perks and retirement are unreachable; about 93% of Views/ is dead PROPOSAL Town hub built from the existing party, shop, perk and map views; delete true leftovers ContentView.swift:8-15 Effort: Large
MEDIUM	Main menu is a flat utility screen with a mascot logo; no art, music, motion or credits SEEN IN PLAY PROPOSAL Key art, ambient drift and music, contextual Continue, Load, Credits Views/MainMenuView.swift:8-53 Effort: Medium
MEDIUM	Selecting a character inserts a line that shifts every row (taps land on the wrong character) SEEN IN PLAY PROPOSAL Reserve the line's space, or show it in a fixed footer Views/GameSetupView.swift:201-248 Effort: Small
MEDIUM	Character pick is a 40 pt thumbnail list; scenario pick is a bare list although world-map art ships SEEN IN PLAY PROPOSAL Portrait card grid with role; world map as the primary picker Views/GameSetupView.swift:275-471 Effort: Medium
MEDIUM	Start Scenario can silently do nothing (no map, board already loaded) PROPOSAL Disable unplayable scenarios; surface guard failures Managers/GameManager.swift:191-197 Effort: Small

MEDIUM	Removing a party member is one tap and deletes their progress PROPOSAL Separate Recruit and Dismiss; confirm dismissal Views/GameSetupView.swift:265-269 Effort: Small
MEDIUM	Level selector only affects characters added afterwards and isn't shown per character SEEN IN PLAY PROPOSAL Per-character level stepper; “Starting Level” Views/GameSetupView.swift:147-171 Effort: Small
LOW	Screen changes are hard cuts SEEN IN PLAY PROPOSAL Opacity transition keyed on appPhase ContentView.swift:7-16 Effort: Small
LOW	hasAutosave runs a SwiftData fetch and full JSON decode on every menu render PROPOSAL Cache a small save summary Managers/GameManager.swift:31-41 Effort: Small
LOW	macOS: WindowGroup allows a second window sharing one scene PROPOSAL Single Window or remove New Window GlavenGame.swift:64-75 Effort: Small
LOW	iOS config: device family includes iPhone, no launch screen key, display name “GlavenGame” PROPOSAL Family 2, launch screen, “Glaven” project.yml Effort: Small
SETTINGS & AUDIO · 6	
HIGH	About 16 of 20 settings do nothing in this game (initiative, loot deck, standees, Frosthaven, language...) SEEN IN PLAY PROPOSAL Delete; add pacing, audio and readability settings that are wired Views/Settings/PreferencesSheet.swift:35-315 Effort: Small
HIGH	macOS plays NSSound.beep(), the system error alert, for card flips, taps and coins PROPOSAL Real SFX files; never beep Utilities/SoundPlayer.swift:76-85 Effort: Small

MEDIUM	No board sound at all: move, hit, death, door, trap, loot PROPOSAL Small SFX set, preloaded <code>Utilities/SoundPlayer.swift</code> Effort: Medium
MEDIUM	Launch sting ignores the sound setting and can replay; no music PROPOSAL Gate on settings, once per launch; ambient menu track <code>GlavenGame.swift:36</code> Effort: Small
LOW	Haptics follow the Sound Effects toggle; the Haptic Feedback toggle does nothing PROPOSAL Gate on hapticFeedback <code>Utilities/SoundPlayer.swift:38-75</code> Effort: Small
LOW	Theme picker offers Frosthaven / Modern / Buttons & Bugs in a GH-only game; sheet min 320×300 SEEN IN PLAY PROPOSAL Remove or limit; larger minimum size <code>Views/Settings/PreferencesSheet.swift:176-185, 336</code> Effort: Small
VISUAL SYSTEM & ACCESSIBILITY · 8	
HIGH	Board HUD ignores the theme: 0 GlavenTheme/GlavenFont uses, 308 system colours, 10 radii SEEN IN PLAY PROPOSAL BoardTheme tokens; brass AccentColor asset <code>Board/*</code> Effort: Medium
MEDIUM	82 fixed font sizes on the board, 37 at 9 pt or less; UI Scale replaces system Dynamic Type SEEN IN PLAY PROPOSAL Text styles or @ScaledMetric with an 11 pt floor; multiply, don't replace <code>GlavenGame.swift:24</code> Effort: Medium
MEDIUM	Light mode reaches menus but not the board; theme statics aren't observable PROPOSAL @Observable ThemeStore, or commit to one look <code>Utilities/GlavenTheme.swift:16</code> Effort: Medium
MEDIUM	Touch targets under 44 pt: small action buttons, card magnifier (about 18 pt), level circles, difficulty buttons SEEN IN PLAY PROPOSAL .controlSize(.regular), 44 pt contentShape <code>Board/BoardView.swift:335-390</code> Effort: Small

MEDIUM	No VoiceOver support on reachable screens; selectable cards use onTapGesture PROPOSAL Buttons with labels and selected traits Board/CardSelectionPanel.swift:85 Effort: Medium
MEDIUM	Reduce Motion ignored (3D flip, staggered reveal, waning pulse) PROPOSAL Cross-fades and no repeating pulses Board/AttackModifierDrawOverlay.swift:303-401 Effort: Small
LOW	Low-contrast secondary copy on the end screen (white at 0.35–0.4 opacity) PROPOSAL At least 0.6 opacity or secondaryText Board/BoardView.swift:920, 974 Effort: Small
LOW	Overlay transitions mostly don't animate (transition inside if, no withAnimation) SEEN IN PLAY PROPOSAL Animate on the ZStack keyed by pending state Board/BoardView.swift:54-95 Effort: Small
CODE HEALTH THAT BLOCKS UX WORK · 3	
MEDIUM	BoardView is 1,725 lines; the modal shell is copied 5×, HP bar 3×, pill about 8×, display-name logic about 7× PROPOSAL Extract GameModal, HPBar, StatusChip, displayName; one file per overlay Board/BoardView.swift Effort: Medium
LOW	Dead code: modifierCardPopup, playerTurnPhaseLabel, lastDrawnModifier PROPOSAL Delete Board/BoardView.swift:1403-1439, 1637 Effort: Small
LOW	Role badge style decided by comparing roleBadgeColor == .yellow PROPOSAL Explicit CardRole enum Board/AbilityCardView.swift:59 Effort: Small

Audit only; no source files were changed. The screenshots come from the Debug build on the iPad Pro 13" (M4) simulator, iOS 26. The mockups use bundled assets: map tile L1a, thumbnails, element and condition icons, the bg-gh texture and the Pirata One font.