## CSC416 - Homework 1

#### Marshall Bowers

### September 15, 2015

## Regular Languages

- 1. Write English descriptions for the languages generated by the following regular expressions:
- (a)  $(0|1|...|9|A|B|C|D|E|F)^+(x|X)$ Any combination of hexadecimal digits (0-9, A-F) one or more times, followed by either an uppercase or a lowercase x.
- (b)  $(a|b)^*(a|b|\epsilon)$ A lowercase a or lowercase b zero or more times, followed by either a lowercase a, lowercase b, or nothing.
  - 2. Write regular expressions for each of the following.
- (a) All strings of lowercase letters that begin and end in a.  $a[a-z]^*a$
- (b) All strings of digits that contain no leading zeros.  $[1-9][0-9]^*$
- (c) All strings of digits that represent even numbers.  $([1-9][0-9])^*(0|2|4|6|8)$
- (d) Strings over the alphabet  $\{a,b,c\}$  with an even number of **a**'s.  $((aa)^+(b|c)^*)|((b|c)^*(aa)^+(b|c)^*)|((b|c)^*(aa)^+)$
- (e) Strings over the alphabet  $\{a,b\}$  that contain an odd number of  $\mathbf{a}$ 's or an odd number of  $\mathbf{b}$ 's (or both).  $a(aa)^*|b(bb)^*|a(bb^*)b(aa)^*$ 
  - 3. For each of the following regular expressions determine which of the strings cc, ababb, bbcab, and ccbbab matches it:

## Lexical Specifications

4. Given the string abbbaacc and alphabet {a,b,c} what tokenization will the following lexical specification produce?

| Token Class   |           | Rege |     |
|---|-----------|------|-----|
|   |           |      |     |
| A   |           |      | b+  |
| В   |           | ab*  |     |
| C   |           |      | ac* |
| <b, ab<="" td=""><td>bb&gt;</td><td></td><td></td></b,> | bb>       |      |     |
| <b, a=""></b,>  | or $<$ C, | a>   |     |
| <b, a=""></b,>  | or $<$ C, | a>   |     |
| <a, bb<="" td=""><td>b&gt;</td><td></td><td></td></a,>  | b>        |      |     |

3 5. Given the string babac and alphabet {a,b,c} what tokenization will the following lexical specification produce?

| Token Class | Regex   |
|-------------|---------|
|             |         |
| A           | a(ba)*  |
| В           | b*(ab)* |

 $\begin{array}{ccc} C & abc \\ D & c+ \end{array}$ 

<B, bab>

<A, a>

<D, c>

6. Given the following lexical specification and alphabet  $\{0,1\}$ , which of the below strings will be successfully tokenized?

| Token Class | Regex |
|-------------|-------|
|             |       |
| Α           | (11)* |
| В           | 01+   |
| C           | 10+   |
|             |       |

1. 1000001 🗸


2. 1110010 **✓** 

3. 01100100 🗸

4. 10011001 🗸


## Finite Automata

7. Explain in informal English what each of these finite-state automata recognizes.



 $\boxed{5}$  (a)


A single a, optionally followed by any number of sequences consisting of 5 a's.



(b)


Any number of a's or b's, followed by an a, followed by a comibination of 4 a's and b's.

8. Write a regular expression whose language is equivalent to the following NFA.





 $((a|b)^*a(a|b)^*a(a|b)^*)^+b$ 

9. Convert these NFAs into DFAs.




6





6 (b)



10. Construct DFA's for each of the following regular expressions. Do it in two steps: construct the NFA using Thompson's construction, then the DFA from the NFA. Let the alphabet be {a,b}.

(a) a\*|b\*




Figure 1: NFA




Figure 2: DFA

7 (b) a\*(ab)\*a\*




Figure 3: NFA




Figure 4: DFA

# (c) **CSC416 ONLY:**

[ab]\*abab




Figure 5: NFA




Figure 6: DFA

### CSC565 ONLY:

[ab] \*abab[ab] \*




Figure 7: NFA




Figure 8: DFA