Package leaflet: Migrestil

Migrestil (tolugepant)

Read all of this document carefully before you start. Keep it: you may need to read it again. If you have further questions, ask your doctor, pharmacist or occupational health service.

1. What Migrestil is and what it is used for

Migrestil is oral calcitonin gene-related peptide (CGRP) receptor antagonist. It is intended for: acute treatment of migraine with or without aura in adults.

How it works

During a migraine attack, calcitonin gene-related peptide is released from trigeminal nerve endings. It adds to pain signalling and widens blood vessels in the head. Tolugepant blocks the CGRP receptor and so interrupts that signal. Unlike triptans it does not act on serotonin 5-HT1B/1D receptors and does not constrict blood vessels.

2. What you need to know before you use it

- Common side effects: nausea, sleepiness and dry mouth.
- Hypersensitivity reactions such as rash and shortness of breath can occur, sometimes after a delay. Stop treatment if they do.
- High blood pressure and Raynaud's phenomenon have been reported in this drug class, so blood pressure should be monitored.
- Avoid strong CYP3A4 inhibitors and inducers. Use with caution in severe kidney or liver impairment.
- Migrestil is approved only for acute treatment, not for preventing migraine.

3. Reporting problems

If you notice any side effect or problem, talk to your doctor, pharmacist or occupational health service. You can also report it to your national authority and to NeuroStat at safety@neurostat.com. Reporting helps provide more information on the safety of this product.

4. About this document

Marketing authorisation holder: NeuroStat Holding AG, Thurgauerstrasse 66, 8050 Zürich, Switzerland. First approved 2020. Last revised September 2028.