Package leaflet: Migrestil

Migrestil (tolugepant)

Read all of this document carefully before you start. Keep it: you may need to read it again. If you have further questions, ask your doctor, pharmacist or occupational health service.

1. What Migrestil is and what it is used for

Migrestil is oral calcitonin gene-related peptide (CGRP) receptor antagonist. It is intended for: acute treatment of migraine with or without aura in adults.

How it works

Calcitonin gene-related peptide is released from trigeminal nerve endings during a migraine attack and contributes to pain signalling and vasodilation of cranial vessels. Tolugepant blocks the CGRP receptor and so interrupts this signalling. Unlike triptans it does not act on serotonin 5-HT1B/1D receptors and does not constrict blood vessels.

2. What you need to know before you use it

- Common adverse reactions: nausea, somnolence and dry mouth.
- Hypersensitivity reactions, including rash and dyspnoea, can occur and may be delayed. Discontinue if they occur.
- Hypertension and Raynaud's phenomenon have been reported in the CGRP-antagonist class. Monitor blood pressure.
- Avoid with strong CYP3A4 inhibitors and inducers. Use with caution in severe renal or hepatic impairment.
- Migrestil is approved for acute treatment only. It is not indicated for the prevention of migraine.

3. Reporting problems

If you notice any side effect or problem, talk to your doctor, pharmacist or occupational health service. You can also report it to your national authority and to NeuroStat at safety@neurostat.example. Reporting helps provide more information on the safety of this product.

4. About this document

Marketing authorisation holder: NeuroStat Holding AG, Thurgauerstrasse 66, 8050 Zürich, Switzerland. First approved 2020. Last revised September 2028.