

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://john-lima17.github.io/LIMA/top10v2/

Checker Input

Show ☐ source ☐ outline ☐ image report

Options...

Check by

address ▼

https://john-lima17.github.io/LIMA/top10v2/

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1.

Warning

This document appears to be written in Portuguese but the `html` start tag has `lang="en"`. Consider using `lang="pt"` (or variant) instead.

From line 1, column 16; to line 2, column 16

TYPE `html`<=<code>html lang="en">=<code>head

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).
2.

Error

Attribute `slt` not allowed on element `img` at this point.

From line 30, column 5; to line 30, column 52

`</h2><`

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

3. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 30, column 5; to line 30, column 52

```
</h2><
```

4. **Error** End tag `h3` seen, but there were open elements.

From line 37, column 27; to line 37, column 31

```
çãõ Coruja</h3><
```

5. **Error** Duplicate ID `animal`.

From line 38, column 5; to line 38, column 51

```
</h3><
```

6. **Warning** The first occurrence of ID `animal` was here.

From line 30, column 5; to line 30, column 52

```
</h2><
```

7. **Error** Attribute `slt` not allowed on element `img` at this point.

From line 38, column 5; to line 38, column 51

```
</h3><
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

8. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 38, column 5; to line 38, column 51

```
</h3><
```

9. **Error** End tag `h4` seen, but there were open elements.

From line 45, column 26; to line 45, column 30

```
ição Corvo</h4><
```

10. **Error** Duplicate ID `animal`.

From line 46, column 5; to line 46, column 55

```
</h4><
```

11. **Warning** The first occurrence of ID `animal` was here.

From line 30, column 5; to line 30, column 52

```
</h2><
```

12. **Error** Attribute `slt` not allowed on element `img` at this point.

From line 46, column 5; to line 46, column 55

```
</h4><
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

13. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 46, column 5; to line 46, column 55

```
</h4><
```

14. **Error** End tag `h5` seen, but there were open elements.

From line 53, column 25; to line 53, column 29

```
sição Gato</h5><
```

15. **Error** Duplicate ID `animal`.

From line 54, column 5; to line 54, column 49

```
</h5><
```

16. **Warning** The first occurrence of ID `animal` was here.

From line 30, column 5; to line 30, column 52

```
</h2><
```

17. **Error** Attribute `slt` not allowed on element `img` at this point.

From line 54, column 5; to line 54, column 49

```
</h5><
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

18. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for](#)

images.

From line 54, column 5; to line 54, column 49

```
</h5><
```

19. **Error Duplicate ID** `animal`.

From line 62, column 5; to line 62, column 51

```
</h2><
```

20. **Warning The first occurrence of ID** `animal` **was here.**

From line 30, column 5; to line 30, column 52

```
</h2><
```

21. **Error Attribute** `slt` **not allowed on element** `img` **at this point.**

From line 62, column 5; to line 62, column 51

```
</h2><
```

Attributes for element `img`:[Global attributes](#)[alt](#) — Replacement text for use when images are not available[src](#) — Address of the resource[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.[sizes](#) — Image sizes for different page layouts[crossorigin](#) — How the element handles crossorigin requests[usemap](#) — Name of [image map](#) to use[ismap](#) — Whether the image is a server-side image map[width](#) — Horizontal dimension[height](#) — Vertical dimension[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element[decoding](#) — Decoding hint to use when processing this image for presentation[loading](#) — Used when determining loading deferral[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element22. **Error An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult** [guidance on providing text alternatives for images.](#)

From line 62, column 5; to line 62, column 51

```
</h2><
```

23. **Error Duplicate ID** `animal`.

From line 70, column 5; to line 70, column 54

```
</h2><
```

24. **Warning** The first occurrence of ID `animal` was here.

From line 30, column 5; to line 30, column 52

```
</h2><
```

25. **Error** Attribute `slt` not allowed on element `img` at this point.

From line 70, column 5; to line 70, column 54

```
</h2><
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

26. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 70, column 5; to line 70, column 54

```
</h2><
```

27. **Error** Duplicate ID `animal`.

From line 78, column 5; to line 78, column 50

```
</h2><
```

28. **Warning** The first occurrence of ID `animal` was here.

From line 30, column 5; to line 30, column 52

```
</h2><
```

29. **Error** Attribute `slt` not allowed on element `img` at this point.

From line 78, column 5; to line 78, column 50

```
</h2><
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

30. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 78, column 5; to line 78, column 50

```
</h2><
```

31. **Error** Duplicate ID `animal`.

From line 86, column 5; to line 86, column 53

```
</h2><
```

32. **Warning** The first occurrence of ID `animal` was here.

From line 30, column 5; to line 30, column 52

```
</h2><
```

33. **Error** Attribute `slt` not allowed on element `img` at this point.

From line 86, column 5; to line 86, column 53

```
</h2><
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

34. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 86, column 5; to line 86, column 53

```
</h2><
```

35. **Error** Duplicate ID `animal`.

From line 94, column 5; to line 94, column 59

```
</h2><
```

36. **Warning** The first occurrence of ID `animal` was here.

From line 30, column 5; to line 30, column 52

```
</h2><
```

37. **Error** Attribute `slt` not allowed on element `img` at this point.

From line 94, column 5; to line 94, column 59

```
</h2><
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

38. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 94, column 5; to line 94, column 59

```
</h2><
```

39. **Error** Duplicate ID `animal`.

From line 102, column 5; to line 102, column 56

```
</h2><
```

40. **Warning** The first occurrence of ID `animal` was here.

From line 30, column 5; to line 30, column 52

```
</h2><
```

41. **Error** Attribute `slt` not allowed on element `img` at this point.

From line 102, column 5; to line 102, column 56

```
</h2><
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

42. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 102, column 5; to line 102, column 56

```
</h2><
```

Document checking completed.

Used the HTML parser. Externally specified character encoding was utf-8.

Total execution time 23 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.9.28