

We gratefully acknowledge support from the Simons Foundation, [member institutions](#), and all contributors. [Donate](#)

Search...

All fields

Search

[Help](#) | [Advanced Search](#)
[Login](#)

Showing 1–27 of 27 results for author: Schmidt, M D

Search v0.5.6 released 2020-02-24

Searching in archive **math**. [Search in all archives](#).

Schmidt, M D

Author(s)



Search

☒ Show abstracts
 ☐ Hide abstracts
[Advanced Search](#)

50



results per page.

Sort results by

Announcement date (newest first)



Go

1. [arXiv:2604.23517](#) [[pdf](#), [ps](#), [other](#)] [math.NT](#) [math.PR](#)

Picking up the partial sums of the Möbius function problem with probabilistic number theory

Authors: [Maxie Dion Schmidt](#)

Abstract: We revisit several hybrid multiplicative-to-additive type functions from a recent preprint article. These functions, $g(n)$ with Dirichlet generating function (DGF) $\zeta(s)^{-1}(1 + P(s))^{-1}$ for $\Re(s) > 1$ where $P(s) = \sum_p p^{-s}$ is the prime zeta function, $|g(n)| = \lambda(n)g(n)$ with DGF $\zeta(2s)^{-1}(1 - P(s))^{-1}$, and $C_\Omega(n)$ with DGF $(1 - P(s))^{-1}$. Each of these function variants are def...

[▽ More](#)

Submitted 25 April, 2026; originally announced April 2026.

Comments: Keywords and phrases: Möbius function; Mertens function; Liouville lambda function; prime omega function; Dirichlet inverse; probabilistic number theory; Erdős-Kac theorem

MSC Class: (2010): 11A25; 11N37; 11N60; 11N64; and 11K65

2. [arXiv:2603.06890](#) [[pdf](#), [ps](#), [other](#)] [math.NT](#)

Magic partition functions: Sign smoothing convolutions with Dirichlet invertible arithmetic functions

Authors: [Maxie Dion Schmidt](#)

Abstract: Sign changes in sums of arithmetic functions and their inverses are a subtle topic with room to grow new results. Suppose that $S_f(x) := \sum_{n \leq x} f(n)$ is the summatory function of some arithmetic function f such that $f(1) \neq 1$. There are known lower bounds on the limiting growth of $V(S_f, Y)$ -- the number of sign changes of $S_f(y)$ on the interval $y \in (0, Y]$ as...

[▽ More](#)

Submitted 6 March, 2026; originally announced March 2026.

Comments: Keywords: Arithmetic functions; Dirichlet inverse; Dirichlet convolution; Dirichlet series; sign changes of arithmetic function; smoothing transformations; Cauchy product; discrete convolution

MSC Class: 11A25; 11N64; 11N56

3. [arXiv:2310.13672](#) [[pdf](#), [other](#)] [math.NT](#) [math.CO](#) doi: [10.1080/00029890.2018.1521232](#)

A Partition Identity Related to Stanley's Theorem

Authors: [Mircea Merca](#), [Maxie D. Schmidt](#)

Abstract: In this paper, we use the Lambert series generating function for Euler's totient function to introduce a new identity for the number of 1 's in the partitions of n . A new expansion for Euler's partition function $p(n)$ is derived in this context. These surprising new results connect the famous classical totient function from multiplicative number theory to the additive theory of partitions.

Submitted 20 October, 2023; originally announced October 2023.

Comments: Preprint version of the article submitted for publication in 2017

MSC Class: 05A17; 11B75; 11P81

Journal ref: Amer. Math. Monthly 125 10: 929-933 (2018)

4. [arXiv:2310.13658](#) [[pdf](#), [ps](#), [other](#)] [math.CO](#) [math.NT](#) [doi](#) [10.1007/s11139-017-9988-0](#)

The partition function $p(n)$ in terms of the classical Möbius function

Authors: [Mircea Merca](#), [Maxie D. Schmidt](#)

Abstract: In this paper, we investigate decompositions of the partition function $p(n)$ from the additive theory of partitions considering the famous Möbius function $\mu(n)$ from multiplicative number theory. Some combinatorial interpretations are given in this context. Our work extends several analogous identities proved recently relating $p(n)$ and Euler's totient function $\varphi(n)$.

Keywords: Lambert... [▽ More](#)

Submitted 20 October, 2023; **originally announced** October 2023.

Comments: Preprint version of the article submitted in December of 2017

MSC Class: 11A25; 11P81; 05A17; 05A19

Journal ref: Ramanujan J. 49: 87-96 (2019)

5. [arXiv:2209.12287](#) [[pdf](#), [other](#)] [math.NT](#) [math.CO](#)

Factorization theorems and canonical representations for generating functions of special sums

Authors: [Maxie Dion Schmidt](#)

Abstract: This manuscript explores many convolution (restricted summation) type sequences via certain types of matrix based factorizations that can be used to express their generating functions. The last primary (non-appendix) section of the thesis explores the topic of how to best rigorously define a so-termed “canonically best” matrix based factorization for a given class of convolution sum seque... [▽ More](#)

Submitted 25 September, 2022; **originally announced** September 2022.

Comments: Georgia Tech School of Mathematics doctoral thesis (August 2022)

6. [arXiv:2102.05842](#) [[pdf](#), [other](#)] [math.NT](#)

Exact formulas for partial sums of the Möbius function expressed by partial sums weighted by the Liouville lambda function

Authors: [Maxie Dion Schmidt](#)

Abstract: The Mertens function, $M(x) := \sum_{n \leq x} \mu(n)$, is defined as the summatory function of the classical Möbius function. The Dirichlet inverse function $g(n) := (\omega + 1)^{-1}(n)$ is defined in terms of the shifted strongly additive function $\omega(n)$ that counts the number of distinct prime factors of n without multiplicity. The Dirichlet generating function (DGF) of $g(n)$ is... [▽ More](#)

Submitted 17 July, 2022; v1 submitted 10 February, 2021; **originally announced** February 2021.

Comments: Möbius function; Mertens function; Liouville lambda function; prime omega function; Dirichlet inverse; prime zeta function; inversion of generalized convolutions

MSC Class: 11N37; 11A25; 11N60; and 11N64

7. [arXiv:2004.02976](#) [[pdf](#), [ps](#), [other](#)] [math.NT](#) [math.HO](#)

A catalog of interesting and useful Lambert series identities

Authors: [Maxie Dion Schmidt](#)

Abstract: A Lambert series generating function is a special series summed over an arithmetic function f defined by

$$L_f(q) := \sum_{n \geq 1} \frac{f(n)q^n}{1 - q^n} = \sum_{m \geq 1} (f * 1)(m)q^m.$$

Because of the way the left-hand-side terms of this type of generating function generate divisor sums of f convolved by Dirichlet convolution with one, these expansions are natural ways to enumerate... [▽ More](#)

Submitted 6 March, 2026; v1 submitted 6 April, 2020; **originally announced** April 2020.

Comments: Keywords and phrases: Lambert series; Lambert series generating function; divisor sum; Anderson-Apostol sum; Dirichlet convolution; Dirichlet inverse; summatory function; generating function transformation; series identity; arithmetic function

MSC Class: 05A15; 11Y70; 11A25; and 11-00

Journal ref: Online Journal of Analytic Combinatorics (2026)

8. [arXiv:1810.08373](#) [[pdf](#), [ps](#), [other](#)] [math.NT](#)

Factorization Theorems for Relatively Prime Divisor Sums, GCD Sums and Generalized Ramanujan Sums

Authors: [Hamed Mousavi](#), [Maxie D. Schmidt](#)

Abstract: We generalize recent matrix-based factorization theorems for Lambert series generating functions generating the coefficients $(f * 1)(n)$ for some arithmetic function f . Our new factorization theorems provide analogs to these established

expansions generating sums of the form $\sum_{d:(d,n)=1} f(d)$ (type I) and the Anderson-Apostol sums $\sum_{d|(m,n)} f(d)g(n/d)$ (type II) for any arithme... [▽ More](#)

Submitted 19 September, 2019; v1 submitted 19 October, 2018; originally announced October 2018.

Comments: Keywords: divisor sum; totient function; matrix factorization; Möbius inversion; partition function. MSC (2010): 11N64; 11A25; 05A17. Update includes improvements for notation reference and readability, including a complete index of all the notation we observe in the article

9. [arXiv:1809.03933](#) [[pdf](#), [other](#)] math.CO

A Short Note on Integral Transformations and Conversion Formulas for Sequence Generating Functions

Authors: [Maxie D. Schmidt](#)

Abstract: The purpose of this note is to provide an expository introduction to some more curious integral formulas and transformations involving generating functions. We seek to generalize these results and integral representations which effectively provide a mechanism for converting between a sequence's ordinary and exponential generating function (OGF and EGF, respectively) and vice versa. The Laplace tra... [▽ More](#)

Submitted 18 May, 2019; v1 submitted 11 September, 2018; originally announced September 2018.

Comments: Keywords: Generating function; series transformation; gamma function; Hankel contour. MSC: 05A15; 30E20; 31B10; and 11B73. Updated version is the draft that will be published in the Axioms special issue Mathematical Analysis and Applications II

10. [arXiv:1712.00611](#) [[pdf](#), [ps](#), [other](#)] math.NT

Factorization Theorems for Generalized Lambert Series and Applications

Authors: [Mircea Merca](#), [Maxie D. Schmidt](#)

Abstract: We prove new variants of the Lambert series factorization theorems studied by Merca and Schmidt (2017) which correspond to a more general class of Lambert series expansions of the form $L_a(\alpha, \beta, q) := \sum_{n \geq 1} a_n q^{\alpha n - \beta} / (1 - q^{\alpha n - \beta})$ for integers α, β defined such that $\alpha \geq 1$ and $0 \leq \beta < \alpha$. Applications of the new results in the article are given to restricted divisor sums ov... [▽ More](#)

Submitted 2 December, 2017; originally announced December 2017.

Comments: Keywords: Lambert series, factorization theorem, matrix factorization, partition function, multiplicative function

MSC Class: 11A25; 11P81; 05A17; 05A19

11. [arXiv:1712.00608](#) [[pdf](#), [ps](#), [other](#)] math.NT

Factorization Theorems for Hadamard Products and Higher-Order Derivatives of Lambert Series Generating Functions

Authors: [Maxie D. Schmidt](#)

Abstract: We first summarize joint work on several preliminary canonical Lambert series factorization theorems. Within this article we establish new analogs to these original factorization theorems which characterize two specific primary cases of the expansions of Lambert series generating functions: factorizations for Hadamard products of Lambert series and for higher-order derivatives of Lambert series. T... [▽ More](#)

Submitted 2 December, 2017; originally announced December 2017.

Comments: Keywords: Lambert series; factorization theorem; matrix factorization; partition function; Hadamard product. 2010 MSC: 11A25; 11P81; 05A17; 05A19

12. [arXiv:1707.05509](#) [[pdf](#), [other](#)] math.MG math.CO

Pair Correlation and Gap Distributions for Substitution Tilings and Generalized Ulam Sets in the Plane

Authors: [Maxie D. Schmidt](#)

Abstract: We study empirical statistical and gap distributions of several important tilings of the plane. In particular, we consider the slope distributions, the angle distributions, pair correlation, squared-distance pair correlation, angle gap distributions, and slope gap distributions for the Ammann Chair tiling, the recently discovered fifteenth pentagonal tiling, and a few pertinent tilings related to...

[▽ More](#)

Submitted 18 July, 2017; originally announced July 2017.

Comments: Keywords: substitution tiling; Ammann chair; Ulam set; directional distribution; gap distribution; pair correlation

MSC Class: 52C20; 06A99; 11B05; 62H11; 52C23

13. [arXiv:1706.02359](#) [[pdf](#), [ps](#), [other](#)] math.CO

New Factor Pairs for Factorizations of Lambert Series Generating Functions

Authors: [Mircea Merca](#), [Maxie D. Schmidt](#)

Abstract: We prove several new variants of the Lambert series factorization theorem established in the first article "Generating

special arithmetic functions by Lambert series factorizations" by Merca and Schmidt (2017). Several characteristic examples of our new results are presented in the article to motivate the formulations of the generalized factorization theorems. Applications of these new factorizati... [▽ More](#)

Submitted 7 June, 2017; originally announced June 2017.

Comments: Keywords: Lambert series; factorization theorem; matrix factorization; partition function; multiplicative function

MSC Class: 11A25; 11P81; 05A17; 05A19

14. [arXiv:1706.00393](#) [[pdf](#), [ps](#), [other](#)] math.NT

Generating Special Arithmetic Functions by Lambert Series Factorizations

Authors: [Mircea Merca](#), [Maxie D. Schmidt](#)

Abstract: We summarize the known useful and interesting results and formulas we have discovered so far in this collaborative article summarizing results from two related articles by Merca and Schmidt arriving at related so-termed Lambert series factorization theorems. We unify the matrix representations that underlie two of our separate papers, and which commonly arise in identities involving partition func... [▽ More](#)

Submitted 3 August, 2017; v1 submitted 1 June, 2017; originally announced June 2017.

Comments: Keywords: Lambert series; factorization theorem; matrix factorization; partition function

MSC Class: 11A25; 11P81; 05A17; 05A19

15. [arXiv:1705.03488](#) [[pdf](#), [ps](#), [other](#)] math.NT

Exact Formulas for the Generalized Sum-of-Divisors Functions

Authors: [Maxie D. Schmidt](#)

Abstract: We prove new exact formulas for the generalized sum-of-divisors functions, $\sigma_{\alpha}(x) := \sum_{d|x} d^{\alpha}$. The formulas for $\sigma_{\alpha}(x)$ when $\alpha \in \mathbb{C}$ is fixed and $x \geq 1$ involves a finite sum over all of the prime factors $n \leq x$ and terms involving the r -order harmonic number sequences and the Ramanujan sums $c_d(x)$. The generalized harmonic number sequences correspond to the partial... [▽ More](#)

[▽ More](#)

Submitted 19 April, 2019; v1 submitted 9 May, 2017; originally announced May 2017.

Comments: Added a new theorem for asymptotics of the average orders of certain sum-of-divisors functions with small error term

16. [arXiv:1704.05595](#) [[pdf](#), [ps](#), [other](#)] math.NT

Combinatorial Sums and Identities Involving Generalized Sum-of-Divisors Functions with Bounded Divisors

Authors: [Maxie D. Schmidt](#)

Abstract: The class of Lambert series generating functions (LGFs) denoted by $L_{\alpha}(q)$ formally enumerate the generalized sum-of-divisors functions, $\sigma_{\alpha}(n) = \sum_{d|n} d^{\alpha}$, for all integers $n \geq 1$ and fixed real-valued parameters $\alpha \geq 0$. We prove new formulas expanding the higher-order derivatives of these LGFs. The results we obtain are combined to express new identities expanding the generalized... [▽ More](#)

Submitted 17 November, 2020; v1 submitted 18 April, 2017; originally announced April 2017.

Comments: Keywords: divisor function; sum of divisors function; Lambert series; New version reflects accepted draft in INTEGERS (10/2020)

MSC Class: (2010): 30B50; 11N64; 11B37; 11B83; 11K65

17. [arXiv:1704.05200](#) [[pdf](#), [ps](#), [other](#)] math.NT doi: [10.1016/j.jnt.2017.05.023](#)

Continued Fractions and q -Series Generating Functions for the Generalized Sum-of-Divisors Functions

Authors: [Maxie D. Schmidt](#)

Abstract: We construct new continued fraction expansions of Jacobi-type J-fractions in z whose power series expansions generate the ratio of the q -Pochhammer symbols, $(a; q)_n / (b; q)_n$, for all integers $n \geq 0$ and where $a, b, q \in \mathbb{C}$ are non-zero and defined such that $|q| < 1$ and $|b/a| < |z| < 1$. If we set the parameters $(a, b) := (q, q^2)$ in these generalized series expansions, th... [▽ More](#)

Submitted 4 May, 2017; v1 submitted 18 April, 2017; originally announced April 2017.

Comments: Keywords: divisor function; sum of divisors function; continued fraction; J-fraction. MSC Subject Class (2010): 11J70; 11Y65; 40A30; 11B65; 11A25

Journal ref: J. Number Theory 180 (2017), 579–605

18. [arXiv:1702.01374](#) [[pdf](#), [ps](#), [other](#)] math.CO

Jacobi-Type Continued Fractions and Congruences for Binomial Coefficients Modulo Integers $h \geq 2$

Authors: [Maxie D. Schmidt](#)

Abstract: We prove two new forms of Jacobi-type J-fraction expansions generating the binomial coefficients, $\binom{x+n}{n}$ and $\binom{x}{n}$, over all $n \geq 0$. Within the article we establish new forms of integer congruences for these binomial coefficient variations modulo any (prime or composite) $h \geq 2$ and compare our results with existing known congruences for the binomial coefficients modulo p ... [▽ More](#)

Submitted 5 February, 2017; originally announced February 2017.

19. [arXiv:1701.06257](#) [[pdf](#), [ps](#), [other](#)] math.NT

New Recurrence Relations and Matrix Equations for Arithmetic Functions Generated by Lambert Series

Authors: Maxie D. Schmidt

Abstract: We consider relations between the pairs of sequences, (f, g_f) , generated by the Lambert series expansions, $L_f(q) = \sum_{n \geq 1} f(n)q^n / (1 - q^n)$, in q . In particular, we prove new forms of recurrence relations and matrix equations defining these sequences for all $n \in \mathbb{Z}^+$. The key ingredient to the proof of these results is given by the statement of Euler's pentagonal nu...

[▽ More](#)

Submitted 5 July, 2017; v1 submitted 22 January, 2017; originally announced January 2017.

Comments: Keywords: Lambert series; matrix factorization; Möbius function; Euler totient function; generalized sum-of-divisors function; Liouville's function. Subject Class (2010): 11A25; 05A15; 11N64; 11Y70; 05A30

20. [arXiv:1701.04741](#) [[pdf](#), [ps](#), [other](#)] math.CO

New Congruences and Finite Difference Equations for Generalized Factorial Functions

Authors: Maxie D. Schmidt

Abstract: We use the rationality of the generalized h^{th} convergent functions, $Conv_h(\alpha, R; z)$, to the infinite J-fraction expansions enumerating the generalized factorial product sequences, $p_n(\alpha, R) = R(R + \alpha) \cdots (R + (n - 1)\alpha)$, defined in the references to construct new congruences and h -order finite difference equations for generalized factorial functions modulo $h\alpha^t$ for any primes or odd integ... [▽ More](#)

Submitted 17 January, 2017; originally announced January 2017.

Comments: MSC Subject Codes: Primary 05A10; Secondary 11Y55, 11Y65, 11A07, 11B50

21. [arXiv:1612.02778](#) [[pdf](#), [ps](#), [other](#)] math.NT

Continued Fractions for Square Series Generating Functions

Authors: Maxie D. Schmidt

Abstract: We consider new series expansions for variants of the so-termed ordinary geometric square series generating functions originally defined in the recent article titled "Square Series Generating Function Transformations" (arXiv: 1609.02803). Whereas the original square series transformations article adapts known generating function transformations to construct integral representations for these squar... [▽ More](#)

Submitted 17 February, 2017; v1 submitted 8 December, 2016; originally announced December 2016.

Comments: This revision includes a correction to the proof of Proposition 2.4 and explicit expansions of the square series J-fractions. Keywords and MSC subject codes are included in the abstract

22. [arXiv:1611.04708](#) [[pdf](#), [ps](#), [other](#)] math.CO

Combinatorial Identities for Generalized Stirling Numbers Expanding f -Factorial Functions and the f -Harmonic Numbers

Authors: Maxie D. Schmidt

Abstract: We introduce a class of $f(t)$ -factorials, or $f(t)$ -Pochhammer symbols, that includes many, if not most, well-known factorial and multiple factorial function variants as special cases. We consider the combinatorial properties of the corresponding generalized classes of Stirling numbers of the first kind which arise as the coefficients of the symbolic polynomial expansions of these f -factorial f... [▽ More](#)

Submitted 29 March, 2017; v1 submitted 15 November, 2016; originally announced November 2016.

Comments: Keywords: factorial; multifactorial; j-factorial; Pochhammer symbol; Stirling number; generalized Stirling number; harmonic number; f-harmonic number; Stirling polynomial

MSC Class: 11B73; 05A10; 11B75

23. [arXiv:1611.00957](#) [[pdf](#), [ps](#), [other](#)] math.CO math.NT

Zeta Series Generating Function Transformations Related to Generalized Stirling Numbers and Partial Sums of the Hurwitz Zeta Function

Authors: Maxie D. Schmidt

Abstract: We define a generalized class of modified zeta series transformations generating the partial sums of the Hurwitz zeta function and series expansions of the Lerch transcendent function. The new transformation coefficients we define within the article satisfy expansions by generalized harmonic number sequences, or the partial sums of the Hurwitz zeta function, which are analogous to known properties... [▽ More](#)

Submitted 9 November, 2016; v1 submitted 3 November, 2016; originally announced November 2016.

24. [arXiv:1610.09691](#) [pdf, ps, other] math.CO

Jacobi Type Continued Fractions for the Ordinary Generating Functions of Generalized Factorial Functions

Authors: [Maxie D. Schmidt](#)

Abstract: The article studies a class of generalized factorial functions and symbolic product sequences through Jacobi type continued fractions (J-fractions) that formally enumerate the divergent ordinary generating functions of these sequences. The more general definitions of these J-fractions extend the known expansions of the continued fractions originally proved by Flajolet that generate the rising fact... [▽ More](#)

Submitted 17 January, 2017; v1 submitted 30 October, 2016; originally announced October 2016.

Journal ref: J. Integer Seq. 20 (2017), Article 17.3.4

25. [arXiv:1610.09666](#) [pdf, ps, other] math.CO math.NT

Generating Function Transformations Related to Polylogarithm Functions and the k -Order Harmonic Numbers

Authors: [Maxie D. Schmidt](#)

Abstract: We define a new class of generating function transformations related to polylogarithm functions, Dirichlet series, and Euler sums. These transformations are given by an infinite sum over the j^{th} derivatives of a sequence generating function and sets of generalized coefficients satisfying a non-triangular recurrence relation in two variables. The generalized transformation coefficients share a... [▽ More](#)

Submitted 30 October, 2016; originally announced October 2016.

Journal ref: Online Journal of Analytic Combinatorics, Issue 12, Article 2 (2017)

26. [arXiv:1609.07301](#) [pdf, other] math.CO cs.MS

A Computer Algebra Package for Polynomial Sequence Recognition

Authors: [Maxie D. Schmidt](#)

Abstract: The software package developed in the MS thesis research implements functions for the intelligent guessing of polynomial sequence formulas based on user-defined expected sequence factors of the input coefficients. We present a specialized hybrid approach to finding exact representations for polynomial sequences that is motivated by the need for an automated procedures to discover the precise forms... [▽ More](#)

Submitted 23 September, 2016; originally announced September 2016.

27. [arXiv:1609.02803](#) [pdf, ps, other] math.NT

Square Series Generating Function Transformations

Authors: [Maxie D. Schmidt](#)

Abstract: We construct new integral representations for transformations of the ordinary generating function for a sequence, $\langle f_n \rangle$, into the form of a generating function that enumerates the corresponding "square series" generating function for the sequence, $\langle q^{n^2} f_n \rangle$, at an initially fixed non-zero $q \in \mathbb{C}$. The new results proved in the article are given by int... [▽ More](#)

Submitted 29 March, 2017; v1 submitted 9 September, 2016; originally announced September 2016.

Comments: Keywords: Square series, generating function, series transformation, integral transformation, gamma function, double factorial, Stirling number of the second kind, Jacobi theta function, Ramanujan theta function

MSC Class: 05A15; 44A99; 33E99; 11B73

Journal ref: Journal of Inequalities and Special Functions V.8 (2017), Issue 2, Article 11

About

Help

Copyright

Privacy Policy

 Contact

 Subscribe

Web Accessibility Assistance

arXiv Operational Status [>](#)

Get status notifications via  email or  slack