1. (Applying the Riemann Sum) You are driving when all of a sudden, you see traffic stopped in front of you. You slam the brakes to come to a stop. While your brakes are applied, the velocity of the car is measured, and you obtain the following measurements:

Time since applying breaks (sec): 0 1 2 3 4 5 Velocity of car (in ft/sec): 88 60 40 25 10 0

- (a) Plot the points on a curve of velocity vs. time.
- (b) Using the points given, determine upper and lower bounds for the total distance traveled before the car came to a stop.
- 2. Estimate the area under the graph of $f(x) = 10 x^2$ between the lines x = -3 and x = 2 using n = 5 equally spaced subintervals, by finding:
 - (a) The upper sum, U_f .
 - (b) The lower sum, L_f .
- 3. Determine if each statement below is true or false.
 - (a) To find the upper sum U_f of a function f on [a, b], after partitioning the interval into n pieces, evaluate f at the right-hand endpoint of each subinterval.
 - (b) When the interval [a, b] is partitioned into n pieces, there are exactly n endpoints.
 - (c) A partition of the interval [a, b] does not need to be evenly spaced in order to calculate a Riemann Sum.
 - (d) If f is positive and continuous on [a, b], and A is the actual area bounded by f, x = a, x = b, and the x-axis, then $L_f < A < U_f$.