

Download Android SDK Platform Tools (ADB, Fastboot) | 2026

Latest: Android SDK Platform Tools 37.0.0

HARIS NADEEM · MAY 25, 2026 · TOOLS

The screenshot shows the 'Android Studio' section of the 'developers.android.com' website. The page is titled 'ANDROID STUDIO' and has tabs for 'Download', 'What's new' (selected), 'User guide', and 'Preview'. A left sidebar lists various features like 'Release notes', 'Android Studio Electric Eel', 'SDK command-line tools', 'Android emulator', 'SDK build tools', 'Android Gradle plugin', 'Android Gradle plugin roadmap', 'Android Gradle plugin API updates', 'SDK platform', and 'SDK platform tools' (highlighted). The main content area is titled 'SDK Platform Tools release notes' and contains text explaining that the SDK Platform-Tools is a component for the Android SDK, including tools like ADB and Fastboot. It mentions that while Studio usually handles these, downloading them separately is useful for command-line use or if Studio isn't installed. It also notes that 'fastboot' is needed for unlocking bootloaders and flashing system images, and that 'systime' has been replaced by 'Studio Profiler' and 'gpuinspector.dev'. A 'Downloads' section is visible at the bottom of the main content area. The right sidebar shows 'On this page' with links to 'Downloads' and 'Revisions'.

You can now download ADB and Fastboot (Android SDK Platform Tools) officially released by Google. Android nerds like us have used ADB, Fastboot and other tools at some point in using Android devices. To install an OTA update, flash factory image or simply to unlock bootloader of our phone, these Android SDK platform tools have been an essential part. Normally, to use ADB or Fastboot you have to [download Android SDK](#) which is a part of [Android Studio](#) and set it up on your computer. This requires you to download the whole package which starts at 8GB, and goes up till 32GB or more in size. That's a lot if you only need the two most popular Android SDK platform tools: ADB and Fastboot.

Third-party utilities and toolkits are also available to download ADB and Fastboot for various platforms. We have linked up one of such toolkits called Minimal ADB and Fastboot below in the article. However, we would always recommend you to download these tools from the official source. The latest ADB, Fastboot can be downloaded for Windows, Mac and Linux. They are available in a ZIP package that you download and extract it anywhere in your computer where you want to use it. And the total size is just around 15MB. You do not need much of the tools attached with it if you just want to perform various ADB and Fastboot related functions on your phone.

Android SDK Platform Tools – ADB / Fastboot

Third party releases of ADB and Fastboot can never be fully trusted or you never know if they are malicious in any way. The tools we have linked and covered below are directly from Google. That mean you always have the most up-to-date Android SDK platform tools and should never have compatibility with any Android device.

As new Android versions release, ages old releases of ADB and Fastboot are no longer compatible with these phones. If you try to unlock a Pixel phone's bootloader using the old Fastboot version, the process will fail and you may end up with a bricked phone. Similarly, you need to have an updated ADB tool. As platforms update and newer releases are available, Google makes sure they are fixed as soon as

possible and newer version is out soon. You can see that below in the official changelog provided by Google.

If you are a developer, it is recommended to download ADB, Fastboot or update them directly from inside the SDK Manager. This ensures the packages are saved to the right place with the rest of your Android SDK platform tools and easily updated.

Contents [[hide](#)]

- 1 Android SDK Platform Tools
- 2 New Feature: mDNS Device Discovery (Wireless Debugging)
 - 2.1 How It Works:
 - 2.2 How to Enable
- 3 Download ADB and Fastboot for Windows, Mac, Linux
- 4 Minimal ADB and Fastboot
- 5 Android SDK Platform Tools – Changelog
 - 5.1 37.0.0 (Feb 2026)
 - 5.2 36.0.2 (Sep 2025)
 - 5.3 36.0.1
 - 5.4 36.0.0 (Apr 2025)
 - 5.5 35.0.2 (July 2024)
 - 5.6 35.0.1 (March 2024)
 - 5.7 35.0.0 (February 2024)
 - 5.8 34.0.5 (October 2023)
 - 5.9 34.0.4 (July 2023)
 - 5.10 34.0.1 (March 2023)
 - 5.11 34.0.0 RC2 (March 2023)
 - 5.12 34.0.0 (February 2023)
 - 5.13 33.0.3 (Aug 2022)
 - 5.14 33.0.2 (May 2022)
 - 5.15 33.0.1 (March 2022)
 - 5.16 33.0.0 (February 2022)
 - 5.17 32.0.0 (January 2022)
 - 5.18 31.0.3 (August 2021)
 - 5.19 31.0.2 (April 2021)

5.20 31.0.1 (March 2021)
5.21 31.0.0 (February 2021)
5.22 30.0.5 (November 2020)
5.23 30.0.4 (July 2020)
5.24 30.0.3 (June 2020)
5.25 30.0.0 (April 2020)
5.26 29.0.6 (March 2020)
5.27 29.0.5 (October 2019)
5.28 29.0.2 (July 2019)
5.29 29.0.1 (June 2019)
5.30 29.0.0 (June 2019)
5.31 28.0.2 (March 2019)
5.32 28.0.1 (September 2018)
5.33 28.0.0 (June 2018)

Android SDK Platform Tools

The following is a list of utilities included as part of the Android SDK Platform Tools. These tools are updated with every new Android version (currently at Android 16) to support new features and APIs. Sometimes, they include smaller updates to improve the tools and fix known bugs.

NOTE: Each update to these tools is backward compatible with older Android platform versions, so always get the latest one.

- **adb:** Android Debug Bridge (adb) is a versatile tool that lets you manage an Android hardware device i.e. phone, tablet, watch etc. or an emulator instance. You can also use it to manage, backup or to install an APK on a device. Check out all the [ADB commands](#) here that you can use!
- **etc1tool:** A command line utility that lets you encode PNG images to the ETC1 compression standard and decode ETC1 compressed images back to PNG.
- **fastboot:** This utility helps you flash a device with platform and other system images. You can also install root images or firmware updates when the device is in Fastboot Mode. Read our [Fastboot commands](#) cheat sheet guide!
- **logcat:** This is a tool invoked via adb to view app and system logs. If you are stuck with an app development bug, logcat will help you narrow it down.

New Feature: mDNS Device Discovery (Wireless Debugging)

Recent versions of Android SDK Platform-Tools introduce **preliminary mDNS-based device discovery**, which

significantly improves **wireless ADB debugging**, especially on newer Android versions (Android 15, Android 16 etc.)

This feature allows ADB to automatically discover compatible Android devices over a local network, making wireless debugging faster and more reliable without manually entering IP addresses.

How It Works:

- Allows ADB to discover devices automatically over local networks
- Improves wireless debugging pairing and reconnection
- Reduces connection failures during longer ADB sessions

How to Enable

To enable experimental mDNS device discovery, set the following environment variable **before starting the ADB server**:

```
ADB_MDNS_OPENSOURCE=1
```

Note: This feature is still considered experimental but works reliably on **Android 15 and newer** devices.

Download ADB and Fastboot for Windows, Mac, Linux

The latest releases of Android SDK Platform Tools are available below and you can download ADB and Fastboot for various platforms: Windows, Mac and Linux. This page will always have the latest ADB / Fastboot binaries that are also included with the latest release of Android Studio / SDK Manager.

You can download the latest Android SDK Platform Tools 37.0.0 [here](#)!

Platform	Download
Windows	platform-tools-latest-windows.zip
macOS	platform-tools-latest-darwin.zip
Linux	platform-tools-latest-linux.zip

How to Install Android SDK Platform Tools:

Once you download ADB and Fastboot (Android SDK Platform Tools), you do not really need to install it anywhere. The Platform-Tools package is a ZIP file, means you can

simply extract it anywhere in your computer. Just make sure you download it for your correct desktop platform.

After extracting the files, open a Terminal session or Command Prompt in that folder and start using the `adb` or `fastboot` binaries directly.

Minimal ADB and Fastboot

As mentioned earlier, **Minimal ADB and Fastboot** is a third-party toolkit designed for users who only want ADB and Fastboot without additional SDK utilities. Due to its minimal nature, the file size is much smaller (around **1MB**).

We have a detailed guide on how to download, set up, and use this toolkit.

The latest available release is [Minimal ADB and Fastboot v1.4.3](#).

Note: While convenient, Minimal ADB and Fastboot may lag behind official Google releases. For newer Android versions (Android 14 / 15 / 16), we strongly recommend downloading the official Platform-Tools package.

Android SDK Platform Tools – Changelog

For all the past releases, this is the official changelog of these Android SDK Platform Tools by Google. This clearly shows how often Google updates these tools and fixes issues.

37.0.0 (Feb 2026)

- **adb**
 - The default mDNS backend is now `libadbmdns`. Library `openscreen` is still included as a failover but is deprecated.
 - `libadbmdns` now also returns the `.local` hostname as part of services metadata.
 - Linux USB backend now uses netlink instead of an active loop to detect device addition and removal.

36.0.2 (Sep 2025)

- **adb**
 - Make legacy USB backend the default on Linux (instead of `libusb`) due to instability reports (device disconnection, interface read failure, and

delayed netlink events preventing device detection).

- Fix bug where Samsung devices were not properly detected.
- Fix bug where old Android devices using USB class `Miscellaneous` (0xEF) were not properly detected.
- Fix bug where last character of a file was truncated when pulled or pushed [Windows only].

36.0.1

Never released past Canary due to issue #439152273.

36.0.0 (Apr 2025)

- **adb**
 - Re-written libusb USB backend (uses sync API instead of async API). Improves reliability and fixes memory exhaustion on Linux.
 - Libusb USB backend hot-plug now supports for Windows (enables USB speed detection).
 - Improved `server-status` now displays if mdns is enabled.
 - Fixed macOS bug where zero-length packets were not sent, resulting in stalled connection.

- Fixed use-after-free in libusb backend.

35.0.2 (July 2024)

- **adb**
 - Fix openscreen mDNS backend bug bringing down server on truncated query.
 - Make openscreen mDNS backend work on macOS.
 - Make openscreen mDNS backend default on all platforms.
 - Support to detect USB SuperSpeed+ (current and negotiated speeds) for diagnostic purposes.
 - Graceful shutdown: Release all USB interfaces on shutdown (all OSes).

35.0.1 (March 2024)

- **adb**
 - Switch to libusb 1.0.27

35.0.0 (February 2024)

- **adb**
 - Switch to libusb as the default on Linux.
 - Fix adb startup on hosts without USB.

- Fix adb hangs caused by USB devices incorrectly reporting zero-length descriptors issue.
- Fix return code of `adb shell` when device disconnects.
- **fastboot**
 - Limit the maximum size of the incoming packet queue.
 - Remove bottlenecks that previously limited download speeds to around 120MB/s. Now fastboot can saturate a SuperSpeed+ bus and achieve speeds up to 980MB/s, depending on the device.

34.0.5 (October 2023)

- **adb**
 - adb now defaults to libusb on macOS to address issue #270205252.
 - Previously, adb responded with a successful code when wireless pairing fails. Resolved this by returning a failure code (1) and user-facing error (`error: protocol fault (couldn't read status message...)`). `echo $?` now reports 1 .
 - `adb wait-for-disconnect` is now operational for non-USB (wireless debugging).

- Added new DbC interface for future support of ChromeOS over adb.
- **fastboot**
 - Fixed flashall on Pixel 3 devices.

34.0.4 (July 2023)

- **adb**
 - Propagate `-a` (`gListenAll`) when adb forks an adb host server (previously, the flag only worked for `adb -a server nodaemon`)
 - Faster root and unroot
 - **Reland** `Flag(env)` guarding clear endpoint (device) feature for OSX usb start.
- **fastboot**
 - Mac: remove retries on invalid IO iterator (flashing failure with `LIBUSB_TRANSFER_CANCELLED`)
 - Windows: fix "Sparse file is too large or invalid" when using "flashall"
 - All platforms: fix "ANDROID_PRODUCT_OUT not set" when using "update"

34.0.1 (March 2023)

- **adb**

- macOS: Reverted “unstable connectivity (MacBook high speed cable)” resolution due to adb install hang.
- **fastboot**
 - Windows: Fixed “mke2fs: Illegal or malformed device name while trying to determine filesystem size” error introduced in Platform tools 34.0.0.

34.0.0 RC2 (March 2023)

- Updated with the release of Android 14 Developer Preview 2.

34.0.0 (February 2023)

- **adb**
 - Fixed zero length packet sends for macOS.
 - Addressed unstable connectivity (MacBook high speed cable): frequent adb disconnects.
 - Improved error message for adb push with insufficient number of arguments.
- **fastboot**
 - Improved flashing: `flashall` will now skip reboots to userspace if it can.
 - Fixed zero length packet sends for macOS.

- Fixed flashing recovery.img resulting in wrong AVB footer.

33.0.3 (Aug 2022)

- **adb**
 - Don't retry `adb root` if first attempt failed.
 - Fix track-devices duplicate entry.
 - Add receive windowing (increase throughput on high-latency connections).
 - More specific error messages in the "more than one device" failure cases.
 - Reject unexpected reverse forward requests.
 - Fix install-multi-package on Windows.
- **fastboot**
 - Remove e2fsdroid as part of SDK platform-tools.
 - Print OemCmdHandler return message on success.

33.0.2 (May 2022)

- **fastboot**
 - Support for the `vendor_kernel_boot` partition.

33.0.1 (March 2022)

- **adb**

- Fixes Windows mdns crashes.
- Fixes enable-verity/disable-verity on old devices.
- Fixes "install multiple" on old devices
- Improves the help output to include all supported compression methods.
- **systrace**
 - Removed. Use Studio Profiler/gpuinspector.dev/Perfetto instead.

33.0.0 (February 2022)

- **adb**
 - Fixes the issue introduced in 32.0.0 of crashes when run without any arguments.

32.0.0 (January 2022)

- **adb**
 - Universal binary for Apple M1 devices.
 - Known issue: this version crashes when run without any arguments.

31.0.3 (August 2021)

- **fastboot**
 - Support flashing vbmeta_vendor.img for fastboot flashall / update.

31.0.2 (April 2021)

- **adb**
 - Support forwarding to vsock on linux.
 - Fix bug in `adb track-devices` where devices over wireless debugging wouldn't immediately receive updates.
 - Implement preliminary support for mDNS device discovery without a separately installed mDNS service. This is currently disabled by default, and can be enabled by setting the environment variable `ADB_MDNS_OPENSOURCE` to 1 when starting the adb server.
- **fastboot**
 - Don't fail when unable to get boot partition size.
 - Derive device locked state from property instead of parsing the kernel command line.

31.0.1 (March 2021)

- **adb**
 - Reduce TCP keepalive interval.
 - Improve incremental installation performance.
- **fastboot**
 - Add support for compressed snapshot merges.
 - Restore legacy A/B support.

31.0.0 (February 2021)

- **adb**
 - Disable compression on pull by default.

30.0.5 (November 2020)

- **adb**
 - Improve performance of `adb push` when pushing many files over a high-latency connection.
 - Improve `adb push/pull` performance on Windows.
 - Fix `adb push --sync` with multiple inputs.
 - Improve performance of incremental apk installation.
 - Improve error handling for incremental apk installation.

30.0.4 (July 2020)

Here is what has changed in version 30.0.4 of the platform-tools for Android:

- **adb**
 - Fix fallback to non-incremental apk installation on pre-Android 11 devices.
 - Fix `adb install-multi-package` .

- Fix some more crashes related to adb wireless pairing.
- Improve some error messages.
- **fastboot**
 - Improve console output on `fastboot oem` commands.
 - Fix `fastboot flashall` on older devices such as Nexus 7.

30.0.3 (June 2020)

adb

- Fix installation of APKs signed with v4 signature scheme on pre-Android 11 devices.
- Fix crash when authenticating without `ADB_VENDOR_KEYS`.
- Fix crash when using `adb -H`.

30.0.0 (April 2020)

adb

- Add initial support for wireless pairing.
- Add support for incremental APK installation.
- Implement client-side support for compression of `adb {push, pull, sync}` when used with an Android 11 device.

- Improve performance of `adb push` on high-latency connections.
- Improve push/pull performance on Windows.

29.0.6 (March 2020)

An official changelog is not yet available from Google, but we spotted this update earlier today. You need this latest Android SDK Platform Tools to update Google Pixel phones to [March 2020 update](#).

If you try flashing the new update / factory image with an older version of Fastboot tool, you will get an error message that *fastbootd was required*. These tools have been deprecated since then.

29.0.5 (October 2019)

- **adb**
 - Slight performance improvement on Linux when using many simultaneous connections.
 - Add `--fastdeploy` option to `adb install`, for incremental updates to APKs while developing.

29.0.2 (July 2019)

- **adb**

- Fixes a Windows heap integrity crash.
- **fastboot**
 - Adds support for partition layout of upcoming devices.

29.0.1 (June 2019)

- **adb**
 - Hotfix for Windows crashes.

29.0.0 (June 2019)

- **adb**
 - `adb reconnect` performs a USB reset on Linux.
 - On Linux, when connecting to a newer adb server, instead of killing the server and starting an older one, adb attempts to launch the newer version transparently.
 - `adb root` waits for the device to reconnect after disconnecting. Previously, `adb root`; `adb wait-for-device` could mistakenly return immediately if `adb wait-for-device` started before adb noticed that the device had disconnected.
- **fastboot**
 - Disables an error message that occurred when fastboot attempted to open the touch bar or keyboard on macOS.

28.0.2 (March 2019)

- **adb**
 - Fixes flakiness of `adb shell` port forwarding that leads to “Connection reset by peer” error message.
 - Fixes authentication via `ADB_VENDOR_KEYS` when reconnecting devices.
 - Fixes authentication—when the private key used for authentication does not match the public key—by calculating the public key from the private key, instead of assuming that they match.
- **fastboot**
 - Adds support for dynamic partitions.
- **Updated Windows requirements**
 - The platform tools now depend on the Windows Universal C Runtime, which is usually installed by default via Windows Update. If you see errors mentioning missing DLLs, you may need to manually fetch and install the runtime package.

NOTE: This release (28.0.2) is listed on the official Android Developers website as an update in March 2018. That is a typo. This latest release was made in March 2019.

28.0.1 (September 2018)

- **adb**
 - Add support for reconnection of TCP connections. Upon disconnection, adb will attempt to reconnect for up to 60 seconds before abandoning a connection.
 - Fix Unicode console output on Windows. (Thanks to external contributor Spencer Low!)
 - Fix a file descriptor double-close that can occur, resulting in connections being closed when an `adb connect` happens simultaneously.
 - Fix `adb forward --list` when used with more than one device connected.
- **fastboot**
 - Increase command timeout to 30 seconds, to better support some slow bootloader commands.

28.0.0 (June 2018)

- **adb:**
 - Add support for checksum-less operation with devices running Android P, which improves throughput by up to 40%.
 - Sort output of `adb devices` by connection type and device serial.

- Increase the socket listen backlog to allow for more simultaneous adb commands.
- Improve error output for `adb connect`.
- **fastboot:**
 - Improve output format, add a verbose output mode (`-v`).
 - Clean up help output.
 - Add `product.img` and `odm.img` to the list of partitions flashed by `fastboot flashall`.
 - Avoid bricking new devices when using a too-old version of fastboot by allowing factory image packages to require support for specific partitions.

Tags

[# adb](#)[# Android Development](#)[# android sdk](#)[# android sdk platform tools](#)[# download adb](#)[# download fastboot](#)[# fastboot](#)

Haris Nadeem

Haris lives on everything Android; has countless devices, apps and games to play with everyday.

Currently serving as the Chief Editor at Team
Android. Connect on Twitter: [@harisn](#)

ARTICLES: 194

Related Posts

**Android Studio Panda Download |
Latest: Panda 4 Patch 1 (2025.3.4.7)**

April 28, 2026

**Android Studio Quail 4 Patch 1
Download for Windows, Mac, Linux
and ChromeOS**

April 21, 2026

**Android Studio Giraffe (2022.3.1
Patch 2) Now Available, Download for
All Platforms**

August 31, 2023

3 Comments

Nate Lawrence

JUNE 4, 2019 / 3:39 AM

REPLY

Every time that I try to extract any of the above zip files for Windows, I am told that the archive is not valid.

Dave

AUGUST 8, 2019 / 4:56 PM

REPLY

I've downloaded the platform-tools_r28.0.2-windows.zip, extracted it and then executed the adb.exe, and fastboot.exe. However, it seems like nothing happened. Are you sure that these files are legit?

Wayne

JANUARY 13, 2022 / 2:45 AM

REPLY

I have recently bought a huawel P30 with retail demo mode on it, but i can't find a platform tool on my

Windows 10 laptop or adb, can you tell me which program to install please

Leave a Reply

Your email address will not be published. Required fields are marked *

☐ Notify me of follow-up comments by email.

☐ Notify me of new posts by email.

Post Comment