

Generate answer for git push commit by tag



Search Assist



Stack Overflow

<https://stackoverflow.com/questions/3745135/push-git-commits-tags-simultaneously>

...

Push git commits & tags simultaneously - Stack Overflow

`git push --tags` is a separate operation to `git push` since pushing **tags** should be a conscious choice to avoid accidentally pushing the wrong one. That's fine. But how do I **push** them both simultaneou...



Stack Overflow

<https://stackoverflow.com/questions/25755061/how-do-i-create-tag-with-certain-commits-an...>

...

git - How do I create tag with certain commits and push it to origi...

The argument after `git push` names the repository (generally via a "remote" name, like `origin`) to **push**-to. If you leave it out, `git` will try to figure one out, but if you want to add a branch or **tag** name, you need to include it explicitly, since the first word here is assumed to be the remote-name.

How tags work In git, each tag is said to "point to" a (one, single) commit. In fact, the same is true ...

BEST ANSWER

👍 80

Here is a concrete example: `git add .` `git commit -m "some description"` `git tag v0.1....`

👍 43

This is what you want git add . `git commit -m "commit10"` `git tag -a v1.7.3.0 -m "Latest releas...`

👍 6

Once y tag (wh you' git pu



Git

<https://git-scm.com/book/en/v2/Git-Basics-Tagging>

...

Git - Tagging

`git push <remote> --tags` will **push** both lightweight and annotated **tags**. There is currently no option to **push** only lightweight **tags**, but if you use `git push <remote> --follow-tags` only annotated **tags** will be pushed to the remote.



GitHub Docs

<https://docs.github.com/en/get-started/using-git/pushing-commits-to-a-remote-repository>

...

Pushing commits to a remote repository - GitHub Docs

Use `git push` to **push** commits made on your local branch to a remote repository.



ShellHacks

<https://www.shellhacks.com/git-create-tag-push-tag-to-remote>

...

Git: Create Tag & Push Tag to Remote - ShellHacks

How to create and **push** **Git** **tags** to a remote repository. How to show the most recent **tag** name and how many **commits** ago it has been created.



W3School

https://www.w3schools.com/git/git_tagging.asp

...

Git Tagging - W3Schools

A **tag** in **Git** is like a label or bookmark for a specific **commit**.



Git

<https://git-scm.com/docs/git-push>

...

Push git commits & tags simultaneously

<https://stackoverflow.com/...>

Update August 2020

As mentioned originally in this answer by SoBeRich, and in my own answer, as of git 2.4.x

```
git push --atomic origin
<branch name> <tag>
```

(Note: this actually work with HTTPS only with Git 2.24)

git

Ask Duck.ai



Was this helpful? 👍 👎

Share Feedback

Git - git-push Documentation

The <refspec> argument (s) (for example main in **git push** origin main) or the --all, --mirror, or --tags options The remote.<name>.push configuration for the repository being pushed to The push.default configuration. The default is push.default=simple, which will push to a branch with the same name as...



Atlassian

<https://www.atlassian.com> › [git](#) › [tutorials](#) › [inspecting-a-repository](#) › [git-tag](#)

...

Git Tagging: From Creation to Checkout | Atlassian Git Tutorial

This document will cover the different kinds of **tags**, how to create **tags**, list all **tags**, delete **tags**, use commands like **git checkout tag** to view a tagged **commit**, and **git push tag** to share **tags** with others.



JetBrains

<https://www.jetbrains.com> › [help](#) › [rider](#) › [Use_tags_to_mark_specific_commits.html](#)

...

Use tags to mark specific Git commits | JetBrains Rider

May 29, 2026 · Use **tags** to mark specific **Git commits** Last modified: 29 May 2026 **Git** allows you to attach **tags** to **commits** to mark certain points in the project history so that you can refer to them in the future. For example, you can **tag** a **commit** that corresponds to a release version, instead of creating a...

Searches related to **git push commit by tag**

[git push tag to origin](#)

[github tag a commit](#)

[git tag current commit](#)

[git tag push command](#)

[git create and push tag](#)

[git push specific tag](#)

[git create tag from commit](#)

[git command to create tag](#)

[git tag latest commit](#)

[git add tag and push](#)

Was this helpful?

[More Results](#)



Get Our Windows Browser

Protect your data as you search, browse, and use AI.

[Download](#)