

Sixo Online APK Analyzer

This tool allows you to analyze various details about Android APK files. It can decompile binary xml files and resources.

Drop APK here or click to select file

Official.Trump.2020.App_v2.3.0_apkpure.com.apk (29.6MB)



Trump 2020

Package name

com.ucampaignapp.americafirst

versionCode

302070

versionName

2.3.0

Supported ABIs

armeabi, armeabi-v7a, armm64-v8a, x86, x86_64

Native libraries

Minimal supported Android version

Marshmallow (6) - API level 23

Target SDK

Pie - API level 28

Note: All APK processing is done on the client side. Your APK files won't be transferred to the server.

If you're an Android enthusiast or power user that likes to learn more about Android internals, I highly recommend to check out my [Bugjaeger app](#). It allows you to connect 2 Android devices through USB OTG and perform many of the tasks that are normally only accessible from a developer machine via ADB directly from Android phone/tablet.

Activities

com.donaldjtrump.android.presentation.feature.main.MainActivity
com.donaldjtrump.android.presentation.feature.share.ShareWithFriendsActivity
com.donaldjtrump.android.presentation.feature.tickets.EventTicketsActivity
com.donaldjtrump.android.presentation.feature.engage.PlayerActivity
com.donaldjtrump.android.presentation.feature.onboarding.LaunchActivity
com.donaldjtrump.android.presentation.feature.events.EventConfirmationActivity
com.donaldjtrump.android.presentation.feature.events.EventWebVideoActivity
com.donaldjtrump.android.presentation.feature.share.ShareActivity
com.donaldjtrump.android.presentation.feature.more.MoreOptionActivity
com.donaldjtrump.android.presentation.feature.home.NewsDetailActivity
com.donaldjtrump.android.presentation.feature.more.BuildingMapActivity
com.facebook.FacebookActivity *com.facebook.CustomTabActivity*
com.facebook.CustomTabMainActivity

Activities are the basic application components that provide an interface to the user - a single screen that can host UI elements. An application usually provides one or more activities and allows the user to navigate between each of them.

Services

com.donaldjtrump.android.presentation.feature.notification.NotificationService
com.phunware.appkit.service.PWAppKitConfigurationService
com.phunware.engagement.internal.services.FCMMessageListenerService
com.phunware.engagement.internal.services.SignificantLocationUpdateJobService
com.phunware.engagement.internal.services.FCMRegistrationJobService
com.phunware.engagement.internal.services.BootCompletionService
com.phunware.engagement.internal.services.GeofenceTransitionsJobIntentService
com.phunware.core.analytics.AnalyticsNetworkService
com.phunware.core.analytics.AnalyticsCacheIntentService
com.google.firebase.components.ComponentDiscoveryService
androidx.room.MultilInstanceInvalidationService
com.google.firebase.messaging.FirebaseMessagingService
com.google.android.gms.measurement.AppMeasurementService
com.google.android.gms.measurement.AppMeasurementJobService
com.firebase.jobdispatcher.GooglePlayReceiver
com.google.android.datatransport.runtime.backends.TransportBackendDiscovery
com.google.android.datatransport.runtime.scheduling.jobscheduling.JobInfoSchedulerService

Services are application components that are mostly used for background processing tasks, for example, playing music, downloading files, or performing some time consuming computation.

Broadcast Receivers

```
com.phunware.engagement.internal.receiver.GeofenceTransitionReceiver
com.phunware.engagement.internal.receiver.SignificantLocationUpdateReceiver
com.google.firebase.iid.FirebaseInstanceIdReceiver
com.google.android.gms.measurement.AppMeasurementReceiver
com.facebook.CurrentAccessTokenExpirationBroadcastReceiver
com.google.android.datatransport.runtime.scheduling.jobscheduling.AlarmManagerScheduler
```

[Broadcast receivers](#) allow to exchange events between app components or even between different apps. With broadcast receivers, events can be delivered even to apps that aren't currently running (for example app can listen to system events). Android uses **Intents** to deliver these events to broadcast receivers.

Content Providers

```
com.facebook.FacebookContentProvider
com.google.firebase.perf.provider.FirebasePerfProvider
com.google.firebase.provider.FirebaseInitProvider
com.facebook.marketing.internal.MarketingInitProvider
com.facebook.internal.FacebookInitProvider
androidx.lifecycle.ProcessLifecycleOwnerInitializer
```

[Content providers](#) allow an Android app to manage and share data. They provide a unified interface for managing app's data which allows to use an URI scheme to map URI to data items.

Requested Permissions

```
android.permission.ACCESS_NETWORK_STATE
android.permission.INTERNET
```

android.permission.ACCESS_COARSE_LOCATION

android.permission.ACCESS_FINE_LOCATION

android.permission.READ_PHONE_STATE

android.permission.READ_EXTERNAL_STORAGE

android.permission.ACCESS_WIFI_STATE

android.permission.ACCESS_BACKGROUND_LOCATION

android.permission.RECEIVE_BOOT_COMPLETED

android.permission.WAKE_LOCK

com.google.android.c2dm.permission.RECEIVE

com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE

When an app wants to access resources or various device capabilities, it often has to request [permissions](#) from the user to do so. Some permissions are granted by the user when installing the app and some need to be additionally confirmed while an app is running. The requested permissions are declared in app's AndroidManifest.xml file.

AndroidManifest.xml

```
<manifest
  xmlns:android="http://schemas.android.com/apk/res/android"
  android:versionCode="302070"
  android:versionName="2.3.0"
  android:compileSdkVersion="28"
  android:compileSdkVersionCodename="9"
  package="com.ucampaignapp.americafirst"
  platformBuildVersionCode="28"
  platformBuildVersionName="9">
  <application
    android:theme="(reference) @0x7f120094"
    android:label="(reference) @0x7f11001c"
    android:icon="(reference) @0x7f0f0000"
    android:name="com.ucampaignapp.americafirst.MainApplication"
    android:allowBackup="false"
    android:supportsRtl="true"
```

```
android:networkSecurityConfig="(reference) @0x7f140001"
android:roundIcon="(reference) @0x7f0f0002"
android:appComponentFactory="androidx.core.app.CoreComponentFactory">
<meta-data
    android:name="com.android.vending.derived.apk.id"
    android:value="1"/>
<provider
    android:name="androidx.lifecycle.ProcessLifecycleOwnerInitial
    android:exported="false"
    android:multiprocess="true"
    android:authorities="com.ucampaignapp.americafirst.lifecycle-
<receiver
    android:name="com.google.android.datatransport.runtime.schedu
    android:exported="false"/>
<service
    android:name="com.google.android.datatransport.runtime.schedu
    android:permission="android.permission.BIND_JOB_SERVICE"
    android:exported="false"/>
<service
    android:name="com.google.android.datatransport.runtime.backen
    android:exported="false">
    <meta-data
        android:name="backend:com.google.android.datatranspor
        android:value="cct"/>
</service>
<receiver
    android:name="com.facebook.CurrentAccessTokenExpirationBroadc
    android:exported="false">
    <intent-filter>
        <action
            android:name="com.facebook.sdk.ACTION_CURRENT
        </intent-filter>
</receiver>
<provider
    android:name="com.facebook.internal.FacebookInitProvider"
    android:exported="false"
    android:authorities="com.ucampaignapp.americafirst.FacebookIn
<provider
    android:name="com.facebook.marketing.internal.MarketingInitPr
    android:exported="false"
    android:authorities="com.ucampaignapp.americafirst.MarketingI
<service
    android:name="com.firebase.jobdispatcher.GooglePlayReceiver"
    android:permission="com.google.android.gms.permission.BIND_NE
    android:exported="true">
    <intent-filter>
```

```
        </intent-filter>
    </service>
    <meta-data
        android:name="com.google.android.gms.version"
        android:value="(reference) @0x7f0b000a"/>
    <service
        android:name="com.google.android.gms.measurement.AppMeasureme
        android:permission="android.permission.BIND_JOB_SERVICE"
        android:enabled="true"
        android:exported="false"/>
    <service
        android:name="com.google.android.gms.measurement.AppMeasureme
        android:enabled="true"
        android:exported="false"/>
    <receiver
        android:name="com.google.android.gms.measurement.AppMeasureme
        android:enabled="true"
        android:exported="false"/>
    <provider
        android:name="com.google.firebase.provider.FirebaseInitProvid
        android:exported="false"
        android:authorities="com.ucampaignapp.americafirst.firebasein
        android:initOrder="100"/>
    <activity
        android:theme="(reference) @0x01030010"
        android:name="com.google.android.gms.common.api.GoogleApiActi
        android:exported="false"/>
    <receiver
        android:name="com.google.firebase.iid.FirebaseInstanceIdRecei
        android:permission="com.google.android.c2dm.permission.SEND"
        android:exported="true">
        <intent-filter>
            <action
                android:name="com.google.android.c2dm.intent.
            </intent-filter>
    </receiver>
    <service
        android:name="com.google.firebase.messaging.FirebaseMessaging
        android:exported="false">
        <intent-filter
            android:priority="4294966796">
            <action
                android:name="com.google.firebase.MESSAGING_E
            </intent-filter>
    </service>
    <provider
```

```
android:authorities="com.ucampaignapp.americanfirst.firebaseio.com"
android:initOrder="101"/>
```

```
android:name="androidx.room.MultiInstanceInvalidationService"
android:exported="false"/>
```

```
android:name="com.google.firebase.components.ComponentDiscoverer"
android:exported="false"
android:directBootAware="true">
```

```
android:name="com.google.firebase.components:com.google.firebase.components.ComponentRegistrar"
android:value="com.google.firebase.components.ComponentRegistrar" data-bbox="115 855 585 885"/>
```

```
android:name="com.google.firebase.components:com.google.firebase.components.ComponentRegistrar"
android:value="com.google.firebase.components.ComponentRegistrar" data-bbox="111 853 500 880"/>
```

```
android:name="com.google.firebase.components:com.google.firebase.components.Component2"
android:value="com.google.firebase.components.Component2"
```

```
android:name="com.google.firebase.components:com.google.firebase.components.ComponentRegistrar"
android:value="com.google.firebase.components.ComponentRegistrar" data-bbox="115 455 500 485"/>
```

```
android:name="com.google.firebase.components:com.google.firebase.components.ComponentRegistrar"
android:value="com.google.firebase.components.ComponentRegistrar" data-bbox="111 825 500 853"/>
```

```
android:name="com.google.firebase.components:com.goog  
android:value="com.google.firebase.components.Compone
```

```
android:name="com.google.firebase.components:com.google.firebase.components.ComponentRegistrar"
android:value="com.google.firebase.components.ComponentRegistrar" data-bbox="111 825 586 857"/>
```

```
android:name="com.google.firebase.components:com.google.firebase.components.ComponentRegistrar"
android:value="com.google.firebase.components.ComponentRegistrar" data-bbox="111 825 500 853"/>
```

```
android:name="com.google.firebase.components:com.google.firebase.components.ComponentRegistrar"
android:value="com.google.firebase.components.ComponentRegistrar" data-bbox="111 450 500 475"/>
```

<activity

```
<service
```

```
android:name="com.phunware.core.analytics.AnalyticsCacheInten
android:permission="android.permission.BIND_JOB_SERVICE"
android:exported="true"/>
```

```
android:name="com.phunware.core.analytics.AnalyticsNetworkSer
android:exported="false">
```



```

        android:name="com.firebase.jobdispatcher.ACTI
    </intent-filter>
</service>
<service
    android:name="com.phunware.engagement.internal.services.Geofe
    android:permission="android.permission.BIND_JOB_SERVICE"
    android:exported="false"/>
<service
    android:name="com.phunware.engagement.internal.services.BootC
    android:exported="false">
    <intent-filter>
        <action
            android:name="com.firebase.jobdispatcher.ACTI
        </intent-filter>
    </service>
<service
    android:name="com.phunware.engagement.internal.services.FCMRe
    android:exported="false">
    <intent-filter>
        <action
            android:name="com.firebase.jobdispatcher.ACTI
        </intent-filter>
    </service>
<service
    android:name="com.phunware.engagement.internal.services.Signi
    android:exported="false">
    <intent-filter>
        <action
            android:name="com.firebase.jobdispatcher.ACTI
        </intent-filter>
    </service>
<service
    android:name="com.phunware.engagement.internal.services.FCMMe
    android:exported="false">
    <intent-filter>
        <action
            android:name="com.google.firebase.MESSAGING_E
        </intent-filter>
    </service>
<receiver
    android:name="com.phunware.engagement.internal.receiver.Signi
    <intent-filter>
        <action
            android:name="android.location.LocationManage
        </intent-filter>
</receiver>

```

```

        android:exported="false">
        <intent-filter>
            <action
                android:name="com.phunware.locationupdates.Lo
            </intent-filter>
        </receiver>
    <receiver
        android:name="com.phunware.engagement.internal.receiver.Reboo
        android:enabled="true"
        android:exported="true">
        <intent-filter>
            <category
                android:name="android.intent.category.DEFAULT
            <action
                android:name="android.intent.action.BOOT_COMP
            </intent-filter>
        </receiver>
    <service
        android:name="com.phunware.appkit.service.PWAppKitConfigurati
        android:permission="android.permission.BIND_JOB_SERVICE"
        android:exported="false"/>
    <meta-data
        android:name="firebase_performance_logcat_enabled"
        android:value="false"/>
    <meta-data
        android:name="firebase_crashlytics_collection_enabled"
        android:value="true"/>
    <meta-data
        android:name="com.google.android.geo.API_KEY"
        android:value="(reference) @0x7f110147"/>
    <activity
        android:name="com.facebook.CustomTabActivity"
        android:exported="true">
        <intent-filter>
            <data
                android:scheme="fbconnect"
                android:host="cct.com.ucampaignapp.americafir
            <category
                android:name="android.intent.category.BROWSAB
            <category
                android:name="android.intent.category.DEFAULT
            <action
                android:name="android.intent.action.VIEW"/>
        </intent-filter>
        <intent-filter>
            <data

```



```

        android:name="android.intent.category.BROWSABLE"
        <category
            android:name="android.intent.category.DEFAULT"
        <action
            android:name="android.intent.action.VIEW"/>
    </intent-filter>
</activity>
<provider
    android:name="com.facebook.FacebookContentProvider"
    android:exported="true"
    android:authorities="(reference) @0x7f11012e"/>
<activity
    android:theme="(reference) @0x7f120388"
    android:label="(reference) @0x7f11001c"
    android:name="com.facebook.FacebookActivity"
    android:configChanges="5b0"/>
<meta-data
    android:name="com.facebook.sdk.AutoLogAppEventsEnabled"
    android:value="true"/>
<meta-data
    android:name="com.facebook.sdk.ApplicationId"
    android:value="(reference) @0x7f11012d"/>
<service
    android:name="com.donaldjtrump.android.presentation.feature.n
    android:exported="false">
    <intent-filter>
        <action
            android:name="com.phunware.engagement.EDIT_NO
    </intent-filter>
</service>
<receiver
    android:name="io.branch.referral.InstallListener"
    android:exported="true">
    <intent-filter>
        <action
            android:name="com.android.vending.INSTALL_REF
    </intent-filter>
</receiver>
<meta-data
    android:name="io.branch.sdk.TestMode"
    android:value="false"/>
<activity
    android:name="com.donaldjtrump.android.presentation.feature.m
    android:screenOrientation="1"/>
<activity
    android:name="com.donaldjtrump.android.presentation.feature.h

```



```

        android:name="com.donaldjtrump.android.presentation.feature.m
        android:screenOrientation="1"
        android:windowSoftInputMode="10"/>
    <activity
        android:name="com.donaldjtrump.android.presentation.feature.s
        android:screenOrientation="1"/>
    <activity
        android:name="com.donaldjtrump.android.presentation.feature.e
        android:configChanges="580"/>
    <activity
        android:name="com.donaldjtrump.android.presentation.feature.e
        android:screenOrientation="1"/>
    <activity
        android:theme="(reference) @0x7f120178"
        android:name="com.donaldjtrump.android.presentation.feature.o
        android:launchMode="1"
        android:screenOrientation="1"
        android:windowSoftInputMode="20">
        <intent-filter>
            <data
                android:scheme="https"
                android:host="www.donaldjtrump.com"
                android:path="/assets/authsuccess.html"/>
            <category
                android:name="android.intent.category.BROWSAB
            <category
                android:name="android.intent.category.DEFAULT
            <action
                android:name="android.intent.action.VIEW"/>
        </intent-filter>
        <intent-filter>
            <data
                android:mimeType="engagement/message"/>
            <category
                android:name="android.intent.category.DEFAULT
            <action
                android:name="android.intent.action.VIEW"/>
        </intent-filter>
        <intent-filter
            android:autoVerify="true">
            <data
                android:scheme="https"
                android:host="(reference) @0x7f110030"/>
            <data
                android:scheme="https"
                android:host="(reference) @0x7f110031"/>
        </intent-filter>
    </activity>

```

```

        <category
            android:name="android.intent.category.DEFAULT"
        <action
            android:name="android.intent.action.VIEW"/>
    </intent-filter>
    <intent-filter>
        <category
            android:name="android.intent.category.BROWSAB
        <category
            android:name="android.intent.category.DEFAULT"
        <action
            android:name="android.intent.action.VIEW"/>
        <data
            android:scheme="(reference) @0x7f110032"/>
    </intent-filter>
    <intent-filter>
        <category
            android:name="android.intent.category.LAUNCE
        <action
            android:name="android.intent.action.MAIN"/>
        <category
            android:name="android.intent.category.DEFAULT"
    </intent-filter>
</activity>
<activity
    android:theme="(reference) @0x7f1202d3"
    android:name="com.donaldjtrump.android.presentation.feature.e
    android:screenOrientation="0"/>
<activity
    android:name="com.donaldjtrump.android.presentation.feature.t
    android:screenOrientation="1"/>
<activity
    android:name="com.donaldjtrump.android.presentation.feature.s
    android:screenOrientation="1"
    android:windowSoftInputMode="3"/>
<activity
    android:name="com.donaldjtrump.android.presentation.feature.m
    android:screenOrientation="1"
    android:windowSoftInputMode="10"/>
</application>
<uses-permission
    android:name="com.google.android.finsky.permission.BIND_GET_INSTALL_R
<uses-permission
    android:name="com.google.android.c2dm.permission.RECEIVE"/>
<uses-permission
    android:name="android.permission.WAKE_LOCK"/>

```

```
<uses-permission
    android:name="android.permission.ACCESS_BACKGROUND_LOCATION"/>
<uses-permission
    android:name="android.permission.ACCESS_WIFI_STATE"/>
<uses-permission
    android:name="android.permission.READ_EXTERNAL_STORAGE"/>
<uses-permission
    android:name="android.permission.READ_PHONE_STATE"/>
<uses-feature
    android:name="android.hardware.telephony"
    android:required="false"/>
<uses-feature
    android:name="android.hardware.location.network"
    android:required="false"/>
<uses-permission
    android:name="android.permission.ACCESS_FINE_LOCATION"/>
<uses-permission
    android:name="android.permission.ACCESS_COARSE_LOCATION"/>
<uses-permission
    android:name="android.permission.READ_CONTACTS"/>
<uses-permission
    android:name="android.permission.WRITE_EXTERNAL_STORAGE"/>
<uses-permission
    android:name="android.permission.INTERNET"/>
<uses-permission
    android:name="android.permission.ACCESS_NETWORK_STATE"/>
<uses-sdk
    android:minSdkVersion="23"
    android:targetSdkVersion="28"/>
</manifest>
```

Android manifest contains important information about the app that is used by the development tools, Android system, and app stores. It contains app's package name, version information, declarations of app components, requested permissions, and other important things. It is serialized into a binary xml format and bundled inside app's APK file.

String Resources

Android APK file can contain text resources that are displayed inside the app. The text is often localized to multiple languages.

APK Signature

Valid Android APK files contain a signature which allows to **identify the author** of the APK file. This is especially useful when installing updates to already installed apps because it allows you to verify that the updated version comes from the same author. You can find out who signed the APK and other **signature/certificate information** with my [cert](https://sisik.eu/cert) tool sisik.eu/cert

64 Bit Architecture Support

Some APKs contain native C++ code which has to be compiled for each supported ABI (e.g. armeabi-v7a, x86, arm64-v8a, x86_64). This is usually done with **Android NDK**.

This tool allows you to check if the APK contains native C/C++ code and also if it supports 64 bit architectures. If your APK contains native code, there should be a **"Supported ABIs"** section at the top. If your APK also **supports 64 bit architecture**, there should be an ABI listed with a name containing the digit "64"(e.g. **arm64-v8a** or **x86_64**).

The native C/C++ libraries are located inside the **lib** folder of the APK file. You can further analyze these shared .so libraries using my [elf](#) tool.

App Source Code

inner workings of the code, you can convert the compiled code into human readable form of **dalvik bytecode**. Use my [apk-dump](https://sisik.eu/apk-dump) tool for this

sisik.eu/apk-dump

Android Partitions & Image Files

Android operating system uses multiple filesystem partitions to boot up and work. Google offers image files that contain these [partitions for its own devices](#). If you want to learn more about Android filesystem partitions and image files, or you would like to extract files and resources from these partitions, use my [aimg](#) tool to do this

sisik.eu/aimg

You Want to Analyze Other File Formats (Not Only APK)

You can use my [file](#) tool to find more information about various binary formats

sisik.eu/file

You Want More Features or Something Is Not Working

If you would like to have some additional features or you're experiencing some issues with this app, don't hesitate to write directly to my email

roman@sisik.eu

For those of you who like to **hack around Android and see more of its internals**, I highly recommend to check out my [Bugjaeger](#) app

<https://play.google.com/store/apps/details?id=eu.sisik.hackendebug>

If you want to **analyze APK** files located directly on your Android device, you can try my [Power Apk](#) Android app

<https://play.google.com/store/apps/details?id=eu.sisik.apktools>

Android devices contain multiple partition types (boot, system, data). If you already have an .img file and you would like to extract other files and information from it, you should try my online tool for **extracting Android image partitions**

www.sisik.eu/aimg

I also created a more generic tool that can give you **information about binary and textual file types**. You can use it for example for getting ABIs of your native .so libraries

www.sisik.eu/file

Something is not working? Or you would like some additional features? You can contact me directly at my email roman@sisik.eu and write your requirements.

version 2.0 license.

[SHARE](#)[TWEET](#)[GOOGLE+](#)[LINKEDIN](#)[REDDIT](#)

Sixo Apps

If you're curious about the technical aspects of Android or you like image & video processing apps, you might find something interesting amongst the apps that I've published on [Google Play](#)



By visiting this website you accept my [Terms of use](#)
[Privacy Policy](#) | [Terms of use](#) | Copyright © 2018 Roman Sisik