



Permissions required for fine-grained personal access tokens

For each permission granted to a fine-grained personal access token, these are the REST API endpoints that the app can use.

In this article

About permissions required for fine-grained personal access token

Organization permissions for "API Insights"

Organization permissions for "Administration"

Organization permissions for "Agent secrets"

Organization permissions for "Agent variables"

Organization permissions for "Blocking users"

Organization permissions for "Campaigns"

Organization permissions for "Copilot Spaces"

Organization permissions for "Copilot agent settings"

Organization permissions for "Copilot content exclusion"

Organization permissions for "Custom organization roles"

Organization permissions for "Custom properties"

Organization permissions for "Events"

Organization permissions for "GitHub Copilot Business"

Organization permissions for "Hosted runner custom images"

Organization permissions for "Issue Fields"

Organization permissions for "Issue Types"

Organization permissions for "Members"

Organization permissions for "Network configurations"

Organization permissions for "Organization Copilot metrics"

Organization permissions for "Organization codespaces secrets"

Organization permissions for "Organization codespaces settings"

Organization permissions for "Organization codespaces"

Organization permissions for "Organization dependabot secrets"

Organization permissions for "Organization private registries"

Organization permissions for "Projects"

Organization permissions for "Secrets"

Organization permissions for "Self-hosted runners"

Organization permissions for "Variables"

Organization permissions for "Webhooks"

Repository permissions for "Actions"

Repository permissions for "Administration"

Repository permissions for "Agent secrets"

Repository permissions for "Agent variables"

Repository permissions for "Artifact metadata"

Repository permissions for "Attestations"

Repository permissions for "Code quality"

Repository permissions for "Code scanning alerts"

Repository permissions for "Codespaces lifecycle admin"

Repository permissions for "Codespaces metadata"

Repository permissions for "Codespaces secrets"

Repository permissions for "Codespaces"

Repository permissions for "Commit statuses"

Repository permissions for "Contents"

Repository permissions for "Copilot agent settings"

Repository permissions for "Custom properties"

Repository permissions for "Dependabot alerts"

Repository permissions for "Dependabot secrets"

Repository permissions for "Deployments"

Repository permissions for "Environments"

Repository permissions for "Issues"

Repository permissions for "Metadata"

Repository permissions for "Pages"

Repository permissions for "Pull requests"

Repository permissions for "Repository security advisories"

Repository permissions for "Secret scanning alerts"

Repository permissions for "Secrets"

Repository permissions for "Variables"

Repository permissions for "Webhooks"

Repository permissions for "Workflows"

User permissions for "Block another user"

User permissions for "Codespaces user secrets"

User permissions for "Email addresses"

User permissions for "Followers"

User permissions for "GPG keys"

User permissions for "Gists"

User permissions for "Git SSH keys"

User permissions for "Interaction limits"

User permissions for "Plan"

User permissions for "Private repository invitations"

User permissions for "Profile"

User permissions for "SSH signing keys"

User permissions for "Starring"

User permissions for "Watching"

About permissions required for fine-grained personal access token

When you create a fine-grained personal access token, you grant it a set of permissions. Permissions define what resources the token can access via the API. For more information, see [Managing your personal access tokens](#).

To help you choose the correct permissions, you will receive the `X-Accepted-GitHub-Permissions` header in the REST API response. The header will tell you what permissions are required in order to access the endpoint. For more information, see [Troubleshooting the REST API](#).

These permissions are required to access private resources. Some endpoints can also be used to access public resources without these permissions. To see whether an endpoint can access public resources without a permission, see the documentation for that endpoint.

Some endpoints require more than one permission. Other endpoints work with any one permission from a set of permissions. In these cases, the "Additional permissions" column will include a checkmark. For full details about the permissions that are required to use the endpoint, see the documentation for that endpoint.

Organization permissions for "API Insights"

Endpoint	Access	Additional permissions
GET /orgs/{org}/insights/api/route-stats/{actor_type}/{actor_id}	read	×
GET /orgs/{org}/insights/api/subject-stats	read	×
GET /orgs/{org}/insights/api/summary-stats	read	×
GET /orgs/{org}/insights/api/summary-stats/users/{user_id}	read	×
GET /orgs/{org}/insights/api/summary-stats/{actor_type}/{actor_id}	read	×
GET /orgs/{org}/insights/api/time-stats	read	×
GET /orgs/{org}/insights/api/time-stats/users/{user_id}	read	×
GET /orgs/{org}/insights/api/time-stats/{actor_type}/{actor_id}	read	✓



Organization permissions for "Administration"

Endpoint	Access	Additional permissions
PUT /organizations/{org}/actions/cache/retention-limit	write	×
PUT /organizations/{org}/actions/cache/storage-limit	write	×

Endpoint	Access	Additional permissions
POST /organizations/{org}/settings/billing/budgets	write	×
PATCH /organizations/{org}/settings/billing/budgets/{budget_id}	write	×
DELETE /organizations/{org}/settings/billing/budgets/{budget_id}	write	×
PATCH /orgs/{org}	write	×
DELETE /orgs/{org}	write	×
POST /orgs/{org}/actions/hosted-runners	write	×
PATCH /orgs/{org}/actions/hosted-runners/{hosted_runner_id}	write	×
DELETE /orgs/{org}/actions/hosted-runners/{hosted_runner_id}	write	×
POST /orgs/{org}/actions/oidc/customization/properties/repo	write	×
DELETE /orgs/{org}/actions/oidc/customization/properties/repo/{custom_property_name}	write	×
PUT /orgs/{org}/actions/oidc/customization/sub	write	×
PUT /orgs/{org}/actions/permissions	write	×
PUT /orgs/{org}/actions/permissions/artifact-and-log-retention	write	×
PUT /orgs/{org}/actions/permissions/fork-pr-contributor-approval	write	×
PUT /orgs/{org}/actions/permissions/fork-pr-workflows-private-repos	write	×
PUT /orgs/{org}/actions/permissions/repositories	write	×

Endpoint	Access	Additional permissions
PUT /orgs/{org}/actions/permissions/repositories/{repository_id}	write	✓
DELETE /orgs/{org}/actions/permissions/repositories/{repository_id}	write	✓
PUT /orgs/{org}/actions/permissions/selected-actions	write	×
PUT /orgs/{org}/actions/permissions/self-hosted-runners	write	×
PUT /orgs/{org}/actions/permissions/self-hosted-runners/repositories	write	×
PUT /orgs/{org}/actions/permissions/self-hosted-runners/repositories/{repository_id}	write	✓
DELETE /orgs/{org}/actions/permissions/self-hosted-runners/repositories/{repository_id}	write	✓
PUT /orgs/{org}/actions/permissions/workflow	write	×
PATCH /orgs/{org}/code-scanning/ai-scan	write	×
POST /orgs/{org}/code-security/configurations	write	×
DELETE /orgs/{org}/code-security/configurations/detach	write	×
PATCH /orgs/{org}/code-security/configurations/{configuration_id}	write	×
DELETE /orgs/{org}/code-security/configurations/{configuration_id}	write	×
POST /orgs/{org}/code-security/configurations/{configuration_id}/attach	write	×
PUT /orgs/{org}/code-security/configurations/{configuration_id}/defaults	write	×
POST /orgs/{org}/copilot/billing/selected_teams	write	✓

Endpoint	Access	Additional permissions
DELETE /orgs/{org}/copilot/billing/selected_teams	write	✓
POST /orgs/{org}/copilot/billing/selected_users	write	✓
DELETE /orgs/{org}/copilot/billing/selected_users	write	✓
PATCH /orgs/{org}/dependabot/repository-access	write	×
PUT /orgs/{org}/dependabot/repository-access/default-level	write	×
PUT /orgs/{org}/interaction-limits	write	×
DELETE /orgs/{org}/interaction-limits	write	×
GET /orgs/{org}/interaction-limits/pulls/creation-cap	write	×
PATCH /orgs/{org}/interaction-limits/pulls/creation-cap	write	×
GET /orgs/{org}/rulesets	write	×
POST /orgs/{org}/rulesets	write	×
GET /orgs/{org}/rulesets/rule-suites	write	×
GET /orgs/{org}/rulesets/rule-suites/{rule_suite_id}	write	×
GET /orgs/{org}/rulesets/{ruleset_id}	write	×
PUT /orgs/{org}/rulesets/{ruleset_id}	write	×
DELETE /orgs/{org}/rulesets/{ruleset_id}	write	×
GET /orgs/{org}/rulesets/{ruleset_id}/history	write	×
GET /orgs/{org}/rulesets/{ruleset_id}/history/{version_id}	write	×
POST /orgs/{org}/secret-scanning/custom-patterns	write	×
DELETE /orgs/{org}/secret-scanning/custom-patterns	write	×

Endpoint	Access	Additional permissions
PATCH /orgs/{org}/secret-scanning/custom-patterns/{pattern_id}	write	×
PATCH /orgs/{org}/secret-scanning/pattern-configurations	write	×
PUT /orgs/{org}/security-managers/teams/{team_slug}	write	×
DELETE /orgs/{org}/security-managers/teams/{team_slug}	write	×
PUT /orgs/{org}/settings/immutable-releases	write	×
PUT /orgs/{org}/settings/immutable-releases/repositories	write	✓
PUT /orgs/{org}/settings/immutable-releases/repositories/{repository_id}	write	✓
DELETE /orgs/{org}/settings/immutable-releases/repositories/{repository_id}	write	✓
POST /orgs/{org}/{security_product}/{enablement}	write	×
GET /organizations/{org}/actions/cache/retention-limit	read	×
GET /organizations/{org}/actions/cache/storage-limit	read	×
GET /organizations/{org}/settings/billing/ai_credit/usage	read	×
GET /organizations/{org}/settings/billing/budgets	read	×
GET /organizations/{org}/settings/billing/budgets/{budget_id}	read	×
GET /organizations/{org}/settings/billing/premium_request/usage	read	×
GET /organizations/{org}/settings/billing/usage	read	×
GET /organizations/{org}/settings/billing/usage/summary	read	×
GET /orgs/{org}/actions/cache/usage	read	×

Endpoint	Access	Additional permissions
GET /orgs/{org}/actions/cache/usage-by-repository	read	×
GET /orgs/{org}/actions/hosted-runners	read	×
GET /orgs/{org}/actions/hosted-runners/images/github-owned	read	×
GET /orgs/{org}/actions/hosted-runners/images/partner	read	×
GET /orgs/{org}/actions/hosted-runners/limits	read	×
GET /orgs/{org}/actions/hosted-runners/machine-sizes	read	×
GET /orgs/{org}/actions/hosted-runners/platforms	read	×
GET /orgs/{org}/actions/hosted-runners/{hosted_runner_id}	read	×
GET /orgs/{org}/actions/oidc/customization/properties/repo	read	×
GET /orgs/{org}/actions/oidc/customization/sub	read	×
GET /orgs/{org}/actions/permissions	read	×
GET /orgs/{org}/actions/permissions/artifact-and-log-retention	read	×
GET /orgs/{org}/actions/permissions/fork-pr-contributor-approval	read	×
GET /orgs/{org}/actions/permissions/fork-pr-workflows-private-repos	read	×
GET /orgs/{org}/actions/permissions/repositories	read	×
GET /orgs/{org}/actions/permissions/selected-actions	read	×
GET /orgs/{org}/actions/permissions/self-hosted-runners	read	×
GET /orgs/{org}/actions/permissions/self-hosted-runners/repositories	read	×

Endpoint	Access	Additional permissions
GET /orgs/{org}/actions/permissions/workflow	read	×
GET /orgs/{org}/code-scanning/ai-scan	read	×
GET /orgs/{org}/code-security/configurations	read	×
GET /orgs/{org}/code-security/configurations/defaults	read	×
GET /orgs/{org}/code-security/configurations/{configuration_id}	read	×
GET /orgs/{org}/code-security/configurations/{configuration_id}/repositories	read	×
GET /orgs/{org}/copilot/billing	read	✓
GET /orgs/{org}/copilot/billing/seats	read	✓
GET /orgs/{org}/dependabot/repository-access	read	×
GET /orgs/{org}/installations	read	×
GET /orgs/{org}/interaction-limits	read	×
GET /orgs/{org}/members/{username}/copilot	read	✓
GET /orgs/{org}/secret-scanning/custom-patterns	read	×
GET /orgs/{org}/secret-scanning/pattern-configurations	read	×
GET /orgs/{org}/security-managers	read	×
GET /orgs/{org}/settings/immutable-releases	read	×
GET /orgs/{org}/settings/immutable-releases/repositories	read	×

Organization permissions for "Agent secrets"

Endpoint	Access	Additional permissions
PUT /orgs/{org}/agents/secrets/{secret_name}	write	×
DELETE /orgs/{org}/agents/secrets/{secret_name}	write	×
PUT /orgs/{org}/agents/secrets/{secret_name}/repositories	write	×
PUT /orgs/{org}/agents/secrets/{secret_name}/repositories/{repository_id}	write	✓
DELETE /orgs/{org}/agents/secrets/{secret_name}/repositories/{repository_id}	write	✓
GET /orgs/{org}/agents/secrets	read	×
GET /orgs/{org}/agents/secrets/public-key	read	×
GET /orgs/{org}/agents/secrets/{secret_name}	read	×
GET /orgs/{org}/agents/secrets/{secret_name}/repositories	read	×

Organization permissions for "Agent variables"

Endpoint	Access	Additional permissions
POST /orgs/{org}/agents/variables	write	×
PATCH /orgs/{org}/agents/variables/{name}	write	×
DELETE /orgs/{org}/agents/variables/{name}	write	×
PUT /orgs/{org}/agents/variables/{name}/repositories	write	×

Endpoint	Access	Additional permissions
PUT /orgs/{org}/agents/variables/{name}/repositories/{repository_id}	write	✓
DELETE /orgs/{org}/agents/variables/{name}/repositories/{repository_id}	write	✓
GET /orgs/{org}/agents/variables	read	×
GET /orgs/{org}/agents/variables/{name}	read	×
GET /orgs/{org}/agents/variables/{name}/repositories	read	×

Organization permissions for "Blocking users"

Endpoint	Access	Additional permissions
PUT /orgs/{org}/blocks/{username}	write	×
DELETE /orgs/{org}/blocks/{username}	write	×
GET /orgs/{org}/blocks	read	×
GET /orgs/{org}/blocks/{username}	read	×

Organization permissions for "Campaigns"

Endpoint	Access	Additional permissions
POST /orgs/{org}/campaigns	write	×
PATCH /orgs/{org}/campaigns/{campaign_number}	write	×

Endpoint	Access	Additional permissions
DELETE /orgs/{org}/campaigns/{campaign_number}	write	×
GET /orgs/{org}/campaigns	read	×
GET /orgs/{org}/campaigns/{campaign_number}	read	×

Organization permissions for "Copilot Spaces"

Endpoint	Access	Additional permissions
POST /orgs/{org}/copilot-spaces	write	×
PUT /orgs/{org}/copilot-spaces/{space_number}	write	×
DELETE /orgs/{org}/copilot-spaces/{space_number}	write	×
POST /orgs/{org}/copilot-spaces/{space_number}/resources	write	×
PUT /orgs/{org}/copilot-spaces/{space_number}/resources/{space_resource_id}	write	×
DELETE /orgs/{org}/copilot-spaces/{space_number}/resources/{space_resource_id}	write	×
GET /orgs/{org}/copilot-spaces	read	×
GET /orgs/{org}/copilot-spaces/{space_number}	read	×
GET /orgs/{org}/copilot-spaces/{space_number}/resources	read	×
GET /orgs/{org}/copilot-spaces/{space_number}/resources/{space_resource_id}	read	×

Organization permissions for "Copilot agent settings"

Endpoint	Access	Additional permissions
PUT /orgs/{org}/copilot/coding-agent/permissions	write	×
PUT /orgs/{org}/copilot/coding-agent/permissions/repositories	write	×
PUT /orgs/{org}/copilot/coding-agent/permissions/repositories/{repository_id}	write	✓
DELETE /orgs/{org}/copilot/coding-agent/permissions/repositories/{repository_id}	write	✓
GET /orgs/{org}/copilot/coding-agent/permissions	read	×
GET /orgs/{org}/copilot/coding-agent/permissions/repositories	read	×

Organization permissions for "Copilot content exclusion"

Endpoint	Access	Additional permissions
PUT /orgs/{org}/copilot/content_exclusion	write	×
GET /orgs/{org}/copilot/content_exclusion	read	×

Organization permissions for "Custom organization roles"

Endpoint	Access	Additional permissions
GET /orgs/{org}/organization-roles	read	×
GET /orgs/{org}/organization-roles/{role_id}	read	×

Organization permissions for "Custom properties"

Endpoint	Access	Additional permissions
PATCH /orgs/{org}/properties/schema	admin	×
PUT /orgs/{org}/properties/schema/{custom_property_name}	admin	×
DELETE /orgs/{org}/properties/schema/{custom_property_name}	admin	×
PATCH /orgs/{org}/properties/values	write	×
GET /orgs/{org}/properties/schema	read	×
GET /orgs/{org}/properties/schema/{custom_property_name}	read	×
GET /orgs/{org}/properties/values	read	×

Organization permissions for "Events"

Endpoint	Access	Additional permissions
GET /users/{username}/events/orgs/{org}	read	×

Organization permissions for "GitHub Copilot Business"

Endpoint	Access	Additional permissions
POST /orgs/{org}/copilot-spaces/{space_number}/collaborators	write	×

Endpoint	Access	Additional permissions
PUT /orgs/{org}/copilot-spaces/{space_number}/collaborators/{actor_type}/{actor_identifier}	write	×
DELETE /orgs/{org}/copilot-spaces/{space_number}/collaborators/{actor_type}/{actor_identifier}	write	×
POST /orgs/{org}/copilot/billing/selected_teams	write	✓
DELETE /orgs/{org}/copilot/billing/selected_teams	write	✓
POST /orgs/{org}/copilot/billing/selected_users	write	✓
DELETE /orgs/{org}/copilot/billing/selected_users	write	✓
GET /orgs/{org}/copilot-spaces/{space_number}/collaborators	read	×
GET /orgs/{org}/copilot/billing	read	✓
GET /orgs/{org}/copilot/billing/seats	read	✓
GET /orgs/{org}/members/{username}/copilot	read	✓

Organization permissions for "Hosted runner custom images"

Endpoint	Access	Additional permissions
DELETE /orgs/{org}/actions/hosted-runners/images/custom/{image_definition_id}	write	×
DELETE /orgs/{org}/actions/hosted-runners/images/custom/{image_definition_id}/versions/{version}	write	×
GET /orgs/{org}/actions/hosted-runners/images/custom	read	×

Endpoint	Access	Additional permissions
GET /orgs/{org}/actions/hosted-runners/images/custom/{image_definition_id}	read	×
GET /orgs/{org}/actions/hosted-runners/images/custom/{image_definition_id}/versions	read	×
GET /orgs/{org}/actions/hosted-runners/images/custom/{image_definition_id}/versions/{version}	read	×

Organization permissions for "Issue Fields"

Endpoint	Access	Additional permissions
POST /orgs/{org}/issue-fields	write	×
PATCH /orgs/{org}/issue-fields/{issue_field_id}	write	×
DELETE /orgs/{org}/issue-fields/{issue_field_id}	write	×
GET /orgs/{org}/issue-fields	read	×

Organization permissions for "Issue Types"

Endpoint	Access	Additional permissions
POST /orgs/{org}/issue-types	write	×
PUT /orgs/{org}/issue-types/{issue_type_id}	write	×
DELETE /orgs/{org}/issue-types/{issue_type_id}	write	×
GET /orgs/{org}/issue-types	read	×

Organization permissions for "Members"

Endpoint	Access	Additional permissions
POST /orgs/{org}/invitations	write	×
DELETE /orgs/{org}/invitations/{invitation_id}	write	×
DELETE /orgs/{org}/members/{username}	write	×
PUT /orgs/{org}/memberships/{username}	write	×
DELETE /orgs/{org}/memberships/{username}	write	×
DELETE /orgs/{org}/organization-roles/teams/{team_slug}	write	×
PUT /orgs/{org}/organization-roles/teams/{team_slug}/{role_id}	write	×
DELETE /orgs/{org}/organization-roles/teams/{team_slug}/{role_id}	write	×
DELETE /orgs/{org}/organization-roles/users/{username}	write	×
PUT /orgs/{org}/organization-roles/users/{username}/{role_id}	write	×
DELETE /orgs/{org}/organization-roles/users/{username}/{role_id}	write	×
PUT /orgs/{org}/outside_collaborators/{username}	write	×
DELETE /orgs/{org}/outside_collaborators/{username}	write	×
PUT /orgs/{org}/public_members/{username}	write	×
DELETE /orgs/{org}/public_members/{username}	write	×
POST /orgs/{org}/teams	write	×
PATCH /orgs/{org}/teams/{team_slug}	write	×

Endpoint	Access	Additional permissions
DELETE /orgs/{org}/teams/{team_slug}	write	×
PUT /orgs/{org}/teams/{team_slug}/memberships/{username}	write	×
DELETE /orgs/{org}/teams/{team_slug}/memberships/{username}	write	×
PATCH /teams/{team_id}	write	×
DELETE /teams/{team_id}	write	×
PUT /teams/{team_id}/members/{username}	write	×
DELETE /teams/{team_id}/members/{username}	write	×
PUT /teams/{team_id}/memberships/{username}	write	×
DELETE /teams/{team_id}/memberships/{username}	write	×
PATCH /user/memberships/orgs/{org}	write	×
GET /orgs/{org}/failed_invitations	read	×
GET /orgs/{org}/invitations	read	×
GET /orgs/{org}/invitations/{invitation_id}/teams	read	×
GET /orgs/{org}/members	read	×
GET /orgs/{org}/members/{username}	read	×
GET /orgs/{org}/memberships/{username}	read	×
GET /orgs/{org}/organization-roles/{role_id}/teams	read	×
GET /orgs/{org}/organization-roles/{role_id}/users	read	×
GET /orgs/{org}/outside_collaborators	read	×

Endpoint	Access	Additional permissions
GET /orgs/{org}/public_members	read	×
GET /orgs/{org}/public_members/{username}	read	×
GET /orgs/{org}/teams	read	×
GET /orgs/{org}/teams/{team_slug}	read	×
GET /orgs/{org}/teams/{team_slug}/invitations	read	×
GET /orgs/{org}/teams/{team_slug}/members	read	×
GET /orgs/{org}/teams/{team_slug}/memberships/{username}	read	×
GET /orgs/{org}/teams/{team_slug}/repos	read	×
GET /orgs/{org}/teams/{team_slug}/repos/{owner}/{repo}	read	✓
PUT /orgs/{org}/teams/{team_slug}/repos/{owner}/{repo}	read	✓
DELETE /orgs/{org}/teams/{team_slug}/repos/{owner}/{repo}	read	✓
GET /orgs/{org}/teams/{team_slug}/teams	read	×
GET /teams/{team_id}	read	×
GET /teams/{team_id}/invitations	read	×
GET /teams/{team_id}/members	read	×
GET /teams/{team_id}/members/{username}	read	×
GET /teams/{team_id}/memberships/{username}	read	×
GET /teams/{team_id}/repos	read	×
GET /teams/{team_id}/repos/{owner}/{repo}	read	✓
PUT /teams/{team_id}/repos/{owner}/{repo}	read	✓

Endpoint	Access	Additional permissions
DELETE /teams/{team_id}/repos/{owner}/{repo}	read	✓
GET /teams/{team_id}/teams	read	×
GET /user/memberships/orgs/{org}	read	×

Organization permissions for "Network configurations"

Endpoint	Access	Additional permissions
POST /orgs/{org}/settings/network-configurations	write	×
PATCH /orgs/{org}/settings/network-configurations/{network_configuration_id}	write	×
DELETE /orgs/{org}/settings/network-configurations/{network_configuration_id}	write	×
GET /orgs/{org}/settings/network-configurations	read	×
GET /orgs/{org}/settings/network-configurations/{network_configuration_id}	read	×
GET /orgs/{org}/settings/network-settings/{network_settings_id}	read	×

Organization permissions for "Organization Copilot metrics"

Endpoint	Access	Additional permissions
GET /orgs/{org}/copilot/metrics/reports/organization-1-day	read	×

Endpoint	Access	Additional permissions
GET /orgs/{org}/copilot/metrics/reports/organization-28-day/latest	read	×
GET /orgs/{org}/copilot/metrics/reports/repos-1-day	read	×
GET /orgs/{org}/copilot/metrics/reports/user-teams-1-day	read	×
GET /orgs/{org}/copilot/metrics/reports/users-1-day	read	×
GET /orgs/{org}/copilot/metrics/reports/users-28-day/latest	read	×

Organization permissions for "Organization codespaces secrets"

Endpoint	Access	Additional permissions
PUT /orgs/{org}/codespaces/secrets/{secret_name}	write	×
DELETE /orgs/{org}/codespaces/secrets/{secret_name}	write	×
PUT /orgs/{org}/codespaces/secrets/{secret_name}/repositories	write	×
PUT /orgs/{org}/codespaces/secrets/{secret_name}/repositories/{repository_id}	write	✓
DELETE /orgs/{org}/codespaces/secrets/{secret_name}/repositories/{repository_id}	write	✓
GET /orgs/{org}/codespaces/secrets	read	×
GET /orgs/{org}/codespaces/secrets/public-key	read	×
GET /orgs/{org}/codespaces/secrets/{secret_name}	read	×

Endpoint	Access	Additional permissions
GET /orgs/{org}/codespaces/secrets/{secret_name}/repositories	read	×

Organization permissions for "Organization codespaces settings"

Endpoint	Access	Additional permissions
PUT /orgs/{org}/codespaces/access	write	×
POST /orgs/{org}/codespaces/access/selected_users	write	×
DELETE /orgs/{org}/codespaces/access/selected_users	write	×

Organization permissions for "Organization codespaces"

Endpoint	Access	Additional permissions
DELETE /orgs/{org}/members/{username}/codespaces/{codespace_name}	write	✓
POST /orgs/{org}/members/{username}/codespaces/{codespace_name}/stop	write	✓
GET /orgs/{org}/codespaces	read	✓
GET /orgs/{org}/members/{username}/codespaces	read	✓

Organization permissions for "Organization dependabot secrets"

Endpoint	Access	Additional permissions
PUT /orgs/{org}/dependabot/secrets/{secret_name}	write	×
DELETE /orgs/{org}/dependabot/secrets/{secret_name}	write	×
PUT /orgs/{org}/dependabot/secrets/{secret_name}/repositories	write	×
PUT /orgs/{org}/dependabot/secrets/{secret_name}/repositories/{repository_id}	write	✓
DELETE /orgs/{org}/dependabot/secrets/{secret_name}/repositories/{repository_id}	write	✓
GET /orgs/{org}/dependabot/secrets	read	×
GET /orgs/{org}/dependabot/secrets/public-key	read	×
GET /orgs/{org}/dependabot/secrets/{secret_name}	read	×
GET /orgs/{org}/dependabot/secrets/{secret_name}/repositories	read	×

Organization permissions for "Organization private registries"

Endpoint	Access	Additional permissions
POST /orgs/{org}/private-registries	write	×
PATCH /orgs/{org}/private-registries/{secret_name}	write	×

Endpoint	Access	Additional permissions
DELETE /orgs/{org}/private-registries/{secret_name}	write	×
GET /orgs/{org}/private-registries	read	×
GET /orgs/{org}/private-registries/public-key	read	×
GET /orgs/{org}/private-registries/{secret_name}	read	×

Organization permissions for "Projects"

Endpoint	Access	Additional permissions
POST /orgs/{org}/projectsV2/{project_number}/drafts	write	×
POST /orgs/{org}/projectsV2/{project_number}/fields	write	×
POST /orgs/{org}/projectsV2/{project_number}/items	write	×
PATCH /orgs/{org}/projectsV2/{project_number}/items/{item_id}	write	×
DELETE /orgs/{org}/projectsV2/{project_number}/items/{item_id}	write	×
POST /orgs/{org}/projectsV2/{project_number}/views	write	×
GET /orgs/{org}/projectsV2	read	×
GET /orgs/{org}/projectsV2/{project_number}	read	×
GET /orgs/{org}/projectsV2/{project_number}/fields	read	×
GET /orgs/{org}/projectsV2/{project_number}/fields/{field_id}	read	×
GET /orgs/{org}/projectsV2/{project_number}/items	read	×

Endpoint	Access	Additional permissions
GET /orgs/{org}/projectsV2/{project_number}/items/{item_id}	read	×
GET /orgs/{org}/projectsV2/{project_number}/views/{view_number}/items	read	×

Organization permissions for "Secrets"

Endpoint	Access	Additional permissions
PUT /orgs/{org}/actions/secrets/{secret_name}	write	×
DELETE /orgs/{org}/actions/secrets/{secret_name}	write	×
PUT /orgs/{org}/actions/secrets/{secret_name}/repositories	write	×
PUT /orgs/{org}/actions/secrets/{secret_name}/repositories/{repository_id}	write	✓
DELETE /orgs/{org}/actions/secrets/{secret_name}/repositories/{repository_id}	write	✓
GET /orgs/{org}/actions/secrets	read	×
GET /orgs/{org}/actions/secrets/public-key	read	×
GET /orgs/{org}/actions/secrets/{secret_name}	read	×
GET /orgs/{org}/actions/secrets/{secret_name}/repositories	read	×

Organization permissions for "Self-hosted runners"

Endpoint	Access	Additional permissions
POST /orgs/{org}/actions/runner-groups	write	×
PATCH /orgs/{org}/actions/runner-groups/{runner_group_id}	write	×
DELETE /orgs/{org}/actions/runner-groups/{runner_group_id}	write	×
PUT /orgs/{org}/actions/runner-groups/{runner_group_id}/repositories	write	×
PUT /orgs/{org}/actions/runner-groups/{runner_group_id}/repositories/{repository_id}	write	✓
DELETE /orgs/{org}/actions/runner-groups/{runner_group_id}/repositories/{repository_id}	write	✓
PUT /orgs/{org}/actions/runner-groups/{runner_group_id}/runners	write	×
PUT /orgs/{org}/actions/runner-groups/{runner_group_id}/runners/{runner_id}	write	×
DELETE /orgs/{org}/actions/runner-groups/{runner_group_id}/runners/{runner_id}	write	×
POST /orgs/{org}/actions/runners/generate-jitconfig	write	×
POST /orgs/{org}/actions/runners/registration-token	write	×
POST /orgs/{org}/actions/runners/remove-token	write	×
DELETE /orgs/{org}/actions/runners/{runner_id}	write	×
POST /orgs/{org}/actions/runners/{runner_id}/labels	write	×
PUT /orgs/{org}/actions/runners/{runner_id}/labels	write	×
DELETE /orgs/{org}/actions/runners/{runner_id}/labels	write	×
DELETE /orgs/{org}/actions/runners/{runner_id}/labels/{name}	write	×

Endpoint	Access	Additional permissions
GET /orgs/{org}/actions/runner-groups	read	×
GET /orgs/{org}/actions/runner-groups/{runner_group_id}	read	×
GET /orgs/{org}/actions/runner-groups/{runner_group_id}/hosted-runners	read	×
GET /orgs/{org}/actions/runner-groups/{runner_group_id}/repositories	read	×
GET /orgs/{org}/actions/runner-groups/{runner_group_id}/runners	read	×
GET /orgs/{org}/actions/runners	read	×
GET /orgs/{org}/actions/runners/deprecations/{version}	read	×
GET /orgs/{org}/actions/runners/downloads	read	×
GET /orgs/{org}/actions/runners/{runner_id}	read	×
GET /orgs/{org}/actions/runners/{runner_id}/labels	read	×

Organization permissions for "Variables"

Endpoint	Access	Additional permissions
POST /orgs/{org}/actions/variables	write	×
PATCH /orgs/{org}/actions/variables/{name}	write	×
DELETE /orgs/{org}/actions/variables/{name}	write	×
PUT /orgs/{org}/actions/variables/{name}/repositories	write	×
PUT /orgs/{org}/actions/variables/{name}/repositories/{repository_id}	write	✓

Endpoint	Access	Additional permissions
d}		
DELETE /orgs/{org}/actions/variables/{name}/repositories/{repository_id}	write	✓
GET /orgs/{org}/actions/variables	read	×
GET /orgs/{org}/actions/variables/{name}	read	×
GET /orgs/{org}/actions/variables/{name}/repositories	read	×

Organization permissions for "Webhooks"

Endpoint	Access	Additional permissions
POST /orgs/{org}/hooks	write	×
PATCH /orgs/{org}/hooks/{hook_id}	write	×
DELETE /orgs/{org}/hooks/{hook_id}	write	×
PATCH /orgs/{org}/hooks/{hook_id}/config	write	×
POST /orgs/{org}/hooks/{hook_id}/deliveries/{delivery_id}/attempts	write	×
POST /orgs/{org}/hooks/{hook_id}/pings	write	×
GET /orgs/{org}/hooks	read	×
GET /orgs/{org}/hooks/{hook_id}	read	×
GET /orgs/{org}/hooks/{hook_id}/config	read	×
GET /orgs/{org}/hooks/{hook_id}/deliveries	read	×

Endpoint	Access	Additional permissions
GET /orgs/{org}/hooks/{hook_id}/deliveries/{delivery_id}	read	×

Repository permissions for "Actions"

Endpoint	Access	Additional permissions
DELETE /repos/{owner}/{repo}/actions/artifacts/{artifact_id}	write	×
DELETE /repos/{owner}/{repo}/actions/caches	write	×
DELETE /repos/{owner}/{repo}/actions/caches/{cache_id}	write	×
POST /repos/{owner}/{repo}/actions/jobs/{job_id}/rerun	write	×
PUT /repos/{owner}/{repo}/actions/oidc/customization/sub	write	×
DELETE /repos/{owner}/{repo}/actions/runs/{run_id}	write	×
POST /repos/{owner}/{repo}/actions/runs/{run_id}/approve	write	×
POST /repos/{owner}/{repo}/actions/runs/{run_id}/cancel	write	×
POST /repos/{owner}/{repo}/actions/runs/{run_id}/force-cancel	write	×
DELETE /repos/{owner}/{repo}/actions/runs/{run_id}/logs	write	×
POST /repos/{owner}/{repo}/actions/runs/{run_id}/rerun	write	×
POST /repos/{owner}/{repo}/actions/runs/{run_id}/rerun-failed-jobs	write	×
PUT /repos/{owner}/{repo}/actions/workflows/{workflow_id}/disable	write	×
POST /repos/{owner}/{repo}/actions/workflows/{workflow_id}/dispatch	write	×

Endpoint	Access	Additional permissions
ches		
PUT /repos/{owner}/{repo}/actions/workflows/{workflow_id}/enable	write	×
GET /repos/{owner}/{repo}/actions/artifacts	read	×
GET /repos/{owner}/{repo}/actions/artifacts/{artifact_id}	read	×
GET /repos/{owner}/{repo}/actions/artifacts/{artifact_id}/{archive_format}	read	×
GET /repos/{owner}/{repo}/actions/cache/storage-limit	read	×
GET /repos/{owner}/{repo}/actions/cache/usage	read	×
GET /repos/{owner}/{repo}/actions/caches	read	×
GET /repos/{owner}/{repo}/actions/concurrency_groups	read	×
GET /repos/{owner}/{repo}/actions/concurrency_groups/{concurrency_group_name}	read	×
GET /repos/{owner}/{repo}/actions/jobs/{job_id}	read	×
GET /repos/{owner}/{repo}/actions/jobs/{job_id}/logs	read	×
GET /repos/{owner}/{repo}/actions/oidc/customization/sub	read	×
GET /repos/{owner}/{repo}/actions/runs	read	×
GET /repos/{owner}/{repo}/actions/runs/{run_id}	read	×
GET /repos/{owner}/{repo}/actions/runs/{run_id}/approvals	read	×
GET /repos/{owner}/{repo}/actions/runs/{run_id}/artifacts	read	×
GET /repos/{owner}/{repo}/actions/runs/{run_id}/attempts/{attempt_id}	read	×

Endpoint	Access	Additional permissions
_number}		
GET /repos/{owner}/{repo}/actions/runs/{run_id}/attempts/{attempt_number}/jobs	read	×
GET /repos/{owner}/{repo}/actions/runs/{run_id}/attempts/{attempt_number}/logs	read	×
GET /repos/{owner}/{repo}/actions/runs/{run_id}/concurrency_groups	read	×
GET /repos/{owner}/{repo}/actions/runs/{run_id}/jobs	read	×
GET /repos/{owner}/{repo}/actions/runs/{run_id}/logs	read	×
GET /repos/{owner}/{repo}/actions/runs/{run_id}/pending_deployments	read	×
GET /repos/{owner}/{repo}/actions/runs/{run_id}/timing	read	×
GET /repos/{owner}/{repo}/actions/workflows	read	×
GET /repos/{owner}/{repo}/actions/workflows/{workflow_id}	read	×
GET /repos/{owner}/{repo}/actions/workflows/{workflow_id}/runs	read	×
GET /repos/{owner}/{repo}/actions/workflows/{workflow_id}/timing	read	×
GET /repos/{owner}/{repo}/environments	read	×
GET /repos/{owner}/{repo}/environments/{environment_name}	read	×
GET /repos/{owner}/{repo}/environments/{environment_name}/deployment-branch-policies	read	×

Endpoint	Access	Additional permissions
GET /repos/{owner}/{repo}/environments/{environment_name}/deployment-branch-policies/{branch_policy_id}	read	×
GET /repos/{owner}/{repo}/environments/{environment_name}/deployment_protection_rules	read	×
GET /repos/{owner}/{repo}/environments/{environment_name}/deployment_protection_rules/{protection_rule_id}	read	×

Repository permissions for "Administration"

Endpoint	Access	Additional permissions
POST /orgs/{org}/repos	write	×
PUT /orgs/{org}/teams/{team_slug}/repos/{owner}/{repo}	write	✓
DELETE /orgs/{org}/teams/{team_slug}/repos/{owner}/{repo}	write	✓
PATCH /repos/{owner}/{repo}	write	×
DELETE /repos/{owner}/{repo}	write	×
PUT /repos/{owner}/{repo}/actions/cache/retention-limit	write	×
PUT /repos/{owner}/{repo}/actions/cache/storage-limit	write	×
PUT /repos/{owner}/{repo}/actions/permissions	write	×
PUT /repos/{owner}/{repo}/actions/permissions/access	write	×
PUT /repos/{owner}/{repo}/actions/permissions/artifact-and-log-retention	write	×

Endpoint	Access	Additional permissions
PUT /repos/{owner}/{repo}/actions/permissions/fork-pr-contributor-approval	write	×
PUT /repos/{owner}/{repo}/actions/permissions/fork-pr-workflows-private-repos	write	×
PUT /repos/{owner}/{repo}/actions/permissions/selected-actions	write	×
PUT /repos/{owner}/{repo}/actions/permissions/workflow	write	×
POST /repos/{owner}/{repo}/actions/runners/generate-jitconfig	write	×
POST /repos/{owner}/{repo}/actions/runners/registration-token	write	×
POST /repos/{owner}/{repo}/actions/runners/remove-token	write	×
DELETE /repos/{owner}/{repo}/actions/runners/{runner_id}	write	×
POST /repos/{owner}/{repo}/actions/runners/{runner_id}/labels	write	×
PUT /repos/{owner}/{repo}/actions/runners/{runner_id}/labels	write	×
DELETE /repos/{owner}/{repo}/actions/runners/{runner_id}/labels	write	×
DELETE /repos/{owner}/{repo}/actions/runners/{runner_id}/labels/{name}	write	×
POST /repos/{owner}/{repo}/autolinks	write	×
DELETE /repos/{owner}/{repo}/autolinks/{autolink_id}	write	×
PUT /repos/{owner}/{repo}/automated-security-fixes	write	×
DELETE /repos/{owner}/{repo}/automated-security-fixes	write	×

Endpoint	Access	Additional permissions
PUT /repos/{owner}/{repo}/branches/{branch}/protection	write	×
DELETE /repos/{owner}/{repo}/branches/{branch}/protection	write	×
POST /repos/{owner}/{repo}/branches/{branch}/protection/enforce_admins	write	×
DELETE /repos/{owner}/{repo}/branches/{branch}/protection/enforce_admins	write	×
PATCH /repos/{owner}/{repo}/branches/{branch}/protection/required_pull_request_reviews	write	×
DELETE /repos/{owner}/{repo}/branches/{branch}/protection/required_pull_request_reviews	write	×
POST /repos/{owner}/{repo}/branches/{branch}/protection/required_signatures	write	×
DELETE /repos/{owner}/{repo}/branches/{branch}/protection/required_signatures	write	×
PATCH /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks	write	×
DELETE /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks	write	×
POST /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks/contexts	write	×

Endpoint	Access	Additional permissions
PUT /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks/contexts	write	×
DELETE /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks/contexts	write	×
DELETE /repos/{owner}/{repo}/branches/{branch}/protection/restrictions	write	×
POST /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/apps	write	×
PUT /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/apps	write	×
DELETE /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/apps	write	×
POST /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/teams	write	×
PUT /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/teams	write	×
DELETE /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/teams	write	×
POST /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/users	write	×

Endpoint	Access	Additional permissions
PUT /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/users	write	×
DELETE /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/users	write	×
GET /repos/{owner}/{repo}/code-quality/setup	write	×
PATCH /repos/{owner}/{repo}/code-quality/setup	write	×
PATCH /repos/{owner}/{repo}/code-scanning/ai-scan	write	×
PATCH /repos/{owner}/{repo}/code-scanning/default-setup	write	×
PUT /repos/{owner}/{repo}/collaborators/{username}	write	×
DELETE /repos/{owner}/{repo}/collaborators/{username}	write	×
PUT /repos/{owner}/{repo}/environments/{environment_name}	write	×
DELETE /repos/{owner}/{repo}/environments/{environment_name}	write	×
POST /repos/{owner}/{repo}/environments/{environment_name}/deployment-branch-policies	write	×
PUT /repos/{owner}/{repo}/environments/{environment_name}/deployment-branch-policies/{branch_policy_id}	write	×
DELETE /repos/{owner}/{repo}/environments/{environment_name}/deployment-branch-policies/{branch_policy_id}	write	×
POST /repos/{owner}/{repo}/environments/{environment_name}/deployment_protection_rules	write	×

Endpoint	Access	Additional permissions
DELETE /repos/{owner}/{repo}/environments/{environment_name}/deployment_protection_rules/{protection_rule_id}	write	×
POST /repos/{owner}/{repo}/forks	write	✓
PUT /repos/{owner}/{repo}/immutable-releases	write	×
DELETE /repos/{owner}/{repo}/immutable-releases	write	×
PUT /repos/{owner}/{repo}/interaction-limits	write	×
DELETE /repos/{owner}/{repo}/interaction-limits	write	×
GET /repos/{owner}/{repo}/interaction-limits/pulls/bypass-list	write	×
PUT /repos/{owner}/{repo}/interaction-limits/pulls/bypass-list	write	×
DELETE /repos/{owner}/{repo}/interaction-limits/pulls/bypass-list	write	×
GET /repos/{owner}/{repo}/interaction-limits/pulls/creation-cap	write	×
PATCH /repos/{owner}/{repo}/interaction-limits/pulls/creation-cap	write	×
PATCH /repos/{owner}/{repo}/invitations/{invitation_id}	write	×
DELETE /repos/{owner}/{repo}/invitations/{invitation_id}	write	×
POST /repos/{owner}/{repo}/keys	write	×
DELETE /repos/{owner}/{repo}/keys/{key_id}	write	×
POST /repos/{owner}/{repo}/pages	write	✓
PUT /repos/{owner}/{repo}/pages	write	✓
DELETE /repos/{owner}/{repo}/pages	write	✓

Endpoint	Access	Additional permissions
GET /repos/{owner}/{repo}/pages/health	write	✓
PUT /repos/{owner}/{repo}/private-vulnerability-reporting	write	×
DELETE /repos/{owner}/{repo}/private-vulnerability-reporting	write	×
POST /repos/{owner}/{repo}/rulesets	write	×
PUT /repos/{owner}/{repo}/rulesets/{ruleset_id}	write	×
DELETE /repos/{owner}/{repo}/rulesets/{ruleset_id}	write	×
GET /repos/{owner}/{repo}/rulesets/{ruleset_id}/history	write	×
GET /repos/{owner}/{repo}/rulesets/{ruleset_id}/history/{version_id}	write	×
GET /repos/{owner}/{repo}/secret-scanning/custom-patterns	write	×
POST /repos/{owner}/{repo}/secret-scanning/custom-patterns	write	×
DELETE /repos/{owner}/{repo}/secret-scanning/custom-patterns	write	×
PATCH /repos/{owner}/{repo}/secret-scanning/custom-patterns/{pattern_id}	write	×
POST /repos/{owner}/{repo}/security-advisories/{ghsa_id}/forks	write	✓
PUT /repos/{owner}/{repo}/topics	write	×
PUT /repos/{owner}/{repo}/vulnerability-alerts	write	×
DELETE /repos/{owner}/{repo}/vulnerability-alerts	write	×
POST /repos/{template_owner}/{template_repo}/generate	write	✓
PUT /teams/{team_id}/repos/{owner}/{repo}	write	✓

Endpoint	Access	Additional permissions
DELETE /teams/{team_id}/repos/{owner}/{repo}	write	✓
POST /user/repos	write	×
DELETE /user/repository_invitations/{invitation_id}	write	×
GET /repos/{owner}/{repo}/actions/cache/retention-limit	read	×
GET /repos/{owner}/{repo}/actions/permissions	read	×
GET /repos/{owner}/{repo}/actions/permissions/access	read	×
GET /repos/{owner}/{repo}/actions/permissions/artifact-and-log-retention	read	×
GET /repos/{owner}/{repo}/actions/permissions/fork-pr-contributor-approval	read	×
GET /repos/{owner}/{repo}/actions/permissions/fork-pr-workflows-private-repos	read	×
GET /repos/{owner}/{repo}/actions/permissions/selected-actions	read	×
GET /repos/{owner}/{repo}/actions/permissions/workflow	read	×
GET /repos/{owner}/{repo}/actions/runners	read	×
GET /repos/{owner}/{repo}/actions/runners/deprecations/{version}	read	×
GET /repos/{owner}/{repo}/actions/runners/downloads	read	×
GET /repos/{owner}/{repo}/actions/runners/{runner_id}	read	×
GET /repos/{owner}/{repo}/actions/runners/{runner_id}/labels	read	×
GET /repos/{owner}/{repo}/autolinks	read	×
GET /repos/{owner}/{repo}/autolinks/{autolink_id}	read	×

Endpoint	Access	Additional permissions
GET /repos/{owner}/{repo}/automated-security-fixes	read	×
GET /repos/{owner}/{repo}/branches/{branch}/protection	read	×
GET /repos/{owner}/{repo}/branches/{branch}/protection/enforce_admins	read	×
GET /repos/{owner}/{repo}/branches/{branch}/protection/required_pull_request_reviews	read	×
GET /repos/{owner}/{repo}/branches/{branch}/protection/required_signatures	read	×
GET /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks	read	×
GET /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks/contexts	read	×
GET /repos/{owner}/{repo}/branches/{branch}/protection/restrictions	read	×
GET /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/apps	read	×
GET /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/teams	read	×
GET /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/users	read	×

Endpoint	Access	Additional permissions
GET /repos/{owner}/{repo}/code-scanning/default-setup	read	×
GET /repos/{owner}/{repo}/code-security-configuration	read	×
GET /repos/{owner}/{repo}/environments/{environment_name}/deployment_protection_rules/apps	read	×
GET /repos/{owner}/{repo}/immutable-releases	read	×
GET /repos/{owner}/{repo}/interaction-limits	read	×
GET /repos/{owner}/{repo}/invitations	read	✓
GET /repos/{owner}/{repo}/keys	read	×
GET /repos/{owner}/{repo}/keys/{key_id}	read	×
GET /repos/{owner}/{repo}/rulesets/rule-suites	read	×
GET /repos/{owner}/{repo}/rulesets/rule-suites/{rule_suite_id}	read	×
GET /repos/{owner}/{repo}/teams	read	×
GET /repos/{owner}/{repo}/traffic/clones	read	×
GET /repos/{owner}/{repo}/traffic/popular/paths	read	×
GET /repos/{owner}/{repo}/traffic/popular/referrers	read	×
GET /repos/{owner}/{repo}/traffic/views	read	×
GET /repos/{owner}/{repo}/vulnerability-alerts	read	×
GET /user/repository_invitations	read	×

Repository permissions for "Agent secrets"

Endpoint	Access	Additional permissions
PUT /repos/{owner}/{repo}/agents/secrets/{secret_name}	write	×
DELETE /repos/{owner}/{repo}/agents/secrets/{secret_name}	write	×
GET /repos/{owner}/{repo}/agents/organization-secrets	read	×
GET /repos/{owner}/{repo}/agents/secrets	read	×
GET /repos/{owner}/{repo}/agents/secrets/public-key	read	×
GET /repos/{owner}/{repo}/agents/secrets/{secret_name}	read	×

Repository permissions for "Agent variables"

Endpoint	Access	Additional permissions
POST /repos/{owner}/{repo}/agents/variables	write	×
PATCH /repos/{owner}/{repo}/agents/variables/{name}	write	×
DELETE /repos/{owner}/{repo}/agents/variables/{name}	write	×
GET /repos/{owner}/{repo}/agents/organization-variables	read	×
GET /repos/{owner}/{repo}/agents/variables	read	×
GET /repos/{owner}/{repo}/agents/variables/{name}	read	×

Repository permissions for "Artifact metadata"

Endpoint	Access	Additional permissions
POST /orgs/{org}/artifacts/metadata/deployment-record	write	×

Endpoint	Access	Additional permissions
POST /orgs/{org}/artifacts/metadata/deployment-record/cluster/{cluster}	write	×
POST /orgs/{org}/artifacts/metadata/deployment-record/cluster/{cluster}/jobs	write	×
POST /orgs/{org}/artifacts/metadata/storage-record	write	×
GET /orgs/{org}/artifacts/metadata/deployment-record/cluster/{cluster}/jobs/{job_id}	read	×
GET /orgs/{org}/artifacts/{subject_digest}/metadata/deployment-records	read	×
GET /orgs/{org}/artifacts/{subject_digest}/metadata/storage-records	read	×

Repository permissions for "Attestations"

Endpoint	Access	Additional permissions
POST /orgs/{org}/attestations/delete-request	write	×
DELETE /orgs/{org}/attestations/digest/{subject_digest}	write	×
DELETE /orgs/{org}/attestations/{attestation_id}	write	×
POST /repos/{owner}/{repo}/attestations	write	×
POST /users/{username}/attestations/delete-request	write	×
DELETE /users/{username}/attestations/digest/{subject_digest}	write	×
DELETE /users/{username}/attestations/{attestation_id}	write	×

Endpoint	Access	Additional permissions
GET /orgs/{org}/attestations/repositories	read	×
GET /repos/{owner}/{repo}/attestations/{subject_digest}	read	×

Repository permissions for "Code quality"

Endpoint	Access	Additional permissions
GET /repos/{owner}/{repo}/code-quality/findings	read	×
GET /repos/{owner}/{repo}/code-quality/findings/{finding_number}	read	×

Repository permissions for "Code scanning alerts"

Endpoint	Access	Additional permissions
PATCH /repos/{owner}/{repo}/code-scanning/alerts/{alert_number}	write	×
POST /repos/{owner}/{repo}/code-scanning/alerts/{alert_number}/autofix	write	×
DELETE /repos/{owner}/{repo}/code-scanning/analyses/{analysis_id}	write	×
POST /repos/{owner}/{repo}/code-scanning/sarifs	write	×
GET /orgs/{org}/code-scanning/alerts	read	×
GET /repos/{owner}/{repo}/code-scanning/ai-scan	read	×
GET /repos/{owner}/{repo}/code-scanning/alerts	read	×

Endpoint	Access	Additional permissions
GET /repos/{owner}/{repo}/code-scanning/alerts/{alert_number}	read	×
GET /repos/{owner}/{repo}/code-scanning/alerts/{alert_number}/autofix	read	×
GET /repos/{owner}/{repo}/code-scanning/alerts/{alert_number}/instances	read	×
GET /repos/{owner}/{repo}/code-scanning/analyses	read	×
GET /repos/{owner}/{repo}/code-scanning/analyses/{analysis_id}	read	×
GET /repos/{owner}/{repo}/code-scanning/sarifs/{sarif_id}	read	×

Repository permissions for "Codespaces lifecycle admin"

Endpoint	Access	Additional permissions
POST /orgs/{org}/members/{username}/codespaces/{codespace_name}/stop	write	✓
POST /user/codespaces/{codespace_name}/exports	write	×
POST /user/codespaces/{codespace_name}/start	write	×
POST /user/codespaces/{codespace_name}/stop	write	×
GET /user/codespaces/{codespace_name}/exports/{export_id}	read	×

Repository permissions for "Codespaces metadata"

Endpoint	Access	Additional permissions
GET /repos/{owner}/{repo}/codespaces/devcontainers	read	×
GET /repos/{owner}/{repo}/codespaces/machines	read	×
GET /user/codespaces/{codespace_name}/machines	read	×

Repository permissions for "Codespaces secrets"

Endpoint	Access	Additional permissions
GET /repos/{owner}/{repo}/codespaces/secrets	write	×
GET /repos/{owner}/{repo}/codespaces/secrets/public-key	write	×
GET /repos/{owner}/{repo}/codespaces/secrets/{secret_name}	write	×
PUT /repos/{owner}/{repo}/codespaces/secrets/{secret_name}	write	×
DELETE /repos/{owner}/{repo}/codespaces/secrets/{secret_name}	write	×

Repository permissions for "Codespaces"

Endpoint	Access	Additional permissions
DELETE /orgs/{org}/members/{username}/codespaces/{codespace_name}	write	✓
POST /repos/{owner}/{repo}/codespaces	write	×
GET /repos/{owner}/{repo}/codespaces/new	write	×

Endpoint	Access	Additional permissions
GET /repos/{owner}/{repo}/codespaces/permissions_check	write	×
POST /repos/{owner}/{repo}/pulls/{pull_number}/codespaces	write	×
POST /user/codespaces	write	×
PATCH /user/codespaces/{codespace_name}	write	×
DELETE /user/codespaces/{codespace_name}	write	×
POST /user/codespaces/{codespace_name}/publish	write	×
GET /orgs/{org}/codespaces	read	✓
GET /orgs/{org}/members/{username}/codespaces	read	✓
GET /repos/{owner}/{repo}/codespaces	read	×
GET /user/codespaces	read	×
GET /user/codespaces/{codespace_name}	read	×

Repository permissions for "Commit statuses"

Endpoint	Access	Additional permissions
POST /repos/{owner}/{repo}/statuses/{sha}	write	×
GET /repos/{owner}/{repo}/commits/{ref}/status	read	×
GET /repos/{owner}/{repo}/commits/{ref}/statuses	read	×

Repository permissions for "Contents"

Endpoint	Access	Additional permissions
POST /repos/{owner}/{repo}/branches/{branch}/rename	write	×
POST /repos/{owner}/{repo}/code-scanning/alerts/{alert_number}/autofix/commits	write	×
DELETE /repos/{owner}/{repo}/code-scanning/codeql/databases/{language}	write	×
POST /repos/{owner}/{repo}/code-scanning/codeql/variant-analyses	write	×
PATCH /repos/{owner}/{repo}/comments/{comment_id}	write	×
DELETE /repos/{owner}/{repo}/comments/{comment_id}	write	×
POST /repos/{owner}/{repo}/comments/{comment_id}/reactions	write	×
DELETE /repos/{owner}/{repo}/comments/{comment_id}/reactions/{reaction_id}	write	×
PUT /repos/{owner}/{repo}/contents/{path}	write	✓
PUT /repos/{owner}/{repo}/contents/{path}	write	✓
DELETE /repos/{owner}/{repo}/contents/{path}	write	✓
DELETE /repos/{owner}/{repo}/contents/{path}	write	✓
POST /repos/{owner}/{repo}/dependency-graph/snapshots	write	×
POST /repos/{owner}/{repo}/dispatches	write	×
POST /repos/{owner}/{repo}/git/blobs	write	×
POST /repos/{owner}/{repo}/git/commits	write	×
POST /repos/{owner}/{repo}/git/refs	write	✓

Endpoint	Access	Additional permissions
POST /repos/{owner}/{repo}/git/refs	write	✓
PATCH /repos/{owner}/{repo}/git/refs/{ref}	write	✓
PATCH /repos/{owner}/{repo}/git/refs/{ref}	write	✓
DELETE /repos/{owner}/{repo}/git/refs/{ref}	write	×
POST /repos/{owner}/{repo}/git/tags	write	×
POST /repos/{owner}/{repo}/git/trees	write	×
PUT /repos/{owner}/{repo}/import	write	×
PATCH /repos/{owner}/{repo}/import	write	×
DELETE /repos/{owner}/{repo}/import	write	×
PATCH /repos/{owner}/{repo}/import/authors/{author_id}	write	×
PATCH /repos/{owner}/{repo}/import/lfs	write	×
POST /repos/{owner}/{repo}/merge-upstream	write	×
POST /repos/{owner}/{repo}/merges	write	×
PUT /repos/{owner}/{repo}/pulls/{pull_number}/merge	write	×
PUT /repos/{owner}/{repo}/pulls/{pull_number}/merge-async	write	×
GET /repos/{owner}/{repo}/pulls/{pull_number}/merge-async/{uuid}	write	×
POST /repos/{owner}/{repo}/releases	write	✓
POST /repos/{owner}/{repo}/releases	write	✓
PATCH /repos/{owner}/{repo}/releases/assets/{asset_id}	write	×

Endpoint	Access	Additional permissions
DELETE /repos/{owner}/{repo}/releases/assets/{asset_id}	write	×
POST /repos/{owner}/{repo}/releases/generate-notes	write	×
PATCH /repos/{owner}/{repo}/releases/{release_id}	write	✓
PATCH /repos/{owner}/{repo}/releases/{release_id}	write	✓
DELETE /repos/{owner}/{repo}/releases/{release_id}	write	×
POST /repos/{owner}/{repo}/secret-scanning/push-protection-bypasses	write	×
GET /repos/{owner}/{repo}/stargazers	write	✓
GET /repos/{owner}/{repo}/subscribers	write	✓
POST /markdown	read	×
GET /repos/{owner}/{repo}/activity	read	×
GET /repos/{owner}/{repo}/branches	read	×
GET /repos/{owner}/{repo}/branches/{branch}	read	×
GET /repos/{owner}/{repo}/code-scanning/codeql/databases	read	×
GET /repos/{owner}/{repo}/code-scanning/codeql/databases/{language}	read	×
GET /repos/{owner}/{repo}/code-scanning/codeql/variant-analyses/{codeql_variant_analysis_id}	read	×
GET /repos/{owner}/{repo}/code-scanning/codeql/variant-analyses/{codeql_variant_analysis_id}/repos/{repo_owner}/{repo_name}	read	×
GET /repos/{owner}/{repo}/codeowners/errors	read	×
GET /repos/{owner}/{repo}/commits	read	×

Endpoint	Access	Additional permissions
GET /repos/{owner}/{repo}/commits/{commit_sha}/branches-where-head	read	×
POST /repos/{owner}/{repo}/commits/{commit_sha}/comments	read	×
GET /repos/{owner}/{repo}/commits/{ref}	read	×
GET /repos/{owner}/{repo}/community/profile	read	×
GET /repos/{owner}/{repo}/compare/{basehead}	read	×
GET /repos/{owner}/{repo}/contents/{path}	read	×
GET /repos/{owner}/{repo}/dependency-graph/compare/{basehead}	read	×
GET /repos/{owner}/{repo}/dependency-graph/sbom	read	×
GET /repos/{owner}/{repo}/dependency-graph/sbom/fetch-report/{sbom_uuid}	read	×
GET /repos/{owner}/{repo}/dependency-graph/sbom/generate-report	read	×
POST /repos/{owner}/{repo}/forks	read	✓
GET /repos/{owner}/{repo}/git/blobs/{file_sha}	read	×
GET /repos/{owner}/{repo}/git/commits/{commit_sha}	read	×
GET /repos/{owner}/{repo}/git/matching-refs/{ref}	read	×
GET /repos/{owner}/{repo}/git/ref/{ref}	read	×
GET /repos/{owner}/{repo}/git/tags/{tag_sha}	read	×
GET /repos/{owner}/{repo}/git/trees/{tree_sha}	read	×
GET /repos/{owner}/{repo}/import	read	×

Endpoint	Access	Additional permissions
GET /repos/{owner}/{repo}/import/authors	read	×
GET /repos/{owner}/{repo}/import/large_files	read	×
GET /repos/{owner}/{repo}/pulls/{pull_number}	read	✓
GET /repos/{owner}/{repo}/readme	read	×
GET /repos/{owner}/{repo}/readme/{dir}	read	×
GET /repos/{owner}/{repo}/releases	read	×
GET /repos/{owner}/{repo}/releases/assets/{asset_id}	read	×
GET /repos/{owner}/{repo}/releases/latest	read	×
GET /repos/{owner}/{repo}/releases/tags/{tag}	read	×
GET /repos/{owner}/{repo}/releases/{release_id}	read	×
GET /repos/{owner}/{repo}/releases/{release_id}/assets	read	×
GET /repos/{owner}/{repo}/tarball/{ref}	read	×
GET /repos/{owner}/{repo}/zipball/{ref}	read	×
POST /repos/{template_owner}/{template_repo}/generate	read	✓

Repository permissions for "Copilot agent settings"

Endpoint	Access	Additional permissions
GET /repos/{owner}/{repo}/copilot/cloud-agent/configuration	read	×

Repository permissions for "Custom properties"

Endpoint	Access	Additional permissions
PATCH /repos/{owner}/{repo}/properties/values	write	×

Repository permissions for "Dependabot alerts"

Endpoint	Access	Additional permissions
PATCH /repos/{owner}/{repo}/dependabot/alerts/{alert_number}	write	×
GET /orgs/{org}/dependabot/alerts	read	×
GET /repos/{owner}/{repo}/dependabot/alerts	read	×
GET /repos/{owner}/{repo}/dependabot/alerts/{alert_number}	read	×

Repository permissions for "Dependabot secrets"

Endpoint	Access	Additional permissions
PUT /repos/{owner}/{repo}/dependabot/secrets/{secret_name}	write	×
DELETE /repos/{owner}/{repo}/dependabot/secrets/{secret_name}	write	×
GET /repos/{owner}/{repo}/dependabot/secrets	read	×
GET /repos/{owner}/{repo}/dependabot/secrets/public-key	read	×
GET /repos/{owner}/{repo}/dependabot/secrets/{secret_name}	read	×

Repository permissions for "Deployments"

Endpoint	Access	Additional permissions
POST /repos/{owner}/{repo}/actions/runs/{run_id}/pending_deployments	write	×
POST /repos/{owner}/{repo}/deployments	write	×
DELETE /repos/{owner}/{repo}/deployments/{deployment_id}	write	×
POST /repos/{owner}/{repo}/deployments/{deployment_id}/statuses	write	×
GET /repos/{owner}/{repo}/deployments	read	×
GET /repos/{owner}/{repo}/deployments/{deployment_id}	read	×
GET /repos/{owner}/{repo}/deployments/{deployment_id}/statuses	read	×
GET /repos/{owner}/{repo}/deployments/{deployment_id}/statuses/{status_id}	read	×

Repository permissions for "Environments"

Endpoint	Access	Additional permissions
PUT /repos/{owner}/{repo}/environments/{environment_name}/secrets/{secret_name}	write	×
DELETE /repos/{owner}/{repo}/environments/{environment_name}/secrets/{secret_name}	write	×
POST /repos/{owner}/{repo}/environments/{environment_name}/variables	write	×

Endpoint	Access	Additional permissions
PATCH /repos/{owner}/{repo}/environments/{environment_name}/variables/{name}	write	×
DELETE /repos/{owner}/{repo}/environments/{environment_name}/variables/{name}	write	×
GET /repos/{owner}/{repo}/environments/{environment_name}/secrets	read	×
GET /repos/{owner}/{repo}/environments/{environment_name}/secrets/public-key	read	×
GET /repos/{owner}/{repo}/environments/{environment_name}/secrets/{secret_name}	read	×
GET /repos/{owner}/{repo}/environments/{environment_name}/variables	read	×
GET /repos/{owner}/{repo}/environments/{environment_name}/variables/{name}	read	×

Repository permissions for "Issues"

Endpoint	Access	Additional permissions
POST /repos/{owner}/{repo}/issues	write	×
PATCH /repos/{owner}/{repo}/issues/comments/{comment_id}	write	✓
DELETE /repos/{owner}/{repo}/issues/comments/{comment_id}	write	✓

Endpoint	Access	Additional permissions
PUT /repos/{owner}/{repo}/issues/comments/{comment_id}/pin	write	×
DELETE /repos/{owner}/{repo}/issues/comments/{comment_id}/pin	write	×
POST /repos/{owner}/{repo}/issues/comments/{comment_id}/reactions	write	×
DELETE /repos/{owner}/{repo}/issues/comments/{comment_id}/reactions/{reaction_id}	write	×
PATCH /repos/{owner}/{repo}/issues/{issue_number}	write	✓
POST /repos/{owner}/{repo}/issues/{issue_number}/assignees	write	✓
DELETE /repos/{owner}/{repo}/issues/{issue_number}/assignees	write	✓
POST /repos/{owner}/{repo}/issues/{issue_number}/comments	write	✓
POST /repos/{owner}/{repo}/issues/{issue_number}/dependencies/locked_by	write	×
DELETE /repos/{owner}/{repo}/issues/{issue_number}/dependencies/locked_by/{issue_id}	write	×
POST /repos/{owner}/{repo}/issues/{issue_number}/issue-field-values	write	✓
PUT /repos/{owner}/{repo}/issues/{issue_number}/issue-field-values	write	✓
DELETE /repos/{owner}/{repo}/issues/{issue_number}/issue-field-values/{issue_field_id}	write	✓

Endpoint	Access	Additional permissions
POST /repos/{owner}/{repo}/issues/{issue_number}/labels	write	✓
PUT /repos/{owner}/{repo}/issues/{issue_number}/labels	write	✓
DELETE /repos/{owner}/{repo}/issues/{issue_number}/labels	write	✓
DELETE /repos/{owner}/{repo}/issues/{issue_number}/labels/{name}	write	✓
PUT /repos/{owner}/{repo}/issues/{issue_number}/lock	write	✓
DELETE /repos/{owner}/{repo}/issues/{issue_number}/lock	write	✓
POST /repos/{owner}/{repo}/issues/{issue_number}/reactions	write	×
DELETE /repos/{owner}/{repo}/issues/{issue_number}/reactions/{reaction_id}	write	×
DELETE /repos/{owner}/{repo}/issues/{issue_number}/sub_issue	write	×
POST /repos/{owner}/{repo}/issues/{issue_number}/sub_issues	write	×
PATCH /repos/{owner}/{repo}/issues/{issue_number}/sub_issues/priority	write	×
POST /repos/{owner}/{repo}/issues/{issue_number}/suggestions/{suggestion_id}/approve	write	✓
POST /repos/{owner}/{repo}/issues/{issue_number}/suggestions/{suggestion_id}/dismiss	write	✓
POST /repos/{owner}/{repo}/labels	write	✓
PATCH /repos/{owner}/{repo}/labels/{name}	write	✓

Endpoint	Access	Additional permissions
DELETE /repos/{owner}/{repo}/labels/{name}	write	✓
POST /repos/{owner}/{repo}/milestones	write	✓
PATCH /repos/{owner}/{repo}/milestones/{milestone_number}	write	✓
DELETE /repos/{owner}/{repo}/milestones/{milestone_number}	write	✓
GET /repos/{owner}/{repo}/assignees	read	✓
GET /repos/{owner}/{repo}/assignees/{assignee}	read	✓
GET /repos/{owner}/{repo}/issues	read	✗
GET /repos/{owner}/{repo}/issues/comments	read	✓
GET /repos/{owner}/{repo}/issues/comments/{comment_id}	read	✓
GET /repos/{owner}/{repo}/issues/comments/{comment_id}/reactions	read	✗
GET /repos/{owner}/{repo}/issues/events	read	✗
GET /repos/{owner}/{repo}/issues/events/{event_id}	read	✓
GET /repos/{owner}/{repo}/issues/{issue_number}	read	✗
GET /repos/{owner}/{repo}/issues/{issue_number}/assignees/{assignee}	read	✓
GET /repos/{owner}/{repo}/issues/{issue_number}/comments	read	✓
GET /repos/{owner}/{repo}/issues/{issue_number}/dependencies/blocked_by	read	✗
GET /repos/{owner}/{repo}/issues/{issue_number}/dependencies/	read	✗

Endpoint	Access	Additional permissions
locking		
GET /repos/{owner}/{repo}/issues/{issue_number}/events	read	✓
GET /repos/{owner}/{repo}/issues/{issue_number}/issue-field-values	read	✗
GET /repos/{owner}/{repo}/issues/{issue_number}/labels	read	✓
GET /repos/{owner}/{repo}/issues/{issue_number}/parent	read	✗
GET /repos/{owner}/{repo}/issues/{issue_number}/reactions	read	✗
GET /repos/{owner}/{repo}/issues/{issue_number}/sub_issues	read	✗
GET /repos/{owner}/{repo}/issues/{issue_number}/suggestions	read	✓
GET /repos/{owner}/{repo}/issues/{issue_number}/timeline	read	✓
GET /repos/{owner}/{repo}/labels	read	✓
GET /repos/{owner}/{repo}/labels/{name}	read	✓
GET /repos/{owner}/{repo}/milestones	read	✓
GET /repos/{owner}/{repo}/milestones/{milestone_number}	read	✓
GET /repos/{owner}/{repo}/milestones/{milestone_number}/labels	read	✓

Repository permissions for "Metadata"

Endpoint	Access	Additional permissions
GET /orgs/{org}/repos	read	✗
GET /repos/{owner}/{repo}	read	✗

Endpoint	Access	Additional permissions
GET /repos/{owner}/{repo}/collaborators	read	×
GET /repos/{owner}/{repo}/collaborators/{username}	read	×
GET /repos/{owner}/{repo}/collaborators/{username}/permission	read	×
GET /repos/{owner}/{repo}/comments	read	×
GET /repos/{owner}/{repo}/comments/{comment_id}	read	×
GET /repos/{owner}/{repo}/comments/{comment_id}/reactions	read	×
GET /repos/{owner}/{repo}/commits/{commit_sha}/comments	read	×
GET /repos/{owner}/{repo}/contributors	read	×
GET /repos/{owner}/{repo}/events	read	×
GET /repos/{owner}/{repo}/forks	read	×
GET /repos/{owner}/{repo}/hash-algorithm	read	×
GET /repos/{owner}/{repo}/issue-types	read	×
GET /repos/{owner}/{repo}/languages	read	×
GET /repos/{owner}/{repo}/license	read	×
GET /repos/{owner}/{repo}/private-vulnerability-reporting	read	×
GET /repos/{owner}/{repo}/properties/values	read	×
GET /repos/{owner}/{repo}/rules/branches/{branch}	read	×
GET /repos/{owner}/{repo}/rulesets	read	×
GET /repos/{owner}/{repo}/rulesets/{ruleset_id}	read	×

Endpoint	Access	Additional permissions
GET /repos/{owner}/{repo}/stargazers/count	read	×
GET /repos/{owner}/{repo}/stargazers/history	read	×
GET /repos/{owner}/{repo}/stats/code_frequency	read	×
GET /repos/{owner}/{repo}/stats/commit_activity	read	×
GET /repos/{owner}/{repo}/stats/contributors	read	×
GET /repos/{owner}/{repo}/stats/participation	read	×
GET /repos/{owner}/{repo}/stats/punch_card	read	×
GET /repos/{owner}/{repo}/tags	read	×
GET /repos/{owner}/{repo}/topics	read	×
GET /repositories	read	×
GET /search/labels	read	×
GET /user/repos	read	×
GET /users/{username}/repos	read	×

Repository permissions for "Pages"

Endpoint	Access	Additional permissions
POST /repos/{owner}/{repo}/pages	write	✓
PUT /repos/{owner}/{repo}/pages	write	✓
DELETE /repos/{owner}/{repo}/pages	write	✓

Endpoint	Access	Additional permissions
POST /repos/{owner}/{repo}/pages/builds	write	×
POST /repos/{owner}/{repo}/pages/deployments	write	×
POST /repos/{owner}/{repo}/pages/deployments/{pages_deployment_id}/cancel	write	×
GET /repos/{owner}/{repo}/pages/health	write	✓
GET /repos/{owner}/{repo}/pages	read	×
GET /repos/{owner}/{repo}/pages/builds	read	×
GET /repos/{owner}/{repo}/pages/builds/latest	read	×
GET /repos/{owner}/{repo}/pages/builds/{build_id}	read	×
GET /repos/{owner}/{repo}/pages/deployments/{pages_deployment_id}	read	×

Repository permissions for "Pull requests"

Endpoint	Access	Additional permissions
PATCH /repos/{owner}/{repo}/issues/comments/{comment_id}	write	✓
DELETE /repos/{owner}/{repo}/issues/comments/{comment_id}	write	✓
PATCH /repos/{owner}/{repo}/issues/{issue_number}	write	✓
POST /repos/{owner}/{repo}/issues/{issue_number}/assignees	write	✓
DELETE /repos/{owner}/{repo}/issues/{issue_number}/assignees	write	✓

Endpoint	Access	Additional permissions
POST /repos/{owner}/{repo}/issues/{issue_number}/comments	write	✓
POST /repos/{owner}/{repo}/issues/{issue_number}/issue-field-values	write	✓
PUT /repos/{owner}/{repo}/issues/{issue_number}/issue-field-values	write	✓
DELETE /repos/{owner}/{repo}/issues/{issue_number}/issue-field-values/{issue_field_id}	write	✓
POST /repos/{owner}/{repo}/issues/{issue_number}/labels	write	✓
PUT /repos/{owner}/{repo}/issues/{issue_number}/labels	write	✓
DELETE /repos/{owner}/{repo}/issues/{issue_number}/labels	write	✓
DELETE /repos/{owner}/{repo}/issues/{issue_number}/labels/{name}	write	✓
PUT /repos/{owner}/{repo}/issues/{issue_number}/lock	write	✓
DELETE /repos/{owner}/{repo}/issues/{issue_number}/lock	write	✓
POST /repos/{owner}/{repo}/issues/{issue_number}/suggestions/{suggestion_id}/approve	write	✓
POST /repos/{owner}/{repo}/issues/{issue_number}/suggestions/{suggestion_id}/dismiss	write	✓
POST /repos/{owner}/{repo}/labels	write	✓
PATCH /repos/{owner}/{repo}/labels/{name}	write	✓
DELETE /repos/{owner}/{repo}/labels/{name}	write	✓
POST /repos/{owner}/{repo}/milestones	write	✓

Endpoint	Access	Additional permissions
PATCH /repos/{owner}/{repo}/milestones/{milestone_number}	write	✓
DELETE /repos/{owner}/{repo}/milestones/{milestone_number}	write	✓
POST /repos/{owner}/{repo}/pulls	write	×
PATCH /repos/{owner}/{repo}/pulls/comments/{comment_id}	write	×
DELETE /repos/{owner}/{repo}/pulls/comments/{comment_id}	write	×
POST /repos/{owner}/{repo}/pulls/comments/{comment_id}/reactions	write	×
DELETE /repos/{owner}/{repo}/pulls/comments/{comment_id}/reactions/{reaction_id}	write	×
PATCH /repos/{owner}/{repo}/pulls/{pull_number}	write	×
POST /repos/{owner}/{repo}/pulls/{pull_number}/comments	write	×
POST /repos/{owner}/{repo}/pulls/{pull_number}/comments/{comment_id}/replies	write	×
POST /repos/{owner}/{repo}/pulls/{pull_number}/requested_reviewers	write	×
DELETE /repos/{owner}/{repo}/pulls/{pull_number}/requested_reviewers	write	×
POST /repos/{owner}/{repo}/pulls/{pull_number}/reviews	write	×
PUT /repos/{owner}/{repo}/pulls/{pull_number}/reviews/{review_id}	write	×

Endpoint	Access	Additional permissions
DELETE /repos/{owner}/{repo}/pulls/{pull_number}/reviews/{review_id}	write	×
PUT /repos/{owner}/{repo}/pulls/{pull_number}/reviews/{review_id} /dismissals	write	×
POST /repos/{owner}/{repo}/pulls/{pull_number}/reviews/{review_id} /events	write	×
PUT /repos/{owner}/{repo}/pulls/{pull_number}/update-branch	write	×
POST /repos/{owner}/{repo}/stacks	write	×
POST /repos/{owner}/{repo}/stacks/{stack_number}/add	write	×
POST /repos/{owner}/{repo}/stacks/{stack_number}/unstack	write	×
GET /repos/{owner}/{repo}/assignees	read	✓
GET /repos/{owner}/{repo}/assignees/{assignee}	read	✓
GET /repos/{owner}/{repo}/commits/{commit_sha}/pulls	read	×
GET /repos/{owner}/{repo}/issues/comments	read	✓
GET /repos/{owner}/{repo}/issues/comments/{comment_id}	read	✓
GET /repos/{owner}/{repo}/issues/events/{event_id}	read	✓
GET /repos/{owner}/{repo}/issues/{issue_number}/assignees/{assignee}	read	✓
GET /repos/{owner}/{repo}/issues/{issue_number}/comments	read	✓
GET /repos/{owner}/{repo}/issues/{issue_number}/events	read	✓
GET /repos/{owner}/{repo}/issues/{issue_number}/labels	read	✓

Endpoint	Access	Additional permissions
GET /repos/{owner}/{repo}/issues/{issue_number}/suggestions	read	✓
GET /repos/{owner}/{repo}/issues/{issue_number}/timeline	read	✓
GET /repos/{owner}/{repo}/labels	read	✓
GET /repos/{owner}/{repo}/labels/{name}	read	✓
GET /repos/{owner}/{repo}/milestones	read	✓
GET /repos/{owner}/{repo}/milestones/{milestone_number}	read	✓
GET /repos/{owner}/{repo}/milestones/{milestone_number}/labels	read	✓
GET /repos/{owner}/{repo}/pulls	read	×
GET /repos/{owner}/{repo}/pulls/comments	read	×
GET /repos/{owner}/{repo}/pulls/comments/{comment_id}	read	×
GET /repos/{owner}/{repo}/pulls/comments/{comment_id}/reactions	read	×
GET /repos/{owner}/{repo}/pulls/{pull_number}	read	✓
GET /repos/{owner}/{repo}/pulls/{pull_number}/comments	read	×
GET /repos/{owner}/{repo}/pulls/{pull_number}/commits	read	×
GET /repos/{owner}/{repo}/pulls/{pull_number}/files	read	×
GET /repos/{owner}/{repo}/pulls/{pull_number}/merge	read	×
GET /repos/{owner}/{repo}/pulls/{pull_number}/requested_reviewers	read	×
GET /repos/{owner}/{repo}/pulls/{pull_number}/reviews	read	×

Endpoint	Access	Additional permissions
GET /repos/{owner}/{repo}/pulls/{pull_number}/reviews/{review_id}	read	×
GET /repos/{owner}/{repo}/pulls/{pull_number}/reviews/{review_id}/comments	read	×
GET /repos/{owner}/{repo}/stacks	read	×
GET /repos/{owner}/{repo}/stacks/{stack_number}	read	×

Repository permissions for "Repository security advisories"

Endpoint	Access	Additional permissions
GET /orgs/{org}/security-advisories	write	×
POST /repos/{owner}/{repo}/security-advisories	write	×
POST /repos/{owner}/{repo}/security-advisories/reports	write	×
PATCH /repos/{owner}/{repo}/security-advisories/{ghsa_id}	write	×
POST /repos/{owner}/{repo}/security-advisories/{ghsa_id}/cve	write	×
GET /repos/{owner}/{repo}/security-advisories	read	×
GET /repos/{owner}/{repo}/security-advisories/{ghsa_id}	read	×
POST /repos/{owner}/{repo}/security-advisories/{ghsa_id}/forks	read	✓

Repository permissions for "Secret scanning alerts"

Endpoint	Access	Additional permissions
PATCH /repos/{owner}/{repo}/secret-scanning/alerts/{alert_number}	write	×
GET /orgs/{org}/secret-scanning/alerts	read	×
GET /repos/{owner}/{repo}/secret-scanning/alerts	read	×
GET /repos/{owner}/{repo}/secret-scanning/alerts/{alert_number}	read	×
GET /repos/{owner}/{repo}/secret-scanning/alerts/{alert_number}/locations	read	×
GET /repos/{owner}/{repo}/secret-scanning/scan-history	read	×

Repository permissions for "Secrets"

Endpoint	Access	Additional permissions
PUT /repos/{owner}/{repo}/actions/secrets/{secret_name}	write	×
DELETE /repos/{owner}/{repo}/actions/secrets/{secret_name}	write	×
GET /repos/{owner}/{repo}/actions/organization-secrets	read	×
GET /repos/{owner}/{repo}/actions/secrets	read	×
GET /repos/{owner}/{repo}/actions/secrets/public-key	read	×
GET /repos/{owner}/{repo}/actions/secrets/{secret_name}	read	×

Repository permissions for "Variables"

Endpoint	Access	Additional permissions
POST /repos/{owner}/{repo}/actions/variables	write	×
PATCH /repos/{owner}/{repo}/actions/variables/{name}	write	×
DELETE /repos/{owner}/{repo}/actions/variables/{name}	write	×
GET /repos/{owner}/{repo}/actions/organization-variables	read	×
GET /repos/{owner}/{repo}/actions/variables	read	×
GET /repos/{owner}/{repo}/actions/variables/{name}	read	×

Repository permissions for "Webhooks"

Endpoint	Access	Additional permissions
POST /repos/{owner}/{repo}/hooks	write	×
PATCH /repos/{owner}/{repo}/hooks/{hook_id}	write	×
DELETE /repos/{owner}/{repo}/hooks/{hook_id}	write	×
PATCH /repos/{owner}/{repo}/hooks/{hook_id}/config	write	×
POST /repos/{owner}/{repo}/hooks/{hook_id}/deliveries/{delivery_id}/attempts	write	×
GET /repos/{owner}/{repo}/hooks	read	×
GET /repos/{owner}/{repo}/hooks/{hook_id}	read	×
GET /repos/{owner}/{repo}/hooks/{hook_id}/config	read	×
GET /repos/{owner}/{repo}/hooks/{hook_id}/deliveries	read	×

Endpoint	Access	Additional permissions
GET /repos/{owner}/{repo}/hooks/{hook_id}/deliveries/{delivery_id}	read	×
POST /repos/{owner}/{repo}/hooks/{hook_id}/pings	read	×
POST /repos/{owner}/{repo}/hooks/{hook_id}/tests	read	×

Repository permissions for "Workflows"

Endpoint	Access	Additional permissions
PUT /repos/{owner}/{repo}/contents/{path}	write	✓
DELETE /repos/{owner}/{repo}/contents/{path}	write	✓
POST /repos/{owner}/{repo}/git/refs	write	✓
PATCH /repos/{owner}/{repo}/git/refs/{ref}	write	✓
POST /repos/{owner}/{repo}/releases	write	✓
PATCH /repos/{owner}/{repo}/releases/{release_id}	write	✓

User permissions for "Block another user"

Endpoint	Access	Additional permissions
PUT /user/blocks/{username}	write	×
DELETE /user/blocks/{username}	write	×
GET /user/blocks	read	×

Endpoint	Access	Additional permissions
GET /user/blocks/{username}	read	×

User permissions for "Codespaces user secrets"

Endpoint	Access	Additional permissions
PUT /user/codespaces/secrets/{secret_name}	write	×
DELETE /user/codespaces/secrets/{secret_name}	write	×
PUT /user/codespaces/secrets/{secret_name}/repositories	write	×
PUT /user/codespaces/secrets/{secret_name}/repositories/{repository_id}	write	✓
DELETE /user/codespaces/secrets/{secret_name}/repositories/{repository_id}	write	✓
GET /user/codespaces/secrets	read	×
GET /user/codespaces/secrets/public-key	read	×
GET /user/codespaces/secrets/{secret_name}	read	×
GET /user/codespaces/secrets/{secret_name}/repositories	read	×

User permissions for "Email addresses"

Endpoint	Access	Additional permissions
PATCH /user/email/visibility	write	×

Endpoint	Access	Additional permissions
POST /user/emails	write	×
DELETE /user/emails	write	×
GET /user/emails	read	×
GET /user/public_emails	read	×

User permissions for "Followers"

Endpoint	Access	Additional permissions
PUT /user/following/{username}	write	×
DELETE /user/following/{username}	write	×
GET /user/followers	read	×
GET /user/following	read	×
GET /user/following/{username}	read	×

User permissions for "GPG keys"

Endpoint	Access	Additional permissions
POST /user/gpg_keys	write	×
DELETE /user/gpg_keys/{gpg_key_id}	write	×
GET /user/gpg_keys	read	×
GET /user/gpg_keys/{gpg_key_id}	read	×

User permissions for "Gists"

Endpoint	Access	Additional permissions
POST /gists	write	×
PATCH /gists/{gist_id}	write	×
DELETE /gists/{gist_id}	write	×
POST /gists/{gist_id}/comments	write	×
PATCH /gists/{gist_id}/comments/{comment_id}	write	×
DELETE /gists/{gist_id}/comments/{comment_id}	write	×
POST /gists/{gist_id}/forks	write	×
PUT /gists/{gist_id}/star	write	×
DELETE /gists/{gist_id}/star	write	×

User permissions for "Git SSH keys"

Endpoint	Access	Additional permissions
POST /user/keys	write	×
DELETE /user/keys/{key_id}	write	×
GET /user/keys	read	×
GET /user/keys/{key_id}	read	×
GET /users/{username}/keys	read	×

User permissions for "Interaction limits"

Endpoint	Access	Additional permissions
PUT /user/interaction-limits	write	×
DELETE /user/interaction-limits	write	×
GET /user/interaction-limits	read	×

User permissions for "Plan"

Endpoint	Access	Additional permissions
GET /users/{username}/settings/billing/ai_credit/usage	read	×
GET /users/{username}/settings/billing/premium_request/usage	read	×
GET /users/{username}/settings/billing/usage	read	×
GET /users/{username}/settings/billing/usage/summary	read	×

User permissions for "Private repository invitations"

Endpoint	Access	Additional permissions
GET /repos/{owner}/{repo}/invitations	read	✓

User permissions for "Profile"

Endpoint	Access	Additional permissions
PATCH /user	write	×
POST /user/social_accounts	write	×
DELETE /user/social_accounts	write	×

User permissions for "SSH signing keys"

Endpoint	Access	Additional permissions
POST /user/ssh_signing_keys	write	×
DELETE /user/ssh_signing_keys/{ssh_signing_key_id}	write	×
GET /user/ssh_signing_keys	read	×
GET /user/ssh_signing_keys/{ssh_signing_key_id}	read	×

User permissions for "Starring"

Endpoint	Access	Additional permissions
PUT /user/starred/{owner}/{repo}	write	✓
DELETE /user/starred/{owner}/{repo}	write	✓
GET /user/starred	read	×
GET /user/starred/{owner}/{repo}	read	✓
GET /users/{username}/starred	read	×

User permissions for "Watching"

Endpoint	Access	Additional permissions
GET /user/subscriptions	read	×
GET /users/{username}/subscriptions	read	×



Back to top



Was this Doc helpful?

Yes

No

Help us make GitHub Docs great!

All Docs are open source. See something that's wrong or unclear? Submit a pull request.

Make a contribution

Still need help?



[Terms](#)

[Privacy](#)

[Status](#)

[Pricing](#)