

### Modelling of tranformers with on-load tap-changers (OLTC) in Python

#### **MASTER THESIS**

by

Maximilian Köhler, B. Eng.

March 31, 2025

Maximilian Köhler: *Modelling of tranformers* with on-load tap-changers (OLTC) in Python, Master Thesis, © March 2025

**SUPERVISORS:** 

Ilya Burlakin, M. Sc. Georg Kordowich, M. Sc. Univ.-Prof. Dr.-Ing. Matthias Luther

LOCATION:

Erlangen

TIME FRAME:

01st October 2023 untill 31st March 2025

IMMATRICULATION NUMBER: 23176975

### **Contents**

1	Introduction	1
2	Fundamentals	3
3	Transformer Equipment Modeling	5
4	Tap Changer Control Modeling	7
5	Simulative comparison of Continous and Discrete Control Methods	9
6	Indices for Voltage Stability	11
7	Implementation of Stability Monitoring	13
8	Approaches for wide-area-control mechanisms enhancing voltage stability	15
9	Representative Electrical Networks	17
10	Results from the Python Framework	19
11	Comparison to Results from PowerFactory	<b>21</b>
12	Discussion	23
13	Summary and outlook	<b>25</b>
Ac	ronyms	IX
Sy	mbols	IX
Bił	pliography	XIII
Аp	pendix	a



#### — Albert Einstein


#### 1 Introduction

Some blibla as introduction. [1] Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.


Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

This leads to the following structure for the paper:

- Chapter 2, some description about chapter 2;
- Chapter 3, some description about chapter 3;
- Chapter 4, some description about chapter 4.




### 2 Fundamentals



### 3 Transformer Equipment Modeling

Some literature and fundamentals about transformers, control, stability assessment, fast-switching modules, and analysis in Python.



**Figure 3.1:** Representative circuit of a Single Machine Infinite Bus (SMIB) model with pole wheel voltage  $E_{\rm p} \angle \delta$  and Infinite Bus Bar (IBB) voltage  $E_{\rm ibb} \angle 0^{\circ}$ ; positions of considered faults 1 to 3 are marked with red lightning arrows






Figure 3.2: Program plan proposal for determining the CCT! (CCT!)  $t_{\rm cc}$ , critical power angle  $\delta_{\rm cc}$  and the Time Domain Solution (TDS) of the Single Machine Infinite Bus (SMIB)-model; including the associated main function name

### **4 Tap Changer Control Modeling**




### 5 Simulative comparison of Continous and Discrete Control Methods




### **6 Indices for Voltage Stability**

- Which indices can be implemented?
- Implementation and calculation




# 7 Implementation of Stability Monitoring


- Index combination and "traffic light"monitoring
- Restauration options and opportunities
- Local mapping
- Weak point identification




# 8 Approaches for wide-area-control mechanisms enhancing voltage stability




# 9 Representative Electrical Networks




### 10 Results from the Python Framework



### 11 Comparison to Results from PowerFactory




### 12 Discussion



### 13 Summary and outlook

Some conclusion.

Some outlook and nice blibla.




### Acronyms

IBB Infinite Bus Bar

**RMS** Root Mean Square

SG Synchronous GeneratorSMIB Single Machine Infinite Bus

**TDS** Time Domain Solution



### **Symbols**

$\delta$	° / deg	power angle (or power angle difference)
$\Delta\omega$	$\frac{1}{s}$	change of rotor angular speed
$\underline{\theta}$	-	transformer ratio; complex if phase shifting
A	-	acceleration or deceleration area
$\underline{E}$	V	voltage of SG or IBB
$H_{ m gen}$	S	inertia constant of a Synchronous Generator (SG)
<u>I</u>	A	current
P	W	effective power; electrical or mechanical
Q	var	reactive power
R	$\Omega$	ohmic resistance
$\underline{S}$	VA	apparent power
$\underline{V}$	V	voltage
<u>X</u>	$\Omega$	reactance
<u>Y</u>	$\frac{1}{\Omega}$ / S	admittance
<u>Z</u>	$\Omega$	impedance

The different symbols are used with different indices, these are semantic and explained in the surrounding context. Following notation is commonly used for mathematical and physical symbols:


- Phasors or complex quantities are underlined (e.g. *I*)
- Arrows on top mark a spatial vector (e.g.  $\overrightarrow{F}$ )
- Boldface denotes matrices or vectors (e.g. F)
- Roman typed symbols are units (e.g. s)
- Lower case symbols denote instantaneous values (e.g.  $\underline{i}$ )
- Upper case symbols denote RMS or peak values (e.g.  $\underline{I}$ )
- References to objects are written capitalized Roman (e.g.  $\underline{Z}_{\mathrm{TRAFO}})$
- Subscripts relating to physical quantities or numerical variables are written italic (e.g.  $\underline{I}_1$ )

In the simulations and calculations the per unit system (p.u.) is preferred, thus normalizing all values with a base value. Where necessary, absolute units are added to indicate the explicit use of the normal unit system. For more information about this per-unit system please refer to Machowski, Lubosny,

Bialek, et al. [2], specifically Appendix A.1 provides a detailed description and explanation.


### **Bibliography**

- [1] S. Batchu, Y. Raghuvamsi, and K. Teeparthi, "A Comparative Study on Equal Area Criterion Based Methods for Transient Stability Assessment in Power Systems," in 2022 22nd National Power Systems Conference (NPSC), New Delhi, India: IEEE, Dec. 17, 2022, pp. 124–129, ISBN: 978-1-66546-202-0. DOI: 10.1109/NPSC57038.2022.10069303. [Online]. Available: https://ieeexplore.ieee.org/document/10069303/(visited on 12/14/2023).
- [2] J. Machowski, Z. Lubosny, J. W. Bialek, and J. R. Bumby, *Power System Dynamics: Stability and Control*, Third edition. Hoboken, NJ, USA: John Wiley, 2020, 1 p., ISBN: 978-1-119-52636-0 978-1-119-52638-4.




### **Appendix**

A	Python modelling			
	A.1 Mathematical equations	c		
В	OLTC control	e		
C	Verification	g		




### A Python modelling

### A.1 Mathematical equations



### **B** OLTC control



### **C** Verification