Jenkins   DevOps Backend

Description

[Plain text] _Preview_

- ☐ Commit agent's Docker container   ❓
- ☐ Define a Docker template
- ☐ Discard old builds   ❓
- ☑ GitHub project

  Project url   `https://github.com/HoGent-Projecten3/projecten3-1819-backend-groep9-ideaalduaal.g`   ❓

  Advanced...

- ☐ This build requires lockable resources
- ☐ This project is parameterized   ❓
- ☐ Throttle builds   ❓
- ☐ Disable this project   ❓
- ☐ Execute concurrent builds if necessary   ❓

  Advanced...

Source Code Management

- ◯ None
- ⦿ Git

  Repositories   ❓

    Repository URL   `git@github.com:HoGent-Projecten3/projecten3-1819-ba`   ❓

    Credentials   EwoutMaertens2/****** ▾   🔑 **Add**

    Advanced...

    Add Repository

  Branches to build   X

    Branch Specifier (blank for 'any')   `*/development`   ❓

General   Source Code Management   **Build Triggers**   Build Environment   Build **Add Branch** Post-build Actions

  Repository browser   ❓

Jenkins   DevOps Backend

Additional Behaviours | Add

○ Subversion   ?

Build Triggers

☐ Trigger builds remotely (e.g., from scripts)   ?

☐ Build after other projects are built   ?

☐ Build periodically   ?

☑ Build when job nodes start

        Restricted node Label   [   ]   ?

        Quiet period   [0   ]   ?

                                                                    Advanced...

☑ GitHub hook trigger for GITScm polling   ?

☐ Poll SCM   ?

Build Environment

☑ Delete workspace before build starts

                                    Advanced...

☐ Use secret text(s) or file(s)   ?

☐ Abort the build if it's stuck

☐ Add timestamps to the Console Output

☐ Assign unique TCP ports to avoid collisions   ?

☐ With Ant   ?

☐ Run an Android emulator during build   ?

Build

| X |

Execute shell   ?

Command
```
sh /home/student/scripts/scriptBackend.sh
npm install
export BUILD_ID=dontKillMe
sleep 20
sh /home/student/scripts/scriptBackendLog.sh
```

See the list of available environment variables

Exit code to set build unstable   [   ] ?

Jenkins   DevOps Backend

Post-build Actions

X

Archive the artifacts

Files to archive   logBackend.txt

Excludes

☐ Do not fail build if archiving returns nothing

☐ Archive artifacts only if build is successful

☐ Fingerprint all archived artifacts

☑ Use default excludes

☑ Treat include and exclude patterns as case sensitive

X

Discord Notifier

Webhook URL   https://discordapp.com/api/webhooks/513284334036451340/XNtkJY_jVfQ

Only send on state change   ☐

Title

Branch name

Thumbnail URL   https://upload.wikimedia.org/wikipedia/en/thumb/6/62/MySQL.svg/1200px-l

Enable URL linking   ☐

Enable artifact list   ☑

Enable version info in footer   ☐

Add post-build action