

A heuristic approach for resolving the Responsibility Assignment Problem

Maximiliano M. Vela
maximiliano.vela@hotmail.com

Yngve Lamo
yla@hib.no

Fazle Rabbi
fra@hib.no

Fernando Macías
fmac@hib.no

Bergen University College
Bergen, Norway

Abstract

This paper describes the solution proposed by Bergen University College for the ninth Transformation Tool Contest (TTC '16)¹, which resolves the Class Responsibility Assignment Case using a Transformation Tool based on Microsoft Excel and Visual Basic. The solution receives a Responsibility Dependency Graph as an .xmi file, parses the content, analyzes the relationships between the given features, generates a class diagram that aims to get the highest possible cohesion and lowest possible coupling, and exports it as an .xmi file. The solution is based on an adaptation of the Markov Clustering Algorithm used to manage bi-directional, un-weighted sets of nodes and grouping them into clusters.

1 Introduction

Cohesion is a property that refers to the degree to which the elements of a module belong together, while coupling is the degree of interdependence between different modules. In order to generate high-quality models, the need for measuring and comparing how strong the relationship is between different components of a module is extremely important. Although for large models the coupling will always be inevitably higher than the cohesion, there will always exist ways to optimize the resulting model as much as possible.

The algorithm used in this solution to generate the resulting class diagram is based on the foundations of the Markov Clustering Algorithm [SVD00] [KM09] [LG15]. However, most of the steps have been slightly or completely altered since they have been deemed not as effective for the proposed problem.

As described in the problem definition, for a total of 18 input features there are 682.076.806.159 possible class diagrams built upon different feature combinations, so the time it takes for the solution to generate a potentially optimal solution is essential.

Being ρ the number of methods and σ the number of attributes, we can state that the complexity of the algorithm used in this solution lies in the $O(\rho^3)$ level in the Big-O notation, since the worst case scenario depends exclusively on the amount of methods received initially.

The objective of the proposed solution is to perform a model transformation from the initial Class Responsibility Diagram received as input into a Class Diagram which attempts to achieve the highest possible CRA-Index by having as high cohesion and low coupling as possible.

Copyright © by the paper's authors. Copying permitted for private and academic purposes.

¹The full problem description can be found at: github.com/martin-fleck/cra-ttc2016/

The meta-model transformation relies in linking each feature (method or attribute) to a class that encapsulates it as shown in Figure 2.




Figure 1: Responsibility Dependency Graph meta-model

2 Algorithm Implementation

The implementation starts off with some initial processing which transforms the input file into meaningful data which shortly after will be used in order to generate the classes. The results are finally formatted as an .xml file for further use.




Figure 2: Transformation process

2.1 Initial Processing

The first step in the process is importing the Responsibility Diagram and parsing it in order to harvest the available features and existing relationships between them.

A matrix of size $\rho \times (\rho + \sigma)$ is generated, where ρ is the number of methods and σ is the number of attributes. The matrix will be filled with 0, 1 or 2 which represents the type of relationship between two particular features (no relationship, uni-directional and bi-directional respectively). This value will be referred to as α .

The result after this step for Input A is shown in Table 1. In the example, relationships for each method with itself will be 1 but this can vary depending on certain properties (this is explained further in section 3).

Table 1 Associate Matrix for Input A - First Step

	Methods				Attributes				
	0	1	2	3	4	5	6	7	8
0	1	0	1	0	0	0	0	1	1
1	1	1	0	2	0	0	1	1	0
2	0	0	1	1	1	0	0	0	0
3	1	2	0	1	0	1	0	1	0

The distinction between uni and bi-directional relationships in the associated matrix is the first difference from the original Markov Clustering Algorithm, which contemplates bi-directional links only.

In the next step, the algorithm analyzes the similarities between each pair of methods by counting how many features they share relationships with (both values should be > 0 to be counted). In the example, methods 1 and 3 have four features in common (0, 1, 3 and 7). Each value will be calculated for every pair of methods and placed next to each cell value separated by a comma, and will be referred to as β . As a result, values in each cell will correspond to α, β as shown in Table 2.

Shortly after, a new value δ will be calculated on each of the recently modified cells. This calculation, as well as the use of the diagonal will vary depending on various properties associated with the initial Responsibility Dependency Graph. This is explained more in depth in section 3.

However, in the example shown above the affinity index (δ) is defined as $\delta = \beta$. Results after this step are shown in Table 3.

2.2 Class Generation

Before placing the features in their respective classes the following calculations will be performed:

1. Sum total for each method row, showing which method has the most/strongest relationships.
2. Maximum Affinity Index for each method column, showing which pair has the strongest relationship.
3. Total sum for each attribute column, showing by how many methods each attribute is used.

In the example, results will be as follows:

From here on, we start by choosing the first row with the highest row total. For each method column we check if the affinity index is equal to the previously calculated maximum. If the values are the same, we store that method in an array in order to group them together in the class generation step. In the example, the first row selected will be Method 1 (with 14 as row sum), and the only candidate method will be itself. This attempts to ensure the highest possible cohesion within all method-to-method relationships.

After that we move onto the grouping of attributes to be put within the same class. In order to do so, we calculate the sum total of each attribute column but only for the methods previously selected. If the sum is equal than or greater than 50 percent of the column total, that attribute will be selected since the majority of methods that use it are candidates for the newly generated class. If the sum is less than 50 percent that means the attribute will produce higher cohesion placed in a different class. For Method 1 in the example, attribute 6 will be grouped with it since $1 \geq 0.5 \times 1$, but attribute 7 will not since $1 < 0.5 \times 3$.

Methods and attributes selected in the last section will be placed in a newly created class. In order to prevent other classes from re-using them in the future, column values for each attribute and row/column values for each method are set to zero. This process will go on generating classes by grouping methods and attributes until values on all cells are zero.

For the sake of clarification, this step is shown in pseudo-code:

Table 2 Associate Matrix for Input A - Second Step

	Methods				Attributes				
	0	1	2	3	4	5	6	7	8
0	1,4	0,2	1,1	0,2	0	0	0	1	1
1	1,2	1,5	0,1	2,4	0	0	1	1	0
2	0,1	0,1	1,3	1,1	1	0	0	0	0
3	1,2	2,4	0,1	1,5	0	1	0	1	0

Table 3 Associate Matrix for Input A - Third Step

	Methods				Attributes					Sum
	0	1	2	3	4	5	6	7	8	
0	4	2	1	2	0	0	0	1	1	11
1	2	5	1	4	0	0	1	1	0	14
2	1	1	3	1	1	0	0	0	0	7
3	2	4	1	5	0	1	0	1	0	14
Max/Sum	4	5	3	5	1	1	1	3	1	

Algorithm 1 CRA Algorithm

```
procedure CLASSIFY(input.xmi)  
  read input.xmi and transform RDG into a matrix representation  
  while values in matrix are not 0 do  
    update row total  
    update maximum value for methods  
    update total sum for attributes  
    select methods with maximum affinity indexes  
    select attributes used by majority of methods  
    create class with selected methods and attributes  
    update matrix by removing entries of selected methods and attributes  
  end while  
  produce output.xmi from the produced classes  
  return output.xmi  
end procedure
```

After wrapping up the last set of features within a class, the solution will transform the class diagram into a .xmi file with the correct formatting and store it within the same file-path as the input.

3 The Diagonal Dilemma and Affinity Index Calculation

When analyzing and processing affinity indexes, values shown in the diagonal are often (such as in the example shown in this paper) necessary in order to generate a class diagram with a high CRA-index. However, in some cases it has been proven to be misleading and therefore largely increasing the overall coupling of the output.

As a result of extensive experimentation, it has been determined the need to establish a threshold within the amount of methods required in order to deem the diagonal counter-productive. For our solution, every time the input exceeds 12 methods the diagonal will become zero. This threshold is not completely precise and might be refined after further experimentation.

Furthermore, for inputs in which the amount of methods is < 12 the diagonal might require to be turned to zero as well for very specific cases (such as having less attributes than methods and thus requiring multiple methods to be put together in order to increase the cohesion). This avoids methods to be isolated and being grouped up only with the attributes they make use of. Experimental results from applying different heuristics when calculating the affinity index δ can be found in Table 4.

Table 4 CRA Index results for different heuristics, with and without contemplating the diagonal

Diagonal	Input	β	$\alpha + \beta$	$\alpha^2 + \beta$	$\alpha^3 + \beta$	$\alpha^4 + \beta$
Yes	A	3.0	2.33	2.33	2.33	2.33
Yes	B	2.99	-2.25	-2.91	-2.91	-2.91
Yes	C	-5.0	-5.16	-5.16	-5.16	-5.16
Yes	D	-42.33	-56.22	-38.66	-56.45	-56.45
Yes	E	-77.24	-112.02	-80.49	-101.79	-101.79
No	A	0.85	1.66	1.66	1.66	1.66
No	B	0.54	1.32	0.83	0.83	0.83
No	C	-0.96	-2.84	-0.61	-0.61	-0.61
No	D	-10.14	-17.80	-11.32	-7.12	-8.10
No	E	-18.63	-31.06	-27.79	-25.80	-33.43

4 CRA-Index Results, Execution Time and Evaluation Criteria

The results obtained by the proposed solution are shown below:

Table 5 Class Diagram Generation Results for Proposed Solution compared to TTC's

Input	Proposed Excel Solution ²				TTC MOMoT Solution	
	Correctness	Completeness	CRA-Index	Execution Time	CRA-Index	Execution Time
A	✓	✓	3.0	0,6 sec.	3.0	4 min. 03 sec.
B	✓	✓	2.99999999	1,33 sec.	1.125	5 min. 05 sec.
C	✓	✓	-0.96777777	2,78 sec.	-5.63571428	12 min. 02 sec.
D	✓	✓	-10.1413690	9,91 sec.	-23.6338095	26 min. 51 sec.
E	✓	✓	-18.6370993	28,33 sec.	-69.65545274	38 min. 08 sec.

²Executions have been performed on a Lenovo Y50 notebook running Windows 8 x64, i5 4210H @ 2.90GHz, 8.00GB

Note: even though more sophisticated heuristics showed better CRA-Index results for some of the inputs (i.e. $\alpha^3 + \beta$ for Input D without the diagonal), the tiny improvement wasn't worth the increase in execution time required in order to generate different solutions and comparing them afterwards (therefore keeping the algorithm as generic as possible).

5 Visualization

The output .xmi file is transformed into a Ecore model which can be later used for visualization through “Initialize ecore_diagram diagram file” feature in Eclipse. Figure 3 shows the class diagram for the output produced for Input A.

In the future the proposed solution will be executed in a server through a Powershell prompt, allowing users to provide an input file and transform into a output .xmi file or an ecore model.




Figure 3: Class Diagram for Input A

6 Related work

There have been several attempts done by researchers to solve the CRA problem. Recently, meta-heuristic optimization techniques such as Genetic Algorithm (GA), Hill Climbing (HC), Simulated Annealing (SA), Particle Swarm Optimization (PSO) have been analyzed by many researchers [E07]. Multi-objective genetic algorithm (MOGA) is another technique that has been used to solve the CRA problem [BBL10] [MJ14].

7 Conclusion

The solution described in this paper resolves the Responsibility Dependency Assignment case relatively quickly since it measures the relationships between features and goes straight to one of the available combinations, which attempts to have the highest possible CRA-Index.

Constraints mentioned in the problem description are fulfilled thoroughly in every transformation performed, ensuring the overall correctness of the output.

Additionally, the solution allows the user to provide a specific number of classes for the resulting class diagram, increasing the flexibility of the tool. Similar output constraints can be easily added within the Visual Basic module if necessary.

References

- [SVD00] Stijn van Dongen. Graph Clustering by Flow Simulation. 2000.
- [KM09] Kathy Macropol. Clustering on Graphs: The Markov Clustering Algorithm. 2009.
- [LG15] Liang Ge. Markov Clustering Algorithm. 2015. - <http://www.cse.buffalo.edu/faculty/azhang/Seminar/Liang.ppt>
- [E07] Andries P. Engelbrecht. Computational Intelligence: An Introduction, 2nd ed. John Wiley & Sons. 2007
- [BBL10] M. Bowman, L.C. Briand, Y. Labiche. Solving the Class Responsibility Assignment Problem in Object-Oriented Analysis with Multi-Objective Genetic Algorithms in IEEE Transactions on Software Engineering, vol. 36, no. 6, pp. 817-837, 2010
- [MJ14] Hamid Masoud, Saeed Jalili A clustering-based model for class responsibility assignment problem in object-oriented analysis in Journal of Systems and Software, volume 93, pp. 110-131, 2014