Resolución

Ejercicio 1

Relación	Clave Primaria	Claves Candidatas	Claves Foráneas	Aclaraciones
A(A1)	{A1}	{A1}		No se puede garantizar la participación total con B mediante C
B(A1, B1)	{A1, B1}	{A1, B1}	(A1) ref A	
D(A1,A1_2,B1)	{A1,A1_2,B1}	{A1,A1_2,B1}	{A1_2} ref A {A1,B1} ref B	
E(E1,E2,E3)	{E1,E2}	{E1,E2}		
F(F1,F2)	{F1}	{F1}		
G(A1,E1,E2,F1,G1)	{A1,E1,E2,F1}	{A1,E1,E2,F1}	{A1} ref A {E1,E2} ref E {F1} ref F	
H(F1,H1,H2)	{H1}	{H1}	{F1} ref F	No se puede garantizar que F1 no sea nulo

Aclaraciones:

No estoy muy seguro para la relación de D, como diferenciar el A1 que viene del propio B con el A1 que se interelaciona con A. Le puse A1 y A1_2 pero no estoy seguro si es correcto. De todas formas aclaré en las claves foráneas cual es cual.

Ejercicio 2

Ejercicio A

Consulta:

```
COMEDY_MOVIES_IDS = π movie_id σ genre='Comedy' movies_genres
COMEDY_MOVIES = π id, name, year (movies [] movies.id =
movies_genres.movie_id COMEDY_MOVIES_IDS)

CM1 = ρ cm1 (COMEDY_MOVIES)
CM2 = ρ cm2 (COMEDY_MOVIES)

NON_OLDESTS_COMEDY_MOVIES = π cml.id, cml.name, cml.year (σ cml.year >
cm2.year (CM1 × CM2))
```

OLDESTS_COMEDY_MOVIES = COMEDY_MOVIES - NON_OLDESTS_COMEDY_MOVIES OLDESTS COMEDY MOVIES

Resultado:

movies.id	movies.name	movies.year
64833	'City Lights'	1931

Ejercicio B

Si se refiere a en alguna película:

Consulta:

```
ACTOR = π id σ first_name = 'Ferdy' ∧ last_name = 'Mayne' actors
MOVIES_WITH_ACTOR = ρ actor_movies (π movie_id (roles □ actors.id =
roles.actor_id ACTOR))

ACTORS_IN_MOVIES = π actor_id (roles □ roles.movie_id =
actor_movies.movie_id MOVIES_WITH_ACTOR) - ACTOR

ACTORS_IN_MOVIES_NAMES = π first_name, last_name (actors □ actors.id =
roles.actor_id ACTORS_IN_MOVIES)
ACTORS_IN_MOVIES_NAMES
```

Resultado:

actors.first_name	actors.last_name	
'Stephen (I)'	'Boyd'	
'Steven'	'Berkoff'	
'Stevenson'	'Lang'	
'Terence'	'Longdon'	
'Thomas'	'O Leary'	
'Tiberio'	'Mitri'	
'Tutte'	'Lemkow'	
'Victor'	'De La Fosse'	
•••		

Son 109 actores en total.

Si se refiere a que el actor haya participado en todas las películas en las que participó Ferdy Mayne:

PROF

Consulta:

```
ACTOR = π id σ first_name = 'Ferdy' ∧ last_name = 'Mayne' actors
MOVIES_WITH_ACTOR = ρ actor_movies (π movie_id (roles □ actors.id =
roles.actor_id ACTOR))

MOVIES_PARTICIPATIONS = π actor_id, movie_id roles
ACTORS_IN_MOVIES = π actor_id (MOVIES_PARTICIPATIONS ÷
MOVIES_WITH_ACTOR) - ACTOR

ACTORS_IN_MOVIES_NAMES = π first_name, last_name (actors □ actors.id =
roles.actor_id ACTORS_IN_MOVIES)
ACTORS_IN_MOVIES_NAMES
```

Resultado:

actors.first_name	actors.last_name
-------------------	------------------

+3/3+

'André' 'Morell'