Maximo Stowers-DeWolfe

Phil Colbert

CIT 281

24 May 2025

## Project 6 – Description


My project is a simple to-do list. The user has the ability to add, modify, and delete items on the to-do list which is displayed on the webpage. The list updates dynamically based on the operation they perform. I tested this first in the console and then connected it to a webpage and stylesheet.

## Al Use:

I began the project by asking ChatGPT what kind of project would fit the requirements. It gave me a few and I settled on the to-do list. Copilot was used intermittently throughout building the server to help with small syntax questions such as == vs ===. I also had it scan for errors, many of which were caused by a ";" at the end of a line when there shouldn't have been one. After completing the server, I had copilot build the webpage and style it. I gave it instructions on what I wanted it to look like and it determined the best way to go about that.

## Images:

	To-Do List	
	item1	
	item2	
	item3	
	Enter new task Add	
Task	to update Updated name	Update
	Task to delete Delete	



```
maximostowers-dewolfe@Maximos-MacBook-Air-8 281 % cd p6
maximostowers-dewolfe@Maximos-MacBook-Air-8 project-6 % nodemon p6-s*
[nodemon] 3.1.10
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): *.*
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node p6-server.js`
Server is running on: http://localhost:4000
[]
Added item1 to the list!
[ 'item1' ]
Added item2 to the list!
[ 'item1', 'item2' ]
Added item3 to the list!
[ 'item1', 'item2', 'item3' ]
Added item5 to the list!
[ 'item1', 'item2', 'item3', 'item5' ]
Changed: item5 to item4
[ 'item1', 'item2', 'item3', 'item4' ]
Deleted: item4
[ 'item1', 'item2', 'item3', 'item4' ]
```

