


预留5V输入接口，连接器间距2.54mm




BOOT0	BOOT1	启动方式
0	无关	用户闪存
1	0	ISP下载模式
1	1	内部RAM


STM32工作模式已经默认接地: BOOT0通过R7接地

STM32工作模式选择

SWD调试编程接口




TFT液晶屏接口




SD/TF卡接口(小卡座，自弹)

供电指示灯



LED指示灯



按键



STM32H750VB /H743VI核心板

内核: Cortex-M7



(H750VB) FLASH: 128K

(H743VI) FLASH: 2048K (2M)

RAM: 1024K




DCMI接口-摄像头插座




扩展I/O接口

接口支持QSPI接口模式




外部存储FLASH

标准MicroUSB接口
即常见安卓手机供电接口




USB供电接口
(STM32 USB Slave)



实时时钟备用电池接口B1(预留)

Title	STM32H750VB /H743VI核心板 (M版)
Size	Number
A2	
Date	2019-11-23
File	Z:\YMBOK\STM32\H743VI_M_SchB2.dwg
Sheet	1
Drawn By	

DevEBox 大越创新



Bill of Materials

<Parameter Title not found>

Source Data From: STM32_H7XX_M.PrjPcb
 Project: STM32_H7XX_M.PrjPcb
 Variant: None

Creation Date: 2019-11-23 下午 01:44:44
 Print Date: 43792 43792.57279

Footprint	Comment	LibRef	Designator	Description	Quantity
SIP2-2.54mm	BAT	BATTERY	B1		1
RC0402	104	Cap, CAP, CAP, CAP, Cap, Cap, Cap, Cap, Cap Semi, CAP, Cap	C1, C3, C4, C6, C7, C12, C13, C14, C15, C16, C17, C19, C20, C23	Capacitor, Capacitor, Capacitor, Capacitor, Capacitor, Capacitor, Capacitor, Capacitor, Capacitor, Capacitor, Capacitor, Capacitor (Semiconductor SIM Model), [NoValue], Capacitor	14
RC0805	106	ELECTRO2, ELECTRO2, Cap	C2, C5, C18	[NoValue], [NoValue], Capacitor	3
RC0402	10P	CAP	C8, C9		2
RC0402	20P	CAP	C10, C11	Capacitor	2
RC0603	2.2uF	Cap	C21, C22	Capacitor	2
LED-0603	LED	LED	D1, D2		2
SOD_323	5V1	Diode	D3	Default Diode	1
SIP5-2.54mm	SPI_1X5	Header 5H	J1	Header, 5-Pin, Right Angle	1
IDE2X22	Header 22X2	Header 22X2	J2, J3	Header, 22-Pin, Dual row	2
HDR1X8	SIP8-2.54mm	Header 8	J4	Header, 8-Pin	1
micro_USB	Micro_USB	MiniUSB	J5		1
FPC24-05MM	FPC-24P	FPC-24P	J6		1
SW-SPST	Key	SW-PB	K1, K2, RST		3
RC0805	500mA	RES	L1		1
SOT-23-BAT54C	BAT54C	BAT54C	Q1		1
RC0402	10K	Res2	R1, R4, R7	Resistor	3
RC0402	0R	Res2	R2, R3, R11, R34	Resistor	4
RC0402	510R	Res2	R5, R14	Resistor	2
SOT-223	AMS1117-3.3V	11	U1		1
	STM32H7xx	STM32H750V	U2		1
SOP8L	W25QXX	W25QXX	U3		1
	MiniSD	MiniSD	U5		1
JZ3215-32K	32.768K	CRYSTAL	Y1	晶振	1
JZ5032-8M	25M	CRYSTAL	Y2	Crystal	1

53

Approved Notes