

```

1: ****
2: Constructor Function and Procedure List of maxbox 3.9.9.180
3: ****
4:
5: //////////////////////////////////////////////////////////////////
6: ref Help Extraxt of EXE Functions of maxbox3.exe BigBitBox API HEX in BOX3
7: -----
8:
9: File EXE: 23956992 V3.9.9.180 Feb 2015 to EKON/BASTA/JAX/IBZ/SWS/EU/DT/PASCON
10: *****Now the Funclist*****
11: Funclist Function : 14164 //10766 //10165 (7648)
12: *****Now the Proclist*****
13: Proclist Procedure Size is: 8742 //6792 //6401 4752
14: *****Now Constructors*****
15: Constructlist Constructor Size is: 1408 //995 //
16: def head:max: maxbox7: 04.02.2015 22:11:55
17: file E:\maxbox\maxbox3\docs\maxbox_extract_funclist399.txt
18: doc file: maxbox_extract_funclist399_.txt (sort function list)
19: -----
20: Funclist total Size all is: 24314! Constructor, Function and Procedure
21: AExtraxt of EXE Functions of maxbox3.exe, locs of file = 24690
22: ASize of EXE: 23956992 (23614464) (22041600) (16586240) (13511680)
23: SHA1 Hash of maxbox 3.9.9.180: 94032DDA24F18A3D8515CCA6BB256E0633475F2F
24:
25: -----
26: -----
27: //////////////////////////////////////////////////////////////////
28:
29:
30: FUNCTION Metric of Script: 256_findfunctions2_of_EXE.txt
31: Function *****Now the Funclist*****
32: function GetResStringChecked(Ident: string; const Args: array of const): string
33: Function ( Index: Longint ): Integer
34: function ( Command: Word; Data: Longint; var CallHelp: Boolean): Boolean
35: Function _CheckAutoResult( ResultCode : HResult ) : HResult
36: function _T(Name: tbtString): Variant;
37: function ABNFToText(const AText : String) : String
38: Function Abs(e : Extended) : Extended;
39: Function Ackermann( const A, B : Integer ) : Integer
40: Function AcquireLayoutLock : Boolean
41: Function ActionByName( const AName : string ) : TWebActionItem
42: Function ACTIVEBUFFER : PCHAR
43: Function Add : TAggregate
44: function Add : TCollectionItem
45: Function Add : TColumn
46: Function Add : TComboExItem
47: Function Add : TCookie
48: Function Add : TCoolBand
49: Function Add : TFavoriteLinkItem
50: Function Add : TFileTypeItem
51: Function Add : THeaderSection
52: Function Add : THTMLTableColumn
53: Function Add : TIdEmailAddressItem
54: Function Add : TIdMessagePart
55: Function Add : TIdUserAccount
56: Function Add : TListColumn
57: Function Add : TListItem
58: Function Add : TStatusPanel
59: Function Add : TTaskDialogBaseButtonItem
60: Function Add : TWebActionItem
61: Function Add : TWorkArea
62: Function Add( AClass : TClass ) : Integer
63: Function Add( AComponent : TComponent ) : Integer
64: Function Add( AItem, AData : Integer ) : Integer
65: Function Add( AItem, AData : Pointer ) : Pointer
66: Function Add( AItem, AData : TObject ) : TObject
67: Function Add( AObject : TObject ) : Integer
68: Function Add( const Access, Count : Cardinal; const Offset : Int64 ) : Integer
69: Function Add( const S : WideString ) : Integer
70: Function Add( Image, Mask : TBitmap ) : Integer
71: Function Add( Index : LongInt; const Text : string ) : LongInt
72: Function Add( Sibling : TTreeNode; const S : string ) : TTreeNode
73: Function Add( const S : string ) : Integer
74: function Add( S : string ) : Integer;
75: Function AddAt( const Access, Count : Cardinal; const Offset : Int64; const Address : Pointer ) : Integer
76: Function ADDCHILD : TFIELDDEF
77: Function AddChild( Index : LongInt; const Text : string ) : LongInt
78: Function AddChild( Parent : TTreeNode; const S : string ) : TTreeNode
79: Function AddChildFirst( Parent : TTreeNode; const S : string ) : TTreeNode
80: Function AddChildObject( Index : LongInt; const Text : string; const Data : Pointer ) : LongInt
81: Function AddChildObject( Parent : TTreeNode; const S : string; Ptr : Pointer ) : TTreeNode
82: Function AddChildObjectFirst( Parent : TTreeNode; const S : string; Ptr : Pointer ) : TTreeNode
83: Function ADDFIELDDEF : TFIELDDEF
84: Function AddFileExtIfNecessary( AFileName, AExt : string ) : string
85: Function AddFirst( Sibling : TTreeNode; const S : string ) : TTreeNode
86: Function AddIcon( Image : TIcon ) : Integer
87: Function AddImage( Value : TCustomImageList; Index : Integer ) : Integer
88: Function ADDINDEXDEF : TINDEXDEF
89: Function AddItem( const Caption: String; const ImageIdx, SelectImageIdx, OverlayImageIdx,
    Indent: Int; Data: Ptr ) : TComboExItem

```

```

90: Function AddItem( Item : THeaderSection; Index : Integer ) : THeaderSection
91: Function AddItem( Item : TListItem; Index : Integer ) : TListItem
92: Function AddItem( Item : TStatusPanel; Index : Integer ) : TStatusPanel
93: Function AddMapping( const FieldName : string ) : Boolean
94: Function AddMasked( Image : TBitmap; MaskColor : TColor ) : Integer
95: Function AddModuleClass( AClass : TComponentClass ) : TComponent
96: Function AddModuleName( const AClass : string ) : TComponent
97: Function AddNode( Node,Relative: TTreeNode;const S: string;Ptr:Pointer;Method:TNodeAttachMode ):TTreeNode
98: Function AddObject( const S : WideString; AObject : TObject ) : Integer
99: Function AddObject( Index : LongInt; const Text : string; const Data : Pointer ) : LongInt
100: Function AddObject( Sibling : TTreeNode; const S : string; Ptr : Pointer ) : TTreeNode
101: function AddObject(S:string;AObject:TObject):integer
102: Function AddObjectFirst( Sibling : TTreeNode; const S : string; Ptr : Pointer ) : TTreeNode
103: Function AddParameter : TParameter
104: Function AddParamSQLForDetail(Params:TParams;SQL:WideStr;Native:Bool;QuoteChar:WideString):WideString
105: Function Addr64ToAddr32(const Value: TJclAddr64): TJclAddr32;
106: Function Addr32ToAddr64(const Value: TJclAddr32): TJclAddr64;
107: function AdjustLineBreaksS(const S: string): string
108: TTextLineStyle', '(tlbsLF, tlbsCRLF)
109: Function AdjustLineBreaks(const S: string; Style: TTextLineStyle): string;
110: Function AllData : string
111: function AllocMemCount: integer;
112: function AllocMemSize: integer;
113: Function AllocPatternBitmap( BkColor, FgColor : TColor ) : TBitmap
114: Function AllowRegKeyForEveryone( Key : HKEY; Path : string ) : Boolean
115: Function AlphaComponent( const Color32 : TColor32 ) : Integer
116: Function AlphaSort : Boolean
117: Function AlphaSort( ARecurse : Boolean ) : Boolean
118: Function AnsiCat( const x, y : AnsiString ) : AnsiString
119: Function AnsiCompareFileName( S1, S2 : string ) : Integer
120: function AnsiCompareFileName(const S1: string; const S2: string): Integer
121: Function AnsiCompareStr( S1, S2 : string ) : Integer
122: function AnsiCompareStr(const S1: string; const S2: string): Integer;
123: Function AnsiCompareText( S1, S2 : string ) : Integer
124: function AnsiCompareText(const S1: string; const S2: string): Integer;
125: Function AnsiContainsStr( const AText, ASubText : string ) : Boolean
126: Function AnsiContainsText( const AText, ASubText : string ) : Boolean
127: Function AnsiCopy( const src : AnsiString; index, count : Integer ) : AnsiString
128: Function AnsiDequotedStr( S : string; AQuote : Char ) : string
129: Function AnsiEndsStr( const ASubText, AText : string ) : Boolean
130: Function AnsiEndsText( const ASubText, AText : string ) : Boolean
131: Function AnsiExtractQuotedStr( var Src : PChar; Quote : Char ) : string
132: function AnsiExtractQuotedStr(var Src: PChar; Quote: Char): string
133: Function AnsiIndexStr( const AText : string; const AValues : array of string ) : Integer
134: Function AnsiIndexText( const AText : string; const AValues : array of string ) : Integer
135: Function AnsiLastChar( S : string ) : PChar
136: function AnsilastChar(const S: string): PChar
137: Function AnsiLeftStr( const AText : AnsiString; const ACount : Integer ) : AnsiString
138: Function AnsiLowerCase( S : string ) : string
139: Function AnsiLowerCase(s : String) : String;
140: Function AnsilowerCaseFileName( S : string ) : string
141: Function AnsiMatchStr( const AText : string; const AValues : array of string ) : Boolean
142: Function AnsiMatchText( const AText : string; const AValues : array of string ) : Boolean
143: Function AnsiMidStr( const AText : AnsiString; const AStart, ACount : Integer ) : AnsiString
144: Function AnsiPos( const src, sub : AnsiString ) : Integer
145: Function AnsiPos( Substr, S : string ) : Integer
146: function AnsiPos(const Substr: string; const S: string): Integer;
147: Function AnsiQuotedStr( S : string; Quote : Char ) : string
148: Function AnsiReplaceStr( const AText, AFromText, AToText : string ) : string
149: Function AnsiReplaceText( const AText, AFromText, AToText : string ) : string
150: Function AnsiResemblesText( const AText, AOther : string ) : Boolean
151: Function AnsiReverseString( const AText : AnsiString ) : AnsiString
152: Function AnsiRightStr( const AText : AnsiString; const ACount : Integer ) : AnsiString
153: function AnsiSameCaption(const Text1: string; const Text2: string): Boolean
154: Function AnsiSameStr( S1, S2 : string ) : Boolean
155: function AnsiSameStr(const S1: string; const S2: string): Boolean
156: Function AnsiSameText( const S1, S2 : string ) : Boolean
157: Function AnsiSameText( S1, S2 : string ) : Boolean
158: function AnsiSameText(const S1: string; const S2: string): Boolean
159: Function AnsiStartsStr( const ASubText, AText : string ) : Boolean
160: Function AnsiStartsText( const ASubText, AText : string ) : Boolean
161: Function AnsiStrComp( S1, S2 : PChar ) : Integer
162: function AnsiStrComp(S1: PChar; S2: PChar): Integer
163: Function AnsiStrIComp( S1, S2 : PChar ) : Integer
164: function AnsiStrIComp(S1: PChar; S2: PChar): Integer
165: Function AnsiStrLastChar( P : PChar ) : PChar
166: function AnsiStrLastChar(P: PChar): PChar
167: Function AnsiStrLComp( S1, S2 : PChar; MaxLen : Cardinal ) : Integer
168: Function AnsiStrLIComp( S1, S2 : PChar; MaxLen : Cardinal ) : Integer
169: Function AnsiStrLower( Str : PChar ) : PChar
170: Function AnsiStrPos( Str, SubStr : PChar ) : PChar
171: function AnsiStrPos(Str: PChar; SubStr: PChar): PChar
172: Function AnsiStrScan(Str: PChar; Chr: Char): PChar
173: Function AnsiStrUpper( Str : PChar ) : PChar
174: Function AnsiToUtf8( const S : string ) : UTF8String
175: Function AnsiToUtf8Ex( const S : string; const cp : integer ) : UTF8String
176: Function AnsiUpperCase( S : string ) : string
177: Function AnsiUpperCase(s : String) : String;
178: Function AnsiUpperCaseFileName( S : string ) : string

```

```

179: Function ApplyUpdates( const Delta: OleVariant; MaxErrors: Integer; out ErrorCount: Integer): OleVariant;
180: Function ApplyUpdates( const Delta: OleVariant; MaxErrors: Integer; out ErrorCount: Integer) : OleVariant;
181: Function ApplyUpdates( MaxErrors : Integer) : Integer;
182: Function ApplyUpdates1( const Delta: OleVar; MaxErrs: Int; out ErrCount: Int; var OwnerData: OleVar): OleVariant;
183: Function ArcCos( const X : Extended) : Extended;
184: Function ArcCosh( const X : Extended) : Extended;
185: Function ArcCot( const X : Extended) : Extended;
186: Function ArcCoth( const X : Extended) : Extended;
187: Function ArcCsc( const X : Extended) : Extended;
188: Function ArcCsch( const X : Extended) : Extended;
189: Function ArcSec( const X : Extended) : Extended;
190: Function ArcSech( const X : Extended) : Extended;
191: Function ArcSin( const X : Extended) : Extended;
192: Function ArcSinh( const X : Extended) : Extended;
193: Function ArcTan( const X : Extended) : Extended;
194: Function ArcTan2( const Y, X : Extended) : Extended;
195: Function ArithmeticMean( const X : TDynDoubleArray) : Float;
196: function ArrayLength: integer;
197: Function AsHex( const AValue : T4x4LongWordRecord) : string;
198: Function AsHex( const AValue : T5x4LongWordRecord) : string;
199: Function ASNDeclen( var Start : Integer; const Buffer : string) : Integer;
200: Function ASNDecOIDItem( var Start : Integer; const Buffer : string) : Integer;
201: Function ASNEncInt( Value : Integer) : string;
202: Function ASNEncLen( Len : Integer) : string;
203: Function ASNEncOIDItem( Value : Integer) : string;
204: Function ASNEncUInt( Value : Integer) : string;
205: Function ASNItem( var Start : Integer; const Buffer : string; var ValueType : Integer) : string;
206: Function ASNObject( const Data : string; ASNType : Integer) : string;
207: Function Assigned( : Longint): Boolean;
208: Function AspectRatio(aWidth, aHeight: Integer): String;
209: Function AsWideString( Field : TField) : WideString;
210: Function AtLeast( ACount : Integer) : Boolean;
211: Function AttemptToUseSharedMemoryManager : Boolean;
212: Function Authenticate : Boolean;
213: Function AuthenticateUser( const AUusername, APassword : String) : Boolean;
214: Function Authentication : String;
215: Function BatchMove( ASource : TBDEDataSet; AMode : TBatchMode) : Longint;
216: Function BcdCompare( const bcd1, bcd2 : TBcd) : Integer;
217: Function BcdFromBytes( const AValue : TBytes) : TBcd;
218: Function BcdPrecision( const Bcd : TBcd) : Word;
219: Function BcdScale( const Bcd : TBcd) : Word;
220: Function BcdToBytes( const Value : TBcd) : TBytes;
221: Function BCDToCurr( const BCD : TBcd; var Curr : Currency) : Boolean;
222: Function Bcd.ToDouble( const Bcd : TBcd) : Double;
223: Function BcdToInteger( const Bcd : TBcd; Truncate : Boolean) : Integer;
224: Function BcdToStr( const Bcd : TBcd) : string;
225: Function BcdToStrF(const Bcd : TBcd; Format: TFloatFormat; const Precision, Digits: Integer):string;
226: function beep2(dwFreq, dwDuration: integer): boolean;
227: Function BeginPeriod( const Period : Cardinal) : Boolean;
228: Function BeginTrans : Integer;
229: Function BeginTransaction : TDBXTransaction;
230: Function BeginTransaction1( Isolation : TDBXIsolation) : TDBXTransaction;
231: function BigMulu(aone, atwo: string): string;
232: function BigNumber(aone, atwo: string): string;
233: function BigExp(aone, atwo: string): string;
234: function BigMul(aone, atwo: string): string;
235: function BigAdd(aone, atwo: string): string;
236: function BigSub(aone, atwo: string): string;
237: function BigFactorial(aone: string): string;
238: Function Binary.ToDouble( ABinary : string; DefValue : Double) : Double;
239: Function BinomialCoeff( N, R : Cardinal) : Float;
240: function BinomialCoefficient(n, k: Integer): string;
241: Function BinStrToInt( const ABinary : String) : Integer;
242: Function BinToByte(Binary: String): Byte;
243: function BinToHex2(Binary: String): string;
244: function BinToInt(Binary: String): Integer;
245: Function BinToChar(St: String): Char;
246: Function BinToStr(ans: string): string;
247: Function BitBlt(hdcDest:HDC;nXDest,nYDest,nWidth,nHeigh:Int;hdcSrc:HDC;nXSrc,nYSrc:Int;dwRop:DWORD):Bool;
248: Function BitmapsAreIdentical( ABitmap1, ABitmap2 : TBitmap) : Boolean;
249: Function BitsHighest( X : Byte) : Integer;
250: Function BitsHighest1( X : ShortInt) : Integer;
251: Function BitsHighest2( X : SmallInt) : Integer;
252: Function BitsHighest3( X : Word) : Integer;
253: Function BitsHighest4( X : Integer) : Integer;
254: Function BitsHighest5( X : Cardinal) : Integer;
255: Function BitsHighest6( X : Int64) : Integer;
256: Function BitsLowest( X : Byte) : Integer;
257: Function BitsLowest1( X : Shortint) : Integer;
258: Function BitsLowest2( X : Smallint) : Integer;
259: Function BitsLowest3( X : Word) : Integer;
260: Function BitsLowest4( X : Cardinal) : Integer;
261: Function BitsLowest5( X : Integer) : Integer;
262: Function BitsLowest6( X : Int64) : Integer;
263: Function BitsNeeded( const X : Byte) : Integer;
264: Function BitsNeeded1( const X : Word) : Integer;
265: Function BitsNeeded2( const X : Integer) : Integer;
266: Function BitsNeeded3( const X : Int64) : Integer;
267: Function BlueComponent( const Color32 : TColor32) : Integer;

```

```

268: Function BooleanToInteger( const Pb : Boolean) : Integer
269: Function BoolToStr(B: Boolean; UseBoolStrs: Boolean): string
270: Function BoolToStrl(value : boolean) : string;
271: Function booltoint( aBool : Boolean) : LongInt
272: Function inttobool( aInt : LongInt) : Boolean
273: Function Bounds( ALeft, ATop, AWidth, AHeight : Integer) : TRect
274: function Bounds(ALeft, ATop, AWidth, AHeight: Integer): TRect)
275: Function BreakApart( BaseString, BreakString : string; StringList : TStrings) : TStrings
276: Function BrightColor( const Color : TColor; const Pct : Single) : TColor
277: Function BrightColorChannel( const Channel : Byte; const Pct : Single) : Byte
278: Function BufferRequest( Length : Integer) : TStream
279: Function BuildfileList( const Path : string; const Attr : Integer; const List : TStrings) : Boolean
280: Function Buttons : PTaskDialogButton
281: Function BytesPerScanline( PixelsPerScanline, BitsPerPixel, Alignment : Longint) : Longint
282: Function BytesToCardinal( const AValue : TIdBytes; const AIndex : Integer) : Cardinal
283: Function BytesToChar( const AValue : TIdBytes; const AIndex : Integer) : Char
284: Function BytesToInt64( const AValue : TIdBytes; const AIndex : Integer) : Int64
285: Function BytesToInteger( const AValue : TIdBytes; const AIndex : Integer) : Integer
286: Function BytesToIPv6( const AValue : TIdBytes; const AIndex : Integer) : TIdIpv6Address
287: Function BytesToShort( const AValue : TIdBytes; const AIndex : Integer) : Short
288: Function BytesToString(ABytes:TIdBytes; AstartIndex:Integer; AMaxCount:Integer): string;
289: Function BytesToStr(const Value : TBytes): String;
290: Function BytesToWord( const AValue : TIdBytes; const AIndex : Integer) : Word
291: Function ByteToBin(Int: Byte): String;
292: Function ByteToCharIndex( S : string; Index : Integer) : Integer
293: function ByteToCharIndex(const S: string; Index: Integer): Integer
294: Function ByteToCharLen( S : string; MaxLen : Integer) : Integer
295: function ByteToCharLen(const S: string; MaxLen: Integer): Integer
296: Function ByteToHex( const AByte : Byte) : string
297: Function ByteToOctal( const AByte : Byte) : string
298: Function ByteType( S : string; Index : Integer) : TMbcsByteType
299: function ByteType(const S: string; Index: Integer): TMbcsByteType)
300: Function CalctitleRect( Col : TColumn; ARow : Integer; var MasterCol : TColumn) : TRect
301: Function CalculateDFAFingerprint( oStates : TList) : integer
302: function CallTerminateProcs: Boolean)
303: function CANFOCUS:BOOLEAN
304: Function CanLoad( const Ext : string) : Boolean
305: Function CanParse( AWebRequest : TWebRequest) : Boolean
306: Function CanSave( const Ext : string) : Boolean
307: Function CanStart( cChar : char) : boolean
308: Function CaptureScreen : TBitmap;
309: Function CaptureScreen1( Rec : TRect) : TBitmap;
310: Function CardinalToFourChar( ACARDINAL : LongWord) : string
311: Function CastSoapToNative(Info:PTTypeInfo;const SoapData:WideString;NatData:Pointer;IsNull:Boolean): Boolean
312: Function CastSoapToVariant1( SoapInfo : PTTypeInfo; const SoapData : WideString) : Variant;
313: Function Ceil( const X : Extended) : Integer
314: Function Ceil16( X : Integer) : Integer
315: Function Ceil4( X : Integer) : Integer
316: Function Ceil8( X : Integer) : Integer
317: Function Ceiling( const X : Extended) : Integer
318: Function CellRect( ACol, ARow : Longint) : TRect
319: Function CelsiusToFahrenheit( const AValue : Double) : Double
320: Function CenterPoint( const Rect : TRect) : TPoint
321: function CenterPoint(const Rect: TRect): TPoint)
322: Function ChangeFileExt( FileName, Extension : string) : string
323: function ChangeFileExt(const FileName: string; const Extension: string): string)
324: Function CharInSet2( const Ch : Char; const SetOfChar : TSetOfChar) : Boolean
325: Function CharInSet( const Ch : Char; const testSet: TSysCharSet): Boolean
326: Function CharIsEOF( const AString : string; ACharPos : Integer) : Boolean
327: Function CharIsInSet( const AString : string; const ACharPos : Integer; const ASet : String) : Boolean
328: Function CharLength( S : String; Index : Integer) : Integer
329: Function CharRange( const AMin, AMax : Char) : String
330: function CharsetToIdent(Charset: Longint; var Ident: string): Boolean)
331: Function CharToBin(vchr: Char): String;
332: Function CharNext(lpsz: PChar): PChar; stdcall;
333: Function CharToByteIndex( S : string; Index : Integer) : Integer
334: function CharToByteIndex(const S: string; Index: Integer): Integer)
335: Function CharToByteLen( S : string; MaxLen : Integer) : Integer
336: function CharToByteLen(const S: string; MaxLen: Integer): Integer)
337: Function CharToHex(const APrefix : String; const cc : Char) : shortstring;
338: function CharToHexStr(Value: char): string);
339: function CharToOem(ins, outs: PChar):boolean;
340: function CharToUniCode(Value: Char): string;
341: Function CheckMenuDropdown : Boolean
342: Function CheckMessages : longint
343: Function CheckBox: string;
344: Function CheckOpen( Status : DBIResult) : Boolean
345: Function CheckPassword( const APassword : String) : Boolean
346: Function CheckResponse(const AResponse:SmallInt;const AAllowedResponses:array of SmallInt): SmallInt
347: Function CheckCrc32( var X : array of Byte; N : Integer; Crc : Cardinal) : Integer;
348: function CheckSynchronize(Timeout: Integer): Boolean
349: Function CheckWin32Version( AMajor : Integer; AMinor : Integer) : Boolean
350: Function CheckCom(AComNumber: Integer): Integer;');
351: Function CheckLPT1: string;');
352: function ChrA(const a: byte): char;
353: Function ClassIDToProgID(const ClassID: TGUID): string;
354: Function ClassNameIs(const Name: string): Boolean
355: Function ClearBit( const Value : Byte; const Bit : TBitRange) : Byte;
356: Function ClearBit1( const Value : Shortint; const Bit : TBitRange) : Shortint;

```

```

357: Function ClearBit2( const Value : Smallint; const Bit : TBitRange) : Smallint;
358: Function ClearBit3( const Value : Word; const Bit : TBitRange) : Word;
359: Function ClearBit4( const Value : Integer; const Bit : TBitRange) : Integer;
360: Function ClearBit5( const Value : Cardinal; const Bit : TBitRange) : Cardinal;
361: Function ClearBit6( const Value : Int64; const Bit : TBitRange) : Int64;
362: function CLIENTTOSCREEN(POINT:TPOINT):TPOINT
363: Function Clipboard : TClipboard
364: Function ClipCodes( const X, Y, MinX, MinY, MaxX, MaxY : Float) : TClipCodes;
365: Function ClipCodes1( const X, Y : Float; const ClipRect : TRect) : TClipCodes;
366: Function ClipLine( var X1, Y1, X2, Y2 : Integer; const ClipRect : TRect) : Boolean;
367: Function ClipLineToRect( var P1, P2 : TFloatPoint; const Rect : TFloatRect) : Boolean
368: Function Clone( out stm : IStream) : HResult
369: Function CloneConnection : TSQLConnection
370: Function CloneMemoryStream( Original : TMemoryStream) : TMemoryStream
371: function CLOSEQUERY:BOOLEAN
372: Function CloseVolume( var Volume : THandle) : Boolean
373: Function CloseHandle(Handle: Integer): Integer; stdcall;
374: Function CPLApplet( hwndCPL : THandle; uMsg : DWORD; lParam1, lParam2 : Longint) : Longint
375: Function CmdLine: PChar;
376: function CmdShow: Integer;
377: // type TPos = (tLat, tLon);TShowFmt = (sfNautical, sfStatute, sfMetric);
378: Function CoordinateStr(Idx: Integer; PosInSec: Double; PosLn: TPos): string;
379: Function Color32( const R, G, B : Byte; const A : Byte) : TColor32;
380: Function Color32( WinColor : TColor) : TColor32;
381: Function Color321( const Index : Byte; const Palette : TPalette32) : TColor32;
382: Function ColorAdjustLuma( clrRGB : TColor; n : Integer; fScale : Boolean) : TColor
383: Function ColorHLSToRGB( Hue, Luminance, Saturation : Word) : TColorRef
384: Function ColorToHTML( const Color : TColor) : String
385: function ColorToIdent(Color: Longint; var Ident: string): Boolean
386: Function ColorToRGB(color: TColor): Longint
387: function ColorToString(Color: TColor): string
388: Function ColorToWebColorName( Color : TColor) : string
389: Function ColorToWebColorStr( Color : TColor) : string
390: Function ColumnAtDepth( Col : TColumn; ADepth : Integer) : TColumn
391: Function Combination(npr, ncr: integer): extended;
392: Function CombinationInt(npr, ncr: integer): Int64;
393: Function CombineInfo( Bitmap : TCustomBitmap32) : TCombineInfo
394: Function CommaAdd( const AStr1, AStr2 : String) : string
395: Function CommercialRound( const X : Extended) : Int64
396: Function Commit( grfCommitFlags : Longint) : HResult
397: Function Compare( const NameExt : string) : Boolean
398: function CompareDate(const A, B: TDateTime): TValueRelationship;
399: Function CompareDateTime( const ADateTime1, ADateTime2 : TDateTime) : Integer
400: Function CompareFiles( const FN1,FN2 : string; Breathe:TNotifyEvent;BreathingSender:TObject): boolean
401: Function CompareMemoryStreams( S1, S2 : TMemoryStream) : boolean
402: Function CompareStr( S1, S2 : string) : Integer
403: function CompareStr(const S1: string; const S2: string): Integer
404: function CompareString(const S1: string; const S2: string): Integer
405: Function CompareText( S1, S2 : string) : Integer
406: function CompareText(const S1: string; const S2: string): Integer
407: Function CompareTextLike(cWildStr,cStr:string;const cWildChar:char;lCaseSensitive:boolean): boolean
408: function CompareTime(const A, B: TDateTime): TValueRelationship;
409: function CompareValueE(const A, B: Extended; Epsilon: Extended = 0): TValueRelationship; overload;
410: function CompareValueD(const A, B: Double; Epsilon: Double = 0): TValueRelationship; overload;
411: function CompareValueS(const A, B: Single; Epsilon: Single = 0): TValueRelationship; overload;
412: function CompareValueI(const A, B: Integer): TValueRelationship; overload;
413: function CompareValueI64(const A, B: Int64): TValueRelationship; overload;
414: Function CompatibleConversionType( const AType : TConvType; const AFamily : TConvFamily) : Boolean
415: Function CompatibleConversionTypes( const AFrom, ATo : TConvType) : Boolean
416: Function ComponentTypeToString( const ComponentType : DWord) : string
417: Function ComposeDateTime(Date,Time : TDateTime) : TDateTime;';
418: Function ComponentToStringProc(Component: TComponent): string;
419: Function StringToComponentProc(Value: string): TComponent;
420: Function CompToCurrency( Value : Comp) : Currency
421: Function Comp.ToDouble( Value : Comp) : Double
422: function ComputeFileCRC32(const FileName : String) : Integer;
423: function ComputeSHA256(astr: string; amode: char): string //mode F:File, S:String
424: function ComputeSHA512(astr: string; amode: char): string //mode F:File, S:String
425: function ComPortSelect: Integer; // Search for the first available port
426: Function Concat(s: string): string
427: Function ConnectAndGetAll : string
428: Function Connected : Boolean
429: function constrain(x, a, b: integer): integer;
430: Function ConstraintCallBack( Req : DsInfoReq; var ADataSources : DataSources) : DBIResult
431: Function ConstraintsDisabled : Boolean
432: function CONTAINSCONTROL(CONTROL:TCONTROL):BOOLEAN
433: Function ContainsState( oState : TniRegularExpressionState) : boolean
434: Function ContainsStr( const AText, ASubText : string) : Boolean
435: Function ContainsText( const AText, ASubText : string) : Boolean
436: Function ContainsTransition( oTransition : TniRegularExpressionTransition) : boolean
437: Function Content : string
438: Function ContentFromStream( Stream : TStream) : string
439: Function ContentFromString( const S : string) : string
440: Function CONTROLSDISABLED : BOOLEAN
441: Function Convert( const AValue : Double; const AFrom, ATo : TConvType) : Double;
442: Function Convert1( const AValue : Double; const AFrom1, AFrom2, ATo1, ATo2 : TConvType) : Double;
443: Function ConvertFrom( const AFrom : TConvType; const AValue : Double) : Double
444: Function ConvertReadStream( Stream : TStream; Buffer : PChar; BufSize : Integer) : Integer
445: Function ConvertTo( const AValue : Double; const ATo : TConvType) : Double

```

```

446: Function ConvertWriteStream( Stream : TStream; Buffer : PChar; BufSize : Integer ) : Integer
447: Function ConvFamilyToDescription( const AFamily : TConvFamily ) : string
448: Function ConvTypeToDescription( const AType : TConvType ) : string
449: Function ConvTypeToFamily( const AFrom, ATo : TConvType ) : TConvFamily;
450: Function ConvTypeToFamily( const AType : TConvType ) : TConvFamily;
451: Function ConvAdd(const AVal:Dbl;const AType1:TConvType;const AVal2:Dbl;const AType2,
AResultType:TConvType): Double
452: Function ConvCompareValue(const AValue1:Double;const AType1:TConvType;const AValue2:Double;const
AType2:TConvType): TValueRelationship
453: Function ConvDec( const AValue : Double; const AType, AAmountType : TConvType ) : Double;
454: Function ConvDecl(const AValue:Dbl;const AType:TConvType;const AAmount:Dble;const
AAmountType:TConvType):Double;
455: Function ConvDiff(const AVal1:Dbl;const AType1:TConvType;const AVal2:Dble;const AType2,
AResuType:TConvType):Double
456: Function ConvInc( const AValue : Double; const AType, AAmountType : TConvType ) : Double;
457: Function ConvIncl(const AValue:Dbl;const AType:TConvType;const AAmount:Double;const
AAmountType:TConvType):Double;
458: Function ConvSameValue(const AValue1:Dbl;const AType1:TConvType;const AValue2:Dbl;const
AType2:TConvType):Bool
459: Function ConvToStr( const AValue : Double; const AType : TConvType ) : string
460: Function ConvWithinNext( const AValue, ATest : Double; const AType : TConvType; const AAmount : Double;
const AAmountType : TConvType ) : Boolean
461: Function ConvWithinPrevious(const AValue,ATest:Double;const AType:TConvType; const AAmount:Double;const
AAmountType : TConvType) : Boolean
462: function Copy(s: AnyString; iFrom, iCount: Longint): AnyString;
463: Function CopyFile( Source, Dest : string; CanOverwrite : Boolean ) : Boolean
464: Function CopyFileEx( Source, Dest : string; Flags : FILEOP_FLAGS ) : Boolean
465: Function CopyFileTo( const Source, Destination : string ) : Boolean
466: function CopyFrom(Source:TStream;Count:Int64):LongInt
467: Function CopyPalette( Palette : HPALETTE ) : HPALETTE
468: Function CopyTo( Length : Integer ) : string
469: Function CopyTo(stm: IStream; cb: Largeint;out cbRead: Largeint;out cbWritten:Largeint): HResult
470: Function CopyToEOF : string
471: Function CopyToEOL : string
472: Function Cos(e : Extended) : Extended;
473: Function Cosecant( const X : Extended ) : Extended
474: Function Cot( const X : Extended ) : Extended
475: Function Cotan( const X : Extended ) : Extended
476: Function CotH( const X : Extended ) : Extended
477: Function Count : Integer
478: Function CountBitsCleared( X : Byte ) : Integer;
479: Function CountBitsCleared1( X : Shortint ) : Integer;
480: Function CountBitsCleared2( X : Smallint ) : Integer;
481: Function CountBitsCleared3( X : Word ) : Integer;
482: Function CountBitsCleared4( X : Integer ) : Integer;
483: Function CountBitsCleared5( X : Cardinal ) : Integer;
484: Function CountBitsCleared6( X : Int64 ) : Integer;
485: Function CountBitsSet( X : Byte ) : Integer;
486: Function CountBitsSet1( X : Word ) : Integer;
487: Function CountBitsSet2( X : Smallint ) : Integer;
488: Function CountBitsSet3( X : ShortInt ) : Integer;
489: Function CountBitsSet4( X : Integer ) : Integer;
490: Function CountBitsSet5( X : Cardinal ) : Integer;
491: Function CountBitsSet6( X : Int64 ) : Integer;
492: function countDirfiles(const apath: string): integer;
493: function CountGenerations(Ancestor,Descendent: TClass): Integer
494: Function Coversine( X : Float ) : Float
495: function CRC32(const fileName: string): LongWord;
496: Function CREATELOBSTREAM( FIELD : TFIELD; MODE : TBLOBSTREAMMODE ) : TSTREAM
497: Function CreateColumns : TDBGGridColumns
498: Function CreateDataLink : TGridDataLink
499: Function CreateDir( Dir : string ) : Boolean
500: function CreateDir(const Dir: string): Boolean
501: Function CreateDOSProcessRedirected( const CommandLine, InputFile, OutputFile : string ) : Boolean
502: Function CreateEnvironmentBlock(const Options:TEnvironmentOptions;const AdditionalVars:TStrings): PChar
503: Function CREATEFIELD(OWNER:TCOMPONENT;PARENTFIELD:TOBJECTFIELD;const
FIELDNAME:String;CREATECHILDREN:BOOL):TFIELD
504: Function CreateGlobber( sFilespec : string ) : TniRegularExpression
505: Function CreateGrayMappedBmp( Handle : HBITMAP ) : HBITMAP
506: Function CreateGrayMappedRes( Instance : THandle; ResName : PChar ) : HBITMAP
507: function CreateGUID(out Guid: TGUID): HResult
508: Function CreateInstance( const unkOuter : IUnknown; const iid : TGUID; out obj ) : HResult
509: Function CreateMappedBmp( Handle : HBITMAP; const OldColors, NewColors : array of TColor ) : HBITMAP
510: Function CreateMappedRes(Instance:THandle;ResName:PChar;const OldColors,NewColors:array of TColor):HBITMAP
511: Function CreateMessageDialog(const Msg:string; DlgType:TMsgDlgType; Buttons: TMsgDlgButtons) : TForm;
512: Function CreateMessageDialog1(const
Msg:string;DlgType:TMsgDlgType;Btns:TMsgDlgBtns;DefaultBtn:TMsgDlgBtn):TForm;
513: function CreateOleObject(const ClassName: String): IDispatch;
514: Function CREATEPARAM( FLDTYPE : TFIELDTYPE; const PARAMNAME : String; PARAMTYPE : TPARAMTYPE ) : TPARAM
515: Function CreateParameter(const
Name:WideString;DataType:TDataType;Direction:TParameterDirection;Size:Integer;Value: OleVariant):TPParameter
516: Function CreateLocate( DataSet : TDataSet ) : TJvLocateObject
517: Function CreateMappedBmp( Handle : HBITMAP; const OldColors, NewColors : array of TColor ) : HBITMAP
518: Function CreateMappedRes(Instance:THandle;ResName:PChar;const OldColors,NewColors:array of TColor):HBITMAP
519: Function CreateRecordBuffer( Length : Integer ) : TRecordBuffer
520: Function CreateValueBuffer( Length : Integer ) : TValueBuffer
521: Function CreatePopupCalculator( AOwner : TComponent; ABidiMode : TBiDiMode ) : TWinControl
522: Function CreateRecordBuffer( Length : Integer ) : TRecordBuffer
523: Function CreateRotatedFont( Font : TFont; Angle : Integer ) : HFONT

```

```

524: Function CreateTwoColorsBrushPattern( Color1, Color2 : TColor ) : TBitmap
525: Function CreateValueBuffer( Length : Integer ) : TValueBuffer
526: Function CreateHexDump( AOwner : TWinControl ) : THexDump
527: Function Csc( const X : Extended ) : Extended
528: Function CscH( const X : Extended ) : Extended
529: function currencyDecimals: Byte
530: function currencyFormat: Byte
531: function currencyString: String
532: Function CurrentProcessId : TIdPID
533: Function CurrentReadBuffer : string
534: Function CurrentThreadId : TIdPID
535: Function CurrentYear : Word
536: Function CurrToBCD(const Curr: Currency; var BCD: TBcd; Precision: Integer; Decimals: Integer): Boolean
537: Function CurrToStr( Value : Currency ) : string;
538: Function CurrToStrF( Value : Currency; FormatSettings : TFormatSettings; Digits: Integer ) : string;
539: Function CurrToStrFS(Value:Currency;Format:TFloatFormat;Digits:Int;const
  FormatSettings:TFormatSettings):string;
540: function CursorToIdent(cursor: Longint; var Ident: string): Boolean;
541: function CursorToString(cursor: TCursor): string;
542: Function CustomSort( SortProc : TLVCompare; lParam : Longint ) : Boolean
543: Function CustomSort( SortProc : TTVCompare; Data : Longint; ARecurse : Boolean ) : Boolean
544: Function CycleToDeg( const Cycles : Extended ) : Extended
545: Function CycleToGrad( const Cycles : Extended ) : Extended
546: Function CycleToRad( const Cycles : Extended ) : Extended
547: Function D2H( N : Longint; A : Byte ) : string
548: Function DarkColor( const Color : TColor; const Pct : Single ) : TColor
549: Function DarkColorChannel( const Channel : Byte; const Pct : Single ) : Byte
550: Function DataLinkDir : string
551: Function DataRequest( Data : OleVariant ) : OleVariant
552: Function DataRequest( Input : OleVariant ) : OleVariant
553: Function DataToRawColumn( ACol : Integer ) : Integer
554: Function Date : TDateTime
555: function Date: TDateTime;
556: Function DateIsNull( const pdtValue : TDateTime; const pdtKind : TdtKind ) : Boolean
557: Function DateOf( const AValue : TDateTime ) : TDateTime
558: function DateSeparator: char;
559: Function DateTimeGMTToHttpStr( const GMTValue : TDateTime ) : String
560: Function DateTimeToFileDate( DateTime : TDateTime ) : Integer
561: function DateTimeToFileDate(DateTime: TDateTime): Integer;
562: Function DateTimeToGmtOffsetStr( ADateTime : TDateTime; SubGMT : Boolean ) : string
563: Function DateTimeToInternetStr( const Value : TDateTime; const AISGMT : Boolean ) : String
564: Function DateTimeToJulianDate( const AValue : TDateTime ) : Double
565: Function DateTimeToModifiedJulianDate( const AValue : TDateTime ) : Double
566: Function DateTimeToStr( DateTime : TDateTime ) : string;
567: Function DateTimeToStr2( DateTime : TDateTime; FormatSettings : TFormatSettings ) : string;
568: function DatetimeToTimeStamp(DateTime: TDateTime): TTimeStamp
569: Function DateToUnix( const AValue : TDateTime ) : Int64
570: function DateToUnix(D: TDateTime): Int64;
571: Function DateToStr( DateTime : TDateTime ) : string;
572: function DateToStr(const DateTime: TDateTime): string;
573: function DateToStr(D: TDateTime): string;
574: Function DateToStr2( DateTime : TDateTime; FormatSettings : TFormatSettings ) : string;
575: Function DayOf( const AValue : TDateTime ) : Word
576: Function DayOfTheMonth( const AValue : TDateTime ) : Word
577: function DayOfTheMonth(const AValue: TDateTime): Word;
578: Function DayOfTheWeek( const AValue : TDateTime ) : Word
579: Function DayOfTheYear( const AValue : TDateTime ) : Word
580: function DayOfTheYear(const AValue: TDateTime): Word;
581: Function DayOfWeek( DateTime : TDateTime ) : Word
582: function DayOfWeek(const DateTime: TDateTime): Word;
583: Function DayOfWeekStr( DateTime : TDateTime ) : string
584: Function DaysBetween( const ANow, AThen : TDateTime ) : Integer
585: Function DaysInAMonth( const AYear, AMonth : Word ) : Word
586: Function DaysInAYear( const AYear : Word ) : Word
587: Function DaysInMonth( const AValue : TDateTime ) : Word
588: Function DaysInYear( const AValue : TDateTime ) : Word
589: Function DaySpan( const ANow, AThen : TDateTime ) : Double
590: Function DBUseRightToLeftAlignment( AControl : TControl; AField : TField ) : Boolean
591: function DecimalSeparator: char;
592: Function DecLimit( var B : Byte; const Limit : Byte; const Decr : Byte ) : Byte;
593: Function DecLimit1( var B : Shortint; const Limit : Shortint; const Decr : Shortint ) : Shortint;
594: Function DecLimit2( var B : Smallint; const Limit : Smallint; const Decr : Smallint ) : Smallint;
595: Function DecLimit3( var B : Word; const Limit : Word; const Decr : Word ) : Word;
596: Function DecLimit4( var B : Integer; const Limit : Integer; const Decr : Integer ) : Integer;
597: Function DecLimit5( var B : Cardinal; const Limit : Cardinal; const Decr : Cardinal ) : Cardinal;
598: Function DecLimit6( var B : Int64; const Limit : Int64; const Decr : Int64 ) : Int64;
599: Function DecLimitClamp( var B : Byte; const Limit : Byte; const Decr : Byte ) : Byte;
600: Function DecLimitClamp1( var B : Shortint; const Limit : Shortint; const Decr : Shortint ) : Shortint;
601: Function DecLimitClamp2( var B : Smallint; const Limit : Smallint; const Decr : Smallint ) : Smallint;
602: Function DecLimitClamp3( var B : Word; const Limit : Word; const Decr : Word ) : Word;
603: Function DecLimitClamp4( var B : Integer; const Limit : Integer; const Decr : Integer ) : Integer;
604: Function DecLimitClamp5( var B : Cardinal; const Limit : Cardinal; const Decr : Cardinal ) : Cardinal;
605: Function DecLimitClamp6( var B : Int64; const Limit : Int64; const Decr : Int64 ) : Int64;
606: Function DecodeDateFully( DateTime : TDateTime; var Year, Month, Day, DOW : Word ) : Boolean
607: Function DecodeSoundexInt( AValue : Integer ) : string
608: Function DecodeSoundexWord( AValue : Word ) : string
609: Function DefaultAlignment : TAlignment
610: Function DefaultCaption : string
611: Function DefaultColor : TColor

```

```

612: Function DefaultFont : TFont
613: Function DefaultIMEMode : TIMEMode
614: Function DefaultIMEName : TIMEName
615: Function DefaultReadOnly : Boolean
616: Function DefaultWidth : Integer
617: Function DegMinSecToFloat( const Degs, Mins, Secs : Float ) : Float
618: Function DegToCycle( const Degrees : Extended ) : Extended
619: Function DegToGrad( const Degrees : Extended ) : Extended
620: Function DegToGrad( const Value : Extended ) : Extended;
621: Function DegToGrad1( const Value : Double ) : Double;
622: Function DegToGrad2( const Value : Single ) : Single;
623: Function DegToRad( const Degrees : Extended ) : Extended
624: Function DegToRad( const Value : Extended ) : Extended;
625: Function DegToRad1( const Value : Double ) : Double;
626: Function DegToRad2( const Value : Single ) : Single;
627: Function DelChar( const pStr : string; const pchar : Char ) : string
628: Function DelEnvironmentVar( const Name : string ) : Boolean
629: Function Delete( const MsgNum : Integer ) : Boolean
630: Function DeleteDirectory( const DirectoryName : string; MoveToRecycleBin : Boolean ) : Boolean
631: Function DeleteFile( const FileName : string ) : boolean
632: Function DeleteFileEx( const FileName : string; Flags : FILEOP_FLAGS ) : Boolean
633: Function DelimiterPosn( const sString : string; const sDelimiters: string) : integer;
634: Function DelimiterPosn( const sString:string;const sDelimiters:string;out cDelimiter: char ) : integer;
635: Function DelSpace( const pStr : string ) : string
636: Function DelString( const pStr, pDelStr : string ) : string
637: Function DelTree( const Path : string ) : Boolean
638: Function Depth : Integer
639: Function Description : string
640: Function DescriptionsAvailable : Boolean
641: Function DescriptionToConvFamily( const ADescription : string; out AFamily : TConvFamily ) : Boolean
642: Function DescriptionToConvType( const ADescription : string; out AType : TConvType ) : Boolean;
643: Function DescriptionToConvTypeL( const AFamil:TConvFamily;const ADescr:string;out ATypr:TConvType):Boolean;
644: Function DetectUTF8Encoding( const s : UTF8String ) : TEncodeType
645: Function DialogsToPixelsX( const Dialogs : Word ) : Word
646: Function DialogsToPixelsY( const Dialogs : Word ) : Word
647: Function Digits( const X : Cardinal ) : Integer
648: Function DirectoryExists( const Name : string ) : Boolean
649: Function DirectoryExists( Directory : string ) : Boolean
650: Function DiskFree( Drive : Byte ) : Int64
651: function DiskFree(Drive: Byte): Int64)
652: Function DiskInDrive( Drive : Char ) : Boolean
653: Function DiskSize( Drive : Byte ) : Int64
654: function DiskSize(Drive: Byte): Int64)
655: Function DISPATCHCOMMAND( ACOMMAND : WORD ) : BOOLEAN
656: Function DispatchEnabled : Boolean
657: Function DispatchMask : TMask
658: Function DispatchMethodType : TMethodType
659: Function DISPATCHPOPUP( AHANDLE : HMENU ) : BOOLEAN
660: Function DispatchRequest( Sender : TObject; Request : TWebRequest; Response : TWebResponse ) : Boolean
661: Function DisplayCase( const S : String ) : String
662: Function DisplayRect( Code : TDisplayCode ) : TRect
663: Function DisplayRect( TextOnly : Boolean ) : TRect
664: Function DisplayStream( Stream : TStream ) : string
665: TBufferCoord', 'record Char : integer; Line : integer; end
666: TDisplayCoord', 'record Column : integer; Row : integer; end
667: Function DisplayCoord( AColumn, ARow : Integer ) : TDisplayCoord
668: Function BufferCoord( AChar, ALine : Integer ) : TBufferCoord
669: Function DomainName( const AHost : String ) : String
670: Function DownloadFile( SourceFile, DestFile : string ) : Boolean; //fast!
671: Function DownloadFileOpen( SourceFile, DestFile : string ) : Boolean; //open process
672: Function DosPathToUnixPath( const Path : string ) : string
673: Function DottedLineTo( const Canvas : TCanvas; const X, Y : Integer ) : Boolean;
674: Function DoubleDecliningBalance( const Cost, Salvage : Extended; Life, Period : Integer ) : Extended
675: Function DoubleToBcd( const AValue : Double ) : TBcd;
676: Function DoubleToHex( const D : Double ) : string
677: Function DoUpdates : Boolean
678: Function Dragging : Boolean;
679: Function DrawCaption( pl : HWND; p2 : HDC; const p3 : TRect; p4 : UINT ) : BOOL
680: Function DrawAnimatedRects( hwnd : HWND; idAni : Integer; const lprcFrom, lprcTo : TRect ) : BOOL
681: Function DrawEdge( hdc : HDC; var qrc : TRect; edge : UInt; grfFlags : UInt ) : BOOL
682: Function DrawFrameControl( DC : HDC; const Rect : TRect; uType, uState : UInt ) : BOOL
683: {Works like InputQuery but displays 2 edits. If PasswordChar <> #0, the second edit's PasswordChar is set}
684: Function DualInputQuery( const ACapt, Prpt1, Prpt2:string;var AVall,AVal2:string;PasswdChar:Char= #0):Bool;
685: Function DupeString( const AText : string; ACount : Integer ) : string
686: Function Edit : Boolean
687: Function EditCaption : Boolean
688: Function EditText : Boolean
689: Function EditFolderList( Folders : TStrings ) : Boolean
690: Function EditQueryParams( DataSet : TDataSet; List : TParams; AHelpContext : THelpContext ) : Boolean
691: Function Elapsed( const Update : Boolean ) : Cardinal
692: Function EnableProcessPrivilege( const Enable : Boolean; const Privilege : string ) : Boolean
693: Function EnableThreadPrivilege( const Enable : Boolean; const Privilege : string ) : Boolean
694: Function EncodeDate( Year, Month, Day : Word ) : TDateTime
695: function EncodeDate(Year, Month, Day: Word): TDateTime;
696: Function EncodeDateDay( const AYear, ADayOfYear : Word ) : TDateTime
697: Function EncodeDateMonthWeek( const AYear, AMonth, AWeekOfMonth, ADayOfWeek : Word ) : TDateTime
698: Function EncodeDateTime( const AYear, AMonth, ADay, AHour, AMinute, ASecond, AMilliSecond : Word ) : TDateTime
699: Function EncodeDateWeek( const AYear, AWeekOfYear : Word; const ADayOfWeek : Word ) : TDateTime
700: Function EncodeDayOfWeekInMonth( const AYear, AMonth, ANthDayOfWeek, ADayOfWeek : Word ) : TDateTime

```

```

701: Function EncodeString( s : string ) : string
702: Function DecodeString( s : string ) : string
703: Function EncodeTime( Hour, Min, Sec, MSec : Word ) : TDateTime
704: function EncodeTime(Hour, Min, Sec, MSec: Word): TDateTime;
705: Function EndIP : String
706: Function EndOfDay( const AYear, AMonth, ADay : Word ) : TDateTime;
707: Function EndOfDayAday( const AYear, ADayOfYear : Word ) : TDateTime;
708: Function EndOfMonth( const AYear, AMonth : Word ) : TDateTime
709: Function EndOfAWeek( const AYear, AWeekOfYear : Word; const ADayOfWeek : Word ) : TDateTime
710: Function EndOfAYear( const AYear : Word ) : TDateTime
711: Function EndOfTheDay( const AValue : TDateTime ) : TDateTime
712: Function EndOfTheMonth( const AValue : TDateTime ) : TDateTime
713: Function EndOfTheWeek( const AValue : TDateTime ) : TDateTime
714: Function EndOfTheYear( const AValue : TDateTime ) : TDateTime
715: Function EndPeriod( const Period : Cardinal ) : Boolean
716: Function EndsStr( const ASubText, AText : string ) : Boolean
717: Function EndsText( const ASubText, AText : string ) : Boolean
718: Function EnsureMsgIDBrackets( const AMsgID : String ) : String
719: Function EnsureRange( const AValue, AMin, AMax : Integer ) : Integer;
720: Function EnsureRangel( const AValue, AMin, AMax : Int64 ) : Int64;
721: Function EnsureRange2( const AValue, AMin, AMax : Double ) : Double;
722: Function EOF: boolean
723: Function EOLn: boolean
724: Function EqualRect( const R1, R2 : TRect ) : Boolean
725: function EqualRect(const R1, R2: TRect): Boolean)
726: Function Equals( Strings : TWideStrings ) : Boolean
727: function Equals(Strings: TStrings): Boolean;
728: Function EqualState( oState : TniRegularExpressionState ) : boolean
729: Function ErrOutput: Text)
730: function ExceptionParam: String;
731: function ExceptionPos: Cardinal;
732: function ExceptionProc: Cardinal;
733: function ExceptionToString(er: TIFEException; Param: String): String;
734: function ExceptionType: TIFEException;
735: Function ExcludeTrailingBackslash( S : string ) : string
736: function ExcludeTrailingBackslash(const S: string): string)
737: Function ExcludeTrailingPathDelimiter( const APath : string ) : string
738: Function ExcludeTrailingPathDelimiter( S : string ) : string
739: function ExcludeTrailingPathDelimiter(const S: string): string)
740: function ExecConsoleApp(const AppName, Parameters: String; AppOutput: TStrings): boolean;
741: Function ExecProc : Integer
742: Function ExecSQL : Integer
743: Function ExecSQL( ExecDirect : Boolean ) : Integer
744: Function Execute : _Recordset;
745: Function Execute : Boolean
746: Function Execute : Boolean;
747: Function Execute( const SQL : string; Params : TParams; Cache : Boolean; cursor : phDBICur ) : Integer
748: Function Execute( const SQL : WideString; Params : TParams; ResultSet : TPSResult ) : Integer
749: Function Execute( ParentWnd : HWND ) : Boolean
750: Function Execute1(constCommText:WideString;const CType:TCommType;const ExecuteOpts:TExecuteOpts):_Recordset;
751: Function Execute1( const Parameters : OleVariant ) : _Recordset;
752: Function Execute1( ParentWnd : HWND ) : Boolean;
753: Function Execute2( var RecordsAffected : Integer; const Parameters : OleVariant ) : _Recordset;
754: Function ExecuteAction( Action : TBasicAction ) : Boolean
755: Function ExecuteDirect( const SQL : WideString ) : Integer
756: Function ExecuteFile(const FileName:string;const Params:string;const DefDir:string;ShowCmd:Int):THandle
757: Procedure ExecuteThread2(afunc:TThreadFunction2;thrOK:boolean);AddTypeS('TThreadFunction2','procedure
758: Function CreateThread2(ThreadFunc: TThreadFunction2) : THandle
759: function ExeFileIsRunning(ExeFile: string): boolean;
760: function ExePath: string;
761: function ExePathName: string;
762: Function Exists( AItem : Pointer ) : Boolean
763: Function ExitWindows( ExitCode : Cardinal ) : Boolean
764: function Exp(x: Extended): Extended;
765: Function ExpandEnvironmentVar( var Value : string ) : Boolean
766: Function ExpandFileName( FileName : string ) : string
767: function ExpandFileName(const FileName: string): string)
768: Function ExpandUNCFileName( FileName : string ) : string
769: function ExpandUNCFileName(const FileName: string): string)
770: Function ExpJ( const X : Float ) : Float;
771: Function Exsecans( X : Float ) : Float
772: Function Extract( const AByteCount : Integer ) : string
773: Function Extract( Item : TClass ) : TClass
774: Function Extract( Item : TComponent ) : TComponent
775: Function Extract( Item : TObject ) : TObject
776: Function ExtractFileDir( FileName : string ) : string
777: function ExtractFileDir(const FileName: string): string)
778: Function ExtractFileDrive( FileName : string ) : string
779: function ExtractFileDrive(const FileName: string): string)
780: Function ExtractFileExt( FileName : string ) : string
781: function ExtractFileExt(const FileName: string): string)
782: Function ExtractFileExtNoDot( const FileName : string ) : string
783: Function ExtractFileExtNoDotUpper( const FileName : string ) : string
784: Function ExtractFileName( FileName : string ) : string
785: function ExtractFileName(const filename: string):string;
786: Function ExtractFilePath( FileName : string ) : string
787: function ExtractFilePath(const filename: string):string;
788: Function ExtractRelativePath( BaseName, DestName : string ) : string

```

```

789: function ExtractRelativePath(const BaseName: string; const DestName: string): string
790: Function ExtractShortPathName(FileName : string) : string
791: function ExtractShortPathName(const FileName: string): string
792: function ExtractStrings(Separators,WhiteSpace: TSysCharSet; Content: PChar;Strings: TStrings): Integer
793: function ExtractStrings(Separators:TSysCharSet;WhiteSpace:TSysCharSet;Content:PChar;Str:TStrings): Integer
794: Function Fact(numb: integer): Extended;
795: Function FactInt(numb: integer): int64;
796: Function Factorial( const N: Integer ) : Extended
797: Function FahrenheitToCelsius( const AValue : Double ) : Double
798: function FalseBoolStrs: array of string
799: Function Fetch(var AInput:string;const ADelim:string;const ADelete:Bool;const ACaseSensitive:Bool):string
800: Function FetchCaseInsensitive(var AInput:string; const ADelim:string; const ADelete:Boolean): string
801: Function Fibo(numb: integer): Extended;
802: Function Fiboint(numb: integer): Int64;
803: Function Fibonacci( const N : Integer ) : Integer
804: Function FIELDBYNAME( const FIELDNAME : STRING ) : TFIELD
805: Function FIELDBYNAME( const FIELDNAME : WIDESTRING ) : TFIELD
806: Function FIELDBYNAME( const NAME : String ) : TFIELD
807: Function FIELDBYNAME( const NAME : String ) : TFIELDDEF
808: Function FIELDBYNUMBER( FIELDNO : INTEGER ) : TFIELD
809: Function FileAge( FileName : string ): Integer
810: Function FileAge(const FileName: string): integer)
811: Function FileCompareText( const A, B : String ) : Integer
812: Function FileContains( const FileName:string;Text:string;CaseSensitive:Bool;ExceptionOnError:Bool): Boolean
813: Function FileCreate( FileName : string ) : Integer;//FileCreate2(FileName:string;Rights:Integer):Integer;
814: Function FileCreate(const FileName: string): integer)
815: Function FileCreateTemp( var Prefix : string ) : THandle
816: Function FileDateToDate( FileDate : Integer ) : TDateTime
817: function FileDateToDate( FileDate: Integer): TDateTime;
818: Function FileExists( const FileName : string ) : Boolean
819: Function FileExists( FileName : string ) : Boolean
820: function fileExists(const FileName: string): Boolean;
821: Function FileGetAttr( FileName : string ) : Integer
822: Function FileGetAttr(const FileName: string): integer)
823: Function FileGetDate( Handle : Integer ) : Integer
824: Function FileGetDate(handle: integer): integer
825: Function FileGetDisplayName( const FileName : string ) : string
826: Function FileGetSize( const FileName : string ) : Integer
827: Function FileGetTempName( const Prefix : string ) : string
828: Function FileGetType( const FileName : string ) : string
829: Function FileIsReadOnly( FileName : string ) : Boolean
830: Function FileLoad( ResType : TResType; const Name : string; MaskColor : TColor ) : Boolean
831: Function FileOpen( FileName : string; Mode : LongWord ) : Integer
832: Function FileOpen(const FileName: string; mode:integer): integer)
833: Function FileRead(handle: integer; Buffer: PChar; count: LongWord): integer
834: Function FileSearch( Name, DirList : string ) : string
835: Function FileSearch(const Name, dirList: string): string)
836: Function FileSeek( Handle : Integer; Offset : Int64; Origin : Integer ) : Int64;
837: Function FileSeek( Handle, Offset, Origin : Integer ) : Integer;
838: Function FileSeek(handle, offset, origin: integer): integer
839: Function FileSetAttr( FileName : string; Attr : Integer ) : Integer
840: function FileSetAttr(const FileName: string; Attr: Integer): Integer)
841: Function FileSetDate(FileName: string; Age : Integer) : Integer;
842: Function FileSetDate(handle: integer; age: integer): integer
843: Function FileSetDate2(FileHandle : Integer; Age : Integer) : Integer;
844: Function FileSetDateH( Handle : Integer; Age : Integer ) : Integer;
845: Function FileSetReadOnly( FileName : string; ReadOnly : Boolean ) : Boolean
846: Function FileSize( const FileName : string ) : int64
847: Function FileSizeByName( const AFilename : string ) : Longint
848: function FileWrite(Handle: Integer; const Buffer: pChar; Count: LongWord): Integer)
849: Function FilterSpecArray : TComdlgFilterSpecArray
850: Function FIND( ACAPTION : String ) : TMENUITEM
851: Function Find( AItem : Pointer; out AData : Pointer ) : Boolean
852: Function FIND( const ANAME : String ) : TNAMEDITEM
853: Function Find( const DisplayName : string ) : TAggregate
854: Function Find( const Item : TBookmarkStr; var Index : Integer ) : Boolean
855: Function FIND( const NAME : String ) : TFIELD
856: Function FIND( const NAME : String ) : TFIELDDEF
857: Function FIND( const NAME : String ) : TINDEXDEF
858: Function Find( const S : WideString; var Index : Integer ) : Boolean
859: function Find(S:String;var Index:Integer):Boolean
860: Function FindAuthClass( AuthName : String ) : TIAuthenticationClass
861: Function FindBand( AControl : TControl ) : TCoolBand
862: Function FindBoundary( AContentType : string ) : string
863: Function FindButton( AModalResult : TModalResult ) : TTaskDialogBaseButtonItem
864: Function FindCaption(StartIndex: Integer;Value: string; Partial,Inclusive,Wrap: Boolean): TListItem
865: Function FindCdLineSwitch( Switch : string; IgnoreCase : Boolean ) : Boolean;
866: Function FindCloseW(FindFile: Integer): LongBool; stdcall;
867: Function FindCmdLineSwitch( Switch : string; Chars : TSysCharSet; IgnoreCase : Boolean ) : Boolean;
868: Function FindCmmdLineSwitch( Switch : string ) : Boolean;
869: function FindComponent(AName: String): TComponent;
870: function FindComponent(vlabel: string): TComponent;
871: function FindComponent2(vlabel: string): TComponent;
872: function FindControl(Handle: HWnd): TWinControl;
873: Function FindData( StartIndex : Integer; Value : Pointer; Inclusive, Wrap : Boolean ) : TListItem
874: Function FindDatabase( const DatabaseName : string ) : TDatabase
875: function FindDragTarget(const Pos: TPoint; AllowDisabled: Boolean): TControl;
876: Function FINDFIELD( const FIELDNAME : STRING ) : TFIELD
877: Function FINDFIELD( const FIELDNAME : WideString ) : TFIELD

```

```

878: Function FindFirst2(const Path: string; Attr: Integer; var F: TSearchRec): Integer
879: Function FindNext2(var F: TSearchRec): Integer
880: procedure FindClose2(var F: TSearchRec)
881: Function FINDFIRST : BOOLEAN
882: TJvSpecialFolder = (sfRecycleBin, sfControlPanel, sfDesktop, sfDesktopDirectory,
883:   sfMyComputer, sfFonts, sfNetHood, sfNetwork, sfPersonal, sfPrinters, sfPrograms, sfRecent, sfSendTo,
884:   sfStartMenu, stStartUp, sfTemplates);
884: FFolder: array [TJvSpecialFolder] of Integer =
885:   (CSIDL_BITBUCKET, CSDL_CONTROLS, CSDL_DESKTOP, CSDL_DESKTOPDIRECTORY,
886:    CSDL_DRIVES, CSDL_FONTS, CSDL_NETHOOD, CSDL_NETWORK, CSDL_PERSONAL,
887:    CSDL_PRINTERS, CSDL_PROGRAMS, CSDL_RECENT, CSDL_SENDTO, CSDL_STARTMENU,
888:    CSDL_STARTUP, CSDL_TEMPLATES);
889: Function FindFilesDlg(StartIn: string; SpecialFolder: TJvSpecialFolder; UseFolder: Boolean): Boolean;
890: function Findfirst(const filepath: string; attr: integer): integer;
891: function Findfirst2(const Path: string; Attr: Integer; var F: TSearchRec): Integer
892: Function FindFirstNotOf( AFind, AText : String) : Integer
893: Function FindFirstOf( AFind, AText : String) : Integer
894: Function FindImmediateTransitionOn( cChar : char) : TniRegularExpressionState
895: Function FINDINDEXFORFIELDS( const FIELDS : String) : TINDEXDEF
896: Function FindInstanceOf( AClass : TClass; AExact: Boolean; AStartAt : Integer) : Integer
897: Function FINDITEM( VALUE : INTEGER; KIND : TFINDITEMKIND) : TMENUITEM
898: function FindItemId( Id : Integer) : TCollectionItem
899: Function FindKey( const KeyValues : array of const) : Boolean
900: Function FINDLAST : BOOLEAN
901: Function FindLineControl( ComponentType, ControlType : DWORD) : TJclMixerLineControl
902: Function FindModuleClass( AClass : TComponentClass) : TComponent
903: Function FindModuleName( const AClass : string) : TComponent
904: Function FINDNEXT : BOOLEAN
905: function FindNext: integer;
906: function FindNext2(var F: TSearchRec): Integer
907: Function FindNextPage( CurPage: TTabSheet; GoForward, CheckTabVisible : Boolean) : TTabSheet
908: Function FindNextToSelect : TTreeNode
909: Function FINDPARAM( const VALUE : String) : TPARAM
910: Function FindParam( const Value : WideString) : TParameter
911: Function FINDPRIOR : BOOLEAN
912: Function FindResource( ModuleHandle : HMODULE; ResourceName, ResourceType : PChar) : TResourceHandle
913: Function FindSession( const SessionName : string) : TSession
914: function FindStringResource(Ident: Integer): string
915: Function FindText( const SearchStr:string;StartPos,Length: Integer; Options: TSearchTypes):Integer
916: Function FindUnusedFileName( const FileName, FileExt, Suffix : AnsiString) : AnsiString
917: function FindVCLWindow(const Pos: TPoint): TWinControl;
918: function FindWindow(C1, C2: PChar): Longint;
919: Function FindinPaths(const fileName,paths: String): String;
920: Function Finger : String
921: Function First : TClass
922: Function First : TComponent
923: Function First : TObject
924: Function FirstDelimiter( const delimiters : string; const Str : String) : integer;
925: Function FirstDelimiter1( const delimiters : WideString; const Str : WideString) : integer;
926: Function FirstInstance( const ATitle : string) : Boolean
927: Function FloatPoint( const X, Y : Float) : TFloatPoint;
928: Function FloatPoint1( const P : TPoint) : TFloatPoint;
929: Function FloatPtInRect( const Rect : TFloatRect; const P : TFloatPoint) : Boolean
930: Function FloatRect( const ALeft, ATop, ARight, ABottom : Double) : TFloatRect;
931: Function FloatRect1( const Rect : TRect) : TFloatRect;
932: Function FloatsEqual( const X, Y : Float) : Boolean
933: Function FloatToBin(const D: Double): string; //doubletohex -> hextobin! in buffer
934: Function FloatToCurr( Value : Extended) : Currency
935: Function FloatToDateTIme( Value : Extended) : TDateTIme
936: Function FloatToStr( Value : Extended) : string;
937: Function FloatToStr(e : Extended) : String;
938: Function FloatToStrF( Value : Extended; Format : TFloatFormat; Precision, Digits : Integer) : string;
939: function FloatToStrF(Value: Extended; Format: TFloatFormat;Precision:Integer; Digits: Integer): string)
940: Function FloatToStr2( Value : Extended; Format : TFloatFormat; Precision, Digits : Integer; FormatSettings : TFormatSettings) : string;
941: Function FloatToStrFS( Value : Extended; Format : TFloatFormat; Precision, Digits : Integer; FormatSettings : TFormatSettings) : string;
942: function FloatToText(BufferArg: PChar; const Value: Extended; ValueType: TFloatValue;Format: TFloatFormat; Precision,Digits: Integer)
943: Function Floor( const X : Extended) : Integer
944: Function FloorInt( Value : Integer; StepSize : Integer) : Integer
945: Function FloorJ( const X : Extended) : Integer
946: Function Flush( const Count : Cardinal) : Boolean
947: Function Flush(var t: Text): Integer
948: function FmtLoadStr(Ident: Integer; const Args: array of const): string
949: function FOCUSED:BOOLEAN
950: Function ForceBackslash( const PathName : string) : string
951: Function ForceDirectories( const Dir : string) : Boolean
952: Function ForceDirectories( Dir : string) : Boolean
953: Function ForceDirectories( Name : string) : Boolean
954: Function ForceInBox( const Point : TPoint; const Box : TRect) : TPoint
955: Function ForceInRange( A, Min, Max : Integer) : Integer
956: Function ForceInRangeR( const A, Min, Max : Double) : Double
957: Function ForEach( AProc : TBucketProc; AInfo : Pointer) : Boolean;
958: Function ForEach1( AEvent : TBucketEvent) : Boolean;
959: Function ForegroundTask: Boolean
960: function Format(const Format: string; const Args: array of const): string;
961: Function FormatBcd( const Format : string; Bcd : TBcd) : string
962: FUNCTION FormatBigInt(s: string): STRING;

```

```

963: function FormatByteSize(const bytes: int64): string;
964: function FormatBuf(var Buffer:PChar;Buflen:Card;const Format:string;FmtLen:Card;const Args:array of const):Cardinal;
965: Function FormatCount( iCount : integer; const sSingular : string; const sPlural : string ) : string;
966: Function FormatCurr( Format : string; Value : Currency ) : string;
967: function FormatCurr(const Format: string; Value: Currency): string;
968: Function FormatDateTime( Format : string; DateTime : TDateTime ) : string;
969: function FormatDateTime(const fmt: string; D: TDateTime): string;
970: Function FormatFloat( Format : string; Value : Extended ) : string;
971: function FormatFloat(const Format: string; Value: Extended): string;
972: Function FormatFloat( Format : string; Value : Extended ) : string;
973: Function FormatFloat2( Format : string; Value : Extended; FormatSettings : TFormatSettings ) : string;
974: Function FormatCurr( Format : string; Value : Currency ) : string;
975: Function FormatCurr2(Format: string; Value: Currency; FormatSettings: TFormatSettings) : string;
976: Function Format2(const Format:string;const Args:array of const;const FSettings:TFormatSettings): string;
977: FUNCTION FormatInt(i: integer): STRING;
978: FUNCTION FormatInt64(i: int64): STRING;
979: Function FormatMaskText( const EditMask : string; const Value : string ) : string;
980: Function FormatValue( AValue : Cardinal ) : string;
981: Function FormatVersionString( const HiV, LoV : Word ) : string;
982: Function FormatVersionString1( const Major, Minor, Build, Revision : Word ) : string;
983: function Frac(X: Extended): Extended;
984: Function FreeResource( ResData : HGLOBAL ) : LongBool;
985: Function FromCommon( const AValue : Double ) : Double;
986: function FromCommon(const AValue: Double): Double;
987: Function FTPGMTDateToMLS( const ATimestamp : TDateTime; const AIncludeMsecs : Boolean ) : String;
988: Function FTPLocalDateToMLS( const ATimestamp : TDateTime; const AIncludeMsecs : Boolean ) : String;
989: Function FTPMLSToGMTDate( const ATimestamp : String ) : TDateTime;
990: Function FTPMLSToLocalDate( const ATimestamp : String ) : TDateTime;
991: Function FuncIn(AValue: Variant; ASet: Variant): Boolean;
992: //Function Funclist Size is: 6444 of mx3.9.8.9
993: Function FutureValue(const Rate:Extended;NPeriods:Integer;const Payment,PresentValue:Extended;PaymentTime:TPaymentTime):Extended;
994: Function FullTimeToStr(SUMTime: TDateTime): string;';
995: Function Gauss( const x, Spread : Double ) : Double;
996: function Gauss(const x,Spread: Double): Double;
997: Function GCD(x, y : LongInt) : LongInt;
998: Function GCDJ( X, Y : Cardinal ) : Cardinal;
999: Function GDAL: LongWord;
1000: Function GdiFlush : BOOL;
1001: Function GdiSetBatchLimit( Limit : DWORD ) : DWORD;
1002: Function GdiGetBatchLimit : DWORD;
1003: Function GenerateHeader : TIHeaderList;
1004: Function GeometricMean( const X : TDynFloatArray ) : Float;
1005: Function Get( AURL : string ) : string;
1006: Function Get2( AURL : string ) : string;
1007: Function Get8087CW : Word;
1008: function GetActiveOleObject(const ClassName: String): IDispatch;
1009: Function GetAliasDriverName( const AliasName : string ) : string;
1010: Function GetAPMBatteryFlag : TAPMBatteryFlag;
1011: Function GetAPMBatteryFullLifeTime : DWORD;
1012: Function GetAPMBatteryLifePercent : Integer;
1013: Function GetAPMBatteryLifeTime : DWORD;
1014: Function GetAPMLineStatus : TAPMLineStatus;
1015: Function GetAppdataFolder : string;
1016: Function GetAppDispatcher : TComponent;
1017: function GetArrayLength: integer;
1018: Function GetASCII: string;
1019: Function GetASCIILine: string;
1020: Function GetAsHandle( Format : Word ) : THandle;
1021: function GetAssociatedProgram(const Extension: string; var Filename, Description: string): boolean;
1022: Function GetBackupFileName( const FileName : string ) : string;
1023: function GetBaseAddress(PID:DWORD):DWORD; //Process API;
1024: Function GetBBitmap( Value : TBitmap ) : TBitmap;
1025: Function GetBIOSCopyright : string;
1026: Function GetBIOSDate : TDateTime;
1027: Function GetBIOSExtendedInfo : string;
1028: Function GetBIOSName : string;
1029: Function getBitmap(apath: string): TBitmap;
1030: Function GetBitmap( Index : Integer; Image : TBitmap ) : Boolean; //object;
1031: Function getBitmapObject(const bitmappath: string): TBitmap;
1032: Function GetButtonState( Button : TPageScrollerButton ) : TPageScrollerButtonState;
1033: Function GetCapsLockKeyState : Boolean;
1034: function GetCaptureControl: TControl;
1035: Function GetCDAudioTrackList( var TrackList : TJclCdTrackInfoArray; Drive : Char ) : TJclCdTrackInfo;
1036: Function GetCDAudioTrackList1( TrackList : TStrings; IncludeTrackType : Boolean; Drive : Char ) : string;
1037: Function GetCdInfo( InfoType : TJclCdMediaInfo; Drive : Char ) : string;
1038: Function GetChangedText( const Text : string; SelStart, SelLength : Integer; Key : Char ) : string;
1039: Function GetClientThread( ClientSocket : TServerClientWinSocket ) : TServerClientThread;
1040: Function GetClockValue : Int64;
1041: function getCmdLine: PChar;
1042: function getCmdShow: Integer;
1043: function GetCPUSpeed: Double;
1044: Function GetColField( DataCol : Integer ) : TField;
1045: Function GetColorBlue( const Color : TColor ) : Byte;
1046: Function GetColorFlag( const Color : TColor ) : Byte;
1047: Function GetColorGreen( const Color : TColor ) : Byte;
1048: Function GetColorRed( const Color : TColor ) : Byte;
1049: Function GetComCtlVersion : Integer;

```

```

1050: Function GetComPorts: TStringlist;
1051: Function GetCommonAppdataFolder : string
1052: Function GetCommonDesktopdirectoryFolder : string
1053: Function GetCommonFavoritesFolder : string
1054: Function GetCommonFilesFolder : string
1055: Function GetCommonProgramsFolder : string
1056: Function GetCommonStartmenuFolder : string
1057: Function GetCommonStartupFolder : string
1058: Function GetComponent( Owner, Parent : TComponent ) : TComponent
1059: Function GetConnectionRegistryFile( DesignMode : Boolean ) : string
1060: Function GetCookiesFolder : string
1061: Function GetCPUSpeed( var CpuSpeed : TFreqInfo ) : Boolean
1062: Function GetCurrent : TFavoriteLinkItem
1063: Function GetCurrent : TlistItem
1064: Function GetCurrent : TTaskDialogBaseButtonItem
1065: Function GetCurrent : TToolButton
1066: Function GetCurrent : TTreeNode
1067: Function GetCurrent : WideString
1068: Function GetCurrentDir : string
1069: function GetCurrentDir: string)
1070: Function GetCurrentFolder : string
1071: Function GETCURRENTRECORD( BUFFER : PCHAR ) : BOOLEAN
1072: Function GetCurrentProcessId : TIdPID
1073: Function GetCurrentThreadHandle : THandle
1074: Function GetCurrentThreadId: LongWord; stdcall;
1075: Function GetCustomHeader( const Name : string ) : String
1076: Function GetDataItem( Value : Pointer ) : Longint
1077: Function GetDataLinkFiles( FileNames : TWideStrings; Directory : string ) : Integer;
1078: Function GetDataLinkFiles1( FileNames : TStrings; Directory : string ) : Integer;
1079: Function GETDATASIZE : INTEGER
1080: Function GetDC(hdwnd: HWND): HDC;
1081: Function GetDefaultFileExt( const MIMEType : string ) : string
1082: Function GetDefaults : Boolean
1083: Function GetDefaultSchemaName : WideString
1084: Function GetDefaultStreamLoader : IStreamLoader
1085: Function GetDesktopDirectoryFolder : string
1086: Function GetDesktopFolder : string
1087: Function GetDFAState( oStates : TList ) : TniRegularExpressionState
1088: Function GetDirectorySize( const Path : string ) : Int64
1089: Function GetDisplayWidth : Integer
1090: Function GetDLLVersion( const DLLName : string; var pdwMajor, pdwMinor : Integer ) : Boolean
1091: Function GetDomainName : string
1092: Function GetDriverRegistryFile( DesignMode : Boolean ) : string
1093: function GetDriveType(rootpath: pchar): cardinal;
1094: Function GetDriveTypeStr( const Drive : Char ) : string
1095: Function GetEnumerator : TFavoriteLinkItemsEnumerator
1096: Function GetEnumerator : TListItemsEnumerator
1097: Function GetEnumerator : TTaskDialogButtonsEnumerator
1098: Function GetEnumerator : TToolBarEnumerator
1099: Function GetEnumerator : TTreeNodesEnumerator
1100: Function GetEnumerator : TWideStringsEnumerator
1101: Function GetEnvVar( const VarName : string ) : string
1102: Function GetEnvironmentVar( const AVariableName : string ) : string
1103: Function GetEnvironmentVariable( const VarName : string ) : string
1104: Function GetEnvironmentVar( const Name : string; var Value : string; Expand : Boolean ) : Boolean
1105: Function GetEnvironmentVars( const Vars : TStrings; Expand : Boolean ) : Boolean
1106: Function getEnvironmentString: string;
1107: Function GetExceptionHandler : TObject
1108: Function GetFavoritesFolder : string
1109: Function GetFieldByName( const Name : string ) : string
1110: Function GetFieldInfo( const Origin : Widestring; var FieldInfo : TFieldInfo ) : Boolean
1111: Function GetFieldValue( ACol : Integer ) : string
1112: Function GetFileAgeCoherence( const FileName : string ) : Boolean
1113: Function GetFileCreation( const FileName : string ) : TFileTime
1114: Function GetFileCreationTime( const Filename : string ) : TDateTime
1115: Function GetFileInfo( const FileName : string ) : TSearchRec
1116: Function GetFileLastAccess( const FileName : string ) : TFileTime
1117: Function GetFileLastWrite( const FileName : string ) : TFileTime
1118: Function GetFileList(FileList: TStringlist; apath: string): TStringlist;
1119: Function GetFileList1(apath: string): TStringlist;
1120: Function GetFileMIMEType( const AFileName : string ) : string
1121: Function GetFileSize( const FileName : string ) : Int64
1122: Function GetFileVersion( AFileName : string ) : Cardinal
1123: Function GetFileVersion( const AFilename : string ) : Cardinal
1124: Function GetFileVersion2(Handle: Integer; x: Integer): Integer; stdcall;
1125: Function GetFileDate(aFile:string; aWithTime:Boolean):string;
1126: Function GetFileCount(adirmask: string): integer; //files count in directory!
1127: Function GetFilterData( Root : PExprNode ) : TExprData
1128: Function getFirstChild : TTreeNode
1129: Function getFirstChild : TTreeNode
1130: Function GetFirstDelimitedToken( const cDelim : char; const cStr : string ) : string
1131: Function GetFirstNode : TTreeNode
1132: Function GetFontsFolder : string
1133: Function GetFormulaValue( const Formula : string ) : Extended
1134: Function GetFreePageFileMemory : Integer
1135: Function GetFreePhysicalMemory : Integer
1136: Function GetFreeSystemResources( const ResourceType : TFreeSysResKind ) : Integer;
1137: Function GetFreeSystemResources1 : TFreeSystemResources;
1138: Function GetFreeVirtualMemory : Integer

```

```

1139: Function GetFromClipboard : Boolean
1140: Function GetFullURI( const AOptionalFileds : TIdURIOptionalFieldsSet ) : String
1141: Function GetGBitmap( Value : TBitmap ) : TBitmap
1142: Function GetGMTDateByName( const AfileName : TIdFileName ) : TDateTime
1143: Function GetGroupState( Level : Integer ) : TGroupPosInds
1144: Function GetHandle : HWnd
1145: Function GETHELPCONTEXT( VALUE : INTEGER; BYCOMMAND : BOOLEAN ) : THELPCONTEXT
1146: function GetHexArray(ahexdig: THexArray): THexArray;
1147: Function GetHighLightColor( const Color : TColor; Luminance : Integer ) : TColor
1148: function GetHINSTANCE: longword;
1149: Function GetHistoryFolder : string
1150: Function GetHitTestInfoAt( X, Y : Integer ) : THitTests
1151: function getHMODULE: longword;
1152: Function GetHostNameBy( const AComputerName: String): String;
1153: Function GetHostName : string
1154: Function getHostIP: string;
1155: Function GetHotSpot : TPoint
1156: Function GetHueBitmap( Value : TBitmap ) : TBitmap
1157: Function GetImageBitmap : HBITMAP
1158: Function GETIMAGELIST : TCUSTOMIMAGELIST
1159: Function GetIncome( const aNetto : Currency ) : Currency
1160: Function GetIncome( const aNetto : Extended ) : Extended
1161: Function GetIncome( const aNetto : Extended ) : Extended
1162: Function GetIncome( const aNetto : Extended ) : Extended
1163: function GetIncome( const aNetto: Currency): Currency
1164: Function GetIncome2( const aNetto : Currency ) : Currency
1165: Function GetIncome2( const aNetto : Currency ) : Currency
1166: Function getIndex_Attrs( tag : string; var idx : Integer; var Attrs : string ) : string
1167: Function GETINDEXFORFIELDS( const FIELDS : String; CASEINSENSITIVE : BOOLEAN ) : TINDEXDEF
1168: Function GetIndexForOrderBy( const SQL : WideString; DataSet : TDataSet ) : TIndexDef
1169: Function GetInstRes( Instance:THandle;ResType:TResType;const
  Name:string;Width:Integer;LoadFlags:TLoadResources;MaskColor:TColor ):Boolean;
1170: Function
  GetInstRes1(Instance:THandle;ResType:TResType;ResID:DWORD;Width:Int;LoadFlags:TLoadResources;MaskColor:TColor ):Bool;
1171: Function GetIntelCacheDescription( const D : Byte ) : string
1172: Function GetInteractiveUserName : string
1173: Function GetInternetCacheFolder : string
1174: Function GetInternetFormattedFileTimeStamp( const Afilename : String ) : String
1175: Function GetIPAddress( const HostName : string ) : string
1176: Function GetIP( const HostName : string ) : string
1177: Function GetIPHostName( const AComputerName: String): String;
1178: Function GetIsAdmin: Boolean;
1179: Function GetItem( X, Y : Integer ) : LongInt
1180: Function GetItemAt( X, Y : Integer ) : TListItem
1181: Function GetItemHeight(Font: TFont): Integer;
1182: Function GetItemPath( Index : Integer ) : string
1183: Function GetKeyFieldNames( List : TStrings ) : Integer;
1184: Function GetKeyFieldNames1( List : TWideStrings ) : Integer;
1185: Function GetKeyState( const VirtualKey : Cardinal ) : Boolean
1186: Function GetLastChild : LongInt
1187: Function GetLastChild : TTreeNode
1188: Function GetLastDelimitedToken( const cDelim : char; const cStr : string ) : string
1189: function GetLastError: Integer
1190: Function GetLAT_CONV_FACTOR: double; //for WGS84 power(1 - 1 / 298.257223563, 2);
1191: Function GetLinesCount(sFileName : String): Integer;
1192: Function GetLoader( Ext : string ) : TBitmapLoader
1193: Function GetLoadFilter : string
1194: Function GetLocalComputerName : string
1195: Function GetLocaleChar( Locale, LocaleType : Integer; Default : Char ) : Char
1196: Function GetLocaleStr( Locale, LocaleType : Integer; Default : string ) : string
1197: Function GetLocalUserName : string
1198: Function GetLoginUsername : WideString
1199: function getLongDayNames: string)
1200: Function GetLongHint(const hint: string): string
1201: function getLongMonthNames: string)
1202: Function GetMacAddresses( const Machine : string; const Addresses : TStrings ) : Integer
1203: Function GetMainAppWndFromPid( PID : DWORD ) : HWND
1204: Function GetMapX(C_form,apath: string; const Data: string): boolean; //c_form: [html/json/xml]
1205: //if GetMAPX('html',ExePath+'cologne2mapX.html','cathedral cologne') then
1206: Procedure GetGEOMap(C_form,apath: string; const Data: string);
1207: Function GetMapXGeoReverse(C_form: string; const lat,long: string): string;
1208: //if GetMapXGeoReverse('XML',topPath,'47.0397826','7.62914761277888') then
1209: Function GetGeoCode(C_form,apath: string; const data: string; sfile: boolean): string;
1210: Function GetMaskBitmap : HBITMAP
1211: Function GetMaxAppAddress : Integer
1212: Function GetMciErrorMessage( const MciErrNo : MCIERROR ) : string
1213: Function GetMemoryLoad : Byte
1214: Function GetMIMEDefaultFileExt( const MIMEType : string ) : TIdFileName
1215: Function GetMIMETypeFromFile( const AFile : string ) : string
1216: Function GetMIMETypeFromFile( const AFile : TIdFileName ) : string
1217: Function GetMinAppAddress : Integer
1218: Function GetModule : TComponent
1219: Function GetModuleHandle( ModuleName : PChar ) : HMODULE
1220: Function GetModuleName( Module : HMODULE ) : string
1221: Function GetModulePath( const Module : HMODULE ) : string
1222: Function GetModuleFileName(Module: Integer; Filename: PChar;Size: Integer): Integer; stdcall;
1223: Function GetMorseID(InChar : Char): Word;');
1224: Function GetMorseString2(InChar : Char): string;');
1225: Function GetMorseLine(dots: boolean): string;'); //whole table! {1 or dots}

```

```

1226: Function GetMorseTable(dots: boolean): string'; //whole table!
1227: Function GetMorseSign(InChar : Char): string';
1228: Function GetCommandLine: PChar; stdcall;
1229: Function GetMonochromeBitmap( Value : TBitmap) : TBitmap
1230: Function GetMultiN(aval: integer): string;
1231: Function GetName : String
1232: Function GetNearestItem( Point : TPoint; Direction : TSearchDirection) : TListItem
1233: Function GetNethoodFolder : string
1234: Function GetNext : TTreeNode
1235: Function GetNextChild( Value : LongInt) : LongInt
1236: Function GetNextChild( Value : TTreeNode) : TTreeNode
1237: Function GetNextDelimitedToken( const cDelim : char; var cStr : String) : String
1238: Function GetNextItem( StartItem: TListItem;Direction:TSearchDirection;States:TItemStates) : TListItem
1239: Function GetNextPacket : Integer
1240: Function getNextSibling : TTreeNode
1241: Function GetNextVisible : TTreeNode
1242: Function GetNode( ItemId : HTreeItem) : TTreeNode
1243: Function GetNodeAt( X, Y : Integer) : TTreeNode
1244: Function GetNodeDisplayWidth( Node : TOutlineNode) : Integer
1245: function GetNumberOfProcessors: longint;
1246: Function GetNumLockKeyState : Boolean
1247: Function GetObjectProperty( Instance : TPersistent; const PropName : string) : TObject
1248: Function GetOnlyTransitionOn( cChar : char) : TniRegularExpressionState
1249: Function GetOptionalParam( const ParamName : string) : OleVariant
1250: Function GetOSName: string;
1251: Function GetOSVersion: string;
1252: Function GetOSNumber: string;
1253: Function GetOsVersionInfo: TOSVersionInfo; //thx to wischnewski
1254: Function GetPackageModuleHandle( PackageName : PChar) : HMODULE
1255: function GetPageSize: Cardinal;
1256: Function GetParameterFileName : string
1257: Function GetParams( var OwnerData : OleVariant) : OleVariant
1258: Function GETPARENTCOMPONENT : TCOMPONENT
1259: Function GetParentForm(control: TControl): TForm
1260: Function GETPARENTMENU : TMENU
1261: Function GetPassword : Boolean
1262: Function GetPassword : string
1263: Function GetPersonalFolder : string
1264: Function GetPidFromProcessName( const ProcessName : string) : DWORD
1265: function getPI: extended; //of const PI math
1266: Function GetPosition : TPoint
1267: Function GetPrev : TTreeNode
1268: Function GetPrevChild( Value : LongInt) : LongInt
1269: Function GetPrevChild( Value : TTreeNode) : TTreeNode
1270: Function getPrevSibling : TTreeNode
1271: Function GetPrevVisible : TTreeNode
1272: Function GetPrinthoodFolder : string
1273: Function GetPrivilegeDisplayName( const PrivilegeName : string) : string
1274: Function getProcessList: TString;
1275: Function GetProcessId : TidPID
1276: Function GetProcessNameFromPid( PID : DWORD) : string
1277: Function GetProcessNameFromWnd( Wnd : HWND) : string
1278: Function GetProcessMemoryInfo(Process: THandle;ppsmemCounters: TProcessMemoryCounters;cb: DWORD):BOOL
1279: Function getProcessAllMemory(ProcessID : DWORD): TProcessMemoryCounters;
1280: Function getProcessMemoryInfo2(ProcessID : DWORD): TProcessMemoryCounters;
1281: Function GetProgramFilesFolder : string
1282: Function GetProgramsFolder : string
1283: Function GetProxy : string
1284: Function GetQuoteChar : WideString
1285: Function GetQrCode4(Width,Height:Word; Correct_Level:string;const Data:string;aformat:string):TLinearBitmap;
1286: Function GetQrCodetoFile(Width,Height:Word;Correct_Level:string;const Data:string;aformat:string):TLinearBitmap;
1287: Function GetRate : Double
1288: Function getPerfTime: string;
1289: Function getRuntime: string;
1290: Function GetRBitmap( Value : TBitmap) : TBitmap
1291: Function GetReadableName( const AName : string) : string
1292: Function GetRecentDocs : TStringList
1293: Function GetRecentFolder : string
1294: Function GetRecords( Count : Integer; out RecsOut : Integer; Options : Integer) : OleVariant;
1295: Function GetRecords1(Count:Integer; out RecsOut:Integer;Options:Integer;const CommandText:WideString;var Params, OwnerData : OleVariant);
1296: Function GetRecordset( const CommandText : WideString; ConnectionString : WideString) : _Recordset
1297: Function GetRegisteredCompany : string
1298: Function GetRegisteredOwner : string
1299: Function GetResource(ResType:TResType;const Name:string;Width:Int;LoadFlags:TLoadResources;MaskColor:TColor:Bool
1300: Function GetResourceName( ObjStream : TStream; var AName : string) : Boolean
1301: Function GetResponse( const AAllowedResponses : array of SmallInt) : SmallInt;
1302: Function GetResponse1( const AAllowedResponse : SmallInt) : SmallInt;
1303: Function GetRValue( rgb : DWORD) : Byte
1304: Function GetGValue( rgb : DWORD) : Byte
1305: Function GetBValue( rgb : DWORD) : Byte
1306: Function GetCValue( cmyk : COLORREF) : Byte
1307: Function GetMValue( cmyk : COLORREF) : Byte
1308: Function GetYValue( cmyk : COLORREF) : Byte
1309: Function GetKValue( cmyk : COLORREF) : Byte
1310: Function CMYK( c, m, y, k : Byte) : COLORREF

```

```

1311: Procedure GetScreenShot(var ABitmap : TBitmap);
1312: Function GetOSName: string;
1313: Function GetProcAddress( hModule : HMODULE; lpProcName : LPCSTR) : FARPROC
1314: Function GetProcAddress(Module : HMODULE; Proc : PChar): Dword
1315: Function GetSafeCallExceptionMsg : String
1316: Function GetSaturationBitmap( Value : TBitmap) : TBitmap
1317: Function GetSaveFilter : string
1318: Function GetSaver( Ext: string) : TBitmapLoader
1319: Function GetScrollLockKeyState : Boolean
1320: Function GetSearchString : string
1321: Function GetSelections( Alist : TList) : TTreeNode
1322: function GETSELTEXTBUF(BUFFER:PCHAR;BUFSIZE:INTEGER):INTEGER
1323: Function GetSendToFolder : string
1324: Function GetServer : IAppServer
1325: Function GetServerList : OleVariant
1326: Function GetShadowColor( const Color : TColor; Luminance : Integer) : TColor
1327: Function GetShellProcessHandle : THandle
1328: Function GetShellProcessName : string
1329: Function GetShellVersion : Cardinal
1330: function getShortDayNames: string)
1331: Function GetShortHint( const hint: string): string
1332: function getShortMonthNames: string)
1333: Function GetSizeOfFile( const FileName : string) : Int64;
1334: Function GetSizeOfFile1( Handle : THandle) : Int64;
1335: Function GetStdHandle(nStdHandle: Integer): Integer; stdcall;
1336: Function GetStartmenuFolder : string
1337: Function GetStartupFolder : string
1338: Function GetStringProperty( Instance : TPersistent; const PropName : string) : WideString
1339: Function GetSuccessor( cChar : char) : TniRegularExpressionState
1340: Function GetSwapFileSize : Integer
1341: Function GetSwapFileUsage : Integer
1342: Function GetSystemLocale : TIdCharSet
1343: Function GetSystemMetrics( nIndex : Integer) : Integer
1344: Function GetSystemPathSH(Folder: Integer): TFilename ;
1345: Function GetTableNameFromQuery( const SQL : WideString) : WideString
1346: Function GetTableNameFromSQL( const SQL : WideString) : WideString
1347: Function GetTableNameFromSQLEX( const SQL : WideString; IdOption : IDENTIFEROPTION) : WideString
1348: Function GetTasksList( const List : TStrings) : Boolean
1349: Function getTeamViewerID: string;
1350: Function GetTemplatesFolder : string
1351: Function GetText : PwideChar
1352: function GetText: PChar
1353: Function GetTextBuf( Buffer : PChar; BufSize : Integer) : Integer
1354: function GETTEXTBUF(BUFFER:PCHAR;BUFSIZE:INTEGER):INTEGER
1355: Function GetTextItem( const Value : string) : Longint
1356: function GETTEXTLEN:INTEGER
1357: Function GetThreadLocale: Longint; stdcall
1358: Function GetCurrentThreadId: LongWord; stdcall;
1359: Function GetTickCount : Cardinal
1360: Function GetTickDiff( const AOldTickCount, ANewTickCount : Cardinal) : Cardinal
1361: Function GetTicketNr : longint
1362: Function GetTime : Cardinal
1363: Function GetTime : TDateTime
1364: Function GetTimeout : Integer
1365: Function GetTimeStr: String
1366: Function GetTimeString: String
1367: Function GetTodayFiles(startdir, amask: string): TStringlist;
1368: Function getTokenCounts : integer
1369: Function GetTotalPageFileMemory : Integer
1370: Function GetTotalPhysicalMemory : Integer
1371: Function GetTotalVirtualMemory : Integer
1372: Function GetUniqueFileName( const APath, APrefix, AExt : String) : String
1373: Function GetUseNowForDate : Boolean
1374: Function GetUserDomainName( const CurUser : string) : string
1375: Function GetUserName : string
1376: Function GetUserName: string;
1377: Function GetUserObjectName( hUserObject : THandle) : string
1378: Function GetValueBitmap( Value : TBitmap) : TBitmap
1379: Function GetValueMSec : Cardinal
1380: Function GetValueStr : String
1381: Function getVersion: int;
1382: Function GetVersionString(FileName: string): string;
1383: Function getVideoDrivers: string;
1384: Function GetVisibleNode( Index : LongInt) : TOutlineNode
1385: Function GetVolumeFileSystem( const Drive : string) : string
1386: Function GetVolumeName( const Drive : string) : string
1387: Function GetVolumeSerialNumber( const Drive : string) : string
1388: Function GetWebAppServices : IWebAppServices
1389: Function GetWebRequestHandler : IWebRequestHandler
1390: Function GetWindowCaption( Wnd : HWND) : string
1391: Function GetWindowDC(hdwnd: HWND): HDC;
1392: Function GetWindowIcon( Wnd : HWND; LargeIcon : Boolean) : HICON
1393: Function GetWindowRect(hwnd: HWND; arect: TRect): Boolean
1394: Function GetWindowsComputerID : string
1395: function GetWindowsDirectory(lpBuffer: PChar; uSize: longword): longword;
1396: Function GetWindowsFolder : string
1397: Function GetWindowsServicePackVersion : Integer
1398: Function GetWindowsServicePackVersionString : string
1399: Function GetWindowsSystemFolder : string

```

```

1400: Function GetWindowsTempFolder : string
1401: Function GetWindowsUserID : string
1402: Function GetWindowsVersion : TWindowsVersion
1403: Function GetWindowsVersionString : string
1404: Function GmtOffsetStrToDateTime( S : string) : TDateTime
1405: Function GMTToLocalDateTime( S : string) : TDateTime
1406: Function GotoKey : Boolean
1407: Function GradToCycle( const Grads : Extended) : Extended
1408: Function GradToDeg( const Grads : Extended) : Extended
1409: Function GradToDeg( const Value : Extended) : Extended;
1410: Function GradToDeg1( const Value : Double) : Double;
1411: Function GradToDeg2( const Value : Single) : Single;
1412: Function GradToRad( const Grads : Extended) : Extended
1413: Function GradToRad( const Value : Extended) : Extended;
1414: Function GradToRad1( const Value : Double) : Double;
1415: Function GradToRad2( const Value : Single) : Single;
1416: Function Gray32( const Intensity : Byte; const Alpha : Byte) : TColor32
1417: Function GreenComponent( const Color32 : TColor32) : Integer
1418: function GUIDToString(const GUID: TGUID): string
1419: Function HandleAllocated : Boolean
1420: function HandleAllocated: Boolean;
1421: Function HandleRequest : Boolean
1422: Function HandleRequest( Request : TWebRequest; Response : TWebResponse) : Boolean
1423: Function HarmonicMean( const X : TDynFloatArray) : Float
1424: Function HasAsParent( Value : TTreeNode) : Boolean
1425: Function HASCHILDDEFS : BOOLEAN
1426: Function HasCurValues : Boolean
1427: Function HasExtendCharacter( const s : UTF8String) : Boolean
1428: Function HasFormat( Format : Word) : Boolean
1429: Function HashValue( AStream : TStream) : T5x4LongWordRecord;
1430: Function HashValue(AStream : TStream) : T4x4LongWordRecord
1431: Function HashValue(AStream: TStream): LongWord
1432: Function HashValue(AStream: TStream): Word
1433: Function HashValue1( AStream : TStream; const ABeginPos, AEndPos : Int64) : T5x4LongWordRecord;
1434: Function HashValue1(AStream : TStream): T4x4LongWordRecord
1435: Function HashValue128( const ASrc: string): T4x4LongWordRecord;
1436: Function HashValue128Stream(AStream: TStream): T4x4LongWordRecord;
1437: Function HashValue16( const ASrc : string) : Word;
1438: Function HashValue16Stream( AStream : TStream) : Word;
1439: Function HashValue32( const ASrc : string) : LongWord;
1440: Function HashValue32Stream( AStream : TStream) : LongWord;
1441: Function HasMergeConflicts : Boolean
1442: Function hasMoreTokens : boolean
1443: Function HASPARENT : BOOLEAN
1444: function HasParent: Boolean
1445: Function HasTransaction( Transaction : TDBXTransaction) : Boolean
1446: Function HasUTF8BOM( S : TStream) : boolean;
1447: Function HasUTF8BOM1( S : AnsiString) : boolean;
1448: Function Haversine( X : Float) : Float
1449: Function Head( s : string; const subs : string; var tail : string) : string
1450: function HELPCOMMAND(COMMAND:INTEGER;DATA:LONGINT):BOOLEAN
1451: function HELPCONTEXT(CONTEXT:THELPCONTEXT):BOOLEAN
1452: function HELPJUMP(JUMPID:STRING):BOOLEAN
1453: Function HeronianMean( const a, b : Float) : Float
1454: function HexToStr(Value: string): string;
1455: function HexToBin(Text,Buffer:PChar; BufSize:Integer):Integer;
1456: function HexToBin2(HexNum: string): string;
1457: Function HexToDouble( const Hex : string) : Double
1458: function HexToInt(hexnum: string): LongInt;
1459: function HexToStr(Value: string): string;
1460: Function HexifyBlock( var Buffer, BufferSize : Integer) : string
1461: function Hi(vdat: word): byte;
1462: function HiByte(W: Word): Byte)
1463: function High: Int64;
1464: Function HighlightCell(DataCol,DataRow: Integer; const Value:string; AState:TGridDrawState): Boolean
1465: function HINSTANCE: longword;
1466: function HiWord(l: DWORD): Word)
1467: function HMODULE: longword;
1468: Function HourOf( const AValue : TDateTime) : Word
1469: Function HourOfTheDay( const AValue : TDateTime) : Word
1470: Function HourOfTheMonth( const AValue : TDateTime) : Word
1471: Function HourOfTheWeek( const AValue : TDateTime) : Word
1472: Function HourOfTheYear( const AValue : TDateTime) : Word
1473: Function HoursBetween( const ANow, AThen : TDateTime) : Int64
1474: Function HourSpan( const ANow, AThen : TDateTime) : Double
1475: Function HSLToRGB1( const H, S, L : Single) : TColor32;
1476: Function HTMLDecode( const AStr : String) : String
1477: Function HTMLEncode( const AStr : String) : String
1478: Function HTMLEscape( const Str : string) : string
1479: Function HtmlTable( DataSet : TDataSet; DataSetHandler : TDSTableProducer; MaxRows : Integer) : string
1480: Function HTTPDecode( const AStr : String) : string
1481: Function HTTPEncode( const AStr : String) : string
1482: Function Hypot( const X, Y : Extended) : Extended
1483: Function IBMax( n1, n2 : Integer) : Integer
1484: Function IBMin( n1, n2 : Integer) : Integer
1485: Function IBRandomString( iLength : Integer) : String
1486: Function IBRandomInteger( iLow, iHigh : Integer) : Integer
1487: Function IBStripString( st : String; CharsToStrip : String) : String
1488: Function IBFormatIdentifier( Dialect : Integer; Value : String) : String

```

```

1489: Function IBFormatIdentifierValue( Dialect : Integer; Value : String ) : String
1490: Function IBExtractIdentifier( Dialect : Integer; Value : String ) : String
1491: Function IBQuoteIdentifier( Dialect : Integer; Value : String ) : String
1492: Function IBAddIBParamSQLForDetail(Params:TPParams;SQL:string;Native:Boolean;Dialect:Integer):string
1493: Procedure IBDecomposeDatabaseName(DatabaseName:String;var ServerName,Protocol,DatabasePath:String)
1494: Function RandomString( iLength : Integer ) : String';
1495: Function RandomInteger( iLow, iHigh : Integer ) : Integer';
1496: Function StripString( st : String; CharsToStrip : String ) : String';
1497: FUNCTION Strip(const SubString: String; MainString: String): String;
1498: function StripTags(const S: string): string; //<'> of HTML
1499: function SizeToString(size : Int64; const unitStr : String) : String;
1500: FUNCTION NumberToString(No: Word): String;
1501: Function FormatIdentifier( Dialect : Integer; Value : String ) : String';
1502: Function FormatIdentifierValue( Dialect : Integer; Value : String ) : String';
1503: Function ExtractIdentifier( Dialect : Integer; Value : String ) : String';
1504: Function QuoteIdentifier( Dialect : Integer; Value : String ) : String';
1505: Function AddIBParamSQLForDetail(Params:TPParams;SQL:string;Native:Boolean;Dialect:Integer):string
1506: Procedure DecomposeDatabaseName(DatabaseName:String;var ServerName,Protocol,DatabasePath:String);
1507: function NextSQLToken(var p: PChar; var Token: String; CurSection: TSQLToken): TSQLToken;
1508: Function IconToBitmap( Ico : HICON ) : TBitmap
1509: Function IconToBitmap2( Ico : HICON; Size : Integer; TransparentColor : TColor ) : TBitmap
1510: Function IconToBitmap3( Ico : HICON; Size : Integer; TransparentColor : TColor ) : TBitmap
1511: function IdentToCharset(const Ident: string; var Charset: Longint): Boolean
1512: function IdentToColor(const Ident: string; var Color: Longint): Boolean
1513: function IdentToCursor(const Ident: string; var cursor: Longint): Boolean;
1514: Function IdGetDefaultCharSet : TIdCharSet
1515: function IDispatchInvoke(Self:IDispatch;ProperSet:Boolean;const Name:String;Par:array of variant):variant
1516: Function IdPorts2 : TStringList
1517: Function IdToMib( const Id : string ) : string
1518: Function IdSHA1Hash(apath: string): string
1519: Function IdHashSHA1(apath: string): string
1520: Function IfStr( const bCondition : boolean; const sTrue : string; const sFalse : string ) : string
1521: Function IfThen( AValue : Boolean; const ATrue : string; AFalse : string ) : string;
1522: Function IfThenInt( AValue : Boolean; const ATrue : integer; AFALSE : integer): integer';
1523: Function IfThenDouble( AValue : Boolean; const ATrue : double; AFALSE : double): double';
1524: Function IfThenBool( AValue : Boolean; const ATrue : boolean; AFALSE : boolean): boolean';
1525: Function iif1( ATest : Boolean; const ATrue : Integer; const AFALSE : Integer ) : Integer;
1526: Function iif2( ATesT : Boolean; const ATrue : string; const AFALSE : string ) : string;
1527: Function iif3( ATesT : Boolean; const ATrue : Boolean; const AFALSE : Boolean ) : Boolean;
1528: function ImportTest(S1: string;s2:longint; s3:Byte; s4:word; var s5:string): string;
1529: Function IncDay( const AValue : TDateTime; const ANumberOfDays : Integer ) : TDateTime
1530: Function IncHour( const AValue : TDateTime; const ANumberOfHours : Int64 ) : TDateTime
1531: Function IncLimit( var B : Byte; const Limit : Byte; const Incr : Byte ) : Byte;
1532: Function IncLimit1( var B : Shortint; const Limit : Shortint; const Incr : Shortint ) : Shortint;
1533: Function IncLimit2( var B : Smallint; const Limit : Smallint; const Incr : Smallint ) : Smallint;
1534: Function IncLimit3( var B : Word; const Limit : Word; const Incr : Word ) : Word;
1535: Function IncLimit4( var B : Integer; const Limit : Integer; const Incr : Integer ) : Integer;
1536: Function IncLimit5( var B : Cardinal; const Limit : Cardinal; const Incr : Cardinal ) : Cardinal;
1537: Function IncLimit6( var B : Int64; const Limit : Int64; const Incr : Int64 ) : Int64;
1538: Function IncLimitClamp( var B : Byte; const Limit : Byte; const Incr : Byte ) : Byte;
1539: Function IncLimitClamp1( var B : Shortint; const Limit : Shortint; const Incr : Shortint ) : Shortint;
1540: Function IncLimitClamp2( var B : Smallint; const Limit : Smallint; const Incr : Smallint ) : Smallint;
1541: Function IncLimitClamp3( var B : Word; const Limit : Word; const Incr : Word ) : Word;
1542: Function IncLimitClamp4( var B : Integer; const Limit : Integer; const Incr : Integer ) : Integer;
1543: Function IncLimitClamp5( var B : Cardinal; const Limit : Cardinal; const Incr : Cardinal ) : Cardinal;
1544: Function IncLimitClamp6( var B : Int64; const Limit : Int64; const Incr : Int64 ) : Int64;
1545: Function IncludeTrailingBackslash( S : string ) : string
1546: function IncludeTrailingBackslash(const S: string): string
1547: Function IncludeTrailingPathDelimiter( const APPath : string ) : string
1548: Function IncludeTrailingPathDelimiter( S : string ) : string
1549: function IncludeTrailingPathDelimiter(const S: string): string
1550: Function IncludeTrailingSlash( const APPath : string ) : string
1551: Function IncMillisecond( const AValue : TDateTime; const ANumberOfMilliseconds : Int64 ) : TDateTime
1552: Function IncMinute( const AValue : TDateTime; const ANumberOfMinutes : Int64 ) : TDateTime
1553: Function IncMonth( DateTime : TDateTime; NumberOfMonths : Integer ) : TDateTime
1554: function IncMonth(const DateTime: TDateTime; NumberOfMonths: Integer): TDateTime
1555: Function IncSecond( const AValue : TDateTime; const ANumberOfSeconds : Int64 ) : TDateTime
1556: Function IncWeek( const AValue : TDateTime; const ANumberOfWeeks : Integer ) : TDateTime
1557: Function IncYear( const AValue : TDateTime; const ANumberOfYears : Integer ) : TDateTime
1558: Function IndexOf( AClass : TClass ) : Integer
1559: Function IndexOf( AComponent : TComponent ) : Integer
1560: Function IndexOf( AObject : TObject ) : Integer
1561: Function INDEXOF( const ANAME : String ) : INTEGER
1562: Function IndexOf( const DisplayName : string ) : Integer
1563: Function IndexOf( const Item : TBookmarkStr ) : Integer
1564: Function IndexOf( const S : WideString ) : Integer
1565: Function IndexOf( const View : TJclFileMappingView ) : Integer
1566: Function INDEXOF( FIELD : TFIELD ) : INTEGER
1567: Function IndexOf( ID : LCID ) : Integer
1568: Function INDEXOF( ITEM : TMENUITEM ) : INTEGER
1569: Function IndexOf( Value : TListItem ) : Integer
1570: Function IndexOf( Value : TTreeNode ) : Integer
1571: function IndexOf(const S: string): Integer;
1572: Function IndexOfName( const Name : WideString ) : Integer
1573: function IndexOfName(Name: string): Integer;
1574: Function IndexOfObject( AObject : TObject ) : Integer
1575: function IndexOfObject(AObject:tObject):Integer
1576: Function IndexOfTabAt( X, Y : Integer ) : Integer
1577: Function IndexStr( const AText : string; const AValues : array of string ) : Integer

```

```

1578: Function IndexText( const AText : string; const AValues : array of string) : Integer
1579: Function IndexOfInteger( AList : TStringList; Value : Variant) : Integer
1580: Function IndexOffloat( Alist : TStringList; Value : Variant) : Integer
1581: Function IndexOfDate( Alist : TStringList; Value : Variant) : Integer
1582: Function IndexOfString( Alist : TStringList; Value : Variant) : Integer
1583: Function IndyCompareStr( const A1 : string; const A2 : string) : Integer
1584: Function IndyGetHostName : string
1585: Function IndyInterlockedDecrement( var I : Integer) : Integer
1586: Function IndyInterlockedExchange( var A : Integer; B : Integer) : Integer
1587: Function IndyInterlockedExchangeAdd( var A : Integer; B : Integer) : Integer
1588: Function IndyInterlockedIncrement( var I : Integer) : Integer
1589: Function IndyLowerCase( const A1 : string) : string
1590: Function IndyStrToBool( const AString : String) : Boolean
1591: Function IndyUpperCase( const A1 : string) : string
1592: Function InitCommonControl( CC : Integer) : Boolean
1593: Function InitTempPath : string
1594: Function InMainThread : boolean
1595: Function InOpArray( W : WideChar; sets : array of WideChar) : boolean
1596: Function Input : Text
1597: Function InputBox( const ACaption, APrompt, ADefault : string) : string
1598: function InputBox(const ACaption: string; const APrompt: string; const ADefault: string): string
1599: Function InputLn(const AMask: string; AEcho:Boolean;ATabWidth:Integer;AMaxLineLength:Integer): string
1600: Function InputQuery( const ACaption, APrompt : string; var Value : string) : Boolean
1601: function InputQuery(const ACaption: string; const APrompt: string; var Value: string): Boolean
1602: Function InquireSignal( RtlSignalNum : Integer) : TSignalState
1603: Function InRanger( const A, Min, Max : Double) : Boolean
1604: function Insert( Index : Integer) : TCollectionItem
1605: Function Insert( Index : Integer) : TComboExItem
1606: Function Insert( Index : Integer) : THeaderSection
1607: Function Insert( Index : Integer) : TListItem
1608: Function Insert( Index : Integer) : TStatusPanel
1609: Function Insert( Index : Integer) : TWorkArea
1610: Function Insert( Index : LongInt; const Text : string) : LongInt
1611: Function Insert( Sibling : TTreeNode; const S : string) : TTreeNode
1612: Function INSERTNEWLINEAFTER( AITEM : TMENUITEM) : INTEGER
1613: Function INSERTNEWLINEBEFORE( AITEM : TMENUITEM) : INTEGER
1614: Function InsertNode( Node, Sibling : TTreeNode; const S : string; Ptr : Pointer) : TTreeNode
1615: Function InsertObject( Index : LongInt; const Text : string; const Data : Pointer) : LongInt
1616: Function InsertObject( Sibling : TTreeNode; const S : string; Ptr : Pointer) : TTreeNode
1617: Function Instance : Longint
1618: function InstanceSize: Longint
1619: Function Int(e : Extended) : Extended;
1620: function Int64ToStr(i: Int64): String;
1621: Function IntegerToBcd( const AValue : Integer) : TBcd
1622: Function Intensity( const Color32 : TColor32) : Integer;
1623: Function Intensity( const R, G, B : Single) : Single;
1624: Function InterestPayment( const Rate:Extended;Period,NPeriods:Integer;const PresentValue,
  FutureValue:Extended; PaymentTime : TPaymentTime) : Extended
1625: Function InterestRate(NPeriods:Integer;const Payment,PresVal,
  FutureVal:Extended;PaymentTime:TPaymentTime):Extended
1626: Function InternalDecodeDate( DateTime: TDateTime; var Year, Month, Day, DOW : Word) : Boolean
1627: Function InternalRateOfReturn( const Guess : Extended; const CashFlows : array of Double) : Extended
1628: Function InternalUpdateRecord( Tree : TUpdateTree) : Boolean
1629: Function IntersectRect( out Rect : TRect; const R1, R2 : TRect) : Boolean
1630: function IntersectRect(out Rect : TRect; const R1, R2: TRect): Boolean
1631: Function IntMibToStr( const Value : string) : string
1632: Function IntPower( const Base : Extended; const Exponent : Integer) : Extended
1633: Function IntToBin( Value : cardinal) : string
1634: Function IntToHex( Value : Integer; Digits : Integer) : string;
1635: function IntToHex(a: integer; b: integer): string;
1636: Function IntToHex64( Value : Int64; Digits : Integer) : string;
1637: function IntToHex64(Value: Int64; Digits: Integer): string
1638: Function IntTo3Str( Value : Longint; separator: string) : string
1639: Function inttobool( aInt : LongInt) : Boolean
1640: function IntToStr(i: Int64): String;
1641: Function IntToStr64(Value: Int64): string
1642: function IOResult: Integer
1643: Function IPv6AddressToStr(const AValue: TIIPv6Address): string
1644: function IPAddrToHostName(const IP: string): string;
1645: Function IsAccel(VK: Word; const Str: string): Boolean
1646: Function IsAddressInNetwork( Address : String) : Boolean
1647: Function IsAdministrator : Boolean
1648: Function IsAlias( const Name : string) : Boolean
1649: Function IsApplicationRunning( const AClassName, ApplName : string) : Boolean
1650: Function IsASCII( const AByte : Byte) : Boolean;
1651: Function IsASCIILDH( const AByte : Byte) : Boolean;
1652: Function IsAssembly(const FileName: string): Boolean;
1653: Function IsBcdNegative( const Bcd : TBcd) : Boolean
1654: Function IsBinary(const AChar : Char) : Boolean
1655: function IsConsole: Boolean)
1656: Function IsDelimiter( Delimiters, S : string; Index : Integer) : Boolean
1657: function IsDelimiter(const Delimiters: string; const S: string; Index: Integer): Boolean
1658: Function IsDelphiDesignMode : boolean
1659: Function IsDelphiRunning : boolean
1660: Function IsDFAState : boolean
1661: Function IsDirectory( const FileName : string) : Boolean
1662: Function IsDomain( const S : String) : Boolean
1663: function IsDragObject(Sender: TObject): Boolean;
1664: Function IsEditing : Boolean

```

```

1665: Function ISEmpty : BOOLEAN
1666: Function IsEqual( Value : TParameters ) : Boolean
1667: Function ISEqual( VALUE : TPARAMS ) : BOOLEAN
1668: function IsEqualGUID( const guid1, guid2: TGUID): Boolean
1669: Function IsFirstNode : Boolean
1670: Function IsFloatZero( const X : Float ) : Boolean
1671: Function IsFormatRegistered( Extension, AppID : string ) : Boolean
1672: Function IsFormOpen( const FormName: string): Boolean;
1673: Function IsFQDN( const S : String ) : Boolean
1674: Function IsGrayScale : Boolean
1675: Function IsHex( AChar : Char ) : Boolean;
1676: Function IsHexString( const AString: string): Boolean;
1677: Function IsHostname( const S : String ) : Boolean
1678: Function IsInfinite( const AValue : Double) : Boolean
1679: Function IsInLeapYear( const AValue : TDateTime ) : Boolean
1680: Function IsInternet: boolean;
1681: Function IsLeadChar( ACh : Char ) : Boolean
1682: Function IsLeapYear( Year : Word) : Boolean
1683: function IsLeapYear(Year: Word): Boolean)
1684: function IsLibrary: Boolean)
1685: Function ISLINE : BOOLEAN
1686: Function IsLinkedTo( DataSet : TDataSet ) : Boolean
1687: Function ISLINKEDTO( DATASOURCE : TDATASOURCE ) : BOOLEAN
1688: Function IsLiteralChar( const EditMask : string; Offset : Integer ) : Boolean
1689: Function IsMatch( const Pattern, Text : string) : Boolean //Grep like RegEx
1690: Function IsMainAppWindow( Wnd : HWND ) : Boolean
1691: Function IsMediaPresentInDrive( Drive : Char ) : Boolean
1692: function IsMemoryManagerSet: Boolean)
1693: Function IsMultiTableQuery( const SQL : WideString ) : Boolean
1694: function IsMultiThread: Boolean)
1695: Function IsNumeric( AChar : Char ) : Boolean;
1696: Function IsNumeric2( const AString : string ) : Boolean;
1697: Function IsNTFS: Boolean;
1698: Function IsOctal( AChar : Char ) : Boolean;
1699: Function IsOctalString(const AString: string) : Boolean;
1700: Function IsPathDelimiter( S : string; Index : Integer ) : Boolean
1701: function IsPathDelimiter(const S: string; Index: Integer): Boolean)
1702: Function IsPM( const AValue : TDateTime ) : Boolean
1703: Function IsPositiveFloatArray( const X : TDynFloatArray ) : Boolean
1704: Function IsPortAvailable( ComNum : Cardinal ) : Boolean');
1705: Function IsComPortReal( ComNum : Cardinal ) : Boolean');
1706: Function IsCOM( ComNum : Cardinal ) : Boolean');
1707: Function IsComPort: Boolean');
1708: Function IsPrimeFactor( const F, N : Cardinal ) : Boolean
1709: Function IsPrimerM( N : Cardinal ) : Boolean //rabin miller
1710: Function IsPrimeTD( N : Cardinal ) : Boolean //trial division
1711: Function IsPrivilegeEnabled( const Privilege : string) : Boolean
1712: Function ISqrt( const I : Smallint ) : Smallint
1713: Function IsReadOnly(const Filename: string): boolean;
1714: Function IsRectEmpty( const Rect : TRect ) : Boolean
1715: function IsRectEmpty(const Rect): Boolean)
1716: Function IsRelativePrime( const X, Y : Cardinal ) : Boolean
1717: Function ISRIGHTTOLEFT : BOOLEAN
1718: function IsRightToLeft: Boolean
1719: Function IsSameDay( const AValue, ABasis : TDateTime ) : Boolean
1720: Function ISSEQUENCED : BOOLEAN
1721: Function IsSystemModule( const Module : HMODULE ) : Boolean
1722: Function IsSystemResourcesMeterPresent : Boolean
1723: Function IsTCPPortOpen(dwPort : Word; ipAddressStr: String): boolean;
1724: Function IsToday( const AValue : TDateTime ) : Boolean
1725: function IsToday(const AValue: TDateTime): Boolean;
1726: Function IsTopDomain( const AStr : string ) : Boolean
1727: Function IsUTF8LeadByte( Lead : Char ) : Boolean
1728: Function IsUTF8String( const s : UTF8String ) : Boolean
1729: Function IsUTF8TrailByte( Lead : Char ) : Boolean
1730: Function ISVALIDCHAR( INPUTCHAR : CHAR ) : BOOLEAN
1731: Function IsValidDate( const AYear, AMonth, ADay : Word ) : Boolean
1732: Function IsValidDateDay( const AYear, ADayOfYear : Word ) : Boolean
1733: Function IsValidDateMonthWeek( const AYear, AMonth, AWeekOfMonth, ADayOfWeek : Word ) : Boolean
1734: Function IsValidDateTime( const AYear,AMonth, ADay,AHour,AMinute, ASecond, AMilliSecond: Word): Boolean
1735: Function IsValidDateWeek( const AYear, AWeekOfYear, ADayOfWeek : Word ) : Boolean
1736: Function IsValidIdent( Ident : string ) : Boolean
1737: function IsValidIdent1(const Ident: string; AllowDots: Boolean): Boolean)
1738: Function IsValidIP( const S : String ) : Boolean
1739: Function IsValidTime( const AHour, AMinute, ASecond, AMilliSecond : Word ) : Boolean
1740: Function IsValidPNG(stream: TStream): Boolean;
1741: Function IsValidJPEG(stream: TStream): Boolean;
1742: Function IsValidISBN( const ISBN : AnsiString ) : Boolean
1743: Function IsVariantManagerSet: Boolean; //deprecated;
1744: Function IsVirtualPcGuest : Boolean;
1745: Function IsVmWareGuest : Boolean;
1746: Function IsVCLControl(Handle: HWnd): Boolean;
1747: Function IsWhiteString( const AStr : String ) : Boolean
1748: Function IsWindowResponding( Wnd : HWND; Timeout : Integer ) : Boolean
1749: Function IsWo64: boolean;
1750: Function IsWin64: boolean;
1751: Function IsWow64String(var s: string): Boolean;
1752: Function IsWin64String(var s: string): Boolean;
1753: Function IsWindowsVista: boolean;

```

```

1754: Function isPowerof2(num: int64): boolean;
1755: Function powerOf2(exponent: integer): int64;
1756: function IsZero(const A: Extended; Epsilon: Extended): Boolean //overload;
1757: function IsZero1(const A: Double; Epsilon: Double): Boolean //overload;
1758: function IsZero2(const A: Single; Epsilon: Single): Boolean //overload;
1759: Function ItemAtPos( Pos : TPoint; IgnoreTabHeight : Boolean) : Integer
1760: function ITEMATPOS(POS:TPOINT;EXISTING:BOOLEAN):INTEGER
1761: Function ItemRect( Index : Integer) : TRect
1762: function ITEMRECT(INDEX:INTEGER):TRECT
1763: Function ItemWidth( Index : Integer) : Integer
1764: Function JavahashCode(val: string): Integer;
1765: Function JosephusG(n,k: integer; var graphout: string): integer;
1766: Function JulianDateToDateTime( const AValue : Double) : TDateTime
1767: Function JustName(PathName: string) : string; //in path and ext
1768: Function JvMessageBox( const Text, Caption : string; Flags : DWORD) : Integer;
1769: Function JvMessageBox1( const Text : string; Flags : DWORD) : Integer;
1770: Function KeepAlive : Boolean
1771: Function KeysToShiftState(Keys: Word): TShiftState;
1772: Function KeyDataToShiftState(KeyData: Longint): TShiftState;
1773: Function KeyboardStateToShiftState2(const KeyboardState: TKeyboardState): TShiftState;
1774: Function KeyboardStateToShiftState: TShiftState; overload;
1775: Function Languages : TLanguages
1776: Function Last : TClass
1777: Function Last : TComponent
1778: Function Last : TObject
1779: Function LastDelimiter( Delimiters, S : string) : Integer
1780: function LastDelimiter(const Delimiters: string; const S: string): Integer
1781: Function LastPos( const ASubstr : string; const AStr : string) : Integer
1782: Function Latitude2WGS84(lat: double): double;
1783: Function LCM(m,n:longint):longint;
1784: Function LCMJ( const X, Y : Cardinal) : Cardinal
1785: Function Ldexp( const X : Extended; const P : Integer) : Extended
1786: Function LeftStr( const AText : AnsiString; const ACount : Integer) : AnsiString;
1787: Function LeftStr( const AText : WideString; const ACount : Integer) : WideString;
1788: function Length: Integer;
1789: Procedure LetFileList(FileList: TStringlist; apath: string);
1790: function lengthmp3(mp3path: string):integer;
1791: Function LineInRect( const P1, P2 : TPoint; const Rect : TRect) : Boolean;
1792: Function LineInRect1( const P1, P2 : TFloatPoint; const Rect : TFloatRect) : Boolean;
1793: function LinesCount(sfilename:string):extended;
1794: function TextfileLineCount(const FileName: string): integer;
1795: Function LineSegmentIntersection(const L1P1 : TFloatPoint; L1P2 : TFloatPoint; const L2P1 : TFloatPoint;
  L2P2 : TFloatPoint; var P : TFloatPoint) : Boolean
1796: function LineStart(Buffer, BufPos: PChar): PChar
1797: function LineStart(Buffer, BufPos: PChar): PChar
1798: function ListSeparator: char;
1799: function Ln(x: Extended): Extended;
1800: Function LnXP1( const X : Extended) : Extended
1801: function Lo(vdat: word): byte;
1802: Function LoadCursor(hInstance: HINST; lpCursorName: PChar): HCURSOR
1803: Function LoadedModulesList( const List : TStrings; ProcessID : DWORD; HandlesOnly : Boolean) : Boolean
1804: Function LoadFileAsString( const FileName : string) : string
1805: Function LoadFromFile( const FileName : string) : TBitmapLoader
1806: function Loadfile(const FileName: TFileName): string;
1807: Function LoadLibraryEx(LibName: PChar; hFile: Longint; Flags: Longint): Longint; stdcall;
1808: Function LoadPackage(const Name: string): HMODULE
1809: Function LoadResource( ModuleHandle : HMODULE; ResHandle : TResourceHandle) : HGLOBAL
1810: Function LoadStr( Ident : Integer) : string
1811: Function LoadString(Instance: Longint; Ident: Integer; Buffer: PChar; Size: Integer): Integer; stdcall;
1812: Function LoadWideStr( Ident : Integer) : WideString
1813: Function LOCATE(const KEYFIELDS: String;const KEYVALUES:VARIANT;OPTIONS: TLOCATEOPTIONS) : BOOLEAN
1814: Function LockRegion( libOffset : Longint; cb : Largeint; dwLockType : Longint) : HResult
1815: Function LockServer( fLock : LongBool) : HResult
1816: Function LockVolume( const Volume : string; var Handle : THandle) : Boolean
1817: Function Log( const X : Extended) : Extended
1818: Function Log10( const X : Extended) : Extended
1819: Function Log2( const X : Extended) : Extended
1820: function LogBase10(X: Float): Float;
1821: Function LogBase2(X: Float): Float;
1822: Function LogBaseN(Base, X: Float): Float;
1823: Function LogN( const Base, X : Extended) : Extended
1824: Function LogOffOS : Boolean
1825: Function LoginDialog( const ADatabaseName : string; var AUserName, APassword : string) : Boolean
1826: Function LoginDialogEx(const ADatabaseName:string;var AUserName,APassword:string;NameReadOnly:Bool):Bool;
1827: Function LongDateFormat: string;
1828: function LongTimeFormat: string;
1829: Function LongWordToFourChar( ACARDINAL : LongWord) : string
1830: Function LOOKUP(const KEYFIELDS: String; const KEYVALUES: VARIANT; const RESULTFIELDS: String): VARIANT
1831: Function LookupName( const name : string) : TInAddr
1832: Function LookupService( const service : string) : Integer
1833: function Low: Int64;
1834: Function LowerCase( S : string) : string
1835: Function Lowercase(s : AnyString) : AnyString;
1836: Function LRot( const Value : Byte; const Count : TBitRange) : Byte;
1837: Function LRot1( const Value : Word; const Count : TBitRange) : Word;
1838: Function LRot2( const Value : Integer; const Count : TBitRange) : Integer;
1839: function MainInstance: longword
1840: function MainThreadID: longword
1841: Function Map(x, in_min, in_max, out_min, out_max: integer): integer; //arduino

```

```

1842: Function mapMax(ax, in_min, in_max, out_min, out_max: integer): integer;
1843: Function MakeCanonicalIPv4Address( const AAddr : string) : string
1844: Function MakeCanonicalIPv6Address( const AAddr : string) : string
1845: Function MakeIDB( out Bitmap : PBitmapInfo) : Integer
1846: Function MakeWordIntoIPv4Address( const ADWord : Cardinal) : string
1847: Function Makefile(const FileName: string): integer)';
1848: function MakeLong(A, B: Word): Longint)
1849: Function MakeTempFilename( const APPath : String) : string
1850: Function MakeValidFileName( const Str : string) : string
1851: Function MakeValueMap( Enumeration : string; ToCds : Boolean) : string
1852: function MakeWord(A, B: Byte): Word)
1853: Function MakeYear4Digit( Year, Pivot : Integer) : Integer
1854: Function MapDateTime(const DateFormatType:string; DateFormat:string;Value:string;ToCds:Boolean): string
1855: Function MapValues( Mapping : string; Value : string) : string
1856: Function MaskDoFormatText( const EditMask : string; const Value : string; Blank : Char) : string
1857: Function MaskGetCharType( const EditMask : string; MaskOffset : Integer) : TMaskCharType
1858: Function MaskGetCurrentDirectives( const EditMask : string; MaskOffset : Integer) : TMaskDirectives
1859: Function MaskGetFldSeparator( const EditMask : string) : Integer
1860: Function MaskGetMaskBlank( const EditMask : string) : Char
1861: Function MaskGetMaskSave( const EditMask : string) : Boolean
1862: Function MaskIntLiteralToChar( IChar : Char) : Char
1863: Function MaskOffsetToOffset( const EditMask : String; MaskOffset : Integer) : Integer
1864: Function MaskOffsetToWideOffset( const EditMask : String; MaskOffset : Integer) : Integer
1865: Function MaskString( Mask, Value : String) : String
1866: Function Match( const sString : string) : TniRegularExpressionMatchResul
1867: Function Match1( const sString : string; iStart : integer) : TniRegularExpressionMatchResult
1868: Function Matches( const Filename : string) : Boolean
1869: Function MatchesMask( const Filename, Mask : string) : Boolean
1870: Function MatchStr( const AText : string; const AValues : array of string) : Boolean
1871: Function MatchText( const AText : string; const AValues : array of string) : Boolean
1872: Function Max( AValueOne, AValueTwo : Integer) : Integer
1873: function Max(const x,y: Integer): Integer;
1874: Function Max1( const B1, B2 : Shortint) : Shortint;
1875: Function Max2( const B1, B2 : Smallint) : Smallint;
1876: Function Max3( const B1, B2 : Word) : Word;
1877: function Max3(const x,y,z: Integer): Integer;
1878: Function Max4( const B1, B2 : Integer) : Integer;
1879: Function Max5( const B1, B2 : Cardinal) : Cardinal;
1880: Function Max6( const B1, B2 : Int64) : Int64;
1881: Function Max64( const AValueOne, AValueTwo : Int64) : Int64
1882: Function MaxFloat( const X, Y : Float) : Float
1883: Function MaxFloatArray( const B : TDynFloatArray) : Float
1884: Function MaxFloatArrayIndex( const B : TDynFloatArray) : Integer
1885: function MaxIntValue(const Data: array of Integer):Integer)
1886: Function MaxJ( const B1, B2 : Byte) : Byte;
1887: function MaxPath: string;
1888: function MaxValue(const Data: array of Double): Double)
1889: Function MaxCalc( const Formula : string) : Extended //math expression parser
1890: Procedure MaxCalcF( const Formula : string); //out to console memo2
1891: Function MaxCalcs( const Formula : string): string)';
1892: function MD5(const fileName: string): string;
1893: Function Mean( const Data : array of Double) : Extended
1894: Function Median( const X : TDynFloatArray) : Float
1895: Function Memory : Pointer
1896: Function MemoryPos( const ASubStr : string; MemBuff : PChar; MemorySize : Integer) : Integer
1897: Function MessageBox(hndl: cardinal; text, caption: string; utype: cardinal): Integer;
1898: function MESSAGEBOX(TEXT,CAPTION:PCHAR;FLAGS:WORD):INTEGER
1899: Function MessageDlg(const Msg:string;DlgType:TMsgDlgType;Buttons:TMsgDlgButtons;HelpCtx:Longint): Integer;
1900: Function MessageDlg1(const
  Msg:string;DlgType:TMsgDlgType;Buttons:TMsgDlgButtons;HelpCtx:Longint;DefaultButton:TMsgDlgBtn): Integer;
1901: Function MessageDlgPos(const Msg:string;DlgType:TMsgDlgType;Buttons:TMsgDlgButtons;HelpCtx:Longint;X,
  Y:Integer):Integer;
1902: Function MessageDlgPos1( const Msg : string; DlgType : TMsgDlgType; Buttons : TMsgDlgButtons; HelpCtx :
  Longint; X, Y : Integer; DefaultButton : TMsgDlgBtn ) : Integer;
1903: Function MessageDlgPosHelp( const Msg : string; DlgType : TMsgDlgType; Buttons : TMsgDlgButtons; HelpCtx :
  Longint; X, Y : Integer; const HelpFileName : string ) : Integer;
1904: Function MessageDlgPosHelp1( const Msg : string; DlgType : TMsgDlgType; Buttons : TMsgDlgButtons; HelpCtx :
  Longint; X, Y : Integer; const HelpFileName : string; DefaultButton : TMsgDlgBtn ) : Integer;
1905: Function MibToId( Mib : string) : string
1906: Function MidStr( const AText : AnsiString; const AStart, ACount : Integer) : AnsiString;
1907: Function MidStr( const AText : WideString; const AStart, ACount : Integer) : WideString;
1908: Function microsecondsToCentimeters(milliseconds: longint): longint; //340m/s speed of sound
1909: Function Micros(const Timer:THPTimer;const TimerRunning:Boolean):Int64//TypeS('THPTimer', 'Int64
1910: Function MIDIOut( DeviceID : Cardinal) : IJclMIDIOut
1911: Procedure GetMidiOutputs( const List : TStrings)
1912: // GetGEOMAPX('html',ExePath+cologne2mapX.html','cathedral cologne')
1913: Procedure GetGEOMap(C_form,apath: string; const Data: string); //C_form: [html/json/xml]
1914: Function MIDISingleNoteTuningData( Key : TMIDINote; Frequency : Single) : TSingleNoteTuningData
1915: Function MIDINoteToStr( Note : TMIDINote) : string
1916: Function WinMidiOut( DeviceID : Cardinal) : IJclWinMidiOut
1917: Procedure GetMidiOutputs( const List : TStrings)
1918: Procedure MidiOutCheck( Code : MMResult)
1919: Procedure MidiInCheck( Code : MMResult)
1920: Function MillisecondOf( const AValue : TDateTime) : Word
1921: Function MillisecondOfTheDay( const AValue : TDateTime) : LongWord
1922: Function MillisecondOfTheHour( const AValue : TDateTime) : LongWord
1923: Function MillisecondOfTheMinute( const AValue : TDateTime) : LongWord
1924: Function MillisecondOfTheMonth( const AValue : TDateTime) : LongWord
1925: Function MillisecondOfTheSecond( const AValue : TDateTime) : Word

```

```

1926: Function MillisecondOfTheWeek( const AValue : TDateTime ) : LongWord
1927: Function MillisecondOfTheYear( const AValue : TDateTime ) : Int64
1928: Function MillisecondsBetween( const ANow, AThen : TDateTime ) : Int64
1929: Function MillisecondSpan( const ANow, AThen : TDateTime ) : Double
1930: Function milliToDateTime( Millisecond : LongInt ) : TDateTime';
1931: Function Micros( const Timer : THPTimer; const TimerRunning : Boolean ) : Int64
1932: Function millis: int64;
1933: Function Min( AValueOne, AValueTwo : Integer ) : Integer
1934: Function Min1( const B1, B2 : Shortint ) : Shortint;
1935: Function Min2( const B1, B2 : Smallint ) : Smallint;
1936: Function Min3( const B1, B2 : Word ) : Word;
1937: Function Min4( const B1, B2 : Integer ) : Integer;
1938: Function Min5( const B1, B2 : Cardinal ) : Cardinal;
1939: Function Min6( const B1, B2 : Int64 ) : Int64;
1940: Function Min64( const AValueOne, AValueTwo : Int64 ) : Int64
1941: Function MinClientRect : TRect;
1942: Function MinClientRect1( IncludeScroller : Boolean ) : TRect;
1943: Function MinClientRect2( TabCount : Integer; IncludeScroller : Boolean ) : TRect;
1944: Function MinFloat( const X, Y : Float ) : Float
1945: Function MinFloatArray( const B : TDynFloatArray ) : Float
1946: Function MinFloatArrayIndex( const B : TDynFloatArray ) : Integer
1947: Function MinimizeName( const Filename : string; Canvas : TCanvas; MaxLen : Integer ) : string
1948: Function MinimizeName( const FileName : TFileName; Canvas : TCanvas; MaxLen : Integer ) : TFileName
1949: function MinimizeName(const Filename: String; Canvas: TCanvas;MaxLen: Integer): TFileName
1950: Function MinIntValue( const Data : array of Integer ) : Integer
1951: function MinIntValue(const Data: array of Integer):Integer
1952: Function MinJ( const B1, B2 : Byte ) : Byte;
1953: Function MinuteOf( const AValue : TDateTime ) : Word
1954: Function MinuteOfTheDay( const AValue : TDateTime ) : Word
1955: Function MinuteOfTheHour( const AValue : TDateTime ) : Word
1956: Function MinuteOfTheMonth( const AValue : TDateTime ) : Word
1957: Function MinuteOfTheWeek( const AValue : TDateTime ) : Word
1958: Function MinuteOfTheYear( const AValue : TDateTime ) : LongWord
1959: Function MinutesBetween( const ANow, AThen : TDateTime ) : Int64
1960: Function MinuteSpan( const ANow, AThen : TDateTime ) : Double
1961: Function MinValue( const Data : array of Double ) : Double
1962: function MinValue(const Data : array of Double): Double
1963: Function MixerLeftRightToArray( Left, Right : Cardinal ) : TDynCardinalArray
1964: Function MMCheck( const MciError : MCIERROr; const Msg : string ) : MCIERROr
1965: Function ModFloat( const X, Y : Float ) : Float
1966: Function ModifiedJulianDateToDateTime( const AValue : Double ) : TDateTime
1967: Function Modify( const Key : string; Value : Integer ) : Boolean
1968: Function ModuleCacheID : Cardinal
1969: Function ModuleFromAddr( const Addr : Pointer ) : HMODULE
1970: Function MonitorFromPoint( const Point : TPoint; MonitorDefault : TMonitorDefaultTo ) : TMonitor
1971: Function MonitorFromRect( const Rect : TRect; MonitorDefault : TMonitorDefaultTo ) : TMonitor
1972: Function MonitorFromWindow( const Handle : THandle; MonitorDefault : TMonitorDefaultTo ) : TMonitor
1973: Function MonthOf( const AValue : TDateTime ) : Word
1974: Function MonthOfTheYear( const AValue : TDateTime ) : Word
1975: Function MonthsBetween( const ANow, AThen : TDateTime ) : Integer
1976: Function MonthSpan( const ANow, AThen : TDateTime ) : Double
1977: Function MonthStr( Date : TDateTime ) : string
1978: Function MouseCoord( X, Y : Integer ) : TGridCoord
1979: Function MOVEBY( DISTANCE : INTEGER ) : INTEGER
1980: Function MoveFile( Source, Dest : string; Flags : FILEOP_FLAGS ) : Boolean
1981: Function MoveNext : Boolean
1982: Function MSecsToTimeStamp( MSecs : Comp ) : TTimeStamp
1983: function MSecsToTimeStamp(MSecs: Comp): TTimeStamp
1984: Function Name : string
1985: Function NetPresentValue(const Rate:Extended;const CashFlows:array of
Double;PaymentTime:TPaymentTime):Extended
1986: function NetworkVolume(DriveChar: Char): string
1987: Function NEWBOTTONLINE : INTEGER
1988: Function NewCompareNode( Field : TField; Operator : TCANOperator; const Value : Variant ) : PExprNode
1989: Function NEWITEM( const ACAPTION : String; ASHORTCUT : TSHORTCUT; ACHECKED, AENABLED : BOOLEAN; AONCLICK : TNOTIFYEVENT; HCTX : WORD; const ANAME : String ) : TMENUITEM
1990: Function NEWLINE : TMENUITEM
1991: Function NEWMENU( OWNER : TCOMPONENT; const ANAME : STRING; ITEMS : array of TMenuItem ) : TMAINMENU
1992: Function NewNode(Kind: TExprNodeKind; Operator:TCANOperator; const Data:Variant; Left,
Right:PExprNode):PExprNode
1993: Function NEWPOPUPMENU(OWNER:TCOMPONENT;const ANAME:String; ALIGNMENT:TPOPUPALIGNMENT;AUTOPOPUP:BOOLEAN;
const ITEMS : array of TCMENUITEM) : TPOPUPMENU
1994: Function NewState( eType : ThiRegularExpressionStateType ) : ThiRegularExpressionState
1995: Function NEWSUBMENU(const ACAPT:String;HCTX:WORD;const ANAME:String;ITEMS:array of
TMenuItem;AENABLED:BOOL): TMENUITEM
1996: Function NEWTOPLINE : INTEGER
1997: Function Next : TIdAuthWhatsNext
1998: Function NextCharIndex( S : String; Index : Integer ) : Integer
1999: Function NextRecordSet : TCustomSQLDataSet
2000: Function NextRecordset( var RecordsAffected : Integer ) : _Recordset
2001: Function NextSQLToken1( var p : WideChar; out Token : WideString; CurSection : TSQLOutput ) : TSQLOutput;
2002: Function NextToken : Char
2003: Function nextToken : WideString
2004: function NextToken:Char
2005: Function Norm( const Data : array of Double ) : Extended
2006: Function NormalizeAngle( const Angle : Extended ) : Extended
2007: Function NormalizeBcd( const InBcd : TBcd; var OutBcd : TBcd; const Prec, Scale : Word ) : Boolean
2008: Function NormalizeRect( const Rect : TRect ) : TRect
2009: function NormalizeRect(const Rect): TRect;

```

```

2010: Function Now : TDateTime
2011: function Now2: tDateTime
2012: Function NumProcessThreads : integer
2013: Function NumThreadCount : integer
2014: Function NthDayOfWeek( const AValue : TDateTime) : Word
2015: Function NtProductType : TNTProductType
2016: Function NtProductTypeString : string
2017: function Null: Variant;
2018: Function NullPoint : TPoint
2019: Function NullRect : TRect
2020: Function Null2Blank(aString:String):String;
2021: Function NumberOfPeriods( const Rate : Extended; Payment : Extended; const PresentValue, FutureValue :
Extended; PaymentTime : TPaymentTime) : Extended
2022: Function NumIP : integer
2023: function Odd(x: Longint): boolean;
2024: Function OffsetFromUTC : TDateTime
2025: Function OffsetPoint( const P, Offset : TPoint) : TPoint
2026: Function OffsetRect( var Rect : TRect; DX : Integer; DY : Integer) : Boolean
2027: function OffsetRect(var Rect: TRect; DX:Integer; DY:Integer): Boolean)
2028: Function OffsetToMaskOffset( const EditMask : string; Offset : Integer) : Integer
2029: Function OkToChangeFieldAlignment( AField : TField; Alignment : TAlignment) : Boolean
2030: Function OldBCDToCurr( const BCD : TBcd; var Curr : Currency) : Boolean
2031: Function OldCurrToBCD(const Curr:Currency; var BCD:TBcd; Precision:Integer;Decimals:Integer): Boolean
2032: function OpenBit:Integer
2033: Function OpenDatabase : TDatabase
2034: Function OpenDatabase( const DatabaseName : string) : TDatabase
2035: Procedure OpenDir(adir: string);
2036: Function OpenGLColorToWinColor( const Red, Green, Blue : Float) : TColor
2037: Function OpenMap(const Data: string): boolean;
2038: Function OpenMapX(const Data: string): boolean;
2039: Function OpenObject( Value : PChar) : Boolean;
2040: Function OpenObject1( Value : string) : Boolean;
2041: Function OpenSession( const SessionName : string) : TSession
2042: Function OpenVolume( const Drive : Char) : THandle
2043: function OrdFourByteToCardinal(AByte1, AByte2, AByte3, AByte4 : Byte): Cardinal
2044: Function OrdFourByteToLongWord( AByte1, AByte2, AByte3, AByte4 : Byte) : LongWord
2045: Function OrdToBinary( const Value : Byte) : string;
2046: Function OrdToBinary1( const Value : Shortint) : string;
2047: Function OrdToBinary2( const Value : Smallint) : string;
2048: Function OrdToBinary3( const Value : Word) : string;
2049: Function OrdToBinary4( const Value : Integer) : string;
2050: Function OrdToBinary5( const Value : Cardinal) : string;
2051: Function OrdToBinary6( const Value : Int64) : string;
2052: Function OSCheck( RetVal : Boolean) : Boolean
2053: Function OSFileTypeToString( const OSFileType : DWORD; const OSFileSubType : DWORD) : string
2054: Function OSIdentToString( const OSIdent : DWORD) : string
2055: Function Output: Text)
2056: Function Overlay( ImageIndex : Integer; Overlay : TOverlay) : Boolean
2057: Function Owner : TCustomListView
2058: function Owner : TPersistent
2059: Function PadInputLiterals( const EditMask : String; const Value : string; Blank : Char) : string
2060: Function PadL( pStr : String; pLth : integer) : String
2061: Function Padl(s : AnyString;I : longInt) : AnyString;
2062: Function PadLCh( pStr : String; pLth : integer; pChr : char) : String
2063: Function PadR( pStr : String; pLth : integer) : String
2064: Function Padr(s : AnyString;I : longInt) : AnyString;
2065: Function PadRCh( pStr : String; pLth : integer; pChr : char) : String
2066: Function PadString( const AString : String; const ALen : Integer; const AChar : Char) : String
2067: Function Padz(s : AnyString;I : longInt) : AnyString;
2068: Function PaethPredictor( a, b, c : Byte) : Byte
2069: Function PARAMBYNAME( const VALUE : String) : TPARAM
2070: Function ParamByName( const Value : WideString) : TParameter
2071: Function ParamCount: Integer
2072: Function ParamsEncode( const ASrc : string) : string
2073: function ParamStr(Index: Integer): string)
2074: Function ParseDate( const DateStr : string) : TDateTime
2075: Function PARSESQL( SQL : string; DOCREATE : BOOLEAN) : String
2076: Function ParseSQL( SQL : WideString; DoCreate : Boolean) : WideString
2077: Function PathAddExtension( const Path, Extension : string) : string
2078: Function PathAddSeparator( const Path : string) : string
2079: Function PathAppend( const Path, Append : string) : string
2080: Function PathBuildRoot( const Drive : Byte) : string
2081: Function PathCanonicalize( const Path : string) : string
2082: Function PathCommonPrefix( const Path1, Path2 : string) : Integer
2083: Function PathCompactPath(const DC:HDC;const Path:string;const Width:Integer;CmpFmt:TCompactPath):string;
2084: Function PathCompactPath1(const Canv:TCanvas;const Path:string;const Width:Int;CmpFmt:TCompactPath):string;
2085: Function PathEncode( const ASrc : string) : string
2086: Function PathExtractFileDirFixed( const S : AnsiString) : AnsiString
2087: Function PathExtractFileNameNoExt( const Path : string) : string
2088: Function PathExtractPathDepth( const Path : string; Depth : Integer) : string
2089: Function PathGetDepth( const Path : string) : Integer
2090: Function PathGetLongName( const Path : string) : string
2091: Function PathGetLongName2( Path : string) : string
2092: Function PathGetShortName( const Path : string) : string
2093: Function PathIsAbsolute( const Path : string) : Boolean
2094: Function PathIsChild( const Path, Base : AnsiString) : Boolean
2095: Function PathIsDiskDevice( const Path : string) : Boolean
2096: Function PathIsUNC( const Path : string) : Boolean
2097: Function PathRemoveExtension( const Path : string) : string

```

```

2098: Function PathRemoveSeparator( const Path : string ) : string
2099: Function Payment(Rate:Extended;NPeriods:Int;const PresentVal,
FutureVal:Extended;PaymentTime:TPaymentTime):Extended
2100: Function Peek : Pointer
2101: Function Peek : TObject
2102: function PERFORM(MSG:CARDINAL;WPARAM,LPARAM:LONGINT):LONGINT
2103: Function PeriodPayment(const Rate:Extended;Period,NPeriods:Integer; const PresentValue, FutureValue :
Extended; PaymentTime : TPaymentTime) : Extended
2104: function Permutation(npr, k: integer): extended;
2105: function PermutationInt(npr, k: integer): Int64;
2106: Function PermutationJ( N, R : Cardinal ) : Float
2107: Function Pi : Extended;
2108: Function PiE : Extended;
2109: Function PixelsToDialogsX( const Pixels : Word ) : Word
2110: Function PixelsToDialogsY( const Pixels : Word ) : Word
2111: Function PlaySound(s: pchar; flag, syncflag: integer): boolean;
2112: Function Point( X, Y : Integer ) : TPoint
2113: function Point(X, Y: Integer): TPoint
2114: Function PointAssign( const X, Y : Integer ) : TPoint
2115: Function PointDist( const P1, P2 : TPoint ) : Double;
2116: function PointDist(const P1,P2: TFloatPoint): Double;
2117: Function PointDist1( const P1, P2 : TFloatPoint ) : Double;
2118: function PointDist2(const P1,P2: TPoint): Double;
2119: Function PointEqual( const P1, P2 : TPoint ) : Boolean
2120: Function PointIsNull( const P : TPoint ) : Boolean
2121: Function PointToLineSegmentDist( const Point, LineP1, LineP2 : TFloatPoint ) : Double
2122: Function Poly( const X : Extended; const Coefficients : array of Double ) : Extended
2123: Function PortTCPIsOpen(dwPort : Word; ipAddressStr: String): boolean;
2124: Function IsTCPPortOpen(dwPort : Word; ipAddressStr: String): boolean;
2125: Function Pop : Pointer
2126: Function Pop : TObject
2127: Function PopnStdDev( const Data : array of Double ) : Extended
2128: Function PopnVariance( const Data : array of Double ) : Extended
2129: Function PopulationVariance( const X : TDynFloatArray ) : Float
2130: function Pos(SubStr, S: AnyString): Longint;
2131: Function PosEqual( const Rect : TRect ) : Boolean
2132: Function PosEx( const SubStr, S : string; Offset : Integer ) : Integer
2133: Function PosInSmallIntArray( const ASearchInt : SmallInt; AArray : array of SmallInt ) : Integer
2134: Function PosInStrArray(const SearchStr:string;Contents:array of string;const CaseSensitive:Boolean):Integer
2135: Function Post1( AURL : string; const ASource : TStrings ) : string;
2136: Function Post2( AURL : string; const ASource : TStream ) : string;
2137: Function Post3( AURL : string; const ASource : TIIdMultiPartFormDataStream ) : string;
2138: Function PostData( const UserData : WideString; const CheckSum : DWORD ) : Boolean
2139: Function PostData( const UserData : WideString; const CheckSum : integer): Boolean
2140: function PostMessage(hWnd: HWND; Msg: longword; wParam: longint; lParam: longint): Boolean;
2141: Function Power( const Base, Exponent : Extended ) : Extended
2142: Function PowerBig(aval, n:integer): string;
2143: Function PowerIntJ( const X : Float; N : Integer ) : Float;
2144: Function PowerJ( const Base, Exponent : Float ) : Float;
2145: Function PowerOffOS : Boolean
2146: Function PreformatDateString( Ps : string ) : string
2147: Function PresentValue(const Rate:Extend;NPeriods:Int;const Payment,
FutureVal:Extend;PaymentTime:TPaymentTime):Extended
2148: Function PrimeFactors( N : Cardinal ) : TDynCardinalArray
2149: Function Printer : TPrinter
2150: Function ProcessPath2( const ABasePath:String; const APPath: String; const APPathDelim:string): string
2151: Function ProcessResponse : TIIdHTTPWhatsNext
2152: Function ProduceContent : string
2153: Function ProduceContentFromStream( Stream : TStream ) : string
2154: Function ProduceContentFromString( const S : string ) : string
2155: Function ProgIDToClassID(const ProgID: string): TGUID;
2156: Function PromptDataLinkfile( ParentHandle : THandle; InitialFile : WideString ) : WideString
2157: Function PromptDataSource( ParentHandle : THandle; InitialString : WideString ) : WideString
2158: Function PromptForFileName( var AFileName : string; const AFilter : string; const ADefaultExt : string;
const ATitle : string; const AInitialDir : string; SaveDialog : Boolean ) : Boolean
2159: function PromptForFileName(var AFileName: string; const AFilter: string; const ADefaultExt: string;const
ATitle: string; const AInitialDir: string; SaveDialog: Boolean)
2160: Function PSScriptNeedFile(Sender:TObject;const OrginFileName:String;var FileName,Output:String):Boolean
2161: Function PtInRect( const Rect : TRect; const P : TPoint ) : Boolean
2162: function PtInRect(const Rect: TRect; const P: TPoint): Boolean
2163: Function Push( AItem : Pointer ) : Pointer
2164: Function Push( AObject : TObject ) : TObject
2165: Function Put1( AURL : string; const ASource : TStream ) : string;
2166: Function Pythagoras( const X, Y : Extended ) : Extended
2167: Function queryDLLInterface( var queryList : TStringList ) : TStringList
2168: Function queryDLLInterfaceTwo( var queryList : TStringList ) : TStringList
2169: Function QueryInterface(const IID: TGUID; out Obj): HResult, CdStdCall
2170: Function queryPerformanceCounter2(mse: int64): int64;
2171: //Function QueryPerformanceCounter(var lpPerformanceCount: Int64): LongBool; stdcall;
2172: //Function QueryPerformanceFrequency(msc: int64): boolean;
2173: Function QueryPerformanceCounter(var lcount: Int64): Boolean; stdcall;
2174: Function QueryPerformanceFrequency(var lfreq: int64): boolean; stdcall;
2175: Procedure QueryPerformanceCounter1(var aC: Int64);
2176: Function QueryPerformanceFrequency1(var freq: int64): boolean;
2177: Function Quote( const ACommand : String ) : SmallInt
2178: Function QuotedStr( S : string ) : string
2179: Function RadToCycle( const Radians : Extended ) : Extended
2180: Function RadToDeg( const Radians : Extended ) : Extended
2181: Function RadToDeg( const Value : Extended ) : Extended;

```

```

2182: Function RadToDeg1( const Value : Double) : Double;
2183: Function RadToDeg2( const Value : Single) : Single;
2184: Function RadToGrad( const Radians : Extended) : Extended;
2185: Function RadToGrad( const Value : Extended) : Extended;
2186: Function RadToGrad1( const Value : Double) : Double;
2187: Function RadToGrad2( const Value : Single) : Single;
2188: Function RandG( Mean, StdDev : Extended) : Extended;
2189: function Random(const ARange: Integer): Integer;
2190: function random2(a: integer): double;
2191: function RandomE: Extended;
2192: function RandomF: Extended;
2193: Function RandomFrom( const AValues : array of string) : string;
2194: Function RandomRange( const AFrom, ATo : Integer) : Integer;
2195: function randSeed: longint;
2196: Function RawToDataColumn( ACol : Integer) : Integer;
2197: Function Read : Char;
2198: Function Read( pv : Pointer; cb : Longint; pcbRead : PLongint) : HResult;
2199: function Read(Buffer:String;Count:LongInt):LongInt;
2200: Function ReadBinaryStream( const Section, Name : string; Value : TStream) : Integer;
2201: Function ReadBool( const Section, Ident : string; Default : Boolean) : Boolean;
2202: Function ReadCardinal( const AConvert : boolean) : Cardinal;
2203: Function ReadChar : Char;
2204: Function ReadClient( var Buffer, Count : Integer) : Integer;
2205: Function ReadDate( const Section, Name : string; Default : TDateTime) : TDateTime;
2206: Function ReadDateTime( const Section, Name : string; Default : TDateTime) : TDateTime;
2207: Function ReadFloat( const Section, Name : string; Default : Double) : Double;
2208: Function ReadFromStack(const ARaiseExceptfDiscn:Bool;ATimeout:Int;const ARaiseExceptTimeout:Bool):Int;
2209: Function ReadInteger( const AConvert : boolean) : Integer;
2210: Function ReadInteger( const Section, Ident : string; Default : Longint) : Longint;
2211: Function ReadLn : string;
2212: Function ReadLn(ATerminator : string; const ATimeout : Integer; AMaxLineLength : Integer) : string;
2213: function ReadLn(question: string): string;
2214: Function ReadLn: string; //read last line in memo2 - console!
2215: Function ReadLnWait( AFailCount : Integer) : string;
2216: Function ReadReg(Base: HKEY; KeyName, ValueName: string): string;
2217: Function ReadRegistry(Base: HKEY; KeyName, ValueName: string): string;
2218: Function ReadSmallInt( const AConvert : boolean) : SmallInt;
2219: Function ReadString( const ABytes : Integer) : string;
2220: Function ReadString( const Section, Ident, Default : string) : string;
2221: Function ReadString( Count : Integer) : string;
2222: Function ReadTime( const Section, Name : string; Default : TDateTime) : TDateTime;
2223: Function ReadTimeStampCounter : Int64;
2224: Function RebootOS : Boolean;
2225: Function Receive( ATimeOut : Integer) : TReplyStatus;
2226: Function ReceiveBuf( var Buf, Count : Integer) : Integer;
2227: Function ReceiveLength : Integer;
2228: Function ReceiveText : string;
2229: Function ReceiveSerialData(var Data: TByteArray; DataSize: cardinal): cardinal;
2230: Function ReceiveSerialText: string;
2231: Function RecodeDate( const AValue : TDateTime; const AYear, AMonth, ADay : Word) : TDateTime;
2232: Function RecodeDateTime(const AValue:TDateTime;const AYear,AMonth,ADay,AHr,AMin,ASec,AMilliSec:Word):TDateTime;
2233: Function RecodeDay( const AValue : TDateTime; const ADay : Word) : TDateTime;
2234: Function RecodeHour( const AValue : TDateTime; const AHour : Word) : TDateTime;
2235: Function RecodeMillisecond( const AValue : TDateTime; const AMilliSecond : Word) : TDateTime;
2236: Function RecodeMinute( const AValue : TDateTime; const AMinute : Word) : TDateTime;
2237: Function RecodeMonth( const AValue : TDateTime; const AMonth : Word) : TDateTime;
2238: Function RecodeSecond( const AValue : TDateTime; const ASecond : Word) : TDateTime;
2239: Function RecodeTime( const AValue: TDateTime;const AHour,AMinute,ASecond,AMilliSecond:Word):TDateTime;
2240: Function RecodeYear( const AValue : TDateTime; const AYear : Word) : TDateTime;
2241: Function Reconcile( const Results : OleVariant) : Boolean;
2242: Function Rect( Left, Top, Right, Bottom : Integer) : TRect;
2243: function Rect(ALeft: Integer; ATop: Integer; ARight: Integer; ABottom: Integer): TRect;
2244: Function Rect2( const ATopLeft, ABottomRight : TPoint) : TRect;
2245: Function RectAssign( const Left, Top, Right, Bottom : Integer) : TRect;
2246: Function RectAssignPoints( const TopLeft, BottomRight : TPoint) : TRect;
2247: Function RectBounds( const Left, Top, Width, Height : Integer) : TRect;
2248: Function RectCenter( const R : TRect) : TPoint;
2249: Function RectEqual( const R1, R2 : TRect) : Boolean;
2250: Function RectHeight( const R : TRect) : Integer;
2251: Function RectIncludesPoint( const R : TRect; const Pt : TPoint) : Boolean;
2252: Function RectIncludesRect( const R1, R2 : TRect) : Boolean;
2253: Function RectIntersection( const R1, R2 : TRect) : TRect;
2254: Function RectIntersectRect( const R1, R2 : TRect) : Boolean;
2255: Function RectIsEmpty( const R : TRect) : Boolean;
2256: Function RectIsNull( const R : TRect) : Boolean;
2257: Function RectIsSquare( const R : TRect) : Boolean;
2258: Function RectIsValid( const R : TRect) : Boolean;
2259: Function RectsAreValid( R : array of TRect) : Boolean;
2260: Function RectUnion( const R1, R2 : TRect) : TRect;
2261: Function RectWidth( const R : TRect) : Integer;
2262: Function RedComponent( const Color32 : TColor32) : Integer;
2263: Function Refresh : Boolean;
2264: Function RefStringListCopy(aRefArray:TStringlist):TStringList;
2265: Function RegisterConversionFamily( const ADescription : string) : TConvFamily;
2266: Function RegisterConversionType( AConvTypeInfo : TConvTypeInfo; out AType : TConvType) : Boolean;
2267: Function RegisterConversionType(const AFam:TConvFamil;const ADescr:string;const AFact:Double):TConvType;
2268: Function RegistryRead(keyHandle: Longint; keyPath, myField: String): string;
2269: Function ReleaseDC(hwnd: HWND; hdc: HDC): integer;

```

```

2270: Function ReleaseHandle : HBITMAP
2271: Function ReleaseHandle : HENHMETAFILE
2272: Function ReleaseHandle : HICON
2273: Function ReleasePalette : HPALETTE
2274: Function RemainderFloat( const X, Y : Float) : Float
2275: Function Remove( AClass : TClass) : Integer
2276: Function Remove( AComponent : TComponent) : Integer
2277: Function Remove( AItem : Integer) : Integer
2278: Function Remove( AItem : Pointer) : Pointer
2279: Function Remove( AItem : TObject) : TObject
2280: Function Remove( AObject : TObject) : Integer
2281: Function RemoveBackslash( const PathName : string) : string
2282: Function RemoveDF( aString : String) : String //removes thousand separator
2283: Function RemoveDir( Dir : string) : Boolean
2284: function RemoveDir(const Dir: string): Boolean
2285: Function RemoveDirectory(PathName: PChar): WordBool; stdcall;
2286: Function RemoveFileExt( const FileName : string) : string
2287: Function RemoveHeaderEntry( AHeader, AEntry : string) : string
2288: Function RenameFile( OldName, NewName : string) : Boolean
2289: function RenameFile(const OldName: string; const NewName: string): Boolean
2290: Function ReplaceStr( const AText, AFromText, AToText : string) : string
2291: Function ReplaceText( const AText, AFromText, AToText : string) : string
2292: Function Replicate(c : char; i : longInt) : String;
2293: Function Request : TWebRequest
2294: Function ResemblesText( const AText, AOther : string) : Boolean
2295: Function Reset : Boolean
2296: function Reset2(mypath: string): TStringlist //string;
2297: Function ResInstLoad(Instance:THandle;ResType:TResType; const Name:string;MaskColor: TColor): Boolean
2298: Function ResourceLoad( Restype: TResType; const Name : string; MaskColor : TColor) : Boolean
2299: Function Response : TWebResponse
2300: Function ResumeSupported : Boolean
2301: Function RETHINKHOTKEYS : BOOLEAN
2302: Function RETHINKLINES : BOOLEAN
2303: Function Retrieve( const MsgNum : Integer; AMsg : TIIdMessage) : Boolean
2304: Function RetrieveCurrentDir : string
2305: Function RetrieveDeltas( const cdsArray : array of TClientDataset) : Variant
2306: Function RetrieveHeader( const MsgNum : Integer; AMsg : TIIdMessage) : Boolean
2307: Function RetrieveMailBoxSize : integer
2308: Function RetrieveMsgSize( const MsgNum : Integer) : Integer
2309: Function RetrieveProviders( const cdsArray : array of TClientDataset) : Variant
2310: Function RetrieveRaw( const MsgNum : Integer; const Dest : TStringList) : boolean
2311: Function ReturnMIMEType( var MediaType, EncType : String) : Boolean
2312: Function ReverseBits( Value : Byte) : Byte;
2313: Function ReverseBits1( Value : Shortint) : Shortint;
2314: Function ReverseBits2( Value : Smallint) : Smallint;
2315: Function ReverseBits3( Value : Word) : Word;
2316: Function ReverseBits4( Value : Cardinal) : Cardinal;
2317: Function ReverseBits4( Value : Integer) : Integer;
2318: Function ReverseBits5( Value : Int64) : Int64;
2319: Function ReverseBytes( Value : Word) : Word;
2320: Function ReverseBytes1( Value : Smallint) : Smallint;
2321: Function ReverseBytes2( Value : Integer) : Integer;
2322: Function ReverseBytes3( Value : Cardinal) : Cardinal;
2323: Function ReverseBytes4( Value : Int64) : Int64;
2324: Function ReverseString( const AText : string) : string
2325: Function ReverseDNSLookup(const IPAddrs:String;DNSServer:String;Timeout:Int;var HName:Str):Bool;
2326: Function Revert : HRESULT
2327: Function RGB(R,G,B: Byte): TColor;
2328: Function RGB2BGR( const Color : TColor) : TColor
2329: Function RGB2TColor( R, G, B : Byte) : TColor
2330: Function RGBToWebColorName( RGB : Integer) : string
2331: Function RGBToWebColorStr( RGB : Integer) : string
2332: Function RgbToHtml( Value : TColor) : string
2333: Function HtmlToRgb(const Value: string): TColor;
2334: Function RightStr( const AStr : String; Len : Integer) : String
2335: Function RightStr( const AText : AnsiString; const ACount : Integer) : AnsiString;
2336: Function RightStr( const AText : WideString; const ACount : Integer) : WideString;
2337: Function ROL( Aval : LongWord; AShift : Byte) : LongWord
2338: Function ROR( Aval : LongWord; AShift : Byte) : LongWord
2339: Function RotatePoint( Point : TFloatPoint; const Center : TFloatPoint; const Angle : Float) : TFloatPoint
2340: function RotatePoint(Point: TFloatPoint; const Center: TFloatPoint; const Angle: Double): TFloatPoint;
2341: Function Round(e : Extended) : Longint;
2342: Function Round64(e: extended): Int64;
2343: Function RoundAt( const Value : string; Position : SmallInt) : string
2344: type TRoundToRange = -37..37; TRoundToEXRangeExtended = -20..20;
2345: Function RoundTo(const AValue: Extended; const ADigit: TRoundToEXRangeExtended): Extended;'+';
2346: Function SimpleRoundTo(const AValue: Extended; const Adigit: TRoundToRange): Extended;'+';
2347: Function RoundFrequency( const Frequency : Integer) : Integer
2348: Function RoundInt( Value : Integer; StepSize : Integer) : Integer
2349: Function RoundPoint( const X, Y : Double) : TPoint
2350: Function RoundRect( const ALeft, ATop, ARight, ABottom : Double) : TRect
2351: Function RowCount : Integer
2352: Function RowRequest( const Row : OleVariant; RequestType : Integer; var OwnerData : OleVariant): OleVariant
2353: Function RowRequest( Row : OleVariant; Options : TFetchOptions) : OleVariant
2354: Function RPos( const ASub, Ain : String; AStart : Integer) : Integer
2355: Function RRot( const Value : Byte; const Count : TBitRange) : Byte;
2356: Function RRot1( const Value : Word; const Count : TBitRange) : Word;
2357: Function RRot2( const Value : Integer; const Count : TBitRange) : Integer;
2358: Function RunDLL32(const ModuleNa,FuncName,CmdLine:string;WaitForCompletion:Bool;CmdShow:Integer):Boolean

```

```

2359: Function RunningProcessesList( const List : TStrings; FullPath : Boolean ) : Boolean
2360: Function RunByteCode(Bytecode: AnsiString; out RuntimeErrors: AnsiString): Boolean;'
2361: Function RunCompiledScript2(Bytecode: AnsiString; out RuntimeErrors: AnsiString): Boolean;')
2362: Function S_AddBackSlash( const ADirName : string ) : string
2363: Function S_AllTrim( const cStr : string ) : string
2364: Function S_AtRepl( const cAT, cStr, cRepl : string ) : string
2365: Function S_Cut( const cStr : string; const iLen : integer ) : string
2366: Function S_DecryptCRC32( const crc : string; StartKey, MultKey, AddKey : integer ) : integer
2367: Function S_DirExists( const ADir : string ) : Boolean
2368: Function S_Empty( const cStr : string ) : boolean
2369: Function S_EncryptCRC32( const crc : LongWORD; StartKey, MultKey, AddKey : integer ) : string
2370: Function S_LargeFontsActive : Boolean
2371: Function S_LimitDigits( AValue : Extended; ANumDigits : Integer ) : Extended
2372: Function S_LTrim( const cStr : string ) : string
2373: Function S_ReadNextTextLineFromStream( stream : TStream ) : string
2374: Function S_RepeatChar( const iLen : integer; const AChar : Char ) : String
2375: Function S_ReplFirst( const cAT, cStr, cRepl : string ) : string
2376: Function S_RoundDecimal( AValue : Extended; APPlaces : Integer ) : Extended
2377: Function S_RTrim( const cStr : string ) : string
2378: Function S_RTrimCopy( const cStr : string; iPos, iLen : integer ) : string
2379: //Type TS_ShellExecuteCmd = (seCmdOpen, seCmdPrint, seCmdExplore);
2380: Function S_ShellExecute( aFilename : string; aParameters : string; aCommand : TS_ShellExecuteCmd ) : string
2381: Function S_Space( const iLen : integer ) : String
2382: Function S_StrBlanks( const cStr : string; const iLen : integer ) : string
2383: Function S_StrBlanksCuttooLong( const cStr : string; const iLen : integer ) : string
2384: Function S_StrCRC32( const Text : string ) : LongWORD
2385: Function S_StrDecrypt96( const InString : string; StartKey, MultKey, AddKey : Integer ) : string
2386: Function S_StrEncrypt96( const InString : string; StartKey, MultKey, AddKey : Integer ) : string
2387: Function S_StringtoUTF_8( const AString : string ) : string
2388: Function S_StrLBlanks( const cStr : string; const iLen : integer ) : string
2389: function S_StrToReal(const cStr: string; var R: Double): Boolean
2390: Function S_TokenEnd( cBuffer : PChar; lEmptyToken : boolean ) : boolean
2391: Function S_TokenNext( cBuffer : PChar; lEmptyToken : boolean ) : string
2392: Function S_UTF_8ToString( const AString : string ) : string
2393: Function S_WBox( const AText : string ) : integer
2394: Function SameDate( const A, B : TDateTime ) : Boolean
2395: function SameDate( const A, B : TDateTime ): Boolean;
2396: Function SameDateTime( const A, B : TDateTime ) : Boolean
2397: function SameDateTime( const A, B : TDateTime ): Boolean;
2398: Function SameFileName( S1, S2 : string ) : Boolean
2399: Function SameText( S1, S2 : string ) : Boolean
2400: function SameText( const S1: string; const S2: string): Boolean)
2401: Function SameTime( const A, B : TDateTime ) : Boolean
2402: function SameTime( const A, B : TDateTime ): Boolean;
2403: function SameValue( const A, B: Extended; Epsilon: Extended): Boolean //overload;
2404: function SameValue1( const A, B: Double; Epsilon: Double): Boolean //overload;
2405: function SameValue2( const A, B: Single; Epsilon: Single): Boolean //overload;
2406: Function SampleVariance( const X : TDynFloatArray ) : Float
2407: Function Sar( const Value : Shortint; const Count : TBitRange ) : Shortint;
2408: Function Sar1( const Value : Smallint; const Count : TBitRange ) : Smallint;
2409: Function Sar2( const Value : Integer; const Count : TBitRange ) : Integer;
2410: Function SaveToFile( const AFileName : TFileName ) : Boolean
2411: Function SaveAsExcelFile(AGrid: TStringGrid; ASheetName, AFileName: string; open: boolean): Boolean;
2412: Function SaveAsExcel(aGrid: TStringGrid; aSheetName, aFileName: string; openexcel: boolean): Boolean;
2413: Function ScanF(const aformat: String; const args: array of const): string;
2414: Function SCREENTOCLIENT(POINT:TPOINT):TPOINT
2415: Function SearchBuf(Buf:PChar; BufLen:Integer; SelStart,SelLength:Integer; searchString:String; Options: TStringSearchOptions):PChar
2416: Function SearchBuf2(Buf: String; SelStart, SelLength: Integer; searchString: String; Options: TStringSearchOptions): Integer;
2417: function SearchRecattr: integer;
2418: function SearchRecExcludeAttr: integer;
2419: Function SearchRecFileSize64( const SearchRec : TSearchRec ) : Int64
2420: function SearchRecname: string;
2421: function SearchRecsize: integer;
2422: function SearchRectime: integer;
2423: Function Sec( const X : Extended ) : Extended
2424: Function Secant( const X : Extended ) : Extended
2425: Function SecH( const X : Extended ) : Extended
2426: Function SecondOf( const AValue : TDateTime ) : Word
2427: Function SecondOfTheDay( const AValue : TDateTime ) : LongWord
2428: Function SecondOfTheHour( const AValue : TDateTime ) : Word
2429: Function SecondOfTheMinute( const AValue : TDateTime ) : Word
2430: Function SecondOfTheMonth( const AValue : TDateTime ) : LongWord
2431: Function SecondOfTheWeek( const AValue : TDateTime ) : LongWord
2432: Function SecondOfTheYear( const AValue : TDateTime ) : LongWord
2433: Function SecondsBetween( const ANow, AThen : TDateTime ) : Int64
2434: Function SecondSpan( const ANow, AThen : TDateTime ) : Double
2435: Function SectionExists( const Section : string ) : Boolean
2436: Function Seek( const KeyValues : Variant; SeekOption : TSeekOption ) : Boolean
2437: Function Seek( dlibMove : Longint; dwOrigin : Longint; out libNewPosition : Largeint ) : HResult
2438: function Seek(Offset:LongInt;Origin:Word):LongInt
2439: Function SelectDirectory( var Directory : string; Options : TSelectDirOpts; HelpCtx:Longint): Boolean;
2440: Function SelectDirectory1( const Caption : string; const Root : WideString; var Directory : string;
    Options : TSelectDirExtOpts; Parent : TwinControl ) : Boolean;
2441: Function SelectImage( var AFileName : string; const Extensions, Filter : string ) : Boolean
2442: function SendAppMessage(Msg: Cardinal; WParam, LParam: Longint): Longint
2443: Function SendBuf( var Buf, Count : Integer ) : Integer
2444: Function SendCmd( const AOut : string; const AResponse : SmallInt ) : SmallInt;

```

```

2445: Function SendCmd1( const AOut : string; const AResponse : array of SmallInt) : SmallInt;
2446: Function SendKey( AppName : string; Key : Char) : Boolean
2447: function SendMessage(hWnd: HWND; Msg: longword; wParam: longint; lParam: longint): Boolean;
2448: Function SendStream( AStream : TStream) : Boolean
2449: Function SendStreamThenDrop( AStream : TStream) : Boolean
2450: Function SendText( const S : string) : Integer
2451: Function SendSerialData(Data: TByteArray; DataSize: cardinal): cardinal
2452: Function SendSerialText(Data: String): cardinal
2453: Function Sent : Boolean
2454: Function ServicesFilePath: string
2455: Function SetAlpha( const Color32 : TColor32; NewAlpha : Integer) : TColor32
2456: Function SetBit( const Value : Byte; const Bit : TBitRange) : Byte;
2457: Function SetBit1( const Value : Shortint; const Bit : TBitRange) : Shortint;
2458: Function SetBit2( const Value : Smallint; const Bit : TBitRange) : Smallint;
2459: Function SetBit3( const Value : Word; const Bit : TBitRange) : Word;
2460: Function SetBit4( const Value : Cardinal; const Bit : TBitRange) : Cardinal;
2461: Function SetBit4( const Value : Integer; const Bit : TBitRange) : Integer;
2462: Function SetBit5( const Value : Int64; const Bit : TBitRange) : Int64;
2463: Function SetClipboard( NewClipboard : TClipboard) : TClipboard
2464: Function SetColorBlue( const Color : TColor; const Blue : Byte) : TColor
2465: Function SetColorFlag( const Color : TColor; const Flag : Byte) : TColor
2466: Function SetColorGreen( const Color : TColor; const Green : Byte) : TColor
2467: Function SetColorRed( const Color : TColor; const Red : Byte) : TColor
2468: Function SetCurrentDir( Dir : string) : Boolean
2469: function SetCurrentDir(const Dir: string): Boolean
2470: Function SetCurrentDirectory(PathName: PChar): WordBool; stdcall;
2471: Function SetDirCreation( const DirName : string; const DateTime : TDateTime) : Boolean
2472: Function SetDirLastAccess( const DirName : string; const DateTime : TDateTime) : Boolean
2473: Function SetDirLastWrite( const DirName : string; const DateTime : TDateTime) : Boolean
2474: Function SetDisplayResolution( const XRes, YRes : DWORD) : Longint
2475: Function SetEndOfFile(Handle: Integer): LongBool; stdcall;
2476: Function SetEnvironmentVar( const Name, Value : string) : Boolean
2477: Function SetErrorProc( ErrorProc : TSocketErrorProc) : TSocketErrorProc
2478: Function SetFileCreation( const FileName : string; const DateTime : TDateTime) : Boolean
2479: Function SetFileLastAccess( const FileName : string; const DateTime : TDateTime) : Boolean
2480: Function SetFileLastWrite( const FileName : string; const DateTime : TDateTime) : Boolean
2481: Function SetFileTimeStamp( const FileName : string; TimeStamp : Integer) : Boolean
2482: function SETFOCUSEDCONTROL(CONTROL:TWINCONTROL):BOOLEAN
2483: Function SetLocalTime( Value : TDateTime) : boolean
2484: Function SetPrecisionTolerance( NewTolerance : Float) : Float
2485: Function SetPrinter( NewPrinter : TPrinter) : TPrinter
2486: Function SetPrivilege(privilegeName: string; enable: boolean): boolean
2487: Function SetRGBValue( const Red, Green, Blue : Byte) : TColor
2488: Function SetSequence( S, Localizar, Substituir : shortstring) : shortstring
2489: Function SetSize( libNewSize : Longint) : HResult
2490: Function SetUserObjectFullAccess( hUserObject : THandle) : Boolean
2491: Function Sgn( const X : Extended) : Integer
2492: function SHA1(const fileName: string): string;
2493: function SHA256(astr: string; amode: char): string
2494: function SHA512(astr: string; amode: char): string
2495: Function ShareMemoryManager : Boolean
2496: function ShellExecute(hWnd:HWND;Operation,FileN,Parameters,Dir:string;ShowCmd:Integer):integer;stdcall;
2497: function Shelleexecute2(hwnd: HWND; const FileName: string):integer; stdcall;
2498: Function Shelleexecute3(afilename: string; aParameters: string; aCommand:TS_ShellExecuteCmd): string;
2499: Function SHORTCUT( KEY : WORD; SHIFT : TSHIFTSTATE) : TSHORTCUT
2500: Function SHORTCUTTOTEXT( SHORTCUT : TSHORTCUT) : String
2501: function ShortDateFormat: string;
2502: Function ShortenString(const DC:HDC;const S:WideString;const Width:Int;const
    RTL:Bool;EllipsisWidth:Int):WideString
2503: function ShortTimeFormat: string;
2504: function SHOWMODAL:INTEGER
2505: Function ShowModalControl(aControl:TControl;BS:TFormBorderStyle;BI:TBorderIcons;WS:TWindowState;aColor:
    TColor; BW: Integer;Title:String;BeforeShowModal:TNotifyEvent): TModalResult';
2506: Function
    ShowModalPanel(aPnl:TCustomPanel;Titl:String;ShowCloseIcn:Bool;BefShowModal:TNotifyEvent):TModalResult;
2507: function ShowWindow(C1: HWND; C2: integer): boolean;
2508: procedure ShowMemory //in Dialog
2509: function ShowMemory2: string;
2510: Function ShutDownOS : Boolean
2511: Function Signe( const X, Y : Extended) : Extended
2512: Function Sign( const X : Extended) : Integer
2513: Function Sin(e : Extended) : Extended;
2514: Function sinc( const x : Double) : Double
2515: Function SinJ( X : Float) : Float
2516: Function Size( const AFileName : String) : Integer
2517: function SizeOf: Longint;
2518: Function SizeofResource( ModuleHandle : HMODULE; ResHandle : TResourceHandle) : Integer
2519: function SlashSep(const Path, S: String): String
2520: Function SLNDepreciation( const Cost, Salvage : Extended; Life : Integer) : Extended
2521: Function SleepEx( dwMilliseconds : DWORD; bAlertable : BOOL) : DWORD
2522: Function SmallPoint(X, Y: Integer): TSmallPoint
2523: Function Soundex( const AText : string; ALength : TSoundexLength) : string
2524: Function SoundexCompare( const ATText : string; AOther : string; ALength : TSoundexLength) : Integer
2525: Function SoundexInt( const ATText : string; ALength : TSoundexIntLength) : Integer
2526: Function SoundexProc( const ATText, AOther : string) : Boolean
2527: Function SoundexSimilar( const ATText, AOther : string; ALength : TSoundexLength) : Boolean
2528: Function SoundexWord( const ATText : string) : Word
2529: Function SourcePos : Longint
2530: function SourcePos:LongInt

```

```

2531: Function Split0( Str : string; const substr : string) : TStringList
2532: Procedure SplitNameValuePair( const Line : string; var Name, Value : string)
2533: Function SQLRequiresParams( const SQL : WideString) : Boolean
2534: Function Sqr(e : Extended) : Extended;
2535: Function Sqrt(e : Extended) : Extended;
2536: Function StartIP : String
2537: Function StartPan( WndHandle : THandle; AControl : TControl) : Boolean
2538: Function StartOfADay( const AYear, AMonth, ADay : Word) : TDateTime;
2539: Function StartOfADay1( const AYear, ADayOfYear : Word) : TDateTime;
2540: Function StartOfAMonth( const AYear, AMonth : Word) : TDateTime
2541: Function StartOfAWeek( const AYear, AWeekOfYear : Word; const ADayOfWeek : Word) : TDateTime
2542: Function StartOfAYear( const AYear : Word) : TDateTime
2543: Function StartOfTheDay( const AValue : TDateTime) : TDateTime
2544: Function StartOfTheMonth( const AValue : TDateTime) : TDateTime
2545: Function StartOfTheWeek( const AValue : TDateTime) : TDateTime
2546: Function StartOfTheYear( const AValue : TDateTime) : TDateTime
2547: Function StartsStr( const ASubText, AText : string) : Boolean
2548: Function StartsText( const ASubText, AText : string) : Boolean
2549: Function StartsWith( const ANSIString, APattern : String) : Boolean
2550: Function StartsWith( const str : string; const sub : string) : Boolean
2551: Function StartsWithACE( const ABytes : TIdBytes) : Boolean
2552: Function StatusString( StatusCode : Integer) : string
2553: Function StdDev( const Data : array of Double) : Extended
2554: Function Stop : Float
2555: Function StopCount( var Counter : TJclCounter) : Float
2556: Function StoreColumns : Boolean
2557: Function StrAfter( const sString : string; const sDelimiters : string) : string;
2558: Function StrAfter1( const sString : string; const sDelimiters : string; out cDelimiter : char) : string;
2559: Function StrAlloc( Size : Cardinal) : PChar
2560: function StrAlloc(Size: Cardinal): PChar
2561: Function StrBefore( const sString : string; const sDelimiters : string) : string;
2562: Function StrBefore1( const sString : string; const sDelimiters:string; out cDelimiter:char): string;
2563: Function StrBufSize( Str : PChar) : Cardinal
2564: function StrBufSize(const Str: PChar): Cardinal
2565: Function StrByteType( Str : PChar; Index : Cardinal) : TMbcsByteType
2566: function StrByteType(Str: PChar; Index: Cardinal): TMbcsByteType
2567: Function StrCat( Dest : PChar; Source : PChar) : PChar
2568: function StrCat(Dest: PChar; const Source: PChar): PChar
2569: Function StrCharLength( Str : PChar) : Integer
2570: Function StrComp( Str1, Str2 : PChar) : Integer
2571: function StrComp(const Str1: PChar; const Str2: PChar): Integer
2572: Function StrCopy( Dest : PChar; Source : PChar) : PChar
2573: function StrCopy(Dest: PChar; const Source: PChar): PChar
2574: Function Stream_to_AnsiString( Source : TStream) : ansistring
2575: Function Stream_to_Base64( Source : TStream) : ansistring
2576: Function Stream_to_decimalbytes( Source : TStream) : string
2577: Function Stream2WideString( oStream : TStream) : WideString
2578: Function StreamtoAnsiString( Source : TStream) : ansistring
2579: Function StreamToByte( Source : TStream) : string
2580: Function StreamToDecimalbytes( Source : TStream) : string
2581: Function StreamtoOrd( Source : TStream) : string
2582: Function StreamToString( Source : TStream) : string
2583: Function StreamToString2( Source : TStream) : string
2584: Function StreamToString3( Source : TStream) : string
2585: Function StreamToString4( Source : TStream) : string
2586: Function StrECopy( Dest : PChar; Source : PChar) : PChar
2587: Function StrEmpty( const sString : string) : boolean
2588: Function StrEnd( Str : PChar) : PChar
2589: function StrEnd(const Str: PChar): PChar
2590: Function StrFilter( const sString : string; xValidChars : TCharSet) : string
2591: Function StrFmt(Buffer, Format: PChar; const Args: array of const): PChar
2592: Function StrGet(var S : String; I : Integer) : Char;
2593: Function StrGet2(S : String; I : Integer) : Char;
2594: Function StrHasPrefix( const sString : string; const sPrefix : string) : boolean
2595: Function StrHasSuffix( const sString : string; const sSuffix : string) : boolean
2596: Function StrHtmlDecode( const AStr : String) : String
2597: Function StrHtmlEncode( const AStr : String) : String
2598: Function StrToBytes(const Value: String): TBytes;
2599: Function StrICmp( Str1, Str2 : PChar) : Integer
2600: Function StringOfChar(c : char; I : longInt) : String;
2601: Function StringOfChar2( ch : WideChar; Count : Integer) : WideString;
2602: Function StringPad(InputStr,FillChar: String; StrLen:Integer; StrJustify:Boolean): String;
2603: Function StringRefCount(const s: String): integer;
2604: Function StringReplace( S, OldPattern, NewPattern : string; Flags : TReplaceFlags) : string
2605: Function JStringReplace( const S, OldPattern, NewPattern : string; Flags : TReplaceFlags) : string
2606: Function StringReplace(const SourceString, OldPattern,NewPattern:string; Flags:TReplaceFlags): string;
2607: Function StringRemove( const S, Pattern : string; Flags : TReplaceFlags) : string
2608: Function StringToBoolean( const Ps : string) : Boolean
2609: function StringToColor(const S: string): TColor
2610: function StringToCursor(const S: string): TCursor;
2611: function StringToGUID(const S: string): TGUID)
2612: Function StringTokenizer( const str : string; const delim : string) : IStringTokenizer
2613: Function StringToStringArray( const str : string; const delim : string) : TStringDynArray
2614: Function StringWidth( S : string) : Integer
2615: Function StrInternetToDate( Value : string) : TDateTime
2616: Function StrIsDateTime( const Ps : string) : Boolean
2617: Function StrIsFloatMoney( const Ps : string) : Boolean
2618: Function StrIsInteger( const S : string) : Boolean
2619: Function StrLCat( Dest : PChar; Source : PChar; MaxLen : Cardinal) : PChar

```

```

2620: Function StrLComp( Str1, Str2 : PChar; MaxLen : Cardinal ) : Integer
2621: Function StrLCopy( Dest : PChar; Source : PChar; MaxLen : Cardinal ) : PChar
2622: Function StrLen( Str : PChar) : Cardinal
2623: function StrLen(const Str: PChar): Cardinal
2624: Function StrLessPrefix( const sString : string; const sPrefix : string) : string
2625: Function StrLessSuffix( const sString : string; const sSuffix : string) : string
2626: Function StrLIComp( Str1, Str2 : PChar; MaxLen : Cardinal ) : Integer
2627: Function StrLower( Str : PChar) : PChar
2628: Function StrMove( Dest : PChar; Source : PChar; Count : Cardinal ) : PChar
2629: function StrMove(Dest: PChar; const Source: PChar; Count: Cardinal): PChar
2630: Function StrNew( Str : PChar) : PChar
2631: function StrNew(const Str: PChar): PChar
2632: Function StrNextChar( Str : PChar) : PChar
2633: Function StrPad( const sString : string; const sPad : string; const iLength : integer) : string
2634: Function StrParse( var sString : string; const sDelimiters : string) : string;
2635: Function StrParseSel( var sString : string; const sDelimiters : string; out cDelimiter : char) : string;
2636: Function StrPas( Str : PChar) : string
2637: function StrPas(const Str: PChar): string
2638: Function StrPCopy( Dest : PChar; Source : string) : PChar
2639: function StrPCopy(Dest: PChar; const Source: string): PChar
2640: Function StrPLCopy( Dest : PChar; Source : string; MaxLen : Cardinal ) : PChar
2641: Function StrPos( Str1, Str2 : PChar) : PChar
2642: Function StrScan(const Str: PChar; Chr: Char): PChar)
2643: Function StrRScan(const Str: PChar; Chr: Char): PChar)
2644: Function StrToBcd( const AValue : string) : TBcd
2645: Function StrToBool( S : string) : Boolean
2646: Function StrToBoolDef( S : string; Default : Boolean) : Boolean
2647: Function StrToCard( const AStr : String) : Cardinal
2648: Function StrToConv( AText : string; out AType : TConvType) : Double
2649: Function StrToCurr( S : string) : Currency;
2650: function StrToCurr(const S: string): Currency)
2651: Function StrToCurrDef( S : string; Default : Currency) : Currency;
2652: Function StrToDate( S : string) : TDateTime;
2653: function StrToDate(const s: string): TDateTime;
2654: Function StrToDateDef( S : string; Default : TDateTime) : TDateTime;
2655: Function StrToDateDefTime( S : string) : TDateTime;
2656: function StrToDateDefTime(const S: string): TDateTime)
2657: Function StrToDateDefTimeDef( S : string; Default : TDateTime) : TDateTime;
2658: Function StrToDay( const ADay : string) : Byte
2659: Function StrtoFloat( S : string) : Extended;
2660: function StrtoFloat(s: String): Extended;
2661: Function StrtoFloatDef( S : string; Default : Extended) : Extended;
2662: function StrtoFloatDef(const S: string; const Default: Extended): Extended
2663: Function StrtoFloat( S : string) : Extended;
2664: Function StrtoFloat2( S : string; FormatSettings : TFormatSettings) : Extended;
2665: Function StrtoFloatDef( S : string; Default : Extended) : Extended;
2666: Function StrtoFloatDef2(S: string; Default: Extended;FormatSettings:TFormatSettings): Extended;
2667: Function StrToCurr( S : string) : Currency;
2668: Function StrToCurr2( S : string; FormatSettings : TFormatSettings) : Currency;
2669: Function StrToCurrDef( S : string; Default : Currency) : Currency;
2670: Function StrToCurrDef2( S : string; Default : Currency; FormatSettings : TFormatSettings) : Currency;
2671: Function StrToTime2( S : string; FormatSettings : TFormatSettings) : TDateTime;
2672: Function StrToTimeDef( S : string; Default : TDateTime) : TDateTime;
2673: Function StrToTimeDef2( S : string; Default : TDateTime; FormatSettings:TFormatSettings):TDateTime;
2674: Function TryStrToTime( S : string; Value : TDateTime) : Boolean;
2675: Function StrToDateTime( S : string) : TDateTime;
2676: Function StrToDateTime2( S : string; FormatSettings : TFormatSettings) : TDateTime;
2677: Function StrToDateTimeDef( S : string; Default : TDateTime) : TDateTime;
2678: Function StrToFloatRegionalIndependent(aValue: String;aDecimalSymbol:Char;aDigitGroupSymbol:Char): Extended
2679: Function StrToInt( S : string) : Integer
2680: function StrToInt(s: String): Longint;
2681: Function StrToInt64( S : string) : Int64
2682: function StrToInt64(s: String): int64;
2683: Function StrToInt64Def( S : string; Default : Int64) : Int64
2684: function StrToInt64Def(const S: string; const Default: Int64):Int64)
2685: Function StrToIntDef( S : string; Default : Integer) : Integer
2686: function StrToIntDef(const S: string; Default: Integer): Integer)
2687: function StrToIntDef(s: String; def: Longint): Longint;
2688: Function StrToMonth( const AMonth : string) : Byte
2689: Function StrToTime( S : string) : TDateTime;
2690: function StrToTime(const S: string): TDateTime)
2691: Function StrToTimeDef( S : string; Default : TDateTime) : TDateTime;
2692: Function StrToWord( const Value : String) : Word
2693: Function StrToXmlDate( const DateStr : string; const Format : string) : string
2694: Function StrToXmlDateTime( const DateStr: string; const Format : string) : string
2695: Function StrToXmlTime( const TimeStr : string; const Format : string) : string
2696: Function StrUpper( Str : PChar) : PChar
2697: Function StuffString( const AText : string; AStart, ALen : Cardinal; const ASubText : string) : string
2698: Function Sum( const Data : array of Double) : Extended
2699: Function SumFloatArray( const B : TDynFloatArray) : Float
2700: Function SumInt( const Data : array of Integer) : Integer
2701: Function SumOfSquares( const Data : array of Double) : Extended
2702: Function SumPairProductFloatArray( const X, Y : TDynFloatArray) : Float
2703: Function SumSquareDiffFloatArray( const B : TDynFloatArray; Diff : Float) : Float
2704: Function SumSquareFloatArray( const B : TDynFloatArray) : Float
2705: Function Supports( CursorOptions : TCursorOptions) : Boolean
2706: Function SupportsClipboardFormat( AFormat : Word) : Boolean
2707: Function SwapWord(w : word): word)
2708: Function SwapInt(i : integer): integer)

```

```

2709: Function SwapLong(L : longint): longint
2710: Function Swap(i : integer): integer
2711: Function SYDDepreciation( const Cost, Salvage : Extended; Life, Period : Integer) : Extended
2712: Function SyncTime : Boolean
2713: Function SysErrorMessage( ErrorCode : Integer) : string
2714: function SysErrorMessage(ErrorCode: Integer): string
2715: Function SystemTimeToDate( SystemTime : TSystemTime) : TDateTime
2716: function SystemTimeToDate( const SystemTime: TSystemTime): TDateTime;
2717: Function SysStringLen(const S: WideString): Integer; stdcall;
2718: Function TabRect( Index : Integer) : TRect
2719: Function Tan( const X : Extended) : Extended
2720: Function TaskMessageDlg(const Title,
Msg:string;DlgType:TMsgDlgType;Buttons:TMsgDlgButtons;HelpCtx:Longint): Integer;
2721: Function TaskMessageDlgl( const Title, Msg : string; DlgType : TMsgDlgType; Buttons : TMsgDlgButtons;
HelpCtx : Longint; DefaultButton : TMsgDlgBtn) : Integer;
2722: Function TaskMessageDlgPos( const Title, Msg : string; DlgType : TMsgDlgType; Buttons : TMsgDlgButtons;
HelpCtx : Longint; X, Y : Integer) : Integer;
2723: Function TaskMessageDlgPos1( const Title, Msg : string; DlgType : TMsgDlgType; Buttons : TMsgDlgButtons;
HelpCtx : Longint; X, Y : Integer; DefaultButton : TMsgDlgBtn) : Integer;
2724: Function TaskMessageDlgPosHelp( const Title, Msg : string; DlgType : TMsgDlgType; Buttons :
TMsgDlgButtons; HelpCtx : Longint; X, Y : Integer; const HelpFileName : string) : Integer;
2725: Function TaskMessageDlgPosHelp1( const Title, Msg:string;DlgType : TMsgDlgType; Buttons : TMsgDlgButtons;
HelpCtx:Longint; X,Y: Integer;const HelpFileName:string;DefaultButton:TMsgDlgBtn): Integer;
2726: Function TenToY( const Y : Float) : Float
2727: Function TerminateApp( ProcessID : DWORD; Timeout : Integer) : TJclTerminateAppResult
2728: Function TerminateTask( Wnd : HWND; Timeout : Integer) : TJclTerminateAppResult
2729: Function TestBit( const Value : Byte; const Bit : TBitRange) : Boolean;
2730: Function TestBit2( const Value : Shortint; const Bit : TBitRange) : Boolean;
2731: Function TestBit3( const Value : Smallint; const Bit : TBitRange) : Boolean;
2732: Function TestBit4( const Value : Word; const Bit : TBitRange) : Boolean;
2733: Function TestBit5( const Value : Cardinal; const Bit : TBitRange) : Boolean;
2734: Function TestBit6( const Value : Integer; const Bit : TBitRange) : Boolean;
2735: Function TestBit7( const Value : Int64; const Bit : TBitRange) : Boolean;
2736: Function TestBits( const Value, Mask : Byte) : Boolean;
2737: Function TestBits1( const Value, Mask : Shortint) : Boolean;
2738: Function TestBits2( const Value, Mask : Smallint) : Boolean;
2739: Function TestBits3( const Value, Mask : Word) : Boolean;
2740: Function TestBits4( const Value, Mask : Cardinal) : Boolean;
2741: Function TestBits5( const Value, Mask : Integer) : Boolean;
2742: Function TestBits6( const Value, Mask : Int64) : Boolean;
2743: Function TestFDIVInstruction : Boolean
2744: function TestStreamFormat(Stream: TStream): TStreamOriginalFormat
2745: Function TextExtent( const Text : string) : TSize
2746: function TextHeight(Text: string): Integer
2747: Function TextIsSame( const A1 : string; const A2 : string) : Boolean
2748: Function TextStartsWith( const S, SubS : string) : Boolean
2749: function TextToFloat(Buffer: PChar; var Value: Extended; ValueType: TFloatingValue): Boolean)
2750: Function ConvInteger(i : integer):string;
2751: Function IntegerToText(i : integer):string;
2752: Function TEXTTOSHORTCUT( TEXT : String) : TSHORCUT
2753: function TextWidth(Text: string): Integer;
2754: Function ThreadCount : integer
2755: function ThousandSeparator: char;
2756: Function Ticks : Cardinal
2757: Function Time : TDateTime
2758: function Time: TDateTime;
2759: function TimeGetTime: int64;
2760: Function TimeOf( const AValue : TDateTime) : TDateTime
2761: function TimeSeparator: char;
2762: functionTimeStampToDateTime(const TimeStamp: TTimeStamp): TDateTime
2763: Function TimeStampToMSECS( TimeStamp : TTimeStamp ) : Comp
2764: function TimeStampToMSECS(const TimeStamp: TTimeStamp): Comp
2765: Function TimeToStr( DateTime : TDateTime) : string;
2766: function TimeToStr(const DateTime: TDateTime): string;
2767: Function TimeZoneBias : TDateTime
2768: Function ToCommon( const AValue : Double) : Double
2769: function ToCommon(const AValue: Double): Double;
2770: Function Today : TDateTime
2771: Function ToggleBit( const Value : Byte; const Bit : TBitRange) : Byte;
2772: Function ToggleBit1( const Value : Shortint; const Bit : TBitRange) : Shortint;
2773: Function ToggleBit2( const Value : Smallint; const Bit : TBitRange) : Smallint;
2774: Function ToggleBit3( const Value : Word; const Bit : TBitRange) : Word;
2775: Function ToggleBit4( const Value : Cardinal; const Bit : TBitRange) : Cardinal;
2776: Function ToggleBit5( const Value : Integer; const Bit : TBitRange) : Integer;
2777: Function ToggleBit6( const Value : Int64; const Bit : TBitRange) : Int64;
2778: function TokenComponentIdent:string
2779: Function TokenFloat : Extended
2780: function TokenFloat:Extended
2781: Function TokenInt : Longint
2782: function TokenInt:LongInt
2783: Function TokenString : string
2784: function TokenString:String
2785: Function TokenSymbolIs( const S : string) : Boolean
2786: function TokenSymbolIs(S:String):Boolean
2787: Function Tomorrow : TDateTime
2788: Function ToRightOf( const pc : TControl; piSpace : Integer) : Integer
2789: Function ToString : string
2790: Function TotalVariance( const Data : array of Double) : Extended
2791: Function Trace2( AURL : string) : string;

```

```

2792: Function TrackMenu( Button : TToolButton ) : Boolean
2793: Function TRANSLATE( SRC, DEST : PCHAR; TOOEM : BOOLEAN ) : INTEGER
2794: Function TranslateURI( const URI : string ) : string
2795: Function TranslationMatchesLanguages( Exact : Boolean ) : Boolean
2796: Function TransparentStretchBlt( DstDC : HDC; DstX, DstY, DstW, DstH : Integer; SrcDC : HDC; SrcX, SrcY, SrcW, SrcH : Integer; MaskDC : HDC; MaskX, MaskY : Integer ) : Boolean
2797: Function Trim( S : string ) : string
2798: Function Blank( S : string ) : string; //alias to Trim
2799: Function Trim( S : WideString ) : WideString;
2800: Function Trim(s : AnyString) : AnyString;
2801: Function TrimAllOf( ATrim, AText : String ) : String
2802: Function TrimLeft( S : string ) : string;
2803: Function TrimLeft(const S: string): string)
2804: function TrimLeft(S: WideString): WideString;
2805: Function TrimRight( S : string ) : string;
2806: Function TrimRight( S : WideString ) : WideString;
2807: function TrimRight(const S: string): string)
2808: function TrueBoolStrs: array of string
2809: Function Trunc(e : Extended) : Longint;
2810: Function Trunc64(e: extended): Int64;
2811: Function TruncPower( const Base, Exponent : Float ) : Float
2812: Function TryConvTypeToFamily( const AFrom, ATo : TConvType; out AFamily : TConvFamily ) : Boolean
2813: Function TryConvTypeToFamily1( const AType : TConvType; out AFamily : TConvFamily ) : Boolean;
2814: function TryEncodeDate(Year, Month, Day: Word; var Date: TDateTime): Boolean
2815: Function TryEncodeDateDay( const AYear, ADayOfYear: Word; out AValue : TDateTime ) : Boolean
2816: Function TryEncodeDateMonthWeek( const AY, AMonth, AWeekOfMonth, ADayOfWeek:Word;var AValue:TDateTime): Boolean
2817: Function TryEncodeDateTime( const AYear,AMonth,ADay,AHour,AMin,ASec,AMilliSecond:Word; out AValue:TDateTime):Boolean
2818: Function TryEncodeDateWeek( const AY, AWeekOfYear:Word;out AValue:TDateTime;const ADayOfWeek:Word): Boolean
2819: Function TryEncodeDayOfWeekInMonth( const AYear,AMonth,ANthDayOfWeek,ADayOfWeek:Word;out AVal:TDateTime):Bool
2820: function TryEncodeTime(Hour, Min, Sec, MSec: Word; var Time: TDateTime): Boolean;
2821: Function TryFloatToDateTime( Value : Extended; AResult : TDateTime ) : Boolean
2822: Function TryJulianDateToDateTime( const AValue : Double; out ADateTime : TDateTime ) : Boolean
2823: Function TryLock : Boolean
2824: Function TryModifiedJulianDateToDateTime( const AValue : Double; out ADateTime : TDateTime ) : Boolean
2825: Function TryRecodeDateTime( const AValue : TDateTime; const AYear, AMonth, ADay, AHour, AMinute, ASecond, AMilliSecond : Word; out AResult : TDateTime ) : Boolean
2826: Function TryStrToBcd( const AValue : string; var Bcd : TBcd ) : Boolean
2827: Function TryStrToConv( AText : string; out AValue : Double; out AType : TConvType ) : Boolean
2828: Function TryStrToDate( S : string; Value : TDateTime ) : Boolean;
2829: Function TryStrToDate( S : string; Value : TDateTime ) : Boolean;
2830: Function TryStrToTime( S : string; Value : TDateTime ) : Boolean;
2831: Function TryStrToInt( const S : AnsiString; var I: Integer): Boolean;
2832: Function TryStrToInt64( const S : AnsiString; var I: Int64): Boolean;
2833: function TryStrToBool( const S: string; out Value: Boolean): Boolean;
2834: Function TwoByteToWord( AByte1, AByte2 : Byte ) : Word
2835: Function TwoCharToWord( AChar1, AChar2 : Char ) : Word
2836: Function TwoToY( const Y : Float ) : Float
2837: Function UCS4StringToWideString( const S : UCS4String ) : WideString
2838: Function UIDL( const ADest : TStrings; const AMsgNum : Integer ) : Boolean
2839: function Unassigned: Variant;
2840: Function UndoLastChange( FollowChange : Boolean ) : Boolean
2841: function UniCodeToStr( Value: string): string;
2842: Function UnionRect( out Rect : TRect; const R1, R2 : TRect ) : Boolean
2843: function UnionRect(out Rect: TRect; const R1, R2: TRect): Boolean)
2844: Function UnixDateTimeToDelphiDateTime( UnixDateTime : Cardinal ) : TDateTime
2845: Function UnixPathToDosPath( const Path : string ) : string
2846: Function UnixToDateTime( const AValue : Int64 ) : TDateTime
2847: function UnixToDateTime(U: Int64): TDateTime;
2848: Function UnlockRegion( libOffset : Longint; cb : Largeint; dwLockType : Longint ) : HResult
2849: Function UnlockResource( ResData: HGLOBAL ) : LongBool
2850: Function UnlockVolume( var Handle : THandle ) : Boolean
2851: Function UnMaskString( Mask, Value : String ) : String
2852: function UpCase(ch : Char ) : Char;
2853: Function UpCaseFirst( const AStr : string ) : string
2854: Function UpCaseFirstWord( const AStr : string ) : string
2855: Function UpdateAction( Action : TBasicAction ) : Boolean
2856: Function UpdateKind : TUUpdateKind
2857: Function UPDATESTATUS : TUUPDATESTATUS
2858: Function UpperCase( S : string ) : string
2859: Function Uppercase(s : AnyString) : AnyString;
2860: Function URLDecode( ASrc : string ) : string
2861: Function URLEncode( const ASrc : string ) : string
2862: Function UseRightToLeftAlignment : Boolean
2863: Function UseRightToLeftAlignmentForField( const AField : TField; Alignment : TAlignment ) : Boolean
2864: Function UseRightToLeftReading : Boolean
2865: Function UTF8CharLength( Lead : Char ) : Integer
2866: Function UTF8CharSize( Lead : Char ) : Integer
2867: Function UTF8Decode( const S : UTF8String ) : WideString
2868: Function UTF8Encode( const WS : WideString ) : UTF8String
2869: Function UTF8LowerCase( const S : UTF8String ) : UTF8String
2870: Function Utf8ToAnsi( const S : UTF8String ) : string
2871: Function Utf8ToAnsiEx( const S : UTF8String; const cp : integer ) : string
2872: Function UTF8UpperCase( const S : UTF8String ) : UTF8String
2873: Function ValidFieldIndex( FieldIndex : Integer ) : Boolean
2874: Function ValidParentForm(control: TControl): TForm
2875: Function Value : Variant
2876: Function ValueExists( const Section, Ident : string ) : Boolean

```

```

2877: Function ValueOf( const Key : string ) : Integer
2878: Function ValueInSet(AValue: Variant; ASet: Variant): Boolean;
2879: Function VALUEOFKEY( const AKEY : VARIANT ) : VARIANT
2880: Function VarArrayFromStrings( Strings : TStrings ) : Variant
2881: Function VarArrayFromWideStrings( Strings : TWideStrings ) : Variant
2882: Function VarArrayGet(var S : Variant; I : Integer) : Variant;
2883: Function VarFMTBcd : TVarType
2884: Function VarFMTBcdCreate1 : Variant;
2885: Function VarFMTBcdCreate2( const AValue : string; Precision, Scale : Word ) : Variant;
2886: Function VarFMTBcdCreate3( const AValue : Double; Precision : Word; Scale : Word ) : Variant;
2887: Function VarFMTBcdCreate4( const ABcd : TBcd ) : Variant;
2888: Function Variance( const Data : array of Double ) : Extended
2889: Function VariantAdd2( const V1 : Variant; const V2 : Variant ) : Variant
2890: Function VariantAnd2( const V1 : Variant; const V2 : Variant ) : Variant
2891: Function VariantDiv2( const V1 : Variant; const V2 : Variant ) : Variant
2892: Function VariantgetElement( const V : Variant; i1 : integer ) : Variant;
2893: Function VariantgetElement1( const V : Variant; i1, i2 : integer ) : Variant;
2894: Function VariantgetElement2( const V : Variant; i1, i2, i3 : integer ) : Variant;
2895: Function VariantgetElement3( const V : Variant; i1, i2, i3, i4 : integer ) : Variant;
2896: Function VariantgetElement4( const V : Variant; i1, i2, i3, i4, i5 : integer ) : Variant;
2897: Function VariantMod2( const V1 : Variant; const V2 : Variant ) : Variant
2898: Function VariantMul2( const V1 : Variant; const V2 : Variant ) : Variant
2899: Function VariantNeg( const V1 : Variant ) : Variant
2900: Function VariantNot( const V1 : Variant ) : Variant
2901: Function VariantOr2( const V1 : Variant; const V2 : Variant ) : Variant
2902: Function VariantShl2( const V1 : Variant; const V2 : Variant ) : Variant
2903: Function VariantShr2( const V1 : Variant; const V2 : Variant ) : Variant
2904: Function VariantSub2( const V1 : Variant; const V2 : Variant ) : Variant
2905: Function VariantXor2( const V1 : Variant; const V2 : Variant ) : Variant
2906: function VarIsEmpty(const V: Variant): Boolean;
2907: Function VarIsFMTBcd( const AValue : Variant ) : Boolean;
2908: function VarIsNull(const V: Variant): Boolean;
2909: Function VarToBcd( const AValue : Variant ) : TBcd
2910: function VarType(const V: Variant): TVarType;
2911: Function VarType( const V : Variant ) : TVarType
2912: Function VarAsType( const V : Variant; AVarType : TVarType ) : Variant
2913: Function VarIsType( const V : Variant; AVarType : TVarType ) : Boolean;
2914: Function VarIsType1( const V : Variant; const AVarTypes : array of TVarType ) : Boolean;
2915: Function VarIsByRef( const V : Variant ) : Boolean
2916: Function VarIsEmpty( const V : Variant ) : Boolean
2917: Procedure VarCheckEmpty( const V : Variant )
2918: Function VarIsNull( const V : Variant ) : Boolean
2919: Function VarIsClear( const V : Variant ) : Boolean
2920: Function VarIsCustom( const V : Variant ) : Boolean
2921: Function VarIsOrdinal( const V : Variant ) : Boolean
2922: Function VarIsFloat( const V : Variant ) : Boolean
2923: Function VarIsNumeric( const V : Variant ) : Boolean
2924: Function VarIsStr( const V : Variant ) : Boolean
2925: Function VarToStr( const V : Variant ) : string
2926: Function VarToStrDef( const V : Variant; const ADefault : string ) : string
2927: Function VarToWideStr( const V : Variant ) : WideString
2928: Function VarToWideStrDef( const V : Variant; const ADefault : WideString ) : WideString
2929: Function VarToDate( const V : Variant ) : TDate
2930: Function VarFromDate( const Date : TDate ) : Variant
2931: Function VarInRange( const AValue, AMin, AMax : Variant ) : Boolean
2932: Function VarEnsureRange( const AValue, AMin, AMax : Variant ) : Variant
2933: TVariantRelationship', '( vrEqual, vrLessThan, vrGreaterThan, vrNotEqual )
2934: Function VarSameValue( const A, B : Variant ) : Boolean
2935: Function VarCompareValue( const A, B : Variant ) : TVariantRelationship
2936: Function VarIsEmptyParam( const V : Variant ) : Boolean
2937: Function VarIsError( const V : Variant; out AResult : HRESULT ) : Boolean;
2938: Function VarIsError1( const V : Variant ) : Boolean;
2939: Function VarAsError( AResult : HRESULT ) : Variant
2940: Procedure VarCopyNoInd( var Dest : Variant; const Source : Variant )
2941: Function VarIsArray( const A : Variant ) : Boolean;
2942: Function VarIsArray1( const A : Variant; AResolveByRef : Boolean ) : Boolean;
2943: Function VarArrayCreate( const Bounds : array of Integer; AVarType : TVarType ) : Variant
2944: Function VarArrayOf( const Values : array of Variant ) : Variant
2945: Function VarArrayRef( const A : Variant ) : Variant
2946: Function VarTypeIsValidArrayType( const AVarType : TVarType ) : Boolean
2947: Function VarTypeIsValidElementType( const AVarType : TVarType ) : Boolean
2948: Function VarArrayDimCount( const A : Variant ) : Integer
2949: Function VarArrayLowBound( const A : Variant; Dim : Integer ) : Integer
2950: Function VarArrayHighBound( const A : Variant; Dim : Integer ) : Integer
2951: Function VarArrayLock( const A : Variant ) : __Pointer
2952: Procedure VarArrayUnlock( const A : Variant )
2953: Function VarArrayGet( const A : Variant; const Indices : array of Integer ) : Variant
2954: Procedure VarArrayPut( var A : Variant; const Value : Variant; const Indices : array of Integer )
2955: Procedure DynArrayToVariant( var V : Variant; const DynArray : __Pointer; TypeInfo : __Pointer )
2956: Procedure DynArrayFromVariant( var DynArray : __Pointer; const V : Variant; TypeInfo : __Pointer )
2957: Function Unassigned : Variant
2958: Function Null : Variant
2959: Function VectorAdd( const V1, V2 : TFlopPoint ) : TFlopPoint
2960: function VectorAdd(const V1,V2: TFlopPoint): TFlopPoint;
2961: Function VectorDot( const V1, V2 : TFlopPoint ) : Double
2962: function VectorDot(const V1,V2: TFlopPoint): Double;
2963: Function VectorLengthSqr( const V : TFlopPoint ) : Double
2964: function VectorLengthSqr(const V: TFlopPoint): Double;
2965: Function VectorMult( const V : TFlopPoint; const s : Double ) : TFlopPoint

```

```

2966: function VectorMult(const V : TFloatPoint; const s: Double): TFloatPoint;
2967: Function VectorSubtract( const V1, V2 : TFloatPoint) : TFloatPoint
2968: function VectorSubtract(const V1,V2: TFloatPoint): TFloatPoint;
2969: Function Verify( AUserName : String) : String
2970: Function Versine( X : Float) : Float
2971: function VersionCheck: boolean;
2972: function VersionCheckAct: string;
2973: Function VersionLanguageId( const LangIdRec : TLangIdRec) : string
2974: Function VersionLanguageName( const LangId : Word) : string
2975: Function VersionResourceAvailable( const FileName : string) : Boolean
2976: Function Visible : Boolean
2977: function VolumeID(DriveChar: Char): string
2978: Function WaitFor( const AString : string) : string
2979: Function WaitFor( const TimeOut : Cardinal) : TJclWaitResult
2980: Function WaitForI : TWaitResult;
2981: Function WaitForData( Timeout : Longint) : Boolean
2982: Function WebColorNameToColor( WebColorName : string) : TColor
2983: Function WebColorStrToColor( WebColor : string) : TColor
2984: Function WebColorToRGB( WebColor : Integer) : Integer
2985: Function wGet(aURL, afile: string): boolean;
2986: Function wGet2(aURL, afile: string): boolean; //without file open
2987: Function wGetX(aURL, afile: string): boolean;
2988: Function wGetX2(aURL, afile: string): boolean; //without file open
2989: Function WebGet(aURL, afile: string): boolean;
2990: Function WebExists: boolean; //alias to isinternet
2991: Function WeekOf( const AValue : TDateTime) : Word
2992: Function WeekOfTheMonth( const AValue : TDateTime) : Word;
2993: Function WeekOfTheMonth1( const AValue : TDateTime; var AYear, AMonth : Word) : Word;
2994: Function WeekOfTheYear( const AValue : TDateTime) : Word;
2995: Function WeekOfTheYear1( const AValue : TDateTime; var AYear : Word) : Word;
2996: Function WeeksBetween( const ANow, AThen : TDateTime) : Integer
2997: Function WeeksInAYear( const AYear : Word) : Word
2998: Function WeeksInYear( const AValue : TDateTime) : Word
2999: Function WeekSpan( const ANow, AThen : TDateTime) : Double
3000: Function WideAdjustLineBreaks( const S : WideString; Style : TTextLineBreakStyle) : WideString
3001: Function WideCat( const x, y : WideString) : WideString
3002: Function WideCompareStr( S1, S2 : WideString) : Integer
3003: function WideCompareStr(const S1: WideString; const S2: WideString): Integer
3004: Function WideCompareText( S1, S2 : WideString) : Integer
3005: function WideCompareText(const S1: WideString; const S2: WideString): Integer
3006: Function WideCopy( const src : WideString; index, count : Integer) : WideString
3007: Function WideDequotedStr( const S : WideString; AQuote : WideChar) : WideString
3008: Function WideEqual( const x, y : WideString) : Boolean
3009: function WideFormat(const Format: WideString; const Args: array of const): WideString)
3010: Function WideGreater( const x, y : WideString) : Boolean
3011: Function WideLength( const src : WideString) : Integer
3012: Function WideLess( const x, y : WideString) : Boolean
3013: Function WideLowerCase( S : WideString) : WideString
3014: function WidLowerCase(const S: WideString): WideString
3015: Function WidePos( const src, sub : WideString) : Integer
3016: Function WideQuotedStr( const S : WideString; Quote : WideChar) : WideString
3017: Function WideReplaceStr( const AText, AFromText, AToText : WideString) : WideString
3018: Function WideReplaceText( const AText, AFromText, AToText : WideString) : WideString
3019: Function WideSameStr( S1, S2 : WideString) : Boolean
3020: function WideSameStr(const S1: WideString; const S2: WideString): Boolean
3021: Function WideSameText( S1, S2 : WideString) : Boolean
3022: function WideSameText(const S1: WideString; const S2: WideString): Boolean
3023: Function WideStringReplace(const S,OldPattern, NewPattern: Widestring; Flags: TReplaceFlags): Widestring
3024: Function WideStringToUCS4String( const S : WideString) : UCS4String
3025: Function WideUpperCase( S : WideString) : WideString
3026: Function Win32BackupFile( const FileName : string; Move : Boolean) : Boolean
3027: function Win32Check(RetVal: boolean): boolean
3028: Function Win32DeleteFile( const FileName : string; MoveToRecycleBin : Boolean) : Boolean
3029: Function Win32RestoreFile( const FileName : string) : Boolean
3030: Function Win32Type : TIdWin32Type
3031: Function WinColor( const Color32 : TColor32) : TColor
3032: function winexec(FileNamed: pchar; showCmd: integer): integer;
3033: Function WinExec32( const Cmd : string; const CmdShow : Integer) : Boolean
3034: Function WinExec32AndWait( const Cmd : string; const CmdShow : Integer) : Cardinal
3035: Function WithinPastDays( const ANow, AThen : TDateTime; const ADays : Integer) : Boolean
3036: Function WithinPastHours( const ANow, ATThen : TDateTime; const AHours : Int64) : Boolean
3037: Function WithinPastMilliSeconds( const ANow, ATThen : TDateTime; const AMilliSeconds : Int64) : Boolean
3038: Function WithinPastMinutes( const ANow, ATThen : TDateTime; const AMinutes : Int64) : Boolean
3039: Function WithinPastMonths( const ANow, ATThen : TDateTime; const AMonths : Integer) : Boolean
3040: Function WithinPastSeconds( const ANow, ATThen : TDateTime; const ASeconds : Int64) : Boolean
3041: Function WithinPastWeeks( const ANow, ATThen : TDateTime; const AWeeks : Integer) : Boolean
3042: Function WithinPastYears( const ANow, ATThen : TDateTime; const AYears : Integer) : Boolean
3043: Function WNetAddConnection( lpRemoteName, lpPassword, lpLocalName : PChar) : DWORD
3044: Function WordToStr( const Value : Word) : String
3045: Function WordGridFormatIdentToInt( const Ident : string; var Value : Longint) : Boolean
3046: Function IntToWordGridFormatIdent( Value : Longint; var Ident : string) : Boolean
3047: Procedure GetWordGridFormatValues( Proc : TGetStrProc)
3048: Function WorkArea : Integer
3049: Function WrapText( Line : string; MaxCol : Integer) : string;
3050: Function WrapText2( Line, BreakStr : string; BreakChars : TSysCharSet; MaxCol : Integer) : string;
3051: Function Write( pv : Pointer; cb : Longint; pcbWritten : PLongint) : HResult
3052: function Write(Buffer:String;Count:LongInt):LongInt
3053: Function WriteClient( var Buffer, Count : Integer) : Integer
3054: Function WriteFile( const AFile : string; const AEnableTransferFile : Boolean) : Cardinal

```

```

3055: Function WriteHeaders( StatusCode : Integer; const ReasonString, Headers : string) : Boolean
3056: Function WriteString( const AString : string) : Boolean
3057: Function WStrGet(var S : AnyString; I : Integer) : WideChar;
3058: Function wvsprintf( Output : PChar; Format : PChar; arglist : va_list) : Integer
3059: Function wsprintf( Output : PChar; Format : PChar) : Integer
3060: Function XmlDateTimeToStr( const XmlDateTime : string; const Format : string) : string
3061: Function XmlTimeToStr( const XmlTime : string; const Format : string) : string
3062: Function XorDecode( const Key, Source : string) : string
3063: Function XorEncode( const Key, Source : string) : string
3064: Function XorString( const Key, Src : ShortString) : ShortString
3065: Function Yield : Bool
3066: Function YearOf( const AValue : TDateTime) : Word
3067: Function YearsBetween( const ANow, AThen : TDateTime) : Integer
3068: Function YearSpan( const ANow, AThen : TDateTime) : Double
3069: Function Yesterday : TDateTime
3070: Function YesNoDialog(const ACaption, AMsg: string): boolean;
3071: Function( const Name : string; Proc : TUserFunction)
3072: Function using Special_Scholz from 3.8.5.0
3073: Function TimeToFloat(value:Extended):Extended; // Normalstunden --> Industriestunden
3074: Function FloatToTime(value:Extended):Extended; // Industriestunden --> Normalstunden
3075: Function FloatToTime2Dec(value:Extended):Extended;
3076: Function MinToStd(value:Extended):Extended;
3077: Function MinToStdAsString(value:Extended):String;
3078: Function RoundFloatToStr(zahl:Extended; decimals:integer):String;
3079: Function RoundFloat(zahl:Extended; decimals:integer):Extended;
3080: Function Round2Dec (zahl:Extended):Extended;
3081: Function GetAngle(x,y:Extended):Double;
3082: Function AddAngle(a1,a2:Double):Double;
3083:
3084: ****
3085: unit UPST_StText;
3086: ****
3087: Function TextSeek( var F : TextFile; Target : LongInt) : Boolean
3088: Function TextFileSize( var F : TextFile) : LongInt
3089: Function TextPos( var F : TextFile) : LongInt
3090: Function TextFlush( var F : TextFile) : Boolean
3091:
3092: ****
3093: from JvVCLUtils;
3094: ****
3095: { Windows resources (bitmaps and icons) VCL-oriented routines }
3096: procedure DrawBitmapTransparent(Dest:TCanvas;DstX,DstY:Integer;Bitmap:TBitmap;TransparentColor:TColor);
3097: procedure DrawBitmapRectTransparent(Dest: TCanvas; DstX,
  DstY:Int;SrcRect:TRect;Bitmap:TBitmap;TransparColor:TColor);
3098: procedure StretchBitmapRectTransparent(Dest: TCanvas; DstX, DstY, DstW,DstH: Integer; SrcRect: TRect;
  Bitmap: TBitmap; TransparentColor: TColor);
3099: function MakeBitmap(ResID: PChar): TBitmap;
3100: function MakeBitmapID(ResID: Word): TBitmap;
3101: function MakeModuleBitmap(Module: THandle; ResID: PChar): TBitmap;
3102: function CreateTwoColorsBrushPattern(Color1, Color2: TColor): TBitmap;
3103: function CreateDisabledBitmap_NewStyle(FOriginal: TBitmap; BackColor: TColor): TBitmap;
3104: function CreateDisabledBitmapEx(FOriginal: TBitmap; OutlineColor, BackColor,
  HighlightColor, ShadowColor: TColor; DrawHighlight: Boolean): TBitmap;
3105: function CreateDisabledBitmap(FOriginal: TBitmap; OutlineColor: TColor): TBitmap;
3106: function ChangeBitmapColor(Bitmap: TBitmap; Color, NewColor: TColor): TBitmap;
3107: procedure AssignBitmapCell(Source: TGraphic; Dest: TBitmap; Cols, Rows,Index: Integer);
3108:
3109: {$IFDEF WIN32}
3110: procedure ImageListDrawDisabled(Images: TImageList; Canvas: TCanvas;
  X, Y, Index: Integer; HighlightColor, GrayColor: TColor; DrawHighlight: Boolean);
3111: {$ENDIF}
3112: function MakeIcon(ResID: PChar): TIcon;
3113: function MakeIconID(ResID: Word): TIcon;
3114: function MakeModuleIcon(Module: THandle; ResID: PChar): TIcon;
3115: function CreateBitmapFromIcon(Icon: TIcon; BackColor: TColor): TBitmap;
3116:
3117: {$IFDEF WIN32}
3118: function CreateIconFromBitmap(Bitmap: TBitmap; TransparentColor: TColor): TIcon;
3119: {$ENDIF}
3120: { Service routines }
3121: procedure NotImplemented;
3122: procedure ResourceNotFound(ResID: PChar);
3123: function PointInRect(const P: TPoint; const R: TRect): Boolean;
3124: function PointInPolyRgn(const P: TPoint; const Points: array of TPoint): Boolean;
3125: function PaletteColor(Color: TColor): Longint;
3126: function WidthOf(R: TRect): Integer;
3127: function HeightOf(R: TRect): Integer;
3128: procedure PaintInverseRect(const RectOrg, RectEnd: TPoint);
3129: procedure DrawInvertFrame(ScreenRect: TRect; Width: Integer);
3130: procedure CopyParentImage(Control: TControl; Dest: TCanvas);
3131: procedure Delay(MSecs: Longint);
3132: procedure DeleteLine(StrList: TStringList; SearchPattern: String);
3133: procedure CenterControl(Control: TControl);
3134: Function PaletteEntries( Palette : HPALETTE ) : Integer
3135: Function WindowClassName( Wnd : HWND ) : string
3136: Function ScreenWorkArea : TRect
3137: Procedure MoveWindowOrg( DC : HDC; DX, DY : Integer)
3138: Procedure SwitchToWindow( Wnd : HWND; Restore : Boolean)
3139: Procedure ActivateWindow( Wnd : HWND )
3140: Procedure ShowWinNoAnimate( Handle : HWND; CmdShow : Integer)
3141: Procedure CenterWindow( Wnd : HWND )

```

```

3142: Procedure ShadeRect( DC : HDC; const Rect : TRect)
3143: Procedure KillMessage( Wnd : HWND; Msg : Cardinal)
3144: Function DialogsToPixelsX( Dlgs : Word) : Word
3145: Function DialogsToPixelsY( Dlgs : Word) : Word
3146: Function PixelsToDialogsX( Pixs : Word) : Word
3147: Function PixelsToDialogsY( Pixs : Word) : Word
3148: {$IFDEF WIN32}
3149: procedure ShowMDIClientEdge(ClientHandle: THandle; ShowEdge: Boolean);
3150: function MakeVariant(const Values: array of Variant): Variant;
3151: {$ENDIF}
3152: function CreateRotatedFont(Font: TFont; Angle: Integer): HFONT;
3153: function MsgBox(const Caption, Text: string; Flags: Integer): Integer;
3154: function MsgDlg(const Msg:string; AType:TMsgDlgType; AButtons: TMsgDlgButtons; HelpCtx: Longint): Word;
3155: {$IFDEF CBUILDERS}
3156: function FindPrevInstance(const MainFormClass: ShortString; const ATitle: string): HWND;
3157: function ActivatePrevInstance(const MainFormClass: ShortString; const ATitle: string): Boolean;
3158: {$ELSE}
3159: function FindPrevInstance(const MainFormClass, ATitle: string): HWND;
3160: function ActivatePrevInstance(const MainFormClass, ATitle: string): Boolean;
3161: {$ENDIF CBUILDERS}
3162: function IsForegroundTask: Boolean;
3163: procedure MergeForm(AControl: TWinControl; AForm: TForm; Align: TAlign; Show: Boolean);
3164: function GetAveCharSize(Canvas: TCanvas): TPoint;
3165: function MinimizeText(const Text: string; Canvas: TCanvas; MaxWidth: Integer): string;
3166: procedure FreeUnusedOLE;
3167: procedure Beep;
3168: function GetWindowsVersionJ: string;
3169: function LoadDLL(const LibName: string): THandle;
3170: function RegisterServer(const ModuleName: string): Boolean;
3171: {$IFDEF WIN32}
3172: function IsLibrary: Boolean;
3173: {$ENDIF}
3174: { Gradient filling routine }
3175: type TFillDirection = (fdTopToBottom, fdBottomToTop, fdLeftToRight, fdRightToLeft);
3176: procedure GradientFillRect(Canvas: TCanvas; ARect: TRect; StartColor, EndColor: TColor; Direction: TFillDirection; Colors: Byte);
3177: { String routines }
3178: function GetEnvVar(const VarName: string): string;
3179: function AnsiUpperFirstChar(const S: string): string;
3180: function StringToPChar(var S: string): PChar;
3181: function StrPAalloc(const S: string): PChar;
3182: procedure SplitCommandLine(const CmdLine: string; var ExeName, Params: string);
3183: function DropT(const S: string): string;
3184: { Memory routines }
3185: function AllocMemo(Size: Longint): Pointer;
3186: function ReallocMemo(fpBlock: Pointer; Size: Longint): Pointer;
3187: procedure FreeMemo(var fpBlock: Pointer);
3188: function GetMemoSize(fpBlock: Pointer): Longint;
3189: function CompareMem(fpBlock1, fpBlock2: Pointer; Size: Cardinal): Boolean;
3190: {$IFDEF COMPILERS_UP}
3191: procedure FreeAndNil(var Obj);
3192: {$ENDIF}
3193: // from PNGLoader
3194: Function OptimizeForPNG(Image:TLinearBitmap;QuantizationSteps:Integer;TransparentColor:TColor):Integer
3195: Procedure TransformRGB2LOCO( Image : TLinearBitmap)
3196: Procedure TransformLOC02RGB( Image : TLinearBitmap)
3197: Procedure SortPalette( const Pal : TPalette; var ColorMap : TColorMap)
3198: Function DrawButtonFace( Canvas : TCanvas; const Client : TRect; BevelWidth : Integer; Style : TButtonStyle; IsRounded, IsDown, IsFocused : Boolean) : TRect //Buttons
3199: Function IsAnAllResult( const AModalResult : TModalResult) : Boolean
3200: Function InitWndProc( HWindow : HWnd; Message, WParam : Longint; LParam : Longint) : Longint
3201: AddConstantN('CTL3D_ALL','LongWord').SetUInt($FFFF);
3202: //Procedure ChangeBiDiModeAlignment( var Alignment : TAlignment)
3203: //Function SendAppMessage( Msg : Cardinal; WParam, LParam : Longint) : Longint
3204: //Procedure MoveWindowOrg( DC : HDC; DX, DY : Integer)
3205: Procedure SetIMEMode( hWnd : HWND; Mode : TImeMode)
3206: Procedure SetIMEName( Name : TImeName)
3207: Function Win32NLEnableIME( hWnd : HWND; Enable : Boolean) : Boolean
3208: Function Imm32GetContext( hWnd : HWND) : HIMC
3209: Function Imm32ReleaseContext( hWnd : HWND; himc : HIMC) : Boolean
3210: Function Imm32GetConversionStatus( himc : HIMC; var Conversion, Sentence : longword) : Boolean
3211: Function Imm32SetConversionStatus( himc : HIMC; Conversion, Sentence : longword) : Boolean
3212: Function Imm32SetOpenStatus( himc : HIMC; fOpen : Boolean) : Boolean
3213: // Function Imm32SetCompositionWindow( himc : HIMC; lpCompForm : PCOMPOSITIONFORM) : Boolean
3214: //Function Imm32SetCompositionFont( himc : HIMC; lpLogfont : PLOGFONT) : Boolean
3215: Function Imm32GetCompositionString(himc:HIMC;dWord1:longword;lpBuf:string;dwBufLen:longint):Longint
3216: Function Imm32IsIME( hkl : longword) : Boolean
3217: Function Imm32NotifyIME( himc : HIMC; dwAction, dwIndex, dwValue:longword):Boolean
3218: Procedure DragDone( Drop : Boolean)
3219:
3220:
3221: //*****added from jvvcutils
3222: function CanvasMaxTextHeight(Canvas: TCanvas): Integer;
3223: function ReplaceComponentReference(This,NewReference:TComponent;var VarReference:TComponent):Boolean;
3224: procedure DrawLine(Canvas: TCanvas; X, Y, X2, Y2: Integer);
3225: function IsPositiveResult(Value: TModalResult): Boolean;
3226: function IsNegativeResult(Value: TModalResult): Boolean;
3227: function IsAbortResult(const Value: TModalResult): Boolean;
3228: function StripAllFromResult(const Value: TModalResult): TModalResult;

```

```

3229: // returns either BrightColor or DarkColor depending on the luminance of AColor
3230: // This function gives the same result (AFAIK) as the function used in Windows to
3231: // calculate the desktop icon text color based on the desktop background color
3232: function SelectColorByLuminance(AColor, DarkColor, BrightColor: TColor);
3233: type TJvHTMLCalcType = (htmlShow, htmlCalcWidth, htmlCalcHeight, htmlHyperLink);
3234:
3235: procedure HTMLDrawTextEx(Canvas: TCanvas; Rect: TRect;
3236:   const State: TOwnerDrawState; const Text: string; var Width: Integer;
3237:   CalcType: TJvHTMLCalcType; MouseX, MouseY: Integer; var MouseOnLink: Boolean;
3238:   var LinkName: string; Scale: Integer = 100); overload;
3239: procedure HTMLDrawTextEx(Canvas: TCanvas; Rect: TRect;
3240:   const State: TOwnerDrawState; const Text: string; var Width, Height: Integer;
3241:   CalcType: TJvHTMLCalcType; MouseX, MouseY: Integer; var MouseOnLink: Boolean;
3242:   var LinkName: string; Scale: Integer = 100); overload;
3243: function HTMLDrawText(Canvas: TCanvas; Rect: TRect;
3244:   const State: TOwnerDrawState; const Text: string; Scale: Integer = 100): string;
3245: function HTMLDrawTextHL(Canvas: TCanvas; Rect: TRect;
3246:   const State: TOwnerDrawState; const Text: string; MouseX, MouseY: Integer;
3247:   Scale: Integer = 100): string;
3248: function HTMLPlainText(const Text: string): string;
3249: function HTMLTextExtent(Canvas: TCanvas; Rect: TRect;
3250:   const State: TOwnerDrawState; const Text: string; Scale: Integer = 100): TSize;
3251: function HTMLTextWidth(Canvas: TCanvas; Rect: TRect;
3252:   const State: TOwnerDrawState; const Text: string; Scale: Integer = 100): Integer;
3253: function HTMLTextHeight(Canvas: TCanvas; const Text: string; Scale: Integer = 100): Integer;
3254: function HTMLPrepareText(const Text: string): string;
3255:
3256: ***** uPSI_JvAppUtils;
3257: Function GetDefaultSection( Component : TComponent ) : string
3258: Procedure GetDefaultIniData(Control:TControl; var IniFileName, Section : string; UseRegistry : Boolean)
3259: Procedure GetDefaultIniData( Control : TControl; var IniFileName, Section : string )
3260: Function GetDefaultIniName : string
3261: //OnGetDefaultIniName,'TOnGetDefaultIniName';
3262: Function GetDefaultIniRegKey : string
3263: Function FindForm( FormClass : TFormClass ) : TForm
3264: Function FindShowForm( FormClass : TFormClass; const Caption : string ) : TForm
3265: Function ShowDialog( FormClass : TFormClass ) : Boolean
3266: //Function InstantiateForm( FormClass : TFormClass; var Reference ) : TForm
3267: Procedure SaveFormPlacement( Form : TForm; const IniFileName : string; UseRegistry : Boolean )
3268: Procedure RestoreFormPlacement( Form : TForm; const IniFileName : string; UseRegistry : Boolean )
3269: Procedure SaveMDIChildrenReg( MainForm : TForm; IniFile : TRegIniFile )
3270: Procedure SaveFormPlacement( Form : TForm; const IniFileName : string )
3271: Procedure RestoreFormPlacement( Form : TForm; const IniFileName : string )
3272: Function GetUniqueFileNameInDir( const Path, FileNameMask : string ) : string
3273: Function StrToIniStr( const Str : string ) : string
3274: Function IniStrToStr( const Str : string ) : string
3275: Function IniReadString( IniFile : TObject; const Section, Ident, Default : string ) : string
3276: Procedure IniWriteString( IniFile : TObject; const Section, Ident, Value : string )
3277: Function IniReadInteger( IniFile : TObject; const Section, Ident : string; Default : Longint ) : Longint
3278: Procedure IniWriteInteger( IniFile : TObject; const Section, Ident : string; Value : Longint )
3279: Function IniReadBool( IniFile : TObject; const Section, Ident : string; Default : Boolean ) : Boolean
3280: Procedure IniWriteBool( IniFile : TObject; const Section, Ident : string; Value : Boolean )
3281: Procedure IniReadSections( IniFile : TObject; Strings : TStrings )
3282: Procedure IniEraseSection( IniFile : TObject; const Section : string )
3283: Procedure IniDeleteKey( IniFile : TObject; const Section, Ident : string )
3284: Procedure AppBroadcast( Msg, wParam : Longint; lParam : Longint )
3285: Procedure AppBroadcast( Msg, wParam : Word; lParam : Longint )
3286: Procedure AppTaskbarIcons( AppOnly : Boolean )
3287: Procedure InternalSaveGridLayout( Grid : TCustomGrid; IniFile : TObject; const Section : string )
3288: Procedure InternalRestoreGridLayout( Grid : TCustomGrid; IniFile : TObject; const Section : string )
3289: Procedure InternalSaveMDIChildren( MainForm : TForm; IniFile : TObject )
3290: Procedure InternalRestoreMDIChildren( MainForm : TForm; IniFile : TObject )
3291: ***** uPSI_JvDBUtils;
3292: Function CreateLocate( DataSet : TDataSet ) : TJvLocateObject
3293: Function IsDataSetEmpty( DataSet : TDataSet ) : Boolean
3294: Procedure RefreshQuery( Query : TDataSet )
3295: Function DataSetSortedSearch(DataSet:TDataSet;const Value,FieldName:string;CaseInsensitive:Bool):Boolean
3296: Function DataSetSectionName( DataSet : TDataSet ) : string
3297: Procedure InternalSaveFields( DataSet : TDataSet; IniFile : TObject; const Section : string )
3298: Procedure InternalRestoreFields(DataSet:TDataSet;IniFile:TObject;const Section:string;RestoreVisible:Bool)
3299: Function DataSetLocateThrough(DataSet:TDataSet; const KeyFields: string; const KeyValues: Variant;
  Options: TLocateOptions) : Boolean
3300: Procedure SaveFields( DataSet : TDataSet; IniFile : TIIniFile )
3301: Procedure RestoreFields( DataSet : TDataSet; IniFile : TIIniFile; RestoreVisible : Boolean )
3302: Procedure AssignRecord( Source, Dest : TDataSet; ByName : Boolean )
3303: Function ConfirmDelete : Boolean
3304: Procedure ConfirmDataSetCancel( DataSet : TDataSet )
3305: Procedure CheckRequiredField( Field : TField )
3306: Procedure CheckRequiredFields( const Fields : array of TField )
3307: Function DateToSQL( Value : TDateTime ) : string
3308: Function FormatSQLDateRange( Date1, Date2 : TDateTime; const FieldName : string ) : string
3309: Function FormatSQLDateRangeEx( Date1, Date2 : TDateTime; const FieldName : string ) : string
3310: Function FormatSQLNumericRange(const FieldName:string;LowVal,HighVal,LowEmpty,
  HighEmpty:Double;Inclusive:Bool):string
3311: Function StrMaskSQL( const Value : string ) : string
3312: Function FormatSQLCondition(const FieldName,Operator,Val:string;FieldType:TFieldType;Exact:Bool):string
3313: Function FormatAnsiSQLCondition(const FieldName,Operator,Val:string;FieldType:TFieldType;Exact:Bool):string
3314: Procedure _DBError( const Msg : string )
3315: Const ('TrueExpr','String '0=0

```

```

3316: Const('sdfStandard16','String ''''''mm''/''dd''/''yyyy'''')
3317: Const('sdfStandard32','String ''''''dd/mm/yyyy'''')
3318: Const('sdfOracle','String ''TO_DATE('''dd/mm/yyyy''', ''DD/MM/YYYY'')')
3319: Const('sdfInterbase','String ''CAST('''mm''/''dd''/''yyyy''' AS DATE)')
3320: Const('sdfMSSQL','String ''CONVERT(datetime, ''''mm''/''dd''/''yyyy'''', 103)')
3321: AddTypeS('Largeint', 'Longint')
3322: TIFEException', '(ErNoError, erCannotImport, erInvalidType, ErInternalError, '+
3323: 'erInvalidHeader, erInvalidOpcode, erInvalidOpcodeParameter, erNoMainProc, erOutOfGlobalVarsRange, '+
3324: 'erOutOfProcRange, ErOutOfRange, erOutOfStackRange, ErTypeMismatch, erUnexpectedEof, '+
3325: 'erVersionError, ErDivideByZero, ErMathError, erCouldNotCallProc, erOutOfRecordRange, '+
3326: 'erOutOfMemory, erException, erNullPointerException, erNullVariantError, erInterfaceNotSupported, erInterfaceNotSupportedError);
3327: (*-----*)
3328: procedure SIRегистre_JclIniFiles(CL: TPSFPascalCompiler);
3329: begin
3330:   Function JIniReadBool( const FileName, Section, Line : string) : Boolean
3331:   Function JIniReadInteger( const FileName, Section, Line : string) : Integer
3332:   Function JIniReadString( const FileName, Section, Line : string) : string
3333:   Procedure JIniWriteBool( const FileName, Section, Line : string; Value : Boolean)
3334:   Procedure JIniWriteInteger( const FileName, Section, Line : string; Value : Integer)
3335:   Procedure JIniWriteString( const FileName, Section, Line, Value : string)
3336:   Procedure JIniReadStrings( IniFile : TCustomIniFile; const Section : string; Strings : TStrings)
3337:   Procedure JIniWriteStrings( IniFile : TCustomIniFile; const Section : string; Strings : TStrings)
3338: end;
3339:
3340: (* == compile-time registration functions == *)
3341: (*-----*)
3342: procedure SIRегистre_JclDateTime(CL: TPSFPascalCompiler);
3343: begin
3344:   'UnixTimeStart','LongInt'( 25569 );
3345:   Function JEncodeDate( const Year : Integer; Month, Day : Word ) : TDateTime
3346:   Procedure JDecodeDate( Date : TDateTime; var Year, Month, Day : Word );
3347:   Procedure DecodeDate1( Date : TDateTime; var Year : Integer; var Month, Day : Word );
3348:   Procedure DecodeDate2( Date : TDateTime; var Year, Month, Day : Integer );
3349:   Function CenturyOfDate( const DateTime : TDateTime ) : Integer
3350:   Function CenturyBaseYear( const DateTime : TDateTime ) : Integer
3351:   Function DayOfDate( const DateTime : TDateTime ) : Integer
3352:   Function MonthOfDate( const DateTime : TDateTime ) : Integer
3353:   Function YearOfDate( const DateTime : TDateTime ) : Integer
3354:   Function JDdayOfTheYear( const DateTime : TDateTime; var Year : Integer ) : Integer;
3355:   Function DayOfTheYear1( const DateTime : TDateTime ) : Integer;
3356:   Function DayOfTheYearToDate( const Year, Day : Integer ) : TDateTime
3357:   Function HourOfTime( const DateTime : TDateTime ) : Integer
3358:   Function MinuteOfTime( const DateTime : TDateTime ) : Integer
3359:   Function SecondOfTime( const DateTime : TDateTime ) : Integer
3360:   Function GetISOYearNumberOfDay( const Year : Word ) : Word
3361:   Function IsISOLongYear( const Year : Word ) : Boolean;
3362:   Function IsISOLongYear1( const DateTime : TDateTime ) : Boolean;
3363:   Function ISODayOfWeek( const DateTime : TDateTime ) : Word
3364:   Function JISOWeekNumber( DateTime : TDateTime; var YearOfWeekNumber, WeekDay : Integer ) : Integer;
3365:   Function ISOWeekNumber1( DateTime : TDateTime; var YearOfWeekNumber : Integer ) : Integer;
3366:   Function ISOWeekNumber2( DateTime : TDateTime ) : Integer;
3367:   Function ISOWeekToDate( const Year, Week, Day : Integer ) : TDateTime
3368:   Function JIsLeapYear( const Year : Integer ) : Boolean;
3369:   Function IsLeapYear1( const DateTime : TDateTime ) : Boolean;
3370:   Function JDdaysInMonth( const DateTime : TDateTime ) : Integer
3371:   Function Make4DigitYear( Year, Pivot : Integer ) : Integer
3372:   Function JMakeYear4Digit( Year, WindowsillYear : Integer ) : Integer
3373:   Function JEasterSunday( const Year : Integer ) : TDatetime // TDosDateTime', 'Integer
3374:   Function JFormatDateTime( Form : string; DateTime : TDateTime ) : string
3375:   Function FATDatesEqual( const FileTime1, FileTime2 : Int64 ) : Boolean;
3376:   Function FATDatesEqual1( const FileTime1, FileTime2 : TFileTime ) : Boolean;
3377:   Function HoursToMSecs( Hours : Integer ) : Integer
3378:   Function MinutesToMSecs( Minutes : Integer ) : Integer
3379:   Function SecondsToMSecs( Seconds : Integer ) : Integer
3380:   Function TimeOfDateToSeconds( DateTime : TDateTime ) : Integer
3381:   Function TimeOfDateToTimeToMSecs( DateTime : TDateTime ) : Integer
3382:   Function DateTimeToLocalDateTime( DateTime : TDateTime ) : TDateTime
3383:   Function LocalDateTimeToDate( DateTime : TDateTime ) : TDateTime
3384:   Function DateTimeToDosDateTime( const DateTime : TDateTime ) : TDosDateTime
3385:   Function JDDateToToFileTime( DateTime : TDateTime ) : TFileTime
3386:   Function JDDateToSystemTime( DateTime : TDateTime ) : TSystemTime;
3387:   Procedure DateTimeToSystemTime1( DateTime : TDatetime; var SysTime : TSystemTime );
3388:   Function LocalDateTimeToFileTime( DateTime : TDateTime ) : FileTime
3389:   Function DosDateTimeToDate( const DosTime : TDosDateTime ) : TDateTime
3390:   Function JDosDateTimeToFileTime( DosTime : TDosDateTime ) : TFileTime;
3391:   Procedure DosDateTimeToFileTime1( DTH, DTL : Word; FT : TFileTime );
3392:   Function DosDateTimeToSystemTime( const DosTime : TDosDateTime ) : TSystemTime
3393:   Function DosDateTimeToStr( DateTime : Integer ) : string
3394:   Function JFileTimeToDate( const FileTime : TFileTime ) : TDateTime
3395:   Function FileTimeToLocalDateTime( const FileTime : TFileTime ) : TDateTime
3396:   Function JFileTimeToDosDateTime( const FileTime : TFileTime ) : TDosDateTime;
3397:   Procedure FileTimeToDosDateTime1( const FileTime : TFileTime; var Date, Time : Word );
3398:   Function JFileTimeToSystemTime( const FileTime : TFileTime ) : TSystemTime;
3399:   Procedure FileTimeToSystemTime1( const FileTime : TFileTime; var ST : TSystemTime );
3400:   Function FileTimeToStr( const FileTime : TFileTime ) : string
3401:   Function SystemTimeToDosDateTime( const SystemTime : TSystemTime ) : TDosDateTime
3402:   Function JSystemTimeToFileTime( const SystemTime : TSystemTime ) : TFileTime;
3403:   Procedure SystemTimeToFileTime1( const SystemTime : TSystemTime; FTime : TFileTime );
3404:   Function SystemTimeToStr( const SystemTime : TSystemTime ) : string

```

```

3405: Function CreationDateTimeOfFile( const Sr : TSearchRec ) : TDateTime
3406: Function LastAccessDateTimeOfFile( const Sr : TSearchRec ) : TDateTime
3407: Function LastWriteDateTimeOfFile( const Sr : TSearchRec ) : TDateTime
3408: TJclUnixTime32', 'Longword
3409: Function JDateTimeToUnixTime( DateTime : TDateTime ) : TJclUnixTime32
3410: Function JUnixTimeToDate( const UnixTime : TJclUnixTime32 ) : TDateTime
3411: Function FileTimeToUnixTime( const AValue : TFileTime ) : TJclUnixTime32
3412: Function UnixTimeToFileTime( const AValue : TJclUnixTime32 ) : TFileTime
3413: Function JNullStamp : TTimeStamp
3414: Function JCompareTimeStamps( const Stamp1, Stamp2 : TTimeStamp ) : Int64
3415: Function JEQualTimeStamps( const Stamp1, Stamp2 : TTimeStamp ) : Boolean
3416: Function JIsNullTimeStamp( const Stamp : TTimeStamp ) : Boolean
3417: FunctionTimeStampDOW( const Stamp : TTimeStamp ) : Integer
3418: Function FirstWeekDay( const Year, Month : Integer; var DOW : Integer ) : Integer;
3419: Function FirstWeekDay1( const Year, Month : Integer ) : Integer;
3420: Function LastWeekDay( const Year, Month : Integer; var DOW : Integer ) : Integer;
3421: Function LastWeekDay1( const Year, Month : Integer ) : Integer;
3422: Function IndexedWeekDay( const Year, Month : Integer; Index : Integer ) : Integer
3423: Function FirstWeekendDay( const Year, Month : Integer; var DOW : Integer ) : Integer;
3424: Function FirstWeekendDay1( const Year, Month : Integer ) : Integer;
3425: Function LastWeekendDay( const Year, Month : Integer; var DOW : Integer ) : Integer;
3426: Function LastWeekendDay1( const Year, Month : Integer ) : Integer;
3427: Function IndexedWeekendDay( const Year, Month : Integer; Index : Integer ) : Integer
3428: Function FirstDayOfWeek( const Year, Month, DayOfWeek : Integer ) : Integer
3429: Function LastDayOfWeek( const Year, Month, DayOfWeek : Integer ) : Integer
3430: Function IndexedDayOfWeek( const Year, Month, DayOfWeek, Index : Integer ) : Integer
3431: FindClass('TOBJECT'), EJclDateTimeError
3432: end;
3433:
3434: procedure SIRегистre_JclMiscel2(CL: TPSPPascalCompiler);
3435: begin
3436: Function SetDisplayResolution( const XRes, YRes : DWORD ) : Longint
3437: Function CreateDOSProcessRedirected( const CommandLine, InputFile, OutputFile : string ) : Boolean
3438: Function WinExec32( const Cmd : string; const CmdShow : Integer ) : Boolean
3439: Function WinExec32AndWait( const Cmd : string; const CmdShow : Integer ) : Cardinal
3440: Function WinExec32AndRedirectOutput( const Cmd: string; var Output: string; RawOutput:Boolean):Cardinal
3441: TJclKillLevel', '( k1Normal, k1NoSignal, k1TimeOut )
3442: Function ExitWindows( ExitCode : Cardinal ) : Boolean
3443: Function LogOffOS( KillLevel : TJclKillLevel ) : Boolean
3444: Function PowerOffOS( KillLevel : TJclKillLevel ) : Boolean
3445: Function ShutDownOS( KillLevel : TJclKillLevel ) : Boolean
3446: Function RebootOS( KillLevel : TJclKillLevel ) : Boolean
3447: Function HibernateOS( Force, DisableWakeEvents : Boolean ) : Boolean
3448: Function SuspendOS( Force, DisableWakeEvents : Boolean ) : Boolean
3449: Function ShutDownDialog( const DialogMessage:string;TimeOut:DWORD;Force,Reboot:Boolean ):Boolean;
3450: Function ShutDownDialog1( const MachineName,DialogMessage:string;TimeOut:DWORD;Force,Reboot:Bool ):Bool;
3451: Function AbortShutDown : Boolean;
3452: Function AbortShutDown1( const MachineName : string ) : Boolean;
3453: TJclAllowedPowerOperation', '( apoHibernate, apoShutdown, apoSuspend )
3454: TJclAllowedPowerOperations', 'set of TJclAllowedPowerOperation
3455: Function GetAllowedPowerOperations : TJclAllowedPowerOperations
3456: FindClass('TOBJECT'), EJclCreateProcessError
3457: Procedure CreateProcAsUser( const UserDomain, UserName, PassWord, CommandLine : string )
3458: Procedure CreateProcAsUserEx(const UserDomain,UserName,Password,CommandLine:string;const Environment:PChar);
3459: // with Add(EJclCreateProcessError) do
3460: end;
3461:
3462:
3463: procedure SIRегистre_JclAnsiStrings(CL: TPSPPascalCompiler);
3464: begin
3465: // 'AnsiSigns', 'Set').SetSet(['-', '+']);
3466: 'C1_UPPER', 'LongWord( $0001 );
3467: 'C1_LOWER', 'LongWord( $0002 );
3468: 'C1_DIGIT', 'LongWord').SetUInt( $0004 );
3469: 'C1_SPACE', 'LongWord').SetUInt( $0008 );
3470: 'C1_PUNCT', 'LongWord').SetUInt( $0010 );
3471: 'C1_CTRNL', 'LongWord').SetUInt( $0020 );
3472: 'C1_BLANK', 'LongWord').SetUInt( $0040 );
3473: 'C1_XDIGIT', 'LongWord').SetUInt( $0080 );
3474: 'C1_ALPHA', 'LongWord').SetUInt( $0100 );
3475: AnsiChar', 'Char
3476: Function StrIsAlpha( const S : AnsiString ) : Boolean
3477: Function StrIsAlphaNum( const S : AnsiString ) : Boolean
3478: Function StrIsAlphaNumUnderscore( const S : AnsiString ) : Boolean
3479: Function StrContainsChars( const S:AansiString;Chars:TSysCharSet; CheckAll : Boolean ) : Boolean
3480: Function StrConsistsOfNumberChars( const S : AnsiString ) : Boolean
3481: Function StrIsDigit( const S : AnsiString ) : Boolean
3482: Function StrIsSubset( const S : AnsiString; const ValidChars : TSysCharSet ) : Boolean
3483: Function StrSame( const S1, S2 : AnsiString ) : Boolean
3484: //Function StrCenter( const S : AnsiString; L : Integer; C : AnsiChar ) : AnsiString
3485: Function StrCharPosLower( const S : AnsiString; CharPos : Integer ) : AnsiString
3486: Function StrCharPosUpper( const S : AnsiString; CharPos : Integer ) : AnsiString
3487: Function StrDoubleQuote( const S : AnsiString ) : AnsiString
3488: Function StrEnsureNoPrefix( const Prefix, Text : AnsiString ) : AnsiString
3489: Function StrEnsureNoSuffix( const Suffix, Text : AnsiString ) : AnsiString
3490: Function StrEnsurePrefix( const Prefix, Text : AnsiString ) : AnsiString
3491: Function StrEnsureSuffix( const Suffix, Text : AnsiString ) : AnsiString
3492: Function StrEscapedToString( const S : AnsiString ) : AnsiString

```

```

3493: Function JStrLower( const S : AnsiString ) : AnsiString
3494: Procedure StrLowerInPlace( var S : AnsiString )
3495: //Procedure StrLowerBuff( S : PAnsiChar )
3496: Procedure JStrMove( var Dest:AnsiString; const Source:AnsiString;const ToIndex,FromIndex,Count:Integer );
3497: Function StrPadLeft( const S : AnsiString; Len : Integer; C : AnsiChar ) : AnsiString
3498: Function StrPadRight( const S : AnsiString; Len : Integer; C : AnsiChar ) : AnsiString
3499: Function StrProper( const S : AnsiString ) : AnsiString
3500: //Procedure StrProperBuff( S : PAnsiChar )
3501: Function StrQuote( const S : AnsiString; C : AnsiChar ) : AnsiString
3502: Function StrRemoveChars( const S : AnsiString; const Chars : TSysCharSet ) : AnsiString
3503: Function StrKeepChars( const S : AnsiString; const Chars : TSysCharSet ) : AnsiString
3504: Procedure JStrReplace(var S:AnsiString; const Search, Replace : AnsiString; Flags : TReplaceFlags)
3505: Function StrReplaceChar( const S : AnsiString; const Source, Replace : AnsiChar ) : AnsiString
3506: Function StrReplaceChars(const S:AnsiString;const Chars:TSysCharSet;Replace:AnsiChar):AnsiString
3507: Function StrReplaceButChars(const S:AnsiString;const Chars:TSysCharSet;Replace:AnsiChar):AnsiString;
3508: Function StrRepeat( const S : AnsiString; Count : Integer ) : AnsiString
3509: Function StrRepeatLength( const S : AnsiString; const L : Integer ) : AnsiString
3510: Function StrReverse( const S : AnsiString ) : AnsiString
3511: Procedure StrReverseInPlace( var S : AnsiString )
3512: Function StrSingleQuote( const S : AnsiString ) : AnsiString
3513: Function StrSmartCase( const S : AnsiString; Delimiters : TSysCharSet ) : AnsiString
3514: Function StrStringToEscaped( const S : AnsiString ) : AnsiString
3515: Function StrStripNonNumberChars( const S : AnsiString ) : AnsiString
3516: Function StrToHex( const Source : AnsiString ) : AnsiString
3517: Function StrTrimCharLeft( const S : AnsiString; C : AnsiChar ) : AnsiString
3518: Function StrTrimCharsLeft( const S : AnsiString; const Chars : TSysCharSet ) : AnsiString
3519: Function StrTrimCharRight( const S : AnsiString; C : AnsiChar ) : AnsiString
3520: Function StrTrimCharsRight( const S : AnsiString; const Chars : TSysCharSet ) : AnsiString
3521: Function StrTrimQuotes( const S : AnsiString ) : AnsiString
3522: Function JStrUpper( const S : AnsiString ) : AnsiString
3523: Procedure StrUpperInPlace( var S : Ansistring )
3524: //Procedure StrUpperBuff( S : PAnsiChar )
3525: Function StrOemToAnsi( const S : AnsiString ) : AnsiString
3526: Function StrAnsiToOem( const S : AnsiString ) : AnsiString
3527: Procedure StrAddRef( var S : Ansistring )
3528: Function StrAllocSize( const S : AnsiString ) : Longint
3529: Procedure StrDecRef( var S : Ansistring )
3530: //Function StrLen( S : PAnsiChar ) : Integer
3531: Function StrLength( const S : AnsiString ) : Longint
3532: Function StrRefCount( const S : AnsiString ) : Longint
3533: Procedure StrResetLength( var S : AnsiString )
3534: Function StrCharCount( const S : AnsiString; C : AnsiChar ) : Integer
3535: Function StrCharsCount( const S : AnsiString; Chars : TSysCharSet ) : Integer
3536: Function StrStrCount( const S, SubS : AnsiString ) : Integer
3537: Function StrCompare( const S1, S2 : AnsiString ) : Integer
3538: Function StrCompareRange( const S1, S2 : AnsiString; const Index, Count : Integer ) : Integer
3539: //Function StrFillChar( const C : AnsiChar; Count : Integer ) : AnsiString;
3540: Function StrFillChar1( const C : Char; Count : Integer ) : AnsiString;
3541: Function StrFillChar( const C: Char; Count: Integer): string';
3542: Function IntFillChar( const I: Integer; Count: Integer): string'));
3543: Function ByteFillChar( const B: Byte; Count: Integer): string');
3544: Function ArrFillChar( const AC: Char; Count: Integer): TCharArray';
3545: Function ArrByteFillChar( const AB: Char; Count: Integer): TByteArray;
3546: Function StrFind( const Substr, S : AnsiString; const Index : Integer ) : Integer
3547: //Function StrHasPrefix( const S : AnsiString; const Prefixes : array of AnsiString ) : Boolean
3548: Function StrIndex( const S : AnsiString; const List : array of AnsiString ) : Integer
3549: Function StrILastPos( const SubStr, S : AnsiString ) : Integer
3550: Function StrIPos( const SubStr, S : AnsiString ) : Integer
3551: Function StrIsOneOf( const S : AnsiString; const List : array of AnsiString ) : Boolean
3552: Function StrLastPos( const SubStr, S : AnsiString ) : Integer
3553: Function StrMatch( const Substr, S : AnsiString; const Index : Integer ) : Integer
3554: Function StrMatches( const Substr, S : AnsiString; const Index : Integer ) : Boolean
3555: Function StrNIPos( const S, SubStr : AnsiString; N : Integer ) : Integer
3556: Function StrNPos( const S, SubStr : AnsiString; N : Integer ) : Integer
3557: Function StrPrefixIndex( const S : AnsiString; const Prefixes : array of AnsiString ) : Integer
3558: Function StrSearch( const Substr, S : AnsiString; const Index : Integer ) : Integer
3559: //Function StrAfter( const SubStr, S : AnsiString ) : AnsiString
3560: //Function StrBefore( const SubStr, S : AnsiString ) : AnsiString
3561: Function StrBetween( const S : AnsiString; const Start, Stop : AnsiChar ) : AnsiString
3562: Function StrChopRight( const S : AnsiString; N : Integer ) : AnsiString
3563: Function StrLeft( const S : AnsiString; Count : Integer ) : AnsiString
3564: Function StrMid( const S : AnsiString; Start, Count : Integer ) : AnsiString
3565: Function StrRestOf( const S : AnsiString; N : Integer ) : AnsiString
3566: Function StrRight( const S : AnsiString; Count : Integer ) : AnsiString
3567: Function CharEqualNoCase( const C1, C2 : Ansichar ) : Boolean
3568: Function CharIsAlpha( const C : AnsiChar ) : Boolean
3569: Function CharIsAlphaNum( const C : AnsiChar ) : Boolean
3570: Function CharIsBlank( const C : AnsiChar ) : Boolean
3571: Function CharIsControl( const C : Ansichar ) : Boolean
3572: Function CharIsDelete( const C : Ansichar ) : Boolean
3573: Function CharIsDigit( const C : Ansichar ) : Boolean
3574: Function CharIsLower( const C : Ansichar ) : Boolean
3575: Function CharIsNumberChar( const C : Ansichar ) : Boolean
3576: Function CharIsPrintable( const C : Ansichar ) : Boolean
3577: Function CharIsPunctuation( const C : Ansichar ) : Boolean
3578: Function CharIsReturn( const C : Ansichar ) : Boolean
3579: Function CharIsSpace( const C : Ansichar ) : Boolean
3580: Function CharIsUpper( const C : Ansichar ) : Boolean
3581: Function CharIsWhiteSpace( const C : Ansichar ) : Boolean

```

```

3582: Function CharType( const C : AnsiChar ) : Word
3583: Function CharHex( const C : AnsiChar ) : Byte
3584: Function CharLower( const C : AnsiChar ) : AnsiChar
3585: Function CharUpper( const C : AnsiChar ) : AnsiChar
3586: Function CharToggleCase( const C : AnsiChar ) : AnsiChar
3587: Function CharPos( const S : AnsiString; const C : AnsiChar; const Index : Integer ) : Integer
3588: Function CharLastPos( const S : AnsiString; const C : AnsiChar; const Index : Integer ) : Integer
3589: Function CharIPos( const S : AnsiString; C : AnsiChar; const Index : Integer ) : Integer
3590: Function CharReplace( var S : AnsiString; const Search, Replace : AnsiChar ) : Integer
3591: Procedure StrToStrings( S, Sep : AnsiString; const List : TStrings; const AllowEmptyString : Boolean )
3592: Procedure StrToStrings( S, Sep : AnsiString; const List : TStrings; const AllowEmptyString : Boolean )
3593: Function StringsToStr( const List:TStrings;const Sep:AnsiString;const AllowEmptyString:Bool ):AnsiString;
3594: Procedure TrimStrings( const List : TStrings; DeleteIfEmpty : Boolean )
3595: Procedure TrimStringsRight( const List : TStrings; DeleteIfEmpty : Boolean )
3596: Procedure TrimStringsLeft( const List : TStrings; DeleteIfEmpty : Boolean )
3597: Function AddStringToStrings(const S:AnsiString;Strings:TStrings; const Unique:Boolean):Boolean
3598: Function BooleanToStr( B : Boolean ) : AnsiString
3599: Function FileToString( const FileName : AnsiString ) : AnsiString
3600: Procedure StringToFile( const FileName, Contents : AnsiString; Append : Boolean )
3601: Function StrToken( var S : AnsiString; Separator : AnsiChar ) : AnsiString
3602: Procedure StrTokens( const S : AnsiString; const List : TStrings )
3603: Procedure StrTokenToStrings( S : AnsiString; Separator : AnsiChar; const List : TStrings )
3604: //Function StrWord( var S : PAnsiChar; out Word : AnsiString ) : Boolean
3605: Function StrtoFloatSafe( const S : AnsiString ) : Float
3606: Function StrToIntSafe( const S : AnsiString ) : Integer
3607: Procedure StrNormIndex( const Strlen : Integer; var Index : Integer; var Count : Integer );
3608: Function ArrayOf( List : TStrings ) : TDynStringArray;
3609:   EJclStringError', 'EJclError
3610: function IsClass(Address: TObject): Boolean;
3611: function IsObject(Address: TObject): Boolean;
3612: // Console Utilities
3613: //function ReadKey: Char;
3614: function IntToStrZeroPad(Value, Count: Integer): AnsiString;
3615: function JclGUIDToString(const GUID: TGUID): string;
3616: function JclStringToGUID(const S: string): TGUID;
3617: end;
3618:
3619:
3620: ****uPSI_JvDBUtil;
3621: Procedure ExecuteSQLScript(Base:TDataBase; const Script: string; const Commit:TCommit;OnProgress:TOnProgress; const UserData : Integer)
3622: Function GetQueryResult( const DatabaseName, SQL : string ) : Variant
3623: Function GetStoredProcResult( const ADatabaseName, AStoredProcName : string; AParams : array of Variant; const AResultName : string ) : Variant
3624: //Function StrFieldDesc( Field : FLDDesc ) : string
3625: Function Var2Type( V : Variant; const VarType : Integer ) : Variant
3626: Procedure CopyRecord( DataSet : TDataSet )
3627: //Procedure AddReference( Tbl : TTable; RefName : string; RefField : Word; MasterTable : string; MasterField : Word; ModOp, DelOp : RINTQual )
3628: Procedure AddMasterPassword( Table : TTable; pswd : string )
3629: Procedure PackTable( Table : TTable )
3630: Procedure PackEncryptedTable( Table : TTable; pswd : string )
3631: Function EncodeQuotes( const S : string ) : string
3632: Function Cmp( const S1, S2 : string ) : Boolean
3633: Function SubStr( const S : string; const Index : Integer; const Separator : string ) : string
3634: Function SubStrEnd( const S : string; const Index : Integer; const Separator : string ) : string
3635: Function ReplaceString( S : string; const OldPattern, NewPattern : string ) : string
3636: Procedure GetXYByPos( const S : string; const Pos : Integer; var X, Y : Integer )
3637: *****uPSI_JvJvBDEUtils;*****
3638: //JvBDEUtils
3639: Function CreateDbLocate : TJvLocateObject
3640: //Function CheckOpen( Status : DBTResult ) : Boolean
3641: Procedure FetchAllRecords( DataSet : TBDEDataSet )
3642: Function TransActive( Database : TDatabase ) : Boolean
3643: Function AsyncQrySupported( Database : TDatabase ) : Boolean
3644: Function GetQuoteChar( Database : TDatabase ) : string
3645: Procedure ExecuteQuery( const DbName, QueryText : string )
3646: Procedure ExecuteQueryEx( const SessName, DbName, QueryText : string )
3647: Function FieldLogicMap( FldType : TFieldType ) : Integer
3648: Function FieldsSubtypeMap( FldType : TFieldType ) : Integer Value : string; Buffer : Pointer )
3649: Function GetAliasPath( const AliasName : string ) : string
3650: Function IsDirectory( const DatabaseName : string ) : Boolean
3651: Function GetBdeDirectory : string
3652: Function LoginToDatabase( Database : TDatabase; OnLogin : TDatabaseLoginEvent ) : Boolean
3653: Function DataSetFindValue( ADataSet : TBDEDataSet; const Value,FieldName : string ) : Boolean
3654: Function DataSetFindLike( ADataSet : TBDEDataSet; const Value,FieldName : string ) : Boolean
3655: Function DataSetRecNo( DataSet : TDataSet ) : Longint
3656: Function DataSetRecordCount( DataSet : TDataSet ) : Longint
3657: Function DataSetPositionStr( DataSet : TDataSet ) : string
3658: Procedure DataSetShowDeleted( DataSet : TBDEDataSet; Show : Boolean )
3659: Function CurrentRecordDeleted( DataSet : TBDEDataSet ) : Boolean
3660: Function IsFilterApplicable( DataSet : TDataSet ) : Boolean
3661: Function IsBookmarkStable( DataSet : TBDEDataSet ) : Boolean
3662: Procedure SetIndex( Table : TTable; const IndexFieldNames : string )
3663: Procedure RestoreIndex( Table : TTable )
3664: Procedure DeleteRange( Table : TTable; IndexFields : array of const; FieldValues : array of const )
3665: Procedure PackTable( Table : TTable )
3666: Procedure ReindexTable( Table : TTable )
3667: Procedure BdeFlushBuffers

```

```

3668: Function GetNativeHandle( Database : TDatabase; Buffer : Pointer; BufSize : Integer ) : Pointer
3669: Procedure ToggleDebugLayer( Active : Boolean; const DebugFile : string )
3670: Procedure DbNotSupported
3671: Procedure ExportDataSet( Source : TBDEDataSet; DestTable : TTable; TableType : TTableType; const
3672: AsciiCharSet : string; AsciiDelimited : Boolean; MaxRecordCount : Longint )
3673: Procedure ExportDataSetEx( Source : TBDEDataSet; DestTable : TTable; TableType : TTableType; const
3674: AsciiCharSet:string;AsciiDelimited:Boolean;AsciiDelimiter:Char;MaxRecordCount:Longint );
3675: ****uPSI_JvDateUtil;
3676: function CurrentYear: Word;
3677: function IsLeapYear(AYear: Integer): Boolean;
3678: function DaysPerMonth(AYear, AMonth: Integer): Integer;
3679: function FirstDayOfPrevMonth: TDateTime;
3680: function LastDayOfPrevMonth: TDateTime;
3681: function FirstDayOfNextMonth: TDateTime;
3682: function ExtractDay(ADate: TDateTime): Word;
3683: function ExtractMonth(ADate: TDateTime): Word;
3684: function ExtractYear(ADate: TDateTime): Word;
3685: function IncDate(ADate: TDateTime; Days, Months, Years: Integer): TDateTime;
3686: function IncDay(ADate: TDateTime; Delta: Integer): TDateTime;
3687: function IncMonth(ADate: TDateTime; Delta: Integer): TDateTime;
3688: function IncYear(ADate: TDateTime; Delta: Integer): TDateTime;
3689: function ValidDate(ADate: TDateTime): Boolean;
3690: procedure DateDiff(Datel, Date2: TDateTime; var Days, Months, Years: Word);
3691: function MonthsBetween(Datel, Date2: TDateTime): Double;
3692: function DaysInPeriod(Datel, Date2: TDateTime): Longint;
3693: { Count days between Datel and Date2 + 1, so if Datel = Date2 result = 1 }
3694: function DaysBetween(Datel, Date2: TDateTime): Longint;
3695: { The same as previous but if Date2 < Datel result = 0 }
3696: function IncTime(ATime: TDateTime; Hours, Minutes, Seconds, MSecs: Integer): TDateTime;
3697: function IncHour(ATime: TDateTime; Delta: Integer): TDateTime;
3698: function IncMinute(ATime: TDateTime; Delta: Integer): TDateTime;
3699: function IncSecond(ATime: TDateTime; Delta: Integer): TDateTime;
3700: function IncMSec(ATime: TDateTime; Delta: Integer): TDateTime;
3701: function CutTime(ADate: TDateTime): { Set time to 00:00:00:00 }
3702: { String to date conversions }
3703: function GetDateOrder(const DateFormat: string): TDateOrder;
3704: function MonthFromName(const S: string; MaxLen: Byte): Byte;
3705: function StrToDateDef(const S: string; Default: TDateTime): TDateTime;
3706: function StrToDateFmt(const DateFormat, S: string): TDateTime;
3707: function StrToDateFmtDef(const DateFormat, S: string; Default: TDateTime): TDateTime;
3708: function DefDateFormat(FourDigitYear: Boolean): string;
3709: function DefDateMask(BlanksChar: Char; FourDigitYear: Boolean): string;
3710: -----
3711: ***** JvUtils*****
3712: { GetWordOnPos returns Word from string, S, on the cursor position, P}
3713: function GetWordOnPos(const S: string; const P: Integer): string;
3714: { GetWordOnPosEx work like GetWordOnPos function, also returns Word position in iBeg, iEnd variables }
3715: function GetWordOnPosEx(const S: string; const P: Integer; var iBeg, iEnd: Integer): string;
3716: { SubStr returns substring from string, S, separated with Separator string}
3717: function SubStr(const S: string; const Index: Integer; const Separator: string): string;
3718: { SubStrEnd same to previous function but Index numerated from the end of string }
3719: function SubStrEnd(const S: string; const Index: Integer; const Separator: string): string;
3720: { SubWord returns next Word from string, P, and offsets Pointer to the end of Word, P2 }
3721: function SubWord(P: PChar; var P2: PChar): string;
3722: { NumberByWord returns the text representation of
3723:   the number, N, in normal russian language. Was typed from Monitor magazine }
3724: function NumberByWord(const N: Longint): string;
3725: // function CurrencyByWord(Value : Currency) : string; GetLineByPos returns Line number, there
3726: //the symbol Pos is pointed. Lines separated with #13 symbol
3727: function GetLineByPos(const S: string; const Pos: Integer): Integer;
3728: { GetXYByPos is same to previous function, but returns X position in line too}
3729: procedure GetXYByPos(const S: string; const Pos: Integer; var X, Y: Integer);
3730: { ReplaceString searches for all substrings, OldPattern,in a string, S, replaces them with NewPattern }
3731: function ReplaceString(S: string; const OldPattern, NewPattern: string): string;
3732: { ConcatSep concatenate S and S2 strings with Separator. if S = '', separator don't included }
3733: function ConcatSep(const S, S2, Separator: string): string;
3734: { ConcatLeftSep is same to previous function, but strings concatenate right to left }
3735: function ConcatLeftSep(const S, S2, Separator: string): string;
3736: { MinimizeString trunks long string, S, and appends '...' symbols, if Length of S is more than MaxLen }
3737: function MinimizeString(const S: string; const MaxLen: Integer): string;
3738: { Next 4 function for russian chars transliterating.
3739:   This functions are needed because Oem2Ansi and Ansi2Oem functions sometimes works sucks }
3740: procedure Dos2Win(var S: string);
3741: procedure Win2Dos(var S: string);
3742: function Dos2WinRes(const S: string): string;
3743: function Win2DosRes(const S: string): string;
3744: function Win2Koi(const S: string): string;
3745: { Spaces returns string consists on N space chars }
3746: function Spaces(const N: Integer): string;
3747: { AddSpaces add spaces to string, S, if it Length is smaller than N }
3748: function AddSpaces(const S: string; const N: Integer): string;
3749: { function LastDate for russian users only } { returns date relative to current date: '' }
3750: function LastDate(const Dat: TDateTime): string;
3751: { CurrencyToStr format currency, Cur, using ffcurrency float format}
3752: function CurrencyToStr(const Cur: currency): string;
3753: { Cmp compares two strings and returns True if they are equal. Case-insensitive.}

```

```

3754: function Cmp(const S1, S2: string): Boolean;
3755: { StringCat add S2 string to S1 and returns this string }
3756: function StringCat(var S1: string; S2: string): string;
3757: { HasChar returns True, if Char, Ch, contains in string, S }
3758: function HasChar(const Ch: Char; const S: string): Boolean;
3759: function HasAnyChar(const Chars: string; const S: string): Boolean;
3760: function CharInSet(const Ch: Char; const SetOfChar: TSetOfChar): Boolean;
3761: function CountOfChar(const Ch: Char; const S: string): Integer;
3762: function DefStr(const S: string; Default: string): string;
3763: {**** files routines}
3764: { GetWinDir returns Windows folder name }
3765: function GetWinDir: TFileName;
3766: function GetSysDir: String;
3767: { GetTempDir returns Windows temporary folder name }
3768: function GetTempDir: string;
3769: { GetTempFileName returns temporary file name on drive, there FileName is placed }
3770: function GenTempFileName(FileName: string): string;
3771: { GenTempFileNameExt same to previous function, but returning filename has given extension, FileExt }
3772: function GenTempFileNameExt(FileName: string; const FileExt: string): string;
3773: { ClearDir clears folder Dir }
3774: function ClearDir(const Dir: string): Boolean;
3775: { DeleteDir clears and than delete folder Dir }
3776: function DeleteDir(const Dir: string): Boolean;
3777: { FileEquMask returns True if file, FileName, is compatible with given dos file mask, Mask }
3778: function FileEquMask(FileName, Mask: TFileName): Boolean;
3779: { FileEquMasks returns True if file, FileName, is compatible with given Masks.
3780:   Masks must be separated with comma (';') }
3781: function FileEquMasks(FileName, Masks: TFileName): Boolean;
3782: procedure DeleteFiles(const Folder: TFileName; const Masks: string);
3783: { LZFileExpand expand file, FileSource into FileDest.File must be compressed,using MS Compress program }
3784: function LZFileExpand(const FileSource, FileDest: string): Boolean;
3785: { FileGetInfo fills SearchRec record for specified file attributes}
3786: function FileGetInfo(FileName: TFileName; var SearchRec: TSearchRec): Boolean;
3787: { HasSubFolder returns True, if folder APath contains other folders }
3788: function HasSubFolder(APath: TFileName): Boolean;
3789: { IsEmptyFolder returns True, if there are no files or folders in given folder, APath}
3790: function IsEmptyFolder(APath: TFileName): Boolean;
3791: { AddSlash add slash Char to Dir parameter, if needed }
3792: procedure AddSlash(var Dir: TFileName);
3793: { AddSlash returns string with added slash Char to Dir parameter, if needed }
3794: function AddSlash2(const Dir: TFileName): string;
3795: { AddPath returns FileName with Path, if FileName not contain any path }
3796: function AddPath(const FileName, Path: TFileName): TFileName;
3797: function AddPaths(const PathList, Path: string): string;
3798: function ParentPath(const Path: TFileName): TFileName;
3799: function FindInPath(const FileName, PathList: string): TFileName;
3800: function FindInPaths(const fileName,paths: String): String;
3801: {$IFDEF BCB1}
3802: { BrowseForFolder displays Browse For Folder dialog }
3803: function BrowseForFolder(const Handle: HWND; const Title: string; var Folder: string): Boolean;
3804: {$ENDIF BCB1}
3805: Function BrowseForFolder(const ATitle: string; AllowCreate : Boolean; var ADirectory : string;
  AHelpContext : THelpContext) : Boolean;
3806: Function BrowseForComputer(const Atitle : string; AllowCreate : Boolean; var ADirectory : string;
  AHelpContext : THelpContext) : Boolean;
3807: Function BrowseDirectory(var AFolderName:string;const DlgText:string;AHelpContext:THelpContext):Boolean;
3808: Function BrowseComputer(var AComputerName:string;const DlgText:string;AHelpContext:THelpContext):Boolean;
3809:
3810: { DeleteReadOnlyFile clears R/O file attribute and delete file }
3811: function DeleteReadOnlyFile(const FileName: TFileName): Boolean;
3812: { HasParam returns True, if program running with specified parameter, Param }
3813: function HasParam(const Param: string): Boolean;
3814: function HasSwitch(const Param: string): Boolean;
3815: function Switch(const Param: string): string;
3816: { ExePath returns ExtractFilePath(ParamStr(0)) }
3817: function ExePath: TFileName;
3818: function CopyDir(const SourceDir, DestDir: TFileName): Boolean;
3819: function FileTimeToDate(FT: TFileTime): TDateTime;
3820: function MakeValidFileName(const FileName: TFileName; const ReplaceBadChar: Char): TFileName;
3821: {**** Graphic routines }
3822: { TTFontSelected returns True, if True Type font is selected in specified device context }
3823: function TTFontSelected(const DC: HDC): Boolean;
3824: { TrueInflateRect inflates rect in other method, than InflateRect API function }
3825: function TrueInflateRect(const R: TRect; const I: Integer): TRect;
3826: {**** Windows routines }
3827: { SetWindowTop put window to top without recreating window }
3828: procedure SetWindowTop(const Handle: HWND; const Top: Boolean);
3829: {**** other routines }
3830: { KeyPressed returns True, if Key VK is now pressed }
3831: function KeyPressed(VK: Integer): Boolean;
3832: procedure SwapInt(var Int1, Int2: Integer);
3833: function IntPower(Base, Exponent: Integer): Integer;
3834: function ChangeTopException(E: TObject): TObject;
3835: function StrToBool(const S: string): Boolean;
3836: {$IFDEF COMPILER3_UP}
3837: { AnsiStrLIComp compares S1 to S2, without case-sensitivity, up to a maximum
3838:   Length of MaxLen bytes. The compare operation is controlled by the
3839:   current Windows locale. The return value is the same as for CompareStr. }
3840: function AnsiStrLIComp(S1, S2: PChar; MaxLen: Cardinal): Integer;

```

```

3841: function AnsiStrICmp(S1, S2: PChar): Integer;
3842: {$ENDIF}
3843: function Var2Type(V: Variant; const VarType: Integer): Variant;
3844: function VarToInt(V: Variant): Integer;
3845: function VarToFloat(V: Variant): Double;
3846: { following functions are not documented because they are don't work properly , so don't use them }
3847: function ReplaceSokr1(S: string; const Word, Frase: string): string;
3848: { ReplaceSokr1 is full equal to ReplaceString function - only for compatibility - don't use }
3849: { GetSubStr is full equal to SubStr function - only for compatibility - don't use }
3850: function GetSubStr(const S: string; const Index: Integer; const Separator: Char): string;
3851: function GetParameter: string;
3852: function GetLongFileName(FileName: string): string;
3853: {* from FileCtrl}
3854: function DirectoryExists(const Name: string): Boolean;
3855: procedure ForceDirectories(Dir: string);
3856: {# from FileCtrl}
3857: function FileNewExt(const FileName, NewExt: TFileName): TFileName;
3858: function GetComputerID: string;
3859: function GetComputerName: string;
3860: {**** string routines }
3861: { ReplaceAllSokr searches for all substrings, Words,in a string, S, and replaces them with Frases with the same Index.Also see RAUtilsW.ReplaceSokr1 function }
3862: function ReplaceAllSokr(S: string; Words, Frases: TStrings): string;
3863: { ReplaceSokr searches the Word in a string, S, on PosBeg position,
3864:   in the list, Words, and if founds, replaces this Word with string from another list, Frases, with the same Index, and then update NewSelStart variable }
3865: function ReplaceSokr(S:string;PosBeg,Len:Integer;Words,Frases:TStrings;var NewSelStart:Integer): string;
3866: { CountOfLines calculates the lines count in a string,each line separated from another with CrLf sequence }
3867: function CountOfLines(const S: string): Integer;
3868: { DeleteEmptyLines deletes all empty lines from strings, Ss. Lines contained only spaces also deletes. }
3869: procedure DeleteEmptyLines(Ss: TStrings);
3870: { SQLAddWhere addes or modifies existing where-statement, where, to the strings, SQL.
3871:   Note: If strings SQL already contains where-statement, it must be started on begining of any line }
3872: procedure SQLAddWhere(SQL: TStrings; const Where: string);
3873: {**** files routines - }
3874: { ResSaveToFile save resource named as Name with Typ type into file FileName.
3875:   Resource can be compressed using MS Compress program}
3876: function ResSaveToFile(const Typ,Name: string; const Compressed:Boolean; const FileName: string): Boolean;
3877: function ResSaveToFileEx(Inst:HINST;Typ,Name:PChar;const Compressed:Bool;const FileName:string): Bool;
3878: function ResSaveToString(Instance: HINST; const Typ, Name: string; var S: string): Boolean;
3879: { Execute executes other program and waiting for it terminating, then return its Exit Code }
3880: function ExecuteJ(const CommandLine, WorkingDirectory: string): Integer;
3881: { IniReadSection read section, Section, from ini-file,
3882:   IniFileName, into strings, Ss.This function reads ALL strings from specified section.
3883:   Note: TIniFile.ReadSection function reads only strings with '=' symbol.}
3884: function IniReadSection(const IniFileName: TFileName; const Section: string; Ss: TStrings): Boolean;
3885: { LoadTextFile load text file, FileName, into string }
3886: function LoadTextFile(const FileName: TFileName): string;
3887: procedure SaveTextFile(const FileName: TFileName; const Source: string);
3888: { ReadFolder reads files list from disk folder, Folder, that are equal Mask, into strings, FileList}
3889: function ReadFolder(const Folder, Mask: TFileName; FileList: TStrings): Integer;
3890: function ReadFolders(const Folder: TFileName; FolderList: TStrings): Integer;
3891: {$IFDEF COMPILER3_UP}
3892: { TargetFileName - if FileName is ShortCut returns filename ShortCut linked to }
3893: function TargetFileName(const FileName: TFileName): TFileName;
3894: { return filename ShortCut linked to }
3895: function ResolveLink(const hWnd: HWND; const LinkFile: TFileName; var FileName: TFileName): HRESULT;
3896: {$ENDIF COMPILER3_UP}
3897: {**** Graphic routines - }
3898: { LoadIcoToImage loads two icons from resource named NameRes,into two image lists ALarge and ASmall}
3899: procedure LoadIcoToImage(ALarge, ASmall: TImageList; const NameRes: string);
3900: { RATextOut same with TCanvas.TextOut procedure, but can clipping drawing with rectangle, RClip. }
3901: procedure RATextOut(Canvas: TCanvas; const R, RClip: TRect; const S: string);
3902: { RATextOutEx same with RATextOut function, but can calculate needed height for correct output }
3903: function RATextOutEx(Canvas:TCanvas; const R,RClip:TRect;const S: string;const CalcHeight:Boolean):Integer;
3904: { RATextCalcHeight calculate needed height to correct output, using RATextOut or RATextOutEx functions }
3905: function RATextCalcHeight(Canvas: TCanvas; const R: TRect; const S: string): Integer;
3906: { Cinema draws some visual effect }
3907: procedure Cinema(Canvas: TCanvas; rS {Source}, rD {Dest}: TRect);
3908: { Roughed fills rect with special 3D pattern }
3909: procedure Roughed(ACanvas: TCanvas; const ARect: TRect; const AVert: Boolean);
3910: { BitmapFromBitmap creates new small bitmap from part of source bitmap, SrcBitmap, with specified width and height, AWidth, AHeight and placed on a specified Index, Index in the source bitmap }
3911: function BitmapFromBitmap(SrcBitmap: TBitmap; const AWidth, AHeight, Index: Integer): TBitmap;
3912: { TextWidth calculate text with for writing using standard desktop font }
3913: function TextWidth(AStr: string): Integer;
3914: { DefineCursor load cursor from resource, and return available cursor number, assigned to it }
3915: function DefineCursor(Identifier: PChar): TCursor;
3916: {**** other routines - }
3917: { FindFormByClass returns first form specified class, FormClass,owned by Application global variable }
3918: function FindFormByClass(FormClass: TFormClass): TForm;
3919: function FindFormByClassName(FormClassName: string): TForm;
3920: { FindByTag returns the control with specified class, ComponentClass, from WinControl.Controls property,
3921:   having Tag property value, equaled to Tag parameter }
3922: function FindByTag(WinControl:TWinControl;ComponentClass:TComponentClass;const Tag:Integer):TComponent;
3923: { ControlAtPos2 equal to TWinControl.ControlAtPos function, but works better }
3924: function ControlAtPos2(Parent: TWinControl; X, Y: Integer): TControl;
3925: { RBTAG searches WinControl.Controls for checked RadioButton and returns its Tag property value }
3926: function RBTAG(Parent: TWinControl): Integer;

```

```

3927: { AppMinimized returns True, if Application is minimized }
3928: function AppMinimized: Boolean;
3929: { MessageBox is Application.MessageBox with string (not PChar) parameters.
3930:   if Caption parameter = '', it replaced with Application.Title }
3931: function MessageBoxJ(const Msg: string; Caption: string;const Flags: Integer): Integer;
3932: function MsgDlg2(const Msg: string; ACaption: string; DlgType: TMsgDlgType;
3933: Buttons: TMsgDlgButtons; HelpContext: Integer; Control: TWinControl): Integer;
3934: function MsgDlgDef(const Msg: string; ACaption: string; DlgType: TMsgDlgType;
3935: Buttons: TMsgDlgButtons; DefButton:TMsgDlgBtn; HelpContext: Integer;Control: TWinControl): Integer;
3936: { Delay stop program execution to MSec msec }
3937: procedure Delay(MSec: Longword);
3938: procedure CenterHor(Parent: TControl; MinLeft: Integer; Controls: array of TControl);
3939: procedure EnableControls(Control: TWinControl; const Enable: Boolean);
3940: procedure EnableMenuItem(MenuItem: TMenuItem; const Tag: Integer; const Enable: Boolean);
3941: procedure ExpandWidth(Parent: TControl; MinWidth: Integer; Controls: array of TControl);
3942: function PanelBorder(Parent: TCustomPanel): Integer;
3943: function Pixels(Control: TControl; APixels: Integer): Integer;
3944: procedure SetChildPropOrd(Owner: TComponent; PropName: string; Value: Longint);
3945: procedure Error(const Msg: string);
3946: procedure ItemHtDrawEx(Canvas: TCanvas; Rect: TRect;const State: TOwnerDrawState; const Text: string;
3947: const HideSelColor: Boolean; var PlainItem: string; var Width: Integer; CalcWidth: Boolean);
3948: {ex. Text parameter:'Item 1 <b>bold</b><i>italic ITALIC <c:Red>red<c:Green>green <c:blue>blue</i>'}
3949: function ItemHtDraw(Canvas: TCanvas; Rect: TRect; const State: TOwnerDrawState; const Text: string;
3950: const HideSelColor: Boolean): string;
3951: function ItemHtWidth(Canvas: TCanvas; Rect: TRect;const State: TOwnerDrawState; const Text: string;
3952: const HideSelColor: Boolean): Integer;
3953: function ItemHtPlain(const Text: string): string;
3954: { ClearList - clears list of TObject }
3955: procedure ClearList(List: TList);
3956: procedure MemStreamToClipboard(MemStream: TMemoryStream; const Format: Word);
3957: procedure ClipboardToMemStream(MemStream: TMemoryStream; const Format: Word);
3958: { RTTI support }
3959: function GetPropType(Obj: TObject; const PropName: string): TTypeKind;
3960: function GetPropStr(Obj: TObject; const PropName: string): string;
3961: function GetPropOrd(Obj: TObject; const PropName: string): Integer;
3962: function GetPropMethod(Obj: TObject; const PropName: string): TMethod;
3963: procedure PrepareIniSection(SS: TStrings);
3964: { following functions are not documented because they are don't work properly, so don't use them }
3965: {$IFDEF COMPILER2}
3966: function CompareMem(P1, P2: Pointer; Length: Integer): Boolean; assembler;
3967: {$ENDIF}
3968:
3969: procedure SIRegister_JvBoxProcs(CL: TPSPascalCompiler);
3970: begin
3971: Procedure BoxMoveSelectedItems( SrcList, DstList : TWinControl)
3972: Procedure BoxMoveAllItems( SrcList, DstList : TWinControl)
3973: Procedure BoxDragOver(List:TWinControl;Source:TObject;X,Y:Int;State:TDragState;var
Accept:Bool;Sorted:Bool;
3974: Procedure BoxMoveFocusedItem( List : TWinControl; DstIndex : Integer)
3975: Procedure BoxMoveSelected( List : TWinControl; Items : TStrings)
3976: Procedure BoxSetItem( List : TWinControl; Index : Integer)
3977: Function BoxGetFirstSelection( List : TWinControl ) : Integer
3978: Function BoxCanDropItem( List : TWinControl; X, Y : Integer; var DragIndex : Integer ) : Boolean
3979: end;
3980:
3981: procedure SIRegister_JvCsvParse(CL: TPSPascalCompiler);
3982: begin
3983: Const ('MaxInitStrNum','LongInt'( 9 );
3984: Function JvAnsiStrSplit( const InString : AnsiString; const SplitChar, QuoteChar:AnsiChar; var OutStrings
: array of AnsiString; MaxSplit : Integer ) : Integer
3985: Function JvStrSplit( const InString : string; const SplitChar, QuoteChar : Char; var OutStrings : array of
string; MaxSplit : Integer ) : Integer
3986: Function JvAnsiStrSplitStrings(const InStr:AnsiString;const SplitChar,
QuoteChar:AnsiChar;OutStrs:TStrings):Integer;
3987: Function JvAnsiStrStrip( S : AnsiString ) : AnsiString
3988: Function JvStrStrip( S : string ) : string
3989: Function GetString( var Source : AnsiString; const Separator : AnsiString ) : AnsiString
3990: Function PadString( const S : AnsiString; Len : Integer; PadChar : AnsiChar ) : AnsiString
3991: Function BuildPathName( const PathName, FileName : AnsiString ) : AnsiString
3992: Function StrEatWhiteSpace( const S : string ) : string
3993: Function HexToAscii( const S : AnsiString ) : AnsiString
3994: Function AsciiToHex( const S : AnsiString ) : AnsiString
3995: Function StripQuotes( const S1 : AnsiString ) : AnsiString
3996: Function ValidNumericLiteral( S1 : PAnsiChar ) : Boolean
3997: Function ValidIntLiteral( S1 : PAnsiChar ) : Boolean
3998: Function ValidHexLiteral( S1 : PAnsiChar ) : Boolean
3999: Function HexPCharToInt( S1 : PAnsiChar ) : Integer
4000: Function ValidStringLiteral( S1 : PAnsiChar ) : Boolean
4001: Function StripPCharQuotes( S1 : PAnsiChar ) : AnsiString
4002: Function JvValidIdentifierAnsi( S1 : PAnsiChar ) : Boolean
4003: Function JvValidIdentifier( S1 : String ) : Boolean
4004: Function JvEndChar( X : AnsiChar ) : Boolean
4005: Procedure JvGetToken( S1, S2 : PAnsiChar )
4006: Function IsExpressionKeyword( S1 : PAnsiChar ) : Boolean
4007: Function IsKeyword( S1 : PAnsiChar ) : Boolean
4008: Function JvValidVarReference( S1 : PAnsiChar ) : Boolean
4009: Function GetParenthesis( S1, S2 : PAnsiChar ) : Boolean
4010: Procedure JvGetVarReference( S1, S2, SIdx : PAnsiChar )
4011: Procedure JvEatWhitespaceChars( S1 : PAnsiChar );

```

```

4012: Procedure JvEatWhitespaceChars1( S1 : PWideChar );
4013: Function GetTokenCount : Integer
4014: Procedure ResetTokenCount
4015: end;
4016:
4017: procedure SJRegister_JvDBQueryParamsForm(CL: TPSPPascalCompiler);
4018: begin
4019:   SJRegister_TJvQueryParamsDialog(CL);
4020:   Function EditQueryParams( DataSet : TDataSet; List : TParams; AHelpContext : THelpContext ) : Boolean
4021: end;
4022:
4023: ***** JvStringUtil / JvStringUtilities *****
4024: function FindNotBlankCharPos(const S: string): Integer;
4025: function AnsiChangeCase(const S: string): string;
4026: function GetWordOnPos(const S: string; const P: Integer): string;
4027: function GetWordOnPosEx(const S: string; const P: Integer; var iBeg, iEnd: Integer): string;
4028: function Cmp(const S1, S2: string): Boolean;
4029: { Spaces returns string consists on N space chars }
4030: function Spaces(const N: Integer): string;
4031: { HasChar returns True, if char, Ch, contains in string, S }
4032: function HasChar(const Ch: Char; const S: string): Boolean;
4033: function HasAnyChar(const Chars: string; const S: string): Boolean;
4034: { SubStr returns substring from string, S, separated with Separator string}
4035: function SubStr(const S: string; const Index: Integer; const Separator: string): string;
4036: { SubStrEnd same to previous function but Index numerated from the end of string }
4037: function SubStrEnd(const S: string; const Index: Integer; const Separator: string): string;
4038: { ReplaceString searches for all substrings, OldPattern, in a string, S, replaces them with NewPattern }
4039: function ReplaceString(S: string; const OldPattern, NewPattern: string): string;
4040: function CharInSet(const Ch: Char; const SetOfChar: TSetOfChar): Boolean;
4041: { GetXYByPos is same to previous function, but returns X position in line too}
4042: procedure GetXYByPos(const S: string; const Pos: Integer; var X, Y: Integer);
4043: { AddSlash returns string with added slash char to Dir parameter, if needed }
4044: function AddSlash2(const Dir: TFileName): string;
4045: { AddPath returns FileName with Path, if FileName not contain any path }
4046: function AddPath(const FileName, Path: TFileName): TFileName;
4047: { ExePath returns ExtractFilePath(ParamStr(0)) }
4048: function ExePath: TFileName;
4049: function LoadTextFile(const FileName: TFileName): string;
4050: procedure SaveTextfile(const FileName: TFileName; const Source: string);
4051: { ConcatSep concatenate S and S2 strings with Separator. if S = '', separator don't included }
4052: function ConcatSep(const S, S2, Separator: string): string;
4053: { FileEquMask returns True if file, FileName, is compatible with given dos file mask, Mask }
4054: function FileEquMask(FileName, Mask: TFileName): Boolean;
4055: { FileEquMasks returns True if file, FileName, is compatible with given Masks.
4056:   Masks must be separated with comma (';') }
4057: function FileEquMasks(FileName, Masks: TFileName): Boolean;
4058: function StringEndsWith(const Str, SubStr: string): Boolean;
4059: function ExtractFilePath2(const FileName: string): string;
4060: function StrToOem(const AnsiStr: string): string;
4061: { StrToOem translates a string from the Windows character set into the OEM character set. }
4062: function OemToAnsiStr(const OemStr: string): string;
4063: { OemToAnsiStr translates a string from the OEM character set into the Windows character set. }
4064: function IsEmptyStr(const S: string; const EmptyChars: TCharSet): Boolean;
4065: { EmptyStr returns true if the given string contains only character from the EmptyChars. }
4066: function ReplaceStr(const S, Srch, Replace: string): string;
4067: { Returns string with every occurrence of Srch string replaced with Replace string. }
4068: function DelSpace(const S: string): string;
4069: { DelSpace return a string with all white spaces removed. }
4070: function DelChars(const S: string; Chr: Char): string;
4071: { DelChars return a string with all Chr characters removed. }
4072: function DelBSpace(const S: string): string;
4073: { DelBSpace trims leading spaces from the given string. }
4074: function DelEspace(const S: string): string;
4075: { DelEspace trims trailing spaces from the given string. }
4076: function DelRSpace(const S: string): string;
4077: { DelRSpace trims leading and trailing spaces from the given string. }
4078: function DelSpace1(const S: string): string;
4079: { DelSpace1 return a string with all non-single white spaces removed. }
4080: function Tab2Space(const S: string; Numb: Byte): string;
4081: { Tab2Space converts any tabulation character in the given string to the Numb spaces characters. }
4082: function NPos(const C: string; S: string; N: Integer): Integer;
4083: { NPos searches for a N-th position of substring C in a given string. }
4084: function MakeStr(C: Char; N: Integer): string;
4085: function MS(C: Char; N: Integer): string;
4086: { MakeStr return a string of length N filled with character C. }
4087: function AddChar(C: Char; const S: string; N: Integer): string;
4088: { AddChar return a string left-padded to length N with characters c. }
4089: function AddCharR(C: Char; const S: string; N: Integer): string;
4090: { AddCharR return a string right-padded to length N with characters c. }
4091: function LeftStr(const S: string; N: Integer): string;
4092: { LeftStr return a string right-padded to length N with blanks. }
4093: function RightStr(const S: string; N: Integer): string;
4094: { RightStr return a string left-padded to length N with blanks. }
4095: function CenterStr(const S: string; Len: Integer): string;
4096: { CenterStr centers the characters in the string based upon the Len specified. }
4097: function CompStr(const S1, S2: string): Integer;
4098: { CompStr compares S1 to S2, case-sensitivity. return val is -1 if S1 < S2,0 if S1 = S2,or 1 if S1>S2. }
4099: function CompText(const S1, S2: string): Integer;
4100: { CompText compares S1 to S2, without case-sensitivity. The return value is the same as for CompStr. }

```

```

4101: function Copy2Symb(const S: string; Symb: Char): string;
4102: { Copy2Symb returns a substring of a string S from beginning to first character Symb. }
4103: function Copy2SymbDel(var S: string; Symb: Char): string;
4104: { Copy2SymbDel returns a substr of string S from to first character Symb and removes substring from S. }
4105: function Copy2Space(const S: string): string;
4106: { Copy2Space returns a substring of a string S from begining to first white space. }
4107: function Copy2SpaceDel(var S: string): string;
4108: { Copy2SpaceDel returns a substring of a string S from begining to first
4109:   white space and removes this substring from S. }
4110: function AnsiProperCase(const S: string; const WordDelims: TCharSet): string;
4111: { Returns string, with the first letter of each word in uppercase,
4112:   all other letters in lowercase. Words are delimited by WordDelims. }
4113: function WordCount(const S: string; const WordDelims: TCharSet): Integer;
4114: { WordCount given a set of word delimiters, returns number of words in S. }
4115: function WordPosition(const N: Integer; const S: string; const WordDelims: TCharSet): Integer;
4116: { Given a set of word delimiters, returns start position of N'th word in S. }
4117: function ExtractWord(N: Integer; const S: string; const WordDelims: TCharSet): string;
4118: function ExtractWordPos(N: Integer; const S: string; const WordDelims: TCharSet; var Pos: Integer): string;
4119: function ExtractDelimited(N: Integer; const S: string; const Delims: TCharSet): string;
4120: { ExtractWord, ExtractWordPos and ExtractDelimited given a set of word
4121:   delimiters, return the N'th word in S. }
4122: function ExtractSubstr(const S: string; var Pos: Integer; const Delims: TCharSet): string;
4123: { ExtractSubstr given set of word delimiters, returns the substring from S, that started from position Pos. }
4124: function IsWordPresent(const W, S: string; const WordDelims: TCharSet): Boolean;
4125: { IsWordPresent given a set of word delimiters, returns True if word W is present in string S. }
4126: function QuotedString(const S: string; Quote: Char): string;
4127: { QuotedString returns the given string as a quoted string, using the provided Quote character. }
4128: function ExtractQuotedString(const S: string; Quote: Char): string;
4129: { ExtractQuotedString removes the Quote characters from the beginning and end of a quoted string,
4130:   and reduces pairs of Quote characters within the quoted string to a single character. }
4131: function FindPart(const HelpWilds, InputStr: string): Integer;
4132: { FindPart compares a string with '?' and another, returns the position of HelpWilds in InputStr. }
4133: function IsWild(InputStr, Wilds: string; IgnoreCase: Boolean): Boolean;
4134: { IsWild compares InputString with WildCard string and returns True if corresponds. }
4135: function XorString(const Key, Src: ShortString): ShortString;
4136: function XorEncode(const Key, Source: string): string;
4137: function XorDecode(const Key, Source: string): string;
4138: { ** Command line routines ** }
4139: {$IFNDEF COMPILER4_UP}
4140: function FindCmdLineSwitch(const Switch: string; SwitchChars: TCharSet; IgnoreCase: Boolean): Boolean;
4141: {$ENDIF}
4142: function GetCmdLineArg(const Switch: string; SwitchChars: TCharSet): string;
4143: { ** Numeric string handling routines ** }
4144: function Numb2USA(const S: string): string;
4145: { Numb2USA converts numeric string S to USA-format. }
4146: function Dec2Hex(N: Longint; A: Byte): string;
4147: function D2H(N: Longint; A: Byte): string;
4148: { Dec2Hex converts the given value to a hexadecimal string representation
4149:   with the minimum number of digits (A) specified. }
4150: function Hex2Dec(const S: string): Longint;
4151: function H2D(const S: string): Longint;
4152: { Hex2Dec converts the given hexadecimal string to the corresponding integer value. }
4153: function Dec2Numb(N: Longint; A, B: Byte): string;
4154: { Dec2Numb converts the given value to a string representation with the
4155:   base equal to B and with the minimum number of digits (A) specified. }
4156: function Numb2Dec(S: string; B: Byte): Longint;
4157: { Numb2Dec converts the given B-based numeric string to the corresponding integer value. }
4158: function IntToBin(Value: Longint; Digits, Spaces: Integer): string;
4159: { IntToBin converts given value to a bin string representation with min number of digits specified. }
4160: function IntToRoman(Value: Longint): string;
4161: { IntToRoman converts the given value to a roman numeric string representation. }
4162: function RomanToInt(const S: string): Longint;
4163: { RomanToInt converts the given string to an integer value. If the string
4164:   doesn't contain a valid roman numeric value, the 0 value is returned. }
4165: procedure I64ToCardinals(I: Int64; var LowPart, HighPart: Cardinal);
4166: procedure CardinalsToI64(var I: Int64; const LowPart, HighPart: Cardinal);
4167: ***** JvFileUtil*****
4168: procedure CopyFileJ(const FileName, DestName: string; ProgressControl: TControl);
4169: procedure CopyFileEx(const FileName, DestName: string; OverwriteReadOnly, ShellDialog: Boolean; ProgressControl: TControl);
4170: procedure MoveFile(const FileName, DestName: TFileName);
4171: procedure MoveFileEx(const FileName, DestName: TFileName; ShellDialog: Boolean);
4172: {$IFDEF COMPILER4_UP}
4173: function GetFileSize(const FileName: string): Int64;
4174: {$ELSE}
4175: function GetFileSize(const FileName: string): Longint;
4176: {$ENDIF}
4177: function FileDateTime(const FileName: string): TDateTime;
4178: function HasAttr(const FileName: string; Attr: Integer): Boolean;
4179: function DeleteFiles(const FileMask: string): Boolean;
4180: function DeleteFilesEx(const FileMasks: array of string): Boolean;
4181: function ClearDir(const Path: string; Delete: Boolean): Boolean;
4182: function NormalDir(const DirName: string): string;
4183: function RemoveBackSlash(const DirName: string): string;
4184: function ValidFileName(const FileName: string): Boolean;
4185: function DirExists(Name: string): Boolean;
4186: procedure ForceDirectories(Dir: string);
4187: function FileLock(Handle: Integer; Offset, LockSize: Longint): Integer;
4188: {$IFDEF COMPILER4_UP} overload; {$ENDIF}

```

```

4189: {$IFDEF COMPILER4_UP}
4190: function FileLock(Handle: Integer; Offset, LockSize: Int64): Integer; overload;
4191: {$ENDIF}
4192: function FileUnlock(Handle: Integer; Offset, LockSize: Longint): Integer;
4193: {$IFDEF COMPILER4_UP} overload; {$ENDIF}
4194: {$IFDEF COMPILER4_UP}
4195: function FileUnlock(Handle: Integer; Offset, LockSize: Int64): Integer; overload;
4196: {$ENDIF}
4197: function GetTempDir: string;
4198: function GetWindowsDir: string;
4199: function GetSystemDir: string;
4200: function BrowseDirectory(var AFolderName:string; const DlgText:string; AHelpContext:THelpContext): Boolean;
4201: {$IFDEF WIN32}
4202: function BrowseComputer(var ComputerName:string; const DlgText:string; AHelpContext:THelpContext): Boolean;
4203: function ShortToLongFileName(const ShortName: string): string;
4204: function ShortToLongPath(const ShortName: string): string;
4205: function LongToShortFileName(const LongName: string): string;
4206: function LongToShortPath(const LongName: string): string;
4207: procedure CreateFileLink(const FileName, DisplayName: string; Folder: Integer);
4208: procedure DeleteFileLink(const DisplayName: string; Folder: Integer);
4209: {$ENDIF WIN32}
4210: {$IFDEF COMPILER3_UP}
4211: function IsPathDelimiter(const S: string; Index: Integer): Boolean;
4212: {$ENDIF}
4213: Function CreateCalculatorForm( AOwner : TComponent; AHelpContext : THelpContext ) : TJvCalculatorForm;
4214: Function CreatePopupCalculator( AOwner : TComponent; ABiDiMode : TBiDiMode ) : TWinControl;
4215: Function CreatePopupCalculator( AOwner : TComponent ) : TWinControl;
4216: Procedure SetupPopupCalculator( PopupCalc : TWinControl; APrecision : Byte; ABeepOnError : Boolean );
4217: //*****procedure SIRegister_VarHlpr(CL: TPSPPascalCompiler);
4218: Procedure VariantClear( var V : Variant );
4219: Procedure VariantArrayRedim( var V : Variant; High : Integer );
4220: Procedure VariantCast( const src : Variant; var dst : Variant; vt : Integer );
4221: Procedure VariantCpy( const src : Variant; var dst : Variant );
4222: Procedure VariantAdd( const src : Variant; var dst : Variant );
4223: Procedure VariantSub( const src : Variant; var dst : Variant );
4224: Procedure VariantMul( const src : Variant; var dst : Variant );
4225: Procedure VariantDiv( const src : Variant; var dst : Variant );
4226: Procedure VariantMod( const src : Variant; var dst : Variant );
4227: Procedure VariantAnd( const src : Variant; var dst : Variant );
4228: Procedure VariantOr( const src : Variant; var dst : Variant );
4229: Procedure VariantXor( const src : Variant; var dst : Variant );
4230: Procedure VariantShl( const src : Variant; var dst : Variant );
4231: Procedure VariantShr( const src : Variant; var dst : Variant );
4232: Function VariantAdd2( const V1 : Variant; const V2 : Variant ) : Variant;
4233: Function VariantSub2( const V1 : Variant; const V2 : Variant ) : Variant;
4234: Function VariantMul2( const V1 : Variant; const V2 : Variant ) : Variant;
4235: Function VariantDiv2( const V1 : Variant; const V2 : Variant ) : Variant;
4236: Function VariantMod2( const V1 : Variant; const V2 : Variant ) : Variant;
4237: Function VariantAnd2( const V1 : Variant; const V2 : Variant ) : Variant;
4238: Function VariantOr2( const V1 : Variant; const V2 : Variant ) : Variant;
4239: Function VariantXor2( const V1 : Variant; const V2 : Variant ) : Variant;
4240: Function VariantShl2( const V1 : Variant; const V2 : Variant ) : Variant;
4241: Function VariantShr2( const V1 : Variant; const V2 : Variant ) : Variant;
4242: Function VariantNot( const V1 : Variant ) : Variant;
4243: Function VariantNeg( const V1 : Variant ) : Variant;
4244: Function VariantGetElement( const V : Variant; il : integer ) : Variant;
4245: Function VariantGetElement1( const V : Variant; il, i2 : integer ) : Variant;
4246: Function VariantGetElement2( const V : Variant; il, i2, i3 : integer ) : Variant;
4247: Function VariantGetElement3( const V : Variant; il, i2, i3, i4 : integer ) : Variant;
4248: Function VariantGetElement4( const V : Variant; il, i2, i3, i4, i5 : integer ) : Variant;
4249: Procedure VariantPutElement( var V : Variant; const data : Variant; il : integer );
4250: Procedure VariantPutElement1( var V : Variant; const data : Variant; il, i2 : integer );
4251: Procedure VariantPutElement2( var V : Variant; const data : Variant; il, i2, i3 : integer );
4252: Procedure VariantPutElement3( var V : Variant; const data : Variant; il, i2, i3, i4 : integer );
4253: Procedure VariantPutElement4( var V : Variant; const data : Variant; il, i2, i3, i4, i5 : integer );
4254: end;
4255: *****unit uPSI_JvgUtils;*****
4256: function IsEven(I: Integer): Boolean;
4257: function InchesToPixels(DC: HDC; Value: Single; IsHorizontal: Boolean): Integer;
4258: function CentimetersToPixels(DC: HDC; Value: Single; IsHorizontal: Boolean): Integer;
4259: procedure SwapInt(var I1, I2: Integer);
4260: function Spaces(Count: Integer): string;
4261: function DupStr(const Str: string; Count: Integer): string;
4262: function DupChar(C: Char; Count: Integer): string;
4263: procedure Msg(const AMsg: string);
4264: function RectW(R: TRect): Integer;
4265: function RectH(R: TRect): Integer;
4266: function IncColor(AColor: Longint; AOffset: Byte): Longint;
4267: function DecColor(AColor: Longint; AOffset: Byte): Longint;
4268: function IsItAFilledBitmap(Bmp: TBitmap): Boolean;
4269: procedure DrawTextInRectWithAlign(DC: HDC; R: TRect; const Text: string;
4270: HAlign: TglHorAlign; VAlign: TglVertAlign; Style: TglTextStyle; Fnt: TFont; Flags: UINT);
4271: procedure DrawTextInRect(DC: HDC; R: TRect; const Text:string;Style:TglTextStyle;Fnt:TFont;Flags: UINT);
4272: procedure ExtTextOutExt(DC: HDC; X, Y: Integer; R: TRect; const Text: string;
4273: Style: TglTextStyle; ADelineted, ASupress3D: Boolean; FontColor, DelinColor, HighlightColor, ShadowColor: TColor; Illumination: TJvgIllumination; Gradient: TJvgGradient; Font: TFont);
4274: procedure DrawBox(DC:HDC; var R:TRect; Style:TglBoxStyle; BackgrColor: Longint; ATransparent: Boolean);

```

```

4277: function DrawBoxEx(DC: HDC; ARect: TRect; Borders: TglSides;
4278:   BevelInner, BevelOuter: TPanelBevel; Bold:Boolean; BackgrColor: Longint;ATransparent: Boolean): TRect;
4279: procedure GradientBox(DC: HDC; R: TRect; Gradient: TJvgGradient;PenStyle, PenWidth: Integer);
4280: procedure ChangeBitmapColor(Bitmap: TBitmap; FromColor, ToColor: TColor);
4281: procedure DrawBitmapExt(DC: HDC; { DC - background & result}
4282:   SourceBitmap: TBitmap; R: TRect; X, Y: Integer; //...X,Y_in_rect!
4283:   BitmapOption: TglWallpaperOption; DrawState: TglDrawState;
4284:   ATransparent: Boolean; TransparentColor: TColor; DisabledMaskColor: TColor);
4285: procedure CreateBitmapExt(DC: HDC; { DC - background & result}
4286:   SourceBitmap: TBitmap; R: TRect; X, Y: Integer; //...X,Y_in_rect!
4287:   BitmapOption: TglWallpaperOption; DrawState: TglDrawState;
4288:   ATransparent: Boolean; TransparentColor: TColor; DisabledMaskColor: TColor);
4289: procedure BringParentWindowToTop(Wnd: TWInControl);
4290: function GetParentForm(Control: TControl): TForm;
4291: procedure GetWindowImageFrom(Control: TWInControl; X, Y: Integer; ADrawSelf, ADrawChildWindows: Boolean; DC: HDC);
4292: procedure GetWindowImage(Control: TWInControl; ADrawSelf, ADrawChildWindows: Boolean; DC: HDC);
4293: procedure GetParentImageRect(Control: TControl; Rect: TRect; DC: HDC);
4294: function CreateRotatedFont(F: TFont; Escapement: Integer): HFONT;
4295: function FindMainWindow(const AWndClass, AWndTitle: string): THandle;
4296: procedure CalcShadowAndHighlightColors(BaseColor: TColor; Colors: TJvgLabelColors);
4297: function CalcMathString(AExpression: string): Single;
4298: function IIF(AExpression: Boolean; IfTrue, IfFalse: Variant): Variant; overload;
4299: function IIF(AExpression: Boolean; const IfTrue, IfFalse: string): string; overload;
4300: function GetTransparentColor(Bitmap: TBitmap; AutoTrColor: TglAutoTransparentColor): TColor;
4301: procedure TypeStringOnKeyboard(const S: string);
4302: function NextStringGridCell(Grid: TStringGrid): Boolean;
4303: procedure DrawTextExtAligned(Canvas: TCanvas; const
4304:   Text: string; R: TRect; Alignment: TglAlignment; WordWrap: Boolean);
4305: procedure LoadComponentFromTextFile(Component: TComponent; const FileName: string);
4306: function ComponentToString(Component: TComponent): string;
4307: procedure StringToComponent(Component: TComponent; const Value: string);
4308: function PlayWaveResource(const ResName: string): Boolean;
4309: function UserName: string;
4310: function ComputerName: string;
4311: function CreateIniFileName: string;
4312: function ExpandString(const Str: string; Len: Integer): string;
4313: function Transliterate(const Str: string; RusToLat: Boolean): string;
4314: function IsSmallFonts: Boolean;
4315: function SystemColorDepth: Integer;
4316: function GetFileTypeJ(const FileName: string): TglFileType;
4317: Function GetFileType( hFile : THandle ) : DWORD';
4318: function FindControlAtPt(Control: TWInControl; Pt: TPoint; MinClass: TClass): TControl;
4319: function StrPosExt(const Str1, Str2: PChar; Str2Len: DWORD): PChar;
4320:
4321: { **** Utility routines of unit classes }
4322: function LineStart(Buffer, BufPos: PChar): PChar;
4323: function ExtractStrings(Separators,WhiteSpace: TSysCharSet; Content: PChar; '+
4324:   'Strings: TStrings): Integer
4325: function TestStreamFormat(Stream: TStream): TStreamOriginalFormat;
4326: Procedure RegisterClass( AClass : TPersistentClass );
4327: Procedure RegisterClasses( AClasses : array of TPersistentClass );
4328: Procedure RegisterClassAlias( AClass : TPersistentClass; const Alias : string );
4329: Procedure UnRegisterClass( AClass : TPersistentClass );
4330: Procedure UnRegisterClasses( AClasses : array of TPersistentClass );
4331: Procedure UnRegisterModuleClasses( Module : HMODULE );
4332: Function FindGlobalComponent( const Name : string ) : TComponent;
4333: Function IsUniqueGlobalComponentName( const Name : string ) : Boolean;
4334: Function InitInheritedComponent( Instance : TComponent; RootAncestor : TClass ) : Boolean;
4335: Function InitComponentRes( const ResName : string; Instance : TComponent ) : Boolean;
4336: Function ReadComponentRes( const ResName : string; Instance : TComponent ) : TComponent;
4337: Function ReadComponentResEx( HInstance : THandle; const ResName : string ) : TComponent;
4338: Function ReadComponentResFile( const FileName : string; Instance : TComponent ) : TComponent;
4339: Procedure WriteComponentResFile( const FileName : string; Instance : TComponent );
4340: Procedure GlobalFixupReferences;
4341: Procedure GetFixupReferenceNames( Root : TComponent; Names : TStrings );
4342: Procedure GetFixupInstanceNames(Root: TComponent; const ReferenceRootName string; Names : TStrings );
4343: Procedure RedirectFixupReferences( Root : TComponent; const OldRootName, NewRootName : string );
4344: Procedure RemoveFixupReferences( Root : TComponent; const RootName : string );
4345: Procedure RemoveFixups( Instance : TPersistent );
4346: Function FindNestedComponent( Root : TComponent; const NamePath : string ) : TComponent;
4347: Procedure BeginGlobalLoading;
4348: Procedure NotifyGlobalLoading;
4349: Procedure EndGlobalLoading;
4350: Function GetUltimateOwner1( ACollection : TCollection ) : TPersistent;
4351: Function GetUltimateOwner( APersistent : TPersistent ) : TPersistent;
4352: // AddTypeS('TWndMethod', 'Procedure (var Message : TMessage)
4353: //Function MakeObjectInstance( Method : TWndMethod ) : Pointer
4354: Procedure FreeObjectInstance( ObjectInstance : Pointer );
4355: // Function AllocateHWnd( Method : TWndMethod ) : HWND
4356: Procedure DeAllocateHWnd( Wnd : HWND );
4357: Function AncestorIsValid( Ancestor : TPersistent; Root, RootAncestor : TComponent ) : Boolean;
4358: { **** unit uPSI_SqlTimSt and DB; ****}
4359: Procedure VarSQLTimeStampCreate4( var aDest : Variant; const ASQLTimeStamp : TSQLTimeStamp );
4360: Function VarSQLTimeStampCreate3: Variant;
4361: Function VarSQLTimeStampCreate2( const AValue : string ) : Variant;
4362: Function VarSQLTimeStampCreate1( const AValue : TDateTime ) : Variant;
4363: Function VarSQLTimeStampCreate( const ASQLTimeStamp : TSQLTimeStamp ) : Variant;
4364: Function VarSQLTimeStamp : TVarType;

```

```

4365: Function VarIsSQLTimeStamp( const aValue : Variant ) : Boolean;
4366: Function LocalToUTC( var TZInfo : TTTimeZone; var Value : TSQLTimeStamp ) : TSQLTimeStamp //beta
4367: Function UTCToLocal( var TZInfo : TTTimeZone; var Value : TSQLTimeStamp ) : TSQLTimeStamp //beta
4368: Function VarToSQLTimeStamp( const aValue : Variant ) : TSQLTimeStamp
4369: Function SQLTimeStampToStr( const Format : string; DateTime : TSQLTimeStamp ) : string
4370: Function SQLDayOfWeek( const DateTime : TSQLTimeStamp ) : integer
4371: Function DateTimeToSQLTimeStamp( const DateTime : TDateTime ) : TSQLTimeStamp
4372: Function SQLTimeStampToDate( const Date : TSQLTimeStamp ) : TDate
4373: Function TryStrToSQLTimeStamp( const S : string; var TimeStamp : TSQLTimeStamp ) : Boolean
4374: Function StrToSQLTimeStamp( const S : string ) : TSQLTimeStamp
4375: Procedure CheckSQLTimeStamp( const ASQLTimeStamp : TSQLTimeStamp )
4376: Function ExtractFieldName( const Fields : string; var Pos : Integer ) : string;
4377: Function ExtractFieldName( const Fields : WideString; var Pos : Integer ) : WideString;
4378: //Procedure RegisterFields( const FieldClasses : array of TFieldClass )
4379: Procedure DatabaseError( const Message : WideString; Component : TComponent )
4380: Procedure DatabaseErrorFmt( const Message:WideString; const Args:array of const;Component:TComponent )
4381: Procedure DisposeMem( var Buffer, Size : Integer )
4382: Function BuffersEqual( Buf1, Buf2 : Pointer; Size : Integer ) : Boolean
4383: Function GetFieldProperty(DataSet:TDataSet; Control:TComponent; const FieldName: WideString): TField
4384: Function VarTypeToDataType( VarType : Integer ) : TFieldType
4385: *****unit JvStrings;*****
4386: {template functions}
4387: function ReplaceFirst(const SourceStr, FindStr, ReplaceStr: string): string;
4388: function ReplaceLast(const SourceStr, FindStr, ReplaceStr: string): string;
4389: function InsertLastBlock(var SourceStr: string; BlockStr: string): Boolean;
4390: function RemoveMasterBlocks(const SourceStr: string): string;
4391: function RemoveFields(const SourceStr: string): string;
4392: {http functions}
4393: function URLEncode(const Value: AnsiString): AnsiString; // Converts string To A URLEncoded string
4394: function URLDecode(const Value: AnsiString): AnsiString; // Converts string From A URLEncoded string
4395: {set functions}
4396: procedure SplitSet(AText: string; AList: TStringList);
4397: function JoinSet(Alist: TStringList): string;
4398: function FirstOfSet(const AText: string): string;
4399: function LastOfSet(const AText: string): string;
4400: function CountOfSet(const AText: string): Integer;
4401: function SetRotateRight(const AText: string): string;
4402: function SetRotateLeft(const AText: string): string;
4403: function SetPick(const AText: string; AIIndex: Integer): string;
4404: function SetSort(const AText: string): string;
4405: function SetUnion(const Set1, Set2: string): string;
4406: function SetIntersect(const Set1, Set2: string): string;
4407: function SetExclude(const Set1, Set2: string): string;
4408: {replace any <,> etc by &lt; ; &gt;}
4409: function XMLSafe(const AText: string): string;
4410: {simple hash, Result can be used in Encrypt}
4411: function Hash(const AText: string): Integer;
4412: { Base64 encode and decode a string }
4413: function B64Encode(const S: AnsiString): AnsiString;
4414: function B64Decode(const S: AnsiString): AnsiString;
4415: {Basic encryption from a Borland Example}
4416: function Encrypt(const InString: AnsiString; StartKey, MultKey, AddKey: Integer): AnsiString;
4417: function Decrypt(const InString: AnsiString; StartKey, MultKey, AddKey: Integer): AnsiString;
4418: {Using Encrypt and Decrypt in combination with B64Encode and B64Decode}
4419: function EncryptB64(const InString: AnsiString; StartKey, MultKey, AddKey: Integer): AnsiString;
4420: function DecryptB64(const InString: AnsiString; StartKey, MultKey, AddKey: Integer): AnsiString;
4421: procedure CSVToTags(Src, Dst: TStringList);
4422: // converts a csv list to a tagged string list
4423: procedure TagsToCSV(Src, Dst: TStringList);
4424: // converts a tagged string list to a csv list
4425: // only fieldnames from the first record are scanned in the other records
4426: procedure ListSelect(Src, Dst: TStringList; const AKey, AValue: string);
4427: {selects akey=avalue from Src and returns recordset in Dst}
4428: procedure ListFilter(Src: TStringList; const AKey, AValue: string);
4429: {filters Src for akey=avalue}
4430: procedure ListOrderBy(Src: TStringList; const AKey: string; Numeric: Boolean);
4431: {orders a tagged Src list by akey}
4432: function PosStr(const FindString, SourceString: string;
4433: StartPos: Integer = 1): Integer;
4434: { PosStr searches the first occurrence of a substring FindString in a string
4435: given by SourceString with case sensitivity (upper and lower case characters
4436: are differed). This function returns the index value of the first character
4437: of a specified substring from which it occurs in a given string starting with
4438: StartPos character index. If a specified substring is not found Q_PosStr
4439: returns zero. author of algorithm is Peter Morris (UK) (Faststrings unit from www.torry.ru). }
4440: function PosStrLast(const FindString, SourceString: string): Integer;
4441: {finds the last occurrence}
4442: function LastPosChar(const FindChar: Char; SourceString: string): Integer;
4443: function PosText(const FindString, SourceString: string; StartPos: Integer = 1): Integer;
4444: { PosText searches the first occurrence of a substring FindString in a string
4445: given by SourceString without case sensitivity (upper and lower case characters are not differed). This
4446: function returns the index value of the first character of a specified substring from which it occurs in a
4447: given string starting with Start
4448: function PosTextLast(const FindString, SourceString: string): Integer;
4449: {$IFDEF MSWINDOWS}
4450: procedure LoadResourceFile(AFile: string; MemStream: TMemoryStream);
4451: {$ENDIF MSWINDOWS}

```

```

4452: procedure DirFiles(const ADir, AMask: string; AFileList: TStringList);
4453: procedure RecurseDirFiles(const ADir: string; var AFileList: TStringList);
4454: procedure RecurseDirProgs(const ADir: string; var AFileList: TStringList);
4455: procedure SaveString(const AFile, AText: string);
4456: procedure SaveStringasFile( const AFile, AText : string)
4457: function LoadStringJ(const AFile: string): string;
4458: Function LoadStringOfFile( const AFile : string) : string
4459: Procedure SaveStringToFile( const AFile, AText : string)
4460: Function LoadStringFromFile( const AFile : string) : string
4461: function HexToColor(const AText: string): TColor;
4462: function UppercaseHTMLTags(const AText: string): string;
4463: function LowercaseHTMLTags(const AText: string): string;
4464: procedure GetHTMLAnchors(const AFile: string; AList: TStringList);
4465: function RelativePath(const ASrc, ADst: string): string;
4466: function GetToken(var Start: Integer; const SourceText: string): string;
4467: function PosNonSpace(Start: Integer; const SourceText: string): Integer;
4468: function PosEscaped(Start: Integer; const SourceText, FindText: string; EscapeChar: Char): Integer;
4469: function DeleteEscaped(const SourceText: string; EscapeChar: Char): string;
4470: function BeginOfAttribute(Start: Integer; const SourceText: string): Integer;
4471: // parses the beginning of an attribute: space + alpha character
4472: function ParseAttribute(var Start: Integer; const SourceText: string; var AName, AValue: string): Boolean;
4473: // parses a name="value" attrib from Start; returns 0 when not found or else the position behind attribute
4474: procedure ParseAttributes(const SourceText: string; Attributes: TStrings);
4475: // parses all name=value attributes to the attributes TStringList
4476: function HasStringValue(const AText, AName: string; var AValue: string): Boolean;
4477: // checks if a name="value" pair exists and returns any value
4478: function GetStrValue(const AText, AName, ADefault: string): string;
4479: // retrieves string value from a line like:
4480: // name="jan verhoeven" email="janl dott verhoeven att wxs dott nl"
4481: // returns ADefault when not found
4482: function GetHTMLColorValue(const AText, AName: string; ADefault: TColor): TColor;
4483: // same for a color
4484: function GetIntValue(const AText, AName: string; ADefault: Integer): Integer;
4485: // same for an Integer
4486: function GetFloatValue(const AText, AName: string; ADefault: Extended): Extended;
4487: // same for a float
4488: function GetBoolValue(const AText, AName: string): Boolean;
4489: // same for Boolean but without default
4490: function GetValue(const AText, AName: string): string;
4491: // retrieves string value from a line like: name="jan verhoeven" email="janl verhoeven att wxs dott nl"
4492: procedure SetValue(var AText: string; const AName, AValue: string);
4493: // sets a string value in a line
4494: procedure DeleteValue(var AText: string; const AName: string);
4495: // deletes a AName="value" pair from AText
4496: procedure GetNames(AText: string; AList: TStringList);
4497: // get a list of names from a string with name="value" pairs
4498: function GetHTMLColor(AColor: TColor): string;
4499: // converts a color value to the HTML hex value
4500: function BackPosStr(Start: Integer; const FindString, SourceString: string): Integer;
4501: // finds a string backward case sensitive
4502: function BackPostText(Start: Integer; const FindString, SourceString: string): Integer;
4503: // finds a string backward case insensitive
4504: function PosRangeStr(Start: Integer; const HeadString, TailString, SourceString: string);
4505: var RangeBegin: Integer; var RangeEnd: Integer): Boolean;
4506: // finds a text range, e.g. <TD>....</TD> case sensitive
4507: function PosRangeText(Start: Integer; const HeadString, TailString, SourceString: string);
4508: var RangeBegin: Integer; var RangeEnd: Integer): Boolean;
4509: // finds a text range, e.g. <TD>....</td> case insensitive
4510: function BackPosRangeStr(Start: Integer; const HeadString, TailString, SourceString: string);
4511: var RangeBegin: Integer; var RangeEnd: Integer): Boolean;
4512: // finds a text range backward, e.g. <TD>....</TD> case sensitive
4513: function BackPosRangeText(Start: Integer; const HeadString, TailString, SourceString: string);
4514: var RangeBegin: Integer; var RangeEnd: Integer): Boolean;
4515: // finds a text range backward, e.g. <TD>....</td> case insensitive
4516: function PosTag(Start: Integer; SourceString: string; var RangeBegin: Integer);
4517: var RangeEnd: Integer): Boolean;
4518: // finds a HTML or XML tag: <....>
4519: function InnerTag(Start: Integer; const HeadString, TailString, SourceString: string);
4520: var RangeBegin: Integer; var RangeEnd: Integer): Boolean;
4521: // finds the inner text between opening and closing tags
4522: function Easter(NYear: Integer): TDateTime;
4523: // returns the easter date of a year.
4524: function GetWeekNumber(Today: TDateTime): string;
4525: // gets a datecode. Returns year and weeknumber in format: YYWW
4526: function ParseNumber(const S: string): Integer;
4527: // parse number returns the last position, starting from 1
4528: function ParseDate(const S: string): Integer;
4529: // parse a SQL style date string from positions 1,
4530: // starts and ends with #
4531:
4532: *****unit JvJCLUtils;*****
4533:
4534: function VarIsInt(Value: Variant): Boolean;
4535: // VarIsInt returns VarIsOrdinal-[varBoolean]
4536: { PosIdx returns the index of the first appearance of SubStr in Str. The search starts at index "Index". }
4537: function PosIdx(const SubStr, S: string; Index: Integer = 0): Integer;
4538: function PosIdxW(const SubStr, S: WideString; Index: Integer = 0): Integer;
4539: function PosLastCharIdx(Ch: Char; const S: string; Index: Integer = 0): Integer;
4540: { GetWordOnPos returns Word from string, S, on the cursor position, P}

```

```

4541: function GetWordOnPos(const S: string; const P: Integer): string;
4542: function GetWordOnPosW(const S: WideString; const P: Integer): WideString;
4543: function GetWordOnPos2(const S: string; P: Integer; var iBeg, iEnd: Integer): string;
4544: function GetWordOnPos2W(const S: WideString; P: Integer; var iBeg, iEnd: Integer): WideString;
4545: { GetWordOnPosEx working like GetWordOnPos function, but
4546:   also returns Word position in iBeg, iEnd variables }
4547: function GetWordOnPosEx(const S: string; const P: Integer; var iBeg, iEnd: Integer): string;
4548: function GetWordOnPosExW(const S: WideString; const P: Integer): WideString;
4549: function GetNextWordPosEx(const Text: string; StartIndex: Integer; var iBeg, iEnd: Integer): string;
4550: function GetNextWordPosExW(const Text: WideString; StartIndex: Integer; var iBeg, iEnd: Integer): WideString;
4551: procedure GetEndPosCaret(const Text: string; CaretX, CaretY: Integer; var X, Y: Integer);
4552: { GetEndPosCaret returns the caret position of the last char. For the position
4553:   after the last char of Text you must add 1 to the returned X value. }
4554: procedure GetEndPosCaretW(const Text: WideString; CaretX, CaretY: Integer; var X, Y: Integer);
4555: { GetEndPosCaret returns the caret position of the last char. For the position
4556:   after the last char of Text you must add 1 to the returned X value. }
4557: { SubStrBySeparator returns substring from string, S, separated with Separator string}
4558: function SubStrBySeparator(const S: string; const Index: Integer; const
4559: Separator: string; startIndex: Int=1): string;
4560: function SubStrBySeparatorW(const S: WideString; const Index: Int; const
4561: Separator: WideString; startIndex: Int): WideString;
4562: { SubStrEnd same to previous function but Index numerated from the end of string }
4563: function SubStrEnd(const S: string; const Index: Integer; const Separator: string): string;
4564: { SubWord returns next Word from string, P, and offsets Pointer to the end of Word, P2 }
4565: function SubWord(P: PChar; var P2: PChar): string;
4566: function CurrencyByWord(Value: Currency): string;
4567: { GetLineByPos returns the Line number, there the symbol Pos is pointed. Lines separated with #13 symbol }
4568: function GetLineByPos(const S: string; const Pos: Integer): Integer;
4569: { GetXYByPos is same as GetLineByPos, but returns X position in line as well}
4570: procedure GetXYByPos(const S: string; const Pos: Integer; var X, Y: Integer);
4571: procedure GetXYByPosW(const S: WideString; const Pos: Integer; var X, Y: Integer);
4572: { ReplaceString searches for all substrings, OldPattern,
4573:   in a string, S, and replaces them with NewPattern }
4574: function ReplaceString(S: string; const OldPattern, NewPattern: string; startIndex: Integer = 1): string;
4575: function ReplaceStringW(S: WideString; const OldPattern, NewPattern:
4576: WideString; startIndex: Integer=1): WideString;
4577: { ConcatSep concatenate S1 and S2 strings with Separator. if S = '' then separator not included }
4578: { ConcatLeftSep is same to previous function, but strings concatenate right to left }
4579: function ConcatLeftSep(const S1, S2, Separator: string): string; {$IFDEF SUPPORTS_INLINE} inline; {$ENDIF
4580: SUPPORTS_INLINE}
4581: { Next 4 function for russian chars transliterating.
4582:   This functions are needed because Oem2ansi and Ansi2Oem functions sometimes suck }
4583: procedure Dos2Win(var S: AnsiString);
4584: procedure Win2Dos(var S: AnsiString);
4585: function Dos2WinRes(const S: AnsiString): AnsiString; inline; {$ENDIF SUPPORTS_INLINE}
4586: function Win2DOSRes(const S: AnsiString): AnsiString; inline; {$ENDIF SUPPORTS_INLINE}
4587: function Win2Koi(const S: AnsiString): AnsiString;
4588: { FillString fills the string Buffer with Count Chars }
4589: procedure FillString(var Buffer: string; Count: Integer; const Value: Char); overload;
4590: procedure FillString(var Buffer: string; startIndex, Count: Integer; const Value: Char); overload;
4591: { MoveString copies Count Chars from Source to Dest }
4592: procedure MoveString(const Source: string; var Dest: string; Count: Integer); {$IFDEF SUPPORTS_INLINE}
4593: inline; {$ENDIF SUPPORTS_INLINE} overload;
4594: procedure MoveString(const Source: string; SrcStartIdx: Integer; var Dest: string;
4595: DstStartIdx: Integer; Count: Integer); {$IFDEF SUPPORTS_INLINE} inline; {$ENDIF SUPPORTS_INLINE} overload;
4596: { FillWideChar fills Buffer with Count WideChars (2 Bytes) }
4597: procedure FillWideChar(var Buffer: WideChar; Count: Integer; const Value: WideChar);
4598: { MoveWideChar copies Count WideChars from Source to Dest }
4599: procedure MoveWideChar(const Source: var Dest; Count: Integer); {$IFDEF SUPPORTS_INLINE} inline; {$ENDIF
4600: SUPPORTS_INLINE}
4601: { FillNativeChar fills Buffer with Count NativeChars }
4602: procedure FillNativeChar(var Buffer: Char; Count: Integer; const Value: Char); // D2009 internal error {$IFDEF
4603: SUPPORTS_INLINE} inline; {$ENDIF SUPPORTS_INLINE}
4604: { MoveNativeChar copies Count WideChars from Source to Dest }
4605: procedure MoveNativeChar(const Source: var Dest; Count: Integer); // D2009 internal error {$IFDEF
4606: SUPPORTS_INLINE} inline; {$ENDIF SUPPORTS_INLINE}
4607: { IsSubString() compares the sub string to the string. Indices are 1th based. }
4608: function IsSubString(const S: string; startIndex: Integer; const SubStr: string): Boolean;
4609: { Spaces returns string consists on N space chars }
4610: function Spaces(const N: Integer): string;
4611: { AddSpaces adds spaces to string S, if its Length is smaller than N }
4612: function AddSpaces(const S: string; const N: Integer): string;
4613: function SpacesW(const N: Integer): WideString;
4614: function AddSpacesW(const S: WideString; const N: Integer): WideString;
4615: { function LastDateRUS for russian users only }
4616: { returns date relative to current date: 'âââ äíÿ àçââ' }
4617: function LastDateRUS(const Dat: TDateTime): string;
4618: { CurrencyToStr format Currency, Cur, using ffcurrency float format}
4619: function CurrencyToStr(const Cur: Currency): string;
4620: { HasChar returns True, if Char, Ch, contains in string, S }
4621: function HasChar(const Ch: Char; const S: string): Boolean;
4622: function HasCharW(const Ch: WideChar; const S: WideString): Boolean; inline; {$ENDIF SUPPORTS_INLINE}
4623: function HasAnyChar(const Chars: string; const S: string): Boolean;
4624: { $IFDEF COMPILER12_UP}
4625: function CharInSet(const Ch: AnsiChar; const SetOfChar: TSysCharSet): Boolean; inline; {$ENDIF SUPPORTS_INLINE}
4626: {$ENDIF ~COMPILER12_UP}

```

```

4621: function CharInSetW(const Ch: WideChar;const SetOfChar: TSysCharSet):Boolean;inline; {$ENDIF
4622:   SUPPORTS_INLINE}
4623: function CountOfChar(const Ch: Char; const S: string): Integer;
4624: function DefStr(const S: string; Default: string): string; {$IFDEF SUPPORTS_INLINE} inline; {$ENDIF
4625:   SUPPORTS_INLINE}
4626: { StrLICompW2 is a faster replacement for JclUnicode.StrLICompW }
4627: function StrLICompW2(S1, S2: PWideChar; MaxLen: Integer): Integer;
4628: function StrPosW(S, SubStr: PWideChar): PWideChar;
4629: function StrLenW(S: PWideChar): Integer;
4630: function TrimW(const S: WideString): WideString; {$IFDEF SUPPORTS_INLINE} inline; {$ENDIF SUPPORTS_INLINE}
4631: function TrimLeftW(const S: WideString): WideString; {$IFDEF SUPPORTS_INLINE} inline; {$ENDIF SUPPORTS_INLINE}
4632: function TrimRightW(const S: WideString): WideString; inline; {$ENDIF SUPPORTS_INLINE}
4633: TPixelFormat', '(pfDevice, pf1bit, pf4bit, pf8bit, pf24bit )
4634: TMappingMethod', '(mmHistogram, mmQuantize, mmTrunc784, mmTrunc666, mmTripel, mmGrayscale )
4635: Function GetBitmapPixelFormat( Bitmap : TBitmap ) : TPixelFormat
4636: Function GetPaletteBitmapFormat( Bitmap : TBitmap ) : TPixelFormat
4637: Procedure SetBitmapPixelFormat( Bitmap: TBitmap; PixelFormat: TPixelFormat; Method: TMappingMethod)
4638: Function BitmapToMemoryStream(Bitmap:TBitmap;PixelFormat:TPixelFormat;Method:TMappingMethod):TMemoryStream;
4639: Procedure SaveBitmapToFile( const Filename : string; Bitmap : TBitmap; Colors : Integer)
4640: Function ScreenPixelFormat : TPixelFormat
4641: Function ScreenColorCount : Integer
4642: Procedure TileImage( Canvas: TCanvas; Rect : TRect; Image : TGraphic)
4643: Function ZoomImage( ImageW, ImageH, MaxW, MaxH : Integer; Stretch : Boolean) : TPoint
4644: // SJRegister_TJvGradient(CL);
4645:
4646: {***** files routines}
4647: procedure SetDelimitedText(List: TStrings; const Text: string; Delimiter: Char);
4648: const
4649:   {$IFDEF MSWINDOWS}
4650:     DefaultCaseSensitivity = False;
4651:   {$ENDIF MSWINDOWS}
4652:   {$IFDEF UNIX}
4653:     DefaultCaseSensitivity = True;
4654:   {$ENDIF UNIX}
4655: { GenTempFileName returns temporary file name on
4656:   drive, there FileName is placed }
4657: function GenTempFileName(FileName: string): string;
4658: { GenTempFileNameExt same to previous function, but
4659:   returning filename has given extension, FileExt }
4660: function GenTempFileNameExt(FileName: string; const FileExt: string): string;
4661: { ClearDir clears folder Dir }
4662: function ClearDir(const Dir: string): Boolean;
4663: { DeleteDir clears and than delete folder Dir }
4664: function DeleteDir(const Dir: string): Boolean;
4665: { FileEquMask returns True if file, FileName, is compatible with given dos file mask, Mask }
4666: function FileEquMask(FileName, Mask: TFileName; CaseSensitive: Boolean=DefaultCaseSensitivity): Boolean;
4667: { FileEquMasks returns True if file, FileName, is compatible with given Masks.
4668:   Masks must be separated with SepPath (MSW: ';' / UNIX: ':') }
4669: function FileEquMasks(FileName, Masks: TFileName;
4670:   CaseSensitive: Boolean = DefaultCaseSensitivity): Boolean;
4671: function DeleteFiles(const Folder: TFileName; const Masks: string): Boolean;
4672: {$IFDEF MSWINDOWS}
4673: { LZFileExpand expand file, FileSource,
4674:   into FileDest. Given file must be compressed, using MS Compress program }
4675: function LZFileExpand(const FileSource, FileDest: string): Boolean;
4676: {$ENDIF MSWINDOWS}
4677: { FileInfo fills SearchRec record for specified file attributes}
4678: function FileInfo(FileName: TFileName; var SearchRec: TSearchRec): Boolean;
4679: { HasSubFolder returns True, if folder APath contains other folders }
4680: function HasSubFolder(APath: TFileName): Boolean;
4681: { IsEmptyFolder returns True, if there are no files or
4682:   folders in given folder, APath}
4683: function IsEmptyFolder(APath: TFileName): Boolean;
4684: { AddSlash returns string with added slash Char to Dir parameter, if needed }
4685: function AddSlash(const Dir: TFileName): string; {$IFDEF SUPPORTS_INLINE} inline; {$ENDIF SUPPORTS_INLINE}
4686: { AddPath returns FileName with Path, if FileName not contain any path }
4687: function AddPath(const FileName, Path: TFileName): TFileName;
4688: function AddPaths(const PathList, Path: string): string;
4689: function ParentPath(const Path: TFileName): TFileName;
4690: function FindInPath(const FileName, PathList: string): TFileName;
4691: { DeleteReadOnlyFile clears R/O file attribute and delete file }
4692: function DeleteReadOnlyFile(const FileName: TFileName): Boolean;
4693: { HasParam returns True, if program running with specified parameter, Param }
4694: function HasParam(const Param: string): Boolean;
4695: function HasSwitch(const Param: string): Boolean;
4696: function Switch(const Param: string): string;
4697: { ExePath returns ExtractFilePath(ParamStr(0)) }
4698: function ExePath: TFileName; {$IFDEF SUPPORTS_INLINE} inline; {$ENDIF SUPPORTS_INLINE}
4699: function CopyDir(const SourceDir, DestDir: TFileName): Boolean;
4700: //function FileTimeToDate(FT: TFileTime): TDateTime;
4701: procedure FileTimeToDosDateTimeDWord(const FT: TFileTime; out Dft: DWORD);
4702: function MakeValidFileName(const FileName: TFileName; ReplaceBadChar: Char): TFileName;
4703: {*** Graphic routines }
4704: { IsTTFontSelected returns True, if True Type font is selected in specified device context }
4705: function IsTTFontSelected(const DC: HDC): Boolean;
4706: function KeyPressed(VK: Integer): Boolean;

```

```

4707: Function isKeyPressed: boolean; //true if key on memo2 (shell output) is pressed
4708: { TrueInflateRect inflates rect in other method, than InflateRect API function }
4709: function TrueInflateRect(const R: TRect; const I: Integer): TRect;
4710: {**** Color routines }
4711: procedure RGBToHSV(R, G, B: Integer; var H, S, V: Integer);
4712: function RGBToBGR(Value: Cardinal): Cardinal;
4713: //function ColorToPrettyName(Value: TColor): string;
4714: //function PrettyNameToColor(const Value: string): TColor;
4715: {**** other routines }
4716: procedure SwapInt(var Int1, Int2: Integer); {$IFDEF SUPPORTS_INLINE} inline: {$ENDIF SUPPORTS_INLINE}
4717: function IntPower(Base, Exponent: Integer): Integer;
4718: function ChangeTopException(E: TObject): TObject; // Linux version writes error message to ErrOutput
4719: function StrToBool(const S: string): Boolean;
4720: function Var2Type(V: Variant; const DestVarType: Integer): Variant;
4721: function VarToInt(V: Variant): Integer;
4722: function VarToFloat(V: Variant): Double;
4723: { following functions are not documented because they not work properly sometimes, so do not use them }
4724: // (rom) ReplaceStrings1, GetSubStr removed
4725: function GetLongFileName(const FileName: string): string;
4726: function FileNewExt(const FileName, NewExt: TFileName): TFileName;
4727: function GetParameter: string;
4728: function GetComputerID: string;
4729: function GetComputerName: string;
4730: {**** string routines }
4731: { ReplaceAllStrings searches for all substrings, Words,
4732:   in a string, S, and replaces them with Frases with the same Index. }
4733: function ReplaceAllStrings(const S: string; Words, Frases: TStrings): string;
4734: { ReplaceStrings searches the Word in a string, S, on PosBeg position,
4735:   in the list, Words, and if founds, replaces this Word with string from another list,Frases, with the
4736:   same Index, and then update NewSelStart variable }
4737: function ReplaceStrings(const S:string;PosBeg,Len:Int;Words,Frases:TStrings;var NewSelStart:Int):string;
4738: { CountOfLines calculates the lines count in a string, S,
4739:   each line must be separated from another with Crlf sequence }
4739: function CountOfLines(const S: string): Integer;
4740: { DeleteLines deletes all lines from strings which in the words, words.
4741:   The word of will be deleted from strings. }
4742: procedure DeleteOfLines(Ss: TStrings; const Words: array of string);
4743: { DeleteEmptyLines deletes all empty lines from strings, Ss.
4744:   Lines contained only spaces also deletes. }
4745: procedure DeleteEmptyLines(Ss: TStrings);
4746: { SQLAddWhere addes or modifies existing where-statement, where,
4747:   to the strings, SQL. Note: If strings SQL allready contains where-statement,
4748:   it must be started on the begining of any line }
4749: procedure SQLAddWhere(SQL: TStrings; const Where: string);
4750: {**** files routines - }
4751: {$IFDEF MSWINDOWS}
4752: { ResSaveToFile save resource named as Name with Typ type into file FileName.
4753:   Resource can be compressed using MS Compress program}
4754: function ResSaveToFile(const Typ,Name:string; const Compressed: Boolean; const FileName: string): Boolean;
4755: function ResSaveToFileEx(Instance:HINST;Typ,Name:PChar;const Compressed:Boolean;const FileName:string): Boolean;
4756: function ResSaveToString(Instance: HINST; const Typ, Name: string; var S: string): Boolean;
4757: {$ENDIF MSWINDOWS}
4758: { IniReadSection read section, Section, from ini-file,
4759:   IniFileName, into strings, Ss.This function reads ALL strings from specified section.
4760:   Note: TIniFile.ReadSection function reads only strings with '=' symbol.}
4761: function IniReadSection(const IniFileName: TFileName; const Section: string; Ss: TStrings): Boolean;
4762: { LoadTextFile load text file, FileName, into string }
4763: function LoadTextFile(const FileName: TFileName): string;
4764: procedure SaveTextFile(const FileName: TFileName; const Source: string);
4765: { ReadFolder reads files list from disk folder,Folder,that are equal to mask, Mask,into strings, FileList}
4766: function ReadFolder(const Folder, Mask: TFileName; Filelist: TStrings): Integer;
4767: function ReadFolders(const Folder: TFileName; FolderList: TStrings): Integer;
4768: { RATextOut same with TCanvas.TextOut procedure, but can clipping drawing with rectangle, RClip. }
4769: procedure RATextOut(Canvas: TCanvas; const R, RClip: TRect; const S: string);
4770: { RATextOutEx same with RATextOut function, but can calculate needed height for correct output }
4771: function RATextOutEx(Canvas:TCanvas;const R,RClip:TRect, const S:string;const CalcHeight:Boolean):Integer;
4772: { RATextCalcHeight calculate needed height for
4773:   correct output, using RATextOut or RATextOutEx functions }
4774: function RATextCalcHeight(Canvas: TCanvas; const R: TRect; const S: string): Integer;
4775: { Cinema draws some visual effect }
4776: procedure Cinema(Canvas: TCanvas; rS {Source}, rD {Dest}: TRect);
4777: { Roughed fills rect with special 3D pattern }
4778: procedure Roughed(ACanvas: TCanvas; const ARect: TRect; const AVert: Boolean);
4779: { BitmapFromBitmap creates new small bitmap from part of source bitmap, SrcBitmap, with specified width
4780:   and height, AWidth, AHeight and placed on a specified Index, Index in the source bitmap }
4780: function BitmapFromBitmap(SrcBitmap: TBitmap; const AWidth, AHeight, Index: Integer): TBitmap;
4781: { TextWidth calculate text width for writing using standard desktop font }
4782: function TextWidth(const AStr: string): Integer;
4783: { TextHeight calculate text height for writing using standard desktop font }
4784: function TextHeight(const AStr: string): Integer;
4785: procedure SetChildPropOrd(Owner: TComponent; const PropName: string; Value: Longint);
4786: procedure Error(const Msg: string);
4787: procedure ItemHtDrawEx(Canvas: TCanvas; Rect: TRect; const State: TOwnerDrawState; const Text: string;
4788:   const HideSelColor: Boolean; var PlainItem: string; var Width: Integer; CalcWidth: Boolean);
4789: {example Text parameter:'Item 1<b>bold</b><i>italic ITALIC <c:Red>red<c:Green>green<c:blue>blue</c:>' }
4790: function ItemHtDraw(Canvas: TCanvas; Rect: TRect;
4791:   const State: TOwnerDrawState; const Text: string; const HideSelColor: Boolean): string;
4792: function ItemHtWidth(Canvas: TCanvas; Rect: TRect;

```

```

4793:   const State: TOwnerDrawState; const Text: string; const HideSelColor: Boolean): Integer;
4794: function ItemHtPlain(const Text: string): string;
4795: { ClearList - clears list of TObject }
4796: procedure ClearList(List: TList);
4797: procedure MemStreamToClipBoard(MemStream: TMemoryStream; const Format: Word);
4798: procedure ClipBoardToMemStream(MemStream: TMemoryStream; const Format: Word);
4799: { RTTI support }
4800: function GetPropType(Obj: TObject; const PropName: string): TTypeKind;
4801: function GetPropStr(Obj: TObject; const PropName: string): string;
4802: function GetPropOrd(Obj: TObject; const PropName: string): Integer;
4803: function GetPropMethod(Obj: TObject; const PropName: string): TMethod;
4804: procedure PrepareIniSection(Ss: TStrings);
4805: { following functions are not documented because they are don't work properly, so don't use them }
4806: // (rom) from JVBandWindows to make it obsolete
4807: function PointL(const X, Y: Longint): TPointL; {$IFDEF SUPPORTS_INLINE} inline; {$ENDIF SUPPORTS_INLINE}
4808: // (rom) from JVBandUtils to make it obsolete
4809: function iif(const Test: Boolean; const ATrue, AFalse: Variant): Variant;
4810: procedure CopyIconToClipboard(Icon: TIcon; BackColor: TColor);
4811: function CreateIconFromClipboard: TIcon;
4812: { begin JVIconClipboardUtils } { Icon clipboard routines }
4813: function CF_ICON: Word;
4814: procedure AssignClipboardIcon(Icon: TIcon);
4815: { Real-size icons support routines (32-bit only) }
4816: procedure GetIconSize(Icon: HICON; var W, H: Integer);
4817: function CreateRealSizeIcon(Icon: TIcon): HICON;
4818: procedure DrawRealSizeIcon(Canvas: TCanvas; Icon: TIcon; X, Y: Integer);
4819: {end JVIconClipboardUtils }
4820: function CreateScreenCompatibleDC: HDC;
4821: function InvalidateRect(hWnd: HWND; const lpRect: TRect; bErase: BOOL): BOOL; overload; {$IFDEF SUPPORTS_INLINE} inline; {$ENDIF}
4822: function InvalidateRect(hWnd: HWND; lpRect: PRect; bErase: BOOL): BOOL; overload;
4823: { begin JVRL } // (rom) changed API for inclusion in JCL
4824: procedure RleCompressTo(InStream, OutStream: TStream);
4825: procedure RleDecompressTo(InStream, OutStream: TStream);
4826: procedure RleCompress(Stream: TStream);
4827: procedure RleDecompress(Stream: TStream);
4828: {end JVRL } { begin JVDateUtil }
4829: function CurrentYear: Word; {$IFDEF SUPPORTS_INLINE} inline; {$ENDIF SUPPORTS_INLINE}
4830: function IsLeapYear(AYear: Integer): Boolean;
4831: function DaysInAMonth(const AYear, AMonth: Word): Word;
4832: function DaysPerMonth(AYear, AMonth: Integer): Integer;
4833: function FirstDayOfPrevMonth: TDateTime;
4834: function LastDayOfPrevMonth: TDateTime;
4835: function FirstDayOfNextMonth: TDateTime;
4836: function ExtractDay(ADate: TDateTime): Word;
4837: function ExtractMonth(ADate: TDateTime): Word;
4838: function ExtractYear(ADate: TDateTime): Word;
4839: function IncDate(ADate: TDateTime; Days, Months, Years: Integer): TDateTime;
4840: function IncDay(ADate: TDateTime; Delta: Integer): TDateTime; inline; {$IFDEF SUPPORTS_INLINE}
4841: function IncMonth(ADate: TDateTime; Delta: Integer): TDateTime;
4842: function IncYear(ADate: TDateTime; Delta: Integer): TDateTime;
4843: function ValidDate(ADate: TDateTime): Boolean;
4844: procedure DateDiff(Datet1, Date2: TDateTime; var Days, Months, Years: Word);
4845: function MonthsBetween(Datet1, Date2: TDateTime): Double;
4846: function DaysInPeriod(Datet1, Date2: TDateTime): Longint;
4847: { Count days between Datet1 and Date2 + 1, so if Datet1 = Date2 result = 1 }
4848: function DaysBetween(Datet1, Date2: TDateTime): Longint;
4849: { The same as previous but if Date2 < Datet1 result = 0 }
4850: function IncTime(ATime: TDateTime; Hours, Minutes, Seconds, MSecs: Integer): TDateTime;
4851: function IncHour(ATime: TDateTime; Delta: Integer): TDateTime;
4852: function IncMinute(ATime: TDateTime; Delta: Integer): TDateTime;
4853: function IncSecond(ATime: TDateTime; Delta: Integer): TDateTime;
4854: function IncMSec(ATime: TDateTime; Delta: Integer): TDateTime;
4855: function CutTime(ADate: TDateTime): TDateTime; { Set time to 00:00:00:00 }
4856: { String to date conversions }
4857: function GetDateFormat(const DateFormat: string): TDateOrder;
4858: function MonthFromName(const S: string; MaxLen: Byte): Byte;
4859: function StrToDateDef(const S: string; Default: TDateTime): TDateTime;
4860: function StrToDateFmt(const DateFormat, S: string): TDateTime;
4861: function StrToDateFmtDef(const DateFormat, S: string; Default: TDateTime): TDateTime;
4862: //function DefDateFormat(AFourDigitYear: Boolean): string;
4863: //function DefDateMask(BlanksChar: Char; AFourDigitYear: Boolean): string;
4864: function FormatLongDate(Value: TDateTime): string;
4865: function FormatLongDateTime(Value: TDateTime): string;
4866: { end JVDateUtil }
4867: function BufToBinStr(Buf: Pointer; BufSize: Integer): string;
4868: function BinStrToBuf(Value: string; Buf: Pointer; BufSize: Integer): Integer;
4869: { begin JVStrUtils } { ** Common string handling routines ** }
4870: {$IFDEF UNIX}
4871: function iconversion(InP: PAnsiChar; OutP: Pointer; InBytes, OutBytes: Cardinal;
4872: const ToCode, FromCode: AnsiString): Boolean;
4873: function iconvString(const S, ToCode, FromCode: AnsiString): string;
4874: function iconvWideString(const S: WideString; const ToCode, FromCode: AnsiString): WideString;
4875: function OemStrToAnsi(const S: AnsiString): AnsiString;
4876: function AnsiStrToOem(const S: AnsiString): AnsiString;
4877: {$ENDIF UNIX}
4878: function StrToOem(const AnsiStr: AnsiString): AnsiString;
4879: { StrToOem translates a string from the Windows character set into the OEM character set. }
4880: function OemToAnsiStr(const OemStr: AnsiString): AnsiString;

```

```

4881: { OEMToAnsiStr translates a string from the OEM character set into the Windows character set. }
4882: function IsEmptyStr(const S: string; const EmptyChars: TSysCharSet): Boolean;
4883: { EmptyStr returns True if the given string contains only character from the EmptyChars. }
4884: function ReplaceStr(const S, Srch, Replace: string): string;
4885: { Returns string with every occurrence of Srch string replaced with Replace string. }
4886: function DelSpace(const S: string): string;
4887: { DelSpace return a string with all white spaces removed. }
4888: function DelChars(const S: string; Chr: Char): string;
4889: { DelChars return a string with all Chr characters removed. }
4890: function DelBSpace(const S: string): string;
4891: { DelBSpace trims leading spaces from the given string. }
4892: function DelESpace(const S: string): string;
4893: { DelESpace trims trailing spaces from the given string. }
4894: function DelRSpace(const S: string): string;
4895: { DelRSpace trims leading and trailing spaces from the given string. }
4896: function DelSpace1(const S: string): string;
4897: { DelSpace1 return a string with all non-single white spaces removed. }
4898: function Tab2Space(const S: string; Numb: Byte): string;
4899: { Tab2Space converts any tabulation character in the given string to the
4900:   Numb spaces characters. }
4901: function NPos(const C: string; S: string; N: Integer): Integer;
4902: { NPos searches for a N-th position of substring C in a given string. }
4903: function MakeStr(C: Char; N: Integer): string; overload;
4904: {$IFNDEF COMPILER12_UP}
4905: function MakeStr(C: WideChar; N: Integer): WideString; overload;
4906: {$ENDIF !COMPILER12_UP}
4907: function MS(C: Char; N: Integer): string; {$IFDEF SUPPORTS_INLINE} inline; {$ENDIF SUPPORTS_INLINE}
4908: { MakeStr return a string of length N filled with character C. }
4909: function AddChar(C: Char; const S: string; N: Integer): string;
4910: { AddChar return a string left-padded to length N with characters C. }
4911: function AddCharR(C: Char; const S: string; N: Integer): string;
4912: { AddCharR return a string right-padded to length N with characters C. }
4913: function LeftStr(const S: string; N: Integer): string;
4914: { LeftStr return a string right-padded to length N with blanks. }
4915: function RightStr(const S: string; N: Integer): string;
4916: { RightStr return a string left-padded to length N with blanks. }
4917: function CenterStr(const S: string; Len: Integer): string;
4918: { CenterStr centers the characters in the string based upon the Len specified. }
4919: function CompStr(const S1, S2: string): Integer; {$IFDEF SUPPORTS_INLINE} inline; {$ENDIF SUPPORTS_INLINE}
4920: { CompStr compares S1 to S2, with case-sensitivity. The return value is
4921:   -1 if S1 < S2, 0 if S1 = S2, or 1 if S1 > S2. }
4922: function CompText(const S1, S2: string): Integer; {$IFDEF SUPPORTS_INLINE} inline; {$ENDIF SUPPORTS_INLINE}
4923: { CompText compares S1 to S2, without case-sensitivity. The return value is the same as for CompStr. }
4924: function Copy2Symb(const S: string; Symb: Char): string;
4925: { Copy2Symb returns a substring of a string S from beginning to first character Symb. }
4926: function Copy2SymbDel(var S: string; Symb: Char): string;
4927: { Copy2SymbDel returns a substring of a string S from beginning to first
4928:   character Symb and removes this substring from S. }
4929: function Copy2Space(const S: string): string;
4930: { Copy2Space returns a substring of a string S from begining to first white space. }
4931: function Copy2SpaceDel(var S: string): string;
4932: { Copy2SpaceDel returns a substring of a string S from begining to first
4933:   white space and removes this substring from S. }
4934: function AnsiProperCase(const S: string; const WordDelims: TSysCharSet): string;
4935: { Returns string, with the first letter of each word in uppercase,
4936:   all other letters in lowercase. Words are delimited by WordDelims. }
4937: function WordCount(const S: string; const WordDelims: TSysCharSet): Integer;
4938: { WordCount given a set of word delimiters, returns number of words in S. }
4939: function WordPosition(const N: Integer; const S: string; const WordDelims: TSysCharSet): Integer;
4940: { Given a set of word delimiters, returns start position of N'th word in S. }
4941: function ExtractWord(N: Integer; const S: string; const WordDelims: TSysCharSet): string;
4942: function ExtractWordPos(N: Integer; const S: string; const WordDelims: TSysCharSet; var Pos: Integer): string;
4943: function ExtractDelimited(N: Integer; const S: string; const Delims: TSysCharSet): string;
4944: { ExtractWord, ExtractWordPos and ExtractDelimited given a set of word
4945:   delimiters, return the N'th word in S. }
4946: function ExtractSubstr(const S: string; var Pos: Integer; const Delims: TSysCharSet): string;
4947: { ExtractSubstr given a set of word delimiters, returns the substring from S,
4948:   that started from position Pos. }
4949: function IsWordPresent(const W, S: string; const WordDelims: TSysCharSet): Boolean;
4950: { IsWordPresent given a set of word delimiters, returns True if word W is present in string S. }
4951: function QuotedString(const S: string; Quote: Char): string;
4952: { QuotedString returns the given string as a quoted string, using the provided Quote character. }
4953: function ExtractQuotedString(const S: string; Quote: Char): string;
4954: { ExtractQuotedString removes the Quote characters from the beginning and
4955:   end of a quoted string, and reduces pairs of Quote characters within quoted string to single character. }
4956: function FindPart(const HelpWilds, InputStr: string): Integer;
4957: { FindPart compares a string with '?' and another, returns the position of HelpWilds in InputStr. }
4958: function IsWild(InputStr, Wilds: string; IgnoreCase: Boolean): Boolean;
4959: { IsWild compares InputString with WildCard string and returns True if corresponds. }
4960: function XorString(const Key, Src: ShortString): ShortString;
4961: function XorEncode(const Key, Source: string): string;
4962: function XorDecode(const Key, Source: string): string;
4963: { ** Command line routines ** }
4964: function GetCmdLineArg(const Switch: string; ASwitchChars: TSysCharSet): string;
4965: { ** Numeric string handling routines ** }
4966: function Numb2USA(const S: string): string;
4967: { Numb2USA converts numeric string S to USA-format. }
4968: function Dec2Hex(N: Longint; A: Byte): string; {$IFDEF SUPPORTS_INLINE} inline; {$ENDIF SUPPORTS_INLINE}
4969: { Dec2Hex converts the given value to a hexadecimal string representation

```

```

4970:   with the minimum number of digits (A) specified. }
4971: function Hex2Dec(const S: string): Longint;
4972: { Hex2Dec converts the given hexadecimal string to the corresponding integer value. }
4973: function Dec2Numb(N: Int64; A, B: Byte): string;
4974: { Dec2Numb converts the given value to a string representation with the
4975:   base equal to B and with the minimum number of digits (A) specified. }
4976: function Numb2Dec(S: string; B: Byte): Int64;
4977: { Numb2Dec converts the given B-based numeric string to the corresponding
4978:   integer value. }
4979: function IntToBin(Value: Longint; Digits, Spaces: Integer): string;
4980: { IntToBin converts the given value to a binary string representation
4981:   with the minimum number of digits specified. }
4982: function IntToRoman(Value: Longint): string;
4983: { IntToRoman converts the given value to a roman numeric string representation. }
4984: function RomanToInt(const S: string): Longint;
4985: { RomanToInt converts the given string to an integer value. If the string
4986:   doesn't contain a valid roman numeric value, the 0 value is returned. }
4987: function FindNotBlankCharPos(const S: string): Integer;
4988: function FindNotBlankCharPosW(const S: WideString): Integer;
4989: function AnsiChangeCase(const S: string): string;
4990: function WideChangeCase(const S: string): string;
4991: function StartsText(const SubStr, S: string): Boolean;
4992: function EndsText(const SubStr, S: string): Boolean;
4993: function DequotedStr(const S: string; QuoteChar: Char = ''): string;
4994: function AnsiDequotedStr(const S: string; AQuote: Char): string; //follow Delphi 2009's "Ansi" prefix
4995: {end JvStrUtils}
4996: {$IFDEF UNIX}
4997: function GetTempFileName(const Prefix: AnsiString): AnsiString;
4998: {$ENDIF UNIX}
4999: { begin JvFileUtil }
5000: function FileDateTime(const FileName: string): TDateTime;
5001: function HasAttr(const FileName: string; Attr: Integer): Boolean;
5002: function DeleteFilesEx(const FileMasks: array of string): Boolean;
5003: function NormalDir(const DirName: string): string;
5004: function RemoveBackSlash(const DirName: string): string; // only for Windows/DOS Paths
5005: function ValidFileName(const FileName: string): Boolean;
5006: {$IFDEF MSWINDOWS}
5007: function FileLock(Handle: Integer; Offset, LockSize: Longint): Integer; overload;
5008: function FileLock(Handle: Integer; Offset, LockSize: Int64): Integer; overload;
5009: function FileUnlock(Handle: Integer; Offset, LockSize: Longint): Integer; overload;
5010: function FileUnlock(Handle: Integer; Offset, LockSize: Int64): Integer; overload;
5011: {$ENDIF MSWINDOWS}
5012: function GetWindowsDir: string;
5013: function GetSystemDir: string;
5014: function ShortToLongFileName(const ShortName: string): string;
5015: function LongToShortFileName(const LongName: string): string;
5016: function ShortToLongPath(const ShortName: string): string;
5017: function LongToShortPath(const LongName: string): string;
5018: {$IFDEF MSWINDOWS}
5019: procedure CreateFileLink(const FileName, DisplayName: string; Folder: Integer);
5020: procedure DeleteFileLink(const DisplayName: string; Folder: Integer);
5021: {$ENDIF MSWINDOWS}
5022: { end JvFileUtil }
5023: // Works like PtInRect but includes all edges in comparision
5024: function PtInRectInclusive(R: TRect; Pt: TPoint): Boolean;
5025: // Works like PtInRect but excludes all edges from comparision
5026: function PtInRectExclusive(R: TRect; Pt: TPoint): Boolean;
5027: function FourDigitYear: Boolean; {$IFDEF SUPPORTS_DEPRECATED} deprecated; {$ENDIF}
5028: function IsFourDigitYear: Boolean;
5029: { moved from JVCLVCLUnits }
5030: //Open an object with the shell (url or something like that)
5031: function OpenObject(const Value: string): Boolean; overload;
5032: function OpenObject(Value: PChar): Boolean; overload;
5033: {$IFDEF MSWINDOWS}
5034: //Raise the last Exception
5035: procedure RaiseLastWin32; overload;
5036: procedure RaiseLastWin32(const Text: string); overload;
5037: //Raise the last Exception with a small comment from your part { GetFileVersion returns the most
5038: // significant 32 bits of a file's binary version number. Typically, this includes the major and minor
5039: // version placed together in one 32-bit Integer. I
5040: function GetFileVersion(const AFileName: string): Cardinal;
5041: {EXTERNALSYM GetFileVersion}
5042: //Get version of Shell.dll
5043: function GetShellVersion: Cardinal;
5044: // CD functions on HW
5045: procedure OpenCdDrive;
5046: procedure CloseCdDrive;
5047: // returns True if Drive is accessible
5048: function DiskInDrive(Drive: Char): Boolean;
5049: {$ENDIF MSWINDOWS}
5050: //Same as linux function ;;
5051: procedure PError(const Text: string);
5052: // execute a program without waiting
5053: procedure Exec(const FileName, Parameters, Directory: string);
5054: // execute a program and wait for it to finish
5055: function ExecuteAndWait(CmdLine:string;const WorkingDirectory:string;Visibility:Integer=SW_SHOW): Int;
5056: // returns True if this is the first instance of the program that is running
5057: function FirstInstance(const ATitle: string): Boolean;

```

```

5057: // restores a window based on it's classname and Caption. Either can be left empty
5058: // to widen the search
5059: procedure RestoreOtherInstance(const MainFormClassName, MainFormCaption: string);
5060: // manipulate the traybar and start button
5061: procedure HideTraybar;
5062: procedure ShowTraybar;
5063: procedure ShowStartButton(Visible: Boolean = True);
5064: // (rom) SC_MONITORPOWER is documented as Win 95 only(rom) better do some testing set monitor functions
5065: procedure MonitorOn;
5066: procedure MonitorOff;
5067: procedure LowPower;
5068: // send a key to the window named AppName
5069: function SendKey(const AppName: string; Key: Char): Boolean;
5070: {$IFDEF MSWINDOWS}
5071: // returns a list of all win currently visible, the Objects property is filled with their window handle
5072: procedure GetVisibleWindows(List: TStrings);
5073: Function GetVisibleWindowsF( List : TStrings):TStrings';
5074: // associates an extension to a specific program
5075: procedure AssociateExtension(const IconPath, ProgramName, Path, Extension: string);
5076: procedure AddToRecentDocs(const FileName: string);
5077: function GetRecentDocs: TStringList;
5078: {$ENDIF MSWINDOWS}
5079: function CharIsMoney(const Ch: Char): Boolean;
5080: //function StrToCurrDef(const Str: string; Def: Currency): Currency;
5081: function IntToExtended(I: Integer): Extended;
5082: { GetChangedText works out the new text given the current cursor pos & the key pressed
5083:   It is not very useful in other contexts, but in this unit as it is needed in both MemoEx and TypedEdit }
5084: function GetChangedText(const Text: string; SelStart, SelLength: Integer; Key: Char): string;
5085: function MakeYear4digit(Year, Pivot: Integer): Integer;
5086: //function StrIsInteger(const S: string): Boolean;
5087: function StrIsFloatMoney(const Ps: string): Boolean;
5088: function StrIsDateTime(const Ps: string): Boolean;
5089: function PreformatDateString(Ps: string): string;
5090: function BooleanToInteger(const B: Boolean): Integer;
5091: function StringToBoolean(const Ps: string): Boolean;
5092: function SafeStrToDate(const Ps: string): TDateTime;
5093: function SafeStrToDate(const Ps: string): TDateTime;
5094: function SafeStrToTime(const Ps: string): TDateTime;
5095: function StrDelete(const psSub, psMain: string): string;
5096: { returns the fractional value of pcValue}
5097: function TimeOnly(pcValue: TDateTime): TTime;
5098: { returns the integral value of pcValue }
5099: function DateOnly(pcValue: TDateTime): TDate;
5100: type TdtKind = (dtkDateOnly, dtkTimeOnly, dtkDateTime);
5101: const { TDateTime value used to signify Null value}
5102: NullEquivalentDate: TDateTime = 0.0;
5103: function DateIsNotNull(const pdtValue: TDateTime; const pdtKind: TdtKind): Boolean;
5104: // Replacement for Win32Check to avoid platform specific warnings in D6
5105: function OSCheck(RetVal: Boolean): Boolean;
5106: { Shortens a fully qualified Path name so that it can be drawn with a specified length limit.
5107:   Same as FileCtrl.MinimizeName in functionality (but not implementation). Included here to
5108:   not be forced to use FileCtrl unnecessarily }
5109: function MinimizeFileName(const FileName: string; Canvas: TCanvas; MaxLen: Integer): string;
5110: function MinimizeText(const Text: string; Canvas: TCanvas; MaxWidth: Integer): string;
5111: { MinimizeString truncates long string, S, and appends '' symbols, if Length of S is more than MaxLen }
5112: function MinimizeString(const S: string; const MaxLen: Integer): string;
5113: procedure RunDll32Internal(Wnd: THandle; const DLLName, FuncName, CmdLine:string; CmdShow:Integer= SW_SHOWDEFAULT);
5114: { GetDLLVersion loads DLLName, gets a pointer to DLLVersion function and calls it, returning major and
      minor version values from the function. Returns False if DLL not loaded or if GetDLLVersion couldn't be
      found.}
5115: function GetDLLVersion(const DLLName: string; var pdwMajor, pdwMinor: Integer): Boolean;
5116: {$ENDIF MSWINDOWS}
5117: procedure ResourceNotFound(ResID: PChar);
5118: function EmptyRect: TRect;
5119: function RectWidth(R: TRect): Integer;
5120: function RectHeight(R: TRect): Integer;
5121: function CompareRect(const R1, R2: TRect): Boolean;
5122: procedure RectNormalize(var R: TRect);
5123: function RectIsSquare(const R: TRect): Boolean;
5124: function RectSquare(var ARect: TRect; AMaxSize: Integer = -1): Boolean;
5125: //IF AMaxSize = -1 ,then auto calc Square's max size
5126: {$IFDEF MSWINDOWS}
5127: procedure FreeUnusedOle;
5128: function GetWindowsVersion: string;
5129: function LoadDLL(const LibName: string): THandle;
5130: function RegisterServer(const ModuleName: string): Boolean;
5131: function UnregisterServer(const ModuleName: string): Boolean;
5132: {$ENDIF MSWINDOWS}
5133: { String routines }
5134: function GetEnvVar(const VarName: string): string;
5135: function AnsiUpperFirstChar(const S: string): string; //follow Delphi 2009's example with "Ansi" prefix
5136: function StringToPChar(var S: string): PChar;
5137: function StrPAalloc(const S: string): PChar;
5138: procedure SplitCommandLine(const CmdLine: string; var ExeName, Params: string);
5139: function DropT(const S: string): string;
5140: { Memory routines }
5141: function AllocMemo(Size: Longint): Pointer;
5142: function ReallocMeme(fpBlock: Pointer; Size: Longint): Pointer;

```

```

5143: procedure FreeMemo(var fpBlock: Pointer);
5144: function GetMemoSize(fpBlock: Pointer): Longint;
5145: function CompareMem(fpBlock1, fpBlock2: Pointer; Size: Cardinal): Boolean;
5146: { Manipulate huge pointers routines }
5147: procedure HugeInc(var HugePtr: Pointer; Amount: Longint);
5148: procedure HugeDec(var HugePtr: Pointer; Amount: Longint);
5149: function HugeOffset(HugePtr: Pointer; Amount: Longint): Pointer;
5150: procedure HugeMove(Base: Pointer; Dst, Src, Size: Longint);
5151: procedure HMemCpy(DstPtr, SrcPtr: Pointer; Amount: Longint);
5152: function WindowClassName(Wnd: THandle): string;
5153: procedure SwitchToWindow(Wnd: THandle; Restore: Boolean);
5154: procedure ActivateWindow(Wnd: THandle);
5155: procedure ShowWinNoAnimate(Handle: THandle; CmdShow: Integer);
5156: procedure KillMessage(Wnd: THandle; Msg: Cardinal);
5157: { SetWindowTop put window to top without recreating window }
5158: procedure SetWindowTop(const Handle: THandle; const Top: Boolean);
5159: procedure CenterWindow(Wnd: THandle);
5160: function MakeVariant(const Values: array of Variant): Variant;
5161: { Convert dialog units to pixels and backwards }
5162: {$IFDEF MSWINDOWS}
5163: function DialogUnitsToPixelsX(DlgUnits: Word): Word;
5164: function DialogUnitsToPixelsY(DlgUnits: Word): Word;
5165: function PixelsToDialogUnitsX(PixUnits: Word): Word;
5166: function PixelsToDialogUnitsY(PixUnits: Word): Word;
5167: {$ENDIF MSWINDOWS}
5168: function GetUniqueFileNameInDir(const Path, FileNameMask: string): string;
5169: {$IFDEF BCB}
5170: function FindPrevInstance(const MainFormClass: ShortString; const ATitle: string): THandle;
5171: function ActivatePrevInstance(const MainFormClass: ShortString; const ATitle: string): Boolean;
5172: {$ELSE}
5173: function FindPrevInstance(const MainFormClass, ATitle: string): THandle;
5174: function ActivatePrevInstance(const MainFormClass, ATitle: string): Boolean;
5175: {$ENDIF BCB}
5176: {$IFDEF MSWINDOWS}
5177: { BrowseForFolderNative displays Browse For Folder dialog }
5178: function BrowseForFolderNative(const Handle: THandle; const Title: string; var Folder: string): Boolean;
5179: {$ENDIF MSWINDOWS}
5180: procedure AntiAlias(Clip: TBitmap);
5181: procedure AntiAlasRect(Clip: TBitmap; XOrigin, YOrigin, XFinal, YFinal: Integer);
5182: procedure CopyRectDIBits(ACanvas: TCanvas; const DestRect: TRect;
5183:   ABitmap: TBitmap; const SourceRect: TRect);
5184: function IsTrueType(const FontName: string): Boolean;
5185: // Removes all non-numeric characters from AValue and returns the resulting string
5186: function TextToValText(const AValue: string): string;
5187: Function ExecRegExpr( const ARegExpr, AInputStr : RegExprString ) : boolean
5188: Procedure SplitRegExpr( const ARegExpr, AInputStr : RegExprString; APieces : TStrings)
5189: Function ReplaceRegExpr( const ARegExpr,AInputStr,
      AReplaceStr:RegExprString;AUseSubstitution:boolean):RegExprString;
5190: Function QuoteRegExprMetaChars( const AStr : RegExprString ) : RegExprString
5191: Function RegExprSubExpressions(const ARegExpr:string; ASubExprs:TStrings; AExtendedSyntax : boolean) :
5192:
5193: *****unit uPSI_JvTFUtils;
5194: Function JExtractYear( ADate : TDateTime ) : Word
5195: Function JExtractMonth( ADate : TDateTime ) : Word
5196: Function JExtractDay( ADate : TDateTime ) : Word
5197: Function ExtractHours( ATime : TDateTime ) : Word
5198: Function ExtractMins( ATime : TDateTime ) : Word
5199: Function ExtractSecs( ATime : TDateTime ) : Word
5200: Function ExtractMSecs( ATime : TDateTime ) : Word
5201: Function FirstOfMonth( ADate : TDateTime ) : TDateTime
5202: Function GetDayOfNthDOW( Year, Month, DOW, N : Word ) : Word
5203: Function GetWeeksInMonth( Year, Month : Word; StartOfWeek : Integer ) : Word
5204: Procedure IncBorlDOW( var BorlDOW : Integer; N : Integer )
5205: Procedure IncDOW( var DOW : TTFFDayOfWeek; N : Integer )
5206: Procedure IncDays( var ADate : TDateTime; N : Integer )
5207: Procedure IncWeeks( var ADate : TDateTime; N : Integer )
5208: Procedure IncMonths( var ADate : TDateTime; N : Integer )
5209: Procedure IncYears( var ADate : TDateTime; N : Integer )
5210: Function EndOfMonth( ADate : TDateTime ) : TDateTime
5211: Function IsFirstOfMonth( ADate : TDateTime ) : Boolean
5212: Function IsEndOfMonth( ADate : TDateTime ) : Boolean
5213: Procedure EnsureMonth( Month : Word )
5214: Procedure EnsureDOW( DOW : Word )
5215: Function EqualDates( D1, D2 : TDateTime ) : Boolean
5216: Function Lesser( N1, N2 : Integer ) : Integer
5217: Function Greater( N1, N2 : Integer ) : Integer
5218: Function GetDivLength( TotalLength, DivCount, DivNum : Integer ) : Integer
5219: Function GetDivNum( TotalLength, DivCount, X : Integer ) : Integer
5220: Function GetDivStart( TotalLength, DivCount, DivNum : Integer ) : Integer
5221: Function DOWToBorl( ADOW : TTFFDayOfWeek ) : Integer
5222: Function BorlToDOW( BorlDOW : Integer ) : TTFFDayOfWeek
5223: Function DateToDOW( ADate : TDateTime ) : TTFFDayOfWeek
5224: Procedure CalcTextPos( HostRect : TRect; var TextLeft, TextTop:Integer; var TextBounds : TRect;
      AFont:TFont;AAngle: Integer; HAlign : TAlignment; VAlign : TJvTFVAlignment; ATxt : string )
5225: Procedure DrawAngleText( ACanvas : TCanvas; HostRect : TRect; var TextBounds : TRect; AAngle : Integer;
      HAlign : TAlignment; VAlign : TJvTFVAlignment; ATxt : string )
5226: Function JRectWidth( ARect : TRect ) : Integer
5227: Function JRectHeight( ARect : TRect ) : Integer
5228: Function JEmptyRect : TRect

```

```

5229: Function IsClassByName( Obj : TObject; ClassName : string ) : Boolean
5230:
5231: procedure SIRegister_MSysUtils(CL: TPSPPascalCompiler);
5232: begin
5233:   Procedure HideTaskBarButton( hWindow : HWND )
5234:   Function msLoadStr( ID : Integer ) : String
5235:   Function msFormat( fmt : String; params : array of const ) : String
5236:   Function msFileExists( const FileName : String ) : Boolean
5237:   Function msIntToStr( Int : Int64 ) : String
5238:   Function msStrPas( const Str : PChar ) : String
5239:   Function msRenameFile( const OldName, NewName : String ) : Boolean
5240:   Function CutFileName( s : String ) : String
5241:   Function GetVersionInfo( var VersionString : String ) : DWORD
5242:   Function FormatTime( t : Cardinal ) : String
5243:   Function msCreateDir( const Dir : string ) : Boolean
5244:   Function SetAutoRun( NeedAutoRun : Boolean; AppName : String ) : Boolean
5245:   Function SetTreeViewStyle( const hTV : HWND; dwNewStyle : dword ) : DWORD
5246:   Function msStrLen( Str : PChar ) : Integer
5247:   Function msDirectoryExists( const Directory : String ) : Boolean
5248:   Function GetFolder( hWnd : hWnd; RootDir : Integer; Caption : String ) : String
5249:   Function SetBlendWindow( hWnd : HWND; AlphaBlend : Byte ) : LongBool
5250:   Function EditWindowProc( hWnd : HWND; Msg : UINT; wParam : WPARAM; lParam : LPARAM ) : LRESULT
5251:   Procedure SetEditWndProc( hWnd : HWND; ptr : TObject )
5252:   Function GetTextFromFile( Filename : String ) : string
5253:   Function IsTopMost( hWnd : HWND ) : Bool // 'LWA_ALPHA', 'LongWord').SetUIInt( $00000002 );
5254:   Function msStrToIntDef( const s : String; const i : Integer ) : Integer
5255:   Function msStrToInt( s : String ) : Integer
5256:   Function GetItemText( hDlg : THandle; ID : DWORD ) : String
5257: end;
5258:
5259: procedure SIRegister_ESBMaths2(CL: TPSPPascalCompiler);
5260: begin
5261:   //TDynFloatArray', 'array of Extended
5262:   TDynLWordArray', 'array of LongWord
5263:   TDynLIntArray', 'array of LongInt
5264:   TDynFloatMatrix', 'array of TDynFloatArray
5265:   TDynLWordMatrix', 'array of TDynLWordArray
5266:   TDynLIntMatrix', 'array of TDynLIntArray
5267:   Function SquareAll( const X : TDynFloatArray ) : TDynFloatArray
5268:   Function InverseAll( const X : TDynFloatArray ) : TDynFloatArray
5269:   Function LnAll( const X : TDynFloatArray ) : TDynFloatArray
5270:   Function Log10All( const X : TDynFloatArray ) : TDynFloatArray
5271:   Function LinearTransform( const X : TDynFloatArray; Offset, Scale : Extended ) : TDynFloatArray
5272:   Function AddVectors( const X, Y : TDynFloatArray ) : TDynFloatArray
5273:   Function SubVectors( const X, Y : TDynFloatArray ) : TDynFloatArray
5274:   Function MultVectors( const X, Y : TDynFloatArray ) : TDynFloatArray
5275:   Function DotProduct( const X, Y : TDynFloatArray ) : Extended
5276:   Function MNorm( const X : TDynFloatArray ) : Extended
5277:   Function MatrixIsRectangular( const X : TDynFloatMatrix ) : Boolean
5278:   Procedure MatrixDimensions( const X:TDynFloatMatrix; var Rows,Columns:LongWord; var Rectangular:Boolean );
5279:   Function MatrixIsSquare( const X : TDynFloatMatrix ) : Boolean
5280:   Function MatricesSameDimensions( const X, Y : TDynFloatMatrix ) : Boolean
5281:   Function AddMatrices( const X, Y : TDynFloatMatrix ) : TDynFloatMatrix
5282:   Procedure AddToMatrix( var X : TDynFloatMatrix; const Y : TDynFloatMatrix )
5283:   Function SubtractMatrices( const X, Y : TDynFloatMatrix ) : TDynFloatMatrix
5284:   Procedure SubtractFromMatrix( var X : TDynFloatMatrix; const Y : TDynFloatMatrix )
5285:   Function MultiplyMatrixByConst( const X : TDynFloatMatrix; const K : Extended ) : TDynFloatMatrix
5286:   Procedure MultiplyMatrixByConst2( var X : TDynFloatMatrix; const K : Extended );
5287:   Function MultiplyMatrices( const X, Y : TDynFloatMatrix ) : TDynFloatMatrix;
5288:   Function TransposeMatrix( const X : TDynFloatMatrix ) : TDynFloatMatrix;
5289:   Function GrandMean( const X : TDynFloatMatrix; var N : LongWord ) : Extended
5290: end;
5291:
5292: procedure SIRegister_ESBMaths(CL: TPSPPascalCompiler);
5293: begin
5294:   'ESBMinSingle','Single').setExtended( 1.5e-45 );
5295:   'ESBMaxSingle','Single').setExtended( 3.4e+38 );
5296:   'ESBMinDouble','Double').setExtended( 5.0e-324 );
5297:   'ESBMaxDouble','Double').setExtended( 1.7e+308 );
5298:   'ESBMinExtended','Extended').setExtended( 3.6e-4951 );
5299:   'ESBMaxExtended','Extended').setExtended( 1.1e+4932 );
5300:   'ESBMinCurrency','Currency').SetExtended( - 922337203685477.5807 );
5301:   'ESBMaxCurrency','Currency').SetExtended( 922337203685477.5807 );
5302:   'ESBSqrt2','Extended').setExtended( 1.4142135623730950488 );
5303:   'ESBSqr3','Extended').setExtended( 1.7320508075688772935 );
5304:   'ESBSqr5','Extended').setExtended( 2.2360679774997896964 );
5305:   'ESBSqr10','Extended').setExtended( 3.1622776601683793320 );
5306:   'ESBSqrPi','Extended').setExtended( 1.77245385090551602729 );
5307:   'ESBCbrt2','Extended').setExtended( 1.2599210498948731648 );
5308:   'ESBCbrt3','Extended').setExtended( 1.4422495703074083823 );
5309:   'ESBCbrt10','Extended').setExtended( 2.1544346900318837219 );
5310:   'ESBCbrt100','Extended').setExtended( 4.641588336127788924 );
5311:   'ESBCbrtPi','Extended').setExtended( 1.4645918875615232630 );
5312:   'ESBInvSqr2','Extended').setExtended( 0.70710678118654752440 );
5313:   'ESBInvSqr3','Extended').setExtended( 0.57735026918962576451 );
5314:   'ESBInvSqr5','Extended').setExtended( 0.44721359549995793928 );
5315:   'ESBInvSqrPi','Extended').setExtended( 0.56418958354775628695 );
5316:   'ESBInvCbrtPi','Extended').setExtended( 0.68278406325529568147 );
5317:   'ESBe','Extended').setExtended( 2.7182818284590452354 );

```

```

5318: 'ESBe2','Extended').setExtended( 7.3890560989306502272);
5319: 'ESBePi','Extended').setExtended( 23.140692632779269006);
5320: 'ESBePiOn2','Extended').setExtended( 4.8104773809653516555);
5321: 'ESBePiOn4','Extended').setExtended( 2.1932800507380154566);
5322: 'ESBln2','Extended').setExtended( 0.69314718055994530942);
5323: 'ESBln10','Extended').setExtended( 2.30258509299404568402);
5324: 'ESBlnP1','Extended').setExtended( 1.14472988584940017414);
5325: 'ESBlog10Base2','Extended').setExtended( 3.3219280948873623478);
5326: 'ESBlog2Base10','Extended').setExtended( 0.30102999566398119521);
5327: 'ESBlog3Base10','Extended').setExtended( 0.47712125471966243730);
5328: 'ESBlogPiBase10','Extended').setExtended( 0.4971498726941339);
5329: 'ESBlogEBase10','Extended').setExtended( 0.43429448190325182765);
5330: 'ESBPi','Extended').setExtended( 3.1415926535897932385);
5331: 'ESBInvPi','Extended').setExtended( 3.1830988618379067154e-1);
5332: 'ESBTwoPi','Extended').setExtended( 6.2831853071795864769);
5333: 'ESBThreePi','Extended').setExtended( 9.4247779607693797153);
5334: 'ESBPi2','Extended').setExtended( 9.8696044010893586188);
5335: 'ESBPiToE','Extended').setExtended( 22.459157718361045473);
5336: 'ESBPiOn2','Extended').setExtended( 1.5707963267948966192);
5337: 'ESBPiOn3','Extended').setExtended( 1.0471975511965977462);
5338: 'ESBPiOn4','Extended').setExtended( 0.7853981633974483096);
5339: 'ESBThreePiOn2','Extended').setExtended( 4.7123889803846898577);
5340: 'ESBFourPiOn3','Extended').setExtended( 4.1887902047863909846);
5341: 'ESBTwоЮToPower63','Extended').setExtended( 9223372036854775808.0);
5342: 'ESBOneRadian','Extended').setExtended( 57.295779513082320877);
5343: 'ESBOneDegree','Extended').setExtended( 1.7453292519943295769E-2);
5344: 'ESBOneMinute','Extended').setExtended( 2.9088820866572159615E-4);
5345: 'ESBOneSecond','Extended').setExtended( 4.8481368110953599359E-6);
5346: 'ESBGamma','Extended').setExtended( 0.57721566490153286061);
5347: 'ESBlnRt2Pi','Extended').setExtended( 9.189385332046727E-1);
5348: //LongWord', 'Cardinal
5349: TBitList', 'Word
5350: Function UMul( const Num1, Num2 : LongWord) : LongWord
5351: Function UMulDiv2p32( const Num1, Num2 : LongWord) : LongWord
5352: Function UMulDiv( const Num1, Num2, Divisor : LongWord) : LongWord
5353: Function UMulMod( const Num1, Num2, Modulus : LongWord) : LongWord
5354: Function SameFloat( const X1, X2 : Extended) : Boolean
5355: Function FloatIsZero( const X : Extended) : Boolean
5356: Function FloatIsPositive( const X : Extended) : Boolean
5357: Function FloatIsNegative( const X : Extended) : Boolean
5358: Procedure IncLim( var B : Byte; const Limit : Byte)
5359: Procedure IncLimSI( var B : ShortInt; const Limit : ShortInt)
5360: Procedure IncLimW( var B : Word; const Limit : Word)
5361: Procedure IncLimI( var B : Integer; const Limit : Integer)
5362: Procedure IncLimL( var B : LongInt; const Limit : LongInt)
5363: Procedure DecLim( var B : Byte; const Limit : Byte)
5364: Procedure DecLimSI( var B : ShortInt; const Limit : ShortInt)
5365: Procedure DecLimW( var B : Word; const Limit : Word)
5366: Procedure DecLimI( var B : Integer; const Limit : Integer)
5367: Procedure DecLimL( var B : LongInt; const Limit : LongInt)
5368: Function MaxB( const B1, B2 : Byte) : Byte
5369: Function MinB( const B1, B2 : Byte) : Byte
5370: Function MaxSI( const B1, B2 : ShortInt) : ShortInt
5371: Function MinSI( const B1, B2 : ShortInt) : ShortInt
5372: Function MaxW( const B1, B2 : Word) : Word
5373: Function MinW( const B1, B2 : Word) : Word
5374: Function esbMaxI( const B1, B2 : Integer) : Integer
5375: Function esbMinI( const B1, B2 : Integer) : Integer
5376: Function MaxL( const B1, B2 : LongInt) : LongInt
5377: Function MinL( const B1, B2 : LongInt) : LongInt
5378: Procedure SwapB( var B1, B2 : Byte)
5379: Procedure SwapSI( var B1, B2 : ShortInt)
5380: Procedure SwapW( var B1, B2 : Word)
5381: Procedure SwapI( var B1, B2 : SmallInt)
5382: Procedure SwapL( var B1, B2 : LongInt)
5383: Procedure SwapI32( var B1, B2 : Integer)
5384: Procedure SwapC( var B1, B2 : LongWord)
5385: Procedure SwapInt64( var X, Y : Int64)
5386: Function esbSign( const B : LongInt) : ShortInt
5387: Function Max4Word( const X1, X2, X3, X4 : Word) : Word
5388: Function Min4Word( const X1, X2, X3, X4 : Word) : Word
5389: Function Max3Word( const X1, X2, X3 : Word) : Word
5390: Function Min3Word( const X1, X2, X3 : Word) : Word
5391: Function MaxBArray( const B : array of Byte) : Byte
5392: Function MaxWArray( const B : array of Word) : Word
5393: Function MaxSIArry( const B : array of ShortInt) : ShortInt
5394: Function MaxIArray( const B : array of Integer) : Integer
5395: Function MaxLArray( const B : array of Longint) : Longint
5396: Function MinBArray( const B : array of Byte) : Byte
5397: Function MinWArray( const B : array of Word) : Word
5398: Function MinSIArry( const B : array of ShortInt) : ShortInt
5399: Function MinIArray( const B : array of Integer) : Integer
5400: Function MinLArray( const B : array of LongInt) : LongInt
5401: Function SumBArray( const B : array of Byte) : Byte
5402: Function SumBArray2( const B : array of Byte) : Word
5403: Function SumSIArry( const B : array of ShortInt) : ShortInt
5404: Function SumSIArry2( const B : array of ShortInt) : Integer
5405: Function SumWArray( const B : array of Word) : Word
5406: Function SumWArray2( const B : array of Word) : LongInt

```

```

5407: Function SumIArray( const B : array of Integer) : Integer
5408: Function SumLArray( const B : array of LongInt) : LongInt
5409: Function SumLWArray( const B : array of LongWord) : LongWord
5410: Function ESBDigits( const X : LongWord) : Byte
5411: Function BitsHighest( const X : LongWord) : Integer
5412: Function ESBBitsNeeded( const X : LongWord) : Integer
5413: Function esbGCD( const X, Y : LongWord) : LongWord
5414: Function esbLCM( const X, Y : LongInt) : Int64
5415: //Function esbLCM( const X, Y : LongInt) : LongInt
5416: Function RelativePrime( const X, Y : LongWord) : Boolean
5417: Function Get87ControlWord : TBitList
5418: Procedure Set87ControlWord( const CWord : TBitList)
5419: Procedure SwapExt( var X, Y : Extended)
5420: Procedure SwapDbl( var X, Y : Double)
5421: Procedure SwapSing( var X, Y : Single)
5422: Function esbSgn( const X : Extended) : ShortInt
5423: Function Distance( const X1, Y1, X2, Y2 : Extended) : Extended
5424: Function ExtMod( const X, Y : Extended) : Extended
5425: Function ExtRem( const X, Y : Extended) : Extended
5426: Function CompMOD( const X, Y : Comp) : Comp
5427: Procedure Polar2XY( const Rho, Theta : Extended; var X, Y : Extended)
5428: Procedure XY2Polar( const X, Y : Extended; var Rho, Theta : Extended)
5429: Function DMS2Extended( const Degs, Mins, Secs : Extended) : Extended
5430: Procedure Extended2DMS( const X : Extended; var Degs, Mins, Secs : Extended)
5431: Function MaxExt( const X, Y : Extended) : Extended
5432: Function MinExt( const X, Y : Extended) : Extended
5433: Function MaxEArray( const B : array of Extended) : Extended
5434: Function MinEArray( const B : array of Extended) : Extended
5435: Function MaxSArray( const B : array of Single) : Single
5436: Function MinSArray( const B : array of Single) : Single
5437: Function MaxCArray( const B : array of Comp) : Comp
5438: Function MinCArray( const B : array of Comp) : Comp
5439: Function SumSArray( const B : array of Single) : Single
5440: Function SumEArray( const B : array of Extended) : Extended
5441: Function SumSqEArray( const B : array of Extended) : Extended
5442: Function SumSqDiffEArray( const B : array of Extended; Diff : Extended) : Extended
5443: Function SumXxEArray( const X, Y : array of Extended) : Extended
5444: Function SumCArray( const B : array of Comp) : Comp
5445: Function FactorialX( A : LongWord) : Extended
5446: Function PermutationX( N, R : LongWord) : Extended
5447: Function esbBinomialCoeff( N, R : LongWord) : Extended
5448: Function IsPositiveEArray( const X : array of Extended) : Boolean
5449: Function esbGeometricMean( const X : array of Extended) : Extended
5450: Function esbHarmonicMean( const X : array of Extended) : Extended
5451: Function ESBMean( const X : array of Extended) : Extended
5452: Function esbSampleVariance( const X : array of Extended) : Extended
5453: Function esbPopulationVariance( const X : array of Extended) : Extended
5454: Procedure esbSampleVarianceAndMean( const X : array of Extended; var Variance, Mean : Extended)
5455: Procedure esbPopulationVarianceAndMean( const X : array of Extended; var Variance, Mean : Extended)
5456: Function GetMedian( const SortedX : array of Extended) : Extended
5457: Function GetMode( const SortedX : array of Extended; var Mode : Extended) : Boolean
5458: Procedure GetQuartiles( const SortedX : array of Extended; var Q1, Q3 : Extended)
5459: Function ESBMagnitude( const X : Extended) : Integer
5460: Function ESBTan( Angle : Extended) : Extended
5461: Function ESB Cot( Angle : Extended) : Extended
5462: Function ESB Cosec( const Angle : Extended) : Extended
5463: Function ESB Sec( const Angle : Extended) : Extended
5464: Function ESB ArcTan( X, Y : Extended) : Extended
5465: Procedure ESB SinCos( Angle : Extended; var SinX, CosX : Extended)
5466: Function ESB ArcCos( const X : Extended) : Extended
5467: Function ESB ArcSin( const X : Extended) : Extended
5468: Function ESB ArcSec( const X : Extended) : Extended
5469: Function ESB ArcCosec( const X : Extended) : Extended
5470: Function ESB Log10( const X : Extended) : Extended
5471: Function ESB Log2( const X : Extended) : Extended
5472: Function ESB LogBase( const X, Base : Extended) : Extended
5473: Function Pow2( const X : Extended) : Extended
5474: Function IntPow( const Base : Extended; const Exponent : LongWord) : Extended
5475: Function ESB IntPower( const X : Extended; const N : LongInt) : Extended
5476: Function XtoY( const X, Y : Extended) : Extended
5477: Function esbTenToY( const Y : Extended) : Extended
5478: Function esbTwoToY( const Y : Extended) : Extended
5479: Function LogXtoBaseY( const X, Y : Extended) : Extended
5480: Function esbISqrt( const I : LongWord) : Longword
5481: Function ILog2( const I : LongWord) : LongWord
5482: Function IGreatestPowerOf2( const N : LongWord) : LongWord
5483: Function ESB ArCosh( X : Extended) : Extended
5484: Function ESB ArSinh( X : Extended) : Extended
5485: Function ESB ArTanh( X : Extended) : Extended
5486: Function ESB Cosh( X : Extended) : Extended
5487: Function ESB sinh( X : Extended) : Extended
5488: Function ESB Tanh( X : Extended) : Extended
5489: Function InverseGamma( const X : Extended) : Extended
5490: Function esbGamma( const X : Extended) : Extended
5491: Function esbLnGamma( const X : Extended) : Extended
5492: Function esbBeta( const X, Y : Extended) : Extended
5493: Function IncompleteBeta( X : Extended; P, Q : Extended) : Extended
5494: end;
5495:

```

```

5496: ****Huge Cardinal Utils*****
5497: Function Add_uint64_WithCarry( x, y : uint64; var Carry : Boolean) : uint64
5498: Function Add_uint32_WithCarry( x, y : uint32; var Carry : Boolean) : uint32
5499: Function Subtract_uint64_WithBorrow( x, y : uint64; var Borrow : Boolean) : uint64
5500: Function Subtract_uint32_WithBorrow( x, y : uint32; var Borrow : Boolean) : uint32
5501: Function BitCount_8( Value : byte) : integer
5502: Function BitCount_16( Value : uint16) : integer
5503: Function BitCount_32( Value : uint32) : integer
5504: Function BitCount_64( Value : uint64) : integer
5505: Function CountSetBits_64( Value : uint64) : integer TPrimalityTestNoticeProc',
5506: Procedure ( CountPrimalityTests : integer)
5507: Function gcd( a, b : THugeCardinal) : THugeCardinal
5508: Function lcm( a, b : THugeCardinal) : THugeCardinal
5509: Function isCoPrime( a, b : THugeCardinal) : boolean
5510: Function isProbablyPrime(p: THugeCardinal;OnProgress: TProgress; var wasAborted: boolean): boolean
5511: Function hasSmallFactor( p : THugeCardinal) : boolean
5512: //Function GeneratePrime( NumBits : integer; OnProgress : TProgress; OnPrimalityTest:
TPrimalityTestNoticeProc; PassCount: integer; Pool1:TMemoryStreamPool;var Prime: THugeCardinal; var
NumbersTested: integer) : boolean
5513: Function Inverse( Prime, Modulus : THugeCardinal) : THugeCardinal
5514: Const('StandardExponent','LongInt'( 65537);
5515: //Procedure Compute_RSA_Fundamentals_2Factors(RequiredBitLengthOfN:integer;Fixed_e:uint64;var N,e,d,
Totient:TProgress;OnPrimalityTest:TPrimalityTestNoticeProc;GeneratePrimePassCount:int;Pool1:TMemoryStreamPo
Numbers
5516: Function Validate_RSA_Fundamentals( var N, e, d, Totient : THugeCardinal) : boolean')
5517:
5518: procedure SIRegister_xrtl_math_Integer(CL: TPPSPascalCompiler);
5519: begin
5520:   AddTypeS('TXRTLInteger', 'array of Integer
5521:   AddClassN(FindClass('TOBJECT'),'EXRTLMathException
5522:   (FindClass('TOBJECT'),'EXRTLExtendInvalidArgument
5523:   AddClassN(FindClass('TOBJECT'),'EXRTLDivisionByZero
5524:   AddClassN(FindClass('TOBJECT'),'EXRTLExpInvalidArgument
5525:   AddClassN(FindClass('TOBJECT'),'EXRTLInvalidRadix
5526:   AddClassN(FindClass('TOBJECT'),'EXRTLInvalidRadixDigit
5527:   AddClassN(FindClass('TOBJECT'),'EXRTLRootInvalidArgument
5528:   'BitsPerByte','LongInt'( 8 );
5529:   BitsPerDigit','LongInt'( 32 );
5530:   SignBitMask,'LongWord( $80000000 );
5531:   Function XRTLAdjustBits( const ABits : Integer ) : Integer
5532:   Function XRTLlength( const AInteger : TXRTLInteger ) : Integer
5533:   Function XRTLDataBits( const AInteger : TXRTLInteger ) : Integer
5534:   Procedure XRTLBitPosition( const BitIndex : Integer; var Index, Mask : Integer )
5535:   Procedure XRTLBitSet( var AInteger : TXRTLInteger; const BitIndex : Integer )
5536:   Procedure XRTLBitReset( var AInteger : TXRTLInteger; const BitIndex : Integer )
5537:   Function XRTLBitGet( const AInteger : TXRTLInteger; const BitIndex : Integer ) : Integer
5538:   Function XRTLBitGetBool( const AInteger : TXRTLInteger; const BitIndex : Integer ) : Boolean
5539:   Function XRTLExtend(const AInteger:TXRTLInteger;ADataBits:Integer;Sign:Int;var AResult:TXRTLInteger):Int;
5540:   Function XRTLZeroExtend(const AInteger:TXRTLInteger;ADataBits:Integer; var AResult:TXRTLInteger):Integer;
5541:   Function XRTLSignExtend(const AInteger:TXRTLInteger; ADataBits:Integer;var AResult:TXRTLInteger):Integer;
5542:   Function XRTLSignStrip(const AInteger:TXRTLInteger;var AResult:TXRTLInteger;const AMinDataBits:Int):Int;
5543:   Procedure XRTLNot( const AInteger : TXRTLInteger; var AResult : TXRTLInteger )
5544:   Procedure XRTLOr( const AInteger1, AInteger2 : TXRTLInteger; var AResult : TXRTLInteger )
5545:   Procedure XRTLand( const AInteger1, AInteger2 : TXRTLInteger; var AResult : TXRTLInteger )
5546:   Procedure XRTLXor( const AInteger1, AInteger2 : TXRTLInteger; var AResult : TXRTLInteger )
5547:   Function XRTLSign( const AInteger : TXRTLInteger ) : Integer
5548:   Procedure XRTLZero( var AInteger : TXRTLInteger )
5549:   Procedure XRTLOne( var AInteger : TXRTLInteger )
5550:   Procedure XRTLMOne( var AInteger : TXRTLInteger )
5551:   Procedure XRTLTwo( var AInteger : TXRTLInteger )
5552:   Function XRTLNeg( const AInteger : TXRTLInteger; var AResult : TXRTLInteger ) : Integer
5553:   Function XRTLAbs( const AInteger : TXRTLInteger; var AResult : TXRTLInteger ) : Integer
5554:   Procedure XRTLFullSum( const A, B, C : Integer; var Sum, Carry : Integer )
5555:   Function XRTLAdd( const AInteger1, AInteger2 : TXRTLInteger; var AResult : TXRTLInteger ) : Integer;
5556:   Function XRTLAdd1(const AInteger1:TXRTLInteger;const AInteger2:Int64;var AResult:TXRTLInteger):Integer;
5557:   Function XRTLSub( const AInteger1, AInteger2 : TXRTLInteger; var AResult : TXRTLInteger ) : Integer;
5558:   Function XRTLSub1( const AInteger1:TXRTLInteger;const AInteger2:Int64;var AResult:TXRTLInteger):Integer;
5559:   Function XRTLCompare( const AInteger1, AInteger2 : TXRTLInteger ) : Integer;
5560:   Function XRTLCompare1( const AInteger1 : TXRTLInteger; const AInteger2 : Int64 ) : Integer;
5561:   Function XRTLMul( const AInteger1, AInteger2 : TXRTLInteger; var AResult : TXRTLInteger ) : Integer
5562:   Function XRTLMulAdd(const AInteger1,AInteger2,AInteger3:TXRTLInteger; var AResult:TXRTLInteger):Integer
5563:   Function XRTLMul( const AInteger, AInteger2 : TXRTLInteger; var AResult : TXRTLInteger ) : Integer
5564:   Procedure XRTLDivMod( const AInteger1, AInteger2 : TXRTLInteger; var QResult, RResult : TXRTLInteger )
5565:   Procedure XRTLSqr( const AInteger : TXRTLInteger; var AResult : TXRTLInteger )
5566:   Procedure XRTLSqrt( const AInteger : TXRTLInteger; var AResult : TXRTLInteger )
5567:   Procedure XRTLRoot( const AInteger1, AInteger2 : TXRTLInteger; var AResult : TXRTLInteger )
5568:   Procedure XRTLRootApprox(const AInteger1,AInteger2:TXRTLInteger;var ALowApproxResult,
AHightApproxResult:TXRTLInteger)
5569:   Procedure XRTLURootApprox(const AInteger1,AInteger2:TXRTLInteger;var ALowApproxResult,
AHightApproxResult:TXRTLInteger);
5570:   Procedure XRTLExp( const AInteger1, AInteger2 : TXRTLInteger; var AResult : TXRTLInteger )
5571:   Procedure XRTLExpMod( const AInteger1, AInteger2, AInteger3 : TXRTLInteger;var AResult:TXRTLInteger )
5572:   Procedure XRTLSLBL(const AInteger: TXRTLInteger; const BitCount:Integer; var AResult: TXRTLInteger )
5573:   Procedure XRTLSABL(const AInteger: TXRTLInteger; const BitCount:Integer; var AResult: TXRTLInteger )
5574:   Procedure XRTLRCBL(const AInteger: TXRTLInteger; const BitCount:Integer; var AResult: TXRTLInteger )
5575:   Procedure XRTLSLDL(const AInteger: TXRTLInteger;const DigitCount:Integer; var AResult:TXRTLInteger )
5576:   Procedure XRTLSADL(const AInteger: TXRTLInteger; const DigitCount:Integer;var AResult: TXRTLInteger )
5577:   Procedure XRTLRCDL(const AInteger: TXRTLInteger; const DigitCount:Integer; var AResult: TXRTLInteger )
5578:   Procedure XRTLSLBR(const AInteger: TXRTLInteger; const BitCount:Integer; var AResult: TXRTLInteger )

```

```

5579: Procedure XRTLSABR( const AInteger : TXRTLInteger; const BitCount:Integer; var AResult: TXRTLInteger)
5580: Procedure XRTLRCBR( const AInteger : TXRTLInteger; const BitCount:Integer; var AResult: TXRTLInteger)
5581: Procedure XRTLSDLR( const AInteger:TXRTLInteger; const DigitCount:Integer; var AResult: TXRTLInteger)
5582: Procedure XRTLSADR( const AInteger : TXRTLInteger; const DigitCount:Integer;var AResult: TXRTLInteger)
5583: Procedure XRTLRCDR( const AInteger: TXRTLInteger;const DigitCount:Integer;var AResult: TXRTLInteger)
5584: Function XRTLToHex( const AInteger : TXRTLInteger; Digits : Integer) : string
5585: Function XRTLToBin( const AInteger : TXRTLInteger; Digits : Integer) : string
5586: Function XRTLToString( const AInteger : TXRTLInteger; Radix : Integer; Digits : Integer) : string
5587: Procedure XRTLFromHex( const Value : string; var AResult : TXRTLInteger)
5588: Procedure XRTLFromBin( const Value : string; var AResult : TXRTLInteger)
5589: Procedure XRTLFromString( const Value : string; var AResult : TXRTLInteger; Radix : Integer)
5590: Procedure XRTLAssign( const AInteger : TXRTLInteger; var AResult : TXRTLInteger);
5591: Procedure XRTLAssign1( const Value : Integer; var AResult : TXRTLInteger);
5592: Procedure XRTLAssign2( const Value : Int64; var AResult : TXRTLInteger);
5593: Procedure XRTLAppend( const ALow, AHigh : TXRTLInteger; var AResult : TXRTLInteger)
5594: Procedure XRTLSplit( const AInteger: TXRTLInteger; var ALow,AHigh: TXRTLInteger;LowDigits: Integer)
5595: Function XRTLGetMSBIndex( const AInteger : TXRTLInteger) : Integer
5596: Procedure XRTLMinMax( const AInteger1, AInteger2 : TXRTLInteger;var AMinResult,AMaxResult: TXRTLInteger)
5597: Procedure XRTLMIn( const AInteger1, AInteger2 : TXRTLInteger; var AResult : TXRTLInteger);
5598: Procedure XRTLMInl( const AInteger1: TXRTLInteger;const AInteger2:Integer;var AResult : TXRTLInteger);
5599: Procedure XRTLMax( const AInteger1, AInteger2 : TXRTLInteger; var AResult : TXRTLInteger);
5600: Procedure XRTLMaxl( const AInteger1:TXRTLInteger; const AInteger2:Integer; var AResult:TXRTLInteger);
5601: Procedure XRTLGCD( const AInteger1, AInteger2 : TXRTLInteger; var AResult : TXRTLInteger)
5602: Procedure XRTLSwap( var AInteger1, AInteger2 : TXRTLInteger)
5603: Procedure XRTLFactorial( const AInteger : TXRTLInteger; var AResult : TXRTLInteger)
5604: Procedure XRTLFactorialMod( const AInteger1, AInteger2 : TXRTLInteger; var AResult : TXRTLInteger)
5605: end;
5606:
5607: procedure SIRegister_JvXPCoreUtils(CL: TPSPPascalCompiler);
5608: begin
5609:   Function JvXPMETHODSEqual( const Method1, Method2 : TMETHOD) : Boolean
5610:   Procedure JvXPDrawLine( const ACanvas : TCanvas; const X1, Y1, X2, Y2 : Integer)
5611:   Procedure JvXPCreateGradientRect( const AWidth, AHeight : Integer; const StartColor, EndColor : TColor;
      const Colors:TJvXPGradientColors;const Style:TJvXPGradientStyle;const Dithered:Boolean;var Bitmap:TBitmap);
5612:   Procedure JvXPAdjustBoundRect(const BorderWidth:Byte; const ShowBoundLines:Boolean; const
      BoundLines:TJvXPBoundLines; var Rect : TRect)
5613:   Procedure JvXPDrawBoundLines(const ACan:TCanvas;const BoundLns:TJvXPBoundLns;const
      AColor:TColor;Rect:TRect;
5614:   Procedure JvXPConvertToGray2( Bitmap : TBitmap)
5615:   Procedure JvXPRENDERText( const AParent : TControl; const ACanvas : TCanvas; ACaption : TCaption; const
      AFont : TFont; const AEnabled, AShowAccelChar : Boolean; var ARect : TRect; AFlags : Integer)
5616:   Procedure JvXPFrame3D(const ACanvas:TCanvas;const Rect:TRect; TopColor,BottomColor:TColor;const
      Swapped:Bool;
5617:   Procedure JvXPColorizeBitmap( Bitmap : TBitmap; const AColor : TColor)
5618:   Procedure JvXPSetDrawFlags(const AAlignment: TAlignment;const AWordWrap: Boolean; var Flags : Integer)
5619:   Procedure JvXPPlaceText( const AParent: TControl; const ACanvas : TCanvas; const AText : TCaption; const
      AFont : TFont; const AEnabled,AShowAccelChar:Boolean;const AAlignment:TAlignment;const
      AWordWrap:Boolean;var Rect:TRect)
5620: end;
5621:
5622:
5623: procedure SIRegister_uwinstr(CL: TPSPPascalCompiler);
5624: begin
5625:   Function StrDec( S : String) : String
5626:   Function uIsNumeric( var S : String; var X : Float) : Boolean
5627:   Function ReadNumFromEdit( Edit : TEdit) : Float
5628:   Procedure WriteNumToFile( var F : Text; X : Float)
5629: end;
5630:
5631: procedure SIRegister_utexplot(CL: TPSPPascalCompiler);
5632: begin
5633:   Function TeX_InitGraphics( FileName : String; PgWidth, PgHeight : Integer; Header : Boolean) : Boolean
5634:   Procedure TeX_SetWindow( X1, X2, Y1, Y2 : Integer; GraphBorder : Boolean)
5635:   Procedure TeX_LeaveGraphics( Footer : Boolean)
5636:   Procedure TeX_SetOxScale( Scale : TScale; OxMin, OxMax, OxStep : Float)
5637:   Procedure TeX_SetOyScale( Scale : TScale; OyMin, OyMax, OyStep : Float)
5638:   Procedure TeX_SetGraphTitle( Title : String)
5639:   Procedure TeX_SetOxTitle( Title : String)
5640:   Procedure TeX_SetOyTitle( Title : String)
5641:   Procedure TeX_PlotOxAxis
5642:   Procedure TeX_PlotOyAxis
5643:   Procedure TeX_PlotGrid( Grid : TGrid)
5644:   Procedure TeX_WriteGraphTitle
5645:   Function TeX_SetMaxCurv( NCurv : Byte) : Boolean
5646:   Procedure TeX_SetPointParam( CurvIndex, Symbol, Size : Integer)
5647:   Procedure TeX_SetLineParam( CurvIndex, Style : Integer; Width : Float; Smooth : Boolean)
5648:   Procedure TeX_SetCurvLegend( CurvIndex : Integer; Legend : String)
5649:   Procedure TeX_SetCurvStep( CurvIndex, Step : Integer)
5650:   Procedure TeX_PlotCurve( X, Y : TVector; Lb, Ub, CurvIndex : Integer)
5651:   Procedure TeX_PlotCurveWithErrorBars( X, Y, S : TVector; Ns, Lb, Ub, CurvIndex : Integer)
5652:   Procedure TeX_PlotFunc( Func : TFunc; X1, X2 : Float; Npt : Integer; CurvIndex : Integer)
5653:   Procedure TeX_WriteLegend( NCurv : Integer; ShowPoints, ShowLines : Boolean)
5654:   Procedure TeX_ConRec( Nx, Ny, Nc : Integer; X, Y, Z : TVector; F : TMatrix)
5655:   Function Xcm( X : Float) : Float
5656:   Function Ycm( Y : Float) : Float
5657: end;
5658:
5659: *-----*)
5660: procedure SIRegister_VarRecUtils(CL: TPSPPascalCompiler);

```

```

5661: begin
5662:   TConstArray', 'array of TVarRec
5663:   Function CopyVarRec( const Item : TVarRec ) : TVarRec
5664:   Function CreateConstArray( const Elements : array of const ) : TConstArray
5665:   Procedure FinalizeVarRec( var Item : TVarRec )
5666:   Procedure FinalizeConstArray( var Arr : TConstArray )
5667: end;
5668:
5669: procedure SIRegister_StStrS(CL: TPPascalCompiler);
5670: begin
5671:   Function HexBS( B : Byte ) : ShortString
5672:   Function HexWS( W : Word ) : ShortString
5673:   Function HexLS( L : LongInt ) : ShortString
5674:   Function HexPtrS( P : Pointer ) : ShortString
5675:   Function BinaryBS( B : Byte ) : ShortString
5676:   Function BinaryWS( W : Word ) : ShortString
5677:   Function BinaryLS( L : LongInt ) : ShortString
5678:   Function OctalBS( B : Byte ) : ShortString
5679:   Function OctalWS( W : Word ) : ShortString
5680:   Function OctalLS( L : LongInt ) : ShortString
5681:   Function Str2Int16S( const S : ShortString; var I : SmallInt ) : Boolean
5682:   Function Str2WordS( const S : ShortString; var I : Word ) : Boolean
5683:   Function Str2LongS( const S : ShortString; var I : LongInt ) : Boolean
5684:   Function Str2RealS( const S : ShortString; var R : Double ) : Boolean
5685:   Function Str2RealS( const S : ShortString; var R : Real ) : Boolean
5686:   Function Str2ExtS( const S : ShortString; var R : Extended ) : Boolean
5687:   Function Long2StrS( L : LongInt ) : ShortString
5688:   Function Real2StrS( R : Double; Width : Byte; Places : ShortInt ) : ShortString
5689:   Function Ext2StrS( R : Extended; Width : Byte; Places : ShortInt ) : ShortString
5690:   Function ValPrepS( const S : ShortString ) : ShortString
5691:   Function CharStrS( C : AnsiChar; Len : Cardinal ) : ShortString
5692:   Function PadChS( const S : ShortString; C : AnsiChar; Len : Cardinal ) : ShortString
5693:   Function PadS( const S : ShortString; Len : Cardinal ) : ShortString
5694:   Function LeftPadChS( const S : ShortString; C : AnsiChar; Len : Cardinal ) : ShortString
5695:   Function LeftPadS( const S : ShortString; Len : Cardinal ) : ShortString
5696:   Function TrimLeadS( const S : ShortString ) : ShortString
5697:   Function TrimTrails( const S : ShortString ) : ShortString
5698:   Function TrimS( const S : ShortString ) : ShortString
5699:   Function TrimSpacesS( const S : ShortString ) : ShortString
5700:   Function CenterChS( const S : ShortString; C : AnsiChar; Len : Cardinal ) : ShortString
5701:   Function Centers( const S : ShortString; Len : Cardinal ) : ShortString
5702:   Function EntabS( const S : ShortString; TabSize : Byte ) : ShortString
5703:   Function DetabS( const S : ShortString; TabSize : Byte ) : ShortString
5704:   Function ScrambleS( const S, Key : ShortString ) : ShortString
5705:   Function SubstituteS( const S, FromStr,ToStr : ShortString ) : ShortString
5706:   Function Filters( const S, Filters : ShortString ) : ShortString
5707:   Function CharExistsS( const S : ShortString; C : AnsiChar ) : Boolean
5708:   Function CharCounts( const S : ShortString; C : AnsiChar ) : Byte
5709:   Function WordCounts( const S, WordDelims : ShortString ) : Cardinal
5710:   Function WordPositionS( N : Cardinal; const S, WordDelims : ShortString; var Pos : Cardinal ) : Boolean
5711:   Function ExtractWordS( N : Cardinal; const S, WordDelims : ShortString ) : ShortString
5712:   Function AsciiCounts( const S, WordDelims : ShortString; Quote : AnsiChar ) : Cardinal
5713:   Function AsciiPositionS(N:Cardinal;const S,WordDelims:ShortString;Quote:AnsiChar;var Pos:Cardinal):Boolean
5714:   Function ExtractAsciiS(N:Cardinal;const S,WordDelims:ShortString;Quote:Ansichar): ShortString
5715:   Procedure WordWrapS(const Inst: ShortString; var OutSt,Overlap: ShortString;
Margin:Cardinal;PadToMargin:Boolean)
5716:   Function CompStringS( const S1, S2 : ShortString ) : Integer
5717:   Function CompUCStringS( const S1, S2 : ShortString ) : Integer
5718:   Function SoundexS( const S : ShortString ) : ShortString
5719:   Function MakeLetterSetS( const S : ShortString ) : Longint
5720:   Procedure BMMakeTableS( const MatchString : ShortString; var BT : BTable )
5721:   Function BMSearchS(var Buffer,BufLength:Card;var BT:BTable;const MatchString:ShortString;var
Pos:Cardinal):Bool;
5722:   Function BMSearchUCS(var Buffer,BufLength:Card;var BT:BTable;const MatchStr:ShortString;var
Pos:Cardinal):Bool;
5723:   Function DefaultExtensionS( const Name, Ext : ShortString ) : ShortString
5724:   Function ForceExtensionS( const Name, Ext : ShortString ) : ShortString
5725:   Function JustFilenameS( const PathName : ShortString ) : ShortString
5726:   Function JustNameS( const PathName : ShortString ) : ShortString
5727:   Function JustExtensionS( const Name : ShortString ) : ShortString
5728:   Function JustPathnameS( const PathName : ShortString ) : ShortString
5729:   Function AddBackSlashS( const DirName : ShortString ) : ShortString
5730:   Function CleanPathNameS( const PathName : ShortString ) : ShortString
5731:   Function HasExtensionS( const Name : ShortString; var DotPos : Cardinal ) : Boolean
5732:   Function CommaizeS( L : LongInt ) : ShortString
5733:   Function CommaizeChS( L : Longint; Ch : AnsiChar ) : ShortString
5734:   Function FloatFormS(const Mask:ShortString;R:TstFloat;const LtCurr,RtCurr:SString;Sep,
DecPt:Char):ShortString;
5735:   Function LongIntFormS(const Mask:ShortString;L:LongInt;const LtCurr,
RtCurr:ShortString;Sep:AnsiChar):ShortString;
5736:   Function StrChPosS( const P : ShortString; C : AnsiChar; var Pos : Cardinal ) : Boolean
5737:   Function StrStPosS( const P, S : ShortString; var Pos : Cardinal ) : Boolean
5738:   Function StrStCopyS( const S : ShortString; Pos, Count : Cardinal ) : ShortString
5739:   Function StrChInsertS( const S : ShortString; C : AnsiChar; Pos : Cardinal ) : ShortString
5740:   Function StrStInsertS( const S1, S2 : ShortString; Pos : Cardinal ) : ShortString
5741:   Function StrChDeleteS( const S : ShortString; Pos : Cardinal ) : ShortString
5742:   Function StrStDeleteS( const S : ShortString; Pos, Count : Cardinal ) : ShortString
5743:   Function ContainsOnlyS( const S, Chars : ShortString; var BadPos : Cardinal ) : Boolean
5744:   Function ContainsOtherThanS( const S, Chars : ShortString; var BadPos : Cardinal ) : Boolean

```

```

5745: Function CopyLeftS( const S : ShortString; Len : Cardinal ) : ShortString
5746: Function CopyMidS( const S : ShortString; First, Len : Cardinal ) : ShortString
5747: Function CopyRightS( const S : ShortString; First : Cardinal ) : ShortString
5748: Function CopyRightAbsS( const S : ShortString; NumChars : Cardinal ) : ShortString
5749: Function CopyFromNthWordS( const S, WordDelims : string; const AWord : String; N : Cardinal; var
  SubString : ShortString ) : Bool;
5750: Function DeleteFromNthWordS( const S, WordDelims : String; AWord : ShortString; N : Cardinal; var
  SubStr : ShortString ) : Bool;
5751: Function CopyFromToWordS( const S, WordDelims, Word1, Word2 : ShortString; N1, N2 : Cardinal; var
  SubString : ShortString ) : Bool;
5752: Function DeleteFromToWords( const S, WordDelims, Wrld1, Wrld2 : ShortString; N1, N2 : Cardinal; var
  SubString : ShortString ) : Bool;
5753: Function CopyWithins( const S, Delimiter : ShortString; Strip : Boolean ) : ShortString
5754: Function DeleteWithinS( const S, Delimiter : ShortString ) : ShortString
5755: Function ExtractTokensS( const S,
  Delims : ShortString; QuoteChar : AnsiChar; AllowNulls : Boolean; Tokens : TStrings ) : Cardinal
5756: Function IsChAlphaS( C : Char ) : Boolean
5757: Function IsChNumericS( C : Char; const Numbers : ShortString ) : Boolean
5758: Function IsChAlphaNumericS( C : Char; const Numbers : ShortString ) : Boolean
5759: Function IsStrAlphaS( const S : ShortString ) : Boolean
5760: Function IsStrNumericS( const S, Numbers : ShortString ) : Boolean
5761: Function IsStrAlphaNumericS( const S, Numbers : ShortString ) : Boolean
5762: Function LastWordS( const S, WordDelims, AWord : ShortString; var Position : Cardinal ) : Boolean
5763: Function LastWordAbsS( const S, WordDelims : ShortString; var Position : Cardinal ) : Boolean
5764: Function LastStringS( const S, AString : ShortString; var Position : Cardinal ) : Boolean
5765: Function LeftTrimCharsS( const S, Chars : ShortString ) : ShortString
5766: Function KeepCharsS( const S, Chars : ShortString ) : ShortString
5767: Function RepeatStringS( const RepeatString : ShortString; var Repetitions : Cardinal; MaxLen : Cardinal ) : ShortString;
5768: Function ReplaceStringS( const S, OldStr, NewStr : ShortString; N : Cardinal; var
  Replacements : Cardinal ) : ShortString;
5769: Function ReplaceStringAllS( const S, OldString, NewString : ShortString; var Replacements : Cardinal ) : ShortString;
5770: Function ReplaceWordS( const S, WordDelims, OldWord, NewW : String; N : Cardinal; var
  Replacements : Cardinal ) : ShortString;
5771: Function ReplaceWordAllS( const S, WordDelims, OldWord, NewWord : ShortString; var
  Replacements : Cardinal ) : ShortString;
5772: Function RightTrimCharsS( const S, Chars : ShortString ) : ShortString
5773: Function StrWithinS( const S, SearchStr : ShortString; Start : Cardinal; var Position : Cardinal ) : boolean
5774: Function TrimCharsS( const S, Chars : ShortString ) : ShortString
5775: Function WordPosS( const S, WordDelims, AWord : ShortString; N : Cardinal; var Position : Cardinal ) : Boolean
5776: end;
5777:
5778:
5779: *****unit uPSI_StUtils; from SysTools4*****
5780: Function SignL( L : Longint ) : Integer
5781: Function SignF( F : Extended ) : Integer
5782: Function MinWord( A, B : Word ) : Word
5783: Function MidWord( W1, W2, W3 : Word ) : Word
5784: Function MaxWord( A, B : Word ) : Word
5785: Function MinLong( A, B : LongInt ) : LongInt
5786: Function MidLong( L1, L2, L3 : LongInt ) : LongInt
5787: Function MaxLong( A, B : LongInt ) : LongInt
5788: Function MinFloat( F1, F2 : Extended ) : Extended
5789: Function MidFloat( F1, F2, F3 : Extended ) : Extended
5790: Function MaxFloat( F1, F2 : Extended ) : Extended
5791: Function MakeInteger16( H, L : Byte ) : SmallInt
5792: Function MakeWordS( H, L : Byte ) : Word
5793: Function SwapNibble( B : Byte ) : Byte
5794: Function SwapWord( L : LongInt ) : LongInt
5795: Procedure SetFlag( var Flags : Word; FlagMask : Word )
5796: Procedure ClearFlag( var Flags : Word; FlagMask : Word )
5797: Function FlagIsSet( Flags, FlagMask : Word ) : Boolean
5798: Procedure SetByteFlag( var Flags : Byte; FlagMask : Byte )
5799: Procedure ClearByteFlag( var Flags : Byte; FlagMask : Byte )
5800: Function ByteFlagIsSet( Flags, FlagMask : Byte ) : Boolean
5801: Procedure SetLongFlag( var Flags : LongInt; FlagMask : LongInt )
5802: Procedure ClearLongFlag( var Flags : LongInt; FlagMask : LongInt )
5803: Function LongFlagIsSet( Flags, FlagMask : LongInt ) : Boolean
5804: Procedure ExchangeBytes( var I, J : Byte )
5805: Procedure ExchangeWords( var I, J : Word )
5806: Procedure ExchangeLongInts( var I, J : LongInt )
5807: Procedure ExchangeStructs( var I, J, Size : Cardinal )
5808: Procedure FillWord( var Dest, Count : Cardinal; Filler : Word )
5809: Procedure FillStruct( var Dest, Count : Cardinal; var Filler, FillerSize : Cardinal )
5810: Function AddWordToPtr( P : __Pointer; W : Word ) : __Pointer
5811: //*****uPSI_StFIN;*****
5812: Function AccruedInterestMaturity( Issue, Maturity : TStDate; Rate, Par : Extended; Basis : TStBasis ) : Extended
5813: Function AccruedInterestPeriodic( Issue, Settlement, Maturity : TStDate; Rate,
  Par : Extended; Frequency : TStFrequency; Basis : TStBasis ) : Extended
5814: Function BondDuration( Settlement, Maturity : TStDate; Rate,
  Yield : Ext; Frequency : TStFrequency; Basis : TStBasis ) : Extended;
5815: Function BondPrice( Settlement, Maturity : TStDate; Rate, Yield, Redempt : Ext; Freq : TStFrequency; Basis : TStBasis ) :
  Extended
5816: Function CumulativeInterest( Rate : Extended; NPeriods : Integer; PV : Extended; StartPeriod, EndPeriod : Integer;
  Frequency : TStFrequency; Timing : TStPaymentTime ) : Extended
5817: Function CumulativePrincipal( Rate : Extended; NPeriods : Integer; PV : Extended; StartPeriod, EndPeriod : Integer;
  Frequency : TStFrequency; Timing : TStPaymentTime ) : Extended
5818: Function DayCount( Day1, Day2 : TStDate; Basis : TStBasis ) : LongInt
5819: Function DecliningBalance( Cost, Salvage : Extended; Life, Period, Month : Integer ) : Extended

```

```

5820: Function DiscountRate(Settlement,Maturity:TStDate; Price,Redemption:Extended;Basis:TStBasis): Extended;
5821: Function DollarToDecimal( FracDollar : Extended; Fraction : Integer ) : Extended
5822: Function DollarToDecimalText( DecDollar : Extended ) : string
5823: Function DollarToFraction( DecDollar : Extended; Fraction : Integer ) : Extended
5824: Function DollarToFractionStr( FracDollar : Extended; Fraction : Integer ) : string
5825: Function EffectiveInterestRate( NominalRate : Extended; Frequency : TStFrequency ) : Extended
5826: Function FutureValueS(Rate:Extended;NPeriods:Int;Pmt,
    PV:Extended;Freq:TStFreq;Timing:TStPaymentTime):Extended;
5827: Function FutureValueSchedule( Principal : Extended; const Schedule : array of Double ) : Extended
5828: Function FutureValueSchedule16( Principal : Extended; const Schedule, NRates : Integer ) : Extended
5829: Function InterestRateS(NPeriods:Int;Pmt,PV,
    FV:Extended;Freq:TStFrequency;Timing:TStPaymentTime;Guess:Extended):Extend;
5830: Function InternalRateOfReturn( const Values : array of Double; Guess : Extended ) : Extended
5831: Function InternalRateOfReturn16( const Values, NValues : Integer; Guess : Extended ) : Extended
5832: Function IsCardValid( const S : string ) : Boolean
5833: Function ModifiedDuration(Settlement,Maturity:TStDate;Rate,
    Yield:Extended;Freq:TStFrequency;Basis:TStBasis):Extended;
5834: Function ModifiedIRR(const Values: array of Double; FinanceRate,ReinvestRate: Extended) : Extended
5835: Function ModifiedIRR16(const Values,NValues:Integer; FinanceRate,ReinvestRate: Extended) : Extended
5836: Function NetPresentValueS( Rate : Extended; const Values : array of Double ) : Extended
5837: Function NetPresentValue16( Rate : Extended; const Values, NValues : Integer ) : Extended
5838: Function NominalInterestRate( EffectRate : Extended; Frequency : TStFrequency ) : Extended
5839: Function NonperiodicIRR(const Values:array of Double;const Dates:array of TStDate;Guess:Extended):Extended;
5840: Function NonperiodicNPV(Rate:Extended;const Values: array of Double;const Dates:array of TStDate):Extended;
5841: Function Payment( Rate : Extended; NPeriods : Integer; PV, FV : Extended; Frequency : TStFrequency; Timing
    : TStPaymentTime ) : Extended
5842: Function Periods(Rate:Extended;Pmt,PV,FV:Extended;Frequency:TStFrequency;Timing:TStPaymentTime):Integer;
5843: Function PresentValueS( Rate : Extended; NPeriods : Integer; Pmt, FV: Extended; Frequency : TStFrequency;
    Timing : TStPaymentTime ) : Extended
5844: Function ReceivedAtMaturity(Settlement,Maturity:TStDate;Invest,Discount:Extended;Basis:TStBasis):Extended;
5845: Function RoundToDecimal( Value : Extended; Places : Integer; Bankers : Boolean ) : Extended
5846: Function TBillEquivYield( Settlement, Maturity : TStDate; Discount : Extended ) : Extended
5847: Function TBillPrice( Settlement, Maturity : TStDate; Discount : Extended ) : Extended
5848: Function TBillyYield( Settlement, Maturity : TStDate; Price : Extended ) : Extended
5849: Function VariableDecliningBalance( Cost, Salvage : Extended; Life : Integer; StartPeriod, EndPeriod,
    Factor : Extended; NoSwitch : boolean ) : Extended
5850: Function YieldDiscounted(Settlement,Maturity:TStDate;Price,Redemption:Extended;Basis:TStBasis):Extended;
5851: Function YieldPeriodic(Settlement,Maturity:TStDate;Rate,Price,
    Redemption:Extended;Freq:TStFrequency;Basis:TStBasis):Extended
5852: Function YieldMaturity(Issue,Settlement,Maturity:TStDate;Rate,Price:Extended;Basis:TStBasis):Extended;
5853:
5854: //*****unit uPSI_StAstroP;
5855: Procedure PlanetsPos( JD : Double; var PA : TStPlanetsArray )
5856: //*****unit uPSI_StStat; Statistic Package of SysTools*****
5857: Function AveDev( const Data : array of Double ) : Double
5858: Function AveDev16( const Data, NData : Integer ) : Double
5859: Function Confidence( Alpha, StandardDev : Double; Size : LongInt ) : Double
5860: Function Correlation( const Data1, Data2 : array of Double ) : Double
5861: Function Correlation16( const Data1, Data2, NData : Integer ) : Double
5862: Function Covariance( const Data1, Data2 : array of Double ) : Double
5863: Function Covariance16( const Data1, Data2, NData : Integer ) : Double
5864: Function DevSq( const Data : array of Double ) : Double
5865: Function DevSq16( const Data, NData : Integer ) : Double
5866: Procedure Frequency(const Data:array of Double;const Bins:array of Double;var Counts: array of LongInt);
5867: //Procedure Frequency16( const Data, NData : Integer; const Bins, NBins : Integer; var Counts)
5868: Function GeometricMeanS( const Data : array of Double ) : Double
5869: Function GeometricMean16( const Data, NData : Integer ) : Double
5870: Function HarmonicMeanS( const Data : array of Double ) : Double
5871: Function HarmonicMean16( const Data, NData : Integer ) : Double
5872: Function Largest( const Data : array of Double; K : Integer ) : Double
5873: Function Largest16( const Data, NData : Integer; K : Integer ) : Double
5874: Function MedianS( const Data : array of Double ) : Double
5875: Function Median16( const Data, NData : Integer ) : Double
5876: Function Mode( const Data : array of Double ) : Double
5877: Function Mode16( const Data, NData : Integer ) : Double
5878: Function Percentile( const Data : array of Double; K : Double ) : Double
5879: Function Percentile16( const Data, NData : Integer; K : Double ) : Double
5880: Function PercentRank( const Data : array of Double; X : Double ) : Double
5881: Function PercentRank16( const Data, NData : Integer; X : Double ) : Double
5882: Function Permutations( Number, NumberChosen : Integer ) : Extended
5883: Function Combinations( Number, NumberChosen : Integer ) : Extended
5884: Function Factorials( N : Integer ) : Extended
5885: Function Rank( Number : Double; const Data : array of Double; Ascending : Boolean ) : Integer
5886: Function Rank16( Number : Double; const Data, NData : Integer; Ascending : Boolean ) : Integer
5887: Function Smallest( const Data : array of Double; K : Integer ) : Double
5888: Function Smallest16( const Data, NData : Integer; K : Integer ) : Double
5889: Function TrimMean( const Data : array of Double; Percent : Double ) : Double
5890: Function TrimMean16( const Data, NData : Integer; Percent : Double ) : Double
5891: AddTypeS('TStLinEst', 'record B0 : Double; B1 : double; seB0 : double; seB'
5892:     +'1 : Double; R2 : Double; sigma :Double; SSr: double; SSe: Double; F0 : Double; df : Integer;end
5893: Procedure LinEst(const KnownY:array of Double;const KnownX:array of Double;var
    LF:TStLinEst;ErrorStats:Bool;
5894: Procedure LogEst(const KnownY:array of Double;const KnownX:array of Double;var
    LF:TStLinEst;ErrorStats:Bool;
5895: Function Forecast(X: Double; const KnownY: array of Double; const KnownX: array of Double) : Double
5896: Function ForecastExponential(X:Double;const KnownY:array of Double;const KnownX:array of Double):Double;
5897: Function Intercept( const KnownY : array of Double; const KnownX : array of Double ) : Double
5898: Function RSquared( const KnownY : array of Double; const KnownX : array of Double ) : Double
5899: Function Slope( const KnownY : array of Double; const KnownX : array of Double ) : Double

```

```

5900: Function StandardErrorY( const KnownY : array of Double; const KnownX : array of Double) : Double
5901: Function BetaDist( X, Alpha, Beta, A, B : Single) : Single
5902: Function BetaInv( Probability, Alpha, Beta, A, B : Single) : Single
5903: Function BinomDist( NumbersS, Trials : Integer; ProbabilityS : Single; Cumulative : Boolean) : Single
5904: Function CritBinom( Trials : Integer; ProbabilityS, Alpha : Single) : Integer
5905: Function ChiDist( X : Single; DegreesFreedom : Integer) : Single
5906: Function ChiInv( Probability : Single; DegreesFreedom : Integer) : Single
5907: Function ExponDist( X, Lambda : Single; Cumulative : Boolean) : Single
5908: Function FDist( X : Single; DegreesFreedom1, DegreesFreedom2 : Integer) : Single
5909: Function FInv( Probability : Single; DegreesFreedom1, DegreesFreedom2 : Integer) : Single
5910: Function LogNormDist( X, Mean, StandardDev : Single) : Single
5911: Function LogInv( Probability, Mean, StandardDev : Single) : Single
5912: Function NormDist( X, Mean, StandardDev : Single; Cumulative : Boolean) : Single
5913: Function NormInv( Probability, Mean, StandardDev : Single) : Single
5914: Function NormSDist( Z : Single) : Single
5915: Function NormSInv( Probability : Single) : Single
5916: Function Poisson( X : Integer; Mean : Single; Cumulative : Boolean) : Single
5917: Function TDist( X : Single; DegreesFreedom : Integer; TwoTails : Boolean) : Single
5918: Function TInv( Probability : Single; DegreesFreedom : Integer) : Single
5919: Function Erfc( X : Single) : Single
5920: Function GammaLn( X : Single) : Single
5921: Function LargestSort( const Data : array of Double; K : Integer) : Double
5922: Function SmallestSort( const Data : array of double; K : Integer) : Double
5923:
5924: procedure SIRegister_TStSorter(CL: TPSPascalCompiler);
5925: Function OptimumHeapToUse( RecLen : Cardinal; NumRecs : LongInt) : LongInt
5926: Function MinimumHeapToUse( RecLen : Cardinal) : LongInt
5927: Function MergeInfo( MaxHeap : LongInt; RecLen : Cardinal; NumRecs : LongInt) : TMergeInfo
5928: Function DefaultMergeName( MergeNum : Integer) : string
5929: Procedure ArraySort( var A, RecLen, NumRecs : Cardinal; Compare : TUntypedCompareFunc)
5930:
5931: procedure SIRegister_StAstro(CL: TPSPascalCompiler);
5932: Function AmountOfSunlight( LD : TStDate; Longitude, Latitude : Double) : TStTime
5933: Function FixedRiseSet( LD : TStDate; RA, DC, Longitude, Latitude : Double) : TStRiseSetRec
5934: Function SunPos( UT : TStDateTimeRec) : TStPosRec
5935: Function SunPosPrim( UT : TStDateTimeRec) : TStSunXYZRec
5936: Function SunRiseSet( LD : TStDate; Longitude, Latitude : Double) : TStRiseSetRec
5937: Function Twilight( LD : TStDate; Longitude, Latitude : Double; TwiType:TStTwilight):TStRiseSetRec
5938: Function LunarPhase( UT : TStDateTimeRec) : Double
5939: Function MoonPos( UT : TStDateTimeRec) : TStMoonPosRec
5940: Function MoonRiseSet( LD : TStDate; Longitude, Latitude : Double) : TStRiseSetRec
5941: Function FirstQuarter( D : TStDate) : TStLunarRecord
5942: Function FullMoon( D : TStDate) : TStLunarRecord
5943: Function LastQuarter( D : TStDate) : TStLunarRecord
5944: Function NewMoon( D : TStDate) : TStLunarRecord
5945: Function NextFirstQuarter( D : TStDate) : TStDateTimeRec
5946: Function NextFullMoon( D : TStDate) : TStDateTimeRec
5947: Function NextLastQuarter( D : TStDate) : TStDateTimeRec
5948: Function NextNewMoon( D : TStDate) : TStDateTimeRec
5949: Function PrevFirstQuarter( D : TStDate) : TStDateTimeRec
5950: Function PrevFullMoon( D : TStDate) : TStDateTimeRec
5951: Function PrevLastQuarter( D : TStDate) : TStDateTimeRec
5952: Function PrevNewMoon( D : TStDate) : TStDateTimeRec
5953: Function SiderealTime( UT : TStDateTimeRec) : Double
5954: Function Solstice( Y, Epoch : Integer; Summer : Boolean) : TStDateTimeRec
5955: Function Equinox( Y, Epoch : Integer; Vernal : Boolean) : TStDateTimeRec
5956: Function SEaster( Y, Epoch : Integer) : TStDate
5957: Function DateToAJD( D : TDateTime) : Double
5958: Function HoursMin( RA : Double) : ShortString
5959: Function DegsMin( DC : Double) : ShortString
5960: Function AJDToDate( D : Double) : TDateTime
5961:
5962: Procedure SIRegister_StDate(CL: TPSPascalCompiler);
5963: Function CurrentDate : TStDate
5964: Function StValidDate( Day, Month, Year, Epoch : Integer) : Boolean
5965: Function DMYtoStDate( Day, Month, Year, Epoch : Integer) : TStDate
5966: Procedure StDateToDMY( Julian : TStDate; var Day, Month, Year : Integer)
5967: Function StIncDate( Julian : TStDate; Days, Months, Years : Integer) : TStDate
5968: Function IncDateTrunc( Julian : TStDate; Months, Years : Integer) : TStDate
5969: Procedure StDateDiff( Date1, Date2 : TStDate; var Days, Months, Years : Integer)
5970: Function BondDateDiff( Date1, Date2 : TStDate; DayBasis : TStBondDateType) : TStDate
5971: Function WeekOfYear( Julian : TStDate) : Byte
5972: Function AstJulianDate( Julian : TStDate) : Double
5973: Function AstJulianDatestoStDate( AstJulian : Double; Truncate : Boolean) : TStDate
5974: Function AstJulianDatePrim( Year, Month, Date : Integer; UT : TStTime) : Double
5975: Function StDayOfWeek( Julian : TStDate) : TStDayType
5976: Function DayOfWeekDMY( Day, Month, Year, Epoch : Integer) : TStDayType
5977: Function StIsLeapYear( Year : Integer) : Boolean
5978: Function StDaysInMonth( Month : Integer; Year, Epoch : Integer) : Integer
5979: Function ResolveEpoch( Year, Epoch : Integer) : Integer
5980: Function ValidTime( Hours, Minutes, Seconds : Integer) : Boolean
5981: Procedure StTimeToHMS( T : TStTime; var Hours, Minutes, Seconds : Byte)
5982: Function HMStoStTime( Hours, Minutes, Seconds : Byte) : TStTime
5983: Function CurrentTime : TStTime
5984: Procedure TimeDiff( Time1, Time2 : TStTime; var Hours, Minutes, Seconds : Byte)
5985: Function StIncTime( T : TStTime; Hours, Minutes, Seconds : Byte) : TStTime
5986: Function DecTime( T : TStTime; Hours, Minutes, Seconds : Byte) : TStTime
5987: Function RoundToNearestHour( T : TStTime; Truncate : Boolean) : TStTime
5988: Function RoundToNearestMinute( const T : TStTime; Truncate : Boolean) : TStTime

```

```

5989: Procedure DateTimeDiff( const DT1:TStDateTimeRec; var DT2:TStDateTimeRec; var Days:LongInt; var Secs:LongInt )
5990: Procedure IncDateTime( const DT1:TStDateTimeRec; var DT2:TStDateTimeRec; Days:Integer; Secs:LongInt )
5991: Function DateTimeToStDate( DT : TDateTime ) : TStDate
5992: Function DateTimeToStTime( DT : TDateTime ) : TStTime
5993: Function StDateToDateTime( D : TStDate ) : TDateTime
5994: Function StTimeToDateTime( T : TStTime ) : TDateTime
5995: Function Convert2ByteDate( TwoByteDate : Word ) : TStDate
5996: Function Convert4ByteDate( FourByteDate : TStDate ) : Word
5997:
5998: Procedure SIRegister_StDateSt(CL: TPSPascalCompiler);
5999: Function DateStringHMSToAstJD( const Picture, DS : string; H, M, S, Epoch : integer ) : Double
6000: Function MonthToString( const Month : Integer ) : string
6001: Function DateStringToStDate( const Picture, S : string; Epoch : Integer ) : TStDate
6002: Function DateStringToDMY( const Picture,S:string; Epoch:Integer; var D, M, Y : Integer):Boolean
6003: Function StDateToDateString( const Picture : string; const Julian : TStDate; Pack : Boolean):string
6004: Function DayOfWeekToString( const WeekDay : TStDayType) : string
6005: Function DMYToDateString(const Picture:string;Day,Month,Year,Epoch:Integer;Pack:Boolean): string;
6006: Function CurrentDateString( const Picture : string; Pack : Boolean) : string
6007: Function CurrentTimeString( const Picture : string; Pack : Boolean) : string
6008: Function TimeStringToHMS( const Picture, St : string; var H, M, S : Integer ) : Boolean
6009: Function TimeStringToStTime( const Picture, S : string ) : TStTime
6010: Function StTimeToAmPmString( const Picture : string; const T : TStTime; Pack : Boolean ) : string
6011: Function StTimeToTimeString( const Picture : string; const T : TStTime; Pack : Boolean ) : string
6012: Function DateStringIsBlank( const Picture, S : string ) : Boolean
6013: Function InternationalDate( ForceCentury : Boolean ) : string
6014: Function InternationalLongDate( ShortNames : Boolean; ExcludeDOW : Boolean ) : string
6015: Function InternationalTime( ShowSeconds : Boolean ) : string
6016: Procedure ResetInternationalInfo
6017:
6018: procedure SIRegister_StBase(CL: TPSPascalCompiler);
6019: Function DestroyNode( Container : TStContainer; Node : TStNode; OtherData : Pointer ) : Boolean
6020: Function AnsiUpperCaseShort32( const S : string ) : string
6021: Function AnsiCompareTextShort32( const S1, S2 : string ) : Integer
6022: Function AnsiCompareStrShort32( const S1, S2 : string ) : Integer
6023: Function HugeCompressRLE( const InBuffer, InLen : Longint; var OutBuffer ) : Longint
6024: Function HugeDecompressRLE( const InBuffer, InLen : Longint; var OutBuffer,OutLen:LongInt): Longint
6025: Procedure HugeFillChar( var Dest, Count : Longint; Value : Byte)
6026: Procedure HugeFillStruc( var Dest, Count : Longint; const Value, ValSize : Cardinal)
6027: Function Upcase( C : AnsiChar ) : AnsiChar
6028: Function LoCase( C : AnsiChar ) : AnsiChar
6029: Function CompareLetterSets( Set1, Set2 : LongInt ) : Cardinal
6030: Function CompStruct( const S1, S2, Size : Cardinal ) : Integer
6031: Function Search( const Buffer,BufLength:Cardinal;const Match,MatLength:Cardinal;var Pos:Cardinal):Bool;
6032: Function StSearch( const Buffer,BufLength:Cardinal;const Match,MatLength:Cardinal;var Pos:Cardi ):Boolean
6033: Function SearchUC( const Buffer,BufLength:Cardinal;const Match,MatLength:Cardinal;var Pos:Cardi ):Boolean
6034: Function IsOrInheritsFrom( Root, Candidate : TClass ) : boolean
6035: Procedure RaiseContainerError( Code : longint )
6036: Procedure RaiseContainerErrorFmt( Code : Longint; Data : array of const )
6037: Function ProductOverflow( A, B : LongInt ) : Boolean
6038: Function StNewStr( S : string ) : PShortString
6039: Procedure StDisposeStr( PS : PShortString )
6040: Procedure ValLongInt( S : ShortString; var LI : Longint; var ErrorCode : integer )
6041: Procedure ValSmallint( const S : ShortString; var SI : smallint; var ErrorCode : integer )
6042: Procedure ValWord( const S : ShortString; var Wd : word; var ErrorCode : integer )
6043: Procedure RaiseStError( ExceptionClass : EStExceptionClass; Code : LongInt )
6044: Procedure RaiseStWin32Error( ExceptionClass : ESTExceptionClass; Code : LongInt )
6045: Procedure RaiseStWin32ErrorEx( ExceptionClass : ESTExceptionClass; Code : LongInt; Info : string )
6046:
6047: procedure SIRegister_usvd(CL: TPSPascalCompiler);
6048: begin
6049: Procedure SV_DecomP( A : TMatrix; Lb, Ubl, Ub2 : Integer; S : TVector; V : TMatrix )
6050: Procedure SV_SetZero( S : TVector; Lb, Ub : Integer; Tol : Float )
6051: Procedure SV_Solve(U:TMatrix; S:TVector;V:TMatrix;B:TVector;Lb,Ubl,Ub2:Integer;X:TVector );
6052: Procedure SV_Approx( U : TMatrix; S : TVector; V : TMatrix; Lb, Ubl, Ub2 : Integer; A : TMatrix )
6053: Procedure RKF45(F:TDiffEqs;Neqn:Int;Y,Yp:TVector;var T:Float;Tout,RelErr,AbsErr:Float;var Flag:Int );
6054: end;
6055:
6056: //*****unit unit ; StMath Package of SysTools*****
6057: Function IntPowerS( Base : Extended; Exponent : Integer ) : Extended
6058: Function PowerS( Base, Exponent : Extended ) : Extended
6059: Function StInvCos( X : Double ) : Double
6060: Function StInvsin( Y : Double ) : Double
6061: Function StInvTan2( X, Y : Double ) : Double
6062: Function StTan( A : Double ) : Double
6063: Procedure DumpException; //unit StExpEng;
6064: Function HexifyBlock( var Buffer, BufferSize : Integer ) : string
6065:
6066: //*****unit unit ; STCRC Package of SysTools*****
6067: Function Adler32Prim( var Data, DataSize : Cardinal; CurCrc : LongInt ) : LongInt
6068: Function Adler32OfStream( Stream : TStream; CurCrc : LongInt ) : LongInt
6069: Function Adler32OfFile( FileName : AnsiString ) : LongInt
6070: Function Crc16Prim( var Data, DataSize, CurCrc : Cardinal ) : Cardinal
6071: Function Crc16OfFile( Stream : TStream; CurCrc : Cardinal ) : Cardinal
6072: Function Crc16OfFile( FileName : AnsiString ) : Cardinal
6073: Function Crc32Prim( var Data, DataSize : Cardinal; CurCrc : LongInt ) : LongInt
6074: Function Crc32OfFile( Stream : TStream; CurCrc : LongInt ) : LongInt
6075: Function Crc32OfFile( FileName : AnsiString ) : LongInt
6076: Function InternetSumPrim( var Data, DataSize, CurCrc : Cardinal ) : Cardinal
6077: Function InternetSumOfStream( Stream : TStream; CurCrc : Cardinal ) : Cardinal

```

```

6078: Function InternetSumOfFile( FileName : AnsiString ) : Cardinal
6079: Function Kermit16Prim( var Data, DataSize, CurCrc : Cardinal ) : Cardinal
6080: Function Kermit16OfStream( Stream : TStream; CurCrc : Cardinal ) : Cardinal
6081: Function Kermit16OfFile( FileName : AnsiString ) : Cardinal
6082:
6083: //*****unit unit ; StBCD Package of SysTools*****
6084: Function AddBcd( const B1, B2 : TbcdS ) : TbcdS
6085: Function SubBcd( const B1, B2 : TbcdS ) : TbcdS
6086: Function MulBcd( const B1, B2 : TbcdS ) : TbcdS
6087: Function DivBcd( const B1, B2 : TbcdS ) : TbcdS
6088: Function ModBcd( const B1, B2 : TbcdS ) : TbcdS
6089: Function NegBcd( const B : TbcdS ) : TbcdS
6090: Function AbsBcd( const B : TbcdS ) : TbcdS
6091: Function FracBcd( const B : TbcdS ) : TbcdS
6092: Function IntBcd( const B : TbcdS ) : TbcdS
6093: Function RoundDigitsBcd( const B : TbcdS; Digits : Cardinal ) : TbcdS
6094: Function RoundPlacesBcd( const B : TbcdS; Places : Cardinal ) : TbcdS
6095: Function ValBcd( const S : string ) : TbcdS
6096: Function LongBcd( L : LongInt ) : TbcdS
6097: Function ExtBcd( E : Extended ) : TbcdS
6098: Function ExpBcd( const B : TbcdS ) : TbcdS
6099: Function LnBcd( const B : TbcdS ) : TbcdS
6100: Function IntPowBcd( const B : TbcdS; E : LongInt ) : TbcdS
6101: Function PowBcd( const B, E : TbcdS ) : TbcdS
6102: Function SqrtBcd( const B : TbcdS ) : TbcdS
6103: Function CmpBcd( const B1, B2 : TbcdS ) : Integer
6104: Function EqDigitsBcd( const B1, B2 : TbcdS; Digits : Cardinal ) : Boolean
6105: Function EqPlacesBcd( const B1, B2 : TbcdS; Digits : Cardinal ) : Boolean
6106: Function IsIntBcd( const B : TbcdS ) : Boolean
6107: Function TruncBcd( const B : TbcdS ) : LongInt
6108: Function BcdExt( const B : TbcdS ) : Extended
6109: Function RoundBcd( const B : TbcdS ) : LongInt
6110: Function StrBcd( const B : TbcdS; Width, Places : Cardinal ) : string
6111: Function StrExpBcd( const B : TbcdS; Width : Cardinal ) : string
6112: Function FormatBcd( const Format : string; const B : TbcdS ) : string
6113: Function StrGeneralBcd( const B : TbcdS ) : string
6114: Function FloatFormBcd(const Mask:string;B:TbcdS;const LtCurr,RtCurr:string;Sep,DecPt:AnsiChar):string
6115: Procedure ConvertBcd( const SrcB, SrcSize : Byte; var DestB, DestSize : Byte )
6116:
6117: //*****unit unit ; StTxtDat; TStTextDataRecordSet Package of SysTools*****
6118: Procedure StParseLine( const Data : AnsiString; Schema : TStTextDataSchema; Result : TStrings )
6119: Function StFieldTypeToStr( FieldType : TStSchemaFieldType ) : AnsiString
6120: Function StStrToFieldType( const S : AnsiString ) : TStSchemaFieldType
6121: Function StDeEscape( const EscStr : AnsiString ) : Char
6122: Function StDoEscape( Delim : Char ) : AnsiString
6123: Function StTrimTrailingChars( const S : AnsiString; Trailer : Char ) : AnsiString
6124: Function AnsiHashText( const S : string; Size : Integer ) : Integer
6125: Function AnsiHashStr( const S : string; Size : Integer ) : Integer
6126: Function AnsiELFHashText( const S : string; Size : Integer ) : Integer
6127: Function AnsiELFHashStr( const S : string; Size : Integer ) : Integer
6128:
6129: //*****unit unit ; StNetCon Package of SysTools*****
6130: with AddClassN(FindClass('TStComponent'), 'TStNetConnection') do begin
6131:   Constructor Create( AOwner : TComponent )
6132:   Function Connect : DWord
6133:   Function Disconnect : DWord
6134:   RegisterProperty('Password', 'String', iptrw);
6135:   Property('UserName', 'String', iptrw);
6136:   Property('ConnectOptions', 'TStNetConnectOptionsSet', iptrw);
6137:   Property('DisconnectOptions', 'TStNetDisconnectOptionsSet', iptrw);
6138:   Property('LocalDevice', 'String', iptrw);
6139:   Property('ServerName', 'String', iptrw);
6140:   Property('ShareName', 'String', iptrw);
6141:   Property('OnConnect', 'TNotifyEvent', iptrw);
6142:   Property('OnConnectFail', 'TOnConnectFailEvent', iptrw);
6143:   Property('OnConnectCancel', 'TOnConnectCancelEvent', iptrw);
6144:   Property('OnDisconnect', 'TNotifyEvent', iptrw);
6145:   Property('OnDisconnectFail', 'TOnDisconnectFailEvent', iptrw);
6146:   Property('OnDisconnectCancel', 'TOnDisconnectCancelEvent', iptrw);
6147: end;
6148: //*****Thread Functions Context of Win API --- more objects in SyncObjs.pas
6149: / /153 unit uPSI_SyncObjs, unit uPSIParallelJobs;
6150: Procedure InitializeCriticalSection( var lpCriticalSection : TRTCriticalSection )
6151: Procedure EnterCriticalSection( var lpCriticalSection : TRTCriticalSection )
6152: Procedure LeaveCriticalSection( var lpCriticalSection : TRTCriticalSection )
6153: Function InitializeCriticalSectionAndSpinCount(var
6154:   lpCriticalSection:TRTCriticalSection;dwSpinCount:DWORD):BOOL;
6155: Function SetCriticalSectionSpinCount(var lpCriticalSection:TRTCriticalSection;dwSpinCount:DWORD):DWORD;
6156: Function TryEnterCriticalSection( var lpCriticalSection : TRTCriticalSection ) : BOOL
6157: Procedure DeleteCriticalSection( var lpCriticalSection : TRTCriticalSection )
6158: Function GetThreadContext( hThread : THandle; var lpContext : TContext ) : BOOL
6159: Function SetThreadContext( hThread : THandle; const lpContext : TContext ) : BOOL
6160: Function SuspendThread( hThread : THHandle ) : DWORD
6161: Function ResumeThread( hThread : THHandle ) : DWORD
6162: Function CreateThread2(ThreadFunc: TThreadFunction2; thrid: DWord) : THHandle
6163: Function GetCurrentThread : THHandle
6164: Procedure ExitThread( dwExitCode : DWORD )
6165: Function TerminateThread( hThread : THHandle; dwExitCode : DWORD ) : BOOL
6166: Function GetExitCodeThread( hThread : THHandle; var lpExitCode : DWORD ) : BOOL

```

```

6166: Procedure EndThread(ExitCode: Integer);
6167: Function WaitForSingleObject( hHandle : THandle; dwMilliseconds : DWORD ) : DWORD
6168: Function MakeProcInstance( Proc : FARPROC; Instance : THandle ) : FARPROC
6169: Procedure FreeProcInstance( Proc : FARPROC )
6170: Procedure FreeLibraryAndExitThread( hLibModule : HMODULE; dwExitCode : DWORD )
6171: Function DisableThreadLibraryCalls( hLibModule : HMODULE ) : BOOL
6172: Procedure ParallelJob( ASelf : TObject; ATarget : Pointer; AParam : Pointer; ASafeSection : boolean );
6173: Procedure ParallelJob1( ATarget : Pointer; AParam : Pointer; ASafeSection : boolean );
6174: Procedure ParallelJob2(AJobGroup:TJobsGroup;ASelf:TObject;ATarget:Ptr;AParam:Pointer;ASafeSection:bool;
6175: Procedure ParallelJob3( AJobGroup:TJobsGroup;ATarget:Pointer;AParam:Pointer;ASafeSection:boolean );
6176: Function CreateParallelJob(ASelf:TObject;ATarget:Pointer;AParam:Ptr;ASafeSection:bool:TParallelJob;
6177: Function CreateParallelJob1(ATarget:Pointer; AParam:Pointer; ASafeSection : boolean) : TParallelJob;
6178: Function CurrentParallelJobInfo : TParallelJobInfo
6179: Function ObtainParallelJobInfo : TParallelJobInfo
6180: Procedure GetSystemInfo( var lpSystemInfo : TSystemInfo' );
6181: Function IsProcessorFeaturePresent( ProcessorFeature : DWORD ) : BOOL';
6182: Function SetStdHandle( nStdHandle : DWORD; hHandle : THandle ) : BOOL';
6183: Function
  DeviceIoControl(hDevice:THandle;dwIoControlCode:DWORD;lpInBuffer:TObject;nInBufferSize:DWORD;lpOutBuffer:
  TObject; nOutBufferSize: DWORD; var lpBytesReturned: DWORD; lpOverlapped:TOverlapped):BOOL';
6184: Function SetFileTime(hFile:THandle;lpCreationTime,lpLastAccessTime,lpLastWriteTime:TFileTime): BOOL';
6185: Function DuplicateHandle(hSourceProcessHandle,hSourceHandle,hTargetProcessHandle:THandle;
  lpTargetHandle:THandle; dwDesiredAccess : DWORD; bInheritHandle:BOOL; dwOptions : DWORD ) : BOOL';
6186: Function GetHandleInformation( hObject : THandle; var lpdwFlags : DWORD ) : BOOL';
6187: Function SetHandleInformation( hObject : THandle; dwMask : DWORD; dwFlags : DWORD ) : BOOL';
6188:
6189: *****unit uPSI_JclMime;
6190: Function MimeEncodeString( const S : AnsiString ) : AnsiString
6191: Function MimeDecodeString( const S : AnsiString ) : AnsiString
6192: Procedure MimeEncodeStream( const InputStream : TStream; const OutputStream : TStream)
6193: Procedure MimeDecodeStream( const InputStream : TStream; const OutputStream : TStream)
6194: Function MimeEncodedSize( const I : Cardinal ) : Cardinal
6195: Function MimeDecodedSize( const I : Cardinal ) : Cardinal
6196: Procedure MimeEncode( var InputBuffer : string; const InputByteCount : Cardinal; var OutputBuffer )
6197: Function MimeDecode(var InputBuffer:string;const InputBytesCount:Cardinal;var OutputBuffer):Cardinal;
6198: Function MimeDecodePartial(var InputBuffer:string;const InputBytesCount:Cardinal;var
  OutputBuffer:string;var ByteBuffer : Cardinal; var ByteBufferSpace : Cardinal) : Cardinal
6199: Function MimeDecodePartialEnd(var OutputBuf:string;const ByteBuf:Card;const ByteBufferSpace:Card):
  Cardinal;
6200:
6201: *****unit uPSI_JclPrint;
6202: Procedure DirectPrint( const Printer, Data : string )
6203: Procedure SetPrinterPixelsPerInch
6204: Function GetPrinterResolution : TPoint
6205: Function CharFitsWithinDots( const Text : string; const Dots : Integer ) : Integer
6206: Procedure PrintMemo( const Memo : TMemo; const Rect : TRect )
6207:
6208:
6209: //*****unit uPSI_ShLwApi,*****
6210: Function StrChr( lpStart : PChar; wMatch : WORD ) : PChar
6211: Function StrChri( lpStart : PChar; wMatch : WORD ) : PChar
6212: Function StrCmpN( lpStr1, lpStr2 : PChar; nChar : Integer ) : Integer
6213: Function StrCmpNI( lpStr1, lpStr2 : PChar; nChar : Integer ) : Integer
6214: Function StrCSpn( lpStr1, lpSet : PChar ) : Integer
6215: Function StrCSpi( lpStr1, lpSet : PChar ) : Integer
6216: Function StrDup( lpSrch : PChar ) : PChar
6217: Function StrFormatByteSize( dw : DWORD; szBuf : PChar; uiBufSize : UINT ) : PChar
6218: Function StrFormatKBSIZE( qdw : Dword; szBuf : PChar; uiBufSize : UINT ) : PChar
6219: Function StrFromTimeInterval(pszOut: PChar; cchMax:UINT;dwTimeMS:DWORD; digits: Integer): Integer
6220: Function StrIsIntLEqual( fCaseSens : BOOL; lpString1, lpString2 : PChar; nChar : Integer ) : BOOL
6221: /Function StrNCat( psz1 : PChar; psz2 : PChar; cchMax : Integer ) : PChar
6222: Function StrPBrk( psz, pszSet : PChar ) : PChar
6223: Function StrRChr( lpStart, lpEnd : PChar; wMatch : WORD ) : PChar
6224: Function StrRCrhi( lpStart, lpEnd : PChar; wMatch : WORD ) : PChar
6225: Function StrRStrI( lpSource, lpLast, lpSrch : PChar ) : PChar
6226: Function StrSpn( psz, pszSet : PChar ) : Integer
6227: Function StrStr( lpFirst, lpSrch : PChar ) : PChar
6228: Function StrStrI( lpFirst, lpSrch : PChar ) : PChar
6229: Function StrToInt( lpSrch : PChar ) : Integer
6230: Function StrToIntEx( pszString : PChar; dwFlags : DWORD; var piRet : Integer ) : BOOL
6231: Function StrTrim( psz : PChar; pszTrimChars : PChar ) : BOOL
6232: Function ChrCmpI( w1, w2 : WORD ) : BOOL
6233: Function ChrCmpIA( w1, w2 : WORD ) : BOOL
6234: Function ChrCmpIW( w1, w2 : WORD ) : BOOL
6235: Function StrIntEqN( s1, s2 : PChar; nChar : Integer ) : BOOL
6236: Function StrIntEqNI( s1, s2 : PChar; nChar : Integer ) : BOOL
6237: Function StrCatBuff( pszDest, pszSrc : PChar; cchDestBuffSize : Integer ) : PChar
6238: Function StrCpyNX( psz1 : PChar; psz2 : PChar; cchMax : Integer ) : PChar
6239: Function IntlStrEqWorker( fCaseSens : BOOL; lpString1, lpString2 : PChar; nChar : Integer ) : BOOL
6240: Function IntlStrEqN( s1, s2 : PChar; nChar : Integer ) : BOOL
6241: SZ_CONTENTTYPE_HTMLA', 'String 'text/html
6242: SZ_CONTENTTYPE_HTMLW', 'String 'text/html
6243: SZ_CONTENTTYPE_HTML', 'string SZ_CONTENTTYPE_HTMLA);
6244: SZ_CONTENTTYPE_CDFA', 'String 'application/x-cdf
6245: SZ_CONTENTTYPE_CDFW', 'String 'application/x-cdf
6246: SZ_CONTENTTYPE_CDF', 'string SZ_CONTENTTYPE_CDFA);
6247: Function PathIsHTMLfile( pszPath : PChar ) : BOOL
6248: STIF_DEFAULT', 'LongWord( $00000000);
6249: STIF_SUPPORT_HEX', 'LongWord( $00000001);

```

```

6250: Function StrNCmpI( lpStr1, lpStr2 : PChar; nChar : Integer ) : Integer
6251: Function StrNCopy( psz1, psz2 : PChar; cchMax : Integer ) : PChar
6252: Function StrCatN( psz1 : PChar; psz2 : PChar; cchMax : Integer ) : PChar
6253: Function PathAddBackslash( pszPath : PChar ) : PChar
6254: Function PathAddExtension( pszPath : PChar; pszExt : PChar ) : BOOL
6255: Function PathAppend( pszPath : PChar; pMore : PChar ) : BOOL
6256: Function PathBuildRoot( szRoot : PChar; iDrive : Integer ) : PChar
6257: Function PathCanonicalize( pszBuf : PChar; pszPath : PChar ) : BOOL
6258: Function PathCombine( szDest : PChar; lpszDir, lpszFile : PChar ) : PChar
6259: Function PathCompactPath( hDC : HDC; pszPath : PChar; dx : UINT ) : BOOL
6260: Function PathCompactPathEx( pszOut : PChar; pszSrc : PChar; cchMax : UINT; dwFlags:DWORD ) : BOOL
6261: Function PathCommonPrefix( pszFile1, pszFile2 : PChar; achPath : PChar ) : Integer
6262: Function PathFileExists( pszPath : PChar ) : BOOL
6263: Function PathFindExtension( pszPath : PChar ) : PChar
6264: Function PathFindFileName( pszPath : PChar ) : PChar
6265: Function PathFindNextComponent( pszPath : PChar ) : PChar
6266: Function PathFindOnPath( pszPath : PChar; var ppszOtherDirs : PChar ) : BOOL
6267: Function PathGetArgs( pszPath : PChar ) : PChar
6268: Function PathFindSuffixArray(pszPath: PChar; const apszSuffix: PChar; iArraySize: Integer): PChar
6269: Function PathIsLFNFileSpec( lpName : PChar ) : BOOL
6270: Function PathGetCharType( ch : Char ) : UINT
6271: GCT_INVALID', 'LongWord( $0000);
6272: GCT_LFNCHAR', 'LongWord( $0001);
6273: GCT_SHORTCHAR', 'LongWord( $0002);
6274: GCT_WILD', 'LongWord( $0004);
6275: GCT_SEPARATOR', 'LongWord( $0008);
6276: Function PathGetDriveNumber( pszPath : PChar ) : Integer
6277: Function PathIsDirectory( pszPath : PChar ) : BOOL
6278: Function PathIsDirectoryEmpty( pszPath : PChar ) : BOOL
6279: Function PathIsFileSpec( pszPath : PChar ) : BOOL
6280: Function PathIsPrefix( pszPrefix, pszPath : PChar ) : BOOL
6281: Function PathIsRelative( pszPath : PChar ) : BOOL
6282: Function PathIsRoot( pszPath : PChar ) : BOOL
6283: Function PathIsSameRoot( pszPath1, pszPath2 : PChar ) : BOOL
6284: Function PathIsUNC( pszPath : PChar ) : BOOL
6285: Function PathIsNetworkPath( pszPath : PChar ) : BOOL
6286: Function PathIsUNCServer( pszPath : PChar ) : BOOL
6287: Function PathIsUNCServerShare( pszPath : PChar ) : BOOL
6288: Function PathIsContentType( pszPath, pszContentType : PChar ) : BOOL
6289: Function PathIsURL( pszPath : PChar ) : BOOL
6290: Function PathMakePretty( pszPath : PChar ) : BOOL
6291: Function PathMatchSpec( pszFile, pszSpec : PChar ) : BOOL
6292: Function PathParseIconLocation( pszIconFile : PChar ) : Integer
6293: Procedure PathQuoteSpaces( lpsz : PChar )
6294: Function PathRelativePathTo(pszPath:PChar;pszFrom:PChar;dwAttrFrom:DWORD;pszTo:PChar;dwAttrTo:DWORD):BOOL;
6295: Procedure PathRemoveArgs( pszPath : PChar )
6296: Function PathRemoveBackslash( pszPath : PChar ) : PChar
6297: Procedure PathRemoveBlanks( pszPath : PChar )
6298: Procedure PathRemoveExtension( pszPath : PChar )
6299: Function PathRemoveFileSpec( pszPath : PChar ) : BOOL
6300: Function PathRenameExtension( pszPath : PChar; pszExt : PChar ) : BOOL
6301: Function PathSearchAndQualify( pszPath : PChar; pszBuf : PChar; cchBuf : UINT ) : BOOL
6302: Procedure PathSetDlgItemPath( hDlg : HWND; id : Integer; pszPath : PChar )
6303: Function PathSkipRoot( pszPath : PChar ) : PChar
6304: Procedure PathStripPath( pszPath : PChar )
6305: Function PathStripToRoot( pszPath : PChar ) : BOOL
6306: Procedure PathUnquoteSpaces( lpsz : PChar )
6307: Function PathMakeSystemFolder( pszPath : PChar ) : BOOL
6308: Function PathUnmakeSystemFolder( pszPath : PChar ) : BOOL
6309: Function PathIsSystemFolder( pszPath : PChar; dwAttrb : DWORD ) : BOOL
6310: Procedure PathUndecorate( pszPath : PChar )
6311: Function PathUnExpandEnvStrings( pszPath : PChar; pszBuf : PChar; cchBuf : UINT ) : BOOL
6312: URL_SCHEME_INVALID', 'LongInt'( - 1);
6313: URL_SCHEME_UNKNOWN', 'LongInt'( 0 );
6314: URL_SCHEME_FTP', 'LongInt'( 1 );
6315: URL_SCHEME_HTTP', 'LongInt'( 2 );
6316: URL_SCHEME_GOPHER', 'LongInt'( 3 );
6317: URL_SCHEME_MAILTO', 'LongInt'( 4 );
6318: URL_SCHEME_NEWS', 'LongInt'( 5 );
6319: URL_SCHEME_NNTP', 'LongInt'( 6 );
6320: URL_SCHEME_TELNET', 'LongInt'( 7 );
6321: URL_SCHEME_WAIS', 'LongInt'( 8 );
6322: URL_SCHEME_FILE', 'LongInt'( 9 );
6323: URL_SCHEME_MK', 'LongInt'( 10 );
6324: URL_SCHEME_HTTPS', 'LongInt'( 11 );
6325: URL_SCHEME_SHELL', 'LongInt'( 12 );
6326: URL_SCHEME_SNEWS', 'LongInt'( 13 );
6327: URL_SCHEME_LOCAL', 'LongInt'( 14 );
6328: URL_SCHEME_JAVASCRIPT', 'LongInt'( 15 );
6329: URL_SCHEME_VBSCRIPT', 'LongInt'( 16 );
6330: URL_SCHEME_ABOUT', 'LongInt'( 17 );
6331: URL_SCHEME_RES', 'LongInt'( 18 );
6332: URL_SCHEME_MAXVALUE', 'LongInt'( 19 );
6333: URL_SCHEME', 'Integer
6334: URL_PART_NONE', 'LongInt'( 0 );
6335: URL_PART_SCHEME', 'LongInt'( 1 );
6336: URL_PART_HOSTNAME', 'LongInt'( 2 );
6337: URL_PART_USERNAME', 'LongInt'( 3 );
6338: URL_PART_PASSWORD', 'LongInt'( 4 );

```

```

6339: URL_PART_PORT', 'LongInt'( 5);
6340: URL_PART_QUERY', 'LongInt'( 6);
6341: URL_PART', 'DWORD
6342: URLIS_URL', 'LongInt'( 0);
6343: URLIS_OPAQUE', 'LongInt'( 1);
6344: URLIS_NOHISTORY', 'LongInt'( 2);
6345: URLIS_FILEURL', 'LongInt'( 3);
6346: URLIS_APPLICABLE', 'LongInt'( 4);
6347: URLIS_DIRECTORY', 'LongInt'( 5);
6348: URLIS_HASQUERY', 'LongInt'( 6);
6349: TURLIs', 'DWORD
6350: URL_UNESCAPE', 'LongWord( $10000000);
6351: URL_ESCAPE_UNSAFE', 'LongWord( $20000000);
6352: URL_PLUGGABLE_PROTOCOL', 'LongWord( $40000000);
6353: URL_WININET_COMPATIBILITY', 'LongWord( DWORD( $80000000 ) );
6354: URL_DONT_ESCAPE_EXTRA_INFO', 'LongWord( $02000000);
6355: URL_ESCAPE_SPACES_ONLY', 'LongWord( $04000000);
6356: URL_DONT_SIMPLIFY', 'LongWord( $08000000);
6357: URL_NO_META', 'longword( URL_DONT_SIMPLIFY);
6358: URL_UNESCAPE_INPLACE', 'LongWord( $00100000);
6359: URL_CONVERT_IF_DOSPATH', 'LongWord( $00200000);
6360: URL_UNESCAPE_HIGH_ANSI_ONLY', 'LongWord( $00400000);
6361: URL_INTERNAL_PATH', 'LongWord( $00800000);
6362: URL_FILE_USE_PATHURL', 'LongWord( $00010000);
6363: URL_ESCAPE_PERCENT', 'LongWord( $00001000);
6364: URL_ESCAPE_SEGMENT_ONLY', 'LongWord( $00002000);
6365: URL_PARTFLAG_KEEPSCHEME', 'LongWord( $00000001);
6366: URL_APPLY_DEFAULT', 'LongWord( $00000001);
6367: URL_APPLY_GUESSSCHEME', 'LongWord( $00000002);
6368: URL_APPLY_GUESSFILE', 'LongWord( $00000004);
6369: URL_APPLY_FORCEAPPLY', 'LongWord( $00000008);
6370: Function UrlCompare( psz1, psz2 : PChar; fIgnoreSlash : BOOL) : Integer
6371: Function UrlCombine(pszBase,pszRelative:PChar;pszCombin:PChar;out pcchCombin:DWORD;dwFlags:DWORD) : HRESULT;
6372: Function UrlCanonicalize(pszUrl:PChar;pszCanonicalized:PChar;pcchCanonic:DWORD;dwFlags:DWORD) : HRESULT;
6373: Function UrlIsOpaque( pszURL : PChar) : BOOL
6374: Function UrlIsNoHistory( pszURL : PChar) : BOOL
6375: Function UrlIsFileUrl( pszURL : PChar) : BOOL
6376: Function UrlIs( pszUrl : PChar; UrlIs : TURLIs) : BOOL
6377: Function UrlGetLocation( psz1 : PChar) : PChar
6378: Function UrlUnescape( pszUrl, pszUnescaped : PChar;pcchUnescaped:DWORD; dwFlags : DWORD) : HRESULT
6379: Function UrlEscape(pszUrl: PChar; pszEscaped: PChar; pcchEscaped:DWORD; dwFlags : DWORD) : HRESULT
6380: Function UrlCreateFromPath(pszPath:PChar; pszUrl: PChar;pcchUrl: DWORD; dwFlags : DWORD) : HRESULT
6381: Function PathCreateFromUrl(pszUrl:PChar; pszPath:PChar; pcchPath:DWORD; dwFlags : DWORD) : HRESULT
6382: Function UrlHash( pszUrl : PChar; pbHash : BYTE; cbHash : DWORD) : HRESULT
6383: Function UrlGetPart(pszIn: PChar; pszOut: PChar; pcchOut : DWORD; dwPart,dwFlags: DWORD) : HRESULT
6384: Function UrlApplyScheme( pszIn : PChar; pszOut : PChar; pcchOut : DWORD; dwFlags : DWORD) : HRESULT
6385: Function HashData( pData : BYTE; cbData : DWORD; pbHash : BYTE; cbHash : DWORD) : HRESULT
6386: Function UrlEscapeSpaces( pszUrl : PChar; pszEscaped : PChar; pcchEscaped : DWORD) : HRESULT
6387: Function UrlUnescapeInPlace( pszUrl : PChar; dwFlags : DWORD) : HRESULT
6388: Function SHDeleteEmptyKey( hKey : HKEY; pszSubKey : PChar) : DWORD
6389: Function SHDeleteKey( hKey : HKEY; pszSubKey : PChar) : DWORD
6390: Function SHDeleteValue( hKey : HKEY; pszSubKey, pszValue : PChar) : DWORD
6391: Function SHEnumKeyEx( hKey : HKEY; dwIndex : DWORD; pszName : PChar; var pcchName : DWORD) : Longint
6392: Function SHEnumValue( hKey : HKEY; dwIndex : DWORD; pszValueName:PChar; var
pcchValueName:DWORD;pdwType:DWORD; pvData : __Pointer; pcbData : DWORD) : Longint
6393: Function SHQueryInfoKey(hKey:HKEY;pcchSubKeys,pcchMaxSubKeyLen,pcVal,pcch.MaxValueNameLen:DWORD):Longint;
6394: Function SHCopyKey( hkeySrc : HKEY; szSrcSubKey : PChar; hkeyDest : HKEY; fReserved : DWORD) : DWORD
6395: Function SHRegGetPath(hKey:HKEY; ppszSubKey,ppszValue: PChar; pszPath: PChar; dwFlags: DWORD): DWORD
6396: Function SHRegSetPath( hKey:HKEY; ppszSubKey, ppszValue, ppszPath : PChar; dwFlags : DWORD): DWORD
6397: SHREGDEL_DEFAULT', 'LongWord( $00000000);
6398: SHREGDEL_HKCU', 'LongWord( $00000001);
6399: SHREGDEL_HKLM', 'LongWord( $00000010);
6400: SHREGDEL_BOTH', 'LongWord( $00000011);
6401: SHREGENUM_DEFAULT', 'LongWord( $00000000);
6402: SHREGENUM_HKCU', 'LongWord( $00000001);
6403: SHREGENUM_HKLM', 'LongWord( $00000010);
6404: SHREGENUM_BOTH', 'LongWord( $00000011);
6405: SHREGSET_HKCU', 'LongWord( $00000001);
6406: SHREGSET_FORCE_HKCU', 'LongWord( $00000002);
6407: SHREGSET_HKLM', 'LongWord( $00000004);
6408: SHREGSET_FORCE_HKLM', 'LongWord( $00000008);
6409: TSHRegDelFlags', 'DWORD
6410: TSHRegEnumFlags', 'DWORD
6411: HUSKEY', 'THandle
6412: ASSOCF_INIT_NOREMAPCLSID', 'LongWord( $00000001);
6413: ASSOCF_INIT_BYEXENAME', 'LongWord( $00000002);
6414: ASSOCF_OPEN_BYEXENAME', 'LongWord( $00000002);
6415: ASSOCF_INIT_DEFAULTTOSTAR', 'LongWord( $00000004);
6416: ASSOCF_INIT_DEFAULTTOFOLDER', 'LongWord( $00000008);
6417: ASSOCF_NOUSERSETTINGS', 'LongWord( $00000010);
6418: ASSOCF_NOTRUNCATE', 'LongWord( $00000020);
6419: ASSOCF_VERIFY', 'LongWord( $00000040);
6420: ASSOCF_REMAPRUNDLL', 'LongWord( $00000080);
6421: ASSOCF_NOFIXUPS', 'LongWord( $00000100);
6422: ASSOCF_IGNOREBASECLASS', 'LongWord( $00000200);
6423: ASSOCF', 'DWORD
6424: ASSOCSTR_COMMAND', 'LongInt'( 1);
6425: ASSOCSTR_EXECUTABLE', 'LongInt'( 2);
6426: ASSOCSTR_FRIENDLYDOCNAME', 'LongInt'( 3);

```

```

6427: ASSOCSTR_FRIENDLYAPPNAME', 'LongInt'( 4);
6428: ASSOCSTR_NOOPEN', 'LongInt'( 5);
6429: ASSOCSTR_SHELLNEWVALUE', 'LongInt'( 6);
6430: ASSOCSTR_DDECOMMAND', 'LongInt'( 7);
6431: ASSOCSTR_DDEIFEXEC', 'LongInt'( 8);
6432: ASSOCSTR_DDEAPPLICATION', 'LongInt'( 9);
6433: ASSOCSTR_DDETOPIC', 'LongInt'( 10);
6434: ASSOCSTR_INFOTIP', 'LongInt'( 11);
6435: ASSOCSTR_MAX', 'LongInt'( 12);
6436: ASSOCSTR', 'DWORD
6437: ASSOCKEY_SHELLEXECCLASS', 'LongInt'( 1);
6438: ASSOCKEY_APP', 'LongInt'( 2);
6439: ASSOCKEY_CLASS', 'LongInt'( 3);
6440: ASSOCKEY_BASECLASS', 'LongInt'( 4);
6441: ASSOCKEY_MAX', 'LongInt'( 5);
6442: ASSOCKEY', 'DWORD
6443: ASSOCDATA_MSIDSCRIPTOR', 'LongInt'( 1);
6444: ASSOCDATA_NOACTIVATEHANDLER', 'LongInt'( 2);
6445: ASSOCDATA_QUERYCLASSTORE', 'LongInt'( 3);
6446: ASSOCDATA_HASPERUSERASSOC', 'LongInt'( 4);
6447: ASSOCDATA_MAX', 'LongInt'( 5);
6448: ASSOCDATA', 'DWORD
6449: ASSOCENUM_NONE', 'LongInt'( 0);
6450: ASSOCENUM', 'DWORD
6451: SID_IQueryAssociations', 'String' '{c46ca590-3c3f-11d2-bee6-0000f805ca57}
6452: SHACF_DEFAULT $00000000;
6453: SHACF_FILESYSTEM', 'LongWord( $00000001);
6454: SHACF_URLHISTORY', 'LongWord( $00000002);
6455: SHACF_URLMRU', 'LongWord( $00000004);
6456: SHACF_USETAB', 'LongWord( $00000008);
6457: SHACF_FILESYS_ONLY', 'LongWord( $00000010);
6458: SHACF_AUTOSUGGEST_FORCE_ON', 'LongWord( $10000000);
6459: SHACF_AUTOSUGGEST_FORCE_OFF', 'LongWord( $20000000);
6460: SHACF_AUTOAPPEND_FORCE_ON', 'LongWord( $40000000);
6461: SHACF_AUTOAPPEND_FORCE_OFF', 'LongWord( DWORD( $80000000 ) );
6462: Function SHAutoComplete( hwndEdit : HWND; dwFlags : DWORD ) : HRESULT
6463: Procedure SHSetThreadRef( punk : IUnknown )
6464: Procedure SHGetThreadRef( out ppunk : IUnknown )
6465: CTF_INSIST', 'LongWord( $00000001);
6466: CTF_THREAD_REF', 'LongWord( $00000002);
6467: CTF_PROCESS_REF', 'LongWord( $00000004);
6468: CTF_COINIT', 'LongWord( $00000008);
6469: Function SHCreateShellPalette( hdc : HDC ) : HPALETTE
6470: Procedure ColorRGBToHLS( clrRGB : TColorRef; out pwHue, pwLuminance, pwSaturation : WORD )
6471: Function ColorHLSTORGB( whue, wLuminance, wSaturation : WORD ) : TColorRef
6472: Function ColorAdjustLuma( clrRGB : TColorRef; n : Integer; fScale : Boolean ) : TColorRef
6473: Function GetSysColorBrush( nIndex : Integer ) : HBRUSH
6474: Function DrawFocusRect( hdc : HDC; const lprc : TRect ) : BOOL
6475: Function FillRect( hdc : HDC; const lprc : TRect; hbr : HBRUSH ) : Integer
6476: Function FrameRect( hdc : HDC; const lprc : TRect; hbr : HBRUSH ) : Integer
6477: Function InvertRect( hdc : HDC; const lprc : TRect ) : BOOL
6478: Function SetRect( var lprc : TRect; xLeft, yTop, xRight, yBottom : Integer ) : BOOL
6479: Function SetRectEmpty( var lprc : TRect ) : BOOL
6480: Function CopyRect( var lprcDst : TRect; const lprcSrc : TRect ) : BOOL
6481: Function InflateRect( var lprc : TRect; dx, dy : Integer ) : BOOL
6482: Function IntersectRect2( var lprcDst : TRect; const lprcSrc1, lprcSrc2 : TRect ) : BOOL
6483: Function SubtractRect( var lprcDst : TRect; const lprcSrc1, lprcSrc2 : TRect ) : BOOL
6484:
6485: Function InitializeFlatSB( hWnd : HWND ) : Bool
6486: Procedure UninitializeFlatSB( hWnd : HWND )
6487: Function FlatSB_GetScrollProp( pl : HWND; propIndex : Integer; p3 : PInteger ) : Bool
6488: Function FlatSB_SetScrollProp( pl : HWND; index : Integer; newValue : Integer; p4 : Bool ) : Bool
6489: Function GET_APCOMMAND_LPARAM( lParam : Integer ) : Word //of JvWin32
6490: Function GET_DEVICE_LPARAM( lParam : Integer ) : Word
6491: Function GET_MOUSEORKEY_LPARAM( lParam : Integer ) : Integer
6492: Function GET_FLAGS_LPARAM( lParam : Integer ) : Word
6493: Function GET_KEYSTATE_LPARAM( lParam : Integer ) : Word
6494:
6495:
6496: // **** 204 unit uPSI_ShellAPI;
6497: Function DragQueryFile( Drop : HDROP; FileIndex : UINT; FileName : PChar; cb : UINT ) : UINT
6498: Function DragQueryPoint( Drop : HDROP; var Point : TPoint ) : BOOL
6499: Procedure DragFinish( Drop : HDROP )
6500: Procedure DragAcceptFiles( Wnd : HWND; Accept : BOOL )
6501: Function ShellExecute(hWnd:HWND;Operation,FileName,Parameters,Directory:PChar;ShowCmd:Integer):HINST
6502: Function FindExecutable( FileName, Directory : PChar; Result : PChar ) : HINST
6503: Function ShellAbout( Wnd : HWND; szApp, szOtherStuff : PChar; Icon : HICON ) : Integer
6504: Function DuplicateIcon( hInst : HINST; Icon : HICON ) : HICON
6505: Function ExtractAssociatedIcon( hInst : HINST; lpIconPath : PChar; var lpiIcon : Word ) : HICON
6506: Function ExtractIcon( hInst : HINST; lpszExeFileName : PChar; nIconIndex : UINT ) : HICON
6507: Function SHAppBarMessage( dwMessage : DWORD; var pData : TAppBarData ) : UINT
6508: Function DoEnvironmentSubst( szString : PChar; cbString : UINT ) : DWORD
6509: Function ExtractIconEx(lpszFile:PChar;nIconIndex:Int;var phiconLarge,phiconSmall:HICON;nIcons:UINT):UINT;
6510: Procedure SHFreeNameMappings( hNameMappings : THandle )
6511:
6512: DLLVER_PLATFORM_WINDOWS', 'LongWord( $00000001);
6513: DLLVER_PLATFORM_NT', 'LongWord( $00000002);
6514: DLLVER_MAJOR_MASK', 'LongWord( Int64 ( $FFFF000000000000 ) );
6515: DLLVER_MINOR_MASK', 'LongWord( Int64 ( $0000FFFF00000000 ) );

```

```

6516: DLLVER_BUILD_MASK', 'LongWord( Int64 ( $00000000FFFF0000 ) );
6517: DLLVER_QFE_MASK', 'LongWord( Int64 ( $000000000000FFFF ) );
6518: Function MAKEDLLVERULL( Major, Minor, Build, Qfe : Word ) : Int64
6519: Function SimpleXMLEncode( const S : string ) : string
6520: Procedure SimpleXMLDecode( var S : string; TrimBlanks : Boolean )
6521: Function XMLEncode( const S : string ) : string
6522: Function XMLDecode( const S : string ) : string
6523: Function EntityEncode( const S : string ) : string
6524: Function EntityDecode( const S : string ) : string
6525:
6526: procedure RIRegister_CPort_Routines(S: TPSEexec);
6527: Procedure EnumComPorts( Ports : TStrings )
6528: Procedure ListComPorts( Ports : TStrings )
6529: Procedure ComPorts( Ports : TStrings ) //Alias to Arduino
6530: Function GetComPorts: TStringlist;
6531: Function StrToBaudRate( Str : string ) : TBaudRate
6532: Function StrToStopBits( Str : string ) : TStopBits
6533: Function StrToDataBits( Str : string ) : TDataBits
6534: Function StrToParity( Str : string ) : TParityBits
6535: Function StrToFlowControl( Str : string ) : TFlowControl
6536: Function BaudRateToStr( BaudRate : TBaudRate) : string
6537: Function StopBitsToStr( StopBits : TStopBits) : string
6538: Function DataBitsToStr( DataBits : TDataBits) : string
6539: Function ParityToStr( Parity : TParityBits) : string
6540: Function FlowControlToStr( FlowControl : TFlowControl) : string
6541: Function ComErrorsToStr( Errors : TComErrors ) : String
6542:
6543: Function GetMessage( var lpMsg : TMsg; hWnd : HWND; wMsgFilterMin, wMsgFilterMax : UINT ) : BOOL
6544: Function DispatchMessage( const lpMsg : TMsg ) : Longint
6545: Function TranslateMessage( const lpMsg : TMsg ) : BOOL
6546: Function SetMessageQueue( cMessagesMax : Integer ) : BOOL
6547: Function PeekMessage( var lpMsg:TMsg; hWnd:HWND;wMsgFilterMin,wMsgFilterMax,wRemoveMsg:UINT ):BOOL
6548: Function GetMessagePos : DWORD
6549: Function GetMessageTime : Longint
6550: Function GetMessageExtraInfo : Longint
6551: Function GetSpecialFolderPath( const FolderName : string; CanCreate : Boolean ) : string
6552: Procedure JAddToRecentDocs( const Filename : string )
6553: Procedure ClearRecentDocs
6554: Function ExtractIconFromFile( FileName : string; Index : Integer ) : HICON
6555: Function CreateShellLink( const AppName, Desc : string; Dest : string ) : string
6556: Procedure GetShellLinkInfo( const LinkFile : WideString; var SLI : TShellLinkInfo )
6557: Procedure SetShellLinkInfo( const LinkFile : WideString; const SLI : TShellLinkInfo )
6558: Function RecycleFile( FileToRecycle : string ) : Boolean
6559: Function JCopyFile( FromFile, ToDir : string ) : Boolean
6560: Function ShellObjectTypeEnumToConst( ShellObjectType : TShellObjectType ) : UINT
6561: Function ShellObjectTypeConstToEnum( ShellObjectType : UINT ) : TShellObjectType
6562: Function QueryServiceConfig2A( hService : SC_HANDLE; dwInfoLevel : DWORD; lpBuffer : LPBYTE; cbBufSize : DWORD; var pcbBytesNeeded : DWORD ) : BOOL
6563: Function QueryServiceConfig2W( hService : SC_HANDLE; dwInfoLevel : DWORD; lpBuffer : LPBYTE; cbBufSize : DWORD; var pcbBytesNeeded : DWORD ) : BOOL
6564: Function QueryServiceConfig2( hService : SC_HANDLE; dwInfoLevel : DWORD; lpBuffer : LPBYTE; cbBufSize : DWORD; var pcbBytesNeeded : DWORD ) : BOOL
6565: Function EnumServicesStatusExA(hSCManager: SC_HANDLE; InfoLevel: SC_ENUM_TYPE; dwServiceType: DWORD; dwServiceState: DWORD; lpServices:LPBYTE;cbBufSize:DWORD;var pcbBytesNeeded,lpServicesReturned,lpResumeHandle:DWORD;pszGroupName: LP
6566: Function EnumServicesStatusExW( hSCManager : SC_HANDLE; InfoLevel : SC_ENUM_TYPE; dwServiceType : DWORD; dwServiceState : DWORD; lpServices:LPBYTE; cbBufSize:DWORD; var pcbBytesNeeded,lpServicesReturned,lpResumeHandle:DWORD; pszGroupName
6567: Function EnumServicesStatusEx( hSCManager : SC_HANDLE; InfoLevel : SC_ENUM_TYPE; dwServiceType : DWORD; dwServiceState : DWORD; lpServices : LPBYTE; cbBufSize:DWORD; var pcbBytesNeeded,lpServicesReturned,lpResumeHandle:DWORD; pszGroupName
6568: Function ConvertSidToStringSid( sid : PSID; var stringSid : LPWSTR ) : BOOL
6569:
6570: ***** unit uPSI_JclPeImage;
6571:
6572: Function IsValidPeFile( const FileName : TFileName ) : Boolean
6573: // Function PeGetNtHeaders( const FileName : TFileName; var NtHeaders : TImageNtHeaders ) : Boolean
6574: Function PeCreateNameHintTable( const FileName : TFileName ) : Boolean
6575: Function PeRebaseImage(const ImageName: TFileName; NewBase : DWORD; TimeStamp : DWORD; MaxNewSize : DWORD) : TJclRebaseImageInfo
6576: Function PeVerifyCheckSum( const FileName : TFileName ) : Boolean
6577: Function PeClearCheckSum( const FileName : TFileName ) : Boolean
6578: Function PeUpdateCheckSum( const FileName : TFileName ) : Boolean
6579: Function PeDoesExportFunction(const FileName:TFileName;const FuncName:string;Options:TJclSmartCompOptions):Bool;
6580: Function PeIsExportFunctionForwardedEx( const FileName : TFileName; const FunctionName : string; var ForwardedName : string; Options : TJclSmartCompOptions ) : Boolean
6581: Function PeIsExportFunctionForwarded(const FileName:TFileName;const FunctionName:string;Options:TJclSmartCompOptions):Bool
6582: Function PeDoesImportFunction( const FileName : TFileName; const FunctionName : string; const LibraryName : string; Options : TJclSmartCompOptions ) : Boolean
6583: Function PeDoesImportLibrary(const FileName:TFileName;const LibraryName:string;Recursive:Boolean):Boolean;
6584: Function PeImportedLibraries( const FileName : TFileName; const LibrariesList : TStrings; Recursive : Boolean; FullPathName : Boolean ) : Boolean
6585: Function PeImportedFunctions(const FileName:TFileName;const FunctionsList:TStrings;const LibraryName:string;IncludeLibNames : Boolean): Boolean
6586: Function PeExportedFunctions( const FileName : TFileName; const FunctionsList : TStrings ) : Boolean
6587: Function PeExportedNames( const FileName : TFileName; const FunctionsList : TStrings ) : Boolean

```

```

6588: Function PeExportedVariables( const FileName : TFileName; const FunctionsList : TStrings ) : Boolean
6589: Function PeResourceKindNames(const FileN:TFileName;ResourceType:TJclPeResourceKind;const
NamesList:TStrings):Bool
6590: Function PeBorFormNames( const FileName : TFileName; const NamesList : TStrings ) : Boolean
6591: Function PeBorDependedPackages(const FileName:TFileName;PackagesList:TStrings;FullPathName,
Descript:Bool):Bool;
6592: Function PeFindMissingImports( const FileName : TFileName; MissingImportsList : TStrings ) : Boolean;
6593: Function PeFindMissingImports1( RequiredImportsList, MissingImportsList : TStrings ) : Boolean;
6594: Function PeCreateRequiredImportList(const FileName : TFileName; RequiredImportsList: TStrings): Boolean;
6595: //Function PeMapImgNtHeaders( const BaseAddress : Pointer ) : PImageNtHeaders
6596: //Function PeMapImgLibraryName( const BaseAddress : Pointer ) : string
6597: //Function PeMapImgSections( const NtHeaders : PImageNtHeaders ) : PImageSectionHeader
6598: //Function PeMapImgFindSection( const NtHeaders : PImageNtHeaders; const SectionName : string ) :
PImageSectionHeader
6599: //Function PeMapImgExportedVariables(const Module: HMODULE; const VariablesList:TStrings):Boolean
6600: //Function PeMapImgResolvePackageThunk( Address : Pointer ) : Pointer
6601: Function PeMapFindResource(const Module:HMODULE;const ResourceType:PChar;const ResourceName:string):
__Pointer;
6602: SIRegister_TJclPeSectionStream(CL);
6603: SIRegister_TJclPeMapImgHookItem(CL);
6604: SIRegister_TJclPeMapImgHooks(CL);
6605: //Function PeDbgImgNtHeaders(ProcessHandle:THandle;BaseAddress:Pointer,var
NtHeaders:TImageNtHeaders):Boolean
6606: //Function PeDdbgImgLibraryName(ProcessHandle:THandle; BaseAddress:Pointer; var Name:string):Boolean
6607: Type TJclBorUmSymbolKind', '(skData,skFunction,skConstructor,skDestructor,skRTTI,skVTable)
6608: TJclBorUmSymbolModifier', '( smQualified, smLinkProc )
6609: TJclBorUmSymbolModifiers', 'set of TJclBorUmSymbolModifier
6610: TJclBorUmDescription', 'record Kind : TJclBorUmSymbolKind; Modifiers : TJclBorUmSymbolModifiers; end
6611: TJclBorUmResult', '( urOk, urNotMangled, urMicrosoft, urError )
6612: TJclPeUmResult', '( umNotMangled, umBorland, umMicrosoft )
6613: Function PeBorUnmangleName( const Name : string; var Ummangled : string; var Description :
TJclBorUmDescription; var BasePos : Integer ) : TJclBorUmResult;
6614: Function PeBorUnmangleName1(const Name:string;var Unmangled:string;var
Description:TJclBorUmDescription):TJclBorUmResult;
6615: Function PeBorUnmangleName2( const Name : string; var Unmangled : string ) : TJclBorUmResult;
6616: Function PeBorUnmangleName3( const Name : string ) : string;
6617: Function PeIsNameMangled( const Name : string ) : TJclPeUmResult
6618: Function PeUnmangleName( const Name : string; var Unmangled : string ) : TJclPeUmResult
6619:
6620:
6621: //***** SysTools uPSI_StSystem; ****
6622: Function StCopyFile( const SrcPath, DestPath : AnsiString ) : Cardinal
6623: Function CreateTempFile( const aFolder : AnsiString; const aPrefix : AnsiString ) : AnsiString
6624: Function DeleteVolumeLabel( Drive : Char ) : Cardinal
6625: //Procedure EnumerateDirectories(const
StartDir:AnsiStr;FL:TStrings;SubDirs:Bool;IncludeItem:TIncludeItemFunc);
6626: //Procedure EnumerateFiles(const StartDir:AnsiString;FL:TStrings;SubDirs:Bool
IncludeItem:TIncludeItemFunc);
6627: Function FileHandlesLeft( MaxHandles : Cardinal ) : Cardinal
6628: Function FileMatchesMask( const FileName, FileMask : AnsiString ) : Boolean
6629: Function FileTimeToStDateTime( FileTime : LongInt ) : TStDateTimeRec
6630: Function FindNthSlash( const Path : AnsiString; n : Integer ) : Integer
6631: Function FlushOsBuffers( Handle : Integer ) : Boolean
6632: Function GetCurrentUser : AnsiString
6633: Function GetDiskClass( Drive : Char ) : DiskClass
6634: Function GetDiskInfo(Drive:Char;var ClustersAvail,TotalClusters,BytesPerSector,
SectorsPerCluster:Cardinal):Bool;
6635: Function GetDiskSpace(Drive:Char;var UserSpaceAvail:Double;var TotalSpaceAvail:Double;var
DiskSize:Double):Bool;
6636: Function GetDiskSpace(Drive:Char;var UserSpaceAvail:Comp;var TotalSpaceAvail:Comp;var
DiskSize:Comp):Boolean;
6637: { index 0 - FreeBytesAvailable, 1 - TotalNumberOfBytes, 2 - TotalNumberOfFreeBytes }
6638: Function GetDiskSpace2(const path: String; index: integer): int64;
6639: Function GetFileCreateDate( const FileName : AnsiString ) : TDateTime
6640: Function StGetFileLastAccess( const FileName : AnsiString ) : TDateTime
6641: Function GetFileLastModify( const FileName : AnsiString ) : TDateTime
6642: Function GetHomeFolder( aForceSlash : Boolean ) : AnsiString
6643: Function GetLongPath( const APath : AnsiString ) : AnsiString
6644: Function GetMachineName : AnsiString
6645: Function GetMediaID( Drive : Char; var MediaIDRec : MediaIDType ) : Cardinal
6646: Function GetParentFolder( const APath : AnsiString; aForceSlash : Boolean ) : AnsiString
6647: Function GetShortPath( const APath : AnsiString ) : AnsiString
6648: Function GetSystemFolder( aForceSlash : Boolean ) : AnsiString
6649: Function GetTempFolder( aForceSlash : boolean ) : AnsiString
6650: Function StGetWindowsFolder( aForceSlash : boolean ) : AnsiString
6651: Function GetWorkingFolder( aForceSlash : boolean ) : AnsiString
6652: Function GlobalDateTimeToLocal( const UTC : TStDateTimeRec; MinOffset : Integer ) : TStDateTimeRec
6653: Function StIsDirectory( const DirName : AnsiString ) : Boolean
6654: Function IsDirectoryEmpty( const S : AnsiString ) : Integer
6655: Function IsDriveReady( Drive : Char ) : Boolean
6656: Function IsFile( const FileName : AnsiString ) : Boolean
6657: Function IsFileArchive( const S : AnsiString ) : Integer
6658: Function IsFileHidden( const S : AnsiString ) : Integer
6659: Function IsFileReadOnly( const S : AnsiString ) : Integer
6660: Function IsFileSystem( const S : AnsiString ) : Integer
6661: Function LocalDateTimeToGlobal( const DTL : TStDateTimeRec; MinOffset : Integer ) : TStDateTimeRec
6662: Function ReadVolumeLabel( var VolName : AnsiString; Drive : Char ) : Cardinal
6663: Function SameFile( const FilePath1, FilePath2 : AnsiString; var ErrorCode : Integer ) : Boolean
6664: Function SetMediaID( Drive : Char; var MediaIDRec : MediaIDType ) : Cardinal

```

```

6665: Procedure SplitPath( const APath : AnsiString; Parts : TStrings )
6666: Function StDateTimeToFileTime( const FileTime : TStDateTimeRec ) : LongInt
6667: Function StDateTimeToUnixTime( const DTL : TStDateTimeRec ) : Longint
6668: Function UnixTimeToStDateTime( UnixTime : Longint ) : TStDateTimeRec
6669: Function ValidDrive( Drive : Char ) : Boolean
6670: Function WriteVolumeLabel( const VolName : AnsiString; Drive : Char ) : Cardinal
6671:
6672: //*****unit uPST_Jc1LANMan;*****
6673: Function CreateAccount( const Server, Username, Fullname, Password, Description, Homedir, Script : string;
  const PasswordNeverExpires : Boolean ) : Boolean
6674: Function CreateLocalAccount( const Username, Fullname, Password, Description, Homedir, Script : string;
  const PasswordNeverExpires : Boolean ) : Boolean
6675: Function DeleteAccount( const Servername, Username : string ) : Boolean
6676: Function DeleteLocalAccount( Username : string ) : Boolean
6677: Function CreateLocalGroup( const Server, Groupname, Description : string ) : Boolean
6678: Function CreateGlobalGroup( const Server, Groupname, Description : string ) : Boolean
6679: Function DeleteLocalGroup( const Server, Groupname : string ) : Boolean
6680: Function GetLocalGroups( const Server : string; const Groups : TStrings ) : Boolean
6681: Function GetGlobalGroups( const Server : string; const Groups : TStrings ) : Boolean
6682: Function LocalGroupExists( const Group : string ) : Boolean
6683: Function GlobalGroupExists( const Server, Group : string ) : Boolean
6684: Function AddAccountToLocalGroup( const Accountname, Groupname : string ) : Boolean
6685: Function LookupGroupName( const Server : string; const RID : TNetWellKnownRID ) : string
6686: Procedure ParseAccountName( const QualifiedName : string; var Domain, UserName : string )
6687: Function IsLocalAccount( const AccountName : string ) : Boolean
6688: Function TimeStampInterval( StartStamp, EndStamp : TDateTime ) : integer
6689: Function GetRandomString( NumChar : cardinal ) : string
6690:
6691: //*****unit uPST_cUtils;*****
6692: TypeS('TUnitType', '( utSrc, utHead, utRes, utPrj, utOther )'
6693: Function cIsWinNT : boolean
6694: Procedure cFilesFromWildcard(Directory,Mask: string;var Files:TStringList;Subdirs,ShowDirs,
  Multitasking:Boolean;
6695: Function cExecuteFile( const FileName, Params, DefaultDir : string; ShowCmd : Integer ) : THandle
6696: Function cRunAndGetOutput( Cmd,WorkDir:string; ErrFunc:TErrFunc; LineOutputFunc:TLineOutputFunc;
  CheckAbortFunc : TCheckAbortFunc; ShowReturnValue : Boolean ) : string
6697: Function cGetShortName( FileName : string ) : string
6698: Procedure cShowError( Msg : String )
6699: Function cCommaStrToStr( s : string; formatstr : string ) : string
6700: Function cIncludeQuoteIfSpaces( s : string ) : string
6701: Function cIncludeQuoteIfNeeded( s : string ) : string
6702: Procedure cLoadFilefromResource( const FileName : string; ms : TMemoryStream )
6703: Function cValidateFile(const FileName:string; const WorkPath:string;const CheckDirs:boolean):string;
6704: Function cBuildFilter( var value : string; const FLTStyle : TFILTERSET ) : boolean;
6705: Function cBuildFilter1( var value : string; const _filters : array of string ) : boolean;
6706: Function cCodeInstoStr( s : string ) : string
6707: Function cStrtoCodeIns( s : string ) : string
6708: Procedure cStrtoAttr( var Attr : TSynHighlighterAttributes; Value : string )
6709: Function cAttrtoStr( const Attr : TSynHighlighterAttributes ) : string
6710: Procedure cStrtoPoint( var pt : TPoint; value : string )
6711: Function cPointtoStr( const pt : TPoint ) : string
6712: Function cListtoStr( const List : TStrings ) : string
6713: Function ListtoStr( const List : TStrings ) : string
6714: Procedure StrtoList( s : string; const List : TStrings; const delimiter : char )
6715: Procedure cStrtoList( s : string; const List : TStrings; const delimiter : char )
6716: Function cGetFileType( const FileName : string ) : TUnitType
6717: Function cGetExTyp( const FileName : string ) : TExUnitType
6718: Procedure cSetPath( Add : string; const UseOriginal : boolean )
6719: Function cExpandFileto( const FileName : string; const basePath : string ) : string
6720: Function cFileSamePath( const FileName : string; const TestPath : string ) : boolean
6721: Procedure cCloneMenu( const FromMenu : TMenuItem; ToMenu : TMenuItem )
6722: Function cGetLastPos( const SubStr : string; const S : string ) : integer
6723: Function cGenMakePath( FileName : String ) : String;
6724: Function cGenMakePath2( FileName : String ) : String
6725: Function cGenMakePath1( FileName : String; EscapeSpaces, EncloseInQuotes : Boolean ) : String;
6726: Function cGetRealPath( BrokenFileName : String; Directory : String ) : String
6727: Function cCalcMod( Count : Integer ) : Integer
6728: Function cGetVersionString( FileName : string ) : string
6729: Function cCheckChangeDir( var Dir : string ) : boolean
6730: Function cGetAssociatedProgram(const Extension:string; var Filename,Description: string):boolean
6731: Function cIsNumeric( s : string ) : boolean
6732: Procedure StrtoAttr( var Attr : TSynHighlighterAttributes; Value : string )
6733: Function AttrtoStr( const Attr : TSynHighlighterAttributes ) : string
6734: Function GetFileType( const FileName : string ) : TUnitType
6735: Function Atoi(const aStr: string): integer
6736: Function Itoa(const aint: integer): string
6737: Function Atof(const aStr: string): double';
6738: Function Atol(const aStr: string): longint';
6739:
6740:
6741: procedure SIRegister_cHTTP_Utils(CL: TPPascalCompiler);
6742: begin
6743:   FindClass( 'TOBJECT' ), 'EHTTP
6744:   FindClass( 'TOBJECT' ), 'EHTTPParser
6745:   //AnsiCharSet', 'set of AnsiChar
6746:   AnsiStringArray', 'array of AnsiString
6747:   THTTPProtocolEnum', '( hpNone, hpCustom, hpHTTP, hpHTTPS )
6748:   THTTPVersionEnum', '( hvNone, hvCustom, hvHTTP10, hvHTTP11 )
6749:   THTTPVersion', 'record Version : THTTPVersionEnum; Protocol : TH'
```

```

6750: +'TPProtocolEnum; CustomProtocol : AnsiString; CustomMajVersion : Integer; '
6751: +'CustomMinVersion : Integer; end
6752: THTTPHeaderNameEnum', '( hntCustom, hntHost, hntContentType, hnt'
6753: +'ContentLength, hntContentTransferEncoding, hntContentLocation, hntContentL'
6754: +'anguage, hntContentEncoding, hntTransferEncoding, hntServer, hntU'
6755: +'serAgent, hntLocation, hntConnection, hntExpires, hntCacheControl, hntSetC'
6756: +'ookie, hntCookie, hntAuthorization, hntVia, hntWarning, hntContentRange, h'
6757: +'ntXForwardedFor, hntPragma, hntXPoweredBy, hntWWWAuthenticate, hntLastModi'
6758: +'fied, hntETag, hntProxyAuthorization, hntReferer, hntAge, hntAcceptRanges, '
6759: +' hntAcceptEncoding, hntAcceptLanguage, hntAcceptCharset, hntIfModifiedSince'
6760: +'e, hntIfUnmodifiedSince, hntRetryAfter, hntUpgrade, hntStatus, hntProxyCon'
6761: +'nection, hntOrigin, hntKeepAlive )'
6762: THTTPHeaderName', 'record Value : THTTPHeaderNameEnum; Custom: AnsiString; end
6763: THTTPCustomHeader', 'record FieldName : AnsiString;FieldValue :'
6764: +' AnsiString; end
6765: //PHTTPCustomHeader', '^THTTPCustomHeader // will not work
6766: THTTPContentLengthEnum', '( hcNone, hc1tByteCount )'
6767: THTTPContentLength', 'record Value : THTTPContentLengthEnum; ByteCount:Int64; end
6768: //PHTTPContentLength', '^THTTPContentLength // will not work
6769: THTTPContentTypeMajor', '( hctmCustom, hctmText, hctmImage )'
6770: THTTPContentTypeEnum', '( hcNone, hctCustomParts, hctCustomStri'
6771: +'ng, hctTextHtml, hctTextAscii, hctTextCss, hctTextPlain, hctTextXml, hctTe'
6772: +'xtCustom, hctImageJpeg, hctImagePng, hctImageGif, hctImageCustom, hctAppli'
6773: +'cationJSON, hctApplicationOctetStream, hctApplicationJavaScript, hctAppli'
6774: +'ationCustom, hctAudioCustom, hctVideoCustom )'
6775: THTTPContentType', 'record Value : THTTPContentTypeEnum; CustomM'
6776: +'ajor : AnsiString; CustomMinor : AnsiString; Parameters : AnsiStringArray; '
6777: +'CustomStr : AnsiString; end
6778: THTTPDateFieldEnum', '( hdNone, hdCustom, hdParts, hdDateTime )'
6779: THTTPDateField', 'record Value : THTTPDateFieldEnum; DayOfWeek :'
6780: +' Integer; Day : integer; Month : integer; Year : Integer; Hour : integer; '
6781: +'Min : integer; Sec : Integer; TimeZoneGMT : Boolean; CustomTimeZone : Ansi'
6782: +'String; DateTime : TDateTime; Custom : AnsiString; end
6783: THTTPTransferEncodingEnum', '( hteNone, hteCustom, hteChunked )'
6784: THTTPTransferEncoding', 'record Value : THTTPTransferEncodingEnum'
6785: +'m; Custom : AnsiString; end
6786: THTTPConnectionFieldEnum', '( hcfcNone, hcfcCustom, hcfcClose, hcfcKeepAlive )'
6787: THTTPConnectionField', 'record Value : THTTPConnectionFieldEnum; '
6788: +' Custom : AnsiString; end
6789: THTTPAgeFieldEnum', '( hafNone, hafCustom, hafAge )'
6790: THTTPAgeField', 'record Value : THTTPAgeFieldEnum; Age : Int64;Custom:AnsiString; end
6791: THTTPCacheControlFieldEnum', '( hccfNone, hccfDecoded, hccfCustom )'
6792: THTTPCacheControlRequestSubField', '( hccsfNoCache, hccsfNoStore'
6793: +' , hccsfMaxAge, hccsfMaxStale, hccsfMinFresh, hccsfNoTransform, hccsfOnlyIfCached )'
6794: THTTPCacheControlResponseSubField', '( hccrfPublic, hccrfPrivate'
6795: +' , hccrfNoCache, hccrfNoStore, hccrfNoTransform, hccrfMustRevalidate, hccrf'
6796: +'ProxyRevalidate, hccrfMaxAge, hccrfSMaxAge )'
6797: THTTPCacheControlField', 'record Value : THTTPCacheControlFieldEnum; end'
6798: THTTPContentEncodingEnum', '( hceNone, hceCustom, hceIdentity, h'
6799: +'ceCompress, hceDeflate, hceExi, hceGzip, hcePack200Gzip )'
6800: THTTPContentEncoding', 'record Value:THTTPContentEncodingEnum;Custom:AnsiString; end'
6801: THTTPContentEncodingFieldEnum', '( hcelfNone, hcelfList )'
6802: THTTPContentEncodingField', 'record Value : THTTPContentEncoding'
6803: +'FieldEnum; List : array of THTTPContentEncoding; end
6804: THTTPRetryAfterFieldEnum', '( hrarfNone, hrarfCustom, harfDate, harfSeconds )'
6805: THTTPRetryAfterField', 'record Value : THTTPRetryAfterFieldEnum; '
6806: +' Custom : AnsiString; Date : TDateTime; Seconds : Int64; end
6807: THTTPContentRangeFieldEnum', '( hcrlNone, hcrlCustom, hcrlByteRange )'
6808: THTTPContentRangeField', 'record Value : THTTPContentRangeFieldE'
6809: +'num; ByteFirst : Int64; ByteLast : Int64; ByteSize : Int64; Custom : AnsiString; end
6810: THTTPSetCookieFieldEnum', '( hscoNone, hscoDecoded, hscoCustom )'
6811: THTTPSetCookieCustomField', 'record Name : AnsiString; Value : AnsiString; end
6812: THTTPSetCookieCustomFieldArray', 'array of THTTPSetCookieCustomField'
6813: THTTPSetCookieField', 'record Value : THTTPSetCookieFieldEnum; D'
6814: +'omain : AnsiString; Path : AnsiString; Expires : THTTPDateField; MaxAge : '
6815: +'Int64; HttpOnly : Boolean; Secure : Boolean; CustomFields : THTTPSetCookie'
6816: +'CustomFieldArray; Custom : AnsiString; end
6817: //PHTTPSetCookieField', '^THTTPSetCookieField // will not work
6818: THTTPSetCookieFieldArray', 'array of THTTPSetCookieField
6819: THTTPCookieFieldEnum', '( hcoNone, hcoDecoded, hcoCustom )'
6820: THTTPCookieFieldEntry', 'record Name : AnsiString; Value : AnsiString; end
6821: //PHTTPCookieFieldEntry', '^THTTPCookieFieldEntry // will not work
6822: THTTPCookieFieldEntryArray', 'array of THTTPCookieFieldEntry
6823: THTTPCookieField', 'record Value : THTTPCookieFieldEnum; Entries'
6824: +' : THTTPCookieFieldEntryArray; Custom : AnsiString; end
6825: THTTPCommonHeaders', 'record TransferEncoding : THTTPTransferEnc'
6826: +'oding; ContentType : THTTPContentType; ContentLength : THTTPContentLength; '
6827: +' Connection : THTTPConnectionField; ProxyConnection : THTTPConnectionField'
6828: +' ; Date : THTTPDateField; ContentEncoding : THTTPContentEncodingField; end
6829: THTTPCustomHeaders', 'array of THTTPCustomHeader
6830: //THTTPFixedHeaders', 'array[THTTPHeaderNameEnum] of AnsiString
6831: THTTPFixedHeaders', 'array[0..42] of AnsiString
6832: THTTPMethodEnum', '( hmNone, hmCustom, hmGET, hmPUT, hmPOST, hmC'
6833: +'ONNECT, hmHEAD, hmDELETE, hmOPTIONS, hmTRACE )'
6834: THTTPMethod', 'record Value : THTTPMethodEnum; Custom : AnsiString; end
6835: THTTPRequestStartLine', 'record Method: THTTPMethod;URI: AnsiString;Version:THTTPVersion; end
6836: THTTPRequestHeader', 'record CommonHeaders : THTTPCommonHeaders; '
6837: +' FixedHeaders : THTTPFixedHeaders; CustomHeaders : THTTPCustomHeaders; Coo'
6838: +'kie : THTTPCookieField; IfModifiedSince:THTTPDateField;IfUnmodifiedSince:THTTPDateField;end

```

```

6839: //^THTTTPRequestHeader', '^THTTTPRequestHeader // will not work
6840: THTTTPRequest', 'record StartLine : THTTTPRequestStartLine; Header'
6841: +' : THTTTPRequestHeader; HeaderComplete : Boolean; HasContent : Boolean; end
6842: THTTTPResponseStartLineMessage', '( hslmNone, hslmCustom, hslmOK)
6843: THTTTPResponseStartLine', 'record Version : THTTTPVersion; Code : '
6844: +'Integer; Msg : THTTTPResponseStartLineMessage; CustomMsg : AnsiString; end
6845: THTTTPResponseHeader', 'record CommonHeaders : THTTTPCommonHeaders'
6846: +' ; FixedHeaders : THTTTPFixedHeaders; CustomHeaders : THTTPCustomHeaders; Co'
6847: +'okies : THTTPSSetCookieFieldArray; Expires : THTTTPDateField; LastModified : '
6848: +' THTTTPDateField; Age : THTTPAgeField; end
6849: //^THTTTPResponseHeader', '^THTTTPResponseHeader // will not work
6850: THTTTPResponse', 'record StartLine : THTTTPResponseStartLine; Head'
6851: +'er : THTTTPResponseHeader; HeaderComplete : Boolean; HasContent : Boolean; end
6852: Function HTTPMessageHasContent( const H : THTTTPCommonHeaders ) : Boolean
6853: Procedure InitTHTTTPRequest( var A : THTTTPRequest )
6854: Procedure InitTHTTTPResponse( var A : THTTTPResponse )
6855: Procedure ClearTHTTTPVersion( var A : THTTTPVersion )
6856: Procedure ClearTHTTTPContentLength( var A : THTTTPContentLength )
6857: Procedure ClearTHTTTPContentType( var A : THTTTPContentType )
6858: Procedure ClearTHTTTPDateField( var A : THTTTPDateField )
6859: Procedure ClearTHTTTPTransferEncoding( var A : THTTTPTransferEncoding )
6860: Procedure ClearTHTTTPConnectionField( var A : THTTTPConnectionField )
6861: Procedure ClearTHTTTPAgeField( var A : THTTPAgeField )
6862: Procedure ClearTHTTTPContentEncoding( var A : THTTTPContentEncoding )
6863: Procedure ClearTHTTTPContentEncodingField( var A : THTTTPContentEncodingField )
6864: Procedure ClearTHTTTPContentRangeField( var A : THTTTPContentRangeField )
6865: Procedure ClearTHTTPSSetCookieField( var A : THTTPSSetCookieField )
6866: Procedure ClearTHTTTPCommonHeaders( var A : THTTTPCommonHeaders )
6867: //Procedure ClearTHTTTPFixedHeaders( var A : THTTTPFixedHeaders )
6868: Procedure ClearTHTTTPCustomHeaders( var A : THTTPCustomHeaders )
6869: Procedure ClearTHTTPCookieField( var A : THTTPCookieField )
6870: Procedure ClearTHTTTPMethod( var A : THTTTPMethod )
6871: Procedure ClearTHTTTPRequestStartLine( var A : THTTTPRequestStartLine )
6872: Procedure ClearTHTTTPRequestHeader( var A : THTTTPRequestHeader )
6873: Procedure ClearTHTTTPRequest( var A : THTTTPRequest )
6874: Procedure ClearTHTTTPResponseStartLine( var A : THTTTPResponseStartLine )
6875: Procedure ClearTHTTTPResponseHeader( var A : THTTTPResponseHeader )
6876: Procedure ClearTHTTTPResponse( var A : THTTTPResponse )
6877: THTTTPStringOption', '( hsoNone )
6878: THTTTPStringOptions', 'set of THTTTPStringOption
6879: FindClass('TOBJECT'), 'TAnsiStringBuilder
6880:
6881: Procedure BuildStrTHTTTPVersion(const A:THTTTPVersion;const B:TAnsiStringBuilder; P:THTTTPStringOptions;
6882: Procedure BuildStrTHTTTPContentLengthValue( const
6883: A:THTTTPContentLength;B:TAnsiStringBuilder;P:THTTTPStringOptions )
6884: Procedure BuildStrTHTTTPContentLength( const A : THTTTPContentLength;
6885: B:TAnsiStringBuilder;P:THTTTPStringOptions )
6886: Procedure BuildStrTHTTTPContentTypeValue( const A : THTTTPContentType;B:TAnsiStringBuilder;const
6887: P:THTTTPStringOptions )
6888: Procedure BuildStrTHTTTPContentType( const A : THTTTPContType;const B:TAnsiStringBuilder; const
6889: P:THTTTPStringOptions )
6890: Procedure BuildStrTHTTTPDateDateTime( const DOW, Da, Mo, Ye, Ho, Mi, Se : Integer; const TZ : AnsiString; const
6891: B : TAnsiStringBuilder; const P : THTTTPStringOptions )
6892: Procedure BuildStrTHTTTPDateFieldValue( const A : THTTTPDateField; const B : TAnsiStringBuilder; const P :
6893: THTTTPStringOptions )
6894: Procedure BuildStrTHTTTPDateField( const A : THTTTPDateField;const B:TAnsiStringBuilder;const
6895: P:THTTTPStringOptions );
6896: Procedure BuildStrTHTTTPTransferEncodingValue( const A : THTTTPTransferEncoding; const B :
6897: TAnsiStringBuilder; const P : THTTTPStringOptions )
6898: Procedure BuildStrTHTTTPTransferEncoding( const A : THTTTPTransferEncoding; const B : TAnsiStringBuilder;
6899: const P : THTTTPStringOptions )
6900: Procedure BuildStrTHTTTPContentEncoding( const A : THTTTPContentEncoding; const B : TAnsiStringBuilder;
6901: const P : THTTTPStringOptions )
6902: Procedure BuildStrTHTTTPContentEncodingField( const A:THTTTPContentEncodingField;const
6903: B:TAnsiStringBuilder;const P:THTTTPStringOptions )
6904: Procedure BuildStrTHTTTPProxyConnectionField( const A : THTTTPConnectionField; const B : TAnsiStringBuilder;
6905: const P : THTTTPStringOptions )
6906: Procedure BuildStrTHTTTPCommonHeaders( const A : THTTTPCommonHeaders; const B : TAnsiStringBuilder; const P
6907: : THTTTPStringOptions )
6908: Procedure BuildStrTHTTTPFixedHeaders( const A:THTTTPFixedHeaders;const B:TAnsiStrBuilder,const
6909: P:THTTTPStringOptions )
6910: Procedure BuildStrTHTTTPCustomHeaders( const A : THTTPCustomHeaders; const B : TAnsiStringBuilder; const P
6911: : THTTTPStringOptions )
6912: Procedure BuildStrTHTTPSSetCookieFieldValue( const A : THTTPSSetCookieField; const B : TAnsiStringBuilder;
6913: const P : THTTTPStringOptions )
6914: Procedure BuildStrTHTTPCookieFieldValue( const A : THTTPCookieField; const B : TAnsiStringBuilder; const P
6915: : THTTTPStringOptions )
6916: Procedure BuildStrTHTTTPMethod( const A : THTTTPMethod; const B : TAnsiStringBuilder; const P :
6917: THTTTPStringOptions )

```

```

6905: Procedure BuildStrHTTPRequestStartLine( const A : THTTPRequestStartLine; const B : TAnsiStringBuilder;
6906: const P : THTTPStringOptions)
6907: Procedure BuildStrHTTPRequestHeader(const A:THTTPRequestHeader;const B:TAnsiStringBuilder;const
6908: P:THTTPStringOptions);
6909: Procedure BuildStrHTTPResponseCookieFieldArray( const A : THTTPSetCookieFieldArray; const B :
6910: TAnsiStringBuilder; const P : THTTPStringOptions)
6911: Procedure BuildStrHTTPResponseStartLine(const A:THTTPResponseStartLine;const B:TAnsiStrBldr;const P
6912: THTTPStrOptions);
6913: Procedure BuildStrHTTPResponseHeader(const A:THTTPRespHeader;const B:TAnsiStrBuilder;const
6914: P:THTTPStringOptions);
6915: Procedure BuildStrHTTPResponse(const A:THTTPResponse; const B:TAnsiStringBuilder; const
6916: P:THTTPStringOptions);
6917: Function HTTPContentTypeToStr( const A : THTTPContentType ) : AnsiString
6918: Function HTTPSetCookieFieldValueToStr( const A : THTTPSetCookieField ) : AnsiString
6919: Function HTTPCookieFieldValueToStr( const A : THTTPCookieField ) : AnsiString
6920: Function HTTPMethodToStr( const A : THTTPMethod ) : AnsiString
6921: Function HTTPRequestToStr( const A : THTTPRequest ) : AnsiString
6922: Function HTTPResponseToStr( const A : THTTPResponse ) : AnsiString
6923: Procedure PrepareCookie(var A:THTTPCookieField;const B:THTTPSetCookieFieldArray;const
6924: Domain:AnsiString;const Secure:Boolean; THTTPParserHeaderParseFunc', 'Function ( const HeaderName : THTT
6925: +PHeaderNameEnum; const HeaderPtr : __Pointer ) : Boolean
6926: SIRegister_THTTPParser(CL);
6927: FindClass ('TOBJECT'), 'THTTPContentDecoder
6928: THTTPContentDecoderProc', 'Procedure ( const Sender : THTTPContentDecoder )
6929: THTTPContentDecoderContentType', '( crctFixedSize, crctChunked, crctUnsized )
6930: THTTPContentDecoderChunkState', '( crcsChunkHeader, crcsContent,
6931: +' crcsContentCRLF, crcsTrailer, crcsFinished )
6932: THTTPContentDecoderLogEvent', 'Procedure ( const Sender : THTTPContentDecoder; const LogMsg : String )
6933: SIRegister_THTTPContentDecoder(CL);
6934: THTTPContentReaderMechanism', '( hcrmEvent, hcrmString, hcrmStream, hcrmFile )
6935: FindClass ('TOBJECT'), 'THTTPContentReader
6936: THTTPContentReaderProc', 'Procedure ( const Sender : THTTPContentReader )
6937: THTTPContentReaderLogEvent', 'Procedure ( const Sender : THTTPContentReader; const LogMsg : String; const
6938: LogLevel : Int );
6939: SIRegister_THTTPContentReader(CL);
6940: THTTPContentWriterMechanism', '( hctmEvent, hctmString, hctmStream, hctmFile )
6941: FindClass ('TOBJECT'), 'THTTPContentWriter
6942: THTTPContentWriterLogEvent', 'Procedure ( const Sender : THTTPContentWriter; const LogMsg : AnsiString );
6943: SIRegister_THTTPContentWriter(CL);
6944: Procedure SelfTestcHTTPUtils
6945: begin
6946: 'TLSLibraryVersion', 'String '1.00
6947: 'TLSerror_None', 'LongInt'( 0 );
6948: 'TLSerror_InvalidBuffer', 'LongInt'( 1 );
6949: 'TLSerror_InvalidParameter', 'LongInt'( 2 );
6950: 'TLSerror_InvalidCertificate', 'LongInt'( 3 );
6951: 'TLSerror_InvalidState', 'LongInt'( 4 );
6952: 'TLSerror_DecodeError', 'LongInt'( 5 );
6953: 'TLSerror_BadProtocol', 'LongInt'( 6 );
6954: Function TLSErrorMessage( const TLSError : Integer ) : String
6955: SIRegister_ETLSError(CL);
6956: TTLSProtocolVersion', 'record major : Byte; minor : Byte; end
6957: PTLSProtocolVersion', '^TTLSProtocolVersion // will not work
6958: Procedure InitSSLProtocolVersion30( var A : TTLSProtocolVersion )
6959: Procedure InitTLSProtocolVersion10( var A : TTLSProtocolVersion )
6960: Procedure InitTLSProtocolVersion11( var A : TTLSProtocolVersion )
6961: Procedure InitTLSProtocolVersion12( var A : TTLSProtocolVersion )
6962: Function IsTLSProtocolVersion( const A, B : TTLSProtocolVersion ) : Boolean
6963: Function IsSSL2( const A : TTLSProtocolVersion ) : Boolean
6964: Function IsSSL3( const A : TTLSProtocolVersion ) : Boolean
6965: Function IsTLS10( const A : TTLSProtocolVersion ) : Boolean
6966: Function IsTLS11( const A : TTLSProtocolVersion ) : Boolean
6967: Function IsTLS12( const A : TTLSProtocolVersion ) : Boolean
6968: Function IsTLS1OrLater( const A : TTLSProtocolVersion ) : Boolean
6969: Function IsTLS1OrLater( const A : TTLSProtocolVersion ) : Boolean
6970: Function IsTLS12OrLater( const A : TTLSProtocolVersion ) : Boolean
6971: Function IsFutureTLSVersion( const A : TTLSProtocolVersion ) : Boolean
6972: Function IsKnownTLSVersion( const A : TTLSProtocolVersion ) : Boolean
6973: Function TLSProtocolVersionToStr( const A : TTLSProtocolVersion ) : String
6974: Function TLSProtocolVersionName( const A : TTLSProtocolVersion ) : String
6975: 'TLSSessionIDMaxLen', 'LongInt'( 32 );
6976: Procedure InitTLSSessionID( var SessionID : TLSSessionID; const A : AnsiString )
6977: Function EncodeTLSSessionID(var Buffer:string;const Size:Int;const SessionID:TLSSessionID):Int;
6978: Function DecodeTLSSessionID(const Buffer:string;const Size:Int;var SessionID:TLSSessionID):Int;
6979: TTLSignatureAndHashAlgorithm', 'record Hash : TTLSSignatureAlgorithm';
6980: +' ; Signature : TTLSSignatureAlgorithm; end
6981: // TTLSignatureAndHashAlgorithm', '^TTLSSignatureAndHashAlgorithm +'// will not work
6982: TTLSignatureAndHashAlgorithmArray', 'array of TTLSSignatureAndHashAlgorithm
6983: TTLSKeyExchangeAlgorithm', '( tlskeaNone, tlskeaNULL, tlskeaDHE_
6984: +' DSS, tlskeadHE_RSA, tlskeaDH_Anon, tlskeaRSA, tlskeaDH_DSS, tlskeaDH_RSA )

```

```

6985: TTLSMACAlgorithm', '( tlsmaNone, tlsmaNULL, tlsmaHMAC_MD5, tlsma'
6986: +'HMAC_SHA1, tlsmaHMAC_SHA256, tlsmaHMAC_SHA384, tlsmaHMAC_SHA512 )'
6987: TTLSMacAlgorithmInfo', 'record Name : AnsiString; DigestSize : Integer;
6988: +'integer; Supported : Boolean; end'
6989: PTLSMacAlgorithmInfo', '^TTLSSMacAlgorithmInfo // will not work
6990: 'TLS_MAC_MAXDIGESTSIZE', 'LongInt'( 64 );
6991: TTLSPRFAlgorithm', '( tlspaSHA256 )
6992: Function tlsp_MD5( const Secret, Seed : AnsiString; const Size : Integer ) : AnsiString
6993: Function tlsp_SHA1( const Secret, Seed : AnsiString; const Size : Integer ) : AnsiString
6994: Function tlsp_SHA256( const Secret, Seed : AnsiString; const Size : Integer ) : AnsiString
6995: Function tlsp_SHA512( const Secret, Seed : AnsiString; const Size : Integer ) : AnsiString
6996: Function tlsp1OPRF( const Secret, ALabel, Seed : AnsiString; const Size : Integer ) : AnsiString
6997: Function tlsp12PRF_SHA256( const Secret, ALLabel, Seed : AnsiString; const Size : Integer ) : AnsiString
6998: Function tlsp12PRF_SHA512( const Secret, ALLabel, Seed : AnsiString; const Size : Integer ) : AnsiString
6999: Function TLSPRF( const ProtoVersion:TTLSSProtocolVersion;const Secret,ALabel,Seed:AString;const
Size:Int):AString;
7000: Function tlsp10KeyBlock(const MasterSecret, ServerRandom,ClientRandom:AnsiString; const
Size:Integer):AnsiString
7001: Function tlsp12SHA256KeyBlock(const MasterSecret,ServerRandom,ClientRandom: AnsiString;const
Size:Int):AnsiString;
7002: Function tlsp12SHA512KeyBlock(const MasterSecret,ServerRandom,ClientRandom: AnsiString;const
Size:Int):AnsiString;
7003: Function TLSKeyBlock(const ProtocolVersion:TTLSSProtocolVersion; const MasterSecret, ServerRandom,
ClientRandom : AnsiString; const Size : Integer ) : AnsiString
7004: Function tlsp10MasterSecret(const PreMasterSecret,ClientRandom, ServerRandom:AnsiString) : AnsiString;
7005: Function tlsp12SHA256MasterSecret(const PreMasterSecret,ClientRandom,ServerRandom:AnsiString):AnsiString;
7006: Function tlsp12SHA512MasterSecret(const PreMasterSecret,ClientRandom,ServerRandom:AnsiString): AnsiString;
7007: Function TLSMasterSecret( const ProtocolVersion: TTLSSProtocolVersion;const PreMasterSecret,ClientRandom,
ServerRandom:AnsiString ) : AnsiString
7008: 'TTLSKeys', 'record KeyBlock : AnsiString; ClientMACKey : AnsiStr
7009: +'ing; ServerMACKey : AnsiString; ClientEncKey : AnsiString; ServerEncKey : '
7010: +'AnsiString; ClientIV : AnsiString; ServerIV : AnsiString; end
7011: Procedure GenerateTLSKeys( const ProtocolVersion : TTLSSProtocolVersion; const MACKeyBits, CipherKeyBits,
IVBits : Integer; const MasterSecret, ServerRandom, ClientRandom : AnsiString; var TLSKeys : TTLSKeys )
7012: Procedure GenerateFinalTLSKeys(const ProtocolVersion:TTLSSProtocolVersion;const IsExportable:Boolean;const
ExpandedKeyBits:Integer;const ServerRandom,ClientRandom:AnsiString;var TLSKeys:TTLSKeys)
7013: 'TLS_PLAINTEXT_FRAGMENT_MAXSIZE', 'LongInt'( 16384 - 1 );
7014: 'TLS_COMPRESSED_FRAGMENT_MAXSIZE', 'LongInt'( 16384 + 1024 );
7015: Procedure SelfTestcTLSUtils
7016: end;
7017:
7018: (*-----*)
7019: procedure SIRegister_Reversi(CL: TPSPPascalCompiler);
7020: begin
7021:   sPosData', 'record corner : boolean; square2x2 : boolean; edge:boolean; stable : integer; internal :
integer; disks : integer; mx : integer; my : integer; end
7022: // pBoard', '^pBoard // will not work
7023: Function rCalculateData( cc : byte; cx, cy : integer ) : sPosData
7024: Function rCheckMove( color : byte; cx, cy : integer ) : integer
7025: //Function rDoStep( data : pBoard ) : word
7026: Function winExecAndWait( const sAppPath : string; wVisible : word ) : boolean
7027: end;
7028:
7029: procedure SIRegister_IWDBCommon(CL: TPSPPascalCompiler);
7030: begin
7031:   Function InEditMode( ADataSet : TDataSet ) : Boolean
7032:   Function CheckDataSource( ADataSource : TDataSource ) : Boolean;
7033:   Function CheckDataSource1(ADataSource:TDataSource;const AFieldName:string;var VField:TField):boolean;
7034:   Function GetFieldText( AField : TField ) : String
7035: end;
7036:
7037: procedure SIRegister_SortGrid(CL: TPSPPascalCompiler);
7038: begin
7039:   TPrintMode', '( pmPrint, pmPreview, pmPageCount )
7040:   TMyPrintRange', '( prAll, prSelected )
7041:   TSortStyle', '( ssAutomatic, ssNormal, ssNumeric, ssNumericExten'
7042:   +'ded, ssDateTime, ssTime, ssCustom )
7043:   TSortDirection', '( sdAscending, sdDescending )
7044:   TSetChecked', 'Procedure ( Sender : TObject; ACol, ARow : integer; State : Boolean)
7045:   TGetCombobox', 'Procedure ( Sender : TObject; ACol, ARow : integer'
7046:   +'er; var Strs : TStringList; var Width, Height : integer; var Sorted : Boolean)
7047:   TSetCombobox', 'Procedure ( Sender : TObject; ACol, ARow : integer; Str : String)
7048:   TSetEllipsis', 'Procedure ( Sender : TObject; ACol, ARow : integer)
7049:   SIRegister_TSortOptions(CL);
7050:   SIRegister_TPrintOptions(CL);
7051:   TSortedListEntry', 'record Str : String; RowNum : integer; SortOption : TSortOptions; end
7052:   SIRegister_TSortedList(CL);
7053:   TCellBevelStyle', '( cbNone, cbRaised, cbLowered )
7054:   TCellBevel', 'record Style: TCellBevelStyle; UpperLeftColor: TColor; LowerRightColor : TColor; end
7055:   TVertAlignment', '( taTopJustify, taBottomJustify, taMiddle )
7056:   TFormatOptions', 'record Brush : TBrush; Font : TFont; Alignment'
7057:   +'Horz : TAlignment; AlignmentVert : TVertAlignment; Bevel : TCellBevel; HideText : Boolean; end
7058:   SIRegister_TFontSetting(CL);
7059:   SIRegister_TFontList(CL);
7060:   AddTypes(TFormatDrawCellEvent)', 'Procedure ( Sender : TObject; Col, Row : '
7061:   +' integer;State:TGridDrawState;var FormatOptions:TFormatOptions;var CheckBox,Combobox,Ellipsis:Bool);
7062:   TSetFilterEvent', 'Procedure ( ARows : TStrings; var Accept : Boolean)
7063:   TSearchEvent', 'Procedure ( ARows : TStrings; var Accept : Boolean)
7064:   TUpdateGridEvent', 'Procedure ( Sender : TObject; ARow : integer)

```

```

7065: TSizeChangedEvent', 'Procedure ( Sender : TObject; OldColCount, OldRowCount : integer)
7066: TBeginSortEvent', 'Procedure ( Sender : TObject; var Col : integer)
7067: TEndSortEvent', 'Procedure ( Sender : TObject; Col : integer)
7068: TGetSortStyleEvent', 'Procedure ( Sender : TObject; Col : integer'
7069: +'r; var SortStyle : TSortStyle)
7070: TCellValidateEvent', 'Procedure ( Sender : TObject; ACol, ARow : '
7071: +' integer; const OldValue : string; var NewValue : String; var Valid : Boolean)
7072: SIRegister_TSGrid(CL);
7073: Function ExtendedCompare( const Str1, Str2 : String) : Integer
7074: Function NormalCompare( const Str1, Str2 : String) : Integer
7075: Function DateTimeCompare( const Str1, Str2 : String) : Integer
7076: Function NumericCompare( const Str1, Str2 : String) : Integer
7077: Function TimeCompare( const Str1, Str2 : String) : Integer
7078: //Function Compare( Item1, Item2 : Pointer) : Integer
7079: end;
7080:
7081: ***** procedure Register_IB(CL: TPPascalCompiler);
7082: Procedure IBAlloc( var P, OldSize, NewSize : Integer)
7083: Procedure IBEError( ErrMess : TIBClientError; const Args : array of const)
7084: Procedure IBD DataBaseError
7085: Function StatusVector : PISC_STATUS
7086: Function StatusVectorArray : PStatusVector
7087: Function CheckStatusVector( ErrorCode : array of ISC_STATUS) : Boolean
7088: Function StatusVectorAsText : string
7089: Procedure SetIB DataBaseErrorMessages( Value : TIB DataBaseErrorMessages)
7090: Function GetIB DataBaseErrorMessages : TIB DataBaseErrorMessages
7091:
7092:
7093: //*****unit uPSI_BoldUtils;*****
7094: Function CharCount( c : char; const s : string) : integer
7095: Function BoldNamesEqual( const name1, name2 : string) : Boolean
7096: Procedure BoldAppendToStrings(strings: TStrings; const aString: string; const ForceNewLine:Boolean)
7097: Function BoldSeparateStringList(strings:TStringList;const Separator,PreString,PostString:String):String
7098: Function BoldSeparatedAppend( const S1, S2 : string; const Separator : string) : string
7099: Function BoldTrim( const S : string) : string
7100: Function BoldIsPrefix( const S, Prefix : string) : Boolean
7101: Function BoldStrEqual( P1, P2 : PChar; Len : integer) : Boolean
7102: Function BoldStrAnsiEqual( P1, P2 : PChar; Len : integer) : Boolean
7103: Function BoldAnsiEqual( const S1, S2 : string) : Boolean
7104: Function BoldStrStringEqual( const S1 : string; P2 : PChar; Len : integer) : Boolean
7105: Function BoldCaseIndependentPos( const Substr, S : string) : Integer
7106: //Procedure EnumToStrings( aTypeInfo : pTypeInfo; Strings : TStrings)
7107: Function CapitalisedToSpaced( Capitalised : String) : String
7108: Function SpacedToCapitalised( Spaced : String) : String
7109: Function BooleanToString( BoolValue : Boolean) : String
7110: Function StringToBoolean( StrValue : String) : Boolean
7111: Function GetUpperLimitForMultiplicity( const Multiplicity : String) : Integer
7112: Function GetLowerLimitForMultiplicity( const Multiplicity : String) : Integer
7113: Function StringListToVarArray( List : TStringList) : variant
7114: Function IsLocalMachine( const Machinename : WideString) : Boolean
7115: Function GetComputerNameStr : string
7116: Function TimeStampComp( const Time1, Time2 : TTimeStamp) : Integer
7117: Function BoldStrToDateFmt( const S:string;const DateFormat:string;const DateSeparatorChar:char):TDateTime
7118: Function BoldDateToStrFmt( const aDate:TDateTime;DateFormat:string;const DateSeparatorChar:char):String;
7119: Function BoldParseFormattedDateList( const value:String;const formats:TStrings;var Date:TDateTime):Boolean;
7120: Function BoldParseFormattedDate(const value:String;const formats:array of string; var
Date:TDateTime):Boolean;
7121: Procedure EnsureTrailing( var Str : String; ch : char)
7122: Function BoldDirectoryExists( const Name : string) : Boolean
7123: Function BoldForceDirectories( Dir : string) : Boolean
7124: Function BoldRootRegistryKey : string
7125: Function GetModuleFileNameAsString( IncludePath : Boolean) : string
7126: Function BoldVariantToStrings( V : OleVariant; Strings : TStrings) : Integer
7127: Function LogicalAnd( A, B : Integer) : Boolean
7128: record TByHandleFileInformation dwFileAttributes : DWORD;
7129: +'ftCreationTime : TFileTime; ftLastAccessTime : TFileTime; ftLastWriteTime '
7130: +' : TFileTime; dwVolumeSerialNumber : DWORD; nFileSizeHigh : DWORD; nFileSize'
7131: +'eLow : DWORD; nNumberOfLinks : DWORD; nfileIndexHigh : DWORD; nfileIndexLow : DWORD; end
7132: Function GetFileInformationByHandle(hFile:THandle;var lpFileInformation:TByHandleFileInformation):BOOL;
7133: Function IsFirstInstance : Boolean
7134: Procedure ActivateFirst( AString : PChar)
7135: Procedure ActivateFirstCommandLine
7136: function MakeAckPkt( const BlockNumber: Word): string;
7137: procedure SendError( UDPBase:TIdUDPBase;APeerIP:string;const APort:Int;const ErrNumber:Word;ErrStr:string;
7138: procedure SendError( UDPClient: TIdUDPClient; const ErrNumber: Word; ErrorString: string); overload;
7139: procedure SendError( UDPBase: TIdUDPBase; APeerIP: string; const APort: Integer; E: Exception); overload;
7140: procedure SendError( UDPClient: TIdUDPClient; E: Exception); overload;
7141: function IdStrToWord(const Value: String): Word;
7142: function IdWordToStr(const Value: Word): WordStr;
7143: Function HasInstructionSet( const InstructionSet : TCPUIInstructionSet) : Boolean
7144: Function CPUFeatures : TCPUIFeatures
7145:
7146: procedure SIRegister_xrtl_util_CPUUtils(CL: TPPascalCompiler);
7147: begin
7148:   AddTypeS('TXRTLBitIndex', 'Integer'
7149: Function XRTLSwapBits( Data : Cardinal; Bit1Index, Bit2Index : TXRTLBitIndex) : Cardinal
7150: Function XRTLBitTest( Data : Cardinal; BitIndex : TXRTLBitIndex) : Boolean
7151: Function XRTLBitSet( Data : Cardinal; BitIndex : TXRTLBitIndex) : Cardinal
7152: Function XRTLBitReset( Data : Cardinal; BitIndex : TXRTLBitIndex) : Cardinal

```

```

7153: Function XRTLBitComplement( Data : Cardinal; BitIndex : TXRTLBitIndex ) : Cardinal
7154: Function XRTLSwapHiLo16( X : Word ) : Word
7155: Function XRTLSwapHiLo32( X : Cardinal ) : Cardinal
7156: Function XRTLSwapHiLo64( X : Int64 ) : Int64
7157: Function XRTLROL32( A, S : Cardinal ) : Cardinal
7158: Function XRTLROL32( A, S : Cardinal ) : Cardinal
7159: Function XRTLROL16( A : Word; S : Cardinal ) : Word
7160: Function XRTLROL16( A : Word; S : Cardinal ) : Word
7161: Function XRTLROL8( A : Byte; S : Cardinal ) : Byte
7162: Function XRTLROL8( A : Byte; S : Cardinal ) : Byte
7163: //Procedure XRTLXorBlock( I1, I2, O1 : PByteArray; Len : integer )
7164: //Procedure XRTLIncBlock( P : PByteArray; Len : integer )
7165: Procedure XRTLUMul64( const A, B : Integer; var MulL, MulH : Integer )
7166: Function XRTLPopulation( A : Cardinal ) : Cardinal
7167: end;
7168:
7169: Function XRTLURLDecode( const ASrc : WideString ) : WideString
7170: Function XRTLURLEncode( const ASrc : WideString ) : WideString
7171: Function XRTLURINormalize( const AURI : WideString ) : WideString
7172: Procedure XRTLURIParse(const AURI:WideString;var VProtocol,VHost,VPath,VDocument,VPort,VBookmark,VUserName,VPassword : WideString)
7173: Function XRTLExtractLongPathName(APath: string): string;
7174:
7175: procedure SIRegister_cFundamentUtils(CL: TPSPascalCompiler);
7176: begin
7177:   Int8', 'ShortInt
7178:   AddTypeS('Int16', 'SmallInt
7179:   Int32', 'LongInt
7180:   UInt8', 'Byte
7181:   UInt16', 'Word
7182:   UInt32', 'LongWord
7183:   UInt64', 'Int64
7184:   Word8', 'UInt8
7185:   Word16', 'UInt16
7186:   Word32', 'UInt32
7187:   Word64', 'UInt64
7188:   LargeInt', 'Int64
7189:   NativeInt', 'Integer
7190:   AddTypes('NativeUInt', 'Cardinal
7191:   Const('BitsPerByte','LongInt'( 8);
7192:   Const('BitsPerWord','LongInt'( 16);
7193:   Const('BitsPerLongWord','LongInt'( 32);
7194:   //Const('BitsPerCardinal','LongInt'( BytesPerCardinal * 8);
7195:   //Const('BitsPerNativeWord','LongInt'( BytesPerNativeWord * 8);
7196:   Function MinI( const A, B : Integer ) : Integer
7197:   Function MaxI( const A, B : Integer ) : Integer
7198:   Function MinC( const A, B : Cardinal ) : Cardinal
7199:   Function MaxC( const A, B : Cardinal ) : Cardinal
7200:   Function SumClipI( const A, I : Integer ) : Integer
7201:   Function SumClipC( const A : Cardinal; const I : Integer ) : Cardinal
7202:   Function InByteRange( const A : Int64 ) : Boolean
7203:   Function InWordRange( const A : Int64 ) : Boolean
7204:   Function InLongWordRange( const A : Int64 ) : Boolean
7205:   Function InShortIntRange( const A : Int64 ) : Boolean
7206:   Function InSmallIntRange( const A : Int64 ) : Boolean
7207:   Function InLongIntRange( const A : Int64 ) : Boolean
7208:   AddTypeS('Bool8', 'ByteBool
7209:   AddTypeS('Bool16', 'WordBool
7210:   AddTypeS('Bool32', 'LongBool
7211:   AddTypeS('TCompareResult', '( crLess, crEqual, crGreater, crUndefined )
7212:   AddTypeS('TCompareResultSet', 'set of TCompareResult
7213:   Function ReverseCompareResult( const C : TCompareResult ) : TCompareResult
7214:   Const('MinSingle','Single').setExtended( 1.5E-45 );
7215:   Const('MaxSingle','Single').setExtended( 3.4E+38 );
7216:   Const('MinDouble','Double').setExtended( 5.0E-324 );
7217:   Const('MaxDouble','Double').setExtended( 1.7E+308 );
7218:   Const('MinExtended','Extended').setExtended(3.4E-4932);
7219:   Const('MaxExtended','Extended').setExtended(1.1E+4932);
7220:   Const('MinCurrency','Currency').SetExtended( - 922337203685477.5807 );
7221:   Const('MaxCurrency','Currency').SetExtended( 922337203685477.5807 );
7222:   Function MinF( const A, B : Float ) : Float
7223:   Function MaxF( const A, B : Float ) : Float
7224:   Function ClipF( const Value : Float; const Low, High : Float ) : Float
7225:   Function InSingleRange( const A : Float ) : Boolean
7226:   Function InDoubleRange( const A : Float ) : Boolean
7227:   Function InCurrencyRange( const A : Float ) : Boolean;
7228:   Function InCurrencyRange1( const A : Int64 ) : Boolean;
7229:   Function FloatExponentBase2( const A : Extended; var Exponent : Integer ) : Boolean
7230:   Function FloatExponentBase10( const A : Extended; var Exponent : Integer ) : Boolean
7231:   Function FloatIsInfinity( const A : Extended ) : Boolean
7232:   Function FloatIsNaN( const A : Extended ) : Boolean
7233:   Const('SingleCompareDelta','Extended').setExtended( 1.0E-34 );
7234:   Const('DoubleCompareDelta','Extended').setExtended( 1.0E-280 );
7235:   Const('ExtendedCompareDelta','Extended').setExtended( 1.0E-4400 );
7236:   Const('DefaultCompareDelta','Extended').SetExtended( 1.0E-34 );
7237:   Function FloatZero( const A : Float; const CompareDelta : Float ) : Boolean
7238:   Function FloatOne( const A : Float; const CompareDelta : Float ) : Boolean
7239:   Function FloatsEqual( const A, B : Float; const CompareDelta : Float ) : Boolean
7240:   Function FloatsCompare( const A, B : Float; const CompareDelta : Float ) : TCompareResult

```

```

7241: Const('SingleCompareEpsilon','Extended').setExtended( 1.0E-5);
7242: Const('DoubleCompareEpsilon','Extended').setExtended( 1.0E-13);
7243: Const('ExtendedCompareEpsilon','Extended').setExtended( 1.0E-17);
7244: Const('DefaultCompareEpsilon','Extended').setExtended( 1.0E-10);
7245: Function ApproxEqual( const A, B : Extended; const CompareEpsilon : Double) : Boolean
7246: Function ApproxCompare( const A, B : Extended; const CompareEpsilon : Double): TCompareResult
7247: Function cClearBit( const Value, BitIndex : LongWord) : LongWord
7248: Function cSetBit( const Value, BitIndex : LongWord) : LongWord
7249: Function cIsBitSet( const Value, BitIndex : LongWord) : Boolean
7250: Function cToggleBit( const Value, BitIndex : LongWord) : LongWord
7251: Function cIsHighBitSet( const Value : LongWord) : Boolean
7252: Function SetBitScanForward( const Value : LongWord) : Integer;
7253: Function SetBitScanForward1( const Value : LongWord) : Integer;
7254: Function SetBitScanReverse( const Value : LongWord) : Integer;
7255: Function SetBitScanReverse1( const Value : LongWord) : Integer;
7256: Function ClearBitScanForward( const Value : LongWord) : Integer;
7257: Function ClearBitScanForward1( const Value : LongWord) : Integer;
7258: Function ClearBitScanReverse( const Value : LongWord) : Integer;
7259: Function ClearBitScanReverse1( const Value : LongWord) : Integer;
7260: Function cReverseBits( const Value : LongWord) : LongWord;
7261: Function cReversebits1( const Value : LongWord; const BitCount : Integer) : LongWord;
7262: Function cSwapEndian( const Value : LongWord) : LongWord
7263: Function cTwosComplement( const Value : LongWord) : LongWord
7264: Function RotateLeftBits16( const Value : Word; const Bits : Byte) : Word
7265: Function RotateLeftBits32( const Value : LongWord; const Bits : Byte) : LongWord
7266: Function RotateRightBits16( const Value : Word; const Bits : Byte) : Word
7267: Function RotateRightBits32( const Value : LongWord; const Bits : Byte) : LongWord
7268: Function cBitCount( const Value : LongWord) : LongWord
7269: Function cIsPowerOfTwo( const Value : LongWord) : Boolean
7270: Function LowBitMask( const HighBitIndex : LongWord) : LongWord
7271: Function HighBitMask( const LowBitIndex : LongWord) : LongWord
7272: Function RangeBitMask( const LowBitIndex, HighBitIndex : LongWord) : LongWord
7273: Function SetBitRange( const Value: LongWord; const LowBitIndex, HighBitIndex: LongWord) : LongWord
7274: Function ClearBitRange(const Value: LongWord; const LowBitIndex, HighBitIndex: LongWord) : LongWord
7275: Function ToggleBitRange(const Value: LongWord; const LowBitIndex, HighBitIndex: LongWord) : LongWord
7276: Function IsBitRangeSet(const Value: LongWord; const LowBitIndex, HighBitIndex : LongWord) : Boolean
7277: Function IsBitRangeClear(const Value: LongWord; const LowBitIndex, HighBitIndex: LongWord) : Boolean
7278: // AddTypeS(' CharSet', 'set of AnsiChar'
7279: AddTypeS(' CharSet', 'set of Char'           //!!!
7280: AddTypeS('AnsiCharSet', 'TCharSet'
7281: AddTypeS('ByteSet', 'set of Byte'
7282: AddTypeS('AnsiChar', 'Char'
7283: // Function AsCharSet( const C : array of AnsiChar) : CharSet
7284: Function AsByteSet( const C : array of Byte) : ByteSet
7285: Procedure ComplementChar( var C : CharSet; const Ch : Char)
7286: Procedure ClearCharSet( var C : CharSet)
7287: Procedure FillCharSet( var C : CharSet)
7288: procedure FillCharSearchRec; // with 0
7289: Procedure ComplementCharSet( var C : CharSet)
7290: Procedure AssignCharSet( var DestSet : CharSet; const SourceSet : CharSet)
7291: Procedure Union( var DestSet : CharSet; const SourceSet : CharSet)
7292: Procedure Difference( var DestSet : CharSet; const SourceSet : CharSet)
7293: Procedure Intersection( var DestSet : CharSet; const SourceSet : CharSet)
7294: Procedure XORCharSet( var DestSet : CharSet; const SourceSet : CharSet)
7295: Function IsSubSet( const A, B : CharSet) : Boolean
7296: Function IsEqual( const A, B : CharSet) : Boolean
7297: Function IsEmpty( const C : CharSet) : Boolean
7298: Function IsComplete( const C : CharSet) : Boolean
7299: Function cCharCount( const C : CharSet) : Integer
7300: Procedure ConvertCaseInsensitive( var C : CharSet)
7301: Function CaseInsensitiveCharSet( const C : CharSet) : CharSet
7302: Function IntRangeLength( const Low, High : Integer) : Int64
7303: Function IntRangeAdjacent( const Low1, High1, Low2, High2 : Integer) : Boolean
7304: Function IntRangeOverlap( const Low1, High1, Low2, High2 : Integer) : Boolean
7305: Function IntRangeHasElement( const Low, High, Element : Integer) : Boolean
7306: Function IntRangeIncludeElement( var Low, High : Integer; const Element : Integer) : Boolean
7307: Function IntRangeIncludeElementRange(var Low,High:Integer;const LowElement,HighElement:Integer):Boolean
7308: Function CardRangeLength( const Low, High : Cardinal) : Int64
7309: Function CardRangeAdjacent( const Low1, High1, Low2, High2 : Cardinal) : Boolean
7310: Function CardRangeOverlap( const Low1, High1, Low2, High2 : Cardinal) : Boolean
7311: Function CardRangeHasElement( const Low, High, Element : Cardinal) : Boolean
7312: Function CardRangeIncludeElement( var Low, High : Cardinal; const Element : Cardinal) : Boolean
7313: Function CardRangeIncludeElementRange(var Low,High:Card;const LowElement,HighElement:Card):Boolean;
7314: AddTypeS('UnicodeChar', 'WideChar
7315: Function Compare( const I1, I2 : Boolean) : TCompareResult;
7316: Function CompareI( const I1, I2 : Integer) : TCompareResult;
7317: Function Compare2( const I1, I2 : Int64) : TCompareResult;
7318: Function Compare3( const I1, I2 : Extended) : TCompareResult;
7319: Function CompareA( const I1, I2 : AnsiString) : TCompareResult
7320: Function CompareW( const I1, I2 : WideString) : TCompareResult
7321: Function cSgn( const A : LongInt) : Integer;
7322: Function cSgn1( const A : Int64) : Integer;
7323: Function cSgn2( const A : Extended) : Integer;
7324: AddTypeS('TConvertResult', '( convertOK, convertFormatError, convertOverflow )
7325: Function AnsiCharToInt( const A : AnsiChar) : Integer
7326: Function WideCharToInt( const A : WideChar) : Integer
7327: Function CharToInt( const A : Char) : Integer
7328: Function IntToAnsiChar( const A : Integer) : AnsiChar
7329: Function IntToWideChar( const A : Integer) : WideChar

```

```

7330: Function IntToChar( const A : Integer ) : Char
7331: Function IsHexAnsiChar( const Ch : AnsiChar ) : Boolean
7332: Function IsHexWideChar( const Ch : WideChar ) : Boolean
7333: Function IsHexChar( const Ch : Char ) : Boolean
7334: Function HexAnsiCharToInt( const A : AnsiChar ) : Integer
7335: Function HexWideCharToInt( const A : WideChar ) : Integer
7336: Function HexCharToInt( const A : Char ) : Integer
7337: Function IntToUpperHexAnsiChar( const A : Integer ) : AnsiChar
7338: Function IntToUpperHexWideChar( const A : Integer ) : WideChar
7339: Function IntToUpperHexChar( const A : Integer ) : Char
7340: Function IntToLowerHexAnsiChar( const A : Integer ) : AnsiChar
7341: Function IntToLowerHexWideChar( const A : Integer ) : WideChar
7342: Function IntToLowerHexChar( const A : Integer ) : Char
7343: Function IntToStringA( const A : Int64 ) : AnsiString
7344: Function IntToStringW( const A : Int64 ) : WideString
7345: Function IntToString( const A : Int64 ) : String
7346: Function UIntToStringA( const A : NativeUInt ) : AnsiString
7347: Function UIntToStringW( const A : NativeUInt ) : WideString
7348: Function UIntToString( const A : NativeUInt ) : String
7349: Function LongWordToStrA( const A : LongWord; const Digits : Integer ) : AnsiString
7350: Function LongWordToStrW( const A : LongWord; const Digits : Integer ) : WideString
7351: Function LongWordToStrU( const A : LongWord; const Digits : Integer ) : UnicodeString
7352: Function LongWordToStr( const A : LongWord; const Digits : Integer ) : String
7353: Function LongWordToHexA( const A : LongWord; const Digits : Integer; const UpperCase : Boolean ) : AnsiString
7354: Function LongWordToHexW( const A : LongWord; const Digits : Integer; const UpperCase : Boolean ) : WideString
7355: Function LongWordToHex( const A : LongWord; const Digits : Integer; const UpperCase : Boolean ) : String
7356: Function LongWordToOctA( const A : LongWord; const Digits : Integer ) : AnsiString
7357: Function LongWordToOctW( const A : LongWord; const Digits : Integer ) : WideString
7358: Function LongWordToOct( const A : LongWord; const Digits : Integer ) : String
7359: Function LongWordToBinA( const A : LongWord; const Digits : Integer ) : AnsiString
7360: Function LongWordToBinW( const A : LongWord; const Digits : Integer ) : WideString
7361: Function LongWordToBin( const A : LongWord; const Digits : Integer ) : String
7362: Function TryStringToInt64A( const S : AnsiString; out A : Int64 ) : Boolean
7363: Function TryStringToInt64W( const S : WideString; out A : Int64 ) : Boolean
7364: Function TryStringToInt64( const S : String; out A : Int64 ) : Boolean
7365: Function StringToInt64DefA( const S : AnsiString; const Default : Int64 ) : Int64
7366: Function StringToInt64DefW( const S : WideString; const Default : Int64 ) : Int64
7367: Function StringToInt64Def( const S : String; const Default : Int64 ) : Int64
7368: Function StringToInt64A( const S : AnsiString ) : Int64
7369: Function StringToInt64W( const S : WideString ) : Int64
7370: Function StringToInt64( const S : String ) : Int64
7371: Function TryStringToIntA( const S : AnsiString; out A : Integer ) : Boolean
7372: Function TryStringToIntW( const S : WideString; out A : Integer ) : Boolean
7373: Function TryStringToInt( const S : String; out A : Integer ) : Boolean
7374: Function StringToIntDefA( const S : AnsiString; const Default : Integer ) : Integer
7375: Function StringToIntDefW( const S : WideString; const Default : Integer ) : Integer
7376: Function StringToIntDef( const S : String; const Default : Integer ) : Integer
7377: Function StringToIntA( const S : AnsiString ) : Integer
7378: Function StringToIntW( const S : WideString ) : Integer
7379: Function StringToInt( const S : String ) : Integer
7380: Function TryStringToLongWordA( const S : AnsiString; out A : LongWord ) : Boolean
7381: Function TryStringToLongWordW( const S : WideString; out A : LongWord ) : Boolean
7382: Function TryStringToLongWord( const S : String; out A : LongWord ) : Boolean
7383: Function StringToLongWordA( const S : AnsiString ) : LongWord
7384: Function StringToLongWordW( const S : WideString ) : LongWord
7385: Function StringToLongWord( const S : String ) : LongWord
7386: Function HexToIntA( const S : AnsiString ) : NativeUInt
7387: Function HexToIntW( const S : WideString ) : NativeUInt
7388: Function HexToInt( const S : String ) : NativeUInt
7389: Function TryHexToLongWordA( const S : AnsiString; out A : LongWord ) : Boolean
7390: Function TryHexToLongWordW( const S : WideString; out A : LongWord ) : Boolean
7391: Function TryHexToLongWord( const S : String; out A : LongWord ) : Boolean
7392: Function HexToLongWordA( const S : AnsiString ) : LongWord
7393: Function HexToLongWordW( const S : WideString ) : LongWord
7394: Function HexToLongWord( const S : String ) : LongWord
7395: Function TryOctToLongWordA( const S : AnsiString; out A : LongWord ) : Boolean
7396: Function TryOctToLongWordW( const S : WideString; out A : LongWord ) : Boolean
7397: Function TryOctToLongWord( const S : String; out A : LongWord ) : Boolean
7398: Function OctToLongWordA( const S : AnsiString ) : LongWord
7399: Function OctToLongWordW( const S : WideString ) : LongWord
7400: Function OctToLongWord( const S : String ) : LongWord
7401: Function TryBinToLongWordA( const S : AnsiString; out A : LongWord ) : Boolean
7402: Function TryBinToLongWordW( const S : WideString; out A : LongWord ) : Boolean
7403: Function TryBinToLongWord( const S : String; out A : LongWord ) : Boolean
7404: Function BinToLongWordA( const S : AnsiString ) : LongWord
7405: Function BinToLongWordW( const S : WideString ) : LongWord
7406: Function BinToLongWord( const S : String ) : LongWord
7407: Function FloatToStringA( const A : Extended ) : AnsiString
7408: Function FloatToStringW( const A : Extended ) : WideString
7409: Function FloatToString( const A : Extended ) : String
7410: Function TryStringToFloatA( const A : AnsiString; out B : Extended ) : Boolean
7411: Function TryStringToFloatW( const A : WideString; out B : Extended ) : Boolean
7412: Function TryStringToFloat( const A : String; out B : Extended ) : Boolean
7413: Function StringToFloatA( const A : AnsiString ) : Extended
7414: Function StringToFloatW( const A : WideString ) : Extended
7415: Function StringToFloat( const A : String ) : Extended
7416: Function StringToFloatDefA( const A : AnsiString; const Default : Extended ) : Extended
7417: Function StringToFloatDefW( const A : WideString; const Default : Extended ) : Extended
7418: Function StringToFloatDef( const A : String; const Default : Extended ) : Extended

```

```

7419: Function EncodeBase64( const S:Alphabet:AnsiString; const Pad:Boolean;const PadMultiple:Integer;const
    PadChar: AnsiChar ) : AnsiString
7420: Function DecodeBase64( const S, Alphabet : AnsiString; const PadSet : CharSet ) : AnsiString
7421: unit uPSI_cFundamentUtils;
7422: Const('b64_MIMEBase64','Str').String('ABCDEFIGHIJKLMNOPQRSTUVWXYZZabcdeghi jklmnopqrstuvwxyz0123456789+/-');
7423: Const('b64_UUEncode','String').String('!"#$%&'*)+,-./0123456789:;<>?@ABCDEFGHIJKLMNPQRSTUVWXYZ[\]^_';
7424: Const('b64_XXEncode','String').String('+-0123456789ABCDEFGHIJKLMNPQRSTUVWXYZZabcdeghi jklmnopqrstuvwxyz');
7425: Const('CCHARSET','Stringb64_XXEncode');
7426: Const('CHEXSET','String'0123456789ABCDEF
7427: Const('HEXDIGITS','String'0123456789ABCDEF
7428: StHexDigits : array[0..$F] of Char = '0123456789ABCDEF';
7429: Const('DIGISET','String'0123456789
7430: Const('LETTERSET','String'ABCDEFIGHIJKLMNOPQRSTUVWXYZ'
7431: Const('DIGISET2','TCharset').SetSet('0123456789'
7432: Const('LETTERSET2','TCharset').SetSet('ABCDEFIGHIJKLMNOPQRSTUVWXYZ')
7433: Const('HEXSET2','TCharset').SetSet('0123456789ABCDEF');
7434: Const('NUMBERSET','TCharset').SetSet('0123456789');
7435: Const('NUMBERS','String'0123456789);
7436: Const('LETTERS','String'ABCDEFIGHIJKLMNOPQRSTUVWXYZ');
7437: Function CharSetToStr( const C : CharSet ) : AnsiString
7438: Function StrToCharSet( const S : AnsiString ) : CharSet
7439: Function MIMEBase64Decode( const S : AnsiString ) : AnsiString
7440: Function MIMEBase64Encode( const S : AnsiString ) : AnsiString
7441: Function UUDecode( const S : AnsiString ) : AnsiString
7442: Function XXDecode( const S : AnsiString ) : AnsiString
7443: Function BytesToHex( const P : array of Byte; const UpperCase : Boolean ) : AnsiString
7444: Function InterfaceToStrA( const I : IInterface ) : AnsiString
7445: Function InterfaceToStrW( const I : IInterface ) : WideString
7446: Function InterfaceToStr( const I : IInterface ) : String
7447: Function ObjectClassName( const O : TObject ) : String
7448: Function ClassClassName( const C : TClass ) : String
7449: Function ObjectToStr( const O : TObject ) : String
7450: Function ObjectToString( const O : TObject ) : String
7451: Function CharSetToStr( const C : CharSet ) : AnsiString
7452: Function StrToCharSet( const S : AnsiString ) : CharSet
7453: Function HashStrA(const S : AnsiString; const Index: Integer; const Count: Integer; const
    AsciiCaseSensitive: Boolean; const Slots: LongWord) : LongWord
7454: Function HashStrW(const S:WideString;const Index:Integer;const Count:Integer;const
    AsciiCaseSensitive:Boolean; const Slots:LongWord) : LongWord
7455: Function HashStr(const S : String; const Index : Integer; const Count : Integer; const AsciiCaseSensitive
    : Boolean; const Slots : LongWord) : LongWord
7456: Function HashInteger( const I : Integer; const Slots : LongWord ) : LongWord
7457: Function HashLongWord( const I : LongWord; const Slots : LongWord ) : LongWord
7458: Const('Bytes1KB','LongInt'( 1024));
7459: SIRegister_IInterface(CL);
7460: Procedure SelfTestCFundamentUtils
7461:
7462: Function CreateSchedule : IJclSchedule
7463: Function NullStamp : TTimeStamp
7464: Function CompareTimeStamps( const Stamp1, Stamp2 : TTimeStamp ) : Int64
7465: Function EqualTimeStamps( const Stamp1, Stamp2 : TTimeStamp ) : Boolean
7466: Function IsNullTimeStamp( const Stamp : TTimeStamp ) : Boolean
7467:
7468: procedure SIRegister_uwinplot(CL: TPSPascalCompiler);
7469: begin
7470: AddTypeS('TFunc', 'function(X : Float) : Float;
7471: Function InitGraphics( Width, Height : Integer ) : Boolean
7472: Procedure SetWindow( Canvas : TCanvas; X1, X2, Y1, Y2 : Integer; GraphBorder : Boolean)
7473: Procedure SetOxScale( Scale : TScale; OxMin, OxMax, OxStep : Float )
7474: Procedure SetOyScale( Scale : TScale; OyMin, OyMax, OyStep : Float )
7475: Procedure GetOxScale( var Scale : TScale; var OxMin, OxMax, OxStep : Float )
7476: Procedure GetOyScale( var Scale : TScale; var OyMin, OyMax, OyStep : Float )
7477: Procedure SetGraphTitle( Title : String )
7478: Procedure SetOxTitle( Title : String )
7479: Procedure SetOyTitle( Title : String )
7480: Function GetGraphTitle : String
7481: Function GetOxTitle : String
7482: Function GetOyTitle : String
7483: Procedure PlotOxAxis( Canvas : TCanvas )
7484: Procedure PlotOyAxis( Canvas : TCanvas )
7485: Procedure PlotGrid( Canvas : TCanvas; Grid : TGrid )
7486: Procedure WriteGraphTitle( Canvas : TCanvas )
7487: Function SetMaxCurv( NCurv : Byte ) : Boolean
7488: Procedure SetPointParam( CurvIndex, Symbol, Size : Integer; Color : TColor )
7489: Procedure SetLineParam( CurvIndex : Integer; Style : TPenStyle; Width : Integer; Color : TColor )
7490: Procedure SetCurvLegend( CurvIndex : Integer; Legend : String )
7491: Procedure SetCurvStep( CurvIndex, Step : Integer )
7492: Function GetMaxCurv : Byte
7493: Procedure GetPointParam( CurvIndex : Integer; var Symbol, Size : Integer; var Color : TColor )
7494: Procedure GetLineParam(CurvIndex:Integer;var Style:TPenStyle;var Width:Integer; var Color:TColor);
7495: Function GetCurvLegend( CurvIndex : Integer ) : String
7496: Function GetCurvStep( CurvIndex : Integer ) : Integer
7497: Procedure PlotPoint( Canvas : TCanvas; X, Y : Float; CurvIndex : Integer )
7498: Procedure PlotCurve( Canvas : TCanvas; X, Y : TVector; Lb, Ub, CurvIndex : Integer )
7499: Procedure PlotCurveWithErrorBars(Canvas : TCanvas; X,Y,S: TVector; Ns,Lb,Ub,CurvIndex:Integer)
7500: Procedure PlotFunc(Canvas: TCanvas; Func: TFunc; Xmin,Xmax: Float; Npt,CurvIndex: Integer)
7501: Procedure WriteLegend( Canvas : TCanvas; NCurv : Integer; ShowPoints, ShowLines : Boolean )
7502: Procedure ConRec( Canvas : TCanvas; Nx, Ny, Nc : Integer; X, Y, Z : TVector; F : TMatrix )
7503: Function Xpixel( X : Float ) : Integer

```

```

7504: Function Ypixel( Y : Float ) : Integer
7505: Function Xuser( X : Integer ) : Float
7506: Function Yuser( Y : Integer ) : Float
7507: end;
7508:
7509: Procedure FFT( NumSamples : Integer; InArray, OutArray : TCompVector )
7510: Procedure IFFT( NumSamples : Integer; InArray, OutArray : TCompVector )
7511: Procedure FFT_Integer( NumSamples : Integer; RealIn, ImagIn : TIntVector; OutArray : TCompVector )
7512: Procedure FFT_Integer_Cleanup
7513: Procedure CalcFrequency(NumSamples, FrequencyIndex: Integer; InArray: TCompVector; var FT : Complex)
7514: //unit uPSI_JclStreams;
7515: Function StreamSeek( Stream : TStream; const Offset : Int64; const Origin : TSeekOrigin ) : Int64
7516: Function StreamCopy( Source : TStream; Dest : TStream; BufferSize : Integer ) : Int64
7517: Function CompareStreams( A, B : TStream; BufferSize : Integer ) : Boolean
7518: Function JCompareFiles( const FileA, FileB : TFileName; BufferSize : Integer ) : Boolean
7519:
7520: procedure SIRegister_FmxUtils(CL: TPSPascalCompiler);
7521: begin
7522:   FindClass('TOBJECT'), 'EInvalidDest
7523:   FindClass('TOBJECT'), 'EFCantMove
7524:   Procedure fmxCopyFile( const FileName, DestName : string )
7525:   Procedure fmxMoveFile( const FileName, DestName : string )
7526:   Function fmxGetFileSize( const FileName : string ) : LongInt
7527:   Function fmxFileDateTime( const FileName : string ) : TDateTime
7528:   Function fmxHasAttr( const FileName : string; Attr : Word ) : Boolean
7529:   Function fmxExecuteFile( const FileName, Params, DefaultDir : string; ShowCmd : Integer ) : THandle;
7530: end;
7531:
7532: procedure SIRegister_FindFileIter(CL: TPSPascalCompiler);
7533: begin
7534:   SIRegister_IFindFileIterator(CL);
7535:   Function CreateFindFile(const Path:string; IncludeAttr:Integer;out iffi:IFindFileIterator):Bool;
7536: end;
7537:
7538: procedure SIRegister_PCharUtils(CL: TPSPascalCompiler);
7539: begin
7540:   Function SkipWhite( cp : PChar ) : PChar
7541:   Function ReadStringDoubleQuotedMaybe( cp : PChar; var AStr : string ) : PChar
7542:   Function ReadStringSingleQuotedMaybe( cp : PChar; var AStr : string ) : PChar
7543:   Function ReadIdent( cp : PChar; var ident : string ) : PChar
7544: end;
7545:
7546: procedure SIRegister_JclStrHashMap(CL: TPSPascalCompiler);
7547: begin
7548:   SIRegister_TStringHashMapTraits(CL);
7549:   Function CaseSensitiveTraits : TStringHashMapTraits
7550:   Function CaseInsensitiveTraits : TStringHashMapTraits
7551:   THashNode', 'record Str : string; Ptr : Pointer; Left : PHashNod'
7552:   +'e; Right : PHashNode; end
7553:   //PHashArray', '^THashArray // will not work
7554:   SIRegister_TStringHashMap(CL);
7555:   THashValue', 'Cardinal
7556:   Function StrHash( const s : string ) : THashValue
7557:   Function TextHash( const s : string ) : THashValue
7558:   Function DataHash( var AValue, ASize : Cardinal ) : THashValue
7559:   Function Iterate_FreeObjects( AUserData : Pointer; const AStr : string; var AData : Pointer ) : Boolean
7560:   Function Iterate_Dispose( AUserData : Pointer; const AStr : string; var AData : Pointer ) : Boolean
7561:   Function Iterate_FreeMem( AUserData : Pointer; const AStr : string; var AData : Pointer ) : Boolean
7562:   SIRegister_TCaseSensitiveTraits(CL);
7563:   SIRegister_TCaseInsensitiveTraits(CL);
7564:
7565:
7566: //*****unit uPSI_umath;
7567: Function uExp( X : Float ) : Float
7568: Function uExp2( X : Float ) : Float
7569: Function uExp10( X : Float ) : Float
7570: Function uLog( X : Float ) : Float
7571: Function uLog2( X : Float ) : Float
7572: Function uLog10( X : Float ) : Float
7573: Function uLogA( X, A : Float ) : Float
7574: Function uIntPower( X : Float; N : Integer ) : Float
7575: Function uPower( X, Y : Float ) : Float
7576: Function SgnGamma( X : Float ) : Integer
7577: Function Stirling( X : Float ) : Float
7578: Function StirLog( X : Float ) : Float
7579: Function Gamma( X : Float ) : Float
7580: Function LnGamma( X : Float ) : Float
7581: Function DiGamma( X : Float ) : Float
7582: Function TriGamma( X : Float ) : Float
7583: Function IGamma( X : Float ) : Float
7584: Function JGamma( X : Float ) : Float
7585: Function InvGamma( X : Float ) : Float
7586: Function Erf( X : Float ) : Float
7587: Function Erfc( X : Float ) : Float
7588: Function Correl(X, Y : TVector; Lb, Ub : Integer) : Float;
7589: { Correlation coefficient between samples X and Y }
7590: function DBeta(A, B, X : Float) : Float;
7591: { Density of Beta distribution with parameters A and B }
7592: Function LambertW( X : Float; UBranch, Offset : Boolean ) : Float

```

```

7593: Function Beta(X, Y : Float) : Float
7594: Function Binomial( N, K : Integer ) : Float
7595: Function PBinom( N : Integer; P : Float; K : Integer ) : Float
7596: Procedure Cholesky( A, L : TMatrix; Lb, Ub : Integer )
7597: Procedure LU_Decom( A : TMatrix; Lb, Ub : Integer )
7598: Procedure LU_Solve( A : TMatrix; B : TVector; Lb, Ub : Integer; X : TVector )
7599: Function DNorm( X : Float ) : Float
7600:
7601: function DGamma(A, B, X : Float) : Float;
7602: { Density of Gamma distribution with parameters A and B }
7603: function DKhi2(Nu : Integer; X : Float) : Float;
7604: { Density of Khi-2 distribution with Nu d.o.f. }
7605: function DStudent(Nu : Integer; X : Float) : Float;
7606: { Density of Student distribution with Nu d.o.f. }
7607: function DSnedecor(Nul, Nu2 : Integer; X : Float) : Float;
7608: { Density of Fisher-Snedecor distribution with Nul and Nu2 d.o.f. }
7609: function IBeta(A, B, X : Float) : Float;
7610: { Incomplete Beta function }
7611: function Correl(X, Y : TVector; Lb, Ub : Integer) : Float;
7612:
7613: procedure SIRegister_unlfit(CL: TPSPPascalCompiler);
7614: begin
7615:   Procedure SetOptAlgo( Algo : TOptAlgo )
7616:   procedure SetOptAlgo(Algo : TOptAlgo);
7617:   { -----
7618:     Sets the optimization algorithm according to Algo, which must be
7619:     NL_MARQ, NL_SIMP, NL_BFGS, NL_SA, NL_GA. Default is NL_MARQ
7620:
7621:   Function GetOptAlgo : TOptAlgo
7622:   Procedure SetMaxParam( N : Byte )
7623:   Function GetMaxParam : Byte
7624:   Procedure SetParamBounds( I : Byte; ParamMin, ParamMax : Float )
7625:   Procedure GetParamBounds( I : Byte; var ParamMin, ParamMax : Float )
7626:   Function NullParam( B : TVector; Lb, Ub : Integer ) : Boolean
7627:   Procedure NLPfit( RegFunc : TRegFunc; DerivProc : TDervProc; X, Y : TVector; Lb, Ub : Integer; MaxIter : Integer; Tol : Float; B : TVector; FirstPar, LastPar : Integer; V : TMatrix )
7628:   Procedure WNLFit( RegFunc : TRegFunc; DerivProc : TDervProc; X, Y, S : TVector; Lb, Ub : Integer; MaxIter : Integer; Tol : Float; B : TVector; FirstPar, LastPar : Integer; V : TMatrix )
7629:   Procedure SetMCFile( FileName : String )
7630:   Procedure SimFit(RegFunc:TRegFunc;X:TVecto;Lb,Ub:Integer;B:TVecto;FirstPar,LastPar:Integer;V:TMatrix;
7631:   Procedure WSimFit(RegFunc:TRegFunc; X,Y,S:TVecto;Lb,Ub:Integer;B:TVecto;FirstPar,
    LastPar:Integer;V:TMatrix);
7632: end;
7633:
7634: (*-----*)
7635: procedure SIRegister_usimplex(CL: TPSPPascalCompiler);
7636: begin
7637:   Procedure SaveSimplex( FileName : string )
7638:   Procedure Simplex(Func:TFuncNVar; X:TVecto;Lb,Ub:Integer; MaxIter:Integer/Tol:Float; var F_min:Float );
7639: end;
7640: (*-----*)
7641: procedure SIRegister_uregtest(CL: TPSPPascalCompiler);
7642: begin
7643:   Procedure RegTest(Y,Ycalc: TVector;LbY,UbY:Integer;V:TMatrix;LbV,UbV:Integer;var Test:TRegTest)
7644:   Procedure WRegTest(Y,Ycalc,S:TVector;LbY,UbY:Integer;V:TMatrix;LbV,UbV:Integer;var Test:TRegTest);
7645: end;
7646:
7647: procedure SIRegister_ustrings(CL: TPSPPascalCompiler);
7648: begin
7649:   Function LTrim( S : String ) : String
7650:   Function RTrim( S : String ) : String
7651:   Function uTrim( S : String ) : String
7652:   Function StrChar( N : Byte; C : Char ) : String
7653:   Function RFill( S : String; L : Byte ) : String
7654:   Function LFill( S : String; L : Byte ) : String
7655:   Function CFill( S : String; L : Byte ) : String
7656:   Function Replace( S : String; C1, C2 : Char ) : String
7657:   Function Extract( S : String; var Index : Byte; Delim : Char ) : String
7658:   Procedure Parse( S : String; Delim : Char; Field : TStrVector; var N : Byte )
7659:   Procedure SetFormat( NumLength, MaxDec : Integer; FloatPoint, NSZero : Boolean )
7660:   Function FloatStr( X : Float ) : String
7661:   Function IntStr( N : LongInt ) : String
7662:   Function uCompStr( Z : Complex ) : String
7663: end;
7664:
7665: procedure SIRegister_uhyper(CL: TPSPPascalCompiler);
7666: begin
7667:   Function uSinh( X : Float ) : Float
7668:   Function uCosh( X : Float ) : Float
7669:   Function uTanh( X : Float ) : Float
7670:   Function uArcSinh( X : Float ) : Float
7671:   Function uArcCosh( X : Float ) : Float
7672:   Function ArcTanh( X : Float ) : Float
7673:   Procedure SinhCosh( X : Float; var SinhX, CoshX : Float )
7674: end;
7675:
7676: procedure SIRegister_urandom(CL: TPSPPascalCompiler);
7677: begin
7678: type RNG_Type =

```

```

7679:   (RNG_MWC,      { Multiply-With-Carry }
7680:    RNG_MT,       { Mersenne Twister }
7681:    RNG_UVAG);   { Universal Virtual Array Generator }
7682: Procedure SetRNG( RNG : RNG_Type)
7683: Procedure InitGen( Seed : RNG_IntType)
7684: Procedure SRand( Seed : RNG_IntType)
7685: Function IRanGen : RNG_IntType
7686: Function IRanGen31 : RNG_IntType
7687: Function RanGen1 : Float
7688: Function RanGen2 : Float
7689: Function RanGen3 : Float
7690: Function RanGen53 : Float
7691: end;
7692:
7693: // Optimization by Simulated Annealing
7694: procedure SIRegister_usmann(CL: TPSPascalCompiler);
7695: begin
7696:  Procedure InitSAParams( NT, NS, NCycles : Integer; RT : Float)
7697:  Procedure SA_CreateLogFile( FileName : String)
7698:  Procedure SimAnn(Func: TFuncNVar; X, Xmin, Xmax : TVector; Lb, Ub : Integer; var F_min : Float);
7699: end;
7700:
7701: procedure SIRegister_uranuvag(CL: TPSPascalCompiler);
7702: begin
7703:  Procedure InitUVAGbyString( KeyPhrase : string)
7704:  Procedure InitUVAG( Seed : RNG_IntType)
7705:  Function IRanUVAG : RNG_IntType
7706: end;
7707:
7708: procedure SIRegister_ugenalg(CL: TPSPascalCompiler);
7709: begin
7710:  Procedure InitGAParams( NP, NG : Integer; SR, MR, HR : Float)
7711:  Procedure GA_CreateLogFile( LogFileName : String)
7712:  Procedure GenAlg(Func: TFuncNVar; X, Xmin, Xmax : TVector; Lb, Ub : Integer; var F_min : Float);
7713: end;
7714:
7715: TVector', 'array of Float
7716: procedure SIRegister_uqsort(CL: TPSPascalCompiler);
7717: begin
7718:  Procedure QSort( X : TVector; Lb, Ub : Integer)
7719:  Procedure DQSort( X : TVector; Lb, Ub : Integer)
7720: end;
7721:
7722: procedure SIRegister_uinterv(CL: TPSPascalCompiler);
7723: begin
7724:  Procedure Interval( X1, X2 : Float; MinDiv, MaxDiv : Integer; var Min, Max, Step : Float)
7725:  Procedure AutoScale(X: TVector; Lb, Ub : Integer; Scale : TScale; var XMin, XMax, XStep:Float)
7726: end;
7727:
7728: procedure SIRegister_D2XXUnit(CL: TPSPascalCompiler);
7729: begin
7730:  FT_Result', 'Integer
7731:  //TDWordptr', '^DWord // will not work
7732:  TFT_Program_Data', 'record Signature1 : DWor'
7733:   d; Version : DWord; VendorID : Word; ProductID : Word; Manufacturer : PCha'
7734:   r; ManufacturerID : PChar; Description : PChar; SerialNumber : PChar; MaxP'
7735:   ower : Word; PnP : Word; SelfPowered : Word; RemoteWakeUp : Word; Rev4 : B'
7736:   yte; IsoIn : Byte; IsoOut : Byte; PullDownEnable : Byte; SerNumEnable : By'
7737:   te; USBVersionEnable : Byte; USBVersion : Word; Rev5 : Byte; IsoInA : Byte'
7738:   ; IsoInB : Byte; IsoOutA : Byte; IsoOutB : Byte; PullDownEnable5 : Byte; S'
7739:   erNumEnable5 : Byte; USBVersionEnable5 : Byte; USBVersion5 : Word; AIsHigh'
7740:   Current : Byte; BIsHighCurrent : Byte; IFAIsFifo : Byte; IFAIsFifoTar : By'
7741:   te; IFAIsFastSer : Byte; AIsVCP : Byte; IFBIsFifo : Byte; IFBIsFifoTar : B'
7742:   yte; IFBIsFastSer : Byte; BIsVCP : Byte; UseExtOsc : Byte; HighDriveIOs : '
7743:   Byte; EndpointSize : Byte; PullDownEnableR : Byte; SerNumEnableR : Byte; Inv'
7744:   ertTxD : Byte; InvertRXD : Byte; InvertRTS : Byte; InvertCTS : Byte; Inv'
7745:   ertDTR : Byte; InvertDSR : Byte; InvertDCD : Byte; InvertRI : Byte; Cbus0 '
7746:   : Byte; Cbus1 : Byte; Cbus2 : Byte; Cbus3 : Byte; Cbus4 : Byte; RIsvCP : B'
7747:   yte; end
7748: end;
7749:
7750:
7751: //***** PaintFX*****
7752: procedure SIRegister_TJvPaintFX(CL: TPSPascalCompiler);
7753: begin
7754:  //with RegClassS(CL,'TComponent', 'TJvPaintFX') do
7755:  with AddClassN(FindClass('TComponent'), 'TJvPaintFX') do begin
7756:   Procedure Solarize( const Src : TBitmap; var Dst : TBitmap; Amount : Integer)
7757:   Procedure Posterize( const Src : TBitmap; var Dst : TBitmap; Amount : Integer)
7758:   Procedure Blend( const Src1, Src2 : TBitmap; var Dst : TBitmap; Amount : Single)
7759:   Procedure Blend2( const Src1, Src2 : TBitmap; var Dst : TBitmap; Amount : Single)
7760:   Procedure ExtractColor( const Dst : TBitmap; AColor : TColor)
7761:   Procedure ExcludeColor( const Dst : TBitmap; AColor : TColor)
7762:   Procedure Turn( Src, Dst : TBitmap)
7763:   Procedure TurnRight( Src, Dst : TBitmap)
7764:   Procedure HeightMap( const Dst : TBitmap; Amount : Integer)
7765:   Procedure TexturizeFile( const Dst : TBitmap; Amount : Integer)
7766:   Procedure TexturizeOverlap( const Dst : TBitmap; Amount : Integer)
7767:   Procedure RippleRandom( const Dst : TBitmap; Amount : Integer)

```

```

7768: Procedure RippleTooth( const Dst : TBitmap; Amount : Integer)
7769: Procedure RippleTriangle( const Dst : TBitmap; Amount : Integer)
7770: Procedure Triangles( const Dst : TBitmap; Amount : Integer)
7771: Procedure DrawMandelJulia(const Dst: TBitmap; x0,y0,x1,y1:Single; Niter:Integer; Mandel:Boolean)
7772: Procedure FilterXBlue( const Dst : TBitmap; Min, Max : Integer)
7773: Procedure FilterXGreen( const Dst : TBitmap; Min, Max : Integer)
7774: Procedure FilterXRed( const Dst : TBitmap; Min, Max : Integer)
7775: Procedure FilterBlue( const Dst : TBitmap; Min, Max : Integer)
7776: Procedure FilterGreen( const Dst : TBitmap; Min, Max : Integer)
7777: Procedure FilterRed( const Dst : TBitmap; Min, Max : Integer)
7778: Procedure Emboss( var Bmp : TBitmap)
7779: Procedure Plasma( Src1, Src2, Dst : TBitmap; Scale, Turbulence : Single)
7780: Procedure Shake( Src, Dst : TBitmap; Factor : Single)
7781: Procedure ShakeDown( Src, Dst : TBitmap; Factor : Single)
7782: Procedure KeepBlue( const Dst : TBitmap; Factor : Single)
7783: Procedure KeepGreen( const Dst : TBitmap; Factor : Single)
7784: Procedure KeepRed( const Dst : TBitmap; Factor : Single)
7785: Procedure Mandelbrot( const Dst : TBitmap; Factor : Integer)
7786: Procedure MaskMandelbrot( const Dst : TBitmap; Factor : Integer)
7787: Procedure FoldRight( Src1, Src2, Dst : TBitmap; Amount : Single)
7788: Procedure QuartoOpaque( Src, Dst : TBitmap)
7789: Procedure SemiOpaque( Src, Dst : TBitmap)
7790: Procedure ShadowDownLeft( const Dst : TBitmap)
7791: Procedure ShadowDownRight( const Dst : TBitmap)
7792: Procedure ShadowUpLeft( const Dst : TBitmap)
7793: Procedure ShadowUpRight( const Dst : TBitmap)
7794: Procedure Darkness( const Dst : TBitmap; Amount : Integer)
7795: Procedure Trace( const Dst : TBitmap; Intensity : Integer)
7796: Procedure FlipRight( const Dst : TBitmap)
7797: Procedure FlipDown( const Dst : TBitmap)
7798: Procedure Spotlight( const Dst : TBitmap; Amount : Integer; Spot : TRect)
7799: Procedure SplitLight( const Dst : TBitmap; Amount : Integer)
7800: Procedure MakeSeamlessClip( var Dst : TBitmap; Seam : Integer)
7801: Procedure Wave( const Dst : TBitmap; Amount, Inference, Style : Integer)
7802: Procedure Mosaic( const Bm : TBitmap; Size : Integer)
7803: Procedure SmoothRotate( var Src, Dst : TBitmap; CX, CY : Integer; Angle : Single)
7804: Procedure SmoothResize( var Src, Dst : TBitmap)
7805: Procedure Twist( var Bmp, Dst : TBitmap; Amount : Integer)
7806: Procedure SplitBlur( const Dst : TBitmap; Amount : Integer)
7807: Procedure GaussianBlur( const Dst : TBitmap; Amount : Integer)
7808: Procedure Smooth( const Dst : TBitmap; Weight : Integer)
7809: Procedure GrayScale( const Dst : TBitmap)
7810: Procedure AddColorNoise( const Dst : TBitmap; Amount : Integer)
7811: Procedure AddMonoNoise( const Dst : TBitmap; Amount : Integer)
7812: Procedure Contrast( const Dst : TBitmap; Amount : Integer)
7813: Procedure Lightness( const Dst : TBitmap; Amount : Integer)
7814: Procedure Saturation( const Dst : TBitmap; Amount : Integer)
7815: Procedure Spray( const Dst : TBitmap; Amount : Integer)
7816: Procedure AntiAlias( const Dst : TBitmap)
7817: Procedure AntiAliasRect( const Dst : TBitmap; XOrigin, YOrigin, XFinal, YFinal : Integer)
7818: Procedure SmoothPoint( const Dst : TBitmap; XK, YK : Integer)
7819: Procedure FishEye( var Bmp, Dst : TBitmap; Amount : Single)
7820: Procedure Marble( const Src : TBitmap; var Dst : TBitmap; Scale : Single; Turbulence : Integer)
7821: Procedure Marble2( const Src : TBitmap; var Dst : TBitmap; Scale : Single; Turbulence: Integer)
7822: Procedure Marble3( const Src : TBitmap; var Dst : TBitmap; Scale : Single; Turbulence: Integer)
7823: Procedure Marble4( const Src : TBitmap; var Dst : TBitmap; Scale : Single; Turbulence: Integer)
7824: Procedure Marble5( const Src : TBitmap; var Dst : TBitmap; Scale : Single; Turbulence: Integer)
7825: Procedure Marble6( const Src : TBitmap; var Dst : TBitmap; Scale : Single; Turbulence: Integer)
7826: Procedure Marble7( const Src : TBitmap; var Dst : TBitmap; Scale : Single; Turbulence: Integer)
7827: Procedure Marble8( const Src : TBitmap; var Dst : TBitmap; Scale : Single; Turbulence: Integer)
7828: Procedure SqueezeHor( Src, Dst : TBitmap; Amount : Integer; Style : TLightBrush)
7829: Procedure SplitRound( Src, Dst : TBitmap; Amount : Integer; Style : TLightBrush)
7830: Procedure Tile( Src, Dst : TBitmap; Amount : Integer)
7831: Procedure Stretch( Src, Dst : TBitmap; Filter : TFilterProc; AWidth : Single)
7832: Procedure Grow( Src1, Src2, Dst : TBitmap; Amount : Single; X, Y : Integer)
7833: Procedure Invert( Src : TBitmap)
7834: Procedure MirrorRight( Src : TBitmap)
7835: Procedure MirrorDown( Src : TBitmap)
7836: end;
7837: end;
7838:
7839: (*-----*)
7840: procedure SIRegister_JvPaintFX(CL: TPSPascalCompiler);
7841: begin
7842:   AddTypeS('TLightBrush', '( lbBrightness, lbContrast, lbSaturation, lbFishe'
7843:   +'ye, lbrotate, lbtwist, lbrimble, mbHor, mbTop, mbBottom, mbDiamond, mbWast'
7844:   +', mbRound, mbRound2, mbSplitRound, mbSplitWaste )'
7845:   SIRegister_TJvPaintFX(CL);
7846:   Function SplineFilter( Value : Single) : Single
7847:   Function BellFilter( Value : Single) : Single
7848:   Function TriangleFilter( Value : Single) : Single
7849:   Function BoxFilter( Value : Single) : Single
7850:   Function HermiteFilter( Value : Single) : Single
7851:   Function Lanczos3Filter( Value : Single) : Single
7852:   Function MitchellFilter( Value : Single) : Single
7853: end;
7854:
7855:
7856: (*-----*)

```

```

7857: procedure SIRegister_Chart(CL: TPSPascalCompiler);
7858: begin
7859:   'TeeMsg_DefaultFunctionName','String 'TeeFunction
7860:   TeeMsg_DefaultSeriesName','String 'Series
7861:   TeeMsg_DefaultToolName','String 'ChartTool
7862:   ChartComponentPalette','String 'TeeChart
7863:   TeeMaxLegendColumns',LongInt'( 2 );
7864:   TeeDefaultLegendSymbolWidth',LongInt'( 20 );
7865:   TeeTitleFootDistance,LongInt( 5 );
7866:   SIRegister_TCustomChartWall(CL);
7867:   SIRegister_TChartWall(CL);
7868:   SIRegister_TChartLegendGradient(CL);
7869:   TLegendStyle ', '( lsAuto, lsSeries, lsValues, lsLastValues, lsSeriesGroups )
7870:   TLegendAlignment ', '( laLeft, laRight, laTop, laBottom )
7871:   FindClass('TOBJECT'),'LegendException
7872:   TOnGetLegendText', 'Procedure ( Sender : TCustomAxisPanel; Legen'
7873:     +'dStyle : TLegendStyle; Index : Integer; var LegendText : String)
7874:   FindClass('TOBJECT'),'TCustomChartLegend
7875:   TLegendSymbolSize ', '( lcsPercent, lcsPixels )
7876:   TLegendSymbolPosition', '( spLeft, spRight )
7877:   TSymbolDrawEvent', 'Procedure(Sender:TObject;Series:TChartSeries;ValueIndex:Integer;R:TRect);
7878:   TSymbolCalcHeight', 'Function : Integer
7879:   SIRegister_TLegendsymbol(CL);
7880:   SIRegister_TTeeCustomShapePosition(CL);
7881:   TCheckBoxesStyle ', '( cbsCheck, cbsRadio )
7882:   SIRegister_TLegendTitle(CL);
7883:   SIRegister_TLegendItem(CL);
7884:   SIRegister_TLegendItems(CL);
7885:   TLegendCalcSize', 'Procedure ( Sender : TCustomChartLegend; var ASize : Integer)
7886:   FindClass('TOBJECT'),'TCustomChart
7887:   SIRegister_TCustomChartLegend(CL);
7888:   SIRegister_TChartLegend(CL);
7889:   SIRegister_TChartTitle(CL);
7890:   SIRegister_TChartFootTitle(CL);
7891:   TChartClick', 'Procedure ( Sender : TCustomChart; Button : TMous'
7892:     +'eButton; Shift : TShiftState; X, Y : Integer)
7893:   TChartClickAxis', 'Procedure ( Sender : TCustomChart; Axis : TCh'
7894:     +'artAxis; Button : TMouseButton; Shift : TShiftState; X, Y : Integer)
7895:   TChartClickSeries', 'Procedure ( Sender : TCustomChart; Series : '
7896:     +TChartSeries; ValueIndex : Integer; Button : TMouseButton; Shift:TShiftState;X,Y:Integer)
7897:   TChartClickTitle', 'Procedure ( Sender : TCustomChart; ATitle : '
7898:     +'TChartTitle; Button : TMouseButton; Shift : TShiftState; X, Y : Integer)
7899:   TOnGetLegendPos', 'Procedure ( Sender : TCustomChart; Index: Integer; var X,Y,XColor:Integer)
7900:   TOnGetLegendRect', 'Procedure ( Sender : TCustomChart; var Rect : TRect)
7901:   TAxissavedScales', 'record Auto : Boolean; AutoMin : Boolean; Au'
7902:     +'toMax : Boolean; Min : Double; Max : Double; end
7903:   TA11AxisSavedScales', 'array of TAxissavedScales
7904:   SIRegister_TChartBackWall(CL);
7905:   SIRegister_TChartRightWall(CL);
7906:   SIRegister_TChartBottomWall(CL);
7907:   SIRegister_TChartLeftWall(CL);
7908:   SIRegister_TChartWalls(CL);
7909:   TChartAllowScrollEvent', 'Procedure(Sender:TChartAxis;var AMin,AMax:Double;var AllowScroll:Boolean);
7910:   SIRegister_TCustomChart(CL);
7911:   SIRegister_TChart(CL);
7912:   SIRegister_TTeeSeriesTypes(CL);
7913:   SIRegister_TTeeToolTypes(CL);
7914:   SIRegister_TTeeDragObject(CL);
7915:   SIRegister_TColorPalettes(CL);
7916:   Procedure RegisterTeeSeries(ASeriesClass:TChartSeriesClass;ADescription,
    AGalleryPage:PString;ANumGallerySeries:Integer);
7917:   Procedure RegisterTeeSeries1( ASeriesClass : TChartSeriesClass; ADescrption : PString);
7918:   Procedure RegisterTeeFunction(AFuncClass:TTeeFunctionClass;ADescription,
    AGalleryPage:PString;ANumGallerySeries: Int;
7919:   Procedure RegisterTeeBasicFunction( AFunctionClass : TTeeFunctionClass; ADescrption : PString);
7920:   Procedure RegisterTeeSeriesFunction(ASeriesClass: TChartSeriesClass; AFunctionClass:TTeeFunctionClass;
    ADescrption, AGalleryPage : PString; ANumGallerySeries : Integer; ASubIndex : Integer)
7921:   Procedure UnRegisterTeeSeries( const ASeriesList : array of TChartSeriesClass)
7922:   Procedure UnRegisterTeeFunctions( const AFunctionList : array of TTeeFunctionClass)
7923:   Procedure AssignSeries( var OldSeries, NewSeries : TChartSeries)
7924:   Function CreateNewTeeFunction( ASeries : TChartSeries; AClass : TTeeFunctionClass) : TTeeFunction
7925:   Function CreateNewSeries( AOwner : TComponent; AChart : TCustomAxisPanel; AClass : TChartSeriesClass;
    AFunctionClass : TTeeFunctionClass) : TChartSeries
7926:   Function CloneChartSeries( ASeries : TChartSeries) : TChartSeries;
7927:   Function CloneChartSeries1( ASeries : TChartSeries; AChart : TCustomAxisPanel) : TChartSeries;
7928:   Function CloneChartSeries2(ASeries:TChartSeries;AOwner:TComponent;AChart:TCustomAxisPanel):TChartSeries;;
7929:   Function CloneChartTool( ATool : TTeeCustomTool; AOwner : TComponent ) : TTeeCustomTool
7930:   Function ChangeSeriesType( var ASeries : TChartSeries; NewType : TChartSeriesClass) : TChartSeries
7931:   Procedure ChangeAllSeriesType( AChart : TCustomChart; AClass : TChartSeriesClass)
7932:   Function GetNewSeriesName( AOwner : TComponent ) : TComponentName
7933:   Procedure RegisterTeeTools( const ATools : array of TTeeCustomToolClass)
7934:   Procedure UnRegisterTeeTools( const ATools : array of TTeeCustomToolClass)
7935:   Function GetGallerySeriesName( ASeries : TChartSeries) : String
7936:   Procedure PaintSeriesLegend(ASeries:TChartSeries;ACanvas:TCanvas;const
    R:TRect;ReferenceChart:TCustomChart);
7937:   SIRegister_TChartTheme(CL);
7938:   //TChartThemeClass', 'class of TChartTheme
7939:   //TCanvasClass', 'class of TCanvas3D
7940:   Function SeriesNameOrIndex( ASeries : TCustomChartSeries) : String

```

```

7941: Function SeriesTitleOrName( ASeries : TCustomChartSeries ) : String
7942: Procedure FillSeriesItems( AItems : TStrings; AList : TCustomSeriesList; UseTitles : Boolean )
7943: Procedure ShowMessageUser( const S : String )
7944: Function HasNoMandatoryValues( ASeries : TChartSeries ) : Boolean
7945: Function HasLabels( ASeries : TChartSeries ) : Boolean
7946: Function HasColors( ASeries : TChartSeries ) : Boolean
7947: Function SeriesGuessContents( ASeries : TChartSeries ) : TeeFormatFlag
7948: Procedure TeeDrawBitmapEditor( Canvas : TCanvas; Element : TCustomChartElement; Left, Top : Integer )
7949: end;
7950:
7951:
7952: procedure SIRegister_TeeProcs(CL: TPSPascalCompiler);
7953: begin
7954: // 'TeeFormBorderStyle',' bsNone );
7955: SIRegister_TMetafile(CL);
7956: 'TeeDefVerticalMargin',' LongInt'( 4 );
7957: 'TeeDefHorizMargin',' LongInt'( 3 );
7958: 'crTeeHand',' LongInt'( TCursor( 2020 ) );
7959: 'TeeMsg_TeeHand',' String 'crTeeHand
7960: 'TeeNormalPrintDetail',' LongInt'( 0 );
7961: 'TeeHighPrintDetail',' LongInt'( - 100 );
7962: 'TeeDefault_PrintMargin',' LongInt'( 15 );
7963: 'MaxDefaultColors',' LongInt'( 19 );
7964: 'TeeTabDelimiter',' Char '#9;
7965: TDateTimeStep', '( dtOneMicroSecond, dtOneMillisecond, dtOneSeco'
7966: +'nd, dtFiveSeconds, dtTenSeconds, dtFifteenSeconds, dtThirtySeconds, dtOneM'
7967: +'inute, dtFiveMinutes, dtSixMinutes, dtFifteenMinutes, dtThirtyMinutes, dtO'
7968: +'neHour, dtTwoHours, dtSixHours, dtTwelveHours, dtOneDay, dtTwoDays, dtThre'
7969: +'eDays, dtOneWeek, dtHalfMonth, dtOneMonth, dtTwoMonths, dtThreeMonths, dtF'
7970: +'ourMonths, dtSixMonths, dtOneYear, dtNone )
7971: SIRegister_TCustomPanelNoCaption(CL);
7972: FindClass('TOBJECT'), 'TCustomTeePanel
7973: SIRegister_TZoomPanning(CL);
7974: SIRegister_TTeeEvent(CL);
7975: //SIRegister_TTeeEventListeners(CL);
7976: TTeeMouseEventKind', '( meDown, meUp, meMove )
7977: SIRegister_TTeeMouseEvent(CL);
7978: SIRegister_TCustomTeePanel(CL);
7979: //TChartGradient', 'TTeeGradient
7980: //TChartGradientClass', 'class of TChartGradient
7981: TPanningMode', '( pmNone, pmHorizontal, pmVertical, pmBoth )
7982: SIRegister_TTeeZoomPen(CL);
7983: SIRegister_TTeeZoomBrush(CL);
7984: TTeeZoomDirection', '( tzdHorizontal, tzdVertical, tzdBoth )
7985: SIRegister_TTeeZoom(CL);
7986: FindClass('TOBJECT'), 'TCustomTeePanelExtended
7987: TTeeBackImageMode', '( pbmStretch, pbmTile, pbmCenter, pbmCustom )
7988: SIRegister_TBackImage(CL);
7989: SIRegister_TCustomTeePanelExtended(CL);
7990: //TChartBrushClass', 'class of TChartBrush
7991: SIRegister_TTeeCustomShapeBrushPen(CL);
7992: TChartObjectShapeStyle', '( fosRectangle, fosRoundRectangle, fosEllipse )
7993: TTextFormat', '( ttfNormal, ttfHtml )
7994: SIRegister_TTeeCustomShape(CL);
7995: SIRegister_TTeeShape(CL);
7996: SIRegister_TTeeExportData(CL);
7997: Function TeeStr( const Num : Integer ) : String
7998: Function DateTimeDefaultFormat( const AStep : Double ) : String
7999: Function TEEDaysInMonth( Year, Month : Word ) : Word
8000: Function FindDateTimestep( const StepValue : Double ) : TDateTimeStep
8001: Function NextDateTimeStep( const AStep : Double ) : Double
8002: Function PointInLine( const P : TPoint; const px, py, qx, qy : Integer ) : Boolean;
8003: Function PointInLine1( const P, FromPoint, ToPoint : TPoint ) : Boolean;
8004: Function PointInLine2( const P,FromPoint,ToPoint:TPoint;const TolerancePixels:Integer):Boolean;
8005: Function PointInLine3( const P : TPoint; const px, py, qx, qy, TolerancePixels:Integer ):Boolean;
8006: Function PointInLineTolerance(const P:TPoint;const px,py,qx,qy,TolerancePixels:Integer):Boolean;
8007: Function PointInPolygon( const P : TPoint; const Poly : array of TPoint ) : Boolean;
8008: Function PointInTriangle( const P, P0, P1, P2 : TPoint ) : Boolean;
8009: Function PointInTriangle1( const P : TPoint; X0, X1, Y0, Y1 : Integer ) : Boolean;
8010: Function PointInHorizTriangle( const P : TPoint; Y0, Y1, X0, X1 : Integer ) : Boolean;
8011: Function PointInEllipse( const P : TPoint; const Rect : TRect ) : Boolean;
8012: Function PointInEllipse1( const P : TPoint;Left,Top,Right, Bottom : Integer ) : Boolean;
8013: Function DelphiToLocalFormat( const Format : String ) : String
8014: Function LocalToDelphiFormat( const Format : String ) : String
8015: Procedure TEEEnableControls(Enable: Boolean; const ControlArray : array of TControl)
8016: Function TeeRoundDate(const ADate : TDateTime; AStep : TDateTimeStep) : TDateTime
8017: Procedure TeeDateTimeIncrement(IsDateTime:Boolean;Increment:Boolean;var Value:Double;const
  AnIncrement:Double; tmpWhichDateTime:TDateTimeStep)
8018: TTeeSortCompare', 'Function ( a, b : Integer ) : Integer
8019: TTeeSortSwap', 'Procedure ( a, b : Integer )
8020: Procedure TeeSort(StartIndex,EndIndex:Integer;CompareFunc:TteeSortCompare;SwapFunc:TteeSortSwap);
8021: Function TeeGetUniqueName( AOwner : TComponent; const AStartName : String ) : string
8022: Function TeeExtractField( St : String; Index : Integer ) : String;
8023: Function TeeExtractField1( St : String; Index : Integer; const Separator : String ) : String;
8024: Function TeeNumFields( St : String ) : Integer;
8025: Function TeeNumFields1( const St, Separator : String ) : Integer;
8026: Procedure TeeGetBitmapEditor( AObject : TObject; var Bitmap : TBitmap )
8027: Procedure TeeLoadBitmap( Bitmap : TBitmap; const Name1, Name2 : String )
8028: // TColorArray', 'array of TColor

```

```

8029: Function GetDefaultColor( const Index : Integer ) : TColor
8030: Procedure SetDefaultColorPalette;
8031: Procedure SetDefaultColorPalette1( const Palette : array of TColor );
8032: 'TeeCheckBoxSize','LongInt'( 11 );
8033: Procedure TeeDrawCheckBox(x,y:Integer;Canvas:TCanvas;Checked:Boolean;ABackColor:TColor;CheckBox:Boolean);
8034: Function TEEStrToFloatDef( const S : string; const Default : Extended ) : Extended
8035: Function TryStrToFloat( const S : String; var Value : Double ) : Boolean
8036: Function CrossingLines( const X1, Y1, X2, Y2, X3, Y3, X4, Y4 : Double; out x, y : Double ) : Boolean
8037: Procedure TeeTranslateControl( AControl : TControl );
8038: Procedure TeeTranslateControl1( AControl : TControl; const ExcludeChilds : array of TControl );
8039: Function ReplaceChar( const AString : String; const Search : Char; const Replace : Char ) : String
8040: //Procedure RectToFourPoints( const ARect : TRect; const Angle : Double; var P : TFourPoints )
8041: Function TeeAntiAlias( Panel : TCustTeePanel; ChartRect : Boolean ) : TBitmap
8042: //Procedure DrawBevel(Canvas:TTeeCanvas;Bevel:TPanelBevel;var R:TRect;Width:Integer;Round:Integer);
8043: //Function ScreenRatio( ACanvas : TCanvas3D ) : Double
8044: Function TeeReadBoolOption( const AKey : String; DefaultValue : Boolean ) : Boolean
8045: Procedure TeeSaveBoolOption( const AKey : String; Value : Boolean )
8046: Function TeeReadIntegerOption( const AKey : String; DefaultValue : Integer ) : Integer
8047: Procedure TeeSaveIntegerOption( const AKey : String; Value : Integer )
8048: Function TeeReadStringOption( const AKey, DefaultValue : String ) : String
8049: Procedure TeeSaveStringOption( const AKey, Value : String )
8050: Function TeeDefaultXMLEncoding : String
8051: Procedure ConvertTextToXML( Stream : TStream; XMLHeader : Boolean )
8052: 'TeeWindowHandle', 'Integer
8053: Procedure TeeGoToURL( Handle : TeeWindowHandle; const URL : String )
8054: Procedure HtmlTextOut( ACanvas : TCanvas; x, y : Integer; Text : String )
8055: Function HtmlTextExtent( ACanvas : TCanvas; const Text : String ) : TSize
8056: end;
8057:
8058:
8059: using mXBDEUtils
8060: ****
8061: Procedure SetAlias( aAlias, aDirectory : String )
8062: Procedure CheckRegistryEntry(Reg:TRegistry;const Path,Value:String;const Default,
Desired:Variant;Size:Byte);
8063: Function GetFileVersionNumber( const FileName : String ) : TVersionNo
8064: Procedure SetBDE( aPath, aNode, aValue : String )
8065: function RestartDialog(Wnd: HWnd; Reason: PChar; Flags: Integer): Integer; stdcall;
8066: Function GetSystemDirectory( lpBuffer : string; uSize : UINT ) : UINT
8067: Function GetSystemDirectoryW( lpBuffer : pchar; uSize : UINT ) : UINT
8068: Function GetTempPath( nBufferLength : DWORD; lpBuffer : string ) : DWORD
8069: Function GetWindowsDirectoryW( nBufferLength : DWORD; lpBuffer : string ) : DWORD
8070: Function GetTempFileName(lpPathName,lpPrefixString:string;uUnique:UINT;lpTempFileName:string):UINT;
8071:
8072:
8073: procedure SIRegister_cDateTime(CL: TPSPascalCompiler);
8074: begin
8075: AddClassN(FindClass('TOBJECT'), 'EDateTime'
8076: Function DatePart( const D : TDateTime ) : Integer
8077: Function TimePart( const D : TDateTime ) : Double
8078: Function Century( const D : TDateTime ) : Word
8079: Function Year( const D : TDateTime ) : Word
8080: Function Month( const D : TDateTime ) : Word
8081: Function Day( const D : TDateTime ) : Word
8082: Function Hour( const D : TDateTime ) : Word
8083: Function Minute( const D : TDateTime ) : Word
8084: Function Second( const D : TDateTime ) : Word
8085: Function Millisecond( const D : TDateTime ) : Word
8086: ('OneDay','Extended').setExtended( 1.0 );
8087: ('OneHour','Extended').SetExtended( OneDay / 24 );
8088: ('OneMinute','Extended').SetExtended( OneHour / 60 );
8089: ('OneSecond','Extended').SetExtended( OneMinute / 60 );
8090: ('OneMillisecond','Extended').SetExtended( OneSecond / 1000 );
8091: ('OneWeek','Extended').SetExtended( OneDay * 7 );
8092: ('HoursPerDay','Extended').SetExtended( 24 );
8093: ('MinutesPerHour','Extended').SetExtended( 60 );
8094: ('SecondsPerMinute','Extended').SetExtended( 60 );
8095: Procedure SetYear( var D : TDateTime; const Year : Word )
8096: Procedure SetMonth( var D : TDateTime; const Month : Word )
8097: Procedure SetDay( var D : TDateTime; const Day : Word )
8098: Procedure SetHour( var D : TDateTime; const Hour : Word )
8099: Procedure SetMinute( var D : TDateTime; const Minute : Word )
8100: Procedure SetSecond( var D : TDateTime; const Second : Word )
8101: Procedure SetMillisecond( var D : TDateTime; const Milliseconds : Word )
8102: Function IsEqual( const D1, D2 : TDateTime ) : Boolean;
8103: Function IsEqual1( const D1 : TDateTime; const Ye, Mo, Da : Word ):Boolean;
8104: Function IsEqual2( const D1 : TDateTime; const Ho, Mi, Se, ms : Word ):Boolean;
8105: Function IsAM( const D : TDateTime ) : Boolean
8106: Function IsPM( const D : TDateTime ) : Boolean
8107: Function IsMidnight( const D : TDateTime ) : Boolean
8108: Function IsNoon( const D : TDateTime ) : Boolean
8109: Function IsSunday( const D : TDateTime ) : Boolean
8110: Function IsMonday( const D : TDateTime ) : Boolean
8111: Function IsTuesday( const D : TDateTime ) : Boolean
8112: Function IsWednesday( const D : TDateTime ) : Boolean
8113: Function IsThursday( const D : TDateTime ) : Boolean
8114: Function IsFriday( const D : TDateTime ) : Boolean
8115: Function IsSaturday( const D : TDateTime ) : Boolean
8116: Function IsWeekend( const D : TDateTime ) : Boolean

```

```

8117: Function Noon( const D : TDateTime ) : TDateTime
8118: Function Midnight( const D : TDateTime ) : TDateTime
8119: Function FirstDayOfMonth( const D : TDateTime ) : TDateTime
8120: Function LastDayOfMonth( const D : TDateTime ) : TDateTime
8121: Function NextWorkday( const D : TDateTime ) : TDateTime
8122: Function PreviousWorkday( const D : TDateTime ) : TDateTime
8123: Function FirstDayOfYear( const D : TDateTime ) : TDateTime
8124: Function LastDayOfYear( const D : TDateTime ) : TDateTime
8125: Function EasterSunday( const Year : Word ) : TDateTime
8126: Function GoodFriday( const Year : Word ) : TDateTime
8127: Function AddMilliseconds( const D : TDateTime; const N : Int64 ) : TDateTime
8128: Function AddSeconds( const D : TDateTime; const N : Int64 ) : TDateTime
8129: Function AddMinutes( const D : TDateTime; const N : Integer ) : TDateTime
8130: Function AddHours( const D : TDateTime; const N : Integer ) : TDateTime
8131: Function AddDays( const D : TDateTime; const N : Integer ) : TDateTime
8132: Function AddWeeks( const D : TDateTime; const N : Integer ) : TDateTime
8133: Function AddMonths( const D : TDateTime; const N : Integer ) : TDateTime
8134: Function AddYears( const D : TDateTime; const N : Integer ) : TDateTime
8135: Function DayOfYear( const Ye, Mo, Da : Word ) : Integer
8136: Function DayOfYear( const D : TDateTime ) : Integer
8137: Function DaysInMonth( const Ye, Mo : Word ) : Integer
8138: Function DaysInMonth( const D : TDateTime ) : Integer
8139: Function DaysInYear( const Ye : Word ) : Integer
8140: Function DaysInYearDate( const D : TDateTime ) : Integer
8141: Function WeekNumber( const D : TDateTime ) : Integer
8142: Function ISOFirstWeekOfYear( const Ye : Word ) : TDateTime
8143: Procedure ISOWeekNumber( const D : TDateTime; var WeekNumber, WeekYear : Word )
8144: Function DiffMilliseconds( const D1, D2 : TDateTime ) : Int64
8145: Function DiffSeconds( const D1, D2 : TDateTime ) : Integer
8146: Function DiffMinutes( const D1, D2 : TDateTime ) : Integer
8147: Function DiffHours( const D1, D2 : TDateTime ) : Integer
8148: Function DiffDays( const D1, D2 : TDateTime ) : Integer
8149: Function DiffWeeks( const D1, D2 : TDateTime ) : Integer
8150: Function DiffMonths( const D1, D2 : TDateTime ) : Integer
8151: Function DiffYears( const D1, D2 : TDateTime ) : Integer
8152: Function GMTBias : Integer
8153: Function GMTTimeToLocalTime( const D : TDateTime ) : TDateTime
8154: Function LocalTimeToGMTTime( const D : TDateTime ) : TDateTime
8155: Function NowAsGMTTime : TDateTime
8156: Function DateTimeToISO8601String( const D : TDateTime ) : AnsiString
8157: Function ISO8601StringToTime( const D : AnsiString ) : TDateTime
8158: Function ISO8601StringAsDateTime( const D : AnsiString ) : TDateTime
8159: Function DateTimeToANSI( const D : TDateTime ) : Integer
8160: Function ANSIToDateTime( const Julian : Integer ) : TDateTime
8161: Function DateTimeToISOInteger( const D : TDateTime ) : Integer
8162: Function DateTimeToISOString( const D : TDateTime ) : AnsiString
8163: Function ISOIntegerToDateTime( const ISOInteger : Integer ) : TDateTime
8164: Function TwoDigitRadix2000YearToYear( const Y : Integer ) : Integer
8165: Function DateTimeAsElapsedTime( const D: TDateTime; const IncludeMilliseconds:Boolean ):AnsiString
8166: Function UnixTimeToDateTime( const UnixTime : LongWord ) : TDateTime
8167: Function DateToUnixTime( const D : TDateTime ) : LongWord
8168: Function EnglishShortDayOfWeekStrA( const DayOfWeek : Integer ) : AnsiString
8169: Function EnglishShortDayOfWeekStrU( const DayOfWeek : Integer ) : UnicodeString
8170: Function EnglishLongDayOfWeekStrA( const DayOfWeek : Integer ) : AnsiString
8171: Function EnglishLongDayOfWeekStrU( const DayOfWeek : Integer ) : UnicodeString
8172: Function EnglishShortMonthStrA( const Month : Integer ) : AnsiString
8173: Function EnglishShortMonthStrU( const Month : Integer ) : UnicodeString
8174: Function EnglishLongMonthStrA( const Month : Integer ) : AnsiString
8175: Function EnglishLongMonthStrU( const Month : Integer ) : UnicodeString
8176: Function EnglishShortDayOfWeekA( const S : AnsiString ) : Integer
8177: Function EnglishShortDayOfWeekU( const S : UnicodeString ) : Integer
8178: Function EnglishLongDayOfWeekA( const S : AnsiString ) : Integer
8179: Function EnglishLongDayOfWeekU( const S : UnicodeString ) : Integer
8180: Function EnglishShortMonthA( const S : AnsiString ) : Integer
8181: Function EnglishShortMonthU( const S : UnicodeString ) : Integer
8182: Function EnglishLongMonthA( const S : AnsiString ) : Integer
8183: Function EnglishLongMonthU( const S : UnicodeString ) : Integer
8184: Function RFC850DayOfWeekA( const S : AnsiString ) : Integer
8185: Function RFC850DayOfWeekU( const S : UnicodeString ) : Integer
8186: Function RFC1123DayOfWeekA( const S : AnsiString ) : Integer
8187: Function RFC1123DayOfWeekU( const S : UnicodeString ) : Integer
8188: Function RFCMonthA( const S : AnsiString ) : Word
8189: Function RFCMonthU( const S : UnicodeString ) : Word
8190: Function GMTTimeToRFC1123TimeA( const D : TDateTime; const IncludeSeconds:Boolean ) : AnsiString
8191: Function GMTTimeToRFC1123TimeU( const D : TDateTime; const IncludeSeconds:Boolean ) : UnicodeString
8192: Function GMTDateTimeToRFC1123DateTimeA( const D : TDateTime; const IncludeDayOfWeek:Bool ):AnsiString;
8193: Function GMTDateTimeToRFC1123DateTimeU( const D : TDateTime; const IncludeDayOfWeek:Bool ):UnicodeString;
8194: Function DateToRFCDateTimeA( const D : TDateTime ) : AnsiString
8195: Function DateToRFCDateTimeU( const D : TDateTime ) : UnicodeString
8196: Function NowAsRFCDateTimeA : AnsiString
8197: Function NowAsRFCDateTimeU : UnicodeString
8198: Function RFCDateTimeToGMTDateTime( const S : AnsiString ) : TDateTime
8199: Function RFCDateTimeToDateTime( const S : AnsiString ) : TDateTime
8200: Function RFCTimeZoneToGMTBias( const Zone : AnsiString ) : Integer
8201: Function TimePeriodStr( const D : TDateTime ) : AnsiString
8202: Procedure SelfTest
8203: end;
8204: //*****CFileUtils
8205: Function PathHasDriveLetterA( const Path : AnsiString ) : Boolean

```

```

8206: Function PathHasDriveLetter( const Path : String ) : Boolean
8207: Function PathIsDriveLetterA( const Path : AnsiString ) : Boolean
8208: Function PathIsDriveLetter( const Path : String ) : Boolean
8209: Function PathIsDriveRootA( const Path : AnsiString ) : Boolean
8210: Function PathIsDriveRoot( const Path : String ) : Boolean
8211: Function PathIsRootA( const Path : AnsiString ) : Boolean
8212: Function PathIsRoot( const Path : String ) : Boolean
8213: Function PathIsUNCPathA( const Path : AnsiString ) : Boolean
8214: Function PathIsUNCPath( const Path : String ) : Boolean
8215: Function PathIsAbsoluteA( const Path : AnsiString ) : Boolean
8216: Function PathIsAbsolute( const Path : String ) : Boolean
8217: Function PathIsDirectoryA( const Path : AnsiString ) : Boolean
8218: Function PathIsDirectory( const Path : String ) : Boolean
8219: Function PathInclSuffixA( const Path : AnsiString; const PathSep : Char ) : AnsiString
8220: Function PathInclSuffix( const Path : String; const PathSep : Char ) : String
8221: Function PathExclSuffixA( const Path : AnsiString; const PathSep : Char ) : AnsiString
8222: Function PathExclSuffix( const Path : String; const PathSep : Char ) : String
8223: Procedure PathEnsureSuffixA( var Path : AnsiString; const PathSep : Char )
8224: Procedure PathEnsureSuffix( var Path : String; const PathSep : Char )
8225: Procedure PathEnsureNoSuffixA( var Path : AnsiString; const PathSep : Char )
8226: Procedure PathEnsureNoSuffix( var Path : String; const PathSep : Char )
8227: //Function PathCanonicalA( const Path : AnsiString; const PathSep : Char ) : AnsiString
8228: Function PathCanonical( const Path : String; const PathSep : Char ) : String
8229: Function PathExpandA( const Path:AnsiString;const basePath:AnsiString;const PathSep:Char):AnsiString
8230: Function PathExpand( const Path : String; const basePath : String; const PathSep : Char ) : String
8231: Function PathLeftElementA( const Path : AnsiString; const PathSep : Char ) : AnsiString
8232: Function PathLeftElement( const Path : String; const PathSep : Char ) : String
8233: Procedure PathSplitLeftElementA( const Path:AString;var LeftElement,RightPath:AString;const PathSep:Char );
8234: Procedure PathSplitLeftElement( const Path:String; var LeftElement,RightPath: String;const PathSep:Char );
8235: Procedure DecodeFilePathA( const FilePath:AnsiString; var Path,FileName:AnsiString;const PathSep:Char );
8236: Procedure DecodeFilePath( const FilePath : String; var Path, FileName : String; const PathSep : Char )
8237: Function FileNameValidA( const FileName : AnsiString ) : AnsiString
8238: Function FileNameValid( const FileName : String ) : String
8239: Function FilePathA( const FileName,Path:AnsiString;const basePath:AnsiStr;const PathSep:Char ):AnsiString;
8240: Function FilePath( const FileName, Path : String;const basePath : String;const PathSep : Char ) : String
8241: Function DirectoryExpandA( const Path:AnsiString;const basePath:AnsiString;const PathSep:Char ):AnsiString
8242: Function DirectoryExpand( const Path : String; const basePath : String; const PathSep : Char ) : String
8243: Function UnixPathToWinPath( const Path : AnsiString ) : AnsiString
8244: Function WinPathToUnixPath( const Path : AnsiString ) : AnsiString
8245: Procedure CCopyFile( const FileName, DestName : String )
8246: Procedure CMoveFile( const FileName, DestName : String )
8247: Function CDeleteFiles( const FileMask : String ) : Boolean
8248: Function FileSeekEx( const FHandle:TFileHandle;const FileOffset:Int64; const FilePos:TFileSeekPos):Int64;
8249: Procedure FileCloseEx( const FileHandle : TFileHandle )
8250: Function FileExistsA( const FileName : AnsiString ) : Boolean
8251: Function CFileExists( const FileName : String ) : Boolean
8252: Function CFileSize( const FileName : String ) : Int64
8253: Function FileGetDateTime( const FileName : String ) : TDateTime
8254: Function FileGetDateTime2( const FileName : String ) : TDateTime
8255: Function FileIsReadOnly( const FileName : String ) : Boolean
8256: Procedure FileDeleteEx( const FileName : String )
8257: Procedure FileRenameEx( const OldFileName, NewFileName : String )
8258: Function ReadFileStrA( const FileName:AnsiString; const FileSharing : TFileSharing; const FileCreationMode
   : TFileCreationMode; const FileOpenWait : PFileOpenWait ) : AnsiString
8259: Function DirectoryEntryExists( const Name : String ) : Boolean
8260: Function DirectoryEntrySize( const Name : String ) : Int64
8261: Function CDirectoryExists( const DirectoryName : String ) : Boolean
8262: Function DirectoryGetDateTime( const DirectoryName : String ) : TDateTime
8263: Procedure CDirectoryCreate( const DirectoryName : String )
8264: Function GetFirstFileNameMatching( const FileMask : String ) : String
8265: Function DirEntryGetAttr( const FileName : AnsiString ) : Integer
8266: Function DirEntryIsDirectory( const FileName : AnsiString ) : Boolean
8267: Function FileHasAttr( const FileName : String; const Attr : Word ) : Boolean
8268: AddTypeS('TLogicalDriveType','( DriveRemovable, DriveFixed, DriveRemote,
8269:   +DriveCDRom, DriveRamDisk, DriveTypeUnknown )')
8270: Function DriveIsValid( const Drive : Char ) : Boolean
8271: Function DriveGetType( const Path : AnsiString ) : TLogicalDriveType
8272: Function DriveFreeSpace( const Path : AnsiString ) : Int64
8273:
8274: procedure SIRegister_cTimers(CL: TPSPascalCompiler);
8275: begin
8276:   AddClassN(FindClass('TOBJECT'), 'ETimers
8277:   Const('TickFrequency','LongInt'( 1000);Function GetTick : LongWord
8278:   Function TickDelta( const D1, D2 : LongWord ) : Integer
8279:   Function TickDeltaW( const D1, D2 : LongWord ) : LongWord
8280:   AddTypeS('THPTimer', 'Int64
8281:   Procedure StartTimer( var Timer : THPTimer )
8282:   Procedure StopTimer( var Timer : THPTimer )
8283:   Procedure ResumeTimer( var StoppedTimer : THPTimer )
8284:   Procedure InitStoppedTimer( var Timer : THPTimer )
8285:   Procedure InitElapsedTimer( var Timer : THPTimer; const Milliseconds : Integer )
8286:   Function MillisecondsElapsed( const Timer : THPTimer; const TimerRunning : Boolean ) : Integer
8287:   Function MicrosecondsElapsed( const Timer : THPTimer; const TimerRunning : Boolean ) : Int64
8288:   Procedure WaitMicroseconds( const MicroSeconds : Integer )
8289:   Function GetHighPrecisionFrequency : Int64
8290:   Function GetHighPrecisionTimerOverhead : Int64
8291:   Procedure AdjustTimerForOverhead( var StoppedTimer : THPTimer; const Overhead : Int64 )
8292:   Procedure SelfTestCTimer
8293: end;

```

```

8294:
8295: procedure SIRегистер_cRandom(CL: TPSPPascalCompiler);
8296: begin
8297:   Function RandomSeed : LongWord;
8298:   Procedure AddEntropy( const Value : LongWord);
8299:   Function RandomUniform : LongWord;
8300:   Function RandomUniforml( const N : Integer) : Integer;
8301:   Function RandomBoolean : Boolean;
8302:   Function RandomByte : Byte;
8303:   Function RandomByteNonZero : Byte;
8304:   Function RandomWord : Word;
8305:   Function RandomInt64 : Int64;
8306:   Function RandomInt64l( const N : Int64) : Int64;
8307:   Function RandomHex( const Digits : Integer) : String;
8308:   Function RandomFloat : Extended;
8309:   Function RandomAlphaStr( const Length : Integer) : AnsiString;
8310:   Function RandomPseudoWord( const Length : Integer) : AnsiString;
8311:   Function RandomPassword(const MinL,MaxLength:Int;const CaseSens,UseSymbols,UseNumbers:Bool):AnsiString;
8312:   Function mwcRandomLongWord : LongWord;
8313:   Function urnRandomLongWord : LongWord;
8314:   Function moaRandomFloat : Extended;
8315:   Function mwcRandomFloat : Extended;
8316:   Function RandomNormalF : Extended;
8317:   Procedure SelfTestCRandom;
8318: end;
8319:
8320: procedure SIRегистер_SynEditMiscProcs(CL: TPSPPascalCompiler);
8321: begin
8322:   // PIntArray', '^TIntArray // will not work
8323:   Addtypes('TConvertTabsProc','function(const Line:AnsiString; TabWidth: integer):AnsiString
8324:   TConvertTabsProcEx, function(const Line:AnsiString;TabWidth:integer;var HasTabs:boolean):AnsiString
8325:   Function synMax( x, y : integer ) : integer;
8326:   Function synMin( x, y : integer ) : integer;
8327:   Function synMinMax( x, mi, ma : integer ) : integer;
8328:   Procedure synSwapInt( var l, r : integer );
8329:   Function synMaxPoint( const P1, P2 : TPoint ) : TPoint;
8330:   Function synMinPoint( const P1, P2 : TPoint ) : TPoint;
8331:   //Function synGetIntArray( Count : Cardinal; initialValue : integer ) : PIntArray;
8332:   Procedure synInternalFillRect( dc : HDC; const rcPaint : TRect );
8333:   Function synGetBestConvertTabsProc( TabWidth : integer ) : TConvertTabsProc;
8334:   Function synConvertTabs( const Line : AnsiString; TabWidth : integer ) : AnsiString;
8335:   Function synGetBestConvertTabsProcEx( TabWidth : integer ) : TConvertTabsProcEx;
8336:   Function synConvertTabsEx( const Line:AnsiString;TabWidth:integer; var HasTabs:boolean):AnsiString;
8337:   Function synGetExpandedLength( const aStr : string; aTabWidth : integer ) : integer;
8338:   Function synCharIndex2CaretPos( Index, TabWidth : integer; const Line : string ) : integer;
8339:   Function synCaretPos2CharIndex( Position, TabWidth:int;const Line:string;var InsideTabChar:boolean):int;
8340:   Function synStrScanForCharInSet( const Line:string;Start:integer;AChars:TSynIdentChars):integer;
8341:   Function synStrScanForCharInSet( const Line:string;Start:integer;AChars:TSynIdentChars):integer;
8342:   TStringType', '( stNone, stHalfNumAlpha, stHalfSymbol, stHalfKat'
8343:   + 'akana,stWideNumAlpha,stWideSymbol,stWideKatakana,stHiragana,stIdeograph,stControl,stKashida )';
8344:   ('C3_NONSPACING','LongInt'( 1 );
8345:   ('C3_DIACRITIC','LongInt'( 2 );
8346:   ('C3_VOWELMARK','LongInt'( 4 );
8347:   ('C3_SYMBOL','LongInt'( 8 );
8348:   ('C3_KATAKANA','LongWord( $0010 );
8349:   ('C3_HIRAGANA','LongWord( $0020 );
8350:   ('C3_HALFWIDTH','LongWord( $0040 );
8351:   ('C3_FULLWIDTH','LongWord( $0080 );
8352:   ('C3_IDEOGRAPH','LongWord( $0100 );
8353:   ('C3_KASHIDA','LongWord( $0200 );
8354:   ('C3_LEXICAL','LongWord( $0400 );
8355:   ('C3_ALPHA','LongWord( $8000 );
8356:   ('C3_NOTAPPLICABLE','LongInt'( 0 );
8357:   Function synStrScanForMultiByteChar( const Line : string; Start : Integer ) : Integer;
8358:   Function synStrScanForMultiByteChar( const Line : string; Start : Integer ) : Integer;
8359:   Function synIsStringType( Value : Word ) : TStringType;
8360:   Function synGetEOL( Line : PChar ) : PChar;
8361:   Function synEncodeString( s : string ) : string;
8362:   Function synDecodeString( s : string ) : string;
8363:   Procedure synFreeAndNil( var Obj: TObject );
8364:   Procedure synAssert( Expr : Boolean );
8365:   Function synLastDelimiter( const Delimiters, S : string ) : Integer;
8366:   TReplaceFlag', '( rfReplaceAll, rfIgnoreCase );
8367:   TReplaceFlags', 'set of TReplaceFlag );
8368:   Function synStringReplace( const S, OldPattern, NewPattern : string; Flags: TReplaceFlags ) : string;
8369:   Function synGetRValue( RGBValue : TColor ) : byte;
8370:   Function synGetGValue( RGBValue : TColor ) : byte;
8371:   Function synGetBValue( RGBValue : TColor ) : byte;
8372:   Function synRGB( r, g, b : Byte ) : Cardinal;
8373:   // THighlighterAttriProc', 'Function ( Highlighter : TSynCustomHighlighter
8374:   // +'lighter; Attri:TSynHighlighterAttributes;UniqueAttriName:string;Params array of Pointer):Boolean;
8375:   //Function synEnumHighlighterAttrs( Highlighter : TSynCustomHighlighter; SkipDuplicates : Boolean;
8376:   HighlighterAttriProc : THighlighterAttriProc; Params : array of Pointer ) : Boolean;
8377:   Function synCalcFCS( const ABuf, ABufSize : Cardinal ) : Word;
8378:   Procedure synSynDrawGradient(const ACanvas:TCanvas;const AStartColor,
8379:   AEndColor:TColor;ASteps:integer;const ARect : TRect; const AHorizontal : boolean);
8380: end;
8381:
8382: Function GET_APPCOMMAND_LPARAM( lParam : LPARAM ) : WORD;

```

```

8381: Function GET_DEVICE_LPARAM( lParam : LPARAM ) : WORD
8382: Function GET_KEYSTATE_LPARAM( lParam : LPARAM ) : WORD
8383:
8384: procedure SIRegister_synautil(CL: TPSPascalCompiler);
8385: begin
8386:   Function STimeZoneBias : integer
8387:   Function TimeZone : string
8388:   Function Rfc822DateTime( t : TDateTime ) : string
8389:   Function CDateTime( t : TDateTime ) : string
8390:   Function SimpleDateTime( t : TDateTime ) : string
8391:   Function AnsiCDatetime( t : TDateTime ) : string
8392:   Function GetMonthNumber( Value : string ) : integer
8393:   Function GetTimeFromStr( Value : string ) : TDateTime
8394:   Function GetDateMDYFromStr( Value : string ) : TDateTime
8395:   Function DecodeRFCDateTime( Value : string ) : TDateTime
8396:   Function GetUTCTime : TDateTime
8397:   Function SetUTCTime( Newdt : TDateTime ) : Boolean
8398:   Function SGetTick : LongWord
8399:   Function STickDelta( TickOld, TickNew : LongWord ) : LongWord
8400:   Function CodeInt( Value : Word ) : Ansistring
8401:   Function DecodeInt( const Value : Ansistring; Index : Integer ) : Word
8402:   Function CodeLongInt( Value : LongInt ) : Ansistring
8403:   Function DecodeLongInt( const Value : Ansistring; Index : Integer ) : LongInt
8404:   Function DumpStr( const Buffer : Ansistring ) : string
8405:   Function DumpExStr( const Buffer : Ansistring ) : string
8406:   Procedure Dump( const Buffer : AnsiString; DumpFile : string )
8407:   Procedure DumpEx( const Buffer : AnsiString; DumpFile : string )
8408:   Function TrimSPLeft( const S : string ) : string
8409:   Function TrimSPRight( const S : string ) : string
8410:   Function TrimSP( const S : string ) : string
8411:   Function SeparateLeft( const Value, Delimiter : string ) : string
8412:   Function SeparateRight( const Value, Delimiter : string ) : string
8413:   Function SGetParameter( const Value, Parameter : string ) : string
8414:   Procedure ParseParametersEx( Value, Delimiter : string; const Parameters : TStrings )
8415:   Procedure ParseParameters( Value : string; const Parameters : TStrings )
8416:   Function IndexByBegin( Value : string; const List : TStrings ) : integer
8417:   Function GetEmailAddr( const Value : string ) : string
8418:   Function GetEmailDesc( Value : string ) : string
8419:   Function CStrToHex( const Value : Ansistring ) : string
8420:   Function CIntToBin( Value : Integer; Digits : Byte ) : string
8421:   Function CBinToInt( const Value : string ) : Integer
8422:   Function ParseURL( URL : string; var Prot, User, Pass, Host, Port, Path, Para:string ):string
8423:   Function CReplaceString( Value, Search, Replace : AnsiString ) : AnsiString
8424:   Function CRPosEx( const Sub, Value : string; From : integer ) : Integer
8425:   Function CRPos( const Sub, Value : String ) : Integer
8426:   Function FetchBin( var Value : string; const Delimiter : string ) : string
8427:   Function CFetch( var Value : string; const Delimiter : string ) : string
8428:   Function FetchEx( var Value : string; const Delimiter, Quotation : string ) : string
8429:   Function IsBinaryString( const Value : AnsiString ) : Boolean
8430:   Function PosCRLF( const Value : AnsiString; var Terminator : AnsiString ) : integer
8431:   Procedure StringsTrim( const value : TStrings )
8432:   Function PosFrom( const SubStr, Value : String; From : integer ) : integer
8433:   Function IncPoint( const p : __pointer; Value : integer ) : __pointer
8434:   Function GetBetween( const PairBegin, PairEnd, Value : string ) : string
8435:   Function CCountOfChar( const Value : string; aChr : char ) : integer
8436:   Function UnquoteStr( const Value : string; Quote : Char ) : string
8437:   Function QuoteStr( const Value : string; Quote : Char ) : string
8438:   Procedure HeadersToList( const Value : TStrings )
8439:   Procedure ListToHeaders( const Value : TStrings )
8440:   Function SwapBytes( Value : integer ) : integer
8441:   Function ReadStrFromStream( const Stream : TStream; len : integer ) : AnsiString
8442:   Procedure WriteStrToStream( const Stream : TStream; Value : AnsiString )
8443:   Function GetTempFile( const Dir, prefix : AnsiString ) : AnsiString
8444:   Function CPadString( const Value : AnsiString; len : integer; Pad : AnsiChar ) : AnsiString
8445:   Function CXorString( Indata1, Indata2 : AnsiString ) : AnsiString
8446:   Function NormalizeHeader( Value : TStrings; var Index : Integer ) : string
8447: end;
8448:
8449: procedure SIRegister_StCRC(CL: TPSPascalCompiler);
8450: begin
8451:   ('CrcBufSize','LongInt'( 2048 );
8452:   Function Adler32Prim( var Data, DataSize : Cardinal; CurCrc : LongInt ) : LongInt
8453:   Function Adler32OfStream( Stream : TStream; CurCrc : LongInt ) : LongInt
8454:   Function Adler32OfFile( FileName : AnsiString ) : LongInt
8455:   Function Crc16Prim( var Data, DataSize, CurCrc : Cardinal ) : Cardinal
8456:   Function Crc16OfStream( Stream : TStream; CurCrc : Cardinal ) : Cardinal
8457:   Function Crc16OfFile( FileName : AnsiString ) : Cardinal
8458:   Function Crc32Prim( var Data, DataSize : Cardinal; CurCrc : LongInt ) : LongInt
8459:   Function Crc32OfStream( Stream : TStream; CurCrc : LongInt ) : LongInt
8460:   Function Crc32OfFile( FileName : AnsiString ) : LongInt
8461:   Function InternetSumPrim( var Data, DataSize, CurCrc : Cardinal ) : Cardinal
8462:   Function InternetSumOfStream( Stream : TStream; CurCrc : Cardinal ) : Cardinal
8463:   Function InternetSumOfFile( FileName : AnsiString ) : Cardinal
8464:   Function Kermit16Prim( var Data, DataSize, CurCrc : Cardinal ) : Cardinal
8465:   Function Kermit16OfFile( Stream : TStream; CurCrc : Cardinal ) : Cardinal
8466:   Function Kermit16OfStream( FileName : AnsiString ) : Cardinal
8467: end;
8468:
8469: procedure SIRegister_ComObj(CL: TPSPascalCompiler);

```

```

8470: begin
8471:   function CreateOleObject(const ClassName: String): IDispatch;
8472:   function GetActiveOleObject(const ClassName: String): IDispatch;
8473:   function ProgIDToClassID(const ProgID: string): TGUID;
8474:   function ClassIDToProgID(const ClassID: TGUID): string;
8475:   function CreateClassID: string;
8476:   function CreateGUIDString: string;
8477:   function CreateGUIDID: string;
8478:   procedure OleError(ErrorCode: longint)
8479:   procedure OleCheck(Result: HResult);
8480: end;
8481;
8482: Function xCreateOleObject( const ClassName : string ) : Variant //or IDispatch
8483: Function xGetActiveOleObject( const ClassName : string ) : Variant
8484: //Function DllGetClassObject( const CLSID : TGUID; const IID : TIID; var Obj ) : HResult
8485: Function DllCanUnloadNow : HResult
8486: Function DllRegisterServer : HResult
8487: Function DllUnregisterServer : HResult
8488: Function VarFromInterface( Unknown : IUnknown ) : Variant
8489: Function VarToInterface( const V : Variant ) : IDispatch
8490: Function VarToAutoObject( const V : Variant ) : TAutoObject
8491: //Procedure
     DispInvoke(Dispatch:IDispatch;CallDesc:PCallDesc;DispIDs:PDispIDList;Params:Pointer;Res:PVariant);
8492: //Procedure DispInvoke( Status : HResult; const ExcepInfo : TExcepInfo)
8493: Procedure OleError( ErrorCode : HResult )
8494: Procedure OleCheck( Result : HResult )
8495: Function StringToClassID( const S : string ) : TGUID
8496: Function ClassIDToString( const ClassID : TGUID ) : string
8497: Function xProgIDToClassID( const ProgID : string ) : TGUID
8498: Function xClassIDToProgID( const ClassID : TGUID ) : string
8499: Function xWideCompareStr( const S1, S2 : WideString ) : Integer
8500: Function xWideSameStr( const S1, S2 : WideString ) : Boolean
8501: Function xGUIDToString( const ClassID : TGUID ) : string
8502: Function xStringToGUID( const S : string ) : TGUID
8503: Function xGetModuleName( Module : HMODULE ) : string
8504: Function xAcquireExceptionObject : TObject
8505: Function xIfThen( AValue : Boolean; const ATrue : Integer; const AFalse : Integer ) : Integer
8506: Function xUtf8Encode( const WS : WideString ) : UTF8String
8507: Function xUtf8Decode( const S : UTF8String ) : WideString
8508: Function xExcludeTrailingPathDelimiter( const S : string ) : string
8509: Function xIncludeTrailingPathDelimiter( const S : string ) : string
8510: Function XRTLHandleCOMException : HResult
8511: Procedure XRTLCheckArgument( Flag : Boolean )
8512: //Procedure XRTLCheckOutArgument( out Arg )
8513: Procedure XRTLInterfaceConnect( const Source:IUnknown;const IID:TIID;const Sink:IUnknown;var Connection:Longint );
8514: Procedure XRTLInterfaceDisconnect( const Source: IUnknown; const IID:TIID;var Connection : Longint )
8515: Function XRTLRegisterActiveObject( const Unk:IUnknown;ClassID:TGUID;Flags:DWORD;var RegisterCookie:Int ):HResult
8516: Function XRTLUnRegisterActiveObject( var RegisterCookie : Integer ) : HResult
8517: //Function XRTLGetActiveObject( ClassID : TGUID; RIID : TIID; out Obj ) : HResult
8518: Procedure XRTLEnumActiveObjects( Strings : TStrings )
8519: function XRTLDefaultCategoryManager: IUnknown;
8520: function XRTLIsCategoryEmpty(CatID: TGUID; const CategoryManager: IUnknown = nil): Boolean;
8521: // ICatRegister helper functions
8522: function XRTLCREATEComponentCategory(CatID: TGUID; CatDescription: WideString;
                                         LocaleID: TGUID = LOCALE_USER_DEFAULT;
                                         const CategoryManager: IUnknown = nil): HResult;
8523: function XRTLRemoveComponentCategory(CatID: TGUID; CatDescription: WideString;
                                         LocaleID: TGUID = LOCALE_USER_DEFAULT;
                                         const CategoryManager: IUnknown = nil): HResult;
8524: function XRTLRegisterCLSIDInCategory(ClsID: TGUID; CatID: TGUID;
                                         const CategoryManager: IUnknown = nil): HResult;
8525: function XRTLUnRegisterCLSIDInCategory(ClsID: TGUID; CatID: TGUID;
                                         const CategoryManager: IUnknown = nil): HResult;
8526: function XRTLGetCategoryDescription(CatID: TGUID; var CatDescription: WideString;
                                         LocaleID: TGUID = LOCALE_USER_DEFAULT;
                                         const CategoryManager: IUnknown = nil): HResult;
8527: function XRTLGetCategoryList(Strings: TStrings; LocaleID: TGUID = LOCALE_USER_DEFAULT;
                                         const CategoryManager: IUnknown = nil): HResult;
8528: function XRTLGetCategoryCLSIDList(CatID: TGUID; Strings: TStrings;
                                         const CategoryManager: IUnknown = nil): HResult;
8529: function XRTLGetCategoryProgIDList(CatID: TGUID; Strings: TStrings;
                                         const CategoryManager: IUnknown = nil): HResult;
8530: function XRTLFetch(var AInput: WideString; const ADelim: WideString = ' ';
                           const ADelete: Boolean = True): WideString;
8531: function XRTLRPos(const ASub, AIn: WideString; AStart: Integer = -1): Integer;
8532: function XRTLGetVariantAsString( const Value : Variant ) : string
8533: Function XRTLDateTimeToTimeZoneTime( DT : TDateTime; TimeZone : TXRTLTimeZone ) : TDateTime
8534: Function XRTLGetTimeZones : TXRTLTimeZones
8535: Function XFileTimeToDate( FileTime : TFileTime ) : TDateTime
8536: Function DateToFileTime( Date : TDateTime ) : TFileTime
8537: Function GMTNow : TDateTime
8538: Function GMTToLocalTime( GMT : TDateTime ) : TDateTime
8539: Function LocalTimeToGMT( LocalTime : TDateTime ) : TDateTime
8540: Procedure XRTLN NotImplemented
8541: Procedure XRTLRaiseError( E : Exception )
8542: Procedure XRTLRaise( E : Exception );

```

```

8556: Procedure XRaise( E : Exception )';
8557: Procedure XRTLInvalidOperation( ClassName:string; OperationName:string; Description: string)
8558:
8559:
8560: procedure SIRegister_xrtl_util_Value(CL: TPSPPascalCompiler);
8561: begin
8562:   SIRegister_IXRTLValue(CL);
8563:   SIRegister_TXRTLValue(CL);
8564:   //AddTypeS('PXRTLValueArray', '^IXRTLValueArray // will not work
8565:   AddTypes('IXRTLValueArray', 'array of IXRTLValue
8566: Function XRTLValue( const AValue : Cardinal ) : IXRTLValue;
8567: Function XRTLSetValue( const IValue : IXRTLValue; const AValue : Cardinal ) : Cardinal;
8568: Function XRTLGetAsCardinal( const IValue : IXRTLValue ) : Cardinal;
8569: Function XRTLGetAsCardinalDef( const IValue : IXRTLValue; const DefValue : Cardinal ) : Cardinal;
8570: Function XRTLValue1( const AValue : Integer ) : IXRTLValue;
8571: Function XRTLSetValue1( const IValue : IXRTLValue; const AValue : Integer ) : Integer;
8572: Function XRTLGetAsInteger( const IValue : IXRTLValue ) : Integer;
8573: Function XRTLGetAsIntegerDef( const IValue : IXRTLValue; const DefValue : Integer ) : Integer;
8574: Function XRTLValue2( const AValue : Int64 ) : IXRTLValue;
8575: Function XRTLSetValue2( const IValue : IXRTLValue; const AValue : Int64 ) : Int64;
8576: Function XRTLGetAsInt64( const IValue : IXRTLValue ) : Int64;
8577: Function XRTLGetAsInt64Def( const IValue : IXRTLValue; const DefValue : Int64 ) : Int64;
8578: Function XRTLValue3( const AValue : Single ) : IXRTLValue;
8579: Function XRTLSetValue3( const IValue : IXRTLValue; const AValue : Single ) : Single;
8580: Function XRTLGetAsSingle( const IValue : IXRTLValue ) : Single;
8581: Function XRTLGetAsSingleDef( const IValue : IXRTLValue; const DefValue : Single ) : Single;
8582: Function XRTLValue4( const AValue : Double ) : IXRTLValue;
8583: Function XRTLSetValue4( const IValue : IXRTLValue; const AValue : Double ) : Double;
8584: Function XRTLGetAsDouble( const IValue : IXRTLValue ) : Double;
8585: Function XRTLGetAsDoubleDef( const IValue : IXRTLValue; const DefValue : Double ) : Double;
8586: Function XRTLValue5( const AValue : Extended ) : IXRTLValue;
8587: Function XRTLSetValue5( const IValue : IXRTLValue; const AValue : Extended ) : Extended;
8588: Function XRTLGetAsExtended( const IValue : IXRTLValue ) : Extended;
8589: Function XRTLGetAsExtendedDef( const IValue : IXRTLValue; const DefValue : Extended ) : Extended;
8590: Function XRTLValue6( const AValue : IInterface ) : IXRTLValue;
8591: Function XRTLSetValue6( const IValue : IXRTLValue; const AValue : IInterface ) : IInterface;
8592: Function XRTLGetAsInterface( const IValue : IXRTLValue ) : IInterface;
8593: //Function XRTLGetAsInterface1( const IValue : IXRTLValue; out Obj ) : IInterface;
8594: Function XRTLGetAsInterfaceDef( const IValue : IXRTLValue; const DefValue : IInterface ) : IInterface;
8595: Function XRTLValue7( const AValue : WideString ) : IXRTLValue;
8596: Function XRTLSetValue7( const IValue : IXRTLValue; const AValue : WideString ) : WideString;
8597: Function XRTLGetAsWideString( const IValue : IXRTLValue ) : WideString;
8598: Function XRTLGetAsWideStringDef( const IValue : IXRTLValue; const DefValue : WideString ) : WideString;
8599: Function XRTLValue8( const AValue : TObject; const AOwnValue : Boolean ) : IXRTLValue;
8600: Function XRTLSetValue8( const IValue : IXRTLValue; const AValue : TObject ) : TObject;
8601: Function XRTLGetAsObject( const IValue : IXRTLValue; const ADetachOwnership : Boolean ) : TObject;
8602: Function XRTLGetAsObjectDef( const IValue:IXRTLValue;const DefValue:TObject;const
     ADetachOwnership:Boolean):TObject;
8603: //Function XRTLValue9( const AValue : _Pointer ) : IXRTLValue;
8604: //Function XRTLSetValue9( const IValue : IXRTLValue; const AValue : _Pointer ) : _Pointer;
8605: //Function XRTLGetAsPointer( const IValue : IXRTLValue ) : _Pointer
8606: //Function XRTLGetAsPointerDef( const IValue : IXRTLValue; const DefValue : _Pointer ) : _Pointer
8607: Function XRTLValue9( const AValue : Variant ) : IXRTLValue;
8608: Function XRTLSetValue9( const IValue : IXRTLValue; const AValue : Variant ) : Variant;
8609: Function XRTLGetAsVariant( const IValue : IXRTLValue ) : Variant;
8610: Function XRTLGetAsVariantDef( const IValue : IXRTLValue; const DefValue : Variant ) : Variant;
8611: Function XRTLValue10( const AValue : Currency ) : IXRTLValue;
8612: Function XRTLSetValue10( const IValue : IXRTLValue; const AValue : Currency ) : Currency;
8613: Function XRTLGetAsCurrency( const IValue : IXRTLValue ) : Currency;
8614: Function XRTLGetAsCurrencyDef( const IValue : IXRTLValue; const DefValue : Currency ) : Currency;
8615: Function XRTLValue11( const AValue : Comp ) : IXRTLValue;
8616: Function XRTLSetValue11( const IValue : IXRTLValue; const AValue : Comp ) : Comp;
8617: Function XRTLGetAsComp( const IValue : IXRTLValue ) : Comp;
8618: Function XRTLGetAsCompDef( const IValue : IXRTLValue; const DefValue : Comp ) : Comp;
8619: Function XRTLValue12( const AValue : TClass ) : IXRTLValue;
8620: Function XRTLSetValue12( const IValue : IXRTLValue; const AValue : TClass ) : TClass;
8621: Function XRTLGetAsClass( const IValue : IXRTLValue ) : TClass;
8622: Function XRTLGetAsClassDef( const IValue : IXRTLValue; const DefValue : TClass ) : TClass;
8623: Function XRTLValue13( const AValue : TGUID ) : IXRTLValue;
8624: Function XRTLSetValue13( const IValue : IXRTLValue; const AValue : TGUID ) : TGUID;
8625: Function XRTLGetAsGUID( const IValue : IXRTLValue ) : TGUID;
8626: Function XRTLGetAsGUIDDef( const IValue : IXRTLValue; const DefValue : TGUID ) : TGUID;
8627: Function XRTLValue14( const AValue : Boolean ) : IXRTLValue;
8628: Function XRTLSetValue14( const IValue : IXRTLValue; const AValue : Boolean ) : Boolean;
8629: Function XRTLGetAsBoolean( const IValue : IXRTLValue ) : Boolean;
8630: Function XRTLGetAsBooleanDef( const IValue : IXRTLValue; const DefValue : Boolean ) : Boolean;
8631: end;
8632;
8633: //*****unit uPSI_GR32;*****
8634:
8635: Function Color32( WinColor : TColor ) : TColor32;
8636: Function Color321( R, G, B : Byte; A : Byte ) : TColor32;
8637: Function Color322( Index : Byte; var Palette : TPalette32 ) : TColor32;
8638: Function Gray32( Intensity : Byte; Alpha : Byte ) : TColor32;
8639: Function WinColor( Color32 : TColor32 ) : TColor;
8640: Function ArrayOfColor32( Colors : array of TColor32 ) : TArrayOfColor32;
8641: Procedure Color32ToRGB( Color32 : TColor32; var R, G, B : Byte );
8642: Procedure Color32ToRGBA( Color32 : TColor32; var R, G, B, A : Byte );
8643: Function Color32Components( R, G, B, A : Boolean ) : TColor32Components;

```

```

8644: Function RedComponent( Color32 : TColor32 ) : Integer
8645: Function GreenComponent( Color32 : TColor32 ) : Integer
8646: Function BlueComponent( Color32 : TColor32 ) : Integer
8647: Function AlphaComponent( Color32 : TColor32 ) : Integer
8648: Function Intensity( Color32 : TColor32 ) : Integer
8649: Function SetAlpha( Color32 : TColor32; NewAlpha : Integer ) : TColor32
8650: Function HSLtoRGB( H, S, L : Single ) : TColor32;
8651: Procedure RGBtoHSL( RGB : TColor32; out H, S, L : Single );
8652: Function HSLtoRGB1( H, S, L : Integer ) : TColor32;
8653: Procedure RGBtoHSL1( RGB : TColor32; out H, S, L : Byte );
8654: Function WinPalette( const P : TPalette32 ) : HPALETTE
8655: Function FloatPoint( X, Y : Single ) : TFloatPoint;
8656: Function FloatPoint1( const P : TPoint ) : TFloatPoint;
8657: Function FloatPoint2( const FXP : TFixedPoint ) : TFloatPoint;
8658: Function FixedPoint( X, Y : Integer ) : TFixedPoint;
8659: Function FixedPoint1( X, Y : Single ) : TFixedPoint;
8660: Function FixedPoint2( const P : TPoint ) : TFixedPoint;
8661: Function FixedPoint3( const FP : TFloatPoint ) : TFixedPoint;
8662: AddTypeS('TRectRounding', '( rrClosest, rrOutside, rrInside )'
8663: Function MakeRect( const L, T, R, B : Integer ) : TRect;
8664: Function MakeRect1( const FR : TFloatRect; Rounding : TRectRounding ) : TRect;
8665: Function MakeRect2( const FXR : TRect; Rounding : TRectRounding ) : TRect;
8666: Function GFixedRect( const L, T, R, B : TFixed ) : TRect;
8667: Function FixedRect1( const ARect : TRect ) : TRect;
8668: Function FixedRect2( const FR : TFloatRect ) : TRect;
8669: Function GFloatRect( const L, T, R, B : TFloat ) : TFloatRect;
8670: Function FloatRect1( const ARect : TRect ) : TFloatRect;
8671: Function FloatRect2( const FXR : TRect ) : TFloatRect;
8672: Function GIIntersectRect( out Dst : TRect; const R1, R2 : TRect ) : Boolean;
8673: Function IntersectRect1( out Dst : TFloatRect; const FR1, FR2 : TFloatRect ) : Boolean;
8674: Function GUUnionRect( out Rect : TRect; const R1, R2 : TRect ) : Boolean;
8675: Function UnionRect1( out Rect : TFloatRect; const R1, R2 : TFloatRect ) : Boolean;
8676: Function GEEqualRect( const R1, R2 : TRect ) : Boolean;
8677: Function EqualRect1( const R1, R2 : TFloatRect ) : Boolean;
8678: Procedure GIInflateRect( var R : TRect; Dx, Dy : Integer );
8679: Procedure InflateRect1( var FR : TFloatRect; Dx, Dy : TFloat );
8680: Procedure GOFFsetRect( var R : TRect; Dx, Dy : Integer );
8681: Procedure OffsetRect1( var FR : TFloatRect; Dx, Dy : TFloat );
8682: Function IsRectEmpty( const R : TRect ) : Boolean;
8683: Function IsRectEmpty1( const FR : TFloatRect ) : Boolean;
8684: Function GPInRect( const R : TRect; const P : TPoint ) : Boolean;
8685: Function PtInRect1( const R : TFloatRect; const P : TPoint ) : Boolean;
8686: Function PtInRect2( const R : TRect; const P : TFloatPoint ) : Boolean;
8687: Function PtInRect3( const R : TFloatRect; const P : TFloatPoint ) : Boolean;
8688: Function EqualRectSize( const R1, R2 : TRect ) : Boolean;
8689: Function EqualRectSize1( const R1, R2 : TFloatRect ) : Boolean;
8690: Function MessageBeep( uType : UINT ) : BOOL
8691: Function ShowCursor( bShow : BOOL ) : Integer
8692: Function SetCursorPos( X, Y : Integer ) : BOOL
8693: Function SetCursor( hCursor : HICON ) : HCURSOR
8694: Function GetCursorPos( var lpPoint : TPoint ) : BOOL
8695: //Function ClipCursor( lpRect : PRect ) : BOOL
8696: Function GetClipCursor( var lpRect : TRect ) : BOOL
8697: Function GetCursor : HCURSOR
8698: Function CreateCaret( hWnd : HWND; hBitmap : HBITMAP; nWidth, nHeight : Integer ) : BOOL
8699: Function GetCaretBlinkTime : UINT
8700: Function SetCaretBlinkTime( uMSeconds : UINT ) : BOOL
8701: Function DestroyCaret : BOOL
8702: Function HideCaret( hWnd : HWND ) : BOOL
8703: Function ShowCaret( hWnd : HWND ) : BOOL
8704: Function SetCaretPos( X, Y : Integer ) : BOOL
8705: Function GetCaretPos( var lpPoint : TPoint ) : BOOL
8706: Function ClientToScreen( hWnd : HWND; var lpPoint : TPoint ) : BOOL
8707: Function ScreenToClient( hWnd : HWND; var lpPoint : TPoint ) : BOOL
8708: Function MapWindowPoints(hWndFrom,hWndTo:HWND; var lpPoints, cPoints : UINT) : Integer
8709: Function WindowFromPoint( Point : TPoint ) : HWND
8710: Function ChildWindowFromPoint( hWndParent : HWND; Point : TPoint ) : HWND
8711:
8712:
8713: procedure SIRegister_GR32_Math(CL: TPPSPascalCompiler);
8714: begin
8715:   Function FixedFloor( A : TFixed ) : Integer
8716:   Function FixedCeil( A : TFixed ) : Integer
8717:   Function FixedMul( A, B : TFixed ) : TFixed
8718:   Function FixedDiv( A, B : TFixed ) : TFixed
8719:   Function OneOver( Value : TFixed ) : TFixed
8720:   Function FixedRound( A : TFixed ) : Integer
8721:   Function FixedSqr( Value : TFixed ) : TFixed
8722:   Function FixedSqrtLP( Value : TFixed ) : TFixed
8723:   Function FixedSqrtHP( Value : TFixed ) : TFixed
8724:   Function FixedCombine( W, X, Y : TFixed ) : TFixed
8725:   Procedure GRSinCos( const Theta : TFloat; out Sin, Cos : TFloat );
8726:   Procedure GRSinCos1( const Theta, Radius : Single; out Sin, Cos : Single );
8727:   Function GRHypot( const X, Y : TFloat ) : TFloat;
8728:   Function Hypot1( const X, Y : Integer ) : Integer;
8729:   Function FastSqr( const Value : TFloat ) : TFloat
8730:   Function FastSqrBab1( const Value : TFloat ) : TFloat
8731:   Function FastSqrBab2( const Value : TFloat ) : TFloat
8732:   Function FastInvSqrt( const Value : Single ) : Single;

```

```

8733: Function MulDiv( Multiplicand, Multiplier, Divisor : Integer) : Integer
8734: Function GRIsPowerOf2( Value : Integer) : Boolean
8735: Function PrevPowerOf2( Value : Integer) : Integer
8736: Function NextPowerOf2( Value : Integer) : Integer
8737: Function Average( A, B : Integer) : Integer
8738: Function GRSign( Value : Integer) : Integer
8739: Function FloatMod( x, y : Double) : Double
8740: end;
8741:
8742: procedure SIRегистер_GR32_LowLevel(CL: TPSPPascalCompiler);
8743: begin
8744:   Function Clamp( const Value : Integer) : Integer;
8745:   Procedure GRFillWord( var X, Count : Cardinal; Value : Longword)
8746:   Function StackAlloc( Size : Integer) : Pointer
8747:   Procedure StackFree( P : Pointer)
8748:   Procedure Swap( var A, B : Pointer);
8749:   Procedure Swap1( var A, B : Integer);
8750:   Procedure Swap2( var A, B : TFixed);
8751:   Procedure Swap3( var A, B : TColor32);
8752:   Procedure TestSwap( var A, B : Integer);
8753:   Procedure TestSwap1( var A, B : TFixed);
8754:   Function TestClip( var A, B : Integer; const Size : Integer) : Boolean;
8755:   Function TestClip1( var A, B : Integer; const Start, Stop : Integer) : Boolean;
8756:   Function GRConstrain( const Value, Lo, Hi : Integer) : Integer;
8757:   Function Constrain1( const Value, Lo, Hi : Single) : Single;
8758:   Function SwapConstrain( const Value:Integer; Constrain1,Constrain2:Integer) : Integer
8759:   Function GRMin( const A, B, C : Integer) : Integer;
8760:   Function GRMax( const A, B, C : Integer) : Integer;
8761:   Function Clamp( Value, Max : Integer) : Integer;
8762:   Function Clamp1( Value, Min, Max : Integer) : Integer;
8763:   Function Wrap( Value, Max : Integer) : Integer;
8764:   Function Wrap1( Value, Min, Max : Integer) : Integer;
8765:   Function Wrap3( Value, Max : Single) : Single;;
8766:   Function WrapPow2( Value, Max : Integer) : Integer;
8767:   Function WrapPow21( Value, Min, Max : Integer) : Integer;
8768:   Function Mirror( Value, Max : Integer) : Integer;
8769:   Function Mirror1( Value, Min, Max : Integer) : Integer;
8770:   Function MirrorPow2( Value, Max : Integer) : Integer;
8771:   Function MirrorPow21( Value, Min, Max : Integer) : Integer;
8772:   Function GetOptimalWrap( Max : Integer) : TWrapProc;
8773:   Function GetOptimalWrap1( Min, Max : Integer) : TWrapProcEx;
8774:   Function GetOptimalMirror( Max : Integer) : TWrapProc;
8775:   Function GetOptimalMirror1( Min, Max : Integer) : TWrapProcEx;
8776:   Function GetWrapProc( WrapMode : TWrapMode) : TWrapProc;
8777:   Function GetWrapProc1( WrapMode : TWrapMode; Max : Integer) : TWrapProc;
8778:   Function GetWrapProcEx( WrapMode : TWrapMode) : TWrapProcEx;
8779:   Function GetWrapProcEx1( WrapMode : TWrapMode; Min, Max : Integer):TWrapProcEx;
8780:   Function Div255( Value : Cardinal) : Cardinal
8781:   Function SAR_4( Value : Integer) : Integer
8782:   Function SAR_8( Value : Integer) : Integer
8783:   Function SAR_9( Value : Integer) : Integer
8784:   Function SAR_11( Value : Integer) : Integer
8785:   Function SAR_12( Value : Integer) : Integer
8786:   Function SAR_13( Value : Integer) : Integer
8787:   Function SAR_14( Value : Integer) : Integer
8788:   Function SAR_15( Value : Integer) : Integer
8789:   Function SAR_16( Value : Integer) : Integer
8790:   Function ColorSwap( WinColor : TColor) : TColor32
8791: end;
8792:
8793: procedure SIRегистер_GR32_Filters(CL: TPSPPascalCompiler);
8794: begin
8795:   AddTypeS('TLogicalOperator', '( loXOR, loAND, loOR )')
8796:   Procedure CopyComponents( Dst, Src : TCustomBitmap32; Components : TColor32Components);
8797:   Procedure CopyComponents1(Dst:TCustBmap32;DstX,
     DstY:Int;Src:TCustomBmap32;SrcRect:TRect;Components:TColor32Comp);
8798:   Procedure AlphaToGrayscale( Dst, Src : TCustomBitmap32)
8799:   Procedure ColorToGrayscale( Dst, Src : TCustomBitmap32; PreserveAlpha : Boolean)
8800:   Procedure IntensityToAlpha( Dst, Src : TCustomBitmap32)
8801:   Procedure Invert( Dst, Src : TCustomBitmap32; Components : TColor32Components)
8802:   Procedure InvertRGB( Dst, Src : TCustomBitmap32)
8803:   Procedure ApplyLUT( Dst, Src : TCustomBitmap32; const LUT : TLUT8; PreserveAlpha : Boolean)
8804:   Procedure ChromaKey( ABitmap : TCustomBitmap32; TrColor : TColor32)
8805:   Function CreateBitmask( Components : TColor32Components) : TColor32
8806:   Procedure ApplyBitmask(Dst:TCustomBitmap32; DstX,DstY:Integer; Src:TCustomBitmap32; SrcRect : TRect;
     Bitmask : TColor32; LogicalOperator : TLogicalOperator);
8807:   Procedure
     ApplyBitmask1(ABitmap:TCustomBitmap32;ARect:TRect;Bitmask:TColor32;LogicalOperator:TLogicalOperator);
8808:   Procedure CheckParams( Dst, Src : TCustomBitmap32; ResizeDst : Boolean)
8809: end;
8810:
8811:
8812: procedure SIRегистер_JclNTFS(CL: TPSPPascalCompiler);
8813: begin
8814:   AddClassN(FindClass('TOBJECT'),'EJclNtfsError'
8815:   AddTypeS('TFileCompressionState', '( fcNoCompression, fcDefaultCompression, fcLZNT1Compression )
8816:   Function NtfsGetCompression( const FileName : string; var State : Short) : Boolean;
8817:   Function NtfsGetCompression1( const FileName : string) : TFileCompressionState;
8818:   Function NtfsSetCompression( const FileName : string; const State : Short) : Boolean

```

```

8819: Procedure NtfsSetFileCompression( const FileName : string; const State : TFileCompressionState)
8820: Procedure NtfsSetDirectoryTreeCompression(const Directory: string; const State : TFileCompressionState)
8821: Procedure NtfsSetDefaultFileCompression(const Directory: string; const State:TFileCompressionState)
8822: Procedure NtfsSetPathCompression(const Path:string;const State:TFFileCompressionState;Recursive:Boolean;
8823: //AddTypeS('TNtfsAllocRanges', 'record Entries : Integer; Data : PFileAlloca'
8824: //+'tedRangeBuffer; MoreData : Boolean; end
8825: Function NtfsSetSparse( const FileName : string) : Boolean
8826: Function NtfsZeroDataByHandle( const Handle : THandle; const First, Last : Int64) : Boolean
8827: Function NtfsZeroDataByName( const FileName : string; const First, Last : Int64) : Boolean
8828: //Function NtfsQueryAllocRanges(const FileName:string;Offset,Count:Int64;var
Ranges:TNtfsAllocRanges):Boolean;
8829: //Function NtfsGetAllocRangeEntry( const Ranges : TNtfsAllocRanges;
Index:Integer):TFileAllocatedRangeBuffer
8830: Function NtfsSparseStreamsSupported( const Volume : string) : Boolean
8831: Function NtfsGetSparse( const FileName : string) : Boolean
8832: Function NtfsDeleteReparsePoint( const FileName : string; ReparseTag : DWORD) : Boolean
8833: Function NtfsSetReparsePoint( const FileName : string; var ReparseData, Size : Longword) : Boolean
8834: //Function NtfsGetReparsePoint(const FileName:string; var ReparseData:TReparseGuidDataBuffer):Boolean
8835: Function NtfsGetReparseTag( const Path : string; var Tag : DWORD) : Boolean
8836: Function NtfsReparsePointsSupported( const Volume : string) : Boolean
8837: Function NtfsFileHasReparsePoint( const Path : string) : Boolean
8838: Function NtfsIsFolderMountPoint( const Path : string) : Boolean
8839: Function NtfsMountDeviceAsDrive( const Device : string; Drive : Char) : Boolean
8840: Function NtfsMountVolume( const Volume : Char; const MountPoint : string) : Boolean
8841: AddTypeS('TOPLock', '( olExclusive, olReadOnly, olBatch, olFilter )')
8842: Function NtfsOpLockAckClosePending( Handle : THandle; Overlapped : TOverlapped) : Boolean
8843: Function NtfsOpLockBreakAckNo2( Handle : THandle; Overlapped : TOverlapped) : Boolean
8844: Function NtfsOpLockBreakAcknowledge( Handle : THandle; Overlapped : TOverlapped) : Boolean
8845: Function NtfsOpLockBreakNotify( Handle : THandle; Overlapped : TOverlapped) : Boolean
8846: Function NtfsRequestOpLock( Handle : THandle; Kind : TOPLock; Overlapped : TOverlapped) : Boolean
8847: Function NtfsCreateJunctionPoint( const Source, Destination : string) : Boolean
8848: Function NtfsDeleteJunctionPoint( const Source : string) : Boolean
8849: Function NtfsGetJunctionPointDestination( const Source : string; var Destination : string) : Boolean
8850: AddTypeS('TStreamId', '( siInvalid, siStandard, siExtendedAttribute, siSec'
8851: +'urity, siAlternate, siHardLink, siProperty, siObjectIdentifier, siReparsePoints, siSparseFile )
8852: AddTypeS('TStreamIds', 'set of TStreamId
8853: AddTypes('TInternalFindStreamData', 'record FileHandle : THandle; Context '
8854: +': __Pointer; StreamIds : TStreamIds; end
8855: AddTypeS('TFindStreamData', 'record internal : TInternalFindStreamData; At'
8856: +'tributes : DWORD; StreamID : TStreamId; Name : WideString; Size : Int64; end
8857: Function NtfsFindFirstStream(const FileName:string;StreamIds:TStreamIds;var Data:TFindStreamData):Boolean;
8858: Function NtfsFindNextStream( var Data : TFindStreamData) : Boolean
8859: Function NtfsFindStreamClose( var Data : TFindStreamData) : Boolean
8860: Function NtfsCreateHardlink( const LinkFileName, ExistingFileName : string) : Boolean
8861: AddTypeS('TNtfsHardLinkInfo', 'record LinkCount : Cardinal; FileIndex : Int64; end
8862: Function NtfsGetHardLinkInfo( const FileName : string; var Info : TNtfsHardLinkInfo) : Boolean
8863: Function NtfsGetHardLinks(const Path:string;const FileIndexHigh,FileIndexLow:Cardinal;const
List:TStrings):Bool;
8864: Function NtfsDeleteHardLinks( const FileName : string) : Boolean
8865: Function JclAppInstances : TJclAppInstances;
8866: Function JclAppInstances1( const UniqueAppIdGuidStr : string) : TJclAppInstances;
8867: Function ReadMessageCheck( var Message : TMessage;const IgnoredOriginatorWnd: HWND) : TJclAppInstDataKind
8868: Procedure ReadMessageData( const Message : TMessage; var Data : __Pointer; var Size : Integer)
8869: Procedure ReadMessageString( const Message : TMessage; var S : string)
8870: Procedure ReadMessageStrings( const Message : TMessage; const Strings : TStrings)
8871:
8872:
8873: (*-----*)
8874: procedure SIRegister_JclGraphics(CL: TPSPascalCompiler);
8875: begin
8876:   FindClass('TOBJECT'), 'EJclGraphicsError
8877:   TDynIntegerArrayArray', 'array of TDynIntegerArray
8878:   TDynPointArray', 'array of TPoint
8879:   TDynDynPointArrayArray', 'array of TDynPointArray
8880:   TPointF', 'record X : Single; Y : Single; end
8881:   TDynPointArrayF', 'array of TPointF
8882:   TDrawMode2', '( dmOpaque, dmBlend )
8883:   TStretchFilter2', '( sfNearest, sfLinear, sfSpline )
8884:   TConversionKind', '( ckRed, ckGreen, ckBlue, ckAlpha, ckUniformRGB, ckWeightedRGB )
8885:   TResamplingFilter', '( rfBox, rfTriangle, rfHermite, rfBell, rfSpline, rfLanczos3, rfMitchell )
8886:   TMMatrix3d', 'record array[0..2,0..2] of extended end
8887:   TDynDynPointArrayArrayB', 'array of TDynPointArrayF
8888:   TScanLine', 'array of Integer
8889:   TScanLines', 'array of TScanLine
8890:   TColorChannel', '( ccRed, ccGreen, ccBlue, ccAlpha )
8891:   TGradientDirection', '( gdVertical, gdHorizontal )
8892:   TPolyFillMode', '( fmAlternate, fmWinding )
8893:   TJclRegionCombineOperator', '( coAnd, coDiff, coOr, coXor )
8894:   TJclRegionBitmapMode', '( rmInclude, rmExclude )
8895:   TJclRegionKind', '( rkNull, rkSimple, rkComplex, rkError )
8896:   SIRegister_TJclDesktopCanvas(CL);
8897:   FindClass('TOBJECT'), 'TJclRegion
8898:   SIRegister_TJclRegionInfo(CL);
8899:   SIRegister_TJclRegion(CL);
8900:   SIRegister_TJclThreadPersistent(CL);
8901:   SIRegister_TJclCustomMap(CL);
8902:   SIRegister_TJclBitmap32(CL);
8903:   SIRegister_TJclByteMap(CL);
8904:   SIRegister_TJclTransformation(CL);

```

```

8905:  SIRegister_TJclLinearTransformation(CL);
8906:  Procedure Stretch(NewWidth,
8907:    NewHeight:Card;Filter:TResamplingFilter;Radius:Single;Source:TGraphic;Target:TBitmap);
8908:  Procedure Stretch1(NewWidth,NewHeight:Cardinal;Filter:TResamplingFilter;Radius:Single;Bitmap:TBitmap);
8909:  Function GetAntialiasedBitmap( const Bitmap : TBitmap ) : TBitmap
8910:  Procedure BitmapToJpeg( const FileName : string )
8911:  Procedure JpegToBitmap( const FileName : string )
8912:  Function ExtractIconCount( const FileName : string ) : Integer
8913:  Function BitmapToIconJ( Bitmap : HBITMAP; cx, cy : Integer ) : HICON
8914:  Function IconToBitmapJ( Icon : HICON ) : HBITMAP
8915:  Procedure
8916:    BlockTransfer(Dst:TJclBitmap32;DstX:Int;DstY:Int;Src:TJclBitmap32;SrcRect:TRect;CombineOp:TDrawMode)
8917:    Procedure StretchTransfer(Dst:TJclBitmap32;
8918:      DstRect:TRect;Src:TJclBitmap32;SrcRect:TRect;StretchFilter:TStretchFilter; CombineOp : TDrawMode)
8919:    Procedure Transform( Dst, Src : TJclBitmap32; SrcRect : TRect; Transformation : TJclTransformation )
8920:    Procedure SetBorderTransparent( ABitmap : TJclBitmap32; ARect : TRect )
8921:    Function FillGradient(DC:HDC;ARect:TRect; ColorCount:Integer; StartColor,EndColor:TColor;ADirection : TGradientDirection) : Boolean;
8922:    Function CreateRegionFromBitmap(Bitmap: TBitmap; RegionColor:TColor;
8923:      RegionBitmapMode:TJclRegionBitmapMode): HRGN
8924:    Procedure ScreenShot( bm : TBitmap; Left, Top, Width, Height : Integer; Window : HWND );
8925:    Procedure ScreenShot1( bm : TBitmap );
8926:    Procedure PolyLineTS( Bitmap : TJclBitmap32; const Points : TDynPointArray; Color : TColor32 )
8927:    Procedure PolyLineAS( Bitmap : TJclBitmap32; const Points : TDynPointArray; Color : TColor32 )
8928:    Procedure PolyLineFS( Bitmap : TJclBitmap32; const Points : TDynPointArrayF; Color : TColor32 )
8929:    Procedure PolygonTS( Bitmap : TJclBitmap32; const Points : TDynPointArray; Color : TColor32 )
8930:    Procedure PolygonAS( Bitmap : TJclBitmap32; const Points : TDynPointArray; Color : TColor32 )
8931:    Procedure PolygonFS( Bitmap : TJclBitmap32; const Points : TDynPointArrayF; Color : TColor32 );
8932:    Procedure AlphaToGrayscale( Dst, Src : TJclBitmap32 )
8933:    Procedure IntensityToAlpha( Dst, Src : TJclBitmap32 )
8934:    Procedure Invert( Dst, Src : TJclBitmap32 )
8935:    Procedure InvertRGB( Dst, Src : TJclBitmap32 )
8936:    Procedure ColorToGrayscale( Dst, Src : TJclBitmap32 )
8937:    Procedure ApplyLUT( Dst, Src : TJclBitmap32; const LUT : TLUT8 )
8938:    Procedure SetGamma( Gamma : Single )
8939:  end;
8940:
8941:  (*-----*)
8942: procedure SIRegister_JclSynch(CL: TPSPascalCompiler);
8943: begin
8944:   Function LockedAdd( var Target : Integer; Value : Integer ) : Integer
8945:   Function LockedCompareExchange( var Target : Integer; Exch, Comp : Integer ) : Integer
8946:   Function LockedCompareExchange1( var Target : __Pointer; Exch, Comp : __Pointer ) : Pointer;
8947:   Function LockedDec( var Target : Integer ) : Integer
8948:   Function LockedExchange( var Target : Integer; Value : Integer ) : Integer
8949:   Function LockedExchangeAdd( var Target : Integer; Value : Integer ) : Integer
8950:   Function LockedExchangeDec( var Target : Integer ) : Integer
8951:   Function LockedExchangeInc( var Target : Integer ) : Integer
8952:   Function LockedExchangeSub( var Target : Integer; Value : Integer ) : Integer
8953:   Function LockedInc( var Target : Integer ) : Integer
8954:   Function LockedSub( var Target : Integer; Value : Integer ) : Integer
8955:   TJclWaitResult', '( wrAbandoned, wrError, wrIoCompletion, wrSignaled, wrTimeout )
8956:   SIRegister_TJclDispatcherObject(CL);
8957:   Function WaitForMultipleObjects(const Objects:array of
8958:     TJclDispatcherObject;WaitAll:Bool;TimeOut:Cardinal):Cardinal;
8959:   Function WaitAlertableForMultipleObjects(const Objects : array of TJclDispatcherObject; WaitAll:Bool;
8960:     TimeOut : Cardinal):Cardinal
8961:   SIRegister_TJclCriticalSection(CL);
8962:   SIRegister_TJclEvent(CL);
8963:   SIRegister_TJclWaitableTimer(CL);
8964:   SIRegister_TJclSemaphore(CL);
8965:   SIRegister_TJclMutex(CL);
8966:   POptexSharedInfo', '^TOptexSharedInfo // will not work
8967:   TOptexSharedInfo', 'record SpinCount:Int; LockCount: Int; ThreadId:Longword; RecursionCount:Int; end
8968:   SIRegister_TJclOptex(CL);
8969:   TMrewPreferred', '( mpReaders, mpWriters, mpEqual )
8970:   TMrewThreadInfo', 'record ThreadId : Longword; RecursionCount: Integer; Reader : Boolean; end
8971:   TMrewThreadInfoArray', 'array of TMrewThreadInfo
8972:   SIRegister_TJclMultiReadWriteExclusiveWrite(CL);
8973:   PMetSectSharedInfo', '^TMetSectSharedInfo // will not work
8974:   TMetSectSharedInfo', 'record Initialized : LongBool; SpinLock : '
8975:   +'Longint; ThreadsWaiting : Longint; AvailableCount : Longint; MaximumCount : Longint; end
8976:   PMeteredSection', '^PMeteredSection // will not work
8977:   TMeteredSection', 'record Event : THandle; FileMap : THandle; SharedInfo : PMetSectSharedInfo; end
8978:   SIRegister_TJclMeteredSection(CL);
8979:   TEventInfo', 'record EventType : Longint; Signaled : LongBool; end
8980:   TMutexInfo', 'record SignalState : Longint; Owned : Boolean; Abandoned : Boolean; end
8981:   TSemaphoreCounts', 'record CurrentCount : Longint; MaximumCount : Longint; end
8982:   TTimerInfo', 'record Remaining : TLargeInteger; Signaled : LongBool; end
8983:   Function QueryCriticalSection( CS : TJclCriticalSection; var Info : TRTLCriticalSection ) : Boolean
8984:   Function QueryEvent( Handle : THandle; var Info : TEventInfo ) : Boolean
8985:   Function QueryMutex( Handle : THandle; var Info : TMutexInfo ) : Boolean
8986:   Function QuerySemaphore( Handle : THandle; var Info : TSemaphoreCounts ) : Boolean
8987:   Function QueryTimer( Handle : THandle; var Info : TTimerInfo ) : Boolean

```

```

8987:   FindClass( 'TOBJECT' ), 'EJclWin32HandleObjectError
8988:   FindClass( 'TOBJECT' ), 'EJclDispatcherObjectError
8989:   FindClass( 'TOBJECT' ), 'EJclCriticalSectionError
8990:   FindClass( 'TOBJECT' ), 'EJclEventError
8991:   FindClass( 'TOBJECT' ), 'EJclWaitableTimerError
8992:   FindClass( 'TOBJECT' ), 'EJclSemaphoreError
8993:   FindClass( 'TOBJECT' ), 'EJclMutexError
8994:   FindClass( 'TOBJECT' ), 'EJclMeteredSectionError
8995: end;
8996:
8997:
8998: //*****unit uPSI_mORMotReport;
8999: Procedure SetCurrentPrinterAsDefault
9000: Function CurrentPrinterName : string
9001: Function mCurrentPrinterPaperSize : string
9002: Procedure UseDefaultPrinter
9003:
9004: procedure SIRegisterTSTREAM(Cl: TPSPascalCompiler);
9005: begin
9006:   with FindClass( 'TOBJECT' ), 'TStream' ) do begin
9007:     IsAbstract := True;
9008:     //RegisterMethod('Function Read( var Buffer, Count : Longint ) : Longint
9009:     // RegisterMethod('Function Write( const Buffer, Count : Longint ) : Longint
9010:     function Read(Buffer:String;Count:LongInt):LongInt
9011:     function Write(Buffer:String;Count:LongInt):LongInt
9012:     function ReadString(Buffer:String;Count:LongInt):LongInt      //FileStream
9013:     function WriteString(Buffer:String;Count:LongInt):LongInt
9014:     function ReadInt(Buffer:integer;Count:LongInt):LongInt
9015:     function WriteInt(Buffer:integer;Count:LongInt):LongInt
9016:     function ReadByteArray(Buffer:TByteArray;Count:LongInt):LongInt';
9017:     function WriteByteArray(Buffer:TByteArray;Count:LongInt):LongInt';
9018:
9019:   procedure ReadAB(Buffer: TByteArray;Count:LongInt)
9020:   procedure WriteAB(Buffer: TByteArray;Count:LongInt)
9021:   procedure ReadABD(Buffer: TByteDynArray;Count:LongInt)
9022:   procedure WriteABD(Buffer: TByteDynArray;Count:LongInt)
9023:   procedure ReadAC(Buffer: TCharArray;Count:LongInt)
9024:   procedure WriteAC(Buffer: TCharArray;Count:LongInt)
9025:   procedure ReadACD(Buffer: TCharDynArray;Count:LongInt)
9026:   procedure WriteACD(Buffer: TCharDynArray;Count:LongInt)
9027:
9028:   function Seek(Offset:LongInt;Origin:Word):LongInt
9029:   procedure ReadBuffer(Buffer:String;Count:LongInt)
9030:   procedure WriteBuffer(Buffer:String;Count:LongInt)
9031:   procedure ReadBufferInt(Buffer:Integer;Count:LongInt');
9032:   procedure WriteBufferInt(Buffer:Integer;Count:LongInt');
9033:   procedure ReadBufferFloat(Buffer:Double;Count:LongInt');
9034:   procedure WriteBufferFloat(Buffer:Double;Count:LongInt');
9035:
9036:   procedure ReadBufferAB(Buffer: TByteArray;Count:LongInt)
9037:   procedure WriteBufferAB(Buffer: TByteArray;Count:LongInt)
9038:   procedure ReadBufferABD(Buffer: TByteDynArray;Count:LongInt)
9039:   procedure WriteBufferABD(Buffer: TByteDynArray;Count:LongInt)
9040:   procedure ReadBufferAW(Buffer: TWordArray;Count:LongInt)
9041:   procedure WriteBufferAW(Buffer: TWordArray;Count:LongInt)
9042:   procedure ReadBufferAWD(Buffer: TWoRDynArray;Count:LongInt)
9043:   procedure WriteBufferAWD(Buffer: TWoRDynArray;Count:LongInt)
9044:   procedure ReadBufferAW(Buffer: TWoRDArray;Count:LongInt)
9045:   procedure WriteBufferAW(Buffer: TWoRDArray;Count:LongInt)
9046:   procedure ReadBufferAC(Buffer: TCharArray;Count:LongInt)
9047:   procedure WriteBufferAC(Buffer: TCharArray;Count:LongInt)
9048:   procedure ReadBufferACD(Buffer: TCharDynArray;Count:LongInt)
9049:   procedure WriteBufferACD(Buffer: TCharDynArray;Count:LongInt)
9050:
9051:   procedure ReadBufferP(Buffer: PChar;Count:LongInt)
9052:   procedure WriteBufferP(Buffer: PChar;Count:LongInt)
9053:   procedure ReadBufferO(Buffer: TObject;Count:LongInt');
9054:   procedure WriteBufferO(Buffer: TObject;Count:LongInt');
9055:   //READBUFFERAC
9056:   function InstanceSize: Longint
9057:   Procedure FixupResourceHeader( FixupInfo : Integer )
9058:   Procedure ReadResHeader
9059:
9060: {$IFDEF DELPHI4UP}
9061:   function CopyFrom(Source:TStream;Count:Int64):LongInt
9062: {$ELSE}
9063:   function CopyFrom(Source:TStream;Count:Integer):LongInt
9064: {$ENDIF}
9065:   RegisterProperty('Position', 'LongInt', iptrw);
9066:   RegisterProperty('Size', 'LongInt', iptrw);
9067: end;
9068: end;
9069:
9070:
9071: { ****
9072: Unit DMATH - Interface for DMATH.DLL
9073: **** }
9074: // see more docs/dmath_manual.pdf
9075:

```

```

9076: Function InitEval : Integer
9077: Procedure SetVariable( VarName : Char; Value : Float)
9078: Procedure SetFunction( FuncName : String; Wrapper : TWrapper)
9079: Function Eval( ExpressionString : String) : Float
9080:
9081: unit dmath; //types are in built, others are external in DLL
9082: interface
9083: {$IFDEF DELPHI}
9084: uses
9085:   StdCtrls, Graphics;
9086: {$ENDIF}
9087: {
9088:   -----  

9089:   Types and constants  

9090:   ----- }  

9091: {  

9092:   Error handling  

9093:   ----- }  

9094: procedure SetErrCode(ErrCode : Integer); external 'dmath';
9095: { Sets the error code }
9096: function DefaultVal(ErrCode : Integer; DefVal : Float) : Float; external 'dmath';
9097: { Sets error code and default function value }
9098: function MathErr : Integer; external 'dmath';
9099: { Returns the error code }
9100: {-----}  

9101: Dynamic arrays  

9102: ----- }  

9103: procedure SetAutoInit(AutoInit : Boolean); external 'dmath';
9104: { Sets the auto-initialization of arrays }
9105: procedure DimVector(var V : TVector; Ub : Integer); external 'dmath';
9106: { Creates floating point vector V[0..Ub] }
9107: procedure DimIntVector(var V : TIntVector; Ub : Integer); external 'dmath';
9108: { Creates integer vector V[0..Ub] }
9109: procedure DimCompVector(var V : TCompVector; Ub : Integer); external 'dmath';
9110: { Creates complex vector V[0..Ub] }
9111: procedure DimBoolVector(var V : TBoolVector; Ub : Integer); external 'dmath';
9112: { Creates boolean vector V[0..Ub] }
9113: procedure DimStrVector(var V : TStringVector; Ub : Integer); external 'dmath';
9114: { Creates string vector V[0..Ub] }
9115: procedure DimMatrix(var A : TMatrix; Ubl, Ub2 : Integer); external 'dmath';
9116: { Creates floating point matrix A[0..Ubl, 0..Ub2] }
9117: procedure DimIntMatrix(var A : TIntMatrix; Ubl, Ub2 : Integer); external 'dmath';
9118: { Creates integer matrix A[0..Ubl, 0..Ub2] }
9119: procedure DimCompMatrix(var A : TCompMatrix; Ubl, Ub2 : Integer); external 'dmath';
9120: { Creates complex matrix A[0..Ubl, 0..Ub2] }
9121: procedure DimBoolMatrix(var A : TBoolMatrix; Ubl, Ub2 : Integer); external 'dmath';
9122: { Creates boolean matrix A[0..Ubl, 0..Ub2] }
9123: procedure DimStrMatrix(var A : TStringMatrix; Ubl, Ub2 : Integer); external 'dmath';
9124: { Creates string matrix A[0..Ubl, 0..Ub2] }
9125: {-----}  

9126: Minimum, maximum, sign and exchange  

9127: ----- }  

9128: function FMin(X, Y : Float) : Float; external 'dmath';
9129: { Minimum of 2 reals }
9130: function FMax(X, Y : Float) : Float; external 'dmath';
9131: { Maximum of 2 reals }
9132: function IMin(X, Y : Integer) : Integer; external 'dmath';
9133: { Minimum of 2 integers }
9134: function IMax(X, Y : Integer) : Integer; external 'dmath';
9135: { Maximum of 2 integers }
9136: function Sgn(X : Float) : Integer; external 'dmath';
9137: { Sign (returns 1 if X = 0) }
9138: function Sgn0(X : Float) : Integer; external 'dmath';
9139: { Sign (returns 0 if X = 0) }
9140: function DSgn(A, B : Float) : Float; external 'dmath';
9141: { Sgn(B) * |A| }
9142: procedure FSwap(var X, Y : Float); external 'dmath';
9143: { Exchange 2 reals }
9144: procedure ISwap(var X, Y : Integer); external 'dmath';
9145: { Exchange 2 integers }
9146: {-----}  

9147: Rounding functions  

9148: ----- }  

9149: function RoundN(X : Float; N : Integer) : Float; external 'dmath';
9150: { Rounds X to N decimal places }
9151: function Ceil(X : Float) : Integer; external 'dmath';
9152: { Ceiling function }
9153: function Floor(X : Float) : Integer; external 'dmath';
9154: { Floor function }
9155: {-----}  

9156: Logarithms, exponentials and power  

9157: ----- }  

9158: function Expo(X : Float) : Float; external 'dmath';
9159: { Exponential }
9160: function Exp2(X : Float) : Float; external 'dmath';
9161: { 2^X }
9162: function Exp10(X : Float) : Float; external 'dmath';
9163: { 10^X }
9164: function Log(X : Float) : Float; external 'dmath';

```

```

9165: { Natural log }
9166: function Log2(X : Float) : Float; external 'dmath';
9167: { Log, base 2 }
9168: function Log10(X : Float) : Float; external 'dmath';
9169: { Decimal log }
9170: function LogA(X, A : Float) : Float; external 'dmath';
9171: { Log, base A }
9172: function IntPower(X : Float; N : Integer) : Float; external 'dmath';
9173: { X^N }
9174: function Power(X, Y : Float) : Float; external 'dmath';
9175: { X^Y, X >= 0 }
9176: { -----
9177:   Trigonometric functions
9178:   -----
9179:   function Pythag(X, Y : Float) : Float; external 'dmath';
9180:   { Sqrt(X^2 + Y^2) }
9181:   function FixAngle(Theta : Float) : Float; external 'dmath';
9182:   { Set Theta in -Pi..Pi }
9183:   function Tan(X : Float) : Float; external 'dmath';
9184:   { Tangent }
9185:   function ArcSin(X : Float) : Float; external 'dmath';
9186:   { Arc sinus }
9187:   function ArcCos(X : Float) : Float; external 'dmath';
9188:   { Arc cosinus }
9189:   function ArcTan2(Y, X : Float) : Float; external 'dmath';
9190:   { Angle (Ox, OM) with M(X,Y) }
9191:   { -----
9192:     Hyperbolic functions
9193:   -----
9194:   function Sinh(X : Float) : Float; external 'dmath';
9195:   { Hyperbolic sine }
9196:   function Cosh(X : Float) : Float; external 'dmath';
9197:   { Hyperbolic cosine }
9198:   function Tanh(X : Float) : Float; external 'dmath';
9199:   { Hyperbolic tangent }
9200:   function ArcSinh(X : Float) : Float; external 'dmath';
9201:   { Inverse hyperbolic sine }
9202:   function ArcCosh(X : Float) : Float; external 'dmath';
9203:   { Inverse hyperbolic cosine }
9204:   function ArcTanh(X : Float) : Float; external 'dmath';
9205:   { Inverse hyperbolic tangent }
9206:   procedure SinhCosh(X : Float; var SinhX, CoshX : Float); external 'dmath';
9207:   { Sinh & Cosh }
9208:   { -----
9209:     Gamma function and related functions
9210:   -----
9211:   function Fact(N : Integer) : Float; external 'dmath';
9212:   { Factorial }
9213:   function SgnGamma(X : Float) : Integer; external 'dmath';
9214:   { Sign of Gamma function }
9215:   function Gamma(X : Float) : Float; external 'dmath';
9216:   { Gamma function }
9217:   function LnGamma(X : Float) : Float; external 'dmath';
9218:   { Logarithm of Gamma function }
9219:   function Stirling(X : Float) : Float; external 'dmath';
9220:   { Stirling's formula for the Gamma function }
9221:   function StirLog(X : Float) : Float; external 'dmath';
9222:   { Approximate Ln(Gamma) by Stirling's formula, for X >= 13 }
9223:   function DiGamma(X : Float) : Float; external 'dmath';
9224:   { Digamma function }
9225:   function TriGamma(X : Float) : Float; external 'dmath';
9226:   { Trigamma function }
9227:   function IGamma(A, X : Float) : Float; external 'dmath';
9228:   { Incomplete Gamma function }
9229:   function JGamma(A, X : Float) : Float; external 'dmath';
9230:   { Complement of incomplete Gamma function }
9231:   function InvGamma(A, P : Float) : Float; external 'dmath';
9232:   { Inverse of incomplete Gamma function }
9233:   function Erf(X : Float) : Float; external 'dmath';
9234:   { Error function }
9235:   function Erfc(X : Float) : Float; external 'dmath';
9236:   { Complement of error function }
9237:   { -----
9238:     Beta function and related functions
9239:   -----
9240:   function Beta(X, Y : Float) : Float; external 'dmath';
9241:   { Beta function }
9242:   function IBeta(A, B, X : Float) : Float; external 'dmath';
9243:   { Incomplete Beta function }
9244:   function InvBeta(A, B, Y : Float) : Float; external 'dmath';
9245:   { Inverse of incomplete Beta function }
9246:   { -----
9247:     Lambert's function
9248:   -----
9249:   function LambertW(X : Float; UBranch, Offset : Boolean) : Float; external 'dmath';
9250:   -----
9251:   Binomial distribution
9252:   -----
9253:   function Binomial(N, K : Integer) : Float; external 'dmath';

```

```

9254: { Binomial coefficient C(N,K) }
9255: function PBinom(N : Integer; P : Float; K : Integer) : Float; external 'dmath';
9256: { Probability of binomial distribution }
9257: function FBinom(N : Integer; P : Float; K : Integer) : Float; external 'dmath';
9258: { Cumulative probability for binomial distrib. }
9259: { -----
9260: Poisson distribution
9261: ----- }
9262: function PPoisson(Mu : Float; K : Integer) : Float; external 'dmath';
9263: { Probability of Poisson distribution }
9264: function FPoisson(Mu : Float; K : Integer) : Float; external 'dmath';
9265: { Cumulative probability for Poisson distrib. }
9266: { -----
9267: Exponential distribution
9268: ----- }
9269: function DExpo(A, X : Float) : Float; external 'dmath';
9270: { Density of exponential distribution with parameter A }
9271: function FExpo(A, X : Float) : Float; external 'dmath';
9272: { Cumulative probability function for exponential dist. with parameter A }
9273: { -----
9274: Standard normal distribution
9275: ----- }
9276: function DNorm(X : Float) : Float; external 'dmath';
9277: { Density of standard normal distribution }
9278: function FNorm(X : Float) : Float; external 'dmath';
9279: { Cumulative probability for standard normal distrib. }
9280: function PNorm(X : Float) : Float; external 'dmath';
9281: { Prob(|U| > X) for standard normal distrib. }
9282: function InvNorm(P : Float) : Float; external 'dmath';
9283: { Inverse of standard normal distribution }
9284: { -----
9285: Student's distribution
9286: ----- }
9287: function DStudent(Nu : Integer; X : Float) : Float; external 'dmath';
9288: { Density of Student distribution with Nu d.o.f. }
9289: function FStudent(Nu : Integer; X : Float) : Float; external 'dmath';
9290: { Cumulative probability for Student distrib. with Nu d.o.f. }
9291: function PStudent(Nu : Integer; X : Float) : Float; external 'dmath';
9292: { Prob(|t| > X) for Student distrib. with Nu d.o.f. }
9293: function InvStudent(Nu : Integer; P : Float) : Float; external 'dmath';
9294: { Inverse of Student's t-distribution function }
9295: { -----
9296: Khi-2 distribution
9297: ----- }
9298: function DKhi2(Nu : Integer; X : Float) : Float; external 'dmath';
9299: { Density of Khi-2 distribution with Nu d.o.f. }
9300: function FKhi2(Nu : Integer; X : Float) : Float; external 'dmath';
9301: { Cumulative prob. for Khi-2 distrib. with Nu d.o.f. }
9302: function PKhi2(Nu : Integer; X : Float) : Float; external 'dmath';
9303: { Prob(Khi2 > X) for Khi-2 distrib. with Nu d.o.f. }
9304: function InvKhi2(Nu : Integer; P : Float) : Float; external 'dmath';
9305: { Inverse of Khi-2 distribution function }
9306: { -----
9307: Fisher-Snedecor distribution
9308: ----- }
9309: function DSnedecor(Nu1, Nu2 : Integer; X : Float) : Float; external 'dmath';
9310: { Density of Fisher-Snedecor distribution with Nu1 and Nu2 d.o.f. }
9311: function FSnedecor(Nu1, Nu2 : Integer; X : Float) : Float; external 'dmath';
9312: { Cumulative prob. for Fisher-Snedecor distrib. with Nu1 and Nu2 d.o.f. }
9313: function PSnedecor(Nu1, Nu2 : Integer; X : Float) : Float; external 'dmath';
9314: { Prob(F > X) for Fisher-Snedecor distrib. with Nu1 and Nu2 d.o.f. }
9315: function InvSnedecor(Nu1, Nu2 : Integer; P : Float) : Float; external 'dmath';
9316: { Inverse of Snedecor's F-distribution function }
9317: { -----
9318: Beta distribution
9319: ----- }
9320: function DBeta(A, B, X : Float) : Float; external 'dmath';
9321: { Density of Beta distribution with parameters A and B }
9322: function FBeta(A, B, X : Float) : Float; external 'dmath';
9323: { Cumulative probability for Beta distrib. with param. A and B }
9324: { -----
9325: Gamma distribution
9326: ----- }
9327: function DGamma(A, B, X : Float) : Float; external 'dmath';
9328: { Density of Gamma distribution with parameters A and B }
9329: function FGamma(A, B, X : Float) : Float; external 'dmath';
9330: { Cumulative probability for Gamma distrib. with param. A and B }
9331: { -----
9332: Expression evaluation
9333: ----- }
9334: function InitEval : Integer; external 'dmath';
9335: { Initializes built-in functions and returns their number }
9336: function Eval(ExpressionString : String) : Float; external 'dmath';
9337: { Evaluates an expression at run-time }
9338: procedure SetVariable(VarName : Char; Value : Float); external 'dmath';
9339: { Assigns a value to a variable }
9340: procedure SetFunction(FuncName : String; Wrapper : TWrapper); external 'dmath';
9341: { Adds a function to the parser }
9342: { -----

```

```

9343:  Matrices and linear equations
9344:  -----
9345:  procedure GaussJordan(A          : TMatrix;
9346:           Lb, Ubl, Ub2 : Integer;
9347:           var Det      : Float); external 'dmath';
9348: { Transforms a matrix according to the Gauss-Jordan method }
9349:  procedure LinEq(A          : TMatrix;
9350:           B          : TVector;
9351:           Lb, Ub : Integer;
9352:           var Det : Float); external 'dmath';
9353: { Solves a linear system according to the Gauss-Jordan method }
9354:  procedure Cholesky(A, L : TMatrix; Lb, Ub : Integer); external 'dmath';
9355: { Cholesky factorization of a positive definite symmetric matrix }
9356:  procedure LU_Decom(A : TMatrix; Lb, Ub : Integer); external 'dmath';
9357: { LU decomposition }
9358:  procedure LU_Solve(A       : TMatrix;
9359:           B       : TVector;
9360:           Lb, Ub : Integer;
9361:           X       : TVector); external 'dmath';
9362: { Solution of linear system from LU decomposition }
9363:  procedure QR_Decom(A       : TMatrix;
9364:           Lb, Ubl, Ub2 : Integer;
9365:           R       : TMatrix); external 'dmath';
9366: { QR decomposition }
9367:  procedure QR_Solve(Q, R     : TMatrix;
9368:           B       : TVector;
9369:           Lb, Ubl, Ub2 : Integer;
9370:           X       : TVector); external 'dmath';
9371: { Solution of linear system from QR decomposition }
9372:  procedure SV_Decom(A       : TMatrix;
9373:           Lb, Ubl, Ub2 : Integer;
9374:           S       : TVector;
9375:           V       : TMatrix); external 'dmath';
9376: { Singular value decomposition }
9377:  procedure SV_SetZero(S    : TVector;
9378:           Lb, Ub : Integer;
9379:           Tol   : Float); external 'dmath';
9380: { Set lowest singular values to zero }
9381:  procedure SV_Solve(U     : TMatrix;
9382:           S     : TVector;
9383:           V     : TMatrix;
9384:           B     : TVector;
9385:           Lb, Ubl, Ub2 : Integer;
9386:           X     : TVector); external 'dmath';
9387: { Solution of linear system from SVD }
9388:  procedure SV_Approx(U     : TMatrix;
9389:           S     : TVector;
9390:           V     : TMatrix;
9391:           Lb, Ubl, Ub2 : Integer;
9392:           A     : TMatrix); external 'dmath';
9393: { Matrix approximation from SVD }
9394:  procedure EigenVals(A    : TMatrix;
9395:           Lb, Ub : Integer;
9396:           Lambda : TCompVector); external 'dmath';
9397: { Eigenvalues of a general square matrix }
9398:  procedure EigenVect(A   : TMatrix;
9399:           Lb, Ub : Integer;
9400:           Lambda : TCompVector;
9401:           V     : TMatrix); external 'dmath';
9402: { Eigenvalues and eigenvectors of a general square matrix }
9403:  procedure EigenSym(A   : TMatrix;
9404:           Lb, Ub : Integer;
9405:           Lambda : TVector;
9406:           V     : TMatrix); external 'dmath';
9407: { Eigenvalues and eigenvectors of a symmetric matrix (SVD method) }
9408:  procedure Jacobi(A    : TMatrix;
9409:           Lb, Ub, MaxIter : Integer;
9410:           Tol   : Float;
9411:           Lambda : TVector;
9412:           V     : TMatrix); external 'dmath';
9413: { Eigenvalues and eigenvectors of a symmetric matrix (Jacobi method) }
9414: { -----
9415: Optimization
9416: -----
9417:  procedure MinBrack(Func      : TFunc;
9418:           var A, B, C, Fa, Fb, Fc : Float); external 'dmath';
9419: { Brackets a minimum of a function }
9420:  procedure GoldSearch(Func    : TFunc;
9421:           A, B      : Float;
9422:           MaxIter  : Integer;
9423:           Tol     : Float;
9424:           var Xmin, Ymin : Float); external 'dmath';
9425: { Minimization of a function of one variable (golden search) }
9426:  procedure LinMin(Func   : TFuncNVar;
9427:           X, DeltaX : TVector;
9428:           Lb, Ub : Integer;
9429:           var R   : Float;
9430:           MaxIter : Integer;
9431:           Tol     : Float;

```

```

9432:           var F_min : Float); external 'dmath';
9433: { Minimization of a function of several variables along a line }
9434: procedure Newton(Func      : TFuncNVar;
9435:                      HessGrad : THessGrad;
9436:                      X        : TVector;
9437:                      Lb, Ub   : Integer;
9438:                      MaxIter  : Integer;
9439:                      Tol      : Float;
9440:           var F_min : Float;
9441:           G        : TVector;
9442:           H_inv   : TMatrix;
9443:           var Det  : Float); external 'dmath';
9444: { Minimization of a function of several variables (Newton's method) }
9445: procedure SaveNewton(FileName : string); external 'dmath';
9446: { Save Newton iterations in a file }
9447: procedure Marquardt(Func      : TFuncNVar;
9448:                      HessGrad : THessGrad;
9449:                      X        : TVector;
9450:                      Lb, Ub   : Integer;
9451:                      MaxIter  : Integer;
9452:                      Tol      : Float;
9453:           var F_min : Float;
9454:           G        : TVector;
9455:           H_inv   : TMatrix;
9456:           var Det  : Float); external 'dmath';
9457: { Minimization of a function of several variables (Marquardt's method) }
9458: procedure SaveMarquardt(FileName : string); external 'dmath';
9459: { Save Marquardt iterations in a file }
9460: procedure BFGS(Func      : TFuncNVar;
9461:                      Gradient : TGradient;
9462:                      X        : TVector;
9463:                      Lb, Ub   : Integer;
9464:                      MaxIter  : Integer;
9465:                      Tol      : Float;
9466:           var F_min : Float;
9467:           G        : TVector;
9468:           H_inv   : TMatrix); external 'dmath';
9469: { Minimization of a function of several variables (BFGS method) }
9470: procedure SaveBFGS(FileName : string); external 'dmath';
9471: { Save BFGS iterations in a file }
9472: procedure Simplex(Func      : TFuncNVar;
9473:                      X        : TVector;
9474:                      Lb, Ub   : Integer;
9475:                      MaxIter  : Integer;
9476:                      Tol      : Float;
9477:           var F_min : Float); external 'dmath';
9478: { Minimization of a function of several variables (Simplex) }
9479: procedure SaveSimplex(FileName : string); external 'dmath';
9480: { Save Simplex iterations in a file }
9481: { -----
9482: Nonlinear equations
9483: ----- }
9484: procedure RootBrack(Func      : TFunc;
9485:                      var X, Y, FX, FY : Float); external 'dmath';
9486: { Brackets a root of function Func between X and Y }
9487: procedure Bisect(Func      : TFunc;
9488:                      var X, Y : Float;
9489:                      MaxIter : Integer;
9490:                      Tol     : Float;
9491:           var F   : Float); external 'dmath';
9492: { Bisection method }
9493: procedure Secant(Func      : TFunc;
9494:                      var X, Y : Float;
9495:                      MaxIter : Integer;
9496:                      Tol     : Float;
9497:           var F   : Float); external 'dmath';
9498: { Secant method }
9499: procedure NewtEq(Func, Deriv : TFunc;
9500:                      var X      : Float;
9501:                      MaxIter  : Integer;
9502:                      Tol      : Float;
9503:           var F      : Float); external 'dmath';
9504: { Newton-Raphson method for a single nonlinear equation }
9505: procedure NewtEgs(Equations : TEquations;
9506:                      Jacobian : TJacobian;
9507:                      X, F    : TVector;
9508:                      Lb, Ub   : Integer;
9509:                      MaxIter  : Integer;
9510:                      Tol      : Float); external 'dmath';
9511: { Newton-Raphson method for a system of nonlinear equations }
9512: procedure Broyden(Equations : TEquations;
9513:                      X, F    : TVector;
9514:                      Lb, Ub   : Integer;
9515:                      MaxIter  : Integer;
9516:                      Tol      : Float); external 'dmath';
9517: { Broyden's method for a system of nonlinear equations }
9518: { -----
9519: Polynomials and rational fractions
9520: ----- }

```

```

9521: function Poly(X      : Float;
9522:                  Coef : TVector;
9523:                  Deg : Integer) : Float; external 'dmath';
9524: { Evaluates a polynomial }
9525: function RFrac(X      : Float;
9526:                  Coef      : TVector;
9527:                  Deg1, Deg2 : Integer) : Float; external 'dmath';
9528: { Evaluates a rational fraction }
9529: function RootPol1(A, B : Float;
9530:                      var X : Float) : Integer; external 'dmath';
9531: { Solves the linear equation A + B * X = 0 }
9532: function RootPol2(Coef : TVector;
9533:                      Z    : TCompVector) : Integer; external 'dmath';
9534: { Solves a quadratic equation }
9535: function RootPol3(Coef : TVector;
9536:                      Z    : TCompVector) : Integer; external 'dmath';
9537: { Solves a cubic equation }
9538: function RootPol4(Coef : TVector;
9539:                      Z    : TCompVector) : Integer; external 'dmath';
9540: { Solves a quartic equation }
9541: function RootPol(Coef : TVector;
9542:                      Deg : Integer;
9543:                      Z    : TCompVector) : Integer; external 'dmath';
9544: { Solves a polynomial equation }
9545: function SetRealRoots(Deg : Integer;
9546:                          Z    : TCompVector;
9547:                          Tol : Float) : Integer; external 'dmath';
9548: { Set the imaginary part of a root to zero }
9549: procedure SortRoots(Deg : Integer;
9550:                        Z    : TCompVector); external 'dmath';
9551: { Sorts the roots of a polynomial }
9552: { -----
9553: Numerical integration and differential equations
9554: -----
9555: function TrapInt(X, Y : TVector; N : Integer) : Float; external 'dmath';
9556: { Integration by trapezoidal rule }
9557: function GausLeg(Func : TFunc; A, B : Float) : Float; external 'dmath';
9558: { Integral from A to B }
9559: function GausLeg0(Func : TFunc; B : Float) : Float; external 'dmath';
9560: { Integral from 0 to B }
9561: function Convol(Func1, Func2 : TFunc; T : Float) : Float; external 'dmath';
9562: { Convolution product at time T }
9563: procedure ConvTrap(Func1,Func2:TFunc; T,Y:TVector; N:Integer);external 'dmath';
9564: { Convolution by trapezoidal rule }
9565: procedure RKF45(F           : TDiffEqs;
9566:                     Neqn        : Integer;
9567:                     Y, Yp       : TVector;
9568:                     var T       : Float;
9569:                     Tout, RelErr, AbsErr : Float;
9570:                     var Flag    : Integer); external 'dmath';
9571: { Integration of a system of differential equations }
9572: { -----
9573: Fast Fourier Transform
9574: -----
9575: procedure FFT(NumSamples   : Integer;
9576:                   InArray, OutArray : TCompVector); external 'dmath';
9577: { Fast Fourier Transform }
9578: procedure IFFT(NumSamples   : Integer;
9579:                   InArray, OutArray : TCompVector); external 'dmath';
9580: { Inverse Fast Fourier Transform }
9581: procedure FFT_Integer(NumSamples   : Integer;
9582:                           RealIn, ImagIn : TIntVector;
9583:                           OutArray     : TCompVector); external 'dmath';
9584: { Fast Fourier Transform for integer data }
9585: procedure FFT_Integer_Cleanup; external 'dmath';
9586: { Clear memory after a call to FFT_Integer }
9587: procedure CalcFrequency(NumSamples,
9588:                           FrequencyIndex : Integer;
9589:                           InArray        : TCompVector;
9590:                           var FFT        : Complex); external 'dmath';
9591: { Direct computation of Fourier transform }
9592: { -----
9593: Random numbers
9594: -----
9595: procedure SetRNG(RNG : RNG_Type); external 'dmath';
9596: { Select generator }
9597: procedure InitGen(Seed : RNG_IntType); external 'dmath';
9598: { Initialize generator }
9599: function IRanGen : RNG_IntType; external 'dmath';
9600: { 32-bit random integer in [-2^31 .. 2^31 - 1] }
9601: function IRanGen31 : RNG_IntType; external 'dmath';
9602: { 31-bit random integer in [0 .. 2^31 - 1] }
9603: function RanGen1 : Float; external 'dmath';
9604: { 32-bit random real in [0,1] }
9605: function RanGen2 : Float; external 'dmath';
9606: { 32-bit random real in [0,1) }
9607: function RanGen3 : Float; external 'dmath';
9608: { 32-bit random real in (0,1) }
9609: function RanGen53 : Float; external 'dmath';

```

```

9610: { 53-bit random real in [0,1) }
9611: procedure InitMWC(Seed : RNG_IntType); external 'dmath';
9612: { Initializes the 'Multiply with carry' random number generator }
9613: function IRanMWC : RNG_IntType; external 'dmath';
9614: { Returns a 32 bit random number in [-2^31 ; 2^31-1] }
9615: procedure InitMT(Seed : RNG_IntType); external 'dmath';
9616: { Initializes Mersenne Twister generator with a seed }
9617: procedure InitMTbyArray(InitKey : array of RNG_LongType;
9618:                           KeyLength : Word); external 'dmath';
9619: { Initialize MT generator with an array InitKey[0..(KeyLength - 1)] }
9620: function IRanMT : RNG_IntType; external 'dmath';
9621: { Random integer from MT generator }
9622: procedure InitUVAGbyString(KeyPhrase : string); external 'dmath';
9623: { Initializes the UVAG generator with a string }
9624: procedure InitUVAG(Seed : RNG_IntType); external 'dmath';
9625: { Initializes the UVAG generator with an integer }
9626: function IRanUVAG : RNG_IntType; external 'dmath';
9627: { Random integer from UVAG generator }
9628: function RanGaussStd : Float; external 'dmath';
9629: { Random number from standard normal distribution }
9630: function RanGauss(Mu, Sigma : Float) : Float; external 'dmath';
9631: { Random number from normal distrib. with mean Mu and S. D. Sigma }
9632: procedure RanMult(M       : TVector; L      : TMatrix;
9633:                      Lb, Ub : Integer;
9634:                      X      : TVector); external 'dmath';
9635: { Random vector from multinormal distribution (correlated) }
9636: procedure RanMultIndep(M, S   : TVector;
9637:                          Lb, Ub : Integer;
9638:                          X      : TVector); external 'dmath';
9639: { Random vector from multinormal distribution (uncorrelated) }
9640: procedure InitMHParams(NCycles, MaxSim, Savedsim : Integer); external 'dmath';
9641: { Initializes Metropolis-Hastings parameters }
9642: procedure GetMHParams(var NCycles, MaxSim, SavedSim:Integer); external 'dmath';
9643: { Returns Metropolis-Hastings parameters }
9644: procedure Hastings(Func      : TFUNCNVar;
9645:                        T        : Float;
9646:                        X        : TVector;
9647:                        V        : TMatrix;
9648:                        Lb, Ub : Integer;
9649:                        Xmat    : TMatrix;
9650:                        X_min   : TVector;
9651:                        var F_min : Float); external 'dmath';
9652: { Simulation of a probability density function by Metropolis-Hastings }
9653: procedure InitSAParams(NT, NS, NCycles : Integer; RT : Float); external 'dmath';
9654: { Initializes Simulated Annealing parameters }
9655: procedure SA_CreateLogFile(FileName : String); external 'dmath';
9656: { Initializes log file }
9657: procedure SimAnn(Func      : TFUNCNVar;
9658:                      X, Xmin, Xmax : TVector;
9659:                      Lb, Ub : Integer;
9660:                      var F_min : Float); external 'dmath';
9661: { Minimization of a function of several var. by simulated annealing }
9662: procedure InitGAParams(NP, NG : Integer; SR, MR, HR : Float); external 'dmath';
9663: { Initializes Genetic Algorithm parameters }
9664: procedure GA_CreateLogFile(FileName : String); external 'dmath';
9665: { Initializes log file }
9666: procedure GenAlg(Func      : TFUNCNVar;
9667:                      X, Xmin, Xmax : TVector;
9668:                      Lb, Ub : Integer;
9669:                      var F_min : Float); external 'dmath';
9670: { Minimization of a function of several var. by genetic algorithm }
9671: { -----
9672: Statistics
9673: ----- }
9674: function Mean(X : TVector; Lb, Ub : Integer) : Float; external 'dmath';
9675: { Mean of sample X }
9676: function Min(X : TVector; Lb, Ub : Integer) : Float; external 'dmath';
9677: { Minimum of sample X }
9678: function Max(X : TVector; Lb, Ub : Integer) : Float; external 'dmath';
9679: { Maximum of sample X }
9680: function Median(X : TVector; Lb, Ub : Integer; Sorted : Boolean) : Float; external 'dmath';
9681: { Median of sample X }
9682: function StDev(X : TVector; Lb, Ub : Integer; M : Float) : Float; external 'dmath';
9683: { Standard deviation estimated from sample X }
9684: function StDevP(X : TVector; Lb, Ub : Integer; M : Float) : Float; external 'dmath';
9685: { Standard deviation of population }
9686: function Correl(X, Y : TVector; Lb, Ub : Integer) : Float; external 'dmath';
9687: { Correlation coefficient }
9688: function Skewness(X : TVector; Lb, Ub : Integer; M,Sigma: Float): Float; external 'dmath';
9689: { Skewness of sample X }
9690: function Kurtosis(X : TVector; Lb, Ub : Integer; M,Sigma: Float): Float; external 'dmath';
9691: { Kurtosis of sample X }
9692: procedure QSort(X : TVector; Lb, Ub : Integer); external 'dmath';
9693: { Quick sort (ascending order) }
9694: procedure DQSort(X : TVector; Lb, Ub : Integer); external 'dmath';
9695: { Quick sort (descending order) }
9696: procedure Interval(X1, X2           : Float;
9697:                       MinDiv, MaxDiv : Integer;
9698:                       var Min, Max, Step : Float); external 'dmath';

```

```

9699: { Determines an interval for a set of values }
9700: procedure AutoScale(X : TVector; Lb, Ub : Integer; Scale : TScale;
9701:           var XMin, XMax, XStep : Float); external 'dmath';
9702: { Finds an appropriate scale for plotting the data in X[Lb..Ub] }
9703: procedure StudIndep(N1, N2 : Integer;
9704:           M1, M2, S1, S2 : Float;
9705:           var T : Float;
9706:           var DoF : Integer); external 'dmath';
9707: { Student t-test for independent samples }
9708: procedure StudPaired(X, Y : TVector;
9709:           Lb, Ub : Integer;
9710:           var T : Float;
9711:           var DoF : Integer); external 'dmath';
9712: { Student t-test for paired samples }
9713: procedure AnOVal(Ns : Integer;
9714:           N : TIntVector;
9715:           M, S : TVector;
9716:           var V_f, V_r, F : Float;
9717:           var DoF_f, DoF_r : Integer); external 'dmath';
9718: { One-way analysis of variance }
9719: procedure AnOva2(NA, NB, Nobs : Integer;
9720:           M, S : TMatrix;
9721:           V, F : TVector;
9722:           DoF : TIntVector); external 'dmath';
9723: { Two-way analysis of variance }
9724: procedure Snedecor(N1, N2 : Integer;
9725:           S1, S2 : Float;
9726:           var F : Float;
9727:           var DoF1, DoF2 : Integer); external 'dmath';
9728: { Snedecor's F-test (comparison of two variances) }
9729: procedure Bartlett(Ns : Integer;
9730:           N : TIntVector;
9731:           S : TVector;
9732:           var Khi2 : Float;
9733:           var DoF : Integer); external 'dmath';
9734: { Bartlett's test (comparison of several variances) }
9735: procedure Mann_Whitney(N1, N2 : Integer;
9736:           X1, X2 : TVector;
9737:           var U, Eps : Float); external 'dmath';
9738: { Mann-Whitney test }
9739: procedure Wilcoxon(X, Y : TVector;
9740:           Lb, Ub : Integer;
9741:           var Ndiff : Integer;
9742:           var T, Eps : Float); external 'dmath';
9743: { Wilcoxon test }
9744: procedure Kruskal_Wallis(Ns : Integer;
9745:           N : TIntVector;
9746:           X : TMatrix;
9747:           var H : Float;
9748:           var DoF : Integer); external 'dmath';
9749: { Kruskal-Wallis test }
9750: procedure Khi2_Conform(N_cls : Integer;
9751:           N_estim : Integer;
9752:           Obs : TIntVector;
9753:           Calc : TVector;
9754:           var Khi2 : Float;
9755:           var DoF : Integer); external 'dmath';
9756: { Khi-2 test for conformity }
9757: procedure Khi2_Indep(N_lin : Integer;
9758:           N_col : Integer;
9759:           Obs : TIntMatrix;
9760:           var Khi2 : Float;
9761:           var DoF : Integer); external 'dmath';
9762: { Khi-2 test for independence }
9763: procedure Woolf_Conform(N_cls : Integer;
9764:           N_estim : Integer;
9765:           Obs : TIntVector;
9766:           Calc : TVector;
9767:           var G : Float;
9768:           var DoF : Integer); external 'dmath';
9769: { Woolf's test for conformity }
9770: procedure Woolf_Indep(N_lin : Integer;
9771:           N_col : Integer;
9772:           Obs : TIntMatrix;
9773:           var G : Float;
9774:           var DoF : Integer); external 'dmath';
9775: { Woolf's test for independence }
9776: procedure DimStatClassVector(var C : TStatClassVector;
9777:           Ub : Integer); external 'dmath';
9778: { Allocates an array of statistical classes: C[0..Ub] }
9779: procedure Distrib(X : TVector;
9780:           Lb, Ub : Integer;
9781:           A, B, H : Float;
9782:           C : TStatClassVector); external 'dmath';
9783: { Distributes an array X[Lb..Ub] into statistical classes }
9784: { -----
9785:   Linear / polynomial regression
9786: ----- }
9787: procedure LinFit(X, Y : TVector;

```

```

9788:           Lb, Ub : Integer;
9789:           B      : TVector;
9790:           V      : TMatrix); external 'dmath';
9791: { Linear regression : Y = B(0) + B(1) * X }
9792: procedure WLinFit(X, Y, S : TVector;
9793:           Lb, Ub : Integer;
9794:           B      : TVector;
9795:           V      : TMatrix); external 'dmath';
9796: { Weighted linear regression : Y = B(0) + B(1) * X }
9797: procedure SVDLinFit(X, Y : TVector;
9798:           Lb, Ub : Integer;
9799:           SVDTol : Float;
9800:           B      : TVector;
9801:           V      : TMatrix); external 'dmath';
9802: { Unweighted linear regression by singular value decomposition }
9803: procedure WSVDLinFit(X, Y, S : TVector;
9804:           Lb, Ub : Integer;
9805:           SVDTol : Float;
9806:           B      : TVector;
9807:           V      : TMatrix); external 'dmath';
9808: { Weighted linear regression by singular value decomposition }
9809: procedure MulFit(X      : TMatrix;
9810:           Y      : TVector;
9811:           Lb, Ub, Nvar : Integer;
9812:           ConsTerm   : Boolean;
9813:           B      : TVector;
9814:           V      : TMatrix); external 'dmath';
9815: { Multiple linear regression by Gauss-Jordan method }
9816: procedure WMulFit(X      : TMatrix;
9817:           Y, S      : TVector;
9818:           Lb, Ub, Nvar : Integer;
9819:           ConsTerm   : Boolean;
9820:           B      : TVector;
9821:           V      : TMatrix); external 'dmath';
9822: { Weighted multiple linear regression by Gauss-Jordan method }
9823: procedure SVDFit(X      : TMatrix;
9824:           Y      : TVector;
9825:           Lb, Ub, Nvar : Integer;
9826:           ConsTerm   : Boolean;
9827:           SVDTol   : Float;
9828:           B      : TVector;
9829:           V      : TMatrix); external 'dmath';
9830: { Multiple linear regression by singular value decomposition }
9831: procedure WSVDFit(X      : TMatrix;
9832:           Y, S      : TVector;
9833:           Lb, Ub, Nvar : Integer;
9834:           ConsTerm   : Boolean;
9835:           SVDTol   : Float;
9836:           B      : TVector;
9837:           V      : TMatrix); external 'dmath';
9838: { Weighted multiple linear regression by singular value decomposition }
9839: procedure PolFit(X, Y      : TVector;
9840:           Lb, Ub, Deg : Integer;
9841:           B      : TVector;
9842:           V      : TMatrix); external 'dmath';
9843: { Polynomial regression by Gauss-Jordan method }
9844: procedure WPolFit(X, Y, S      : TVector;
9845:           Lb, Ub, Deg : Integer;
9846:           B      : TVector;
9847:           V      : TMatrix); external 'dmath';
9848: { Weighted polynomial regression by Gauss-Jordan method }
9849: procedure SVDPolFit(X, Y      : TVector;
9850:           Lb, Ub, Deg : Integer;
9851:           SVDTol   : Float;
9852:           B      : TVector;
9853:           V      : TMatrix); external 'dmath';
9854: { Unweighted polynomial regression by singular value decomposition }
9855: procedure WSVDPolFit(X, Y, S      : TVector;
9856:           Lb, Ub, Deg : Integer;
9857:           SVDTol   : Float;
9858:           B      : TVector;
9859:           V      : TMatrix); external 'dmath';
9860: { Weighted polynomial regression by singular value decomposition }
9861: procedure RegTest(Y, Ycalc : TVector;
9862:           LbY, UbY : Integer;
9863:           V      : TMatrix;
9864:           LbV, UbV : Integer;
9865:           var Test : TRegTest); external 'dmath';
9866: { Test of unweighted regression }
9867: procedure WRegTest(Y, Ycalc, S : TVector;
9868:           LbY, UbY : Integer;
9869:           V      : TMatrix;
9870:           LbV, UbV : Integer;
9871:           var Test : TRegTest); external 'dmath';
9872: { Test of weighted regression }
9873: { -----
9874: Nonlinear regression
9875: ----- }
9876: procedure SetOptAlgo(Algo : TOptAlgo); external 'dmath';

```

```

9877: { Sets the optimization algorithm for nonlinear regression }
9878: function GetOptAlgo : TOptAlgo; external 'dmath';
9879: { Returns the optimization algorithm }
9880: procedure SetMaxParam(N : Byte); external 'dmath';
9881: { Sets the maximum number of regression parameters for nonlinear regression }
9882: function GetMaxParam : Byte; external 'dmath';
9883: { Returns the maximum number of regression parameters for nonlinear regression }
9884: procedure SetParamBounds(I : Byte; ParamMin, ParamMax : Float); external 'dmath';
9885: { Sets the bounds on the I-th regression parameter }
9886: procedure GetParamBounds(I : Byte; var ParamMin, ParamMax:Float); external 'dmath';
9887: { Returns the bounds on the I-th regression parameter }
9888: procedure NLFit(RegFunc : TRegFunc;
9889:           DerivProc : TDerivProc;
9890:           X, Y : TVector;
9891:           Lb, Ub : Integer;
9892:           MaxIter : Integer;
9893:           Tol : Float;
9894:           B : TVector;
9895:           FirstPar,
9896:           LastPar : Integer;
9897:           V : TMatrix); external 'dmath';
9898: { Unweighted nonlinear regression }
9899: procedure WNLFit(RegFunc : TRegFunc;
9900:           DerivProc : TDerivProc;
9901:           X, Y, S : TVector;
9902:           Lb, Ub : Integer;
9903:           MaxIter : Integer;
9904:           Tol : Float;
9905:           B : TVector;
9906:           FirstPar,
9907:           LastPar : Integer;
9908:           V : TMatrix); external 'dmath';
9909: { Weighted nonlinear regression }
9910: procedure SetMCFile(FileName : String); external 'dmath';
9911: { Set file for saving MCMC simulations }
9912: procedure SimFit(RegFunc : TRegFunc;
9913:           X, Y : TVector;
9914:           Lb, Ub : Integer;
9915:           B : TVector;
9916:           FirstPar,
9917:           LastPar : Integer;
9918:           V : TMatrix); external 'dmath';
9919: { Simulation of unweighted nonlinear regression by MCMC }
9920: procedure WSimFit(RegFunc : TRegFunc;
9921:           X, Y, S : TVector;
9922:           Lb, Ub : Integer;
9923:           B : TVector;
9924:           FirstPar,
9925:           LastPar : Integer;
9926:           V : TMatrix); external 'dmath';
9927: { Simulation of weighted nonlinear regression by MCMC }
9928: { -----
9929: Nonlinear regression models
9930: ----- }

9931: procedure FracFit(X, Y : TVector;
9932:           Lb, Ub : Integer;
9933:           Deg1, Deg2 : Integer;
9934:           ConsTerm : Boolean;
9935:           MaxIter : Integer;
9936:           Tol : Float;
9937:           B : TVector;
9938:           V : TMatrix); external 'dmath';
9939: { Unweighted fit of rational fraction }
9940: procedure WFractFit(X, Y, S : TVector;
9941:           Lb, Ub : Integer;
9942:           Deg1, Deg2 : Integer;
9943:           ConsTerm : Boolean;
9944:           MaxIter : Integer;
9945:           Tol : Float;
9946:           B : TVector;
9947:           V : TMatrix); external 'dmath';
9948: { Weighted fit of rational fraction }
9949:
9950: function FracFit_Func(X : Float; B : TVector) : Float; external 'dmath';
9951: { Returns the value of the rational fraction at point X }
9952: procedure ExpFit(X, Y : TVector;
9953:           Lb, Ub, Nexp : Integer;
9954:           ConsTerm : Boolean;
9955:           MaxIter : Integer;
9956:           Tol : Float;
9957:           B : TVector;
9958:           V : TMatrix); external 'dmath';
9959: { Unweighted fit of sum of exponentials }
9960: procedure WExpFit(X, Y, S : TVector;
9961:           Lb, Ub, Nexp : Integer;
9962:           ConsTerm : Boolean;
9963:           MaxIter : Integer;
9964:           Tol : Float;
9965:           B : TVector;

```

```

9966:           V          : TMatrix); external 'dmath';
9967: { Weighted fit of sum of exponentials }
9968: function ExpFit_Func(X : Float; B : TVector) : Float; external 'dmath';
9969: { Returns the value of the regression function at point X }
9970: procedure IncExpFit(X, Y      : TVector;
9971:                       Lb, Ub   : Integer;
9972:                       ConsTerm : Boolean;
9973:                       MaxIter  : Integer;
9974:                       Tol      : Float;
9975:                       B        : TVector;
9976:                       V        : TMatrix); external 'dmath';
9977: { Unweighted fit of model of increasing exponential }
9978: procedure WIIncExpFit(X, Y, S : TVector;
9979:                         Lb, Ub   : Integer;
9980:                         ConsTerm : Boolean;
9981:                         MaxIter  : Integer;
9982:                         Tol      : Float;
9983:                         B        : TVector;
9984:                         V        : TMatrix); external 'dmath';
9985: { Weighted fit of increasing exponential }
9986: function IncExpFit_Func(X : Float; B : TVector) : Float; external 'dmath';
9987: { Returns the value of the regression function at point X }
9988: procedure ExpLinFit(X, Y      : TVector;
9989:                       Lb, Ub   : Integer;
9990:                       MaxIter  : Integer;
9991:                       Tol      : Float;
9992:                       B        : TVector;
9993:                       V        : TMatrix); external 'dmath';
9994: { Unweighted fit of the "exponential + linear" model }
9995: procedure WExpLinFit(X, Y, S : TVector;
9996:                         Lb, Ub   : Integer;
9997:                         MaxIter  : Integer;
9998:                         Tol      : Float;
9999:                         B        : TVector;
10000:                        V        : TMatrix); external 'dmath';
10001: { Weighted fit of the "exponential + linear" model }
10002:
10003: function ExpLinFit_Func(X : Float; B : TVector) : Float; external 'dmath';
10004: { Returns the value of the regression function at point X }
10005: procedure MichFit(X, Y      : TVector;
10006:                       Lb, Ub   : Integer;
10007:                       MaxIter  : Integer;
10008:                       Tol      : Float;
10009:                       B        : TVector;
10010:                      V        : TMatrix); external 'dmath';
10011: { Unweighted fit of Michaelis equation }
10012: procedure WMichFit(X, Y, S : TVector;
10013:                         Lb, Ub   : Integer;
10014:                         MaxIter  : Integer;
10015:                         Tol      : Float;
10016:                         B        : TVector;
10017:                         V        : TMatrix); external 'dmath';
10018: { Weighted fit of Michaelis equation }
10019: function MichFit_Func(X : Float; B : TVector) : Float; external 'dmath';
10020: { Returns the value of the Michaelis equation at point X }
10021: procedure MintFit(X, Y      : TVector;
10022:                       Lb, Ub   : Integer;
10023:                       MintVar  : TMintVar;
10024:                       Fit_S0   : Boolean;
10025:                       MaxIter  : Integer;
10026:                       Tol      : Float;
10027:                       B        : TVector;
10028:                       V        : TMatrix); external 'dmath';
10029: { Unweighted fit of the integrated Michaelis equation }
10030: procedure WMintFit(X, Y, S : TVector;
10031:                         Lb, Ub   : Integer;
10032:                         MintVar  : TMintVar;
10033:                         Fit_S0   : Boolean;
10034:                         MaxIter  : Integer;
10035:                         Tol      : Float;
10036:                         B        : TVector;
10037:                         V        : TMatrix); external 'dmath';
10038: { Weighted fit of the integrated Michaelis equation }
10039: function MintFit_Func(X : Float; B : TVector) : Float; external 'dmath';
10040: { Returns the value of the integrated Michaelis equation at point X }
10041: procedure HillFit(X, Y      : TVector;
10042:                       Lb, Ub   : Integer;
10043:                       MaxIter  : Integer;
10044:                       Tol      : Float;
10045:                       B        : TVector;
10046:                       V        : TMatrix); external 'dmath';
10047: { Unweighted fit of Hill equation }
10048: procedure WHillFit(X, Y, S : TVector;
10049:                         Lb, Ub   : Integer;
10050:                         MaxIter  : Integer;
10051:                         Tol      : Float;
10052:                         B        : TVector;
10053:                         V        : TMatrix); external 'dmath';
10054: { Weighted fit of Hill equation }

```

```

10055: function HillFit_Func(X : Float; B : TVector) : Float; external 'dmath';
10056: { Returns the value of the Hill equation at point X }
10057: procedure LogiFit(X, Y : TVector;
10058:                      Lb, Ub : Integer;
10059:                      ConsTerm : Boolean;
10060:                      General : Boolean;
10061:                      MaxIter : Integer;
10062:                      Tol : Float;
10063:                      B : TVector;
10064:                      V : TMatrix); external 'dmath';
10065: { Unweighted fit of logistic function }
10066: procedure WLogiFit(X, Y, S : TVector;
10067:                      Lb, Ub : Integer;
10068:                      ConsTerm : Boolean;
10069:                      General : Boolean;
10070:                      MaxIter : Integer;
10071:                      Tol : Float;
10072:                      B : TVector;
10073:                      V : TMatrix); external 'dmath';
10074: { Weighted fit of logistic function }
10075: function LogiFit_Func(X : Float; B : TVector) : Float; external 'dmath';
10076: { Returns the value of the logistic function at point X }
10077: procedure PKFit(X, Y : TVector;
10078:                      Lb, Ub : Integer;
10079:                      MaxIter : Integer;
10080:                      Tol : Float;
10081:                      B : TVector;
10082:                      V : TMatrix); external 'dmath';
10083: { Unweighted fit of the acid-base titration curve }
10084: procedure WPKFit(X, Y, S : TVector;
10085:                      Lb, Ub : Integer;
10086:                      MaxIter : Integer;
10087:                      Tol : Float;
10088:                      B : TVector;
10089:                      V : TMatrix); external 'dmath';
10090: { Weighted fit of the acid-base titration curve }
10091: function PKFit_Func(X : Float; B : TVector) : Float; external 'dmath';
10092: { Returns the value of the acid-base titration function at point X }
10093: procedure PowFit(X, Y : TVector;
10094:                      Lb, Ub : Integer;
10095:                      MaxIter : Integer;
10096:                      Tol : Float;
10097:                      B : TVector;
10098:                      V : TMatrix); external 'dmath';
10099: { Unweighted fit of power function }
10100: procedure WPowFit(X, Y, S : TVector;
10101:                      Lb, Ub : Integer;
10102:                      MaxIter : Integer;
10103:                      Tol : Float;
10104:                      B : TVector;
10105:                      V : TMatrix); external 'dmath';
10106: { Weighted fit of power function }
10107:
10108: function PowFit_Func(X : Float; B : TVector) : Float; external 'dmath';
10109: { Returns the value of the power function at point X }
10110: procedure GammaFit(X, Y : TVector;
10111:                      Lb, Ub : Integer;
10112:                      MaxIter : Integer;
10113:                      Tol : Float;
10114:                      B : TVector;
10115:                      V : TMatrix); external 'dmath';
10116: { Unweighted fit of gamma distribution function }
10117: procedure WGammaFit(X, Y, S : TVector;
10118:                      Lb, Ub : Integer;
10119:                      MaxIter : Integer;
10120:                      Tol : Float;
10121:                      B : TVector;
10122:                      V : TMatrix); external 'dmath';
10123: { Weighted fit of gamma distribution function }
10124: function GammaFit_Func(X : Float; B : TVector) : Float; external 'dmath';
10125: { Returns the value of the gamma distribution function at point X }
10126: { -----
10127:   Principal component analysis
10128:   ----- }
10129: procedure VecMean(X : TMatrix;
10130:                      Lb, Ub, Nvar : Integer;
10131:                      M : TVector); external 'dmath';
10132: { Computes the mean vector M from matrix X }
10133: procedure VecSD(X : TMatrix;
10134:                      Lb, Ub, Nvar : Integer;
10135:                      M, S : TVector); external 'dmath';
10136: { Computes the vector of standard deviations S from matrix X }
10137: procedure MatVarCov(X : TMatrix;
10138:                      Lb, Ub, Nvar : Integer;
10139:                      M : TVector;
10140:                      V : TMatrix); external 'dmath';
10141: { Computes the variance-covariance matrix V from matrix X }
10142: procedure MatCorrel(V : TMatrix;
10143:                      Nvar : Integer;

```

```

10144:           R : TMatrix); external 'dmath';
10145: { Computes the correlation matrix R from the var-cov matrix V }
10146: procedure PCA(R : TMatrix;
10147:                   Nvar : Integer;
10148:                   Lambda : TVector;
10149:                   C, Rc : TMatrix); external 'dmath';
10150: { Performs a principal component analysis of the correlation matrix R }
10151: procedure ScaleVar(X : TMatrix;
10152:                       Lb, Ub, Nvar : Integer;
10153:                       M, S : TVector;
10154:                       Z : TMatrix); external 'dmath';
10155: { Scales a set of variables by subtracting means and dividing by SD's }
10156: procedure PrinFac(Z : TMatrix;
10157:                       Lb, Ub, Nvar : Integer;
10158:                       C, F : TMatrix); external 'dmath';
10159: { Computes principal factors }
10160: { -----
10161:   Strings
10162: ----- }
10163: function LTrim(S : String) : String; external 'dmath';
10164: { Removes leading blanks }
10165: function RTrim(S : String) : String; external 'dmath';
10166: { Removes trailing blanks }
10167: function Trim(S : String) : String; external 'dmath';
10168: { Removes leading and trailing blanks }
10169: function StrChar(N : Byte; C : Char) : String; external 'dmath';
10170: { Returns a string made of character C repeated N times }
10171: function RFill(S : String; L : Byte) : String; external 'dmath';
10172: { Completes string S with trailing blanks for a total length L }
10173: function LFill(S : String; L : Byte) : String; external 'dmath';
10174: { Completes string S with leading blanks for a total length L }
10175: function CFill(S : String; L : Byte) : String; external 'dmath';
10176: { Centers string S on a total length L }
10177: function Replace(S : String; C1, C2 : Char) : String; external 'dmath';
10178: { Replaces in string S all the occurrences of C1 by C2 }
10179: function Extract(S : String; var Index : Byte; Delim : Char) : String; external 'dmath';
10180: { Extracts a field from a string }
10181: procedure Parse(S : String; Delim:Char; Field:TStrVector; var N:Byte); external 'dmath';
10182: { Parses a string into its constitutive fields }
10183: procedure SetFormat(NumLength,MaxDec:Integer;FloatPoint,NSZero:Bool); external 'dmath';
10184: { Sets the numeric format }
10185: function FloatToStr(X : Float) : String; external 'dmath';
10186: { Converts a real to a string according to the numeric format }
10187: function IntStr(N : LongInt) : String; external 'dmath';
10188: { Converts an integer to a string }
10189: function CompStr(Z : Complex) : String; external 'dmath';
10190: { Converts a complex number to a string }
10191: {$IFDEF DELPHI}
10192: function StrDec(S : String) : String; external 'dmath';
10193: { Set decimal separator to the symbol defined in SysUtils }
10194: function IsNumeric(var S : String; var X : Float) : Boolean; external 'dmath';
10195: { Test if a string represents a number and returns it in X }
10196: function ReadNumFromEdit(Edit : TEdit) : Float; external 'dmath';
10197: { Reads a floating point number from an Edit control }
10198: procedure WriteNumToFile(var F : Text; X : Float); external 'dmath';
10199: { Writes a floating point number in a text file }
10200: {$ENDIF}
10201: { -----
10202:   BGI / Delphi graphics
10203: ----- }
10204: function InitGraphics
10205: {$IFDEF DELPHI}
10206: (Width, Height : Integer) : Boolean;
10207: {$ELSE}
10208: (Pilot, Mode : Integer; BGIPath : String) : Boolean; {$ENDIF} external 'dmath';
10209: { Enters graphic mode }
10210: procedure SetWindow( {$IFDEF DELPHI}Canvas : TCanvas; {$ENDIF}
10211:                       X1, X2, Y1,Y2 : Integer; GraphBorder:Boolean); external 'dmath';
10212: { Sets the graphic window }
10213: procedure SetOxScale(Scale : TScale;
10214:                         OxMin, OxMax, OxStep : Float); external 'dmath';
10215: { Sets the scale on the Ox axis }
10216: procedure SetOyScale(Scale : TScale;
10217:                         OyMin, OyMax, OyStep : Float); external 'dmath';
10218: { Sets the scale on the Oy axis }
10219: procedure GetOxScale(var Scale : TScale;
10220:                         var OxMin, OxMax, OxStep : Float); external 'dmath';
10221: { Returns the scale on the Ox axis }
10222: procedure GetOyScale(var Scale : TScale;
10223:                         var OyMin, OyMax, OyStep : Float); external 'dmath';
10224: { Returns the scale on the Oy axis }
10225: procedure SetGraphTitle>Title : String); external 'dmath'; { Sets the title for the graph }
10226: procedure SetOxTitle>Title : String); external 'dmath'; { Sets the title for the Ox axis }
10227: procedure SetOyTitle>Title : String); external 'dmath'; { Sets the title for the Oy axis }
10228: function GetGraphTitle : String; external 'dmath'; { Returns the title for the graph }
10229: function GetOxTitle : String; external 'dmath'; { Returns the title for the Ox axis }
10230: function GetOyTitle : String; external 'dmath'; { Returns the title for the Oy axis }
10231: {$IFNDEF DELPHI}
10232: procedure SetTitleFont(FontIndex, Width, Height : Integer); external 'dmath';

```

```

10233: { Sets the font for the main graph title }
10234: procedure SetOxFont(FontIndex, Width, Height : Integer); external 'dmath';
10235: { Sets the font for the Ox axis (title and labels) }
10236: procedure SetOyFont(FontIndex, Width, Height : Integer); external 'dmath';
10237: { Sets the font for the Oy axis (title and labels) }
10238: procedure SetLgdFont(FontIndex, Width, Height : Integer); external 'dmath';
10239: { Sets the font for the legends }
10240: procedure SetClipping(Clip : Boolean); external 'dmath';
10241: { Determines whether drawings are clipped at the current viewport
10242:   boundaries, according to the value of the Boolean parameter Clip }
10243: {$ENDIF}
10244: procedure PlotOxAxis{$IFDEF DELPHI}(Canvas : TCanvas){$ENDIF}; external 'dmath';
10245: { Plots the horizontal axis }
10246: procedure PlotOyAxis{$IFDEF DELPHI}(Canvas : TCanvas){$ENDIF}; external 'dmath';
10247: { Plots the vertical axis }
10248: procedure PlotGrid{$IFDEF DELPHI}Canvas:TCanvas;{$ENDIF} Grid:TGrid); external 'dmath';
10249: { Plots a grid on the graph }
10250: procedure WriteGraphTitle{$IFDEF DELPHI}(Canvas : TCanvas){$ENDIF}; external 'dmath';
10251: { Writes the title of the graph }
10252: procedure SetMaxCurv(NCurv : Byte); external 'dmath';
10253: { Sets the maximum number of curves and re-initializes their parameters }
10254: procedure SetPointParam
10255: {$IFDEF DELPHI}
10256: (CurvIndex, Symbol, Size : Integer; Color : TColor);
10257: {$ELSE}
10258: (CurvIndex, Symbol, Size, Color : Integer); {$ENDIF} external 'dmath';
10259: { Sets the point parameters for curve # CurvIndex }
10260: procedure SetLineParam
10261: {$IFDEF DELPHI}
10262: (CurvIndex : Integer; Style : TPenStyle; Width : Integer; Color : TColor);
10263: {$ELSE}
10264: (CurvIndex, Style, Width, Color : Integer); {$ENDIF} external 'dmath';
10265: { Sets the line parameters for curve # CurvIndex }
10266: procedure SetCurvLegend(CurvIndex : Integer; Legend : String); external 'dmath';
10267: { Sets the legend for curve # CurvIndex }
10268: procedure SetCurvStep(CurvIndex, Step : Integer); external 'dmath';
10269: { Sets the step for curve # CurvIndex }
10270: function GetMaxCurv : Byte; external 'dmath'; { Returns the maximum number of curves }
10271: procedure GetPointParam
10272: {$IFDEF DELPHI}
10273: (CurvIndex : Integer; var Symbol, Size : Integer; var Color : TColor);
10274: {$ELSE}
10275: (CurvIndex : Integer; var Symbol, Size, Color : Integer); {$ENDIF} external 'dmath';
10276: { Returns the point parameters for curve # CurvIndex }
10277: procedure GetLineParam
10278: {$IFDEF DELPHI}
10279: (CurvIndex : Integer; var Style : TPenStyle; var Width : Integer; var Color : TColor);
10280: {$ELSE}
10281: (CurvIndex : Integer; var Style, Width, Color : Integer); {$ENDIF} external 'dmath';
10282: { Returns the line parameters for curve # CurvIndex }
10283: function GetCurvLegend(CurvIndex : Integer) : String; external 'dmath';
10284: { Returns the legend for curve # CurvIndex }
10285: function GetCurvStep(CurvIndex : Integer) : Integer; external 'dmath';
10286: { Returns the step for curve # CurvIndex }
10287: {$IFDEF DELPHI}
10288: procedure PlotPoint(Canvas : TCanvas;
10289:                      X, Y : Float; CurvIndex : Integer); external 'dmath';
10290: {$ELSE}
10291: procedure PlotPoint(Xp, Yp, CurvIndex : Integer); external 'dmath';
10292: {$ENDIF}
10293: { Plots a point on the screen }
10294: procedure PlotCurve{$IFDEF DELPHI}(Canvas : TCanvas;{$ENDIF}
10295:                               X, Y : TVector;
10296:                               Lb, Ub, CurvIndex : Integer); external 'dmath';
10297: { Plots a curve }
10298: procedure PlotCurveWithErrorBars{$IFDEF DELPHI}(Canvas : TCanvas;{$ENDIF}
10299:                               X, Y, S : TVector;
10300:                               Ns, Lb, Ub, CurvIndex : Integer); external 'dmath';
10301: { Plots a curve with error bars }
10302: procedure PlotFunc{$IFDEF DELPHI}(Canvas : TCanvas;{$ENDIF}
10303:                               Func : TFunc;
10304:                               Xmin, Xmax : Float;
10305:                               {$IFDEF DELPHI}Npt : Integer;{$ENDIF}
10306:                               CurvIndex : Integer); external 'dmath';
10307: { Plots a function }
10308: procedure WriteLegend{$IFDEF DELPHI}(Canvas : TCanvas;{$ENDIF}
10309:                               NCurv : Integer;
10310:                               ShowPoints, ShowLines : Boolean); external 'dmath';
10311: { Writes the legends for the plotted curves }
10312: procedure ConRec{$IFDEF DELPHI}(Canvas : TCanvas;{$ENDIF}
10313:                               Nx, Ny, Nc : Integer;
10314:                               X, Y, Z : TVector;
10315:                               F : TMatrix); external 'dmath';
10316: { Contour plot }
10317: function Xpixel(X : Float):Integer; external 'dmath'; { Converts user abscissa X to screen coordinate }
10318: function Ypixel(Y : Float):Integer; external 'dmath'; { Converts user ordinate Y to screen coordinate }
10319: function Xuser(X : Integer):Float; external 'dmath'; { Converts screen coordinate X to user abscissa }
10320: function Yuser(Y : Integer):Float; external 'dmath'; { Converts screen coordinate Y to user ordinate }
10321: {$IFNDEF DELPHI}
```

```

10322: procedure LeaveGraphics; external 'dmath';
10323: { Quits graphic mode }
10324: {$ENDIF}
10325: {
-----+
10326:   LaTeX graphics
10327: -----
10328: function TeX_InitGraphics(FileName      : String; PgWidth, PgHeight : Integer;
10329:                           Header       : Boolean) : Boolean; external 'dmath';
10330: { Initializes the LaTeX file }
10331: procedure TeX_SetWindow(X1, X2, Y1, Y2 : Integer; GraphBorder : Boolean); external 'dmath';
10332: { Sets the graphic window }
10333: procedure TeX_LeaveGraphics(Footer : Boolean); external 'dmath'; { Close the LaTeX file }
10334: procedure TeX_SetOxScale(Scale : TScale; OxMin, OxMax, OxStep : Float); external 'dmath';
10335: { Sets the scale on the Ox axis }
10336: procedure TeX_SetOyScale(Scale : TScale; OyMin, OyMax, OyStep : Float); external 'dmath';
10337: { Sets the scale on the Oy axis }
10338: procedure TeX_SetGraphTitle(Title : String); external 'dmath'; { Sets the title for the graph }
10339: procedure TeX_SetOxTitle(Title : String); external 'dmath'; { Sets the title for the Ox axis }
10340: procedure TeX_SetOyTitle(Title : String); external 'dmath'; { Sets the title for the Oy axis }
10341: procedure TeX_PlotOxAxis; external 'dmath'; { Plots the horizontal axis }
10342: procedure TeX_PlotOyAxis; external 'dmath'; { Plots the vertical axis }
10343: procedure TeX_PlotGrid(Grid : TGrid); external 'dmath'; { Plots a grid on the graph }
10344: procedure TeX_WriteGraphTitle; external 'dmath'; Writes the title of the graph
10345: procedure TeX_SetMaxCurv(NCurv : Byte); external 'dmath';
10346: { Sets the maximum number of curves and re-initializes their parameters }
10347: procedure TeX_SetPointParam(CurvIndex, Symbol, Size : Integer); external 'dmath';
10348: { Sets the point parameters for curve # CurvIndex }
10349: procedure TeX_SetLineParam(CurvIndex, Style : Integer;
10350:                               Width : Float; Smooth : Boolean); external 'dmath';
10351: { Sets the line parameters for curve # CurvIndex }
10352: procedure TeX_SetCurvLegend(CurvIndex : Integer; Legend : String); external 'dmath';
10353: { Sets the legend for curve # CurvIndex }
10354: procedure TeX_SetCurvStep(CurvIndex, Step : Integer); external 'dmath';
10355: { Sets the step for curve # CurvIndex }
10356: procedure TeX_PlotCurve(X, Y : TVector; Lb, Ub, CurvIndex : Integer); external 'dmath';
10357: { Plots a curve }
10358: procedure TeX_PlotCurveWithErrorBars(X, Y, S : TVector;
10359:                                         Ns, Lb, Ub, CurvIndex : Integer); external 'dmath';
10360: { Plots a curve with error bars }
10361: procedure TeX_PlotFunc(Func : TFunc; X1, X2 : Float;
10362:                          Npt : Integer; CurvIndex : Integer); external 'dmath';
10363: { Plots a function }
10364: procedure TeX_WriteLegend(NCurv : Integer; ShowPoints, ShowLines : Boolean); external 'dmath';
10365: { Writes the legends for the plotted curves }
10366: procedure TeX_ConRec(Nx, Ny, Nc : Integer; X, Y, Z : TVector; F : TMatrix); external 'dmath';
10367: { Contour plot }
10368: function Xcm(X : Float) : Float; external 'dmath'; { Converts user coordinate X to cm }
10369: function Ycm(Y : Float) : Float; external 'dmath'; { Converts user coordinate Y to cm }
10370:
10371: //*****unit uPSI_SynPdf;
10372: Function RawUTF8ToPDFString( const Value : RawUTF8 ) : PDFString
10373: Function _DateToString( ADate : TDate ); : TPdfDate
10374: Function _PDFDateToDate( AText : TPdfDate ) : TDate
10375: Function PdfRect( Left, Top, Right, Bottom : Single ) : TPdfRect;
10376: Function PdfRect1( const Box : TPdfBox ) : TPdfRect;
10377: Function PdfBox( Left, Top, Width, Height : Single ) : TPdfBox
10378: //Function _GetCharCount( Text : PAnsiChar ) : integer
10379: //Procedure L2R( W : PWideChar; L : integer )
10380: Function PdfCoord( MM : single ) : integer
10381: Function CurrentPrinterPageSize : TPDFPaperSize
10382: Function CurrentPrinterRes : TPoint
10383: Procedure GDICommentBookmark( MetaHandle : HDC; const aBookmarkName : RawUTF8 )
10384: Procedure GDICommentOutline( MetaHandle : HDC; const aTitle : RawUTF8; aLevel : Integer )
10385: Procedure GDICommentLink( MetaHandle:HDC; const aBookmarkName:RawUTF8; const aRect : TRect )
10386: Const('Usp10','String 'usp10.dll
10387: AddTypes('TScriptState_enum', '( r0, r1, r2, r3, r4, fOverrideDirection, fInhibitSymSwap,
10388: 'fcharShape, fDigitSubstitute,fInhibitLigate,fDisplayZWG, fArabicNumContext, fGcpClusters )
10389: TScriptState_set', 'set of TScriptState_enum
10390: //*****+
10391:
10392: procedure SIRegister_PMrand(CL: TPSpascalCompiler); //ParkMiller
10393: begin
10394:   Procedure PMrandomize( I : word)
10395:   Function PMrandom : longint
10396:   Function Rrand : extended
10397:   Function Irand( N : word ) : word
10398:   Function Brand( P : extended ) : boolean
10399:   Function Nrand : extended
10400: end;
10401:
10402: procedure SIRegister_Spring_Cryptography_Utils(CL: TPSpascalCompiler);
10403: begin
10404:   Function Endian( x : LongWord ) : LongWord
10405:   Function Endian64( x : Int64 ) : Int64
10406:   Function spRol( x : LongWord; y : Byte ) : LongWord
10407:   Function spRor( x : LongWord; y : Byte ) : LongWord
10408:   Function Ror64( x : Int64; y : Byte ) : Int64
10409: end;
10410:

```

```

10411: procedure SIRegister_MapReader(CL: TPSPascalCompiler);
10412: begin
10413:   Procedure ClearModules
10414:   Procedure ReadMapFile( Fname : string )
10415:   Function AddressInfo( Address : dword ) : string
10416: end;
10417:
10418: procedure SIRegister_LibTar(CL: TPSPascalCompiler);
10419: begin
10420:   TTarPermission', '( tpReadByOwner, tpWriteByOwner, tpExecuteByOwner
10421:   +'ner, tpReadByGroup, tpWriteByGroup, tpExecuteByGroup, tpReadByOther, tpWriteByOther
10422:   +'teByOther, tpExecuteByOther )
10423:   TTarPermissions', 'set of TTarPermission
10424:   TFileType', '( ftNormal, ftLink, ftSymbolicLink, ftCharacter, ft
10425:   +'Block, ftDirectory, ftFifo, ftContiguous, ftDumpDir, ftMultiVolume, ftVolumeHeader;
10426:   TTarMode', '( tmSetUid, tmSetGid, tmSaveText )
10427:   TTarModes', 'set of TTarMode
10428:   TTarDirRec', 'record Name : STRING; Size : INT64; DateTime : TDA'
10429:   +'teTime; Permissions : TTarPermissions; FileType : TFileType; LinkName : ST'
10430:   +'RING; UID : INTEGER; GID : INTEGER; UserName : STRING; GroupName : STRING; '
10431:   +' ChecksumOK : BOOLEAN; Mode : TTarModes; Magic : STRING; MajorDevNo : INTEGER
10432:   +'GER; MinorDevNo : INTEGER; FilePos : INT64; end
10433:   SIRegister_TTarArchive(CL);
10434:   SIRegister_TTarWriter(CL);
10435:   Function PermissionString( Permissions : TTarPermissions ) : STRING
10436:   Function ConvertFilename( Filename : STRING ) : STRING
10437:   Function FileTimeGMT( FileName : STRING ) : TDateTime;
10438:   Function FileTimeGMT1( SearchRec : TSearchRec ) : TDateTime;
10439:   Procedure ClearDirRec( var DirRec : TTarDirRec )
10440: end;
10441:
10442:
10443: //*****unit uPSI_TlHelp32;
10444: procedure SIRegister_TlHelp32(CL: TPSPascalCompiler);
10445: begin
10446:   Const('MAX_MODULE_NAME32','LongInt'( 255 );
10447:   Function CreateToolhelp32Snapshot( dwFlags, th32ProcessID : DWORD ) : THandle
10448:   Const('TH32CS_SNAPHEAPLIST','LongWord( $00000001 );
10449:   Const('TH32CS_SNAPPROCESS','LongWord').SetUInt( $00000002 );
10450:   Const('TH32CS_SNAPTHREAD','LongWord').SetUInt( $00000004 );
10451:   Const('TH32CS_SNAPMODULE','LongWord').SetUInt( $00000008 );
10452:   Const('TH32CS_INHERIT','LongWord').SetUInt( $80000000 );
10453:   tagHEAPLIST32', 'record dwSize:DWORD;th32ProcessID:DWORD;th32HeapID:DWORD;dwFlags:DWORD;end';
10454:   AddTypeS('HEAPLIST32', 'tagHEAPLIST32
10455:   AddTypeS('THeapList32', 'tagHEAPLIST32
10456:   Const('HF32_DEFAULT','LongInt'( 1 );
10457:   Const('HF32_SHARED','LongInt'( 2 );
10458:   Function Heap32ListFirst( hSnapshot : THandle; var lphl : THeapList32 ) : BOOL
10459:   Function Heap32ListNext( hSnapshot : THandle; var lphl : THeapList32 ) : BOOL
10460:   AddTypeS('tagHEAPENTRY32', 'record dwSize : DWORD; hHandle : THandle; dwAd'
10461:   +'dress : DWORD; dwBlockSize : DWORD; dwFlags : DWORD; dwLockCount : DWORD; '
10462:   +'dwResvd : DWORD; th32ProcessID : DWORD; th32HeapID : DWORD; end
10463:   AddTypeS('HEAPENTRY32', 'tagHEAPENTRY32
10464:   AddTypeS('THeapEntry32', 'tagHEAPENTRY32
10465:   Const('LF32_FIXED','LongWord').SetUInt( $00000001 );
10466:   Const('LF32_FREE','LongWord').SetUInt( $00000002 );
10467:   Const('LF32_MOVEABLE','LongWord').SetUInt( $00000004 );
10468:   Function Heap32First( var lphe : THeapEntry32; th32ProcessID, th32HeapID : DWORD ) : BOOL
10469:   Function Heap32Next( var lphe : THeapEntry32 ) : BOOL
10470:   DWORD; var lpNumberOfBytesRead : DWORD) : BOOL
10471:   AddTypeS('tagTHREADENTRY32', 'record dwSize : DWORD; cntUsage : DWORD; th3'
10472:   +'2ThreadID : DWORD; th32OwnerProcessID : DWORD; tpBasePri : Longint; tpDelt'
10473:   +'aPri : Longint; dwFlags : DWORD; end
10474:   AddTypeS('THREADENTRY32', 'tagTHREADENTRY32
10475:   AddTypeS('TThreadEntry32', 'tagTHREADENTRY32
10476:   Function Thread32First( hSnapshot : THandle; var lppe : TThreadEntry32 ) : BOOL
10477:   Function Thread32Next( hSnapshot : THandle; var lppe : TThreadEntry32 ) : BOOL
10478: end;
10479: Const('EW_RESTARTWINDOWS','LongWord').SetUInt( $0042 );
10480: Const('EW_REBOOTSYSTEM','LongWord( $0043 );
10481: Const('EW_EXITANDEXECAPP','LongWord( $0044 );
10482: Const('ENDSESSION_LOGOFF','LongWord').SetUInt( DWORD ( $80000000 ) );
10483: Const('EWX_LOGOFF','LongInt'( 0 );
10484: Const('EWX_SHUTDOWN','LongInt'( 1 );
10485: Const('EWX_REBOOT','LongInt'( 2 );
10486: Const('EWX_FORCE','LongInt'( 4 );
10487: Const('EWX_POWEROFF','LongInt'( 8 );
10488: Const('EWX_FORCEIFHUNG','LongWord').SetUInt( $10 );
10489: Function GET_APPCOMMAND_LPARAM( const lParam : LongInt ) : Shortint
10490: Function GET_DEVICE_LPARAM( const lParam : LongInt ) : Word
10491: Function GET_MOUSEORKEY_LPARAM( const lParam : LongInt ) : Word
10492: Function GET_FLAGS_LPARAM( const lParam : LongInt ) : Word
10493: Function GET_KEYSTATE_LPARAM( const lParam : LongInt ) : Word
10494: Function GetWindowWord( hWnd : HWND; nIndex : Integer ) : Word
10495: Function SetWindowWord( hWnd : HWND; nIndex : Integer; wNewWord : Word ) : Word
10496: Function GetWindowLong( hWnd : HWND; nIndex : Integer ) : Longint
10497: Function SetWindowLong( hWnd : HWND; nIndex : Integer; dwNewLong : Longint ) : Longint
10498: Function GetClassWord( hWnd : HWND; nIndex : Integer ) : Word
10499: Function SetClassWord( hWnd : HWND; nIndex : Integer; wNewWord : Word ) : Word

```

```

10500: Function GetClassLong( hWnd : HWND; nIndex : Integer) : DWORD
10501: Function SetClassLong( hWnd : HWND; nIndex : Integer; dwNewLong : Longint) : DWORD
10502: Function GetDesktopWindow : HWND
10503: Function GetParent( hWnd : HWND) : HWND
10504: Function SetParent( hWndChild, hWndNewParent : HWND) : HWND
10505: Function GetTopWindow( hWnd : HWND) : HWND
10506: Function GetNextWindow( hWnd : HWND; uCmd : UINT) : HWND
10507: Function GetWindow( hWnd : HWND; uCmd : UINT) : HWND
10508: //Delphi DFM
10509: Function LoadDFMFile2Strings( const AFile:string; AStrings:TStrings; var WasText:boolean):integer
10510: Function SaveStrings2DFMFile( AStrings : TStrings; const AFile : string) : integer
10511: procedure GetHighlighters(AOwner: TComponent; AHighlighters: TStringList; AppendToList: boolean);
10512: function GetHighlightersFilter(AHighlighters: TStringList): string;
10513: function GetHighlighterFromfileExt(AHighlighters: TStringList; Extension: string):TSynCustomHighlighter;
10514: Function ShowOwnedPopups( hWnd : HWND; fShow : BOOL) : BOOL
10515: Function OpenIcon( hWnd : HWND) : BOOL
10516: Function CloseWindow( hWnd : HWND) : BOOL
10517: Function MoveWindow( hWnd : HWND; X, Y, nWidth, nHeight : Integer; bRepaint : BOOL) : BOOL
10518: Function SetWindowPos(hWnd: HWND;hWndInsertAfter:HWND; X,Y,cx,cy : Integer; uFlags : UInt) : BOOL
10519: Function IsWindowVisible( hWnd : HWND) : BOOL
10520: Function IsIconic( hWnd : HWND) : BOOL
10521: Function AnyPopup : BOOL
10522: Function BringWindowToFront( hWnd : HWND) : BOOL
10523: Function IsZoomed( hWnd : HWND) : BOOL
10524: Function IsWindow( hWnd : HWND) : BOOL
10525: Function IsMenu( hMenu : HMENU) : BOOL
10526: Function IsChild( hWndParent, hWnd : HWND) : BOOL
10527: Function DestroyWindow( hWnd : HWND) : BOOL
10528: Function ShowWindow( hWnd : HWND; nCmdShow : Integer) : BOOL
10529: Function AnimateWindow( hWnd : HWND; dwTime : DWORD; dwFlags : DWORD) : BOOL
10530: Function ShowWindowAsync( hWnd : HWND; nCmdShow : Integer) : BOOL
10531: Function FlashWindow( hWnd : HWND; bInvert : BOOL) : BOOL
10532: Function IsWindowUnicode( hWnd : HWND) : BOOL
10533: Function EnableWindow( hWnd : HWND; bEnable : BOOL) : BOOL
10534: Function IsWindowEnabled( hWnd : HWND) : BOOL
10535:
10536: procedure SIRегистer_IDECmdLine(CL: TPPascalCompiler);
10537: begin
10538:   const ('ShowSetupDialogOptLong','String '--setup
10539: PrimaryConfPathOptLong','String '--primary-config-path=
10540: PrimaryConfPathOptShort','String '--pcp=
10541: SecondaryConfPathOptLong','String '--secondary-config-path=
10542: SecondaryConfPathOptShort','String '--scp=
10543: NoSplashScreenOptLong','String '--no-splash-screen
10544: NoSplashScreenOptShort','String '--nsc
10545: StartedByStartLazarusOpt','String '--started-by-startlazarus
10546: SkipLastProjectOpt','String '--skip-last-project
10547: DebugLogOpt','String '--debug-log=
10548: DebugLogOptEnable','String '--debug-enable=
10549: LanguageOpt','String '--language=
10550: LazarusDirOpt','String '--lazarusdir=
10551: Procedure ParseCommandLine(aCmdLineParams:TStrings;out IDEPid:Int;out ShowSplashScreen:boolean);
10552: Function GetCommandLineParameters( aCmdLineParams : TStrings; isStartLazarus:Boolean) : string
10553: Function ExtractPrimaryConfigPath( aCmdLineParams : TStrings) : string
10554: Function IsHelpRequested : Boolean
10555: Function IsVersionRequested : boolean
10556: Function GetLanguageSpecified : string
10557: Function ParamIsOption( ParamIndex : integer; const Option : string) : boolean
10558: Function ParamIsOptionPlusValue(ParamIndex:integer;const Option:string;out AValue:string):bool;
10559: Procedure ParseNoGuiCmplineParams
10560: Function ExtractCmdLineFilenames : TStrings
10561: end;
10562:
10563:
10564: procedure SIRегистer_LazFileUtils(CL: TPPascalCompiler);
10565: begin
10566:   Function CompareFilenames( const Filenam1, Filenam2 : string) : integer
10567:   Function CompareFilenamesIgnoreCase( const Filenam1, Filenam2 : string) : integer
10568:   Function CompareFileExt( const Filenam, Ext : string; CaseSensitive : boolean) : integer;
10569:   Function CompareFileExt1( const Filenam, Ext : string) : integer;
10570:   Function CompareFilenameStarts( const Filenam1, Filenam2 : string) : integer
10571:   Function CompareFilenames(Filenam1:PChar;Len1:integer; Filenam2:PChar;Len2:integer):integer
10572:   Function CompareFilenamesP( Filenam1, Filenam2 : PChar; IgnoreCase : boolean) : integer
10573:   Function DirPathExists( DirectoryName : string) : boolean
10574:   Function DirectoryIsWritable( const DirectoryName : string) : boolean
10575:   Function ExtractFileNameOnly( const AFilename : string) : string
10576:   Function FilenameIsAbsolute( const Thefilename : string) : boolean
10577:   Function FilenameIsWinAbsolute( const Thefilename : string) : boolean
10578:   Function FilenameIsUnixAbsolute( const Thefilename : string) : boolean
10579:   Function ForceDirectory( DirectoryName : string) : boolean
10580:   Procedure CheckIfFileIsExecutable( const AFilename : string)
10581:   Procedure CheckIfFileIsSymlink( const AFilename : string)
10582:   Function FileIsText( const AFilename : string) : boolean
10583:   Function FileIsText2( const AFilename : string; out FileReadable : boolean) : boolean
10584:   Function FilenameIsTrimmed( const Thefilename : string) : boolean
10585:   Function FilenameIsTrimmed2( StartPos : PChar; NameLen : integer) : boolean
10586:   Function TrimFilename( const AFilename : string) : string
10587:   Function ResolveDots( const AFilename : string) : string
10588:   Procedure ForcePathDelims( var FileName : string)

```

```

10589: Function GetForcedPathDelims( const FileName : string ) : String
10590: Function CleanAndExpandFilename( const Filename : string ) : string
10591: Function CleanAndExpandDirectory( const Filename : string ) : string
10592: Function TrimAndExpandfilename( const Filename : string; const BaseDir : string ) : string
10593: Function TrimAndExpandDirectory( const Filename : string; const BaseDir : string ) : string
10594: Function TryCreateRelativePath( const Dest, Source: String; UsePointDirectory:bool;
    AlwaysRequireSharedBaseFolder : Boolean; out RelPath : String ) : Boolean
10595: Function CreateRelativePath( const Filename, BaseDirectory:string; UsePointDirectory:boolean;
    AlwaysRequireSharedBaseFolder : Boolean ) : string
10596: Function FileIsInPath( const Filename, Path : string ) : boolean
10597: Function AppendPathDelim( const Path : string ) : string
10598: Function ChompPathDelim( const Path : string ) : string
10599: Function CreateAbsoluteSearchPath( const SearchPath, BaseDirectory : string ) : string
10600: Function CreateRelativeSearchPath( const SearchPath, BaseDirectory : string ) : string
10601: Function MinimizeSearchPath( const SearchPath : string ) : string
10602: Function FindPathInSearchPath(APath:PChar;APathLen:int;SearchPath:PChar;SearchPathLen:int):PChar;
    (*Function FileExistsUTF8( const FileName : string ) : boolean
10603: Function FileAgeUTF8( const FileName : string ) : Longint
10604: Function DirectoryExistsUTF8( const Directory : string ) : Boolean
10605: Function ExpandFileNameUTF8( const FileName : string; BaseDir : string ) : string
10607: Function FindFirstUTF8(const Path:string; Attr: Longint; out Rslt : TSearchRec) : Longint
10608: Function FindNextUTF8( var Rslt : TSearchRec ) : Longint
10609: Procedure FindCloseUTF8( var F : TSearchrec )
10610: Function FileSetDateUTF8( const FileName : String; Age : Longint ) : Longint
10611: Function FileGetAttrUTF8( const FileName : String ) : Longint
10612: Function FileSetAttrUTF8( const Filename : String; Attr : longint ) : Longint
10613: Function DeleteFileUTF8( const FileName : String ) : Boolean
10614: Function RenameFileUTF8( const OldName, NewName : String ) : Boolean
10615: Function FileSearchUTF8( const Name, DirList : String; ImplicitCurrentDir : Boolean ) : String
10616: Function FileIsReadOnlyUTF8( const FileName : String ) : Boolean
10617: Function GetCurrentDirUTF8 : String
10618: Function SetCurrentDirUTF8( const NewDir : String ) : Boolean
10619: Function CreateDirUTF8( const NewDir : String ) : Boolean
10620: Function RemoveDirUTF8( const Dir : String ) : Boolean
10621: Function ForceDirectoriesUTF8( const Dir : string ) : Boolean
10622: Function FileOpenUTF8( const FileName : string; Mode : Integer ) : THandle
10623: Function FileCreateUTF8( const FileName : string ) : THandle;
10624: Function FileCreateUTF81( const FileName : string; Rights : Cardinal ) : THandle,
10625: Function FileCreateUtf82( const FileName : String; ShareMode : Integer; Rights : Cardinal ) : THandle,
10626: Function FileSizeUtf8( const Filename : string ) : int64
10627: Function GetFileDescription( const Afilename : string ) : string
10628: Function GetAppConfigDirUTF8( Global : Boolean; Create : boolean ) : string
10629: Function GetAppConfigFileUTF8( Global : Boolean; SubDir : boolean; CreateDir : boolean ) : string
10630: Function GetTempFileNameUTF8( const Dir, Prefix : String ) : String*)
10631: Function IsUNCPath( const Path : String ) : Boolean
10632: Function ExtractUNCVolume( const Path : String ) : String
10633: Function ExtractFileRoot( FileName : String ) : String
10634: Function GetDarwinSystemFilename( Filename : string ) : string
10635: Procedure SplitCmdLineParams( const Params : string; ParamList : TStrings; ReadBackslash : boolean )
10636: Function StrToCmdlineParam( const Param : string ) : string
10637: Function MergeCmdlineParams( ParamList : TStrings ) : string
10638: Procedure InvalidateFileStateCache( const Filename : string )
10639: Function FindAllFiles( const SearchPath:String;SearchMask:String;SearchSubDirs:Boolean):TStringList;
10640: Function FindAllDirectories( const SearchPath : string; SearchSubDirs : Boolean ) : TStringList
10641: Function FindAllDocs( const Root, extmask: string): TStringlist;
10642: Function ReadfileToString( const filename : string ) : string
10643: procedure Incl(var X: longint; N: Longint);
10644:
10645: type
10646:   TCopyFileFlag = ( cffOverwriteFile,
10647:     cffCreateDestDirectory, cffPreserveTime );
10648:   TCopyFileFlags = set of TCopyFileFlag;*)
10649:   TCopyFileFlag', '(cffOverwriteFile, cffCreateDestDirectory, cffPreserveTime)
10650:   TCopyFileFlags', 'set of TCopyFileFlag
10651:   Function CopyDirTree( const SourceDir, TargetDir : string; Flags : TCopyFileFlags ) : Boolean
10652: end;
10653:
10654: procedure SIRegister_lazMasks(CL: TPSPascalCompiler);
10655: begin
10656:   TMaskCharType', '( mcChar, mcCharSet, mcAnyChar, mcAnyText )
10657:   SIRegister_TMask(CL);
10658:   SIRegister_TParseStringList(CL);
10659:   SIRegister_TMaskList(CL);
10660:   Function MatchesMask( const FileName, Mask : String; const CaseSensitive : Boolean ) : Boolean
10661:   Function MatchesWindowsMask( const FileName, Mask : String; const CaseSensitive : Boolean ) : Bool;
10662:   Function MatchesMaskList( const FileName,Mask:String;Separator:Char;const CaseSensitive:Boolean):Bool;
10663:   Function MatchesWindowsMaskList( const FileName,Mask:String;Separat:Char;const CaseSensitive:Bool):Bool;
10664: end;
10665:
10666: procedure SIRegister_JvShellHook(CL: TPSPascalCompiler);
10667: begin
10668:   //PShellHookInfo', '^TShellHookInfo // will not work
10669:   TShellHookInfo', 'record hwnd : THandle; rc : TRect; end
10670:   SHELLHOOKINFO', 'TShellHookInfo
10671:   LPSHELLHOOKINFO', 'PShellHookInfo
10672:   TJvShellHookEvent', 'Procedure ( Sender : TObject; var Msg : TMessage)
10673:   SIRegister_TJvShellHook(CL);
10674:   Function InitJvShellHooks : Boolean
10675:   Procedure UnInitJvShellHooks

```

```

10676: end;
10677:
10678: procedure SIRegister_JvExControls(CL: TPSPPascalCompiler);
10679: begin
10680:   TDlgCode', '( dcWantAllKeys, dcWantArrows, dcWantChars, dcButton'
10681:   +', dcHasSelSel, dcWantTab, dcNative )
10682:   TDlgCodes', 'set of TDlgCode
10683:   'dcWantMessage', ' dcWantAllKeys);
10684:   SIRegister_IJvExControl(CL);
10685:   SIRegister_IJvDenySubClassing(CL);
10686:   SIRegister_TStructPtrMessage(CL);
10687:   Procedure SetDotNetBarColors( FocusedColor, UnfocusedColor : TColor)
10688:   Procedure DrawDotNetBar( Control : TWinControl; AColor : TColor; InControl : Boolean);
10689:   Procedure DrawDotNetBar( DC : HDC; R : TRect; AColor : TColor; UseFocusedColor : Boolean);
10690:   Procedure HandleDotNetBarHighlighting(Control:TWinControl;const Msg:TMessage;MouseOver:Boolean;Color:TColor);
10691:   Function CreateWMMessage( Msg : Integer; WParam : Integer; LParam : Longint ) : TMessage;
10692:   Function CreateWMMessage1( Msg : Integer; WParam : Integer; LParam : TControl ) : TMessage;
10693:   Function SmallPointToLong( const Pt : TSmallPoint ) : Longint
10694:   Function ShiftStateToKeyData( Shift : TShiftState ) : Longint
10695:   Function GetFocusedControl( AControl : TControl ) : TWinControl
10696:   Function DlgcToDlgCodes( Value : Longint ) : TDlgCodes
10697:   Function DlgCodesToDlgc( Value : TDlgCodes ) : Longint
10698:   Procedure GetHintColor( var HintInfo : THintInfo; AControl : TControl; HintColor : TColor)
10699:   Function DispatchchisDesignMsg( Control : TControl; var Msg : TMessage ) : Boolean
10700:   SIRegister_TJvExControl(CL);
10701:   SIRegister_TJvExWinControl(CL);
10702:   SIRegister_TJvExCustomControl(CL);
10703:   SIRegister_TJvExGraphicControl(CL);
10704:   SIRegister_TJvExHintWindow(CL);
10705:   SIRegister_TJvExPubGraphicControl(CL);
10706: end;
10707:
10708: (*-----*)
10709: procedure SIRegister_EncdDecd(CL: TPSPPascalCompiler);
10710: begin
10711:   Procedure EncodeStream( Input, Output : TStream)
10712:   Procedure DecodeStream( Input, Output : TStream)
10713:   Function EncodeString1( const Input : string ) : string
10714:   Function DecodeString1( const Input : string ) : string
10715: end;
10716:
10717: (*-----*)
10718: procedure SIRegister_SockAppReg(CL: TPSPPascalCompiler);
10719: begin
10720:   SIRegister_TWebAppRegInfo(CL);
10721:   SIRegister_TWebAppRegList(CL);
10722:   Procedure GetRegisteredWebApps( AList : TWebAppRegList)
10723:   Procedure RegisterWebApp( const AFileName, AProgID : string)
10724:   Procedure UnregisterWebApp( const AProgID : string)
10725:   Function FindRegisteredWebApp( const AProgID : string ) : string
10726:   Function CreateRegistry( InitializeNewFile : Boolean ) : TCustomIniFile
10727:   'sUDPPort','String 'UDPPort
10728: end;
10729:
10730: procedure SIRegister_PJEnvVars(CL: TPSPPascalCompiler);
10731: begin
10732:   // TStringDynArray', 'array of string
10733:   Function GetEnvVarValue( const VarName : string ) : string
10734:   Function SetEnvVarValue( const VarName, VarValue : string ) : Integer
10735:   Function DeleteEnvVar( const VarName : string ) : Integer
10736:   Function CreateEnvBlock(const NewEnv:TStrings;const IncludeCurrent:Bool;const Buffer:string;const BufSize:Int );
10737:   Function ExpandEnvVars( const Str : string ) : string
10738:   Function GetAllEnvVars( const Vars : TStrings ) : Integer
10739:   Procedure GetAllEnvVarNames( const Names : TStrings );
10740:   Function GetAllEnvVarNames1 : TStringDynArray;
10741:   Function EnvBlockSize : Integer
10742:   TPJEnvVarsEnum', 'Procedure ( const VarName : string; Data : TObject)
10743:   SIRegister_TPJEnvVarsEnumerator(CL);
10744:   SIRegister_TPJEnvVars(CL);
10745:   FindClass('TOBJECT'), 'EPJEnvVars
10746:   FindClass('TOBJECT'), 'EPJEnvVars
10747:   //Procedure Register
10748: end;
10749:
10750: (*-----*)
10751: procedure SIRegister_PJConsoleApp(CL: TPSPPascalCompiler);
10752: begin
10753:   'cOneSecInMS','LongInt'( 1000);
10754:   // 'cDefTimeSlice','LongInt'( 50);
10755:   // 'cDefMaxExecTime',' cOneMinInMS';
10756:   'cAppErrorMask','LongInt'( 1 shl 29);
10757:   Function IsApplicationError( const ErrCode : LongWord ) : Boolean
10758:   TPJConsoleAppPriority', '( cpDefault, cpHigh, cpNormal, cpIdle, cpRealTime )
10759:   TPJConsoleColors', 'record Foreground : TPJConsoleColor; Background:TPJConsoleColor; end;
10760:   Function MakeConsoleColors( const AForeground, ABackground : TPJConsoleColor ):TPJConsoleColors;
10761:   Function MakeConsoleColors1( const AForeground, ABackground : TColor ) : TPJConsoleColors;
10762:   Function MakeConsoleColors2( const AForeground, ABackground : TAlphaColor ) : TPJConsoleColors;
10763:   Function MakeSize( const ACX, ACY : LongInt ) : TSize

```

```

10764: SIRегистер_TPJCustomConsoleApp(CL);
10765: SIRегистер_TPJConsoleApp(CL);
10766: end;
10767;
10768: procedure SIRегистер_ip_misc(CL: TPSPascalCompiler);
10769: begin
10770:   INVALID_IP_ADDRESS', 'LongWord').SetUInt( $ffffffff );
10771:   t_encoding', '( uuencode, base64, mime )'
10772:   Function internet_date( date : TDateTime ) : string
10773:   Function lookup_hostname( const hostname : string ) : longint
10774:   Function my_hostname : string
10775:   Function my_ip_address : longint
10776:   Function ip2string( ip_address : longint ) : string
10777:   Function resolve_hostname( ip : longint ) : string
10778:   Function address_from( const s : string; count : integer ) : string
10779:   Function encode_base64( data : TStream ) : TStringList
10780:   Function decode_base64( source : TStringList ) : TMemoryStream
10781:   Function posn( const s, t : string; count : integer ) : integer
10782:   Function poscn( c : char; const s : string; n : integer ) : integer
10783:   Function filename_of( const s : string ) : string
10784:   //Function trim( const s : string ) : string
10785:   //Procedure setlength( var s : string; l : byte )
10786:   Function TimeZoneBias : longint
10787:   Function eight2seven_quoteprint( const s : string ) : string
10788:   Function eight2seven_german( const s : string ) : string
10789:   Function seven2eight_quoteprint( const s : string ) : string end;
10790:   type in_addr', 'record s_bytes : array[1..4] of byte; end;
10791:   Function socketerror : cint
10792:   Function fpsocket( domain : cint; xtype : cint; protocol : cint ) : cint
10793:   Function frecv( s : cint; buf : __pointer; len : size_t; flags : cint ) : ssize_t
10794:   Function fpsend( s : cint; msg : __pointer; len : size_t; flags : cint ) : ssize_t
10795:   //Function fpbind( s : cint; addrx : psockaddr; addrlen : tsocklen ) : cint
10796:   Function fplisten( s : cint; backlog : cint ) : cint
10797:   //Function fpaccept( s : cint; addrx : psockaddr; addrlen : plongint ) : cint
10798:   //Function fpconnect( s : cint; name : psockaddr; namelen : tsocklen ) : cint
10799:   //Function fpgetsockname( s : cint; name : psockaddr; namelen : psocklen ) : cint
10800:   Function NetAddrToStr( Entry : in_addr ) : String
10801:   Function HostAddrToStr( Entry : in_addr ) : String
10802:   Function StrToHostAddr( IP : String ) : in_addr
10803:   Function StrToNetAddr( IP : String ) : in_addr
10804:   SOL_SOCKET', 'LongWord').SetUInt( $ffff );
10805:   cint8', 'shortint
10806:   cuint8', 'byte
10807:   cchar', 'cint8
10808:   cschar', 'cint8
10809:   uchar', 'cuint8
10810:   cint16', 'smallint
10811:   cuint16', 'word
10812:   cshort', 'cint16
10813:   csshort', 'cint16
10814:   cushort', 'cuint16
10815:   cint32', 'longint
10816:   cuint32', 'longword
10817:   cint', 'cint32
10818:   csint', 'cint32
10819:   cuint', 'cuint32
10820:   csigned', 'cint
10821:   cunsigned', 'cuint
10822:   cint64', 'int64
10823:   clonglong', 'cint64
10824:   cslonglong', 'cint64
10825:   cbool', 'longbool
10826:   cfloat', 'single
10827:   cdouble', 'double
10828:   clongdouble', 'extended
10829:
10830: procedure SIRегистер_uLkJSON(CL: TPSPascalCompiler);
10831: begin
10832:   TlkJSONTypes', '( jsBase, jsNumber, jsString, jsBoolean, jsNull, jsList, jsObject )
10833:   SIRегистер_TlkJSONdotnetclass(CL);
10834:   SIRегистер_TlkJSONbase(CL);
10835:   SIRегистер_TlkJSONnumber(CL);
10836:   SIRегистер_TlkJSONstring(CL);
10837:   SIRегистер_TlkJSONboolean(CL);
10838:   SIRегистер_TlkJSONnull(CL);
10839:   TlkJSONFuncEnum', 'Procedure ( ElName : string; Elem : TlkJSONba'
10840:   +'se; data : TObject; var Continue : Boolean)
10841:   SIRегистер_TlkJSONcustomlist(CL);
10842:   SIRегистер_TlkJSONlist(CL);
10843:   SIRегистер_TlkJSONobjectmethod(CL);
10844:   TlkHashItem', 'record hash : cardinal; index : Integer; end
10845:   TlkHashFunction', 'Function ( const ws : WideString ) : cardinal
10846:   SIRегистер_TlkHashTable(CL);
10847:   SIRегистер_TlkBalTree(CL);
10848:   SIRегистер_TlkJSONobject(CL);
10849:   SIRегистер_TlkJSON(CL);
10850:   SIRегистер_TlkJSONstreamed(CL);
10851:   Function GenerateReadableText( vObj : TlkJSONbase; var vLevel : Integer): string
10852: end;

```

```

10853:
10854: procedure SIRegister_ZSysUtils(CL: TPSPPascalCompiler);
10855: begin
10856:   TZListSortCompare', 'Function (Item1, Item2 : TObject): Integer
10857:   SIRegister_TZSortedList(CL);
10858:   Function zFirstDelimiter( const Delimiters, Str : string) : Integer
10859:   Function zLastDelimiter( const Delimiters, Str : string) : Integer
10860:   //Function MemLCompUnicode( P1, P2 : PWideChar; Len : Integer) : Boolean
10861:   //Function MemLCompAnsi( P1, P2 : PAnsiChar; Len : Integer) : Boolean
10862:   Function zStartsWith( const Str, SubStr : WideString) : Boolean;
10863:   Function StartsWith1( const Str, SubStr : RawByteString) : Boolean;
10864:   Function EndsWith( const Str, SubStr : WideString) : Boolean;
10865:   Function EndsWith1( const Str, SubStr : RawByteString) : Boolean;
10866:   Function SQLStrToFloatDef( Str : RawByteString; Def : Extended) : Extended;
10867:   Function SQLStrToFloatDef1( Str : String; Def : Extended) : Extended;
10868:   Function SQLStrToFloat( const Str : AnsiString) : Extended
10869:   //Function BufferToStr( Buffer : PWideChar; Length : LongInt) : string;
10870:   //Function BufferToStr1( Buffer : PAnsiChar; Length : LongInt) : string;
10871:   Function BufferToBytes( Buffer : TObject; Length : LongInt) : TByteDynArray
10872:   Function StrToBoolEx( Str : string) : Boolean
10873:   Function BoolToStrEx( Bool : Boolean) : String
10874:   Function IsIpAddr( const Str : string) : Boolean
10875:   Function zSplitString( const Str, Delimiters : string) : TStrings
10876:   Procedure PutSplitString( List : TStrings; const Str, Delimiters : string)
10877:   Procedure AppendSplitString( List : TStrings; const Str, Delimiters : string)
10878:   Function ComposeString( List : TStrings; const Delimiter : string) : string
10879:   Function FloatToSQLStr( Value : Extended) : string
10880:   Procedure PutSplitStringEx( List : TStrings; const Str, Delimiter : string)
10881:   Function SplitStringEx( const Str, Delimiter : string) : TStrings
10882:   Procedure AppendSplitStringEx( List : TStrings; const Str, Delimiter : string)
10883:   Function zBytesToStr( const Value : TByteDynArray) : AnsiString
10884:   Function zStrToBytes( const Value : AnsiString) : TByteDynArray;
10885:   Function StrToBytes1( const Value : UTF8String) : TByteDynArray;
10886:   Function StrToBytes2( const Value : RawByteString) : TByteDynArray;
10887:   Function StrToBytes3( const Value : WideString) : TByteDynArray;
10888:   Function StrToBytes4( const Value : UnicodeString) : TByteDynArray;
10889:   Function BytesToVar( const Value : TByteDynArray) : Variant
10890:   Function VarToBytes( const Value : Variant) : TByteDynArray
10891:   Function AnsiSQLDateToDateTime( const Value : string) : TDateTime
10892:   Function TimestampStrToDateTime( const Value : string) : TDateTime
10893:   Function DateTimeToAnsiSQLDate( Value : TDateTime; WithMMSec : Boolean) : string
10894:   Function EncodeCString( const Value : string) : string
10895:   Function DecodeCString( const Value : string) : string
10896:   Function zReplaceChar( const Source, Target : Char; const Str : string) : string
10897:   Function MemPas( Buffer : PChar; Length : LongInt) : string
10898:   Procedure DecodeSQLVersioning(const FullVersion:Int;out MajorVersion:Int;out MinorVersion:Int;out
SubVersion:Int);
10899:   Function EncodeSQLVersioning(const MajorVersion:Integer;const MinorVersion:Integer;const
SubVersion:Integer):Int;
10900:   Function FormatSQLVersion( const SQLVersion : Integer ) : String
10901:   Function ZStrToFloat( Value : AnsiChar) : Extended;
10902:   Function ZStrToFloat1( Value : AnsiString) : Extended;
10903:   Procedure Z.SetString( const Src : AnsiChar; var Dest : AnsiString);
10904:   Procedure Z.SetString1( const Src : AnsiChar; const Len : Cardinal; var Dest : AnsiString);
10905:   Procedure Z.SetString2( const Src : AnsiChar; var Dest : UTF8String);
10906:   Procedure Z.SetString3( const Src : AnsiChar; const Len : Cardinal; var Dest : UTF8String);
10907:   Procedure Z.SetString4( const Src : AnsiChar; const Len : Cardinal; var Dest : WideString);
10908:   Procedure Z.SetString5( const Src : AnsiChar; var Dest : RawByteString);
10909:   Procedure Z.SetString6( const Src : AnsiChar; const Len : Cardinal; var Dest : RawByteString);
10910: end;
10911:
10912: unit UPSI_ZEncoding;
10913:   Function StringToAnsiEx( const s : String; const FromCP, ToCP : Word) : RawByteString
10914:   Function AnsiToStringEx( const s : RawByteString; const FromCP, ToCP : Word) : String
10915:   Function ZRawToUnicode( const S : RawByteString; const CP : Word) : WideString
10916:   Function ZUnicodeToRaw( const US : WideString; CP : Word) : RawByteString
10917:   Function ZConvertAnsiToRaw( const Src : AnsiString; const RawCP : Word) : RawByteString
10918:   Function ZConvertRawToAnsi( const Src : RawByteString; const RawCP : Word) : AnsiString
10919:   Function ZConvertAnsiToUTF8( const Src : AnsiString) : UTF8String
10920:   Function ZConvertUTF8ToAnsi( const Src : UTF8String) : AnsiString
10921:   Function ZConvertRawToUTF8( const Src : RawByteString; const CP : Word) : UTF8String
10922:   Function ZConvertUTF8ToRaw( const Src : UTF8String; const CP : Word) : RawByteString
10923:   Function ZConvertRawToString( const Src : RawByteString; const RawCP, StringCP : Word) : String
10924:   Function ZConvertStringToRaw( const Src : String; const StringCP, RawCP : Word) : RawByteString
10925:   Function ZConvertStringToRawWithAutoEncode( const Src:String;const StringCP,RawCP:Word):RawByteString;
10926:   Function ZConvertUTF8ToString( const Src : UTF8String; const StringCP : Word) : String
10927:   Function ZConvertStringToUTF8( const Src : String; const StringCP : Word) : UTF8String
10928:   Function ZConvertStringToUTF8WithAutoEncode( const Src : String; const StringCP: Word): UTF8String
10929:   Function ZConvertStringToAnsi( const Src : String; const StringCP : Word) : AnsiString
10930:   Function ZConvertStringToAnsiWithAutoEncode( const Src : String; const StringCP: Word): AnsiString
10931:   Function ZConvertAnsiToString( const Src : AnsiString; const StringCP : Word) : String
10932:   Function ZConvertUnicodeToString( const Src : WideString; const StringCP : Word) : String
10933:   Function ZConvertUnicodeToString_CPUTF8( const Src : WideString; const StringCP : Word) : String
10934:   Function ZConvertStringToUnicode( const Src : String; const StringCP : Word) : WideString
10935:   Function ZConvertString_CPUTF8ToUnicode( const Src : String; const StringCP : Word) : WideString
10936:   Function ZConvertStringToUnicodeWithAutoEncode( const Src: String; const StringCP:Word):WideString
10937:   Function ZMoveAnsiToRaw( const Src : AnsiString; const RawCP : Word) : RawByteString
10938:   Function ZMoveRawToAnsi( const Src : RawByteString; const RawCP : Word) : AnsiString
10939:   Function ZMoveAnsiToUTF8( const Src : AnsiString) : UTF8String

```

```

10940: Function ZMoveUTF8ToAnsi( const Src : UTF8String ) : AnsiString
10941: Function ZMoveRawToUTF8( const Src : RawByteString; const CP : Word ) : UTF8String
10942: Function ZMoveUTF8ToRaw( const Src : UTF8String; const CP : Word ) : RawByteString
10943: Function ZMoveStringToAnsi( const Src : String; const StringCP : Word ) : AnsiString
10944: Function ZMoveAnsiToString( const Src : AnsiString; const StringCP : Word ) : String
10945: Function ZMoveRawToString( const Src : RawByteString; const RawCP, StringCP : Word ) : String
10946: Function ZMoveStringToRaw( const Src : String; const StringCP, RawCP : Word ) : RawByteString
10947: Function ZMoveUTF8ToString( const Src : UTF8String; StringCP : Word ) : String
10948: Function ZMoveStringToUTF8( const Src : String; const StringCP : Word ) : UTF8String
10949: Function ZUnknownRawToUnicode( const S : RawByteString; const CP : Word ) : WideString
10950: Function ZUnknownRawToUnicodeWithAutoEncode( const S : RawByteString; const CP : Word ) : WideString
10951: Function ZUnicodeToUnknownRaw( const US : WideString; CP : Word ) : RawByteString
10952: Function ZDefaultSystemCodePage : Word
10953: Function ZCompatibleCodePages( const CP1, CP2 : Word ) : Boolean
10954:
10955:
10956: procedure SIRegister_BoldComUtils(CL: TPSPascalCompiler);
10957: begin
10958:   'RPC_C_AUTHN_LEVEL_DEFAULT','LongInt'( 0 );
10959:   ('RPC_C_AUTHN_LEVEL_NONE','LongInt'( 1 );
10960:   ('RPC_C_AUTHN_LEVEL_CONNECT','LongInt'( 2 );
10961:   ('RPC_C_AUTHN_LEVEL_CALL','LongInt'( 3 );
10962:   ('RPC_C_AUTHN_LEVEL_PKT','LongInt'( 4 );
10963:   ('RPC_C_AUTHN_LEVEL_PKT_INTEGRITY','LongInt'( 5 );
10964:   ('RPC_C_AUTHN_LEVEL_PKT_PRIVACY','LongInt'( 6 );
10965: {('alDefault','1 RPC_C_AUTHN_LEVEL_DEFAULT';
10966: ('alNone','2 RPC_C_AUTHN_LEVEL_NONE';
10967: ('alConnect','3 RPC_C_AUTHN_LEVEL_CONNECT';
10968: ('alCall','4 RPC_C_AUTHN_LEVEL_CALL;
10969: ('alPacket','5 RPC_C_AUTHN_LEVEL_PKT;
10970: ('alPacketIntegrity','6 RPC_C_AUTHN_LEVEL_PKT_INTEGRITY;
10971: ('alPacketPrivacy','7 RPC_C_AUTHN_LEVEL_PKT_PRIVACY);
10972: ('RPC_C_IMP_LEVEL_DEFAULT','LongInt'( 0 );
10973: ('RPC_C_IMP_LEVEL_ANONYMOUS','LongInt'( 1 );
10974: ('RPC_C_IMP_LEVEL_IDENTIFY','LongInt'( 2 );
10975: ('RPC_C_IMP_LEVEL_IMPERSONATE','LongInt'( 3 );
10976: ('RPC_C_IMP_LEVEL_DELEGATE','LongInt'( 4 );
10977: {('ilDefault','0 RPC_C_IMP_LEVEL_DEFAULT';
10978: ('ilAnonymous','1 RPC_C_IMP_LEVEL_ANONYMOUS;
10979: ('ilIdentity','2 RPC_C_IMP_LEVEL_IDENTIFY;
10980: ('ilImpersonate','3 RPC_C_IMP_LEVEL_IMPERSONATE;
10981: ('ilDelegate','4 RPC_C_IMP_LEVEL_DELEGATE);
10982: ('EOAC_NONE','LongWord').SetUInt( $0 );
10983: ('EOAC_DEFAULT','LongWord').SetUInt( $800 );
10984: ('EOAC_MUTUAL_AUTH','LongWord').SetUInt( $1 );
10985: ('EOAC_STATIC_CLOACKING','LongWord').SetUInt( $20 );
10986: ('EOAC_DYNAMIC_CLOAKING','LongWord').SetUInt( $40 );
10987: ('EOAC_ANY_AUTHORITY','LongWord').SetUInt( $80 );
10988: ('RPC_C_AUTHN_WINNT','LongInt'( 10 );
10989: ('RPC_C_AUTHNZ_NONE','LongInt'( 0 );
10990: ('RPC_C_AUTHNZ_NAME','LongInt'( 1 );
10991: ('RPC_C_AUTHNZ_DCE','LongInt'( 2 );
10992:   FindClass('TOBJECT'), 'EBoldCom
10993: Function BoldVariantIsType( V : OleVariant; TypeCode : Integer ) : Boolean
10994: Function BoldMemoryToVariant( const Buffer, BufSize : Integer ) : OleVariant
10995: Function BoldStreamToVariant( Stream : TStream ) : OleVariant
10996: Function BoldStringsToVariant( Strings : TStrings ) : OleVariant
10997: Function BoldVariantToMemory( V : OleVariant; var Buffer, BufSize : Integer ) : Integer
10998: Function BoldVariantToStream( V : OleVariant; Stream : TStream ) : Integer
10999: Function BoldVariantArrayOfArraysOfStringToStrings( V : OleVariant; Strings : TStrings ) : Integer
11000: Function BoldVariantIsNamedValues( V : OleVariant ) : Boolean
11001: Function BoldCreateNamedValues(const Names:array of string;const Values:array of OleVariant):OleVariant;
11002: Function BoldGetNamedValue( Data : OleVariant; const Name : string ) : OleVariant
11003: Procedure BoldSetNamedValue( Data : OleVariant; const Name : string; Value : OleVariant )
11004: Function BoldCreateGUID : TGUID
11005: Function BoldCreateComObject( const ClsId, IID : TGUID; out Obj : variant; out Res : HResult ) : Boolean
11006: Function BoldCreateRemoteComObject(const HostName:string;const ClsId,IId:TGUID;out Obj:variant;out Res:HRes):Bool;
11007: Procedure BoldInitializeComSecurity( AuthenticationLevel, ImpersonationLevel : longint )
11008: Procedure BoldSetSecurityForInterface(AuthenticationLevel,ImpersonationLevel:longint;Unk:IUnknown);
11009: end;
11010:
11011: (*-----*)
11012: procedure SIRegister_BoldIsoDateTime(CL: TPSPascalCompiler);
11013: begin
11014:   Function ParseISODate( s : string ) : TDateTime
11015:   Function ParseISODateTime( s : string ) : TDateTime
11016:   Function ParseISOTime( str : string ) : TDateTime
11017: end;
11018:
11019: (*-----*)
11020: procedure SIRegister_BoldGUIDUtils(CL: TPSPascalCompiler);
11021: begin
11022:   Function BoldCreateGUIDAsString( StripBrackets : Boolean ) : string
11023:   Function BoldCreateGUIDWithBracketsAsString : string
11024: end;
11025:
11026: procedure SIRegister_BoldFileHandler(CL: TPSPascalCompiler);
11027: begin

```

```

11028: FindClass( 'TOBJECT' ), 'TBoldFileHandler
11029: FindClass( 'TOBJECT' ), 'TBoldDiskFileHandler
11030: //TBoldFileHandlerClass', 'class of TBoldFileHandler
11031: TBoldInitializeFileContents', 'Procedure ( StringList : TStringList )
11032: SIRegister_TBoldFileHandler(CL);
11033: SIRegister_TBoldDiskFileHandler(CL);
11034: Procedure BoldCloseAllFilehandlers
11035: Procedure BoldRemoveUnchangedFilesFromEditor
11036: Function BoldFileHandlerList : TBoldObjectArray
11037: Function BoldFileHandlerForFile(path,FileName:String; ModuleType:TBoldModuleType;ShowInEditor:Bool;
OnInitializeFileContents : TBoldInitializeFileContents) : TBoldFileHandler
11038: end;
11039:
11040: procedure SIRegister_BoldWinINet(CL: TPSPPascalCompiler);
11041: begin
11042: PCharArr', 'array of PChar
11043: Function BoldInternetOpen(Agent:String;
AccessType:integer;Proxy:string;ProxyByPass:String;Flags:integer):ptr;
11044: Function BoldInternetOpenUrl(iNet:Pointer;URL: string; Headers:String;Flags,Context:cardinal):Pointer
11045: Function BoldInternetReadFile(hFile:Pointer;Buff:Ptr;NumbOfBytesToRead:Card;var
NumberOfBytesRead:Card):LongBool;
11046: Function BoldInternetCloseHandle( HINet : Pointer ) : LongBool
11047: Function BoldHttpQueryInfo( hRequest : Pointer; InfoLevel : Cardinal; Buffer : Pointer; BufferLength :
Cardinal; Reserved : Cardinal ) : LongBool
11048: Function BoldInternetQueryDataAvailable( hfile : Pointer; var NumberOfBytesAvailable : Cardinal; flags :
Cardinal; Context : Cardinal ) : LongBool
11049: Function BoldHttpOpenRequest(hConnect: Pointer; Verb, ObjectName, Version, Referrer : String; AcceptTypes
: PCharArr; Flags, Context : Cardinal) : Pointer
11050: Function BoldHttpSendRequest(hRequest:Ptr;Headers:string;Optional:Ptr;OptionalLength:Cardinal): LongBool
11051: Function BoldInternetErrorDlg(hWnd:HWND;hRequest:HINTERNET;dwError,dwFlags:DWORD;var lppvData:Ptr):DWORD
11052: Function BoldInternetAttemptConnect( dwReserved : DWORD ) : DWORD
11053: Function BoldInternetConnect(hInet: HINTERNET;ServerName:string; nServerPort:INTERNET_PORT;
Username:string; Password : string; dwService : DWORD; dwFlags : DWORD; dwContext : DWORD):HINTERNET
11054: Function BoldInternetCrackUrl(Url:PChar;UrlLength,dwFlags:DWORD;var lpUrlComponents:TURLComponents):BOOL;
11055: end;
11056:
11057: procedure SIRegister_BoldQueryUserDlg(CL: TPSPPascalCompiler);
11058: begin
11059: TBoldQueryResult', '( qrYesAll, qrYes, qrNo, qrNoAll )
11060: SIRegister_TfrmBoldQueryUser(CL);
11061: Function QueryUser( const Title, Query : string ) : TBoldQueryResult
11062: end;
11063:
11064: (*-----*)
11065: procedure SIRegister_BoldQueue(CL: TPSPPascalCompiler);
11066: begin
11067: //('befIsInDisplayList',' BoldElementFlag0);
11068: //('befStronglyDependedOfPrioritized',' BoldElementFlag1);
11069: //('befFollowerSelected',' BoldElementFlag2);
11070: FindClass( 'TOBJECT' ), 'TBoldQueue
11071: FindClass( 'TOBJECT' ), 'TBoldQueueable
11072: TBoldQueueDisplayMode', '( dmDisplayOne, dmDisplayAll )
11073: SIRegister_TBoldQueueable(CL);
11074: SIRegister_TBoldQueue(CL);
11075: Function BoldQueueFinalized : Boolean
11076: Function BoldInstalledQueue : TBoldQueue
11077: end;
11078:
11079: procedure SIRegister_Barcod(CL: TPSPPascalCompiler);
11080: begin
11081: const mmPerInch', 'Extended').setExtended( 25.4 );
11082: TBarcodeType', '( bcCode_2_5_interleaved, bcCode_2_5_industrial,
11083: +' bcCode_2_5_matrix, bcCode39Extended, bcCode128A, bcCode128B, bc'
11084: +'Code128C, bcCode93, bcCode93Extended, bcCodeMSI, bcCodePostNet, bcCodeCoda'
11085: +'bar, bcCodeEAN8, bcCodeEAN13, bcCodeUPC_A, bcCodeUPC_E0, bcCodeUPC_E1, bcC'
11086: +'odeUPC_Supp2, bcCodeUPC_Supp5, bcCodeEAN128A, bcCodeEAN128B, bcCodeEAN128C
11087: TBarLineType', '( white, black, black_half )
11088: TBarcodeOption', '( bcoNone, bcoCode, bcoTyp, bcoBoth )
11089: TShowTextPosition', '( stpTopLeft, stpTopRight, stpTopCenter, st'
11090: +'pBottomLeft, stpBottomRight, stpBottomCenter )
11091: TCheckSumMethod', '( csmNone, csmModulo10 )
11092: SIRegister_TAsBarcode(CL);
11093: Function CheckSumModulo10( const data : string ) : string
11094: Function ConvertMmToPixelsX( const Value : Double ) : Integer
11095: Function ConvertMmToPixelsY( const Value : Double ) : Integer
11096: Function ConvertInchToPixelsX( const Value : Double ) : Integer
11097: Function ConvertInchToPixelsY( const Value : Double ) : Integer
11098: end;
11099:
11100: procedure SIRegister_Geometry(CL: TPSPPascalCompiler); //OpenGL
11101: begin
11102: THomogeneousByteVector', 'array[0..3] of Byte
11103: THomogeneousWordVector', 'array[0..3] of Word
11104: THomogeneousIntVector', 'array[0..3] of Integer
11105: THomogeneousFltVector', 'array[0..3] of single
11106: THomogeneousDblVector', 'array[0..3] of double
11107: THomogeneousExtVector', 'array[0..3] of extended
11108: TAffineByteVector', 'array[0..2] of Byte
11109: TAffineWordVector', 'array[0..2] of Word

```

```

11110: TAffineIntVector', 'array[0..2] of Integer
11111: TAffineFltVector', 'array[0..2] of single
11112: TAffineDblVector', 'array[0..2] of double
11113: TAffineExtVector', 'array[0..2] of extended
11114: THomogeneousByteMatrix', 'array[0..3] of THomogeneousByteVector
11115: THomogeneousWordMatrix', 'array[0..3] of THomogeneousWordVector
11116: THomogeneousIntMatrix', 'array[0..3] of THomogeneousIntVector
11117: THomogeneousFltMatrix', 'array[0..3] of THomogeneousFltVector
11118: THomogeneousDblMatrix', 'array[0..3] of THomogeneousDblVector
11119: THomogeneousExtMatrix', 'array[0..3] of THomogeneousExtVector
11120: TAffineByteMatrix', 'array[0..2] of TAffineByteVector
11121: TAffineWordMatrix', 'array[0..2] of TAffineWordVector
11122: TAffineIntMatrix', 'array[0..2] of TAffineIntVector
11123: TAffineFltMatrix', 'array[0..3] of TAffineFltVector
11124: TAffineDblMatrix', 'array[0..3] of TAffineDblVector
11125: TAffineExtMatrix', 'array[0..3] of TAffineExtVector
11126: TMatrix4b', 'THomogeneousByteMatrix
11127: TMatrix4w', 'THomogeneousWordMatrix
11128: TMatrix4i', 'THomogeneousIntMatrix
11129: TMatrix4f', 'THomogeneousFltMatrix
11130: TMatrix4d', 'THomogeneousDblMatrix
11131: TMatrix4e', 'THomogeneousExtMatrix
11132: TMatrix3b', 'TAffineByteMatrix
11133: TMatrix3w', 'TAffineWordMatrix
11134: TMatrix3i', 'TAffineIntMatrix
11135: TMatrix3f', 'TAffineFltMatrix
11136: TMatrix3d', 'TAffineDblMatrix
11137: TMatrix3e', 'TAffineExtMatrix
11138: //^PMatrix', '^TMatrix // will not work
11139: TMatrixGL', 'THomogeneousFltMatrix
11140: THomogeneousMatrix', 'THomogeneousFltMatrix
11141: TAffineMatrix', 'TAffineFltMatrix
11142: TQuaternion', 'record Vector : TVector4f; end
11143: TRectangle', 'record Left : integer; Top : integer; Width : integer;
11144: +ger; Height : Integer; end
11145: TTTransType', '( ttScaleX, ttScaleY, ttScaleZ, ttShearXY, ttShear'
11146: +'XZ, ttShearyZ, ttRotateX, ttRotateY, ttRotateZ, ttTranslateX, ttTranslateY'
11147: +' , ttTranslateZ, ttPerspectiveX, ttPerspectiveY, ttPerspectiveZ, ttPerspectiveW )
11148: 'EPSILON', 'Extended').setExtended( 1E-100);
11149: 'EPSILON2', 'Extended').setExtended( 1E-50);
11150: Function VectorAddGL( V1, V2 : TVectorGL ) : TVectorGL
11151: Function VectorAffineAdd( V1, V2 : TAffineVector ) : TAffineVector
11152: Function VectorAffineCombine(V1,V2:TAffineVector; F1, F2 : Single) : TAffineVector
11153: Function VectorAffineDotProduct( V1, V2 : TAffineVector ) : Single
11154: Function VectorAffineLerp( V1, V2 : TAffineVector; t : Single ) : TAffineVector
11155: Function VectorAffineSubtract( V1, V2 : TAffineVector ) : TAffineVector
11156: Function VectorAngle( V1, V2 : TAffineVector ) : Single
11157: Function VectorCombine( V1, V2 : TVectorGL; F1, F2 : Single ) : TVectorGL
11158: Function VectorCrossProduct( V1, V2 : TAffineVector ) : TAffineVector
11159: Function VectorDotProduct( V1, V2 : TVectorGL ) : Single
11160: Function VectorLength( V : array of Single ) : Single
11161: Function VectorLerp( V1, V2 : TVectorGL; t : Single ) : TVectorGL
11162: Procedure VectorNegate( V : array of Single )
11163: Function VectorNorm( V : array of Single ) : Single
11164: Function VectorNormalize( V : array of Single ) : Single
11165: Function VectorPerpendicular( V, N : TAffineVector ) : TAffineVector
11166: Function VectorReflect( V, N : TAffineVector ) : TAffineVector
11167: Procedure VectorRotate( var Vector : TVector4f; Axis : TVector3f; Angle : Single )
11168: Procedure VectorScale( V : array of Single; Factor : Single )
11169: Function VectorSubtractGL( V1, V2 : TVectorGL ) : TVectorGL
11170: Function CreateRotationMatrixX( Sine, Cosine : Single ) : TMatrixGL
11171: Function CreateRotationMatrixY( Sine, Cosine : Single ) : TMatrixGL
11172: Function CreateRotationMatrixZ( Sine, Cosine : Single ) : TMatrixGL
11173: Function CreateScaleMatrix( V : TAffineVector ) : TMatrixGL
11174: Function CreateTranslationMatrix( V : TVectorGL ) : TMatrixGL
11175: Procedure MatrixAdjoint( var M : TMatrixGL )
11176: Function MatrixAffineDeterminant( M : TAffineMatrix ) : Single
11177: Procedure MatrixAffineTranspose( var M : TAffineMatrix )
11178: Function MatrixDeterminant( M : TMatrixGL ) : Single
11179: Procedure MatrixInvert( var M : TMatrixGL )
11180: Function MatrixMultiply( M1, M2 : TMatrixGL ) : TMatrixGL
11181: Procedure MatrixScale( var M : TMatrixGL; Factor : Single )
11182: Procedure MatrixTranspose( var M : TMatrixGL )
11183: Function QuaternionConjugate( Q : TQuaternion ) : TQuaternion
11184: Function QuaternionFromPoints( V1, V2 : TAffineVector ) : TQuaternion
11185: Function QuaternionMultiply( qL, qR : TQuaternion ) : TQuaternion
11186: Function QuaternionSlerp( QStart,QEnd:TQuaternion; Spin:Integer; t:Single):TQuaternion
11187: Function QuaternionToMatrix( Q : TQuaternion ) : TMatrixGL
11188: Procedure QuaternionToPoints( Q : TQuaternion; var ArcFrom, ArcTo : TAffineVector )
11189: Function ConvertRotation( Angles : TAffineVector ) : TVectorGL
11190: Function CreateRotationMatrix( Axis : TVector3f; Angle : Single ) : TMatrixGL
11191: //Function MatrixDecompose( M : TMatrixGL; var Tran : TTransformations ) : Boolean
11192: Function VectorAffineTransform( V : TAffineVector; M : TAffineMatrix ) : TAffineVector
11193: Function VectorTransform( V : TVector4f; M : TMatrixGL ) : TVector4f;
11194: Function VectorTransform1( V : TVector3f; M : TMatrixGL ) : TVector3f;
11195: Function MakeAffineDblVector( V : array of Double ) : TAffineDblVector
11196: Function MakeDblVector( V : array of Double ) : THomogeneousDblVector
11197: Function MakeAffineVector( V : array of Single ) : TAffineVector
11198: Function MakeQuaternion( Imag : array of Single; Real : Single ) : TQuaternion

```

```

11199: Function MakeVector( V : array of Single ) : TVectorGL
11200: Function PointInPolygonGL( xp, yp : array of Single; x, y : Single ) : Boolean
11201: Function VectorAffineDblToFlt( V : TAffineDblVector ) : TAffineVector
11202: Function VectorDblToFlt( V : THomogeneousDblVector ) : THomogeneousVector
11203: Function VectorAffineFltToDbl( V : TAffineVector ) : TAffineDblVector
11204: Function VectorFltToDbl( V : TVectorGL ) : THomogeneousDblVector
11205: Function ArcCosGL( X : Extended ) : Extended
11206: Function ArcSinGL( X : Extended ) : Extended
11207: Function ArcTan2GL( Y, X : Extended ) : Extended
11208: Function CoTanGL( X : Extended ) : Extended
11209: Function DegToRadGL( Degrees : Extended ) : Extended
11210: Function RadToDegGL( Radians : Extended ) : Extended
11211: Procedure SinCosGL( Theta : Extended; var Sin, Cos : Extended )
11212: Function TanGL( X : Extended ) : Extended
11213: Function Turn( Matrix : TMatrixGL; Angle : Single ) : TMatrixGL;
11214: Function Turn1( Matrix : TMatrixGL; MasterUp : TAffineVector; Angle: Single): TMatrixGL;
11215: Function Pitch( Matrix : TMatrixGL; Angle : Single ) : TMatrixGL;
11216: Function Pitch1( Matrix : TMatrixGL; MasterRight:TAffineVector;Angle:Single):TMatrixGL;
11217: Function Roll( Matrix : TMatrixGL; Angle : Single ) : TMatrixGL;
11218: Function Roll1( Matrix:TMatrixGL; MasterDirection:TAffineVector;Angle:Single):TMatrixGL;
11219: end;
11220:
11221:
11222: procedure SIRegister_JclRegistry(CL: TPSPascalCompiler);
11223: begin
11224:   Function RegCreateKey( const RootKey : HKEY; const Key, Value : string ) : Longint
11225:   Function RegDeleteEntry( const RootKey : HKEY; const Key, Name : string ) : Boolean
11226:   Function RegDeleteKeyTree( const RootKey : HKEY; const Key : string ) : Boolean
11227:   Function RegReadBool( const RootKey : HKEY; const Key, Name : string ) : Boolean
11228:   Function RegReadBoolDef( const RootKey : HKEY; const Key, Name : string; Def : Boolean ) : Boolean
11229:   Function RegReadInteger( const RootKey : HKEY; const Key, Name : string ) : Integer
11230:   Function RegReadIntegerDef( const RootKey : HKEY; const Key, Name : string; Def : Integer ) : Integer
11231:   Function RegReadString( const RootKey : HKEY; const Key, Name : string ) : string
11232:   Function RegReadStringDef( const RootKey : HKEY; const Key, Name, Def : string ) : string
11233:   Function RegReadDWORD( const RootKey : HKEY; const Key, Name : string ) : Int64
11234:   Function RegReadDWORDDef( const RootKey : HKEY; const Key, Name : string; Def : Int64 ) : Int64
11235:   Procedure RegWriteBool( const RootKey : HKEY; const Key, Name : string; Value : Boolean )
11236:   Procedure RegWriteInteger( const RootKey : HKEY; const Key, Name : string; Value : Integer )
11237:   Procedure RegWriteString( const RootKey : HKEY; const Key, Name, Value : string )
11238:   Procedure RegWriteWORD( const RootKey : HKEY; const Key, Name : string; Value : Int64 )
11239:   Function RegGetValueNames( const RootKey : HKEY; const Key : string; const List : TStrings ) : Boolean
11240:   Function RegGetKeyNames( const RootKey : HKEY; const Key : string; const List : TStrings ) : Boolean
11241:   Function RegHasSubKeys( const RootKey : HKEY; const Key : string ) : Boolean
11242:   Function RegKeyExists( const RootKey : HKEY; const Key : string ) : Boolean
11243:     AddTypeS('TExecKind', '( ekMachineRun, ekMachineRunOnce, ekUserRun, ekUser
11244:       +'RunOnce, ekServiceRun, ekServiceRunOnce )'
11245:     AddClassN(FindClass('TOBJECT'), 'EJclRegistryError'
11246:   Function UnregisterAutoExec( ExecKind : TExecKind; const Name : string ) : Boolean
11247:   Function RegisterAutoExec( ExecKind : TExecKind; const Name, Cmdline : string ) : Boolean
11248:   Function RegSaveList(const RootKey:HKEY;const Key:string; const ListName:string;const
11249: Items:TStrings):Bool;
11250:   Function RegLoadList(const RootKey:HKEY;const Key:string;const ListName:string;const
11251: SaveTo:TStrings):Bool;
11252:   Function RegDelList( const RootKey:HKEY;const Key:string; const ListName:string): Boolean
11253: end;
11254:
11255: procedure SIRegister_JclCOM(CL: TPSPascalCompiler);
11256: begin
11257:   CLSID_StdComponentCategoriesMgr', 'TGUID '{0002E005-0000-0000-C000-000000000046}
11258:   CATID_SafeForInitializing', 'TGUID '{7DD95802-9882-11CF-9FA9-00AA006C42C4}
11259:   CATID_SafeForScripting', 'TGUID '{7DD95801-9882-11CF-9FA9-00AA006C42C4}
11260:   icMAX_CATEGORY_DESC_LEN', 'LongInt( 128 );
11261:   FindClass('TOBJECT'), 'EInvalidParam
11262:   Function IsDCOMInstalled : Boolean
11263:   Function IsDCOMEnabled : Boolean
11264:   Function GetDCOMVersion : string
11265:   Function GetMDACVersion : string
11266:   Function GetMDACVersion2 : string
11267:   Function MarshalInterThreadInterfaceInVarArray(const iid:TIID;unk:IUnknown;var
11268: VarArray:OleVariant):HResult;
11269:   Function MarshalInterProcessInterfaceInStream(const iid:TIID;unk:IUnknown;var stm:IStream):HResult;
11270:   Function MarshalInterProcessInterfaceInVarArray(const iid:TIID;unk:IUnknown;var
11271: VarArray:OleVariant):HResult;
11272:   Function MarshalInterMachineInterfaceInStream( const iid:TIID;unk:IUnknown;var stm:IStream):HResult;
11273:   Function CreateComponentCategory( const CatID : TGUID; const sDescription : string ) : HResult
11274:   Function RegisterCLSIDInCategory( const ClassID : TGUID; const CatID : TGUID ) : HResult
11275:   Function UnRegisterCLSIDInCategory( const ClassID : TGUID; const CatID : TGUID ) : HResult
11276:   Function ResetIStreamToStart( Stream : IStream ) : Boolean
11277:   Function SizeOfIStreamContents( Stream : IStream ) : Largeint
11278:   Function StreamToVariantArray( Stream : TStream ) : OleVariant;
11279:   Function StreamToVariantArray1( Stream : IStream ) : OleVariant;
11280:   Procedure VariantArrayToStream( VarArray : OleVariant; var Stream : TStream );
11281:   Procedure VariantArrayToStream1( VarArray : OleVariant; var Stream : IStream );
11282: end;
11283: procedure SIRegister_JclUnitConv_mX2(CL: TPSPascalCompiler);

```

```

11283: begin
11284:   Const('CelsiusFreezingPoint','Extended').setExtended( 0.0 );
11285:   FahrenheitFreezingPoint','Extended').setExtended( 32.0 );
11286:   KelvinFreezingPoint','Extended').setExtended( 273.15 );
11287:   CelsiusAbsoluteZero','Extended').setExtended( - 273.15 );
11288:   FahrenheitAbsoluteZero','Extended').setExtended( - 459.67 );
11289:   KelvinAbsoluteZero','Extended').setExtended( 0.0 );
11290:   DegPerCycle','Extended').setExtended( 360.0 );
11291:   DegPerGrad','Extended').setExtended( 0.9 );
11292:   DegPerRad','Extended').setExtended( 57.295779513082320876798154814105 );
11293:   GradPerCycle','Extended').setExtended( 400.0 );
11294:   GradPerDeg','Extended').setExtended( 1.11111111111111111111111111111111 );
11295:   GradPerRad','Extended').setExtended( 63.661977236758134307553505349006 );
11296:   RadPerCycle','Extended').setExtended( 6.283185307179586476925286766559 );
11297:   RadPerDeg','Extended').setExtended( 0.017453292519943295769236907684886 );
11298:   RadPerGrad','Extended').setExtended( 0.015707963267948966192313216916398 );
11299:   CyclePerDeg','Extended').setExtended( 0.0027777777777777777777777777777777 );
11300:   CyclePerGrad','Extended').setExtended( 0.0025 );
11301:   CyclePerRad','Extended').setExtended( 0.15915494309189533576888376337251 );
11302:   ArcMinutesPerDeg','Extended').setExtended( 60.0 );
11303:   ArcSecondsPerArcMinute','Extended').setExtended( 60.0 );
11304:   Function HowAOneLinerCanBiteYou( const Step, Max : Longint ) : Longint
11305:   Function MakePercentage( const Step, Max : Longint ) : Longint
11306:   Function CelsiusToKelvin( const T : double ) : double
11307:   Function CelsiusToFahrenheit( const T : double ) : double
11308:   Function KelvinToCelsius( const T : double ) : double
11309:   Function KelvinToFahrenheit( const T : double ) : double
11310:   Function FahrenheitToCelsius( const T : double ) : double
11311:   Function FahrenheitToKelvin( const T : double ) : double
11312:   Function CycleToDeg( const Cycles : double ) : double
11313:   Function CycleToGrad( const Cycles : double ) : double
11314:   Function CycleToRad( const Cycles : double ) : double
11315:   Function DegToCycle( const Degrees : double ) : double
11316:   Function DegToGrad( const Degrees : double ) : double
11317:   Function DegToRad( const Degrees : double ) : double
11318:   Function GradToCycle( const Grads : double ) : double
11319:   Function GradToDeg( const Grads : double ) : double
11320:   Function GradToRad( const Grads : double ) : double
11321:   Function RadToCycle( const Radians : double ) : double
11322:   Function RadToDeg( const Radians : double ) : double
11323:   Function RadToGrad( const Radians : double ) : double
11324:   Function DmsToDeg( const D, M : Integer; const S : double ) : double
11325:   Function DmsToRad( const D, M : Integer; const S : double ) : double
11326:   Procedure DegToDms( const Degrees : double; out D, M : Integer; out S : double )
11327:   Function DegToDmsStr( const Degrees : double; const SecondPrecision : Cardinal ) : string
11328:   Procedure CartesianToPolar( const X, Y : double; out R, Phi : double )
11329:   Procedure PolarToCartesian( const R, Phi : double; out X, Y : double )
11330:   Procedure CartesianToCylinder( const X, Y, Z : double; out R, Phi, Zeta : double )
11331:   Procedure CartesianToSpheric( const X, Y, Z : double; out Rho, Phi, Theta : double )
11332:   Procedure CylinderToCartesian( const R, Phi, Zeta : double; out X, Y, Z : double )
11333:   Procedure SphericToCartesian( const Rho, Theta, Phi : double; out X, Y, Z : double )
11334:   Function CmToInch( const Cm : double ) : double
11335:   Function InchToCm( const Inch : double ) : double
11336:   Function FeetToMetre( const Feet : double ) : double
11337:   Function MetreToFeet( const Metre : double ) : double
11338:   Function YardToMetre( const Yard : double ) : double
11339:   Function MetreToYard( const Metre : double ) : double
11340:   Function NmToKm( const Nm : double ) : double
11341:   Function KmToNm( const Km : double ) : double
11342:   Function KmToSm( const Km : double ) : double
11343:   Function SmToKm( const Sm : double ) : double
11344:   Function LitreToGalUs( const Litre : double ) : double
11345:   Function GalUsToLitre( const GalUs : double ) : double
11346:   Function GalUsToGalCan( const GalUs : double ) : double
11347:   Function GalCanToGalUs( const GalCan : double ) : double
11348:   Function GalUsToGalUk( const GalUs : double ) : double
11349:   Function GalUkToGalUs( const GalUk : double ) : double
11350:   Function LitreToGalCan( const Litre : double ) : double
11351:   Function GalCanToLitre( const GalCan : double ) : double
11352:   Function LitreToGalUk( const Litre : double ) : double
11353:   Function GalUkToLitre( const GalUk : double ) : double
11354:   Function KgToLb( const Kg : double ) : double
11355:   Function LbToKg( const Lb : double ) : double
11356:   Function KgToOz( const Kg : double ) : double
11357:   Function OzToKg( const Oz : double ) : double
11358:   Function CwtUsToKg( const Cwt : double ) : double
11359:   Function CwtUkToKg( const Cwt : double ) : double
11360:   Function KaratToKg( const Karat : double ) : double
11361:   Function KgToCwtUs( const Kg : double ) : double
11362:   Function KgToCwtUk( const Kg : double ) : double
11363:   Function KgToKarat( const Kg : double ) : double
11364:   Function KgToSton( const Kg : double ) : double
11365:   Function KgToLton( const Kg : double ) : double
11366:   Function StonToKg( const STon : double ) : double
11367:   Function LtonToKg( const Lton : double ) : double
11368:   Function QrUsToKg( const Qr : double ) : double
11369:   Function QrUkToKg( const Qr : double ) : double
11370:   Function KgToQrUs( const Kg : double ) : double
11371:   Function KgToQrUk( const Kg : double ) : double

```

```

11372: Function PascalToBar( const Pa : double) : double
11373: Function PascalToAt( const Pa : double) : double
11374: Function PascalToTorr( const Pa : double) : double
11375: Function BarToPascal( const Bar : double) : double
11376: Function AtToPascal( const At : double) : double
11377: Function TorrToPascal( const Torr : double) : double
11378: Function KnotToMs( const Knot : double) : double
11379: Function HpElectricToWatt( const HpE : double) : double
11380: Function HpMetricToWatt( const HpM : double) : double
11381: Function MsToKnot( const ms : double) : double
11382: Function WattToHpElectric( const W : double) : double
11383: Function WattToHpMetric( const W : double) : double
11384: function getBigPI: string; //PI of 1000 numbers
11385:
11386: procedure SIRegister_devutils(CL: TPSPascalCompiler);
11387: begin
11388:   Function CDExecuteFile( const FileName, Params, DefaultDir : string; ShowCmd : Integer) : THandle
11389:   Procedure CDCopyFile( const FileName, DestName : string)
11390:   Procedure CDMoveFile( const FileName, DestName : string)
11391:   Function MakeCommaTextToColor( Text : string; Index : Integer; DefaultColor : TColor) : TColor
11392:   Procedure CDDeleteFiles( Sender : TObject; s : string)
11393:   Function CDGetTempDir : string
11394:   Function CDGetFileSize( FileName : string) : longint
11395:   Function GetFileTime( FileName : string) : longint
11396:   Function GetShortName( FileName : string) : string
11397:   Function GetFullName( FileName : string) : string
11398:   Function WinReboot : boolean
11399:   Function WinDir : String
11400:   Function RunFile( FileToRun : string; Params : string; Dir : string; Wait : boolean) : cardinal
11401:   Function RunFile_( Cmd, WorkDir : string; Wait : boolean) : Boolean
11402:   Function devExecutor : TdevExecutor
11403: end;
11404:
11405: procedure SIRegister_FileAssocs(CL: TPSPascalCompiler);
11406: begin
11407:   Procedure CheckAssociations // AssociationsCount', 'LongInt'( 7);
11408:   Procedure Associate( Index : integer)
11409:   Procedure UnAssociate( Index : integer)
11410:   Function IsAssociated( Index : integer) : boolean
11411:   Function CheckFiletype( const extension, filetype, description, verb, serverapp : string) : boolean
11412:   Procedure RegisterFiletype( const extension, filetype, description, verb, serverapp,IcoNum: string)
11413:   Procedure RegisterDDEServer( const filetype, verb, topic, servername, macro : string)
11414:   procedure RefreshIcons;
11415:   function GetShadeColor(ACanvas: TCanvas; clr: TColor; Value: integer): TColor;
11416:   function MergColor(Colors: Array of TColor): TColor;
11417:   function NewColor(ACanvas: TCanvas; clr: TColor; Value: integer): TColor;
11418:   procedure DimBitmap(ABitmap: TBitmap; Value: integer);
11419:   function GrayColor(ACanvas: TCanvas; clr: TColor; Value: integer): TColor;
11420:   function GetInverseColor(AColor: TColor): TColor;
11421:   procedure GrayBitmap(ABitmap: TBitmap; Value: integer);
11422:   procedure DrawBitmapShadow(B: TBitmap; ACanvas: TCanvas; X,Y: integer;ShadowColor: TColor);
11423:   procedure DrawCheckMark(ACanvas: TCanvas; X, Y: integer);
11424:   Procedure GetSystemMenuFont(Font: TFont);
11425: end;
11426:
11427: //*****unit uPSI_JvHLParser;*****
11428: function IsStringConstant(const St: string): Boolean;
11429: function IsIntConstant(const St: string): Boolean;
11430: function IsRealConstant(const St: string): Boolean;
11431: function IsIdentifier(const ID: string): Boolean;
11432: function GetStringValue(const St: string): string;
11433: procedure ParseString(const S: string; Ss: TStrings);
11434: function IsStringConstantW(const St: WideString): Boolean;
11435: function IsIntConstantW(const St: WideString): Boolean;
11436: function IsRealConstantW(const St: WideString): Boolean;
11437: function IsIdentifierW(const ID: WideString): Boolean;
11438: function GetStringValueW(const St: WideString): WideString;
11439: procedure ParseStringW(const S: WideString; Ss: TStrings);
11440:
11441:
11442: //*****unit uPSI_JclMapi;*****
11443:
11444: Function JclSimpleSendMail( const ARecipient,AName,ASubject, ABody : string; const AAttachment : TFileName; ShowDialog : Boolean; AParentWND : HWND) : Boolean
11445: Function JclSimpleSendFax( const ARecipient, AName,ASubject, ABody : string; const AAttachment : TFileName; ShowDialog : Boolean; AParentWND : HWnd) : Boolean
11446: Function JclSimpleBringUpSendMailDialog(const ASubject,ABody:string;const AAttach:TFileName;AParentWND:HWND):Bool
11447: Function MapiCheck( const Res : DWORD; IgnoreUserAbort : Boolean) : DWORD
11448: Function MapiErrorMessage( const ErrorCode : DWORD) : string
11449:
11450: procedure SIRegister_IdNTLM(CL: TPSPascalCompiler);
11451: begin
11452:   //'pdes_key_schedule', '^des_key_schedule // will not work
11453:   Function BuildType1Message( ADomain, AHost : String) : String
11454:   Function BuildType3Message(ADomain,AHost,AUsername:WideString;APassword,ANonce:String):String
11455:   Procedure RegisterAuthenticationMethod( MethodName : String; AuthClass : TIIdAuthenticationClass)
11456:   Function FindAuthClass( AuthName : String) : TIIdAuthenticationClass
11457: GBase64CodeTable', 'string'ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/

```

```

11458: GXECodeTable', 'string' + 0123456789ABCDEFHIJKLMNOPQRSTUVWXYZabcdefghi jklmnopqrstuvwxyz
11459: GUUECodeTable', 'string' +'#$%&'()*)+,-./0123456789:;<=>?@ABCDEFGHIJKLMNPQRSTUVWXYZ[\]^_
11460: end;
11461:
11462: procedure SIRegister_WDosSocketUtils(CL: TPSPPascalCompiler);
11463: begin
11464: ('IpAny', 'LongWord').SetUInt( $00000000);
11465: IpLoopBack', 'LongWord').SetUInt( $7F000001);
11466: IpBroadcast', 'LongWord').SetUInt( $FFFFFFFF);
11467: IpNone', 'LongWord').SetUInt( $FFFFFFFF);
11468: PortAny', 'LongWord( $0000);
11469: SocketMaxConnections', 'LongInt'( 5);
11470: TIpAddr', 'LongWord
11471: TIpRec', 'record IpB1 : byte; IpB2 : byte; IpB3 : byte; IpB4 : Byte; end
11472: Function HostToNetLong( HostLong : LongWord) : LongWord
11473: Function HostToNetShort( HostShort : Word) : Word
11474: Function NetToHostLong( NetLong : LongWord) : LongWord
11475: Function NetToHostShort( NetShort : Word) : Word
11476: Function StrToIp( Ip : string) : TIpAddr
11477: Function IpToStr( Ip : TIpAddr) : string
11478: end;
11479:
11480: (*-----*)
11481: procedure SIRegister_ALSMTPClient(CL: TPSPPascalCompiler);
11482: begin
11483: TAISmtpClientAuthType', '( AlsmtplibAuthNone, alsmtplibAuthPlain'
11484: + 'AlsmtplibAuthLogin, AlsmtplibAuthCramMD5, AlsmtplibAuthCr'
11485: + 'amShal, AlsmtplibAuthAutoSelect )
11486: TAISmtpClientAuthTypeSet', 'set of TAISmtpClientAuthType
11487: SIRegister_TAISmtpClient(CL);
11488: end;
11489:
11490: procedure SIRegister_WDosPlcUtils(CL: TPSPPascalCompiler);
11491: begin
11492: 'TBitNo', 'Integer
11493: TStByteNo', 'Integer
11494: TStationNo', 'Integer
11495: TInOutNo', 'Integer
11496: TIO', '( EE, AA, NE, NA )
11497: TBitSet', 'set of TBitNo
11498: TAddrKind', 'set of ( akBit0, akBit1, akBit2, akOut, akNot, akBus )
11499: TBitAddrRec', 'record Kind : TAddrKind; InOutNo : TInOutNo; ByteNo : Byte; end
11500: TBitAddr', 'LongInt
11501: TByteAddrRec', 'record Kind : TAddrKind; ByteNo : Byte; end
11502: TByteAddr', 'SmallInt
11503: TInOutState', '( iosInit, iosHalt, iosRun, iosError )
11504: Function BitAddr(aIo: TIO; aInOutNo : TInOutNo; aByteNo : Byte; aBitNo : TBitNo) : TBitAddr
11505: Function BusBitAddr(aIo:TIO;aInOutNo:TInOutNo;aStat:TStationNo;aStByteNo:TStByteNo;aBitNo:TBitNo):TBitAddr;
11506: Procedure BitAddrToValues(aBitAddr:TBitAddr;var aIo:TIO;var aInOutNo:TInOutNo;var aByteNo:Byte;var aBitNo:TBitNo);
11507: Function BitAddrToStr( Value : TBitAddr ) : string
11508: Function StrToBitAddr( const Value : string ) : TBitAddr
11509: Function ByteAddr( aIo : TIO; aInOutNo : TInOutNo; aByteNo : Byte ) : TByteAddr
11510: Function BusByteAddr(aIo:TIO;aInOutNo:TInOutNo;aStat:TStationNo;aStByteNo:TStByteNo):TByteAddr
11511: Procedure ByteAddrToValues(aByteAddr:TByteAddr;var aIo:TIO;var aInOutNo:TInOutNo;var aByteNo:Byte)
11512: Function ByteAddrToStr( Value : TByteAddr ) : string
11513: Function StrToByteAddr( const Value : string ) : TByteAddr
11514: Procedure IncByteAddr( var ByteAddr : TByteAddr; Increment : Integer )
11515: Procedure DecByteAddr( var ByteAddr : TByteAddr; Decrement : Integer )
11516: Function InOutStateToStr( State : TInOutState ) : string
11517: Function MasterErrorToStr( ErrorCode : TErrorCode ) : string
11518: Function SlaveErrorToStr( ErrorCode : TErrorCode ) : string
11519: end;
11520:
11521: procedure SIRegister_WDosTimers(CL: TPSPPascalCompiler);
11522: begin
11523: TIntFreq', '( ifNone, if32768, if16384, if8192, if4096, if2048, '
11524: + 'if1024, if512, if256, if128, if64, if32, if16, if8, if4, if2 )
11525: DpmiPmVector', 'Int64
11526: 'DInterval', 'LongInt'( 1000);
11527: //''Enabled', 'Boolean')BoolToStr( True);
11528: 'DIntFreq', 'String' if64
11529: //''DMessages', 'Boolean if64';
11530: SIRegister_TwdxCustomTimer(CL);
11531: SIRegister_TwdxTimer(CL);
11532: SIRegister_TwdxRtcTimer(CL);
11533: SIRegister_TCustomIntTimer(CL);
11534: SIRegister_TIntTimer(CL);
11535: SIRegister_TRtcIntTimer(CL);
11536: Function RealNow : TDateTime
11537: Function MsToDateTime( Millisecond : LongInt ) : TDateTime
11538: Function DateTimeToMs( Time : TDateTime ) : LongInt
11539: end;
11540:
11541: procedure SIRegister_IdSysLogMessage(CL: TPSPPascalCompiler);
11542: begin
11543: TIIdSyslogPRI', 'Integer
11544: TIIdSyslogFacility', '( sfKernel, sfUserLevel, sfMailSystem, sfSy'
11545: + 'stemDaemon, sfSecurityOne, sfSysLogInternal, sfLPR, sfNNTP, sfUUCP, sfCloc'

```

```

11546:     +'kDaemonOne, sfSecurityTwo, sfFTPDaemon, sfNTP, sfLogAudit, sfLogAlert, sfC'
11547:     +'lockDaemonTwo, sfLocalUseZero, sfLocalUseOne, sfLocalUseTwo, sfLocalUseThr'
11548:     +'ee, sfLocalUseFour, sfLocalUseFive, sfLocalUseSix, sfLocalUseSeven )
11549: TIdSyslogSeverity','( slEmergency,slAlert,slCritical,slError,slWarning,slNotice,slInformational,slDebug)
11550:   SIRegister_TIdSysLogMsgPart(CL);
11551:   SIRegister_TIdSysLogMessage(CL);
11552:   Function FacilityToString( AFac : TIdSyslogFacility ) : string
11553:   Function SeverityToString( ASec : TIdSyslogSeverity ) : string
11554:   Function NoToSeverity( ASev : Word ) : TIdSyslogSeverity
11555:   Function logSeverityToNo( ASev : TIdSyslogSeverity ) : Word
11556:   Function NoToFacility( AFac : Word ) : TIdSyslogFacility
11557:   Function logFacilityToNo( AFac : TIdSyslogFacility ) : Word
11558: end;
11559:
11560: procedure SIRegister_TextUtils(CL: TPSPPascalCompiler);
11561: begin
11562:   'UWhitespace','String '(?:\s*)
11563:   Function StripSpaces( const AText : string ) : string
11564:   Function CharCount( const AText : string; Ch : Char ) : Integer
11565:   Function BalancedText( const AText : string; const Ch1, Ch2 : Char; const Count : Integer ) : string
11566:   Function BalancedTextReg( const AText:string; const Ch1, Ch2 : Char; const Count : Integer ) : string
11567: end;
11568:
11569:
11570: procedure SIRegister_ExtPascalUtils(CL: TPSPPascalCompiler);
11571: begin
11572:   ExtPascalVersion','String '0.9.8
11573:   AddTypeS('TBrowser', '( brUnknown, brIE, brFirefox, brChrome, brSafari, br'
11574:   +'Opera, brKonqueror, brMobileSafari )
11575:   AddTypeS('TCSSUnit', '( cssPX, cssPerc, cssEM, cssIN, cssCM, cssMM, cssPT, cssPC, cssnone )
11576:   AddTypeS('TExtProcedure', 'Procedure
11577:   Function DetermineBrowser( const UserAgentStr : string ) : TBrowser
11578:   Function ExtExtract( const Delims:array of string;var S:string;var Matches:TStringList;Remove:bool ):bool;
11579:   Function ExtExplode( Delim : char; const S : string; Separator : char ) : TStringList
11580:   Function FirstDelimiter( const Delimiters, S : string; Offset : integer ) : integer
11581:   Function RPosEx( const Substr, Str : string; Offset : integer ) : integer
11582:   Function CountStr( const Substr, Str : string; UntilStr : string ) : integer
11583:   Function StrToJS( const S : string; UseBR : boolean ) : string
11584:   Function CaseOf( const S : string; const Cases : array of string ) : integer
11585:   Function RCaseOf( const S : string; const Cases : array of string ) : integer
11586:   Function EnumToJSString( TypeInfo : PTypeInfo; Value : integer ) : string
11587:   Function SetPaddings(Top:integer;Right:int;Bottom:intr;Left:integer;CSSUnit:TCSSUnit;Header:bool):string;
11588:   Function SetMargins(Top:integer;Right:int;Bottom:int;Left:integer;CSSUnit:TCSSUnit;Header:bool):string;
11589:   Function ExtBefore( const BeforeS, AfterS, S : string ) : boolean
11590:   Function IsUpperCase( S : string ) : boolean
11591:   Function BeautifyJS(const AScript:string;const StartingLevel:integer;SplitHTMLNewLine: boolean):string;
11592:   Function BeautifyCSS( const AStyle : string ) : string
11593:   Function LengthRegExp( Rex : string; CountAll : Boolean ) : integer
11594:   Function JSDateToDate( JSDate : string ) : TDateTime
11595: end;
11596:
11597: procedure SIRegister_JclShell(CL: TPSPPascalCompiler);
11598: begin
11599:   TSHDeleteOption', '( doSilent, doAllowUndo, doFilesOnly )
11600:   TSHDeleteOptions', 'set of TSHDeleteOption
11601:   TSHRenameOption', '( roSilent, roRenameOnCollision )
11602:   TSHRenameOptions', 'set of TSHRenameOption
11603:   Function SHDeleteFiles( Parent : HWND; const Files : string; Options : TSHDeleteOptions ) : Boolean
11604:   Function SHDeleteFolder( Parent : HWND; const Folder : string; Options : TSHDeleteOptions ) : Boolean
11605:   Function SHRenameFile( const Src, Dest : string; Options : TSHRenameOptions ) : Boolean
11606:   TEnumFolderFlag', '( efFolders, efNonFolders, efIncludeHidden )
11607:   TEnumFolderFlags', 'set of TEnumFolderFlag
11608:   TEnumFolderRec', 'record DisplayName : string; Attributes : DWOR'
11609:   +'D; IconLarge : HICON; IconSmall : HICON; Item : PItemIdList; EnumIdList : '
11610:   +'IEnumIdList; Folder : IShellFolder; end
11611:   Function SHEnumFolderFirst(const Folder:string;var F:TEnumFolderFlags):Boolean;
11612:   Function SHEnumSpecialFolderFirst(SpecialFolder:DWORD;Flags:TEnumFolderFlags;var F:TEnumFolderRec):Bool;
11613:   Procedure SHEnumFolderClose( var F : TEnumFolderRec )
11614:   Function SHEnumFolderNext( var F : TEnumFolderRec ) : Boolean
11615:   Function GetSpecialFolderLocation( const Folder : Integer ) : string
11616:   Function DisplayPropDialog( const Handle : HWND; const FileName : string ) : Boolean;
11617:   Function DisplayPropDialogl( const Handle : HWND; const Item : PItemIdList ) : Boolean;
11618:   Function DisplayContextMenu( const Handle : HWND; const FileName : string; Pos : TPoint ) : Boolean
11619:   Function OpenFolder( const Path : string; Parent : HWND ) : Boolean
11620:   Function OpenSpecialFolder( FolderID : Integer; Parent : HWND ) : Boolean
11621:   Function SHReallocMem( var P : Pointer; Count : Integer ) : Boolean
11622:   Function SHAllocMem( out P : Pointer; Count : Integer ) : Boolean
11623:   Function SHGetMem( var P : Pointer; Count : Integer ) : Boolean
11624:   Function SHFreeMem( var P : Pointer ) : Boolean
11625:   Function DriveToPidlBind( const DriveName : string; out Folder : IShellFolder ) : PItemIdList
11626:   Function PathToPidl( const Path : string; Folder : IShellFolder ) : PItemIdList
11627:   Function PathToPidlBind( const FileName : string; out Folder : IShellFolder ) : PItemIdList
11628:   Function PidlBindToParent(const Idlist:PItemIdList;out Folder:IShellFolder;out Last:PItemIdList):Bool;
11629:   Function PidlCompare( const Pidl1, Pidl2 : PItemIdList ) : Boolean
11630:   Function PidlCopy( const Source : PItemIdList; out Dest : PItemIdList ) : Boolean
11631:   Function PidlFree( var IdList : PItemIdList ) : Boolean
11632:   Function PidlGetDepth( const Pidl : PItemIdList ) : Integer
11633:   Function PidlGetLength( const Pidl : PItemIdList ) : Integer
11634:   Function PidlGetNext( const Pidl : PItemIdList ) : PItemIdList

```

```

11635: Function PidlToPath( IdList : PItemIdList ) : string
11636: Function StrRetFreeMem( StrRet : TStrRet ) : Boolean
11637: Function StrRetToString( IdList : PItemIdList; StrRet : TStrRet; Free : Boolean ) : string
11638: PShellLink', '^TShellLink // will not work
11639: TShellLink', 'record Arguments : string; ShowCmd : Integer; Work'
11640: +'ingDirectory : string; IdList : PItemIdList; Target : string; Description '
11641: +': string; IconLocation : string; IconIndex : Integer; HotKey : Word; end
11642: Procedure ShellLinkFree( var Link : TShellLink )
11643: Function ShellLinkResolve( const FileName : string; var Link : TShellLink ) : HRESULT
11644: Function ShellLinkCreate( const Link : TShellLink; const FileName : string ) : HRESULT
11645: Function ShellLinkCreateSystem( const Link : TShellLink; const Folder : Integer; const FileName : string ) : HRESULT
11646: Function ShellLinkGetIcon( const Link : TShellLink; const Icon : TIcon ) : Boolean
11647: Function SHDlGetVersion( const FileName : string; var Version : TDllVersionInfo ) : Boolean
11648: Function GetSystemIcon( IconIndex : Integer; Flags : Cardinal ) : HICON
11649: Function OverlayIcon( var Icon : HICON; Overlay : HICON; Large : Boolean ) : Boolean
11650: Function OverlayIconShortCut( var Large, Small : HICON ) : Boolean
11651: Function OverlayIconShared( var Large, Small : HICON ) : Boolean
11652: Function SHGetItemInfoTip( const Folder : IShellFolder; Item : PItemIdList ) : string
11653: Function ShellExecEx( const FileName : string; const Parameters : string; const Verb : string; CmdShow : Int ) : Bool;
11654: Function ShellExec( Wnd : Integer; const Operation, FileName, Parameters, Directy : string; ShowCommand : Int ) : Bool;
11655: Function ShellExecAndWait( const FileName : string; const Params : string; const Verb : string; CmdShow : Int ) : Bool;
11656: Function ShellOpenAs( const FileName : string ) : Boolean
11657: Function ShellRasodial( const EntryName : string ) : Boolean
11658: Function ShellRunControlPanel( const NameOrFileName : string; AppletNumber : Integer ) : Boolean
11659: Function GetFileNameIcon( const FileName : string; Flags : Cardinal ) : HICON
11660: TJclFileExeType', '( etError, etMsDos, etWin16, etWin32Gui, etWin32Con )
11661: Function GetFileExeType( const FileName : TFileName ) : TJclFileExeType
11662: Function ShellFindExecutable( const FileName, DefaultDir : string ) : string
11663: Procedure keybd_event( bVk : Byte; bScan : Byte; dwFlags, dwExtraInfo : DWORD )
11664: Function OemKeyScan( wOemChar : Word ) : DWORD
11665: Procedure mouse_event( dwFlags, dx, dy, dwData, dwExtraInfo : DWORD )
11666: end;
11667:
11668: procedure SIRegister_cXMLFunctions(CL: TPSPascalCompiler);
11669: begin
11670: xmlVersion', 'String '1.0 FindClass('TOBJECT'), 'Exml
11671: //Function xmlValidChar( const Ch : AnsiChar ) : Boolean;
11672: Function xmlValidChar( const Ch : UCS4Char ) : Boolean;
11673: Function xmlValidChar2( const Ch : WideChar ) : Boolean;
11674: Function xmlIsSpaceChar( const Ch : WideChar ) : Boolean
11675: Function xmlIsLetter( const Ch : WideChar ) : Boolean
11676: Function xmlIsDigit( const Ch : WideChar ) : Boolean
11677: Function xmlIsNameStartChar( const Ch : WideChar ) : Boolean
11678: Function xmlIsNameChar( const Ch : WideChar ) : Boolean
11679: Function xmlIsPubidChar( const Ch : WideChar ) : Boolean
11680: Function xmlValidName( const Text : UnicodeString ) : Boolean
11681: //xmlSpace', 'Char #$20 or #$9 or #$D or #$A';
11682: //Function xmlSkipSpace( var P : PWideChar ) : Boolean
11683: //Function xmlSkipEq( var P : PWideChar ) : Boolean
11684: //Function xmlExtractQuotedText( var P : PWideChar; var S : UnicodeString ) : Boolean
11685: //Function xmlGetEntityEncoding( const Buf : Pointer; const BufSize : Integer; out HeaderSize : Integer )
11686: : TUnicodeCodeClass
11687: Function xmlResolveEntityReference( const RefName : UnicodeString ) : WideChar
11688: Function xmlTag( const Tag : UnicodeString ) : UnicodeString
11689: Function xmlEndTag( const Tag : UnicodeString ) : UnicodeString
11690: Function xmlAttrTag( const Tag : UnicodeString; const Attr : UnicodeString ) : UnicodeString
11691: Function xmlEmptyTag( const Tag, Attr : UnicodeString ) : UnicodeString
11692: Procedure xmlSafeTextInPlace( var Txt : UnicodeString )
11693: Function xmlSafeText( const Txt : UnicodeString ) : UnicodeString
11694: Function xmlSpaceIndent( const IndentLength : Integer; const IndentLevel : Integer ) : UnicodeString
11695: Function xmlTabIndent( const IndentLevel : Integer ) : UnicodeString
11696: Procedure SelfTestcXMLFunctions
11697: end;
11698:
11699: (*-----*)
11700: procedure SIRegister_DepWalkUtils(CL: TPSPascalCompiler);
11701: begin
11702: Function AWAITCursor : IUnknown
11703: Function ChangeCursor( NewCursor : TCursor ) : IUnknown
11704: Procedure SuspendRedraw( AControl : TWinControl; Suspend : boolean )
11705: Function YesNo( const ACaption, AMsg : string ) : boolean
11706: Procedure strTokenize( const S : string; Delims : TSysCharSet; Results : TStrings )
11707: Function GetBorlandLibPath( Version : integer; ForDelphi : boolean ) : string
11708: Function GetExpandedLibRoot( Version : integer; ForDelphi : boolean ) : string
11709: Procedure GetPathList( Version : integer; ForDelphi : boolean; Strings : TStrings )
11710: Procedure GetSystemPaths( Strings : TStrings )
11711: Procedure MakeEditNumeric( EditHandle : integer )
11712: end;
11713:
11714: procedure SIRegister_yuvconverts(CL: TPSPascalCompiler);
11715: begin
11716: AddTypeS('TVideoCodec','(vcUnknown,vcRGB,vcUYY2,vcUYYY,vcBTYUV,vcYY,U9,vcYUV12,vcY8,vcY211)
11717: 'BI_YUY2','LongWord( $32595559 );
11718: 'BI_UYYV','LongWord').SetUInt( $59565955 );
11719: 'BI_BTYUV','LongWord').SetUInt( $50313459 );
11720: 'BI_YVU3','LongWord').SetUInt( $39555659 );
11721: 'BI_YUV12','LongWord( $30323449 );
11722: 'BI_Y8','LongWord').SetUInt( $20203859 );

```

```

11723: 'BI_Y211','LongWord').SetUInt( $31313259);
11724: Function BICompressionToVideoCodec( Value : DWord) : TVideoCodec;
11725: Function ConvertCodecToRGB(Codec:TVideoCodec;Src,Dst:Pointer;AWidth,AHeight:Integer):Boolean;
11726: end;
11727:
11728: (*-----*)
11729: procedure SIRegister_AviCap(CL: TPSPascalCompiler);
11730: begin
11731: 'WM_USER','LongWord').SetUInt( $0400);
11732: 'WM_CAP_START','LongWord').SetUInt($0400);
11733: 'WM_CAP_END','longword').SetUInt($0400+85);
11734: //WM_CAP_START+ 85
11735: // WM_CAP_SET_CALLBACK_CAPCONTROL = (WM_CAP_START+ 85);
11736: Function capSetCallbackOnError( hwnd : THandle; fpProc : LongInt) : LongInt
11737: Function capSetCallbackOnStatus( hwnd : THandle; fpProc : LongInt) : LongInt
11738: Function capSetCallbackOnYield( hwnd : THandle; fpProc : LongInt) : LongInt
11739: Function capSetCallbackOnFrame( hwnd : THandle; fpProc : LongInt) : LongInt
11740: Function capSetCallbackOnVideoStream( hwnd : THandle; fpProc : LongInt) : LongInt
11741: Function capSetCallbackOnWaveStream( hwnd : THandle; fpProc : LongInt) : LongInt
11742: Function capSetCallbackOnCapControl( hwnd : THandle; fpProc : LongInt) : LongInt
11743: Function capSetUserData( hwnd : THandle; lUser : LongInt) : LongInt
11744: Function capGetUserData( hwnd : THandle) : LongInt
11745: Function capDriverConnect( hwnd : THandle; I : Word) : LongInt
11746: Function capDriverDisconnect( hwnd : THandle) : LongInt
11747: Function capDriverGetName( hwnd : THandle; szName : LongInt; wSize : Word) : LongInt
11748: Function capDriverGetVersion( hwnd : THandle; szVer : LongInt; wSize : Word) : LongInt
11749: Function capDriverGetCaps( hwnd : THandle; s : LongInt; wSize : Word) : LongInt
11750: Function capFileSetCaptureFile( hwnd : THandle; szName : LongInt) : LongInt
11751: Function capfileGetCaptureFile( hwnd : THandle; szName : LongInt; wSize : Word):LongInt
11752: Function capFileAlloc( hwnd : THandle; dwSize : LongInt) : LongInt
11753: Function capfileSaveAs( hwnd : THandle; szName : LongInt) : LongInt
11754: Function capFileSetInfoChunk( hwnd : THandle; lpInfoChunk : LongInt) : LongInt
11755: Function capfileSaveDIB( hwnd : THandle; szName : LongInt) : LongInt
11756: Function capEditCopy( hwnd : THandle) : LongInt
11757: Function capSetAudioFormat( hwnd : THandle; s : LongInt; wSize : Word) : LongInt
11758: Function capGetAudioFormat( hwnd : THandle; s : LongInt; wSize : Word) : LongInt
11759: Function capGetAudioFormatSize( hwnd : THandle) : LongInt
11760: Function capDlgVideoFormat( hwnd : THandle) : LongInt
11761: Function capDlgVideoSource( hwnd : THandle) : LongInt
11762: Function capDlgVideoDisplay( hwnd : THandle) : LongInt
11763: Function capDlgVideoCompression( hwnd : THandle) : LongInt
11764: Function capGetVideoFormat( hwnd : THandle; s : LongInt; wSize : Word) : LongInt
11765: Function capGetVideoFormatSize( hwnd : THandle) : LongInt
11766: Function capSetVideoFormat( hwnd : THandle; s : LongInt; wSize : Word) : LongInt
11767: Function capPreview( hwnd : THandle; f : Word) : LongInt
11768: Function capPreviewRate( hwnd : THandle; wMS : Word) : LongInt
11769: Function capOverlay( hwnd : THandle; f : Word) : LongInt
11770: Function capPreviewScale( hwnd : THandle; f : Word) : LongInt
11771: Function capGetStatus( hwnd : THandle; s : LongInt; wSize : Word) : LongInt
11772: Function capSetScrollPos( hwnd : THandle; lpP : LongInt) : LongInt
11773: Function capGrabFrame( hwnd : THandle) : LongInt
11774: Function capGrabFrameNoStop( hwnd : THandle) : LongInt
11775: Function capCaptureSequence( hwnd : THandle) : LongInt
11776: Function capCaptureSequenceNoFile( hwnd : THandle) : LongInt
11777: Function capCaptureStop( hwnd : THandle) : LongInt
11778: Function capCaptureAbort( hwnd : THandle) : LongInt
11779: Function capCaptureSingleFrameOpen( hwnd : THandle) : LongInt
11780: Function capCaptureSingleFrameClose( hwnd : THandle) : LongInt
11781: Function capCaptureSingleFrame( hwnd : THandle) : LongInt
11782: Function capCaptureGetSetup( hwnd : THandle; s : LongInt; wSize : Word) : LongInt
11783: Function capCaptureSetSetup( hwnd : THandle; s : LongInt; wSize : Word) : LongInt
11784: Function capSetMCIDeviceName( hwnd : THandle; szName: LongInt) : LongInt
11785: Function capGetMCIDeviceName( hwnd : THandle; szName : LongInt; wSize : Word) : LongInt
11786: Function capPaletteOpen( hwnd : THandle; szName : LongInt) : LongInt
11787: Function capPaletteSave( hwnd : THandle; szName : LongInt) : LongInt
11788: Function capPalettePaste( hwnd : THandle) : LongInt
11789: Function capPaletteAuto( hwnd : THandle; iFrames : Word; iColors : LongInt) : LongInt
11790: Function capPaletteManual( hwnd : THandle; fGrab : Word; iColors : LongInt) : LongInt
11791: //PCapDriverCaps', '^TCapDriverCaps // will not work
11792: TCapDriverCaps', 'record wDeviceIndex: WORD; fHasOverlay : BOOL'
11793: +' fHasDlgVideoSource : BOOL; fHasDlgVideoFormat : BOOL; fHasDlgVideoDispla'
11794: +'y : BOOL; fCaptureInitialized : BOOL; fDriverSuppliesPalettes : BOOL; hvid'
11795: +'eoIn : THANDLE; hVideoOut : THANDLE; hVideoExtIn:THANDLE; hVideoExtOut:THANDLE; end
11796: //PCapStatus', '^TCapStatus // will not work
11797: TCapStatus', 'record uiImageWidth : UINT; uiImageHeight : UINT; '
11798: +'fLiveWindow : BOOL; fOverlayWindow : BOOL; fScale : BOOL; ptScroll : TPOINT'
11799: +'T; fUsingDefaultPalette : BOOL; fAudioHardware : BOOL; fCapFileExists : BO'
11800: +'OL; dwCurrentVideoFrame : DWORD; dwCurrentVideoFramesDropped : DWORD; dwCu'
11801: +'rrentWaveSamples : DWORD; dwCurrentTimeElapsedMS : DWORD; hPalCurrent : HP'
11802: +'ALETTE; fCapturingNow : BOOL; dwReturn : DWORD; wNumVideoAllocated : WORD;''
11803: +' wNumAudioAllocated : WORD; end
11804: //PCaptureParms', '^TCaptureParms // will not work
11805: TCaptureParms', 'record dwRequestMicroSecPerFrame : DWORD; fMake'
11806: +'UserHitOKToCapture : BOOL; wPercentDropForError : WORD; fYield : BOOL; dwI'
11807: +'ndexSize : DWORD; wChunkGranularity : WORD; fUsingDOSMemory : BOOL; wNumVi'
11808: +'deoRequested : WORD; fCaptureAudio : BOOL; wNumAudioRequested : WORD; vKey'
11809: +'Abort : WORD; fAbortLeftMouse : BOOL; fAbortRightMouse : BOOL; fLimitEnabl'
11810: +'ed : BOOL; wTimeLimit : WORD; fMCIControl : BOOL; fStepMCIDevice : BOOL; d'
11811: +'wMCISearchBar : DWORD; dwMCISearchTime : DWORD; fStepCaptureAt2x : BOOL; wSt'

```

```

11812: +'epCaptureAverageFrames : WORD; dwAudioBufferSize : DWORD; fDisableWriteCac'
11813: +'he : BOOL; AVStreamMaster : WORD; end
11814: // PCapInfoChunk', '^TCapInfoChunk // will not work
11815: //TCapInfoChunk', 'record fccInfoID : FOURCC; lpData : LongInt; cbData : LongInt; end
11816: 'CONTROLCALLBACK_PREROLL', 'LongInt'( 1);
11817: 'CONTROLCALLBACK_CAPTURING', 'LongInt'( 2);
11818: Function capCreateCaptureWindow( lpszWindowName: PChar; dwStyle : DWord; x, y : Integer; nWidth, nHeight
: Integer; hwndParent : THandle; nID : Integer) : THandle
11819: Function
capGetDriverDescription(wDriverIndex:DWord;lpszName:PChar;cbName:Integer;lpszVer:PChar;cbVer:Int):Bool;
11820: 'IDS_CAP_BEGIN', 'LongInt'( 300);
11821: 'IDS_CAP_END', 'LongInt'( 301);
11822: 'IDS_CAP_INFO', 'LongInt'( 401);
11823: 'IDS_CAP_OUTOFCMEM', 'LongInt'( 402);
11824: 'IDS_CAP_FILEEXISTS', 'LongInt'( 403);
11825: 'IDS_CAP_ERRORPALOPEN', 'LongInt'( 404);
11826: 'IDS_CAP_ERRORPALSAVE', 'LongInt'( 405);
11827: 'IDS_CAP_ERRORDIBSAVE', 'LongInt'( 406);
11828: 'IDS_CAP_DEFAVIEXT', 'LongInt'( 407);
11829: 'IDS_CAP_DEFPALEXT', 'LongInt'( 408);
11830: 'IDS_CAP_CANTOPEN', 'LongInt'( 409);
11831: 'IDS_CAP_SEQ_MSGSTART', 'LongInt'( 410);
11832: 'IDS_CAP_SEQ_MSGSTOP', 'LongInt'( 411);
11833: 'IDS_CAP_VIDEODITTER', 'LongInt'( 412);
11834: 'IDS_CAP_READONLYFILE', 'LongInt'( 413);
11835: 'IDS_CAP_WRITEERROR', 'LongInt'( 414);
11836: 'IDS_CAP_NODISKSPACE', 'LongInt'( 415);
11837: 'IDS_CAP_SETFILESIZE', 'LongInt'( 416);
11838: 'IDS_CAP_SAVEASPERCENT', 'LongInt'( 417);
11839: 'IDS_CAP_DRIVER_ERROR', 'LongInt'( 418);
11840: 'IDS_CAP_WAVE_OPEN_ERROR', 'LongInt'( 419);
11841: 'IDS_CAP_WAVE_ALLOC_ERROR', 'LongInt'( 420);
11842: 'IDS_CAP_WAVE_PREPARE_ERROR', 'LongInt'( 421);
11843: 'IDS_CAP_WAVE_ADD_ERROR', 'LongInt'( 422);
11844: 'IDS_CAP_WAVE_SIZE_ERROR', 'LongInt'( 423);
11845: 'IDS_CAP_VIDEO_OPEN_ERROR', 'LongInt'( 424);
11846: 'IDS_CAP_VIDEO_ALLOC_ERROR', 'LongInt'( 425);
11847: 'IDS_CAP_VIDEO_PREPARE_ERROR', 'LongInt'( 426);
11848: 'IDS_CAP_VIDEO_ADD_ERROR', 'LongInt'( 427);
11849: 'IDS_CAP_VIDEO_SIZE_ERROR', 'LongInt'( 428);
11850: 'IDS_CAP_FILE_OPEN_ERROR', 'LongInt'( 429);
11851: 'IDS_CAP_FILE_WRITE_ERROR', 'LongInt'( 430);
11852: 'IDS_CAP_RECORDING_ERROR', 'LongInt'( 431);
11853: 'IDS_CAP_RECORDING_ERROR2', 'LongInt'( 432);
11854: 'IDS_CAP_AVI_INIT_ERROR', 'LongInt'( 433);
11855: 'IDS_CAP_NO_FRAME_CAP_ERROR', 'LongInt'( 434);
11856: 'IDS_CAP_NO_PALETTE_WARN', 'LongInt'( 435);
11857: 'IDS_CAP_MCI_CONTROL_ERROR', 'LongInt'( 436);
11858: 'IDS_CAP_MCI_CANT_STEP_ERROR', 'LongInt'( 437);
11859: 'IDS_CAP_NO_AUDIO_CAP_ERROR', 'LongInt'( 438);
11860: 'IDS_CAP_AVI_DRAWDIB_ERROR', 'LongInt'( 439);
11861: 'IDS_CAP_COMPRESSOR_ERROR', 'LongInt'( 440);
11862: 'IDS_CAP_AUDIO_DROP_ERROR', 'LongInt'( 441);
11863: 'IDS_CAP_STAT_LIVE_MODE', 'LongInt'( 500);
11864: 'IDS_CAP_STAT_OVERLAY_MODE', 'LongInt'( 501);
11865: 'IDS_CAP_STAT_CAP_INIT', 'LongInt'( 502);
11866: 'IDS_CAP_STAT_CAP_FINI', 'LongInt'( 503);
11867: 'IDS_CAP_STAT_PALETTE_BUILD', 'LongInt'( 504);
11868: 'IDS_CAP_STAT_OPTPAL_BUILD', 'LongInt'( 505);
11869: 'IDS_CAP_STAT_I_FRAMES', 'LongInt'( 506);
11870: 'IDS_CAP_STAT_L_FRAMES', 'LongInt'( 507);
11871: 'IDS_CAP_STAT_CAP_L_FRAMES', 'LongInt'( 508);
11872: 'IDS_CAP_STAT_CAP_AUDIO', 'LongInt'( 509);
11873: 'IDS_CAP_STAT_VIDEOCURRENT', 'LongInt'( 510);
11874: 'IDS_CAP_STAT_VIDEOAUDIO', 'LongInt'( 511);
11875: 'IDS_CAP_STAT_VIDEOONLY', 'LongInt'( 512);
11876: 'IDS_CAP_STAT_FRAMESDROPPED', 'LongInt'( 513);
11877: 'AVICAP32', 'String' 'AVICAP32.dll
11878: end;
11879:
11880: procedure SIRegister_ALFcnMisc(CL: TPPSPascalCompiler);
11881: begin
11882: Function AlBoolToInt( Value : Boolean) : Integer
11883: Function ALMediumPos( LTotal, LBorder, LObject : integer) : Integer
11884: Function AlIsValidEmail( const Value : AnsiString) : boolean
11885: Function AlLocalDateTimeToGMTDateTime( const aLocalDateTime : TDateTime) : TdateTime
11886: Function ALInc( var x : integer; Count : integer) : Integer
11887: function ALCopyStr(const aSourceString: AnsiString; aStart, aLength: Integer): AnsiString
11888: function ALGetStringFromFile(filename: AnsiString; const ShareMode: Word = fmShareDenyWrite):AnsiString;
11889: procedure ALSaveStringToFile(Str: AnsiString; filename: AnsiString);
11890: Function ALIsInteger(const S: AnsiString): Boolean;
11891: function ALIsDecimal(const S: AnsiString): boolean;
11892: Function ALStringToWideString(const S: AnsiString; const aCodePage: Word): WideString;
11893: function ALWideStringToString(const WS: WideString; const aCodePage: Word): AnsiString;
11894: function ALQuotedStr(const S: AnsiString; const Quote: AnsiChar = ''): AnsiString;
11895: function ALDequotedStr(const S: AnsiString; AQuote: AnsiChar): AnsiString;
11896: function ALUTF8removeBOM(const S: AnsiString): AnsiString;
11897: Function ALRandomStr1(const aLength: Longint; const acharset: Array of Char): AnsiString;
11898: Function ALRandomStr(const aLength: Longint): AnsiString;

```

```

11899: Function ALRandomStrU1(const aLength: Longint; const aCharset: Array of Char): String;
11900: Function ALRandomStrU(const aLength: Longint): String;
11901: end;
11902:
11903: procedure SIRegister_ALJSONDoc(CL: TPSPPascalCompiler);
11904: begin
11905: Procedure ALJSONTOStrings(const AJsonStr: AnsiString;aLst:TALStrings; const aNullStr:AnsiString;const
11906: aTrueStr: AnsiString; const aFalseStr : AnsiString)
11907: end;
11908: procedure SIRegister_ALWindows(CL: TPSPPascalCompiler);
11909: begin
11910: _ALMEMORYSTATUSEX', 'record dwLength : DWORD; dwMemoryLoad : DWO'
11911: +'RD; ullTotalPhys : Int64; ullAvailPhys : Int64; ullTotalPageFile : Int64; '
11912: +'ullAvailPageFile : Int64; ullTotalVirtual : Int64; ullAvailVirtual : Int64'
11913: +''; ullAvailExtendedVirtual : Int64; end
11914: TALMemoryStatusEx', '_ALMEMORYSTATUSEX
11915: Function ALGlobalMemoryStatusEx( var lpBuffer : TALMEMORYSTATUSEX ) : BOOL
11916: Function ALInterlockedExchange64( var Target : LONGLONG; Value : LONGLONG ) : LONGLONG
11917: 'INVALID_SET_FILE_POINTER','LongInt'( DWORD ( - 1 ) );
11918: 'QUOTA_LIMITS_HARDWS_MIN_DISABLE','LongWord').SetUInt( $2 );
11919: 'QUOTA_LIMITS_HARDWS_MIN_ENABLE','LongWord').SetUInt( $1 );
11920: 'QUOTA_LIMITS_HARDWS_MAX_DISABLE','LongWord').SetUInt( $8 );
11921: 'QUOTA_LIMITS_HARDWS_MAX_ENABLE','LongWord').SetUInt( $4 );
11922: end;
11923:
11924: procedure SIRegister_IPCThrd(CL: TPSPPascalCompiler);
11925: begin
11926: SIRegister_THandledObject(CL);
11927: SIRegister_TEvent(CL);
11928: SIRegister_TMutex(CL);
11929: SIRegister_TSharedMem(CL);
11930: 'TRACE_BUF_SIZE','LongInt'( 200 * 1024 );
11931: 'TRACE_BUFFER', 'String 'TRACE_BUFFER
11932: 'TRACE_MUTEX', 'String 'TRACE_MUTEX
11933: '//PTraceEntry', '^TTraceEntry // will not work
11934: SIRegister_TIPCTracer(CL);
11935: 'MAX_CLIENTS','LongInt'( 6 );
11936: 'IPTIMEOUT','LongInt'( 2000 );
11937: 'IPCBUFFER_NAME', 'String 'BUFFER_NAME
11938: 'BUFFER_MUTEX_NAME', 'String 'BUFFER_MUTEX
11939: 'MONITOR_EVENT_NAME', 'String 'MONITOR_EVENT
11940: 'CLIENT_EVENT_NAME', 'String 'CLIENT_EVENT
11941: 'CONNECT_EVENT_NAME', 'String 'CONNECT_EVENT
11942: 'CLIENT_DIR_NAME', 'String 'CLIENT_DIRECTORY
11943: 'CLIENT_DIR_MUTEX', 'String 'DIRECTORY_MUTEX
11944: FindClass('TOBJECT'), 'EMonitorActive
11945: FindClass('TOBJECT'), 'TIPCThread
11946: TEventKind', '( evMonitorAttach, evMonitorDetach, evMonitorSigna'
11947: +'l, evMonitorExit, evClientStart, evClientStop, evClientAttach, evClientDet'
11948: +'ach, evClientSwitch, evClientSignal, evClientExit )
11949: TClientFlag', '( cfError, cfMouseMove, cfMouseDown, cfResize, cfAttach )
11950: TClientFlags', 'set of TClientFlag
11951: //PEventData', '^TEventData // will not work
11952: TEventData', 'record X : SmallInt; Y : SmallInt; Flag : TClientF'
11953: +'lag; Flags : TClientFlags; end
11954: TConnectEvent', 'Procedure ( Sender : TIPCThread; Connecting : Boolean)
11955: TDirUpdateEvent', 'Procedure ( Sender : TIPCThread)
11956: TIPCNotifyEvent', 'Procedure ( Sender : TIPCThread; Data : TEventData)
11957: //PIPCEventInfo', '^TIPCEventInfo // will not work
11958: TIPCEventInfo', 'record FID:Integer; FKind:TEventKind; FData:TEventData;end
11959: SIRegister_TIPCEvent(CL);
11960: //PClientDirRecords', '^TClientDirRecords // will not work
11961: SIRegister_TClientDirectory(CL);
11962: TIPCState', '( stInActive, stDisconnected, stConnected )
11963: SIRegister_TIPCThread(CL);
11964: SIRegister_TIPCMonitor(CL);
11965: SIRegister_TIPCCClient(CL);
11966: Function IsMonitorRunning( var Hndl : THandle ) : Boolean
11967: end;
11968:
11969: (*-----*)
11970: procedure SIRegister_ALGSMComm(CL: TPSPPascalCompiler);
11971: begin
11972: SIRegister_TALGSMComm(CL);
11973: Function AlGSMComm_BuildPDUMessage( aSMSCenter, aSMSAddress, aMessage : AnsiString ) : AnsiString
11974: Procedure AlGSMComm_DecodePDUMessage(aPDUMessage:AnsiString;var aSMSCenter,aSMSAddress,
AMessage:AnsiString);
11975: Function AlGSMComm_UnicodeToGSM7BitDefaultAlphabet( aMessage : WideString ) : AnsiString
11976: Function AlGSMComm_GSM7BitDefaultAlphabetToUnicode(aMess:AnsiString;const
UseGreekAlphabet:Bool):Widestring;
11977: function ALMatchesMask(const Filename, Mask: AnsiString): Boolean;
11978: end;
11979:
11980: procedure SIRegister_ALHttpCommon(CL: TPSPPascalCompiler);
11981: begin
11982: TALHTTPPropertyChangeEvent', 'Procedure(sender:Tobject;const PropertyIndex:Integer;
11983: TALHTTPProtocolVersion', '( HTTPpv_1_0, HTTPpv_1_1 )
11984: TALHTTPMethod ', '(HTTPPmt_Get,HTTPPmt_Post,HTTPPmt_Head,HTTPPmt_Trace,HTTPPmt_Put,HTTPPmt_Delete);

```

```

11985: TInternetScheme', 'integer
11986: TALIPv6Binary', 'array[1..16] of Char;
11987: // TALIPv6Binary = array[1..16] of AnsiChar;
11988: // TInternetScheme = Integer;
11989: SIRegister_TALHTTPRequestHeader(CL);
11990: SIRegister_TALHTTPCookie(CL);
11991: SIRegister_TALHTTPCookieCollection(CL);
11992: SIRegister_TALHTTPResponseHeader(CL);
11993: Function ALHTTPDecode( const AStr : AnsiString ) : AnsiString
11994: Procedure ALHTTPEncodeParamNameValues( ParamValues : TALStrings )
11995: // Procedure ALExtractHTTPFields( Separators,WhiteSpace, Quotes:TSysCharSet,
Content:PAnsiChar;Strings:TALStrings;StripQuotes:Boolean;
11996: // Procedure ALExtractHeaderFields( Separators,WhiteSpace, Quotes : TSysCharSet; Content : PAnsiChar;
Strings : TALStrings; Decode : Boolean; StripQuotes : Boolean)
11997: // Procedure ALExtractHeaderFieldsWithQuoteEscaped(Separators,WhiteSpace,
Quotes:TSysCharSet;Content:PAnsiChar;Strings : TALStrings; Decode : Boolean; StripQuotes : Boolean)
11998: Function AlRemoveSchemeFromUrl( aUrl : AnsiString ) : AnsiString
11999: Function AlExtractSchemeFromUrl( aUrl : AnsiString ) : TInternetScheme
12000: Function AlExtractHostNameFromUrl( aUrl : AnsiString ) : AnsiString
12001: Function AlExtractDomainNameFromUrl( aUrl : AnsiString ) : AnsiString
12002: Function AlExtractUrlPathFromUrl( aUrl : AnsiString ) : AnsiString
12003: Function AlInternetCrackUrl( aUrl : AnsiString; var SchemeName,HostName,UserName,Password,UrlPath,
ExtraInfo : AnsiString; var PortNumber : integer ) : Boolean;
12004: Function AlInternetCrackUrl1( aUrl : AnsiString; var SchemeName, HostName, UserName, Password,UrlPath,
Anchor : AnsiString; Query : TALStrings; var PortNumber : integer ) : Boolean;
12005: Function AlInternetCrackUrl2(var Url:AnsiString;var Anchor:AnsiString;Query:TALStrings):Boolean;
12006: Function AlRemoveAnchorFromUrl( aUrl : AnsiString; var aAnchor : AnsiString ) : AnsiString;
12007: Function AlRemoveAnchorFromUrl1( aUrl : AnsiString ) : AnsiString;
12008: Function AlCombineUrl( RelativeUrl,BaseUrl : AnsiString ) : AnsiString;
12009: Function AlCombineUrl1(RelativeUrl,BaseUrl,Anchor : AnsiString; Query:TALStrings) : AnsiString;
12010: Function ALGmtDateToRfc822Str( const aValue : TDateTime ) : AnsiString
12011: Function ALDateToRfc822Str( const aValue : TDateTime ) : AnsiString
12012: Function ALTryRfc822StrToGMTDateTime( const S : AnsiString; out Value : TDateTime ) : Boolean
12013: Function ALRfc822StrToGMTDateTime( const s : AnsiString ) : TDateTime
12014: Function ALTryIPV4StrToNumeric( aIPv4Str : AnsiString; var aIPv4Num : Cardinal ) : Boolean
12015: Function ALIPV4StrToNumeric( aIPv4 : AnsiString ) : Cardinal
12016: Function ALNumericToIPV4Str( aIPv4 : Cardinal ) : AnsiString
12017: Function ALZeroIpV6 : TALIPv6Binary
12018: Function ALTryIPV6StrToBinary( aIPv6Str : AnsiString; var aIPv6Bin : TALIPv6Binary ) : Boolean
12019: Function ALIPV6StrToBinary( aIPv6 : AnsiString ) : TALIPv6Binary
12020: Function ALBinaryToIPV6Str( aIPv6 : TALIPv6Binary ) : AnsiString
12021: Function ALBinaryStrToIPV6Binary( aIPV6BinaryStr : AnsiString ) : TALIPv6Binary
12022: end;
12023:
12024: procedure SIRegister_ALFcnnHTML(CL: TPSPascalCompiler);
12025: begin
12026:   Procedure ALUTF8ExtractHTMLText(HtmlCont:AnsiStr;LstExtractedResourceText:TALStrings;const
DecodeHTMLText:Bool;
12027:   Function ALUTF8ExtractHTMLText1(HtmlContent:AnsiString;const DecodeHTMLText:Boolean): AnsiString;
12028:   Function ALXMLCDataElementEncode( Src : AnsiString ) : AnsiString
12029:   Function ALXMLTextElementEncode(Src : AnsiString; const useNumericReference : boolean) : AnsiString
12030:   Function ALUTF8XMLTextElementDecode( const Src : AnsiString ) : AnsiString
12031:   Function ALUTF8HTMLEncode(const Src:AnsiStr;const EncodeASCIIHtmlEntities:Bool;const
useNumRef:bool):AnsiString;
12032:   Function ALUTF8HTMLDecode( const Src : AnsiString ) : AnsiString
12033:   Function ALJavascriptEncode( const Src : AnsiString; const useNumericReference : boolean) : AnsiString
12034:   Function ALUTF8JavascriptDecode( const Src : AnsiString ) : AnsiString
12035:   Procedure ALHideHtmlUnwantedTagForHTMLHandleTagfunct(var HtmlContent:AnsiString; const
DeleteBodyOfUnwantedTag : Boolean; const ReplaceUnwantedTagCharBy : AnsiChar)
12036:   Procedure ALCompactHtmlTagParams( TagParams : TALStrings )
12037: end;
12038:
12039: procedure SIRegister_ALInternetMessageCommon(CL: TPSPascalCompiler);
12040: begin
12041:   SIRegister_TALEMailHeader(CL);
12042:   SIRegister_TALNewsArticleHeader(CL);
12043:   Function AlParseEmailAddress(FriendlyEmail:AnsiString;var RealName:AString;const
decodeRealName:Bool):AnsiString;
12044:   Function AlExtractEmailAddress( FriendlyEmail : AnsiString ) : AnsiString
12045:   Function ALMakeFriendlyEmailAddress( aRealName, aEmail : AnsiString ) : AnsiString
12046:   Function ALEncodeRealName4FriendlyEmailAddress( aRealName : AnsiString ) : AnsiString
12047:   Function AlGenerateInternetMessageID : AnsiString;
12048:   Function AlGenerateInternetMessageID1( ahostname : AnsiString ) : AnsiString;
12049:   Function ALDecodeQuotedPrintableString( src : AnsiString ) : AnsiString
12050:   Function AlDecodeInternetMessageHeaderInUTF8(aHeaderStr:AnsiString;aDefaultCodePage:Integer):AnsiString;
12051: end;
12052:
12053: (*-----*)
12054: procedure SIRegister_ALFcnnWinSock(CL: TPSPascalCompiler);
12055: begin
12056:   Function ALHostToIP( HostName : AnsiString; var Ip : AnsiString):Boolean
12057:   Function ALIPAddrToName( IPAddr : AnsiString ) : AnsiString
12058:   Function ALGetLocalIPs : TALStrings
12059:   Function ALGetLocalHostName : AnsiString
12060: end;
12061:
12062: procedure SIRegister_ALFcnnCGI(CL: TPSPascalCompiler);
12063: begin
12064:   Procedure AlCGIInitDefaultServerVariablesFromWebRequest(WebRequest :
TALWebRequest;ServerVariables:TALStrings);

```

```

12065: Procedure AlCGIInitDefaultServerVariablesFromWebRequest(WebRequest: TALWebRequest; ServerVariables : TALStrings; ScriptName, ScriptFileName : AnsiString; Url : AnsiString);
12066: Procedure AlCGIInitDefaultServerVariables( ServerVariables : TALStrings);
12067: Procedure AlCGIInitDefaultServerVariables1(ServerVars:TALStrings;ScriptName,
  ScriptFileName:AnsiString;Url:AnsiStr;
12068: Procedure AlCGIInitServerVariablesFromWebRequest( WebRequest:TALWebRequest; ServerVariables : TALStrings;
  ScriptName, ScriptFileName : AnsiString; Url : AnsiString);
12069: Procedure AlCGIExec( InterpreterFilename : AnsiString; ServerVariables : TALStrings; RequestContentStream : Tstream; ResponseContentStream : Tstream; ResponseHeader : TALHTTPResponseHeader);
12070: Procedure AlCGIExec1( ScriptName,ScriptFileName, Url, X_REWRITE_URL, InterpreterFilename:AnsiString;
  WebRequest : TALIsapiRequest;
  overloadedCookies:AnsiString;overloadedQueryString:AnsiString;overloadedReferer: AnsiString;'+'overloadedRequestContentStream:Tstream;var
  ResponseContentStr:AnsiString;ResponseHeader:TALHTTPResponseHeader;
12072: Procedure AlCGIExec2( ScriptName,ScriptFileName,Url,X_REWRITE_URL,
  InterpreterFilename:AnsiString;WebRequest : TALIsapiRequest; var ResponseContentString : AnsiString;
  ResponseHeader : TALHTTPResponseHeader);
12073: end;
12074:
12075: procedure SIRegister_ALFcnExecute(CL: TPSPascalCompiler);
12076: begin
12077:   TStartupInfoA', 'TStartupInfo
12078:   'SE_CREATE_TOKEN_NAME','String'( 'SeCreateTokenPrivilege
12079:   SE_ASSIGNPRIMARYTOKEN_NAME','String' 'SeAssignPrimaryTokenPrivilege
12080:   SE_LOCK_MEMORY_NAME','String'( 'SeLockMemoryPrivilege
12081:   SE_INCREASE_QUOTA_NAME','String' 'SeIncreaseQuotaPrivilege
12082:   SE_UNSOLICITED_INPUT_NAME','String' 'SeUnsolicitedInputPrivilege
12083:   SE_MACHINE_ACCOUNT_NAME','String' 'SeMachineAccountPrivilege
12084:   SE_TCB_NAME','String' 'SeTcbPrivilege
12085:   SE_SECURITY_NAME','String' 'SeSecurityPrivilege
12086:   SE_TAKE_OWNERSHIP_NAME','String' 'SeTakeOwnershipPrivilege
12087:   SE_LOAD_DRIVER_NAME','String' 'SeLoadDriverPrivilege
12088:   SE_SYSTEM_PROFILE_NAME','String' 'SeSystemProfilePrivilege
12089:   SE_SYSTEMTIME_NAME','String' 'SeSystemtimePrivilege
12090:   SE_PROF_SINGLE_PROCESS_NAME','String' 'SeProfileSingleProcessPrivilege
12091:   SE_INC_BASE_PRIORITY_NAME','String' 'SeIncreaseBasePriorityPrivilege
12092:   SE_CREATE_PAGEFILE_NAME','String' 'SeCreatePagefilePrivilege
12093:   SE_CREATE_PERMANENT_NAME','String' 'SeCreatePermanentPrivilege
12094:   SE_BACKUP_NAME','String' 'SeBackupPrivilege
12095:   SE_RESTORE_NAME','String' 'SeRestorePrivilege
12096:   SE_SHUTDOWN_NAME','String' 'SeShutdownPrivilege
12097:   SE_DEBUG_NAME','String' 'SeDebugPrivilege
12098:   SE_AUDIT_NAME','String' 'SeAuditPrivilege
12099:   SE_SYSTEM_ENVIRONMENT_NAME','String' 'SeSystemEnvironmentPrivilege
12100:   SE_CHANGE_NOTIFY_NAME','String' 'SeChangeNotifyPrivilege
12101:   SE_REMOTE_SHUTDOWN_NAME','String' 'SeRemoteShutdownPrivilege
12102:   SE_UNDOCK_NAME','String' 'SeUndockPrivilege
12103:   SE_SYNC_AGENT_NAME','String' 'SeSyncAgentPrivilege
12104:   SE_ENABLE_DELEGATION_NAME','String' 'SeEnableDelegationPrivilege
12105:   SE_MANAGE_VOLUME_NAME','String' 'SeManageVolumePrivilege
12106: Function AlGetEnvironmentString : AnsiString
12107: Function ALWinExec32(const FileName,CurrentDir,
  Environment:AnsiString;InStream:Tstream;OutStream:TStream):Dword;
12108: Function ALWinExec321(const FileName:AnsiString; InputStream:Tstream;OutputStream:TStream):Dword;
12109: Function ALWinExecAndWait32(FileName : AnsiString; Visibility : integer) : DWORD
12110: Function ALWinExecAndWait32V2(FileName : AnsiString; Visibility : integer) : DWORD
12111: Function ALNTSetPrivilege( sPrivilege : AnsiString; bEnabled : Boolean) : Boolean
12112: end;
12113:
12114: procedure SIRegister_ALFcnFile(CL: TPSPascalCompiler);
12115: begin
12116:   Function AlEmptyDirectory(Directory:ansiString;SubDirectory:Bool;IgnoreFiles:array of AnsiString; const
  RemoveEmptySubDirectory : Boolean; const FileNameMask : AnsiString; const MinFileAge : TdateTime):Boolean;
12117:   Function AlEmptyDirectory1( Directory : ansiString; SubDirectory : Boolean; const
  RemoveEmptySubDirectory:Bool; const FileNameMask : ansiString; const MinFileAge : TdateTime) : Boolean;
12118:   Function AlCopyDirectory( SrcDirectory, DestDirectory : ansiString; SubDirectory : Boolean; const
  FileNameMask : ansiString; const FailIfExists : Boolean) : Boolean
12119:   Function ALGetModuleName : ansistring
12120:   Function ALGetModuleFileNameWithoutExtension : ansistring
12121:   Function ALGetModulePath : ansistring
12122:   Function AlGetFileSize( const AFileName : ansistring) : int64
12123:   Function ALGetFileVersion( const AFileName : ansistring) : ansistring
12124:   Function ALGetFileCreationDateTime( const aFileName : Ansistring) : TDateTime
12125:   Function ALGetFileLastWriteDateTime( const aFileName : Ansistring) : TDateTime
12126:   Function ALGetFileLastAccessDateTime( const aFileName : Ansistring) : TDateTime
12127:   Procedure ALSetFileCreationDateTime( const aFileName : Ansistring; const aCreationDateTime : TDateTime)
12128:   Function ALIsdirectoryEmpty( const directory : ansiString) : boolean
12129:   Function ALFileExists( const Path : ansiString) : boolean
12130:   Function ALDirectoryExists( const Directory : Ansistring) : Boolean
12131:   Function ALCreateDir( const Dir : Ansistring) : Boolean
12132:   Function ALRemoveDir( const Dir : Ansistring) : Boolean
12133:   Function ALDeleteFile( const FileName : Ansistring) : Boolean
12134:   Function ALRenamefile( const OldName, NewName : ansistring) : Boolean
12135: end;
12136:
12137: procedure SIRegister_ALFcnMime(CL: TPSPascalCompiler);
12138: begin
12139:   NativeInt', 'Integer
12140:   NativeUInt', 'Cardinal

```

```

12141: Function ALMimeBase64EncodeString( const S : AnsiString ) : AnsiString
12142: Function ALMimeBase64EncodeStringNoCRLF( const S : AnsiString ) : AnsiString
12143: Function ALMimeBase64DecodeString( const S : AnsiString ) : AnsiString
12144: Function ALMimeBase64EncodedSize( const InputSize : NativeInt ) : NativeInt
12145: Function ALMimeBase64EncodedSizeNoCRLF( const InputSize : NativeInt ) : NativeInt
12146: Function ALMimeBase64DecodedSize( const InputSize : NativeInt ) : NativeInt
12147: Procedure ALMimeBase64Encode( const InputBuffer : TByteDynArray; InputOffset : NativeInt; const
InputByteCount : NativeInt; out OutputBuffer : TByteDynArray; OutputOffset : NativeInt )
12148: Procedure ALMimeBase64EncodeNoCRLF( const InputBuffer : TByteDynArray; InputOffset : NativeInt; const
InputByteCount : NativeInt; out OutputBuffer : TByteDynArray; OutputOffset : NativeInt )
12149: Procedure ALMimeBase64EncodeFullLines( const InputBuffer : TByteDynArray; InputOffset : NativeInt; const
InputByteCount : NativeInt; out OutputBuffer : TByteDynArray; OutputOffset : NativeInt )
12150: Function ALMimeBase64Decode( const InputBuffer : TByteDynArray; InputOffset : NativeInt; const
InputByteCount : NativeInt; out OutputBuffer : TByteDynArray; OutputOffset : NativeInt ) : NativeInt;
12151: Function ALMimeBase64DecodePartial( const InputBuffer : TByteDynArray; InputOffset : NativeInt; const
InputByteCount : NativeInt; out OutputBuffer : TByteDynArray; OutputOffset : NativeInt );
12152: + 'var ByteBuffer: Cardinal; var ByteBufferSpace: Cardinal) : NativeInt;
12153: Function ALMimeBase64DecodePartialEnd( out OutputBuffer : TByteDynArray; OutputOffset : NativeInt; const
ByteBuffer : Cardinal; const ByteBufferSpace : Cardinal ) : NativeInt;
12154: Procedure ALMimeBase64Encode(const InputBuf:TByteDynArray;const InputByteCnt:NatInt;out
OutputBuf:TByteDynArray);
12155: Procedure ALMimeBase64EncodeNoCRLF(const InputBuffer:TByteDynArray; const InputByteCount:NativeInt;out
OutputBuffer:TByteDynArray);
12156: Procedure ALMimeBase64EncodeFullLines(const InputBuffer:TByteDynArray;const InputByteCount:NativeInt;out
OutputBuffer:TByteDynArray);
12157: Function ALMimeBase64Decodel(const InputBuffer:TByteDynArray;const InputByteCount:NativeInt;out
OutputBuffer:TByteDynArray):NativeInt;
12158: Function ALMimeBase64DecodePartial1(const InputBuffer:TByteDynArray;const InputByteCount:NativeInt;out
OutputBuffer: TByteDynArray; var ByteBuffer : Cardinal; var ByteBufferSpace : Cardinal ) : NativeInt;
12159: Function ALMimeBase64DecodePartialEnd1(out OutputBuffer:TByteDynArray;const ByteBuffer:Cardinal;const
ByteBufferSpace:Cardinal):NativeInt;
12160: Procedure ALMimeBase64EncodeFile( const InputFileName, OutputFileName : TFileName )
12161: Procedure ALMimeBase64EncodeFileNoCRLF( const InputFileName, OutputFileName : TFileName )
12162: Procedure ALMimeBase64DecodeFile( const InputFileName, OutputFileName : TFileName )
12163: Procedure ALMimeBase64EncodeStream( const InputStream : TStream; const OutputStream : TStream )
12164: Procedure ALMimeBase64EncodeStreamNoCRLF( const InputStream : TStream; const OutputStream : TStream )
12165: Procedure ALMimeBase64DecodeStream( const InputStream : TStream; const OutputStream : TStream )
12166: +'cALMimeBase64_ENCODED_LINE_BREAK', 'LongInt'( 76 );
12167: +'cALMimeBase64_DECODED_LINE_BREAK', 'LongInt'( ( cALMimeBase64_ENCODED_LINE_BREAK div 4 * 3 );
12168: +'cALMimeBase64_BUFFER_SIZE', 'LongInt'( ( cALMimeBase64_DECODED_LINE_BREAK * 3 * 4 * 4 );
12169: Procedure ALFillMimeContentTypeByExtList( AMIMEList : TALStrings )
12170: Procedure ALFillExtByMimeContentTypeList( AMIMELIST : TALStrings )
12171: Function ALGetDefaultFileExtFromMimeType( aContentType : AnsiString ) : AnsiString
12172: Function ALGetDefaultMIMEContentTypeFromExt( aExt : AnsiString ) : AnsiString
12173: end;
12174:
12175: procedure SIRegister_ALXmlDoc(CL: TPPascalCompiler);
12176: begin
12177:   'CALXMLNodeMaxListSize', 'LongInt'( Maxint div 16 );
12178:   FindClass( 'TOBJECT' ), 'TALXMLNode
12179:   FindClass( 'TOBJECT' ), 'TALXMLNodelist
12180:   FindClass( 'TOBJECT' ), 'TALXMLDocument
12181:   TALXMLParseProcessingInstructionEvent', 'Procedure ( Sender:TObject; const Target,Data:AnsiString )
12182:   TALXMLParseTextEvent', 'Procedure ( Sender : TObject; const str: AnsiString )
12183:   TALXMLParseStartElementEvent', 'Procedure ( Sender : TObject; co'
12184:   + 'nst Name : AnsiString; const Attributes : TALStrings )
12185:   TALXMLParseEndElementEvent', 'Procedure ( Sender : TObject; const Name : AnsiString )
12186:   TALXmlNodeType', '( ntReserved, ntElement, ntAttribute, ntText, '
12187:   +'ntCData, ntEntityRef, ntEntity, ntProcessingInstr, ntComment, ntDocument, '
12188:   +'ntDocType, ntDocFragment, ntNotation )
12189:   TALXMLDocOption', '( doNodeAutoCreate, doNodeAutoIndent )
12190:   TALXMLDocOptions', 'set of TALXMLDocOption
12191:   TALXMLParseOption', '( poPreserveWhiteSpace, poIgnoreXMLReferences )
12192:   TALXMLParseOptions', 'set of TALXMLParseOption
12193:   TALXMLPrologItem', '( xpVersion, xpEncoding, xpStandalone )
12194:   PALPointerXMLNodeList', '^PALPointerXMLNodeList // will not work
12195:   SIRegister_EALXMLDocError(CL);
12196:   SIRegister_TALXMLNodelist(CL);
12197:   SIRegister_TALXMLNode(CL);
12198:   SIRegister_TALXmlElementNode(CL);
12199:   SIRegister_TALXmlAttributeNode(CL);
12200:   SIRegister_TALXmlTextNode(CL);
12201:   SIRegister_TALXmlDocumentNode(CL);
12202:   SIRegister_TALXmlCommentNode(CL);
12203:   SIRegister_TALXmlProcessingInstrNode(CL);
12204:   SIRegister_TALXmlCDataNode(CL);
12205:   SIRegister_TALXmlEntityRefNode(CL);
12206:   SIRegister_TALXmlEntityNode(CL);
12207:   SIRegister_TALXmlDocTypeNode(CL);
12208:   SIRegister_TALXmlDocFragmentNode(CL);
12209:   SIRegister_TALXmlNotationNode(CL);
12210:   SIRegister_TALXMLDocument(CL);
12211:   cALXmLUTF8EncodingStr', 'String 'UTF-8
12212:   cALXmLUTF8HeaderStr', 'String '<?xml version="1.0" encoding="UTF-8" standalone="yes"?>' +#13#10);
12213:   CALNSDelim', 'String ';
12214:   CALXML', 'String 'xml
12215:   CALVersion', 'String 'version
12216:   CALEncoding', 'String 'encoding
12217:   CALStandalone', 'String 'standalone

```

```

12218: CALDefaultNodeIndent','String '
12219: CALXmlDocument','String 'DOCUMENT
12220: Function ALCreateEmptyXMLDocument( const Rootname : AnsiString ) : TalXMLDocument
12221: Procedure ALClearXMLDocument( const rootname:AnsiString;xmldoc:TalXMLDocument;const
EncodingStr:AnsiString );
12222: Function ALFindXmlNodeByChildNodeValue(xmlrec:TalxmlNode;const ChildnodeName,
ChildnodeValue:AnsiString;const Recurse: Boolean) : TalxmlNode
12223: Function ALFindXmlNodeByNameAndChildNodeValue( xmlrec : TalxmlNode; const NodeName : ansiString; const
ChildnodeName : AnsiString; const Recurse : Boolean ) : TalxmlNode
12224: Function ALFindXmlNodeByAttribute(xmlrec:TalxmlNode;const AttributeName,AttributeValue:AnsiString;const
Recurse: Boolean):TalxmlNode
12225: Function ALFindXmlNodeByNameAndAttribute( xmlrec : TalxmlNode; const NodeName : ansiString; const
AttributeName,AttributeValue : AnsiString; const Recurse : Boolean ) : TalxmlNode
12226: Function ALExtractAttrValue( const AttrName, AttrLine : AnsiString; const Default : AnsiString ) :
AnsiString
12227: end;
12228:
12229: procedure SIRegister_TeCanvas(CL: TPSPascalCompiler);
12230: //based on TEEProc, TeCanvas, TEEEngine, TChart
12231: begin
12232: 'TeePiStep','Double').setExtended( Pi / 180.0 );
12233: 'TeeDefaultPerspective','LongInt'( 100 );
12234: 'TeeMinAngle','LongInt'( 270 );
12235: 'teeclMoneyGreen','LongWord').SetUInt( TColor ( $C0DCC0 ) );
12236: 'teeclSkyBlue','LongWord').SetUInt( TColor ( $F0CAA6 ) );
12237: 'teeclCream','LongWord( TColor ( $F0FBFF ) );
12238: 'teeclMedGray','LongWord').SetUInt( TColor ( $A4A0A0 ) );
12239: 'teeclMoneyGreen','LongWord').SetUInt( TColor ( $C0DCC0 ) );
12240: 'teeclSkyBlue','LongWord').SetUInt( TColor ( $F0CAA6 ) );
12241: 'teeclCream','LongWord').SetUInt( TColor ( $F0FBFF ) );
12242: 'teeclMedGray','LongWord').SetUInt( TColor ( $A4A0A0 ) );
12243: 'TA_LEFT','LongInt'( 0 );
12244: 'TA_RIGHT','LongInt'( 2 );
12245: 'TA_CENTER','LongInt'( 6 );
12246: 'TA_TOP','LongInt'( 0 );
12247: 'TA_BOTTOM','LongInt'( 8 );
12248: 'teePATCOPY','LongInt'( 0 );
12249: 'NumCirclePoints','LongInt'( 64 );
12250: 'teeDEFAULT_CHARSET','LongInt'( 1 );
12251: 'teeANTIALIASED_QUALITY','LongInt'( 4 );
12252: 'TA_LEFT','LongInt'( 0 );
12253: 'bs_Solid','LongInt'( 0 );
12254: 'teepf24bit','LongInt'( 0 );
12255: 'teepfDevice','LongInt'( 1 );
12256: 'CM_MOUSELEAVE','LongInt'( 10000 );
12257: 'CM_SYSCOLORCHANGE','LongInt'( 10001 );
12258: 'DC_BRUSH','LongInt'( 18 );
12259: 'DC_PEN','LongInt'( 19 );
12260: teeCOLORREF', 'LongWord
12261: TLogBrush', 'record lbStyle : Integer; lbColor : TColor; lbHatch: Integer; end
12262: //TNotifyEvent', 'Procedure ( Sender : TObject )
12263: SIRegister_TFilterRegion(CL);
12264: SIRegister_IFormCreator(CL);
12265: SIRegister_TTeeFilter(CL);
12266: //TFilterClass', 'class of TTeeFilter
12267: SIRegister_TFilterItems(CL);
12268: SIRegister_TConvolveFilter(CL);
12269: SIRegister_TBlurFilter(CL);
12270: SIRegister_TTeePicture(CL);
12271: TPenEndStyle', '( esRound, esSquare, esFlat )
12272: SIRegister_TChartPen(CL);
12273: SIRegister_TChartHiddenPen(CL);
12274: SIRegister_TDottedGrayPen(CL);
12275: SIRegister_TDarkGrayPen(CL);
12276: SIRegister_TWhitePen(CL);
12277: SIRegister_TChartBrush(CL);
12278: TTeeView3DScrolled', 'Procedure ( IsHoriz : Boolean)
12279: TTeeView3DChangedZoom', 'Procedure ( NewZoom : Integer)
12280: SIRegister_TView3DOptions(CL);
12281: FindClass('TOBJECT'), 'TTeeCanvas
12282: TTeeTransparency', 'Integer
12283: SIRegister_TTeeBlend(CL);
12284: FindClass('TOBJECT'), 'TCanvas3D
12285: SIRegister_TTeeShadow(CL);
12286: teeTGradientDirection',(gdTopBottom, gdBottomTop, gdLeftRight, gdRightLeft, gdFromCenter, gdFromTopLeft,
gdFromBottomLeft, gdRadial,gdDiagonalUp,gdDiagonalDown )
12287: FindClass('TOBJECT'), 'TSubGradient
12288: SIRegister_TCustomTeeGradient(CL);
12289: SIRegister_TSubGradient(CL);
12290: SIRegister_TTeeGradient(CL);
12291: SIRegister_TTeeFontGradient(CL);
12292: SIRegister_TTeeFont(CL);
12293: TCanvasBackMode', '( cbmNone, cbmTransparent, cbmOpaque )
12294: TCanvasTextAlign', 'Integer
12295: TTeeCanvasHandle', 'HDC
12296: SIRegister_TTeeCanvas(CL);
12297: TPoint3DFloat', 'record X : Double; Y : Double; Z : Double; end
12298: SIRegister_TFloatXYZ(CL);
12299: TPoint3D', 'record x : integer; y : integer; z : Integer; end

```

```

12300: TRGB', 'record blue: byte; green: byte; red: byte; end
12301: {TRGB=packed record
12302:   Blue : Byte;
12303:   Green : Byte;
12304:   Red : Byte;
12305: //$$IFDEF CLX //Alpha : Byte; // Linux end;}
12306:
12307: TTeeCanvasCalcPoints', 'Function ( x, z : Integer; var P0, P1 :
12308:   +'TPoint3D; var Color0, Color1 : TColor) : Boolean
12309: TTeeCanvasSurfaceStyle', '( tcsSolid, tcsWire, tcsDot )
12310: TCanvas3DPlane', '( cpX, cpY, cpZ )
12311: //IInterface', 'IUnknown
12312: SIRegister_TCanvas3D(CL);
12313: SIRegister_TTeeCanvas3D(CL);
12314: TTrianglePoints', 'Array[0..2] of TPoint;
12315: TFourPoints', 'Array[0..3] of TPoint;
12316: Function ApplyDark( Color : TColor; HowMuch : Byte) : TColor
12317: Function ApplyBright( Color : TColor; HowMuch : Byte) : TColor
12318: Function Point3D( const x, y, z : Integer) : TPoint3D
12319: Procedure SwapDouble( var a, b : Double)
12320: Procedure SwapInteger( var a, b : Integer)
12321: Procedure RectSize( const R : TRect; var RectWidth, RectHeight : Integer)
12322: Procedure teeRectCenter( const R : TRect; var X, Y : Integer)
12323: Function RectFromPolygon( const Points : array of TPoint; NumPoints : Integer): TRect
12324: Function RectFromTriangle( const Points : TTrianglePoints ) : TRect
12325: Function RectangleInRectangle( const Small, Big : TRect ) : Boolean
12326: Procedure ClipCanvas( ACanvas : TCanvas; const Rect : TRect)
12327: Procedure UnClipCanvas( ACanvas : TCanvas )
12328: Procedure ClipEllipse( ACanvas : TTeeCanvas; const Rect : TRect )
12329: Procedure ClipRoundRectangle(ACanvas:TTeeCanvas;const Rect : TRect; RoundSize : Integer)
12330: Procedure ClipPolygon(ACanvas:TTeeCanvas;const Points:array of TPoint;NumPoints:Integer)
12331: 'TeeCharForHeight','String 'W
12332: 'DarkerColorQuantity','Byte').SetUInt( 128 );
12333: 'DarkColorQuantity','Byte').SetUInt( 64 );
12334: TButtonGetColorProc', 'Function : TColor
12335: SIRegister_TTeeButton(CL);
12336: SIRegister_TButtonColor(CL);
12337: SIRegister_TComboFlat(CL);
12338: Procedure TeeSetTeePen(FPen:TPen; APen : TChartPen; AColor : TColor; Handle:TTeeCanvasHandle)
12339: Function TeePoint( const ax, ay : Integer ) : TPoint
12340: Function TEEPointInRect( const Rect : TRect; const P : TPoint ) : Boolean;
12341: Function PointInRect1( const Rect : TRect; x, y : Integer ) : Boolean;
12342: Function TeeRect( Left, Top, Right, Bottom : Integer ) : TRect
12343: Function OrientRectangle( const R : TRect ) : TRect
12344: Procedure TeeSetBitmapSize( Bitmap : TBitmap; Width, Height : Integer)
12345: Function PolygonBounds( const P : array of TPoint ) : TRect
12346: Function PolygonInPolygon( const A, B : array of TPoint ) : Boolean
12347: Function RGBValue( const Color : TColor ) : TRGB
12348: Function EditColor( AOwner : TComponent; AColor : TColor ) : TColor
12349: Function EditColorDialog( AOwner : TComponent; var AColor : TColor ) : Boolean
12350: Function PointAtDistance( AFrom, ATo : TPoint; ADist : Integer ) : TPoint
12351: Function TeeCull( const P : TFourPoints ) : Boolean;
12352: Function TeeCull1( const P0, P1, P2 : TPoint ) : Boolean;
12353: TSmoothStretchOption', '( ssBestQuality, ssBestPerformance )
12354: Procedure SmoothStretch( Src, Dst : TBitmap );
12355: Procedure SmoothStretch1( Src, Dst : TBitmap; Option : TSmoothStretchOption );
12356: Function TeeDistance( const x, y : Double ) : Double
12357: Function TeeLoadLibrary( const FileName : String ) : HInst
12358: Procedure TeeFreeLibrary( hLibModule : HMODULE )
12359: Procedure TeeBlendBitmaps( const Percent : Double; ABitmap, BBitmap : TBitmap; BOrigin : TPoint )
12360: //Procedure TeeCalcLines( var Lines : TRGBArray; Bitmap : TBitmap )
12361: Procedure TeeShadowSmooth(Bitmap, Back : TBitmap; Left, Top, Width, Height, horz, vert : Integer;
Smoothness : Double; FullDraw : Boolean; ACanvas : TCanvas3D; Clip : Boolean)
12362:   SIRegister_ICanvasHyperlinks(CL);
12363:   SIRegister_ICanvasToolTips(CL);
12364: Function Supports( const Instance : IInterface; const IID : TGUID ) : Boolean
12365: end;
12366:
12367: procedure SIRegister_ovcmisc(CL: TPPSPascalCompiler);
12368: begin
12369:   TOvcHdc', 'Integer
12370:   TOvcHWND', 'Cardinal
12371:   TOvcHdc', 'HDC
12372:   TOvcHWND', 'HWNDF
12373: Function LoadBaseBitmap( lpBitmapName : PChar ) : HBITMAP
12374: Function LoadBaseCursor( lpCursorName : PChar ) : HCURSOR
12375: Function ovCompStruct( const S1, S2, Size : Cardinal ) : Integer
12376: Function DefaultEpoch : Integer
12377: Function DrawButtonFrame(Canvas:TCanvas;const Client:TRect;IsDown,IsFlat:Bool;Style:TButtonStyle):TRect;
12378: Procedure FixRealPrim( P : PChar; DC : Char )
12379: Function GetDisplayString( Canvas : TCanvas; const S : string; MinChars, MaxWidth : Integer ) : string
12380: Function GetLeftButton : Byte
12381: Function GetNextDlgItem( Ctrl : TOvcHWnd ) : hWnd
12382: Procedure GetRGB( Clr : TColor; var IR, IG, IB : Byte )
12383: Function GetShiftFlags : Byte
12384: Function ovCreateRotatedFont( F : TFont; Angle : Integer ) : hFont
12385: Function GetTopTextMargin(Font:TFont;BorderStyle:TBorderStyle; Height:Integer;Ctl3D:Boolean): Integer
12386: Function ovExtractWord( N : Integer; const S : string; WordDelims : TCharSet ) : string
12387: Function ovIsForegroundTask : Boolean

```

```

12388: Function ovTrimLeft( const S : string ) : string
12389: Function ovTrimRight( const S : string ) : string
12390: Function ovQuotedStr( const S : string ) : string
12391: Function ovWordCount( const S : string; const WordDelims : TCharSet ) : Integer
12392: Function ovWordPosition(const N:Integer;const S: string;const WordDelims : TCharSet) : Integer
12393: Function PtrDiff( const P1, P2 : PChar ) : Word
12394: Procedure PtrInc( var P, Delta : Word )
12395: Procedure PtrDec( var P, Delta : Word )
12396: Procedure FixTextBuffer( InBuf, OutBuf : PChar; OutSize : Integer )
12397: Procedure TransStretchBlt( DstDC : TOvcHdc; DstX, DstY, DstW, DstH : Integer; SrcDC : TOvcHdc; SrcX, SrcY,
SrcW, SrcH : Integer; MaskDC : TOvcHdc; MaskX, MaskY : Integer )
12398: Function ovMinI( X, Y : Integer ) : Integer
12399: Function ovMaxI( X, Y : Integer ) : Integer
12400: Function ovMinL( X, Y : LongInt ) : LongInt
12401: Function ovMaxL( X, Y : LongInt ) : LongInt
12402: Function GenerateComponentName( PF : TwinControl; const Root : string ) : string
12403: Function PartialCompare( const S1, S2 : string ) : Boolean
12404: Function PathEllipsis( const S : string; MaxWidth : Integer ) : string
12405: Function ovCreateDisabledBitmap( FOriginal : TBitmap; OutlineColor : TColor ) : TBitmap
12406: Procedure ovCopyParentImage( Control : TControl; Dest : TCanvas )
12407: Procedure ovDrawTransparentBitmap( Dest : TCanvas; X, Y, W, H : Integer; Rect : TRect; Bitmap : TBitmap;
TransparentColor : TColor )
12408: Procedure DrawTransparentBitmapPrim(DC:TOvcHdc;Bitmap:HBitmap;xStart,yStart,Width:Int;Rect:TRect;
TransparentColor : TColorRef)
12409: Function ovWidthOf( const R : TRect ) : Integer
12410: Function ovHeightOf( const R : TRect ) : Integer
12411: Procedure ovDebugOutput( const S : string )
12412: Function GetArrowWidth( Width, Height : Integer ) : Integer
12413: Procedure StripCharSeq( CharSeq : string; var Str : string )
12414: Procedure StripCharFromEnd( aChr : Char; var Str : string )
12415: Procedure StripCharFromFront( aChr : Char; var Str : string )
12416: Function SystemParametersInfo( uiAction, uiParam : UINT; pvParam : UINT; fWinIni : UINT ) : BOOL
12417: Function SystemParametersInfoNCM(uiAction,uiParam:UINT;pvParam:TNonClientMetrics;fWinIni:UINT):BOOL;
12418: Function SystemParametersInfoA( uiAction, uiParam : UINT; pvParam : UINT; fWinIni : UINT ) : BOOL
12419: Function CreateEllipticRgn( p1, p2, p3, p4 : Integer ) : HRGN
12420: Function CreateEllipticRgnIndirect( const p1 : TRect ) : HRGN
12421: Function CreateFontIndirect( const p1 : TLogFont ) : HFONT
12422: Function CreateMetaFile( p1 : PChar ) : HDC
12423: Function DescribePixelFormat(DC: HDC;p2:Int;p3:UINT;var p4:TPixelFormatDescriptor): BOOL
12424: Function DrawText(hdc:HDC;lpString:PChar;nCount:Integer; var lpRect : TRect;uFormat:UINT):Integer
12425: Function DrawTextS(hdc:HDC;lpString:string;nCount:Integer; var lpRect : TRect;uFormat:UINT):Integer
12426: Function SetMapperFlags( DC : HDC; Flag : DWORD ) : DWORD
12427: Function SetGraphicsMode( hdc : HDC; iMode : Integer ) : Integer
12428: Function SetMapMode( DC : HDC; p2 : Integer ) : Integer
12429: Function SetMetaFileBitsEx( Size : UINT; const Data : PChar ) : HMETAFILE
12430: //Function SetPaletteEntries(Palette:HPalette;startIndex,NumEntries:UINT;var PaletteEntries):UINT
12431: Function SetPixel( DC : HDC; X, Y : Integer; Color : COLORREF ) : COLORREF
12432: Function SetPixelV( DC : HDC; X, Y : Integer; Color : COLORREF ) : BOOL
12433: //Function SetPixelFormat( DC : HDC; PixelFormat : Integer; FormatDef : PPixelFormatDescriptor ) : BOOL
12434: Function SetPolyFillMode( DC : HDC; PolyFillMode : Integer ) : Integer
12435: Function StretchBlt(DestDC:HDC;X,Y,Width,Height:Int;SrcDC:HDC;XSrc,YSrc,SrcWidth,
SrcHeight:Int;Rop:DWORD):BOOL
12436: Function SetRectRgn( Rgn : HRgn; X1, Y1, X2, Y2 : Integer ) : BOOL
12437: Function StretchDIBits(DC : HDC; DestX,DestY,DestWidth,DestHeight,SrcX,SrcY,SrcWidth,
SrcHeight:Int;Bits:int; var BitsInfo : TBitmapInfo; Usage : UINT; Rop : DWORD ) : Integer
12438: Function SetROP2( DC : HDC; p2 : Integer ) : Integer
12439: Function SetStretchBltMode( DC : HDC; StretchMode : Integer ) : Integer
12440: Function SetSystemPaletteUse( DC : HDC; p2 : UINT ) : UINT
12441: Function SetTextCharacterExtra( DC : HDC; CharExtra : Integer ) : Integer
12442: Function SetTextColor( DC : HDC; Color : COLORREF ) : COLORREF
12443: Function SetTextAlign( DC : HDC; Flags : UINT ) : UINT
12444: Function SetTextJustification( DC : HDC; BreakExtra, BreakCount : Integer ) : Integer
12445: Function UpdateColors( DC : HDC ) : BOOL
12446: Function GetViewportExtEx( DC : HDC; var Size : TSize ) : BOOL
12447: Function GetViewportOrgEx( DC : HDC; var Point : TPoint ) : BOOL
12448: Function GetWindowExtEx( DC : HDC; var Size : TSize ) : BOOL
12449: Function GetWindowOrgEx( DC : HDC; var Point : TPoint ) : BOOL
12450: Function IntersectClipRect( DC : HDC; X1, Y1, X2, Y2 : Integer ) : Integer
12451: Function InvertRgn( DC : HDC; p2 : HRGN ) : BOOL
12452: Function MaskBlt(DestDC:HDC;XDest,YDest,Width,Height:Integer; SrcDC : HDC; XScr, YScr : Integer; Mask : HBITMAP;
xMask, yMask : Integer; Rop : DWORD ) : BOOL
12453: Function PlgBlt(DestDC:HDC;const PtsArray,SrcDC:HDC;XSrc,YSrc,Widt,Heigh:Int;Mask:HBITMAP;xMask,
yMask:Int):BOOL;
12454: Function OffsetClipRgn( DC : HDC; XOffset, YOffset : Integer ) : Integer
12455: Function OffsetRgn( RGN : HRGN; XOffset, YOffset : Integer ) : Integer
12456: Function PatBlt( DC : HDC; X, Y, Width, Height : Integer; Rop : DWORD ) : BOOL
12457: Function Pie( DC : HDC; X1, Y1, X2, Y2, X3, Y3, X4, Y4 : Integer ) : BOOL
12458: Function PlayMetafile( DC : HDC; MF : HMETAFILE ) : BOOL
12459: Function PaintRgn( DC : HDC; RGN : HRGN ) : BOOL
12460: Function PtInRegion( RGN : HRGN; X, Y : Integer ) : BOOL
12461: Function PtVisible( DC : HDC; X, Y : Integer ) : BOOL
12462: Function RectInRegion( RGN : HRGN; const Rect : TRect ) : BOOL
12463: Function RectVisible( DC : HDC; const Rect : TRect ) : BOOL
12464: Function Rectangle( DC : HDC; X1, Y1, X2, Y2 : Integer ) : BOOL
12465: Function RestoreDC( DC : HDC; SavedDC : Integer ) : BOOL
12466: end;
12467:
12468: procedure SIRegister_ovcfiler(CL: TPPSPascalCompiler);
12469: begin

```

```

12470:   SIRegister_TOvcAbstractStore(CL);
12471:   //PExPropInfo', '^TExPropInfo // will not work
12472: //  TExPropInfo', 'record PI : TPropInfo; AObject : TObject; end
12473:   SIRegister_TOvcPropertyList(CL);
12474:   SIRegister_TOvcDataFiler(CL);
12475:   Procedure UpdateStoredList( AForm : TWinControl; AStoredList : TStrings; FromForm : Boolean)
12476:   Procedure UpdateStoredList1( AForm : TCustomForm; AStoredList : TStrings; FromForm : Boolean)
12477:   Function CreateStoredItem( const CompName, PropName : string) : string
12478:   Function ParseStoredItem( const Item : string; var CompName, PropName : string) : Boolean
12479:   //Function GetPropType( PropInfo : PExPropInfo ) : PTypeInfo
12480: end;
12481;
12482: procedure SIRegister_ovccoco(CL: TPSPPascalCompiler);
12483: begin
12484:   'ovsetsize','LongInt'( 16 );
12485:   'etSyntax','LongInt'( 0 );
12486:   'etSemantic','LongInt'( 1 );
12487:   'chCR','Char #13';
12488:   'chLF','Char #10';
12489:   'chLineSeparator',' chCR';
12490:   SIRegister_TCocoError(CL);
12491:   SIRegister_TCommentItem(CL);
12492:   SIRegister_TCommentList(CL);
12493:   SIRegister_TSsymbolPosition(CL);
12494:   TGenListType', ' ( glNever, glAlways, glOnError )
12495:   TovBitSet', 'set of Integer
12496:   //PStartTable', '^TStartTable // will not work
12497:   'TovCharSet', 'set of AnsiChar
12498:   TAAfterGenListEvent', 'Procedure ( Sender : TObject; var PrintErrorCount : boolean)
12499:   TCommentEvent', 'Procedure ( Sender : TObject; CommentList : TCommentList)
12500:   TCustomErrorEvent', 'Function(Sender:TObject;const ErrorCode: longint;const Data:string): string
12501:   TovErrorEvent', 'Procedure ( Sender : TObject; Error : TCocoError)
12502:   TovErrorProc', 'Procedure ( ErrorCode : integer; Symbol : TSsymbolP'
12503:     +'osition; const Data : string; ErrorType : integer)
12504:   TFailureEvent', 'Procedure ( Sender : TObject; NumErrors : integer)
12505:   TGetCH', 'Function ( pos : longint ) : char
12506:   TStatusUpdateProc', 'Procedure ( Sender : TObject; Status: string; LineNum:integer)
12507:   SIRegister_TCocoRScanner(CL);
12508:   SIRegister_TCocoRGrammar(CL);
12509:   '_EF','Char #0);
12510:   '_TAB','Char ').SetString( #09);
12511:   '_CR','Char ').SetString( #13);
12512:   '_LF','Char ').SetString( #10);
12513:   '_EL','').SetString( _CR);
12514:   '_EOF','Char ').SetString( #26);
12515:   'LineEnds','TCharSet'(ord(_CR) or ord(_LF) or ord(_EF));
12516:   'minErrDist','LongInt'( 2 );
12517:   Function ovPadL( S : string; ch : char; L : integer ) : string
12518: end;
12519;
12520:   TFormatSettings = record
12521:     CurrencyFormat: Byte;
12522:     NegCurrFormat: Byte;
12523:     ThousandSeparator: Char;
12524:     DecimalSeparator: Char;
12525:     CurrencyDecimals: Byte;
12526:     DateSeparator: Char;
12527:     TimeSeparator: Char;
12528:     ListSeparator: Char;
12529:     CurrencyString: string;
12530:     ShortDateFormat: string;
12531:     LongDateFormat: string;
12532:     TimeAMString: string;
12533:     TimePMString: string;
12534:     ShortTimeFormat: string;
12535:     LongTimeFormat: string;
12536:     ShortMonthNames: array[1..12] of string;
12537:     LongMonthNames: array[1..12] of string;
12538:     ShortDayNames: array[1..7] of string;
12539:     LongDayNames: array[1..7] of string;
12540:     TwoDigitYearCenturyWindow: Word;
12541:   end;
12542;
12543: procedure SIRegister_OvcFormatSettings(CL: TPSPPascalCompiler);
12544: begin
12545:   Function ovFormatSettings : TFormatSettings
12546: end;
12547;
12548: procedure SIRegister_ovcstr(CL: TPSPPascalCompiler);
12549: begin
12550:   TOvcCharSet', 'set of Char
12551:   ovBTable', 'array[0..255] of Byte
12552:   //BTable = array[0 .. {$IFDEF UNICODE}{$ENDIF}{$ELSE}{$ENDIF}{$ENDIF} ] of Byte;
12553:   Function BinaryBPChar( Dest : PChar; B : Byte) : PChar
12554:   Function BinaryLPChar( Dest : PChar; L : LongInt) : PChar
12555:   Function BinaryWPChar( Dest : PChar; W : Word) : PChar
12556:   Procedure BMMakeTable( MatchString : PChar; var BT : ovBTable)
12557:   Function BMSearch(var Buffer,BufLength:Cardinal;var BT:ovBTable; MatchString:PChar;var Pos:Cardinal):Bool;

```

```

12558: Function BMSearchUC(var Buffer,BufLength:Card; var BT:ovBTable;MatchString:PChar; var Pos: Card):Boolean
12559: Function CharStrPChar( Dest : PChar; C : Char; Len : Cardinal ) : PChar
12560: Function DetabPChar( Dest : PChar; Src : PChar; TabSize : Byte) : PChar
12561: Function HexBPCchar( Dest : PChar; B : Byte) : PChar
12562: Function HexLPChar( Dest : PChar; L : LongInt ) : PChar
12563: Function HexPtrPChar( Dest : PChar; P : TObject ) : PChar
12564: Function HexWPChar( Dest : PChar; W : Word) : PChar
12565: Function LoCaseChar( C : Char ) : Char
12566: Function OctalLPChar( Dest : PChar; L : LongInt ) : PChar
12567: Function StrChDeletePrim( P : PChar; Pos : Cardinal ) : PChar
12568: Function StrChInsertPrim( Dest : PChar; C : Char; Pos: Cardinal ) : PChar
12569: Function StrChPos( P : PChar; C : Char; var Pos : Cardinal ) : Boolean
12570: Procedure StrInsertChars( Dest : PChar; Ch : Char; Pos, Count : Word)
12571: Function StrSCopy( Dest, S : PChar; Pos, Count : Cardinal ) : PChar
12572: Function StrSDeletePrim( P : PChar; Pos, Count : Cardinal ) : PChar
12573: Function StrSInsert( Dest, S1, S2 : PChar; Pos : Cardinal ) : PChar
12574: Function StrSInsertPrim( Dest, S : PChar; Pos : Cardinal ) : PChar
12575: Function StrSPos( P, S : PChar; var Pos : Cardinal ) : Boolean
12576: Function StrToLongPChar( S : PChar; var I : LongInt ) : Boolean
12577: Procedure TrimAllSpacesPChar( P : PChar)
12578: Function TrimEmbeddedZeros( const S : string ) : string
12579: Procedure TrimEmbeddedZerosPChar( P : PChar )
12580: Function TrimTrailPrimPChar( S : PChar ) : PChar
12581: Function TrimTrailPChar( Dest, S : PChar ) : PChar
12582: Function TrimTrailingZeros( const S : string ) : string
12583: Procedure TrimTrailingZerosPChar( P : PChar )
12584: Function UpCaseChar( C : Char ) : Char
12585: Function ovcCharInSet( C : Char; const CharSet : TOvc CharSet ) : Boolean
12586: Function ovc32StringIsCurrentCodePage( const S : WideString ) : Boolean;
12587: //Function ovc32StringIsCurrentCodePage1( const S:PWideChar; CP : Cardinal ) : Boolean;
12588: end;
12589:
12590: procedure SIRegister_AfUtils(CL: TPPascalCompiler);
12591: begin
12592:   //PRaiseFrame', '^TRaiseFrame // will not work
12593:   TRaiseFrame', 'record NextRaise : PRaiseFrame; ExceptAddr : __Poin'
12594:     +'ter; ExceptObject : TObject; ExceptionRecord : PExceptionRecord; end
12595:   Procedure SafeCloseHandle( var Handle : THandle)
12596:   Procedure ExchangeInteger( X1, X2 : Integer)
12597:   Procedure FillInteger( const Buffer, Size, Value : Integer)
12598:   Function LongMulDiv( Multi, Mult2, Div1 : Longint ) : Longint
12599:   Function afCompareMem( P1, P2 : TObject; Length : Integer ) : Boolean
12600:
12601: FILENAME_ADVAPI32      = 'ADVAPI32.DLL';
12602:   function AbortSystemShutdown; external advapi32 name 'AbortSystemShutdownW';
12603: function AbortSystemShutdown(lpMachineName: PKOLOChar): BOOL; stdcall;
12604:   function AccessCheckAndAuditAlarm(SubsystemName: PKOLOChar);
12605:     HandleId: Pointer; ObjectTypeName, ObjectName: PKOLOChar;
12606:     SecurityDescriptor: PSecurityDescriptor; DesiredAccess: DWORD;
12607:     const GenericMapping: TGenericMapping; ObjectCreation: BOOL;
12608:     var GrantedAccess: DWORD; var AccessStatus, pfGenerateOnClose: BOOL): BOOL; stdcall;
12609:   function AccessCheckByTypeAndAuditAlarm(SubsystemName: PKOLOChar);
12610:     HandleId: Pointer; ObjectTypeName, ObjectName: PKOLOChar;
12611:     SecurityDescriptor: PSecurityDescriptor; PrincipalsSelfSid: PSID; DesiredAccess: DWORD;
12612:     AuditType: AUDIT_EVENT_TYPE; Flags: DWORD; ObjectTypeList: PObjectTypeList;
12613:     ObjectTypeListLength: DWORD; const GenericMapping: TGenericMapping; ObjectCreation: BOOL;
12614:     var GrantedAccess: DWORD; var AccessStatus, pfGenerateOnClose: BOOL): BOOL; stdcall;
12615:   function AccessCheckByTypeAndAuditAlarm(SubsystemName: PKOLOChar);
12616:     HandleId: Pointer; ObjectTypeName, ObjectName: PKOLOChar;
12617:     SecurityDescriptor: PSecurityDescriptor; PrincipalsSelfSid: PSID; DesiredAccess: DWORD;
12618:     AuditType: AUDIT_EVENT_TYPE; Flags: DWORD; ObjectTypeList: PObjectTypeList;
12619:     ObjectTypeListLength: DWORD; const GenericMapping: TGenericMapping; ObjectCreation: BOOL;
12620:     var GrantedAccess: DWORD; var AccessStatusList:DWORD; var pfGenerateOnClose: BOOL): BOOL; stdcall;
12621:   function BackupEventLog(hEventLog: THandle; lpBackupFileName: PKOLOChar): BOOL; stdcall;
12622:   function ClearEventLog(hEventLog: THandle; lpBackupFileName: PKOLOChar): BOOL; stdcall;
12623:   function CreateProcessAsUser(hToken: THandle; lpApplicationName: PKOLOChar;
12624:     lpCommandLine: PKOLOChar; lpProcessAttributes: PSecurityAttributes;
12625:     lpThreadAttributes: PSecurityAttributes; bInheritHandles: BOOL;
12626:     dwCreationFlags: DWORD; lpEnvironment: Pointer; lpCurrentDirectory: PKOLOChar;
12627:     const lpStartupInfo: TStartupInfo; var lpProcessInformation: TProcessInformation): BOOL; stdcall;
12628:   function GetCurrentHwProfile(var lpHwProfileInfo: THWProfileInfo): BOOL; stdcall;
12629:   function GetFileSecurity(lpFileName: PKOLOChar; RequestedInformation: SECURITY_INFORMATION;
12630:     pSecurityDescriptor: PSecurityDescriptor; nLength:DWORD;var lpnLengthNeeded: DWORD):BOOL; stdcall;
12631:   function GetUserName(lpBuffer: PKOLOChar; var nSize: DWORD): BOOL; stdcall;
12632:   function InitiateSystemShutdown(lpMachineName, lpMessage: PKOLOChar;
12633:     dwTimeout: DWORD; bForceAppsClosed, bRebootAfterShutdown: BOOL): BOOL; stdcall;
12634:   function LogonUser(lpszUsername, lpszDomain, lpszPassword: PKOLOChar;
12635:     dwLogonType, dwLogonProvider: DWORD; var phToken: THandle): BOOL; stdcall;
12636:   function LookupAccountName(lpSystemName, lpAccountName: PKOLOChar;
12637:     Sid: PSID; var cbSid: DWORD; ReferencedDomainName: PKOLOChar;
12638:     var cbReferencedDomainName: DWORD; var peUse: SID_NAME_USE): BOOL; stdcall;
12639:   function LookupAccountSid(lpSystemName: PKOLOChar; Sid: PSID;
12640:     Name: PKOLOChar; var cbName: DWORD; ReferencedDomainName: PKOLOChar;
12641:     var cbReferencedDomainName: DWORD; var peUse: SID_NAME_USE): BOOL; stdcall;
12642:   function LookupPrivilegeDisplayName(lpSystemName, lpName: PKOLOChar;
12643:     lpDisplayname: PKOLOChar; var cbDisplayName, lpLanguageId: DWORD): BOOL; stdcall;
12644:   function LookupPrivilegeName(lpSystemName: PKOLOChar;
12645:     var lpLuid: TLargeInteger; lpName: PKOLOChar; var cbName: DWORD): BOOL; stdcall;
12646:   function LookupPrivilegeValue(lpSystemName, lpName: PKOLOChar;

```

```

12647:     var lpLuid: TLargeInteger): BOOL; stdcall;
12648:     function ObjectCloseAuditAlarm(SubSystemName: PKOLOChar;
12649:         HandleId: Pointer; GenerateOnClose: BOOL): BOOL; stdcall;
12650:     function ObjectDeleteAuditAlarm(SubSystemName: PKOLOChar;
12651:         HandleId: Pointer; GenerateOnClose: BOOL): BOOL; stdcall;
12652:     function ObjectOpenAuditAlarm(SubSystemName: PKOLOChar; HandleId: Pointer;
12653:         ObjectTypeName: PKOLOChar; ObjectName: PKOLOChar; pSecurityDescriptor: PSecurityDescriptor;
12654:         ClientToken: THandle; DesiredAccess, GrantedAccess: DWORD;
12655:         var Privileges: TPrivilegeSet; ObjectCreation, AccessGranted: BOOL;
12656:         var GenerateOnClose: BOOL): BOOL; stdcall;
12657:     function ObjectPrivilegeAuditAlarm(SubSystemName: PKOLOChar;
12658:         HandleId: Pointer; ClientToken: THandle; DesiredAccess: DWORD;
12659:         var Privileges: TPrivilegeSet; AccessGranted: BOOL): BOOL; stdcall;
12660:     function OpenBackupEventLog(lpUNCServerName, lpFileName: PKOLOChar): THandle; stdcall;
12661:     function OpenEventLog(lpUNCServerName, lpSourceName: PKOLOChar): THandle; stdcall;
12662:     function PrivilegedServiceAuditAlarm(SubSystemName, ServiceName: PKOLOChar;
12663:         ClientToken: THandle; var Privileges: TPrivilegeSet; AccessGranted: BOOL): BOOL; stdcall;
12664:     function ReadEventLog(hEventLog: THandle; dwReadFlags, dwRecordOffset: DWORD;
12665:         lpBuffer: Pointer; nNumberOfBytesToRead: DWORD;
12666:         var pnBytesRead, pnMinNumberOfBytesNeeded: DWORD): BOOL; stdcall;
12667:     function RegConnectRegistry(lpMachineName: PKOLOChar; hKey: HKEY;
12668:         var phkResult: HKEY): Longint; stdcall;
12669:     function RegCreateKey(hKey: HKEY; lpSubKey: PKOLOChar;
12670:         var phkResult: HKEY): Longint; stdcall;
12671:     function RegCreateKeyEx(hKey: HKEY; lpSubKey: PKOLOChar;
12672:         Reserved: DWORD; lpClass: PKOLOChar; dwOptions: DWORD; samDesired: REGSAM;
12673:         lpSecurityAttributes: PSecurityAttributes; var phkResult: HKEY;
12674:         lpdwDisposition: PDWORD): Longint; stdcall;
12675:     function RegDeleteKey(hKey: HKEY; lpSubKey: PKOLOChar): Longint; stdcall;
12676:     function RegDeleteValue(hKey: HKEY; lpValueName: PKOLOChar): Longint; stdcall;
12677:     function RegEnumKeyEx(hKey: HKEY; dwIndex: DWORD; lpName: PKOLOChar;
12678:         var lpcbName: DWORD; lpReserved: Pointer; lpClass: PKOLOChar;
12679:         lpcbClass: PDWORD; lpftLastWriteTime: PFileTime): Longint; stdcall;
12680:     function RegEnumKey(hKey:HKEY; dwIndex:DWORD; lpName:PKOLOChar; cbName:DWORD):Longint;stdcall;
12681:     function RegEnumValue(hKey: HKEY; dwIndex: DWORD; lpValueName: PKOLOChar;
12682:         var lpcbValueName: DWORD; lpReserved: Pointer; lpType: PDWORD;
12683:         lpData: PByte; lpcbData: PDWORD): Longint; stdcall;
12684:     function RegLoadKey(hKey: HKEY; lpSubKey, lpFile: PKOLOChar): Longint; stdcall;
12685:     function RegOpenKey(hKey: HKEY; lpSubKey: PKOLOChar; var phkResult: HKEY): Longint; stdcall;
12686:     function RegOpenKeyEx(hKey: HKEY; lpSubKey: PKOLOChar;
12687:         ulOptions: DWORD; samDesired: REGSAM; var phkResult: HKEY): Longint; stdcall;
12688:     function RegQueryInfoKey(hKey: HKEY; lpClass: PKOLOChar;
12689:         lpcbClass: PDWORD; lpReserved: Pointer;
12690:         lpcbSubKeys, lpcbMaxSubKeyLen, lpcbMaxClassLen, lpcValues,
12691:         lpcb.MaxValueNameLen, lpcb.MaxValueLen, lpcbSecurityDescriptor: PDWORD;
12692:         lpftLastWriteTime: PFileTime): Longint; stdcall;
12693:     function RegQueryMultipleValues(hKey: HKEY; var ValList;
12694:         NumVals: DWORD; lpValueBuf: PKOLOChar; var ldwTotsize: DWORD): Longint; stdcall;
12695:     function RegQueryValue(hKey: HKEY; lpSubKey: PKOLOChar;
12696:         lpValue: PKOLOChar; var lpcbValue: Longint): Longint; stdcall;
12697:     function RegQueryValueEx(hKey: HKEY; lpValueName: PKOLOChar;
12698:         lpReserved: Pointer; lpType: PDWORD; lpData: PByte; lpcbData: PDWORD): Longint; stdcall;
12699:     function RegReplaceKey(hKey: HKEY; lpSubKey: PKOLOChar;
12700:         lpNewFile: PKOLOChar; lpOldFile: PKOLOChar): Longint; stdcall;
12701:     function RegRestoreKey(hKey: HKEY; lpFile: PKOLOChar; dwFlags: DWORD): Longint; stdcall;
12702:     function RegSaveKey(hKey: HKEY; lpFile: PKOLOChar;
12703:         lpSecurityAttributes: PSecurityAttributes): Longint; stdcall;
12704:     function RegSetValue(hKey: HKEY; lpSubKey: PKOLOChar;
12705:         dwType: DWORD; lpData: PKOLOChar; cbData: DWORD): Longint; stdcall;
12706:     function RegSetValueEx(hKey: HKEY; lpValueName: PKOLOChar;
12707:         Reserved: DWORD; dwType: DWORD; lpData: Pointer; cbData: DWORD): Longint; stdcall;
12708:     function RegUnLoadKey(hKey: HKEY; lpSubKey: PKOLOChar): Longint; stdcall;
12709:     function RegisterEventSource(lpUNCServerName, lpSourceName: PKOLOChar): THandle; stdcall;
12710:     function ReportEvent(hEventLog: THandle; wType, wCategory: Word;
12711:         dwEventID: DWORD; lpUserSid: Pointer; wNumStrings: Word;
12712:         dwDataSize: DWORD; lpStrings, lpRawData: Pointer): BOOL; stdcall;
12713:     function SetFileSecurity(lpFileName: PKOLOChar; SecurityInformation: SECURITY_INFORMATION;
12714:         pSecurityDescriptor: PSecurityDescriptor): BOOL; stdcall;
12715:
12716:     Function wAddAtom( lpString : PKOLOChar ) : ATOM
12717:     Function wBeginUpdateResource( pFileName : PKOLOChar; bDeleteExistingResources : BOOL ) : THandle
12718:     //Function wCallNamedPipe( lpNamedPipeName : PKOLOChar; lpInBuffer : Pointer; nInBufferSize : DWORD;
12719:     lpOutBuffer : Pointer; nOutBufferSize : DWORD; var lpBytesRead : DWORD; nTimeOut : DWORD ) : BOOL
12720:     //Function wCommConfigDialog( lpszName : PKOLOChar; hWnd : HWND; var lpCC : TCommConfig ) : BOOL
12721:     Function wCompareString( Locale : LCID; dwCmpFlags : DWORD; lpString1 : PKOLOChar; cchCount1 : Integer;
12722:         lpString2 : PKOLOChar; cchCount2 : Integer ) : Integer
12723:     Function wCopyFile( lpExistingFileName, lpNewFileName : PKOLOChar; bFailIfExists : BOOL ) : BOOL
12724:     //Function wCopyFileEx( lpExistingFileName, lpNewFileName : PKOLOChar; lpProgressRoutine :
12725:         TFnProgressRoutine; lpData : Pointer; pbCancel : PBool; dwCopyFlags : DWORD ) : BOOL
12726:     Function wCreateDirectory( lpPathName : PKOLOChar; lpSecurityAttributes : PSecurityAttributes ) : BOOL
12727:     Function wCreateDirectoryEx(lpTemplateDirectory,
12728:         lpNewDirectory:PKOLOChar;lpSecAttrib:PSecurityAttribs):BOOL;
12729:     Function wCreateEvent(lpEventAttributes:PSecurityAttrib:bManualReset,
12730:         bInitialState:BOOL;lpName:PKOLOChar):THandle;
12731:     Function wCreateFile( lpFileName : PKOLOChar; dwDesiredAccess, dwShareMode : DWORD; lpSecurityAttributes :
12732:         PSecurityAttributes; dwCreationDisposition, dwFlagsAndAttributes:DWORD;hTemplateFile:THandle ):THandle
12733:     Function wCreateFileMapping( hFile : THandle; lpFileMappingAttributes : PSecurityAttributes; flProtect,
12734:         dwMaximumSizeHigh, dwMaximumSizeLow : DWORD; lpName : PKOLOChar ) : THandle
12735:     Function wCreateHardLink(lpFileName,
12736:         lpExistingFileName:PKOLOChar;lpSecurityAttributes:PSecurityAttributes):BOOL

```

```

12729: Function CreateMailslot(lpName:PKOLChar;MaxMessSize:DWORD;lReadTimeout:DWORD;lpSecurityAttrib:PSecurityAttributes):THandle;
12730: Function wCreateNamedPipe( lpName : PKOLChar; dwOpenMode, dwPipeMode, nMaxInstances, nOutBufferSize,
nInBufferSize, nDefaultTimeOut : DWORD; lpSecurityAttributes : PSecurityAttributes ) : THandle
12731: //Function CreateProcess( lpApplicationName : PKOLChar; lpCommandLine : PKOLChar; lpProcessAttributes,
lpThreadAttributes : PSecurityAttributes; bInheritHandles : BOOL; dwCreationFlags : DWORD; lpEnvironment :
Pointer;lpCurrentDirectory:PKOLChar;const lpStartupInfo:TStartupInfo;var lpProcessInfo:TProcessInformation):BOOL
12732: Function wCreateSemaphore(lpSemaphoreAttributes: PSecurityAttributes; lInitialCount, lMaximumCount :
Longint; lpName : PKOLChar) : THandle
12733: Function wCreateWaitableTimer(lpTimerAttrbs:PSecurityAttrbs;bManualReset:BOOL;lpTimerName:PKOLChar):THandle;
12734: Function wDefineDosDevice( dwFlags : DWORD; lpDeviceName, lpTargetPath : PKOLChar ) : BOOL
12735: Function wDeleteFile( lpFileName : PKOLchar ) : BOOL
12736: Function wEndUpdateResource( hUpdate : THandle; fDiscard : BOOL ) : BOOL
12737: //Function wEnumCalendarInfo(lpCalInfEnumProc:TFNCalInfEnumProc;Locale:LCID;Calendar:CALID;CalType:CALTYPE):BOOL;
12738: //Function wEnumDateFormats(lpDateFmtEnumProc: TFNDateFmtEnumProc; Locale : LCID; dwFlags : DWORD) : BOOL
12739: //Function wEnumResourceNames(hModule:HMODULE;lpType:PKOLChar;lpEnumFunc:ENUMRESNAMEPROC;lpParam:Longint):BOOL;
12740: //Function wEnumResourceTypes( hModule:HMODULE; lpEnumFunc:ENUMRESTYPEPROC;lpParam:Longint):BOOL;
12741: //Function wEnumSystemCodePages( lpCodePageEnumProc : TFNCodepageEnumProc; dwFlags : DWORD ) : BOOL
12742: //Function wEnumSystemLocales( lpLocaleEnumProc : TFNLocaleEnumProc; dwFlags : DWORD ) : BOOL
12743: //Function wEnumTimeFormats(lpTimeFmtEnumProc:TFNTimeFmtEnumProc;Locale:LCID;dwFlags:DWORD):BOOL;
12744: Function wExpandEnvironmentStrings( lpSrc : PKOLchar; lpDst : PKOLchar; nSize : DWORD ) : DWORD
12745: Procedure wFatalAppExit( uAction : UINT; lpMessageText : PKOLchar )
12746: //Function wFillConsoleOutputCharacter( hConsoleOutput : THandle; cCharacter : KOLchar; nLength : DWORD;
dwWriteCoord : TCoord; var lpNumberOfCharsWritten : DWORD ) : BOOL
12747: Function wFindAtom( lpString : PKOLchar ) : ATOM
12748: Function wFindFirstChangeNotification(lpPathName:PKOLchar;bWatchSubtree:BOOL;dwNotifyFilter:DWORD):THandle;
12749: Function wFindFirstFile( lpFileName : PKOLchar; var lpFindFileData : TWIN32FindData ) : THandle
12750: //Function wFindFirstFileEx( lpFileName : PKOLchar; fInfoLevelId : TFindIndexInfoLevels; lpFindFileData :
Pointer; fSearchOp : TFindIndexSearchOps; lpSearchFilter : Pointer; dwAdditionalFlags : DWORD ) : BOOL
12751: Function wFindNextFile( hFindFile : THandle; var lpFindFileData : TWIN32FindData ) : BOOL
12752: Function wFindResource( hModule : HMODULE; lpName, lpType : PKOLchar ) : HRSRC
12753: Function wFindResourceEx( hModule : HMODULE; lpType, lpName : PKOLchar; wLanguage : Word ) : HRSRC
12754: Function wFoldString(dwMapFlags:DWORD;lpSrcStr:PKOLchar;cchSrc:Int;lpDestStr:PKOLchar;cchDest:Integer):Integer;
12755: //Function wFormatMessage( dwFlags : DWORD; lpSource : Pointer; dwMessageId : DWORD; dwLanguageId :
DWORD; lpBuffer : PKOLchar; nSize : DWORD; Arguments : Pointer ) : DWORD
12756: Function wFreeEnvironmentStrings( EnvBlock : PKOLchar ) : BOOL
12757: Function wGetAtomName( nAtom : ATOM; lpBuffer : PKOLchar; nSize : Integer ) : UINT
12758: Function wGetBinaryType( lpApplicationName : PKOLchar; var lpBinaryType : DWORD ) : BOOL
12759: Function wGetCommandLine : PKOLchar
12760: //Function wGetCompressedFileSize( lpFileName : PKOLchar; lpFileSizeHigh : PDWORD ) : DWORD
12761: Function wGetComputerName( lpBuffer : PKOLchar; var nSize : DWORD ) : BOOL
12762: Function wGetConsoleTitle( lpConsoleTitle : PKOLchar; nSize : DWORD ) : DWORD
12763: //Function wGetCurrencyFormat( Locale : LCID; dwFlags : DWORD; lpValue : PKOLchar; lpFormat :
PCurrencyFmt; lpCurrencyStr : PKOLchar; cchCurrency : Integer ) : Integer
12764: Function wGetCurrentDirectory( nBufferLength : DWORD; lpBuffer : PKOLchar ) : DWORD
12765: //Function wGetDateFormat( Locale : LCID; dwFlags : DWORD; lpDate : PSystemTime; lpFormat : PKOLchar;
lpDateStr : PKOLchar; cchDate : Integer ) : Integer
12766: //Function wGetDefaultCommConfig( lpszName:PKOLchar;var lpCC : TCommConfig;var lpdwSize:DWORD):BOOL
12767: Function wGetDiskFreeSpace( lpRootPathName : PKOLchar; var lpSectorsPerCluster, lpBytesPerSector,
lpNumberOfFreeClusters, lpTotalNumberOfClusters : DWORD ) : BOOL
12768: //Function wGetDiskFreeSpaceEx( lpDirectoryName : PKOLchar; var lpFreeBytesAvailableToCaller,
lpTotalNumberOfBytes, lpTotalNumberOfFreeBytes : PLargeInteger ) : BOOL
12769: Function wGetDriveType( lpRootPathName : PKOLchar ) : UINT
12770: Function wGetEnvironmentStrings : PKOLchar
12771: Function wGetEnvironmentVariable( lpName : PKOLchar; lpBuffer : PKOLchar; nSize : DWORD ) : DWORD;
12772: Function wGetFileAttributes( lpFileName : PKOLchar ) : DWORD
12773: //Function wGetFileAttributesEx(lpFileName:PKOLchar,fInfoLevelId:TGetFileExInfoLevs;lpFileInform:Pointer):BOOL;
12774: Function wGetFullPathName(lpFileName:PKOLchar;nBufferLeng:WORD;lpBuffer:PKOLchar;var lpFilePart:PKOLchar):DWORD;
12775: //Function wGetLocaleInfo(Locale:LCID; LCTYPE:LCTYPE;lpLCDData:PKOLchar;cchData:Integer): Integer
12776: Function wGetLogicalDriveStrings( nBufferLength : DWORD; lpBuffer : PKOLchar ) : DWORD
12777: Function wGetModuleFileName( hModule : HINST; lpFilename : PKOLchar; nSize : DWORD ) : DWORD
12778: Function wGetModuleHandle( lpModuleName : PKOLchar ) : HMODULE
12779: //Function wGetNamedPipeHandleState( hNamedPipe : THandle; lpState, lpCurInstances, lpMaxCollectionCount,
lpCollectDataTimeout : PDWORD; lpUserName : PKOLchar; nMaxUserNameSize : DWORD ) : BOOL
12780: //Function wGetNumberFormat( Locale : LCID; dwFlags:DWORD; lpValue:PKOLchar; lpFormat:PNumberFmt;
lpNumberStr : PKOLchar; cchNumber : Integer ) : Integer
12781: Function wGetPrivateProfileInt(lpAppName,lpKeyName:PKOLchar;nDefault:Integer;lpFileName:PKOLchar):UINT;
12782: Function wGetPrivateProfileSection(lpAppName:PKOLchar;lpRetrStr:PKOLchar;nSize:DWORD;pFileName:PKOLchar):DWORD;
12783: Function wGetPrivateProfileSectionNames(lpszReturnBuffer:PKOLchar;nSize:DWORD;lpFileName:PKOLchar):DWORD;
12784: Function wGetPrivateProfileString( lpAppName, lpKeyName, lpDefault : PKOLchar;lpReturnedStr: PKOLchar;
nSize:DWORD; lpFileName : PKOLchar ) : DWORD
12785: Function wGetProfileInt( lpAppName, lpKeyName : PKOLchar; nDefault : Integer ) : UINT
12786: Function wGetProfileSection( lpAppName : PKOLchar; lpReturnedString : PKOLchar; nSize : DWORD ) : DWORD
12787: Function wGetProfileString(lpAppName,lpKeyName,
lpDefault:PKOLchar;lpReturnedStr:PKOLchar;nSize:DWORD):DWORD;
12788: Function wGetShortPathName( lpszLongPath:PKOLchar;lpszShortPath: PKOLchar; cchBuffer : DWORD ) : DWORD
12789: //Procedure wGetStartupInfo( var lpStartupInfo : TStartupInfo )
12790: // Function wGetStringTypeEx(Locale:LCID; dwInfoType:DWORD;lpSrcStr:PKOLchar;cchSrc:Integer;var
lpCharType):BOOL
12791: Function wGetSystemDirectory( lpBuffer : PKOLchar; uSize : UINT ) : UINT

```

```

12792: Function wGetTempFileName( lpPathName, lpPrefixString: PKOLChar; uUnique:UINT; lpTempFileName:PKOLChar ) :UINT
12793: Function wGetTempPath( nBufferLength : DWORD; lpBuffer : PKOLChar ) : DWORD
12794: //Function
12795: wGetTimeFormat(Loc:LCID;dwFlgs:DWORD;lpTime:PSystemTime;lpFrm:PKOLChar;lpTimeStr:PKOLChar;cTime:Int):Int
12796: //Function wGetVersionEx( var lpVersionInformation : TOSVersionInfo ) : BOOL
12797: //Function GetVolumeInformation( lpRootPathName : PKOLChar; lpVolumeNameBuffer : PKOLChar; nVolumeNameSize : DWORD; lpVolumeSerialNumber : PDWORD; var lpMaximumComponentLength, lpFileSystemFlags : DWORD;
12798: lpFileSystemNameBuffer : PKOLChar; nFileSystemNameSize : DWORD) : BOOL
12799: Function wGetWindowsDirectory( lpBuffer : PKOLChar; uSize : UINT ) : UINT
12800: Function wGlobalGetAtomName( nAtom : ATOM; lpBuffer : PKOLChar; nSize : Integer ) : UINT
12801: Function wIsBadStringPtr( lpsz : PKOLChar; ucchMax : UINT ) : BOOL
12802: Function
12803: wLCMapString(Loc:LCID;dwMapFlgs:DWORD;lpSrcStr:PKOLChar;cchSrc:Int;lpDestStr:PKOLChar;cchDest:Int):Int;
12804: Function wLoadLibrary( lpLibFileName : PKOLChar ) : HMODULE
12805: Function wLoadLibraryEx( lpLibFileName : PKOLChar; hFile : THandle; dwFlags : DWORD ) : HMODULE
12806: Function wMoveFile( lpExistingFileName, lpNewFileName : PKOLChar ) : BOOL
12807: Function wMoveFileEx( lpExistingFileName, lpNewFileName : PKOLChar; dwFlags : DWORD ) : BOOL
12808: //Function wMoveFileWithProgress( lpExistingFileName, lpNewFileName : PKOLChar; lpProgressRoutine : TFnProgressRoutine; lpData : Pointer; dwFlags : WORD ) : BOOL
12809: Function wOpenEvent( dwDesiredAccess : DWORD; bInheritHandle : BOOL; lpName:PKOLChar ) : THandle
12810: Function wOpenFileMapping( dwDesiredAccess : DWORD; bInheritHandle:BOOL;lpName: PKOLChar ):THandle
12811: Function WOpenMutex( dwDesiredAccess : DWORD; bInheritHandle : BOOL; lpName : PKOLChar ) : THandle
12812: Function wOpenSemaphore( dwDesiredAccess : DWORD; bInheritHandle : BOOL; lpName : PKOLChar ):THandle
12813: Procedure wOutputDebugString( lpOutputString : PKOLChar )
12814: //Function wPeekConsoleInput(hConsoleInput:THandle;var lpBuffer:TInputRecord;nLength:DWORD;var
12815: lpNumberOfEventsRead:DWORD):BOOL;
12816: Function wQueryDosDevice( lpDeviceName : PKOLChar; lpTargetPath : PKOLChar; ucchMax : DWORD ) : DWORD
12817: //Function wQueryRecoveryAgents(p1:PKOLChar;var p2:Pointer;var p3:TRecoveryAgentInformation):DWORD
12818: //Function wReadConsole( hConsoleInput : THandle; lpBuffer : Pointer; nNumberOfCharsToRead : DWORD; var
12819: lpNumberOfCharsRead : DWORD; lpReserved : Pointer ) : BOOL
12820: //Function wReadConsoleInput(hConsInp:THandle;var lpBuf:TInpRec;nLength:DWORD;var
12821: lpNumOfEventsRead:DWORD):BOOL;
12822: //Function wScrollConsoleBuffer( hConsoleOutput : THandle; const lpScrollRectangle : TSmallRect;
12823: lpClipRectangle : PSmallRect; dwDestinationOrigin : TCoord; var lpFill : TCharInfo ) : BOOL
12824: Function wSearchPath( lpPath,lpFileName,lpExtension:PKOLChar;nBufferLength:DWORD;lpBuffer:PKOLChar;var
12825: lpFilePart:PKOLChar):DWORD;
12826: Function wSetComputerName( lpComputerName : PKOLChar ) : BOOL
12827: Function wSetConsoleTitle( lpConsoleTitle : PKOLChar ) : BOOL
12828: Function wSetCurrentDirectory( lpPathName : PKOLChar ) : BOOL
12829: //Function wSetDefaultCommConfig( lpszName : PKOLChar; lpCC : PCommConfig; dwSize : DWORD ) : BOOL
12830: Function wSetEnvironmentVariable( lpName, lpValue : PKOLChar ) : BOOL
12831: Function wSetFileAttributes( lpFileName : PKOLChar; dwFileAttributes : DWORD ) : BOOL
12832: //Function wSetLocaleInfo( Locale : LCID; LCTYPE : LCTYPE; lpLCDData : PKOLChar ) : BOOL
12833: Function wSetVolumeLabel( lpRootPathName : PKOLChar; lpVolumeName : PKOLChar ) : BOOL
12834: Function wVerLanguageName( wLang : DWORD; szLang : PKOLChar; nSize : DWORD ) : DWORD
12835: Function wWaitNamedPipe( lpNamedPipeName : PKOLChar; nTimeOut : DWORD ) : BOOL
12836: //Function wWriteConsole( hConsoleOutput : THandle; const lpBuffer : Pointer; nNumberOfCharsToWrite : DWORD;
12837: var lpNumberOfCharsWritten : DWORD; lpReserved : Pointer ) : BOOL
12838: //Function wWriteConsoleInput( hConsoleInput : THandle; const lpBuffer : TInputRecord; nLength : DWORD;
12839: var lpNumberOfEventsWritten : DWORD ) : BOOL
12840: Function wWritePrivateProfileSection( lpAppName, lpString, lpFileName : PKOLChar ) : BOOL
12841: Function wWritePrivateProfileString( lpAppName, lpKeyName, lpString, lpFileName : PKOLChar ) : BOOL
12842: Function wWriteProfileSection( lpAppName, lpString : PKOLChar ) : BOOL
12843: Function wlstrcat( lpString1, lpString2 : PKOLChar ) : PKOLChar
12844: Function wlstrcmp( lpString1, lpString2 : PKOLChar ) : Integer
12845: Function wlstrcmpi( lpString1, lpString2 : PKOLChar ) : Integer
12846: Function wlstrcpy( lpString1, lpString2 : PKOLChar ) : PKOLChar
12847: Function wlstrcpyn( lpString1, lpString2 : PKOLChar; iMaxLength : Integer ) : PKOLChar
12848: Function wlstrncpy( lpString : PKOLChar ) : Integer
12849: //Function wMultinetGetConnectionPerformance( lpNetResource : PNetResource; lpNetConnectInfoStruct :
12850: PNetConnectInfoStruct ) : DWORD
12851: //Function wWNetAddConnection2(var lpNetResource:TNetResource;lpPassw,
12852: lpUserName:PKOLChar;dwFlags:DWORD):DWORD;
12853: //Function wWNetAddConnection3( hwndOwner : HWND; var lpNetResource:TNetResource;lpPassword,
12854: lpUserName:PKOLChar; dwFlags : DWORD ) : DWORD
12855: Function wWNetAddConnection( lpRemoteName, lpPassword, lpLocalName : PKOLChar ) : DWORD
12856: Function wWNetCancelConnection2( lpName : PKOLChar; dwFlags : DWORD; fForce : BOOL ) : DWORD
12857: Function wWNetCancelConnection( lpName : PKOLChar; fForce : BOOL ) : DWORD
12858: //Function wWNetConnectionDialog( var lpConnDlgStruct : TConnectDlgStruct ) : DWORD
12859: //Function wWNetDisconnectDialog( var lpConnDlgStruct : TDiscDlgStruct ) : DWORD
12860: //Function wWNetEnumResource(hEnum:THandle;var lpcCount:DWORD;lpBuffer:Ptr;var lpBufferSize:DWORD):DWORD;
12861: Function wWNetGetConnection(lpLocalName:PKOLChar;lpRemoteName:PKOLChar; var lpnLength:DWORD):DWORD;
12862: Function wWNetGetLastError( var lpError : DWORD; lpErrorBuf : PKOLChar; nErrorBufSize : DWORD; lpNameBuf
12863: : PKOLChar; nNameBufSize : DWORD ) : DWORD

```

```

12860: //Function wWNetGetNetworkInformation( lpProvider:PKOLChar;var lpNetInfoStruct:TNetInfoStruct):DWORD;
12861: Function wWNetGetProviderName(dwNetType:DWORD;lpProviderName:PKOLChar;var lpBufferSize:DWORD):DWORD;
12862: //Function wWNetGetResourceParent(lpNetResource:PNetResource;lpBuffer:Pointer;var cbBuffer:DWORD):DWORD;
12863: //Function wWNetGetUniversalName(lpLocalPath:PKOLChar;dwInfoLevel:DWORD;lpBuffer:Ptr;var
12864: lpBufferSize:DWORD):DWORD;
12864: Function wWNet GetUser( lpName : PKOLChar; lpUserName : PKOLChar; var lpnLength : DWORD ) : DWORD
12865: // Function wWNetOpenEnum(dwScope,dwType,dwUsage:DWORD;lpNetResource:PNetRes;var lphEnum:THandle):DWORD;
12866: // Function wWNetSetConnection( lpName : PKOLChar; dwProperties : DWORD; pvValues : Pointer ) : DWORD
12867: //Function wWNetUseConnection(hwndOwner:HWND;var
12868: lpNetResource:TNetResource;lpUserID:PKOLChar;lpPassword:PKOLChar; dwFlags:DWORD;lpAccessName:PKOLChar;var
12869: lpBufferSize:DWORD;var lpResult:DWORD):DWORD
12868: Function wGetFileVersionInfo(lptstrFilename:PKOLChar;dwHandle,dwLen:DWORD;lpData:Pointer):BOOL;
12869: Function wGetFileVersionInfoSize( lptstrFilename : PKOLChar; var lpdwHandle : DWORD ) : DWORD
12870: Function wVerFindfile( uFlags : DWORD; szFileName, szWinDir, szAppDir, szCurDir : PKOLChar; var
12871: lpuCurDirLen : UINT; szDestDir : PKOLChar; var lpuDestDirLen : UINT ) : DWORD
12871: Function wVerInstallFile( uFlags : DWORD; szSrcFileName, szDestFileName, szSrcDir, szDestDir, szCurDir,
12872: szTmpFile : PKOLChar; var lpuTmpFileLen : UINT ) : DWORD
12872: //Function wVerQueryValue(pBlock:Pointer;lpSubBlock:PKOLChar;var lplpBuffer:Ptr;var puLen:UINT):BOOL;
12873: //Func wGetPrivateProfileStruct(lpszSection,
12874: lpszKey:PKOLChar;lpStruct:Ptr;uSizeStruct:UINT;szFile:PKOLChar):BOOL;
12874: //Func wWritePrivateProfileStruct(lpszSection,
12875: lpszKey:PKOLChar;lpStruct:Ptr;uSizeStruct:UINT;szFile:PKOLChar):BOOL;
12875: Function wAddFontResource( FileName : PKOLChar ) : Integer
12876: //Function wAddFontResourceEx( p1 : PKOLChar; p2 : DWORD; p3 : PDesignVector ) : Integer
12877: Function wCopyEnhMetaFile( p1 : HENHMETAFILE; p2 : PKOLChar ) : HENHMETAFILE
12878: Function wCopyMetaFile( p1 : HMETAFILE; p2 : PKOLChar ) : HMETAFILE
12879: //Function wCreateColorSpace( var ColorSpace : TLogColorSpace ) : HCOLORSPACE
12880: //Function wCreateDC( lpszDriver, lpszDevice, lpszOutput : PKOLChar; lpdvminit : PDeviceMode ) : HDC
12881: // Function wCreateEnhMetaFile( DC : HDC; FileName : PKOLChar; Rect : PRect; Desc : PKOLChar ) : HDC
12882: Function wCreateFont( nHeight, nWidth, nEscapement, nOrientation, fnWeight : Integer; fdwItalic,
12883: fdwUnderline, fdwStrikeOut, fdwCharSet, fdwOutputPrec, fdwClipPrecision, fdwQualy,
12884: fdwPitchAndFamily:DWORD;lpszFace:PKOLChar ):HFONT
12883: Function wCreateFontIndirect( const p1 : TLogFont ) : HFONT
12884: //Function wCreateFontIndirectEx( const p1 : PEnumLogFontExDV ) : HFONT
12885: // Function wCreateIC( lpszDriver, lpszDevice, lpszOutput : PKOLChar; lpdvminit : PDeviceMode ) : HDC
12886: Function wCreateMetaFile( p1 : PKOLChar ) : HDC
12887: Function wCreateScalableFontResource( p1 : DWORD; p2, p3, p4 : PKOLChar ) : BOOL
12888: //Function wDeviceCapabilities(pDriverNa,pDeviceNam,
12889: pPort:PKOLChar;iIdx:Int;out:PKOLChar;DevMod:PDeviceMode):Int;
12890: // Function wEnumFontFamilies( DC : HDC; p2 : PKOLChar; p3 : TFnFontEnumProc; p4 : LPARAM ) : BOOL
12891: //Function wEnumFontFamiliesEx(DC:HDC;var p2:TLogFont;p3:TFNFontEnumProc;p4:LPARAM;p5:DWORD):BOOL;
12892: //Function wEnumICMPProfiles( DC : HDC; ICMPProc : TFnICMEnumProc; p3 : LPARAM ) : Integer
12893: //Function wExtTextOut( DC:HDC;X,
12894: Y:Int;Options:Longint;Rect:PRect;Str:PKOLChar;Count:Longint;Dx:PInteger:BOOL
12894: //Function wGetCharABCWidths( DC : HDC; FirstChar, LastChar : UINT; const ABCStructs ) : BOOL
12895: //Function wGetCharABCWidthsFloat( DC : HDC; FirstChar, LastChar : UINT; const ABCFloatSturcts ) : BOOL
12896: //Function wGetCharWidth32( DC : HDC; FirstChar, LastChar : UINT; const Widths ) : BOOL
12897: //Function wGetCharWidth( DC : HDC; FirstChar, LastChar : UINT; const Widths ) : BOOL
12898: // Function wGetCharWidthFloat( DC : HDC; FirstChar, LastChar : UINT; const Widths ) : BOOL
12899: // Function wGetCharacterPlacement( DC:HDC;p2:PKOLChar;p3,p4:BOOL;var p5:TGCPResults;p6:DWORD ):DWORD
12900: Function wGetEnhMetaFile( p1 : PKOLChar ) : HENHMETAFILE
12901: Function wGetEnhMetaFileDescription( p1 : HENHMETAFILE; p2 : UINT; p3 : PKOLChar ) : UINT
12902: // Function wGetGlyphIndices( DC : HDC; p2 : PKOLChar; p3 : Integer; p4 : PWORD; p5 : DWORD ) : DWORD
12903: // Function wGetGlyphOutline( DC : HDC; uChar, uFormat:UINT;const lpgm:TGlyphMetrics; cbBuffer : DWORD;
12904: lpvBuffer : Pointer; const lpmat2 : TMat2 ) : DWORD
12904: Function wGetICMPProfile( DC : HDC; var Size : DWORD; Name : PKOLChar ) : BOOL
12905: // Function wGetLogColorSpace( p1 : HCOLORSPACE; var ColorSpace : TLogColorSpace; Size : DWORD ) : BOOL
12906: Function wGetMetaFile( p1 : PKOLChar ) : HMETAFILE
12907: // Function wGetObject( p1 : HGDIOBJ; p2 : Integer; p3 : Pointer ) : Integer
12908: //Function wGetOutlineTextMetrics( DC : HDC; p2 : UINT; OTMetricStructs : Pointer ) : UINT
12909: //Function wGetTextExtentExPoint( DC:HDC;p2:PKOLChar; p3,p4:Integer;p5,p6:PInteger;var p7:TSIZE):BOOL
12910: Function wGetTextExtentPoint32( DC : HDC; Str : PKOLChar; Count : Integer; var Size : TSize ) : BOOL
12911: Function wGetTextExtentPoint( DC : HDC; Str : PKOLChar; Count : Integer; var Size : TSize ) : BOOL
12912: Function wGetTextFace( DC : HDC; Count : Integer; Buffer : PKOLChar ) : Integer
12913: //Function wGetTextMetrics( DC : HDC; var TM : TTTextMetric ) : BOOL
12914: Function wPolyTextOut( DC : HDC; const PolyTextArray, Strings : Integer ) : BOOL
12915: Function wRemoveFontResource( FileName : PKOLChar ) : BOOL
12916: //Function wRemoveFontResourceEx( p1 : PKOLChar; p2 : DWORD; p3 : PDesignVector ) : BOOL
12917: //Function wResetDC( DC : HDC; const InitData : TDeviceMode ) : HDC
12918: Function wSetICMPProfile( DC : HDC; Name : PKOLChar ) : BOOL
12919: //Function wStartDoc( DC : HDC; const p2 : TDocInfo ) : Integer
12920: Function wTextOut( DC : HDC; X, Y : Integer; Str : PKOLChar; Count : Integer ) : BOOL
12921: Function wUpdateICMRegKey( p1 : DWORD; p2, p3 : PKOLChar; p4 : UINT ) : BOOL
12922: Function wwg1UseFontBitmaps( DC : HDC; p2, p3, p4 : DWORD ) : BOOL
12923: //Function wwg1UseFontOutlines(p1:HDC; p2,p3,p4:DWORD;p5,p6:Single;p7:Int;p8:PGlyphMetricsFloat):BOOL
12924: Function wAppendMenu( hMenu : HMENU; uFlags, uidNewItem : UINT; lpNewItem : PKOLChar ) : BOOL
12925: Function wCallMsgFilter( var lpMsg : TMsg; nCode : Integer ) : BOOL
12926: //Function
12926: wCallWindowProc( lpPrevWndFunc:TFNWndProc,hWnd:HWND;Msg:UINT;wParam:WPARAM;lParam:LPARAM):LRESULT
12927: //Function wChangeDisplaySettings( var lpDevMode : TDeviceMode; dwFlags : DWORD ) : Longint
12928: // Function wChangeDisplaySettingsEx( lpszDeviceName:PKOLChar;var lpDevMode : TDeviceMode; wnd : HWND;
12929: dwFlags : DWORD; lParam : Pointer ) : Longint
12929: Function wChangeMenu(hMenu:HMENU;cmd:UINT;lpszNewItem:PKOLChar;cmdInsert:UINT;flags:UINT):BOOL;
12930: Function wCharLower( lpsz : PKOLChar ) : PKOLChar
12931: Function wCharLowerBuff( lpsz : PKOLChar; cchLength : DWORD ) : DWORD
12932: Function wCharNext( lpsz : PKOLChar ) : PKOLChar
12933: //Function wCharNextEx( CodePage : Word; lpCurrentChar : LPCSTR; dwFlags : DWORD ) : LPSTR
12934: Function wCharPrev( lpszStart : PKOLChar; lpszCurrent : PKOLChar ) : PKOLChar

```

```

12935: // Function wCharPrevEx( CodePage : Word; lpStart, lpCurrentChar : LPCSTR; dwFlags : DWORD ) : LPSTR
12936: Function wCharToOem( lpszSrc : PKOLChar; lpszDst : PKOLChar ) : BOOL
12937: Function wCharToOemBuff( lpszSrc : PKOLChar; lpszDst : PKOLChar; cchDstLength : DWORD ) : BOOL
12938: Function wCharUpper( lpsz : PKOLChar ) : PKOLChar
12939: Function wCharUpperBuff( lpsz : PKOLChar; cchLength : DWORD ) : DWORD
12940: Function wCopyAcceleratorTable( hAccelSrc : HACCEL; var lpAccelDst, cAccelEntries : Integer ) : Integer
12941: Function wCreateAcceleratorTable( var Accel, Count : Integer ) : HACCEL
12942: //Function wCreateDesktop(lpszDesktop,
12943: lpszDevice:PKOLChar;pDevMode:PDDeviceMode;dwFlags:DWORD;dwDesiredAccess:DWORD;lpsa:PSecurityAttribs):HDESK
12944: //Function wCreateDialogIndirectParam( hInstance : HINST; const lpTemplate : TDlgTemplate; hWndParent :
12945: HWND; lpDialogFunc : TFNDlgProc; dwInitParam : LPARAM ) : HWND
12946: //Function wCreateDialogParam( hInstance : HINST; lpTemplateName : PKOLChar; hWndParent : HWND;
12947: lpDialogFunc : TFNDlgProc; dwInitParam : LPARAM ) : HWND
12948: Function wCreateMDIWindow( lpClassName : PKOLChar; dwStyle : DWORD; X,Y,nWidth,nHeight : Integer;
12949: hWndParent : HWND; hInstance : HINST; lParam : LPARAM ) : HWND
12950: //Function wCreateWindowEx(dwExStyle:DWORD;lpClassName:PKOLChar;lpWindowName:PKOLChar;dwStyle WORD;X,Y,
12951: nWidth, nHeight:Int WndParent:HWND;hMenu:HMENU;hInstance:HINST;lpParam:Pointer):HWND
12952: //Function wCreateWindowStation(lpinsta:PKOLChar;dwReserv,
12953: dwDesiredAccess:DWORD;lpsa:PSecurityAttribs):HWINSTA;
12954: Function wDefDlgProc( hDlg : HWND; Msg : UINT; wParam : WPARAM; lParam : LPARAM ) : LRESULT
12955: Function wDefFrameProc( hWnd, hWndMDIClient : HWND; uMsg : UINT; wParam : WPARAM; lParam : LPARAM ) : LRESULT;
12956: Function wDefMDIChildProc( hWnd : HWND; uMsg : UINT; wParam : WPARAM; lParam : LPARAM ) : LRESULT;
12957: Function wDefWindowProc( hWnd : HWND; Msg : UINT; wParam : WPARAM; lParam : LPARAM ) : LRESULT
12958: //Function wDialogBoxIndirectParam( hInstance : HINST; const lpDialogTemplate : TDlgTemplate; hWndParent
12959: : HWND; lpDialogFunc : TFNDlgProc; dwInitParam : LPARAM ) : Integer
12960: //Function wDialogBoxParam( hInstance : HINST; lpTemplateName : PKOLChar; hWndParent : HWND; lpDialogFunc
12961: : TFNDlgProc; dwInitParam : LPARAM ) : Integer
12962: Function wDispatchMessage( const lpMsg : TMsg ) : Longint
12963: Function wDlgDirList( hDlg : HWND; lpPathSpec : PKOLChar; nIDListBox,
12964: nIDStaticPath : Integer; uFileType : UInt ) : Integer;
12965: Function wDlgDirListComboBox( hDlg : HWND; lpPathSpec : PKOLChar; nIDComboBox,
12966: nIDStaticPath : Int; uFileType : UInt ) : Int;
12967: Function wDlgDirSelectComboBoxEx( hDlg : HWND; lpString : PKOLChar; nCount, nIDComboBox : Integer ) : BOOL
12968: Function wDlgDirSelectEx( hDlg : HWND; lpString : PKOLChar; nCount, nIDListBox : Integer ) : BOOL
12969: //FuncwDrawState(dc:HDC;brush:HBRUSH;CBFunc:TFNDrawStateProc;lData:LPARA;wDat:WPARA;x,y,cx,
12970: cy:Int;Flags:UINT):BOOL;
12971: Function wDrawText( hDC : HDC; lpString : PKOLChar; nCount : Integer; var lpRect : TRect; uFormat : UInt ) : Integer;
12972: Function wFindWindow( lpClassName, lpWindowName : PKOLChar ) : HWND
12973: Function wFindWindowEx( Parent, Child : HWND; ClassName, WindowName : PKOLChar ) : HWND
12974: //Function wGetAltTabInfo(hwnd:HWND;iItem:Int;var
12975: pati:TAltTabInfo;pszItemText:PKOLChar;cchItemText:UINT):BOOL;
12976: // Function wGetClassInfo( hInstance : HINST; lpClassName : PKOLChar; var lpWndClass : TWndClass ) : BOOL
12977: //Function wGetClassInfoEx( Instance : HINST; Classname : PKOLChar; var WndClass : TWndClassEx ) : BOOL
12978: Function wGetClassLong( hWnd : HWND; nIndex : Integer ) : DWORD
12979: Function wGetClassName( hWnd : HWND; lpClassName : PKOLChar; nMaxCount : Integer ) : Integer
12980: Function wGetClipboardFormatName( format : UInt; lpszFormatName : PKOLChar; cchMaxCount : Integer ) : Integer;
12981: Function wGetDlgItemText( hDlg : HWND; nIDDlgItem : Integer; lpString : PKOLChar; nMaxCount : Integer ) : UInt
12982: Function wGetKeyNameText( lParam : Longint; lpString : PKOLChar; nSize : Integer ) : Integer
12983: Function wGetKeyboardLayoutName( pwszKLID : PKOLChar ) : BOOL
12984: //Function wGetMenuItemInfo( p1 : HMENU; p2 : UInt; p3 : Bool; var p4 : TMenuItemInfo ) : Bool
12985: Function wGetMenuItemString( hMenu : HMENU; uIDItem : UInt; lpString : PKOLChar; nMaxCount : Integer; uFlag : UInt ) : Integer;
12986: Function wGetMessage( var lpMsg : TMsg; hWnd : HWND; wMsgFilterMin, wMsgFilterMax : UInt ) : Bool
12987: Function wGetProp( hWnd : HWND; lpString : PKOLChar ) : THandle
12988: //Function wGetTabbedTextExtent( hDC : HDC; lpString : PKOLChar; nCount, nTabPositions : Integer; var
12989: lpnTabStopPositions ) : DWORD
12990: //Function wGetUserObjectInform(hObj:THandle;nIndex:Int;pvInfo:Ptr;nLength:DWORD;var
12991: lpnLengthNeed:DWORD)BOOL;
12992: Function wGetWindowLong( hWnd : HWND; nIndex : Integer ) : Longint
12993: Function wGetWindowModuleFileName( hwnd : HWND; pszFileName : PKOLChar; cchFileNameMax : UInt ) : UInt
12994: Function wGetWindowText( hWnd : HWND; lpString : PKOLChar; nMaxCount : Integer ) : Integer
12995: Function wGetWindowTextLength( hWnd : HWND ) : Integer
12996: //Function wGrayString(hDC:HDC;hBrush:HBRUSH;lpOutFunc:TFNGrayStrProc;lpDat:LPARA;nCnt,X,Y,nWidt,
12997: nHeigt:Int):BOOL;
12998: Function wInsertMenu( hMenu : HMENU; uPosition, uFlags, uIDNewItem : UInt; lpNewItem : PKOLChar ) : BOOL
12999: //Function wInsertMenuItem( p1 : HMENU; p2 : UInt; p3 : Bool; const p4 : TMenuItemInfo ) : Bool
13000: Function wIsCharAlpha( ch : KOLChar ) : Bool
13001: Function wIsCharAlphaNumeric( ch : KOLChar ) : Bool
13002: Function wIsCharLower( ch : KOLChar ) : Bool
13003: Function wIsCharUpper( ch : KOLChar ) : Bool
13004: Function wIsDialogMessage( hDlg : HWND; var lpMsg : TMsg ) : Bool
13005: Function wLoadAccelerators( hInstance : HINST; lpTableName : PKOLChar ) : HACCEL
13006: Function wLoadBitmap( hInst : HINST; lpBitmapName : PKOLChar ) : HBITMAP
13007: Function wLoadCursor( hInst : HINST; lpCursorName : PKOLChar ) : HCURSOR
13008: Function wLoadCursorFromFile( lpFileName : PKOLChar ) : HCURSOR
13009: Function wLoadIcon( hInst : HINST; lpIconName : PKOLChar ) : HICON
13010: Function wLoadImage(hInst:HINST;ImageName:PKOLChar;ImageType:UINT;X,Y:Integer;Flags:UINT): THandle
13011: Function wLoadKeyboardLayout( pwszKLID : PKOLChar; Flags : UInt ) : HKL
13012: Function wLoadMenu( hInst : HINST; lpMenuName : PKOLChar ) : HMENU
13013: //Function wLoadMenuItemIndirect( lpMenuTemplate : Pointer ) : HMENU
13014: Function wLoadString(hInst:INST;uID: UInt; lpBuffer :PKOLChar;nBufferMax:Integer):Integer
13015: Function wMapVirtualKey( uCode, uMapType : UInt; dwhkl : HKL ) : UInt
13016: Function wMapVirtualKeyEx( uCode, uMapType : UInt; dwhkl : HKL ) : UInt
13017: Function wMessageBox( hWnd : HWND; lpText, lpCaption : PKOLChar; uType : UInt; wLanguageId : Word ) : Integer
13018: //Function wMessageBoxIndirect( const MsgBoxParams : TMsgBoxParams ) : Bool
13019: Function wModifyMenu( hMenu : HMENU; uPosition, uFlags, uIDNewItem : UInt; lpNewItem : PKOLChar ) : Bool
13020: //Function wOemToAnsi( const lpszSrc : LPCSTR; lpszDst : LPSTR ) : Bool
13021: //Function wOemToAnsiBuff( lpszSrc : LPCSTR; lpszDst : LPSTR; cchDstLength : DWORD ) : Bool
13022: //Function wOemToChar( lpszSrc : PKOLChar; lpszDst : PKOLChar ) : Bool

```

```

13009: Function wOemToCharBuff( lpszSrc : PKOLChar; lpszDst : PKOLChar; cchDstLength : DWORD) : BOOL
13010: Function wOpenDesktop(lpszDesktop:PKOLChar;dwFlags:DWORD;fInherit:BOOL;dwDesiredAccess:DWORD) : HDESK
13011: Function wOpenWindowStation( lpszWinSta : PKOLChar; fInherit : BOOL; dwDesiredAccess : DWORD) : HWINSTA
13012: Function wPeekMessage( var lpMsg : TMsg; hWnd: HWND; wMsgFilterMin,wMsgFilterMax, wRemoveMsg:UINT ) : BOOL
13013: Function wPostMessage( hWnd : HWND; Msg : UINT; wParam : WPARAM; lParam : LPARAM ) : BOOL
13014: Function wPostThreadMessage(idThread:DWORD;Msg : UINT; wParam : WPARAM; lParam : LPARAM ) : BOOL
13015: Function wRealGetWindowClass( hWnd : HWND; pszType : PKOLChar; cchType : UINT ) : UINT
13016: // Function wRegisterClass( const lpWndClass : TWndClass ) : ATOM
13017: // Function wRegisterClassEx( const WndClass : TWndClassEx ) : ATOM
13018: Function wRegisterClipboardFormat( lpszFormat : PKOLChar ) : UINT
13019: // Function wRegisterDeviceNotification(hRecipient:THandle;NotificFilter:Pointer;Flags:DWORD):HDEVNOTIFY
13020: Function wRegisterWindowMessage( lpString : PKOLChar ) : UINT
13021: Function wRemoveProp( hWnd : HWND; lpString : PKOLChar ) : THandle
13022: Function wSendDlgItemMessage(hDlg:HWND;nIDDlgItem:Integer;Msg:UINT;wParam:WPARAM;lParam:LPARAM):Longint;
13023: Function wSendMessage( hWnd : HWND; Msg : UINT; wParam : WPARAM; lParam : LPARAM ) : LRESULT
13024: //Function wSendMessageCallback( hWnd : HWND; Msg : UINT; wParam : WPARAM; lParam:LPARAM;
lpResultCallBack : TFNSendAsyncProc; dwData : DWORD ) : BOOL
13025: Function wSendMessageTimeout(hWnd:HWND;Msg:UINT;wParam:WPARAM;lParam:LPARAM; fuFlags,uTimeout:UINT;var
lpdwResult:DWORD) : LRESULT
13026: Function wSendNotifyMessage( hWnd : HWND; Msg : UINT; wParam : WPARAM; lParam : LPARAM ) : BOOL
13027: Function wSetClassLong( hWnd : HWND; nIndex : Integer; dwNewLong : Longint ) : DWORD
13028: Function wSetDlgItemText( hDlg : HWND; nIDDlgItem : Integer; lpString : PKOLChar ) : BOOL
13029: //Function wSetMenuItemInfo( p1 : HMENU; p2 : UINT; p3 : BOOL; const p4 : TMenuItemInfo ) : BOOL
13030: Function wSetProp( hWnd : HWND; lpString : PKOLChar; hData : THandle ) : BOOL
13031: // Function wSetUserObjectInformation(hObject:THandle;nIndex:Integer;pvInfo:Pointer;nLength:DWORD):BOOL
13032: Function wSetWindowLong( hWnd : HWND; nIndex : Integer; dwNewLong : Longint ) : Longint
13033: Function wSetWindowText( hWnd : HWND; lpString : PKOLChar ) : BOOL
13034: //Function wSetWindowsHook( nFilterType : Integer; pfnFilterProc : TFNHookProc ) : HHOOK
13035: //Function wSetWindowsHookEx(idHook:Integer;lpfn:TFNHookProc;hmod:HINST;dwThreadId:DWORD):HHOOK;
13036: // Function wSystemParametersInfo( uiAction, uiParam : UINT; pvParam : Pointer; fWinIni: UINT):BOOL
13037: Function wTabbedTextOut(hdc:HDC;x,y:Int;lpString:PKOLChar;nCount,nTabPositions:Int;var
lpnTabStopPositions,nTabOrigin:Int):Longint;
13038: Function wTranslateAccelerator( hWnd : HWND; hAccTable : HACCEL; var lpMsg : TMsg ) : Integer
13039: Function wUnregisterClass( lpClassName : PKOLChar; hInstance : HINST ) : BOOL
13040: Function wVKeyScan( ch : KOLChar ) : SHORT
13041: Function wVKeyScanEx( ch : KOLChar; dwhkl : HKL ) : SHORT
13042: Function wWinHelp( hWndMain : HWND; lpszHelp : PKOLChar; uCommand : UINT; dwData : DWORD ) : BOOL
13043: Function wwsprintf( Output : PKOLChar; Format : PKOLChar ) : Integer
13044: Function wvvsprintf( Output : PKOLChar; Format : PKOLChar; arglist : va_list ) : Integer
13045:
13046: //TestDrive!
13047: 'SID_REVISION','LongInt'(1);'FILENAME_ADVAPI32','String').SetString('ADVAPI32.DLL'
13048: 'PROC_CONVERTSIDTOSTRINGSIDA','String').SetString('ConvertSidToStringSidA'
13049: Function GetDomainUserSids(const domainName:String;const userName:String; var foundDomain:String):String;
13050: Function GetLocalUserSidStr( const UserName : string ) : string
13051: Function getPid4user( const domain : string; const user : string; var pid : dword ) : boolean
13052: Function Impersonate2User( const domain : string; const user : string ) : boolean
13053: Function GetProcessUserBypid( pid : DWORD; var UserName, Domain : AnsiString ) : Boolean
13054: Function KillProcessbyname( const exename : string; var found : integer ) : integer
13055: Function getWinProcessList : TStringList
13056: function WaitTilClose(hWnd: Integer): Integer;
13057: function DoUserMsgs: Boolean;
13058: function MsgFunc(hWnd,Msg,wParam,lParam:Integer):Integer; stdcall;
13059: procedure ShowMsg(hParent: Integer; const Mess, Title: String); //modal but NOT blockable
13060: procedure DeleteMsgForm(Handle: Integer);
13061: procedure DisableForms;
13062: function FoundTopLevel(hWnd, LParam: Integer): BOOL; StdCall;
13063: end;
13064:
13065: procedure SIRegister_AfSafeSync(CL: TPSPascalCompiler);
13066: begin
13067: 'AfMaxSyncSlots','LongInt'( 64 );
13068: 'AfSynchronizeTimeout','LongInt'( 2000 );
13069: TafSyncSlotID', 'DWORD
13070: TafSyncStatistics', 'record MessagesCount:Int;TimeoutMessages:Int;DisabledMessages:Int;end';
13071: TafSafeSyncEvent', 'Procedure ( ID : TafSyncSlotID )
13072: TafSafeDirectSyncEvent', 'Procedure
13073: Function AfNewSyncSlot( const AEvent : TafSafeSyncEvent ) : TafSyncSlotID
13074: Function AfReleaseSyncSlot( const ID : TafSyncSlotID ) : Boolean
13075: Function AfEnableSyncSlot( const ID : TafSyncSlotID; Enable : Boolean ) : Boolean
13076: Function AfValidateSyncSlot( const ID : TafSyncSlotID ) : Boolean
13077: Function AfSyncEvent( const ID : TafSyncSlotID; Timeout : DWORD ) : Boolean
13078: Function AfDirectSyncEvent( Event : TafSafeDirectSyncEvent; Timeout : DWORD ) : Boolean
13079: Function AfIsSyncMethod : Boolean
13080: Function AfSyncWnd : HWnd
13081: Function AfSyncStatistics : TafSyncStatistics
13082: Procedure AfClearSyncStatistics
13083: end;
13084:
13085: procedure SIRegister_AfComPortCore(CL: TPSPascalCompiler);
13086: begin
13087: 'fBinary','LongWord')($00000001);
13088: 'fParity','LongWord')($00000002);
13089: 'fOutxCtsFlow','LongWord').SetUInt($00000004);
13090: 'fOutxDsrFlow','LongWord')($00000008);
13091: 'fDtrControl','LongWord')($00000030);
13092: 'fDtrControlDisable','LongWord')($00000000);
13093: 'fDtrControlEnable','LongWord')($00000010);
13094: 'fDtrControlHandshake','LongWord')($00000020);

```

```

13095: 'fDsrSensitivity', 'LongWord')( $00000040);
13096: 'fTXContinueOnXoff', 'LongWord')( $00000080);
13097: 'fOutX', 'LongWord')( $00000100);
13098: 'fInX', 'LongWord')( $00000200);
13099: 'fErrorChar', 'LongWord')( $00000400);
13100: 'fNull', 'LongWord')( $00000800);
13101: 'fRtsControl', 'LongWord')( $00003000);
13102: 'fRtsControlDisable', 'LongWord')( $00000000);
13103: 'fRtsControlEnable', 'LongWord')( $00001000);
13104: 'fRtsControlHandshake', 'LongWord')( $00002000);
13105: 'fRtsControlToggle', 'LongWord')( $00003000);
13106: 'fAbortOnError', 'LongWord')( $00004000);
13107: 'fDummy2', 'LongWord')( $FFFF8000);
13108: TAfCoreEvent', '( ceOutFree, ceLineEvent, ceNeedReadData, ceException )
13109: FindClass('TOBJECT'), 'EAFCOMPortCoreError
13110: FindClass('TOBJECT'), 'TAfComPortCore
13111: TAfcComPortCoreEvent', 'Procedure ( Sender : TAfcComPortCore; Even'
13112: +'tKind : TAfcCoreEvent; Data : DWORD)
13113: SIRegister_TAfcComPortCoreThread(CL);
13114: SIRegister_TAfcComPortEventThread(CL);
13115: SIRegister_TAfcComPortWriteThread(CL);
13116: SIRegister_TAfcComPortCore(CL);
13117: Function FormatDeviceName( PortNumber : Integer ) : string
13118: end;
13119:
13120: procedure SIRegister_ApplicationFileIO(CL: TPSPascalCompiler);
13121: begin
13122:   TAFOFileStreamEvent', 'Function ( const fileName : String; mode: Word ) : TStream
13123:   TAFOFileStreamExistsEvent', 'Function ( const fileName : String ) : Boolean
13124:   SIRegister_TApplicationFileIO(CL);
13125:   TDataFileCapability', '( dfcRead, dfcWrite )
13126:   TDataFileCapabilities', 'set of TDataFileCapability
13127:   SIRegister_TDatafile(CL);
13128:   //TDataFileClass', 'class of TDataFile
13129:   Function ApplicationFileIODefined : Boolean
13130:   Function CreateFileStream(const fileName: String; mode: WordfmShareDenyNone):TStream
13131:   Function FileStreamExists(const fileName: String) : Boolean
13132:   //Procedure Register
13133: end;
13134:
13135: procedure SIRegister_ALFBXLib(CL: TPSPascalCompiler);
13136: begin
13137:   TALFBXFieldType', '( uftUnknown, uftNumeric, uftChar, uftVarchar'
13138:   +' , uftCstring, uftSmallint, uftInteger, uftQuad, uftFloat, uftDoublePrecisi'
13139:   +' on, uftTimestamp, uftBlob, uftBlobid, uftDate, uftTime, uftInt64, uftArray, uftNull )
13140:   TALFBXScale', 'Integer
13141:   FindClass('TOBJECT'), 'EALFBXConvertError
13142:   SIRegister_EALFBXError(CL);
13143:   SIRegister_EALFBXException(CL);
13144:   FindClass('TOBJECT'), 'EALFBXGFFixError
13145:   FindClass('TOBJECT'), 'EALFBXDSQLError
13146:   FindClass('TOBJECT'), 'EALFBXDynError
13147:   FindClass('TOBJECT'), 'EALFBXBakError
13148:   FindClass('TOBJECT'), 'EALFBXGSecError
13149:   FindClass('TOBJECT'), 'EALFBXLicenseError
13150:   FindClass('TOBJECT'), 'EALFBXStatError
13151:   //EALFBXExceptionClass', 'class of EALFBXError
13152:   TALFBXCharacterSet', '( csNONE, csASCII, csBIG_5, csCYRL, csDOS4'
13153:   +' , csDOS850, csDOS852, csDOS853, csDOS860, csDOS861, csDOS863, csDOS865, '
13154:   +' csEUCL_0208, csGB_2312, csISO8859_1, csISO8859_2, csKSC_5601, csNEXT, csOC'
13155:   +' TETS, csSJIS_0208, csUNICODE_FSS, csUTF8, csWIN1250, csWIN1251, csWIN1252, '
13156:   +' csWIN1253, csWIN1254, csDOS737, csDOS775, csDOS858, csDOS862, csDOS864, c'
13157:   +' SDOS866, csDOS869, csWIN1255, csWIN1256, csWIN1257, csISO8859_3, csISO8859'
13158:   +' _4, csISO8859_5, csISO8859_6, csISO8859_7, csISO8859_8, csISO8859_9, csISO'
13159:   +' 8859_13, csKOI8R, csKOI8U, csWIN1258, csTIS620, csGBK, csCP943C )
13160:   TALFBXTransParam', '( tpConsistency, tpConcurrency, tpShared, tp'
13161:   +' Protected, tpExclusive, tpWait, tpNowait, tpRead, tpWrite, tpLockRead, tpL'
13162:   +' ockWrite, tpVerbTime, tpCommitTime, tpIgnoreLimbo, tpReadCommitted, tpAuto'
13163:   +' Commit, tpRecVersion, tpNoRecVersion, tpRestartRequests, tpNoAutoUndo, tpLockTimeout )
13164:   TALFBXTransParams', 'set of TALFBXTransParam
13165: Function ALFBXStrToCharacterSet( const CharacterSet : AnsiString ) : TALFBXCharacterSet
13166: Function ALFBXCreateDBParams( Params : AnsiString; Delimiter : Char ) : AnsiString
13167: Function ALFBXCreateBlobParams( Params : AnsiString; Delimiter : Char ) : AnsiString
13168: 'CALFBXMaxParamLength', 'LongInt'( 125 );
13169: TALFBXParamsFlag', '( pfNotInitialized, pfNotNullable )
13170: TALFBXParamsFlags', 'set of TALFBXParamsFlag
13171: //PALFBXSQLVar', '^PALFBXSQLVar // will not work
13172: //PALFBXSQLData', '^PALFBXSQLData // will not work
13173: TALFBXStatementType', '( stSelect, stInsert, stUpdate, stDelete, '
13174:   +' stDDL, stGetSegment, stPutSegment, stExecProcedure, stStartTrans, stCommis'
13175:   +' t, stRollback, stSelectForUpdate, stSetGenerator, stSavePoint )
13176: SIRegister_TALFBXSQLDA(CL);
13177: //PALFBXPtrArray', '^PALFBXPtrArray // will not work
13178: SIRegister_TALFBXPoolStream(CL);
13179: //PALFBXBlobData', '^PALFBXBlobData // will not work
13180: TALFBXBlobData', 'record Size : Integer; Buffer : string; end
13181: //PALFBXArrayDesc', 'PALFBXArrayDesc // will not work
13182: //PALFBXArrayDesc', 'TISCArryDesc
13183: //PALFBXBlobDesc', 'TISCBlobDesc

```

```

13184: //PALFBXArrayInfo', '^TALFBXArrayInfo // will not work
13185: //TALFBXArrayInfo', 'record index : Integer; size : integer; info: TALFBXArrayDesc; end
13186: SIRegister_TALFBXSQLResult(CL);
13187: //TALFBXSQLResultClass', 'class of TALFBXSQLResult
13188: SIRegister_TALFBXSQLParams(CL);
13189: //TALFBXSQLParamsClass', 'class of TALFBXSQLParams
13190: TALFBXDSQLInfoData', 'record InfoCode : byte; InfoLen : Word; St'
13191: +'atementType: TALFBXStatementType; end
13192: FindClass('TOBJECT'), 'TALFBXLibrary
13193: //PALFBXStatusVector', '^TALFBXStatusVector // will not work
13194: TALFBXOnConnectionLost', 'Procedure ( Lib : TALFBXLibrary)
13195: //TALFBXOnGetDBExceptionClass', 'Procedure ( Number : Integer; out'
13196: +'Excep : EALFBXExceptionClass)
13197: SIRegister_TALFBXLibrary(CL);
13198: 'cALFBXDateOffset', 'LongInt'( 15018);
13199: 'cALFBXTimeCoef', 'LongInt'( 864000000);
13200: //Procedure ALFBXDecodeTimeStamp( v : PISCTimeStamp; out DateTime : Double);
13201: //Procedure ALFBXDecodeTimeStamp1( v : PISCTimeStamp; out TimeStamp : TTimeStamp);
13202: //Function ALFBXDecodeTimeStamp2( v : PISCTimeStamp) : Double;
13203: Procedure ALFBXDecodeSQLDate( v : Integer; out Year : SmallInt; out Month, Day : Word)
13204: Procedure ALFBXDecodeSQLTime(v:Cardinal;out Hour,Minute,Second:Word; out Fractions: LongWord)
13205: //Procedure ALFBXEncodeTimeStamp( const DateTime : TDateTime; v : PISCTimeStamp);
13206: //Procedure ALFBXEncodeTimeStamp1( const Date : Integer; v : PISCTimeStamp);
13207: //Procedure ALFBXEncodeTimeStamp2( const Time : Cardinal; v : PISCTimeStamp);
13208: Function ALFBXEncodeSQLDate( Year : Integer; Month, Day : Integer) : Integer
13209: Function ALFBXEncodeSQLTime( Hour, Minute, Second : Word; var Fractions : LongWord) : Cardinal
13210: TALFBXParamType', '( prNone, prByte, prShrt, prCard, prStrg, prLigno )
13211: TALFBXDPBInfo', 'record Name : AnsiString; ParamType : TALFBXParamType; end
13212: Function ALFBXSQLQuote( const name : AnsiString ) : AnsiString
13213: Function ALFBXSQLUnQuote( const name : AnsiString ) : AnsiString
13214: end;
13215:
13216: procedure SIRegister_ALFBXClient(CL: TPSPascalCompiler);
13217: begin
13218:   TALFBXClientSQLParam', 'record Value : AnsiString; IsNull : Boolean; end
13219:   TALFBXClientSQLParams', 'array of TALFBXClientSQLParam
13220:   TALFBXClientSelectDataSQL', 'record SQL : AnsiString; Params : T'
13221: +'ALFBXClientSQLParams; RowTag : AnsiString; ViewTag : AnsiString; Skip : in'
13222: +'teger; First : Integer; CacheThreshold : Integer; end
13223:   TALFBXClientSelectDataSQLs', 'array of TALFBXClientSelectDataSQL
13224:   TALFBXClientUpdateDataSQL', 'record SQL : AnsiString; Params: TALFBXClientSQLParams; end
13225:   TALFBXClientUpdateDataSQLs', 'array of TALFBXClientUpdateDataSQL
13226:   TALFBXClientMonitoringIOStats', 'record page_reads : int64; page'
13227: +'_writes : int64; page_fetches : int64; page_marks : int64; end
13228:   SIRegister_TALFBXClient(CL);
13229:   SIRegister_TALFBXConnectionStatementPoolBinTreeNode(CL);
13230:   SIRegister_TALFBXConnectionStatementPoolBinTree(CL);
13231:   SIRegister_TALFBXConnectionWithStmtPoolContainer(CL);
13232:   SIRegister_TALFBXConnectionWithoutStmtPoolContainer(CL);
13233:   SIRegister_TALFBXReadTransactionPoolContainer(CL);
13234:   SIRegister_TALFBXReadStatementPoolContainer(CL);
13235:   SIRegister_TALFBXStringKeyPoolBinTreeNode(CL);
13236:   SIRegister_TALFBXConnectionPoolClient(CL);
13237:   SIRegister_TALFBXEventThread(CL);
13238:   Function AlMySqlClientSlashedStr( const Str : AnsiString ) : AnsiString
13239: end;
13240:
13241: procedure SIRegister_ovcBidi(CL: TPSPascalCompiler);
13242: begin
13243:   _OSVERSIONINFOA = record
13244:     dwOSVersionInfoSize: DWORD;
13245:     dwMajorVersion: DWORD;
13246:     dwMinorVersion: DWORD;
13247:     dwBuildNumber: DWORD;
13248:     dwPlatformId: DWORD;
13249:     szCSDVersion: array[0..127] of AnsiChar; { Maintenance AnsiString for PSS usage }
13250:   end;
13251:   TOSVersionInfoA', '_OSVERSIONINFOA
13252:   TOSVersionInfo', 'TOSVersionInfoA
13253:   'WS_EX_RIGHT', 'LongWord'($00001000);
13254:   'WS_EX_LEFT', 'LongWord'($00000000);
13255:   'WS_EX_RTLREADING', 'LongWord'($00002000);
13256:   'WS_EX_LTRREADING', 'LongWord'($00000000);
13257:   'WS_EX_LEFTSCROLLBAR', 'LongWord'($00004000);
13258:   'WS_EX_RIGHTSCROLLBAR', 'LongWord'($00000000);
13259:   Function SetProcessDefaultLayout( dwDefaultLayout : DWORD ) : BOOL
13260:   'LAYOUTRTL', 'LongWord'($00000001);
13261:   'LAYOUT_BTT', 'LongWord'($00000002);
13262:   'LAYOUT_VBH', 'LongWord'($00000004);
13263:   'LAYOUT_BITMAPORIENTATIONPRESERVED', 'LongWord'($00000008);
13264:   'NOMIRRORBITMAP', 'LongWord'($00000000 );
13265:   Function SetLayout( dc : HDC; dwLayout : DWORD ) : DWORD
13266:   Function GetLayout( dc : hdc ) : DWORD
13267:   Function IsBidi : Boolean
13268:   Function GetCurrentHwProfile( var lpHwProfileInfo : THWProfileInfo ) : BOOL
13269:   Function GetVersionEx( var lpVersionInformation : TOSVersionInfo ) : BOOL
13270:   Function SetPriorityClass( hProcess : THandle; dwPriorityClass: DWORD ) : BOOL
13271:   Function GetPriorityClass( hProcess : THandle ) : DWORD
13272:   Function OpenClipboard( hWndNewOwner : HWND ) : BOOL

```

```

13273: Function CloseClipboard : BOOL
13274: Function GetClipboardSequenceNumber : DWORD
13275: Function GetClipboardOwner : HWND
13276: Function SetClipboardViewer( hWndNewViewer : HWND) : HWND
13277: Function GetClipboardViewer : HWND
13278: Function ChangeClipboardChain( hWndRemove, hWndNewNext : HWND) : BOOL
13279: Function SetClipboardData( uFormat : UINT; hMem : THandle) : THandle
13280: Function GetClipboardData( uFormat : UINT) : THandle
13281: Function RegisterClipboardFormat( lpszFormat : PChar) : UINT
13282: Function CountClipboardFormats : Integer
13283: Function EnumClipboardFormats( format : UINT) : UINT
13284: Function GetClipboardFormatName(format:UINT;lpszFormatName:PChar;cchMaxCount:Integer):Integer
13285: Function EmptyClipboard : BOOL
13286: Function IsClipboardFormatAvailable( format : UINT) : BOOL
13287: Function GetPriorityClipboardFormat( var paFormatPriorityList, cFormats : Integer) : Integer
13288: Function OpenClipboardWindow : HWND
13289: Function EndDialog( hDlg : HWND; nResult : Integer) : BOOL
13290: Function GetDlgItem( hDlg : HWND; nIDDlgItem : Integer) : HWND
13291: Function SetDlgItemInt( hDlg : HWND; nIDDlgItem : Integer; uValue : UINT; bSigned: BOOL): BOOL
13292: Function GetDlgItemInt(hDlg:HWND;nIDDlgItem:Integer;var lpTranslated:BOOL;bSigned: BOOL): UINT
13293: Function SetDlgItemText( hDlg : HWND; nIDDlgItem : Integer; lpString : PChar) : BOOL
13294: Function CheckDlgButton( hDlg : HWND; nIDButton : Integer; uCheck : UINT) : BOOL
13295: Function CheckRadioButton( hDlg : HWND; nIDFirstButton, nIDLastButton,nIDCheckButton:Integer) : BOOL
13296: Function IsDlgButtonChecked( hDlg : HWND; nIDButton : Integer) : UINT
13297: Function SendDlgItemMessage(hDlg:HWND;nIDDlgItem:Int;Msg:UINT;wParam:WPARAM;lParam:LPARAM):Longint;
13298: end;
13299:
13300: procedure SIRегистre_DXPUtils(CL: TPSPascalCompiler);
13301: begin
13302:   Function glExecuteAndWait( cmdLine:String; visibility:Word; timeout:Cardinal; killAppOnTimeOut:Bool) : Int;
13303:   Function GetTemporaryFilesPath : String
13304:   Function GetTemporaryFileName : String
13305:   Function FindFileInPaths( const fileName, paths : String) : String
13306:   Function PathsToString( const paths : TStrings) : String
13307:   Procedure StringToPaths( const pathsString : String; paths : TStrings)
13308:   //Function MacroExpandPath( const aPath : String) : String
13309: end;
13310:
13311: procedure SIRегистre_ALMultiPartBaseParser(CL: TPSPascalCompiler);
13312: begin
13313:   SIRегистre_TALMultiPartBaseContent(CL);
13314:   SIRегистre_TALMultiPartBaseContents(CL);
13315:   SIRегистre_TALMultiPartBaseStream(CL);
13316:   SIRегистre_TALMultiPartBaseEncoder(CL);
13317:   SIRегистre_TALMultiPartBaseDecoder(CL);
13318:   Function ALMultipartExtractBoundaryFromContentType( aContentType : AnsiString) : AnsiString
13319:   Function ALMultipartExtractSubValueFromHeaderLine(aHeaderLine:AnsiString;aName:AnsiString):AnsiString;
13320:   Function ALMultipartSetSubValueInHeaderLine(aHeaderLine:AnsiString;aName,AValue:AnsiString):AnsiString;
13321: end;
13322:
13323: procedure SIRегистre_SmallUtils(CL: TPSPascalCompiler);
13324: begin
13325:   TdriveSize', 'record FreeS : Int64; TotalS : Int64; end
13326:   TWinVerRec', 'record WinPlatform : Integer; WinMajorVersion : In
13327:   +teger; WinMinorVersion : Integer; WinBuildNumber : Integer; WinCSDVersion: String; end
13328:   Function aAllocPadedMem( Size : Cardinal) : TObject
13329:   Procedure aFreePadedMem( var P : TObject);
13330:   Procedure aFreePadedMem1( var P : PChar);
13331:   Function aCheckPadedMem( P : Pointer) : Byte
13332:   Function aGetPadMemSize( P : Pointer) : Cardinal
13333:   Function aAllocMem( Size : Cardinal) : Pointer
13334:   Function aStrLen( const Str : PChar) : Cardinal
13335:   Function aStrLCopy( Dest : PChar; const Source : PChar; MaxLen : Cardinal) : PChar
13336:   Function aStrECopy( Dest : PChar; const Source : PChar) : PChar
13337:   Function aStrCopy( Dest : PChar; const Source : PChar) : PChar
13338:   Function aStrEnd( const Str : PChar) : PChar
13339:   Function aStrScan( const Str : PChar; aChr : Char) : PChar
13340:   Function aStrMove( Dest : PChar; const Source : PChar; Count : Cardinal) : PChar
13341:   Function aPCharLength( const Str : PChar) : Cardinal
13342:   Function aPCharUpper( Str : PChar) : PChar
13343:   Function aPCharLower( Str : PChar) : PChar
13344:   Function aStrCat( Dest : PChar; const Source : PChar) : PChar
13345:   Function aLastDelimiter( const Delimiters, S : String) : Integer
13346:   Function aCopyTail( const S : String; Len : Integer) : String
13347:   Function aInt2Thos( I : Int64) : String
13348:   Function aUpperCase( const S : String) : String
13349:   Function aLowerCase( const S : string) : String
13350:   Function aCompareText( const S1, S2 : string) : Integer
13351:   Function aSameText( const S1, S2 : string) : Boolean
13352:   Function aInt2Str( Value : Int64) : String
13353:   Function aStr2Int( const Value : String) : Int64
13354:   Function aStr2IntDef( const S : string; Default : Int64) : Int64
13355:   Function aGetFileExt( const FileName : String) : String
13356:   Function aGetFilePath( const FileName : String) : String
13357:   Function aGetFileName( const FileName : String) : String
13358:   Function aChangeExt( const FileName, Extension : String) : String
13359:   Function aAdjustLineBreaks( const S : string) : string
13360:   Function aGetWindowStr( WinHandle : HWND) : String
13361:   Function aDiskSpace( Drive : String) : TdriveSize

```

```

13362: Function aFileExists( FileName : String ) : Boolean
13363: Function aFileSize( FileName : String ) : Int64
13364: Function aDirectoryExists( const Name : string ) : Boolean
13365: Function aSysErrorMessage( ErrorCode : Integer ) : string
13366: Function aShortPathName( const LongName : string ) : string
13367: Function aGetWindowVer : TWinVerRec
13368: procedure InitDriveSpacePtr;
13369: end;
13370:
13371: procedure SIRегистер_MakeApp(CL: TPPascalCompiler);
13372: begin
13373:   aZero', 'LongInt'( 0 );
13374:   'makeappDEF', 'LongInt'( - 1 );
13375:   'CS_VREDRAW', 'LongInt'( DWORD( 1 ) );
13376:   'CS_HREDRAW', 'LongInt'( DWORD( 2 ) );
13377:   'CS_KEYCVTWINDOW', 'LongInt'( 4 );
13378:   'CS_DBLCLKS', 'LongInt'( 8 );
13379:   'CS_OWNDC', 'LongWord')( $20 );
13380:   'CS_CLASSDC', 'LongWord')( $40 );
13381:   'CS_PARENTDC', 'LongWord')( $80 );
13382:   'CS_NOKEYCWT', 'LongWord')( $100 );
13383:   'CS_NOCLOSE', 'LongWord')( $200 );
13384:   'CS_SAVEBITS', 'LongWord')( $800 );
13385:   'CS_BYTEALIGNCLIENT', 'LongWord')( $1000 );
13386:   'CS_BYTEALIGNWINDOW', 'LongWord')( $2000 );
13387:   'CS_GLOBALCLASS', 'LongWord')( $4000 );
13388:   'CS_IME', 'LongWord')( $10000 );
13389:   'CS_DROPSHADOW', 'LongWord')( $20000 );
13390:   //TPanelFunc', 'TPanelFunc // will not work
13391:   TPanelStyle', '(psEdge, psTabEdge, psBorder, psTabBorder, psTab, psNone )
13392:   TFontLook', '( flBold, flItalic, flUnderLine, flStrikeOut )
13393:   TFontLooks', 'set of TFontLook
13394:   TMessagefunc', 'function(hWnd,iMsg,wParam,lParam:Integer):Integer
13395:   Function SetWinClass(const ClassName:String; pMessFunc: Tmessagefunc; wcStyle : Integer): Word
13396:   Function SetWinClass0( const ClassName : String; pMessFunc : TObject; wcStyle : Integer): Word
13397:   Function SetWinClass( const ClassName : String; pMessFunc : TObject; wcStyle : Integer ) : Word
13398:   Function MakeForm(Left,Top,Width,Height:Integer;const Caption:String;WinStyle:Integer):Integer
13399:   Procedure RunMsgLoop( Show : Boolean )
13400:   Function MakeFont(Height,Width:Integer; const FontName:String; Look:TFontLooks; Roman:Boolean): Integer
13401:   Function MakeButton(Left,Top,Width,Height:Integer;pCaption:PChar;hParent,
ID_Number:Cardinal;hFont:Int):Int;
13402:   Function MakeListBox(Left,Top,Width,Height,Parent:Integer;const ListItems:String;WinStyle:Integer):Integer
13403:   Function MakeComboBox(Left,Top,Width,Height,Parent:Integer;const ListItems:String;WinStyle:Integer):Int
13404:   Function MakePanel(Left,Top,Width,Height,
hParent:Int;WndFunc:TPanelFunc;ID_Number:Card;Style:TPanelStyle):Int;
13405:   Function MakeSubMenu(const ItemList : String; ID1, ID2 : Cardinal; hMenu : Integer) : Integer
13406:   Function id4menu( a, b : Byte; c : Byte; d : Byte ) : Cardinal
13407:   Procedure DoInitMakeApp //set first to init formclasscontrol!
13408: end;
13409:
13410: procedure SIRегистер_ScreenSaver(CL: TPPascalCompiler);
13411: begin
13412:   TScreenSaverOption', '( ssoAutoAdjustFormProperties, ssoAutoHook'
13413:     + 'KeyboardEvents, ssoAutoHookMouseEvents, ssoEnhancedMouseMoveDetection )
13414:   TScreenSaverOptions', 'set of TScreenSaverOption
13415:   'cDefaultScreenSaverOptions', 'LongInt').Value.ts32:=ord(ssoAutoAdjustFormProperties) or
ord(ssoAutoHookKeyboardEvents) or ord(ssoEnhancedMouseMoveDetection);
13416:   TScreenSaverPreviewEvent', 'Procedure ( Sender : TObject; previewHwnd: HWND )
13417:   SIRегистер_TScreenSaver(CL);
13418:   //Procedure Register
13419:   Procedure SetScreenSaverPassword
13420: end;
13421:
13422: procedure SIRегистер_XCollection(CL: TPPascalCompiler);
13423: begin
13424:   FindClass('TOBJECT'), 'TXCollection
13425:   SIRегистер_EFilerException(CL);
13426:   SIRегистер_TXCollectionItem(CL);
13427:   //TXCollectionItemClass', 'class of TXCollectionItem
13428:   SIRегистер_TXCollection(CL);
13429:   Procedure RegisterXCollectionDestroyEvent( notifyEvent : TNotifyEvent )
13430:   Procedure DeRegisterXCollectionDestroyEvent( notifyEvent : TNotifyEvent )
13431:   Procedure RegisterXCollectionItemClass( aClass : TXCollectionItemClass )
13432:   Procedure UnregisterXCollectionItemClass( aClass : TXCollectionItemClass )
13433:   Function FindXCollectionItemClass( const className : String ) : TXCollectionItemClass
13434:   Function GetXCollectionItemClassesList( baseClass : TXCollectionItemClass ) : TList
13435: end;
13436:
13437: procedure SIRегистер_XOpenGL(CL: TPPascalCompiler);
13438: begin
13439:   TMapTexCoordMode', '(mtcmUndefined, mtcmNull, mtcmMain, mtcmDual, mtcmSecond, mtcmArbitrary);
13440:   Procedure xglMapTexCoordToNull
13441:   Procedure xglMapTexCoordToMain
13442:   Procedure xglMapTexCoordToSecond
13443:   Procedure xglMapTexCoordToDual
13444:   Procedure xglMapTexCoordToArbitrary( const units : array of Cardinal );
13445:   Procedure xglMapTexCoordToArbitrary1( const bitWiseUnits : Cardinal );
13446:   Procedure xglMapTexCoordToArbitraryAdd( const bitWiseUnits : Cardinal )
13447:   Procedure xglBeginUpdate

```

```

13448: Procedure xglEndUpdate
13449: Procedure xglPushState
13450: Procedure xglPopState
13451: Procedure xglForbidSecondTextureUnit
13452: Procedure xglAllowSecondTextureUnit
13453: Function xglGetBitWiseMapping : Cardinal
13454: end;
13455:
13456: procedure SIRegister_VectorLists(CL: TPSPPascalCompiler);
13457: begin
13458:   TBaseListOption', '( bloExternalMemory, bloSetCountResetsMemory)
13459:   TBaseListOptions', 'set of TBaseListOption
13460:   SIRegister_TBaseList(CL);
13461:   SIRegister_TBaseVectorList(CL);
13462:   SIRegister_TAffineVectorList(CL);
13463:   SIRegister_TVectorList(CL);
13464:   SIRegister_TTexPointList(CL);
13465:   SIRegister_TXIntegerList(CL);
13466:   //PSingleArrayList', '^TSingleArrayList // will not work
13467:   SIRegister_TSingleList(CL);
13468:   SIRegister_TByteList(CL);
13469:   SIRegister_TQuaternionList(CL);
13470:   Procedure QuickSortLists( startIndex, endIndex : Integer; refList : TSingleList; objList : TList );
13471:   Procedure QuickSortList1( startIndex, endIndex : Integer; refList : TSingleList; objList : TBaseList );
13472:   Procedure FastQuickSortLists(startIndex,
endIndex:Integer;refList:TSingleList;objList:TPersistentObjectList);
13473: end;
13474:
13475: procedure SIRegister_MeshUtils(CL: TPSPPascalCompiler);
13476: begin
13477:   Procedure ConvertStripToList( const strip : TAffineVectorList; list : TAffineVectorList );
13478:   Procedure ConvertStripToList1( const strip : TIntegerList; list : TIntegerList );
13479:   Procedure ConvertStripToList2(const strip:TAffineVectorList;const
indices:TIntegerList;list:TAffineVectorList);
13480:   Procedure ConvertIndexedListToList( const data:TAffineVectlist;const
indices:TIntegerList;list:TAffineVectorList );
13481:   Function BuildVectorCountOptimizedIndices( const vertices:TAffineVectorList; const
normals:TAffineVectorList; const texCoords : TAffineVectorList ) : TIntegerList
13482:   Procedure RemapReferences( reference : TAffineVectorList; const indices : TIntegerList );
13483:   Procedure RemapReferences1( reference : TIntegerList; const indices : TIntegerList );
13484:   Procedure RemapAndCleanupReferences( reference : TAffineVectorList; indices : TIntegerList )
13485:   Function RemapIndicesToIndicesMap( remapIndices : TIntegerList ) : TIntegerList
13486:   Procedure RemapTrianglesIndices( indices, indicesMap : TIntegerList )
13487:   Procedure RemapIndices( indices, indicesMap : TIntegerList )
13488:   Procedure UnifyTrianglesWinding( indices : TIntegerList )
13489:   Procedure InvertTrianglesWinding( indices : TIntegerList )
13490:   Function BuildNormals( reference : TAffineVectorList; indices : TIntegerList ) : TAffineVectorList
13491:   Function BuildNonOrientedEdgesList(triangleIndices:TIntegerList; triangleEdges : TIntegerList;
edgesTriangles : TIntegerList ) : TIntegerList
13492:   Procedure WeldVertices( vertices : TAffineVectorList; indicesMap : TIntegerList; weldRadius : Single )
13493:   Function StripifyMesh(indices:TIntegerList;maxVertexIndex:Integer;agglomerateLoneTriangles:Boolean);
TPersistentObjectList;
13494:   Procedure IncreaseCoherency( indices : TIntegerList; cacheSize : Integer )
13495:   Procedure SubdivideTriangles( smoothFactor : Single; vertices : TAffineVectorList; triangleIndices : TIntegerList;
normals : TAffineVectorList; onSubdivideEdge : TSubdivideEdgeEvent )
13496: end;
13497:
13498: procedure SIRegister_JclSysUtils(CL: TPSPPascalCompiler);
13499: begin
13500:   Procedure GetAndFillMem( var P : TObject; const Size : Integer; const Value : Byte )
13501:   Procedure FreeMemAndNil( var P : TObject )
13502:   Function PCharOrNil( const S : string ) : PChar
13503:   SIRegister_TJclReferenceMemoryStream(CL);
13504:   FindClass('TOBJECT'), 'EJclVMTError
13505:   {Function GetVirtualMethodCount( AClass : TClass ) : Integer
13506:   Function GetVirtualMethod( AClass : TClass; const Index : Integer ) : Pointer
13507:   Procedure SetVirtualMethod( AClass : TClass; const Index : Integer; const Method:Pointer )
13508:   PDynamicIndexList', '^TDynamicIndexList // will not work
13509:   PDynamicAddressList', '^TDynamicAddressList // will not work
13510:   Function GetDynamicMethodCount( AClass : TClass ) : Integer
13511:   Function GetDynamicIndexList( AClass : TClass ) : PDynamicIndexList
13512:   Function GetDynamicAddressList( AClass : TClass ) : PDynamicAddressList
13513:   Function HasDynamicMethod( AClass : TClass; Index : Integer ) : Boolean
13514:   Function GetDynamicMethod( AClass : TClass; Index : Integer ) : Pointer
13515:   Function GetInitTable( AClass : TClass ) : PTypeInfo
13516:   PFieldEntry', '^TFieldEntry // will not work
13517:   TFieldEntry', 'record OffSet : Integer; IDX : Word; Name : ShortString; end
13518:   Function JIsClass( Address : Pointer ) : Boolean
13519:   Function JIsObject( Address : Pointer ) : Boolean
13520:   Function GetImplementorOfInterface( const I : IInterface ) : TObject
13521:   TDigitCount', 'Integer
13522:   SIRegister_TJclNumericFormat(CL);
13523:   Function JIntToStrZeroPad( Value, Count : Integer ) : AnsiString
13524:   TTextHandler', 'Procedure ( const Text : string )
13525:   // 'ABORT_EXIT_CODE', 'LongInt'( ERROR_CANCELLED 1223 );
13526:   Function JExecute(const
CommandLine:string;OutputLineCallback:TTextHandler;RawOutputt:Bool;AbortPtr:PBool):Card;
13527:   Function JExecute1(const CommandLine:string;var Output:string; RawOutput:Bool; AbortPtr:PBool):Cardinal;
13528:   Function ReadKey : Char    //to and from the DOS console !

```

```

13529: TModuleHandle', 'HINST
13530: //TModuleHandle', 'Pointer
13531: 'INVALID_MODULEHANDLE_VALUE','LongInt'( TModuleHandle ( 0 ) );
13532: Function LoadModule( var Module : TModuleHandle; FileName : string ) : Boolean
13533: Function LoadModuleEx( var Module : TModuleHandle; FileName : string; Flags : Cardinal ) : Boolean
13534: Procedure UnloadModule( var Module : TModuleHandle )
13535: Function GetModuleSymbol( Module : TModuleHandle; SymbolName : string ) : Pointer
13536: Function GetModuleSymbolEx( Module : TModuleHandle; SymbolName : string; var Accu : Boolean ) : Pointer
13537: Function ReadModuleData(Module:TModuleHandle;SymbolName:string;var Buffer,Size:Cardinal):Boolean;
13538: Function WriteModuleData(Module:TModuleHandle;SymbolName:string;var Buffer,Size:Cardinal):Boolean;
13539: FindClass('TOBJECT'),'EJclConversionError
13540: Function JStrToBoolean( const S : string ) : Boolean
13541: Function JBooleanToStr( B : Boolean ) : string
13542: Function JIntToBool( I : Integer ) : Boolean
13543: Function JBoolToInt( B : Boolean ) : Integer
13544: 'ListSeparator','String '
13545: 'ListSeparator1','String '
13546: Procedure ListAddItems( var List : string; const Separator, Items : string )
13547: Procedure ListIncludeItems( var List : string; const Separator, Items : string )
13548: Procedure ListRemoveItems( var List : string; const Separator, Items : string )
13549: Procedure ListDelItem( var List : string; const Separator : string; const Index : Integer )
13550: Function ListItemCount( const List, Separator : string; const Index : Integer )
13551: Function ListGetItem( const List, Separator : string; const Index : Integer ) : string
13552: Procedure ListSetItem(var List:string;const Separator:string;const Index:Integer;const Value:string)
13553: Function ListItemIndex( const List, Separator, Item : string ) : Integer
13554: Function SystemTOBJECTInstance : LongWord
13555: Function IsCompiledWithPackages : Boolean
13556: Function JJclGUIDToString( const GUID : TGUID ) : string
13557: Function JJclStringToGUID( const S : string ) : TGUID
13558: SIRegister_TJclIntfCriticalSection(CL);
13559: SIRegister_TJclSimpleLog(CL);
13560: Procedure InitSimpleLog( const ALogFileFileName : string )
13561: end;
13562:
13563: procedure SIRegister_JclBorlandTools(CL: TPSPascalCompiler);
13564: begin
13565:   FindClass ('TOBJECT'),'EJclBorRADException
13566:   TJclBorRADToolKind', '( brDelphi, brCppBuilder, brBorlandDevStudio )'
13567:   TJclBorRADToolEdition', '( deOPEN, dePRO, deSVR )'
13568:   TJclBorRADToolEdition ', '( deSTD, dePRO, deCSS, deARC )'
13569:   TJclBorRADToolPath', 'string
13570: 'SupportedDelphiVersions','LongInt'( 5 or 6 or 7 or 8 or 9 or 10 or 11);
13571: 'SupportedBCBVersions','LongInt'( 5 or 6 or 10 or 11);
13572: 'SupportedBDSVersions','LongInt'( 1 or 2 or 3 or 4 or 5);
13573: BorRADToolRepositoryPagesSection','String 'Repository Pages
13574: BorRADToolRepositoryDialogsPage','String 'Dialogs
13575: BorRADToolRepositoryFormsPage','String 'Forms
13576: BorRADToolRepositoryProjectsPage','String 'Projects
13577: BorRADToolRepositoryDataModulesPage','String 'Data Modules
13578: BorRADToolRepositoryObjectType','String 'Type
13579: BorRADToolRepositoryFormTemplate','String 'FormTemplate
13580: BorRADToolRepositoryProjectTemplate','String 'ProjectTemplate
13581: BorRADToolRepositoryObjectName','String 'Name
13582: BorRADToolRepositoryObjectPage','String 'Page
13583: BorRADToolRepositoryObjectIcon','String 'Icon
13584: BorRADToolRepositoryObjectDescr','String 'Description
13585: BorRADToolRepositoryObjectAuthor','String 'Author
13586: BorRADToolRepositoryObjectAncestor','String 'Ancestor
13587: BorRADToolRepositoryObjectDesigner','String 'Designer
13588: BorRADToolRepositoryDesignerDfm','String 'dfm
13589: BorRADToolRepositoryDesignerXfm','String 'xmf
13590: BorRADToolRepositoryObjectNewForm','String 'DefaultNewForm
13591: BorRADToolRepositoryObjectMainForm','String 'DefaultMainForm
13592: SourceExtensionDelphiPackage','String '.dpk
13593: SourceExtensionBCBPackage','String '.bpk
13594: SourceExtensionDelphiProject','String '.dpr
13595: SourceExtensionBCBProject','String '.bpr
13596: SourceExtensionBDSProject','String '.bdsproj
13597: SourceExtensionDProject','String '.dproj
13598: BinaryExtensionPackage','String '.bpl
13599: BinaryExtensionLibrary','String '.dll
13600: BinaryExtensionExecutable','String '.exe
13601: CompilerExtensionDCP','String '.dcp
13602: CompilerExtensionBPI','String '.bpi
13603: CompilerExtensionLIB','String '.lib
13604: CompilerExtensionTDS','String '.tds
13605: CompilerExtensionMAP','String '.map
13606: CompilerExtensionDRC','String '.drc
13607: CompilerExtensionDEF','String '.def
13608: SourceExtensionCPP','String '.cpp
13609: SourceExtensionH','String '.h
13610: SourceExtensionPAS','String '.pas
13611: SourceExtensionDFM','String '.dfm
13612: SourceExtensionXFM','String '.xfm
13613: SourceDescriptionPAS','String 'Pascal source file
13614: SourceDescriptionCPP','String 'C++ source file
13615: DesignerVCL','String 'VCL
13616: DesignerCLX','String 'CLX
13617: ProjectTypePackage','String 'package

```

```

13618: ProjectTypeLibrary', 'String 'library
13619: ProjectTypeProgram', 'String 'program
13620: Personality32Bit', 'String '32 bit
13621: Personality64bit', 'String '64 bit
13622: PersonalityDelphi', 'String 'Delphi
13623: PersonalityDelphiDotNet', 'String 'Delphi.net
13624: PersonalityBCB', 'String 'C++Builder
13625: PersonalityCSB', 'String 'C#Builder
13626: PersonalityVB', 'String 'Visual Basic
13627: PersonalityDesign', 'String 'Design
13628: PersonalityUnknown', 'String 'Unknown personality
13629: PersonalityBDS', 'String 'Borland Developer Studio
13630: DOFDirectoriesSection', 'String 'Directories
13631: DOFUnitOutputDirKey', 'String 'UnitOutputDir
13632: DOFSearchPathName', 'String 'SearchPath
13633: DOFConditionals', 'String 'Conditionals
13634: DOFLinkerSection', 'String 'Linker
13635: DOFPackagesKey', 'String 'Packages
13636: DOFCompilerSection', 'String 'Compiler
13637: DOFPackageNoLinkKey', 'String 'PackageNoLink
13638: DOFAdditionalSection', 'String 'Additional
13639: DOFOptionsKey', 'String 'Options
13640: TJclBorPersonality', '( bpDelphi32, bpDelphi64, bpBCBuilder32, b'
13641: +'pBCBuilder64, bpDelphiNet32, bpDelphiNet64, bpCSBuilder32, bpCSBuilder64, '
13642: +'bpVisualBasic32, bpVisualBasic64, bpDesign, bpUnknown )
13643: TJclBorPersonalities', 'set of TJclBorPersonality
13644: TJclBorDesigner', '( bdVCL, bdCLX )
13645: TJclBorDesigners', 'set of TJclBorDesigner
13646: TJclBorPlatform', '( bp32bit, bp64bit )
13647: FindClass('TOBJECT'), 'TJclBorRADToolInstallation
13648: SIRegister_TJclBorRADToolInstallationObject(CL);
13649: SIRegister_TJclBorLandOpenHelp(CL);
13650: TJclHelp2Object', '( hoRegisterSession, hoRegister, hoPlugin )
13651: TJclHelp2Objects', 'set of TJclHelp2Object
13652: SIRegister_TJclHelp2Manager(CL);
13653: SIRegister_TJclBorRADToolIDETool(CL);
13654: SIRegister_TJclBorRADToolIDEPackages(CL);
13655: SIRegister_IJclCommandLineTool(CL);
13656: FindClass('TOBJECT'), 'EJclCommandLineToolError
13657: SIRegister_TJclCommandLineTool(CL);
13658: SIRegister_TJclBorlandCommandLineTool(CL);
13659: SIRegister_TJclBCC32(CL);
13660: SIRegister_TJclDCC32(CL);
13661: TJclDCC', 'TJclDCC32
13662: SIRegister_TJclBpr2Mak(CL);
13663: SIRegister_TJclBorlandMake(CL);
13664: SIRegister_TJclBorRADToolPalette(CL);
13665: SIRegister_TJclBorRADToolRepository(CL);
13666: TCommandLineTool', '( clAsm, clBcc32, clDcc32, clDccIL, clMake, clProj2Mak )
13667: TCommandLineTools', 'set of TCommandLineTool
13668: //TJclBorRADToolInstallationClass', 'class of TJclBorRADToolInstallation
13669: SIRegister_TJclBorRADToolInstallation(CL);
13670: SIRegister_TJclBCCInstallation(CL);
13671: SIRegister_TJclDelphiInstallation(CL);
13672: SIRegister_TJclDCCIL(CL);
13673: SIRegister_TJclBDSInstallation(CL);
13674: TTraverseMethod', 'Function ( Installation : TJclBorRADToolInstallation ) : Boolean
13675: SIRegister_TJclBorRADToolInstallations(CL);
13676: Function BPLFileName( const BPLPath, PackageFileName : string ) : string
13677: Function BinaryFileName( const OutputPath, ProjectFileName : string ) : string
13678: Function IsDelphiPackage( const FileName : string ) : Boolean
13679: Function IsDelphiProject( const FileName : string ) : Boolean
13680: Function IsBCBPackage( const FileName : string ) : Boolean
13681: Function IsBCBProject( const FileName : string ) : Boolean
13682: Procedure GetDPRFileInfo(const DPRFileName:string;out BinaryExtensio:string;const LibSuffix:PString);
13683: Procedure GetBPRFileInfo(const BPRFileName:string;out BinaryFileName:string;const Descript:PString);
13684: Procedure GetDPKFileInfo(const DPKFileName:string;out RunOnly:Bool;const LibSuffix:PString;const
Descript:PString;
13685: Procedure GetBPKFileInfo(const BPKFileName:string;out RunOnly:Bool;const BinaryFName:PString;const
Descript:PString
13686: function SamePath(const Path1, Path2: string): Boolean;
13687: end;
13688:
13689: procedure SIRegister_JclFileUtils_max(CL: TPSPascalCompiler);
13690: begin
13691:   'ERROR_NO_MORE_FILES', LongInt( 18 );
13692:   //Function stat64( FileName: PChar;var StatBuffer : TStatBuf64 ) : Integer
13693:   //Function fstat64( FileDes: Integer;var StatBuffer : TStatBuf64 ) : Integer
13694:   //Function lstat64( FileName: PChar;var StatBuffer : TStatBuf64 ) : Integer
13695:   'LPathSeparator','String '/'
13696:   'LDirDelimiter','String '
13697:   'LDirSeparator','String '
13698:   'JXPathDevicePrefix','String '\\.\\
13699:   'JXPathSeparator','String \
13700:   'JXDirDelimiter','String \
13701:   'JXDirSeparator','String ';
13702:   'JXPathUncPrefix','String \
13703:   'faNormalFile', 'LongWord')($00000080);
13704:   //faUnixSpecific',' faSymLink);

```

```

13705: JXTCompactPath', '( cpCenter, cpEnd )
13706:   _WIN32_FILE_ATTRIBUTE_DATA', 'record dwFileAttributes : DWORD; f'
13707:   +'tCreationTime : TFileTime; ftLastAccessTime : TFileTime; ftLastWriteTime :'
13708:   +' TFileTime; nFileSizeHigh : DWORD; nFileSizeLow : DWORD; end
13709: TWIn32FileAttributeData', '_WIN32_FILE_ATTRIBUTE_DATA
13710: WIN32_FILE_ATTRIBUTE_DATA', '_WIN32_FILE_ATTRIBUTE_DATA
13711:
13712: Function jxPathAddSeparator( const Path : string ) : string
13713: Function jxPathAddExtension( const Path, Extension : string ) : string
13714: Function jxPathAppend( const Path, Append : string ) : string
13715: Function jxPathBuildRoot( const Drive : Byte ) : string
13716: Function jxPathCanonicalize( const Path : string ) : string
13717: Function jxPathCommonPrefix( const Path1, Path2 : string ) : Integer
13718: Function jxPathCompactPath( const DC:HDC;const Path:string;const Width:Integer;CmpFmt:TCompactPath):string
13719: Procedure jxPathExtractElements( const Source : string; var Drive, Path, FileName, Ext : string )
13720: Function jxPathExtractFileDirFixed( const S : string ) : string
13721: Function jxPathExtractFileNameNoExt( const Path : string ) : string
13722: Function jxPathExtractPathDepth( const Path : string; Depth : Integer ) : string
13723: Function jxPathGetDepth( const Path : string ) : Integer
13724: Function jxPathGetLongName( const Path : string ) : string
13725: Function jxPathGetShortName( const Path : string ) : string
13726: Function jxPathGetLongName( const Path : string ) : string
13727: Function jxPathGetShortName( const Path : string ) : string
13728: Function jxPathGetRelativePath( Origin, Destination : string ) : string
13729: Function jxPathGetTempPath : string
13730: Function jxPathIsAbsolute( const Path : string ) : Boolean
13731: Function jxPathIsChild( const Path, Base : string ) : Boolean
13732: Function jxPathIsDiskDevice( const Path : string ) : Boolean
13733: Function jxPathIsUNC( const Path : string ) : Boolean
13734: Function jxPathRemoveSeparator( const Path : string ) : string
13735: Function jxPathRemoveExtension( const Path : string ) : string
13736: Function jxPathGetPhysicalPath( const LocalizedPath : string ) : string
13737: Function jxPathGetLocalizedPath( const PhysicalPath : string ) : string
13738: JxTFileListOption', '( flFullNames, flRecursive, flMaskedSubfolders )
13739: JxTFileListOptions', 'set of TFileListOption
13740: JxTJclAttributeMatch', '( amAny, amExact, amSubSetOf, amSuperSetOf, amCustom )
13741: TFileHandler', 'Procedure ( const FileName : string )
13742: TFileHandlerEx', 'Procedure ( const Directory : string; const FileInfo : TSearchRec )
13743: Function BuildFileList( const Path : string; const Attr : Integer; const List : TStrings ) : Boolean
13744: //Function AdvBuildFileList( const Path : string; const Attr : Integer; const Files : TStrings; const
AttributeMatch:TJclAttributeMatch;const Optis:TFileListOptions;const SubfoldersMask:string;const
FileMatchFunc:TFileMatchFunc):Bool;
13745: Function jxVerifyFileAttributeMask( var RejectedAttributes, RequiredAttributes : Int ) : Boolean
13746: Function jxIsFileAttributeMatch(FileAttributes,RejectedAttributes,RequiredAttributes:Int):Boolean;
13747: Function jxFileAttributesStr( const FileInfo : TSearchRec ) : string
13748: Function jxIsFileNameMatch(FileName:string;const Mask:string;const CaseSensitive:Boolean):Boolean;
13749: Procedure jxEnumFiles(const Path:string; HandleFile:TFileHandlerEx;
RejectedAttributes:Integer;RequiredAttributes : Integer; Abort : TObject)
13750: Procedure jxEnumDirectories(const Root:string;const HandleDirectory:TFileHandler;const
IncludeHiddenDirects:Boolean;const SubDirectoriesMask:string;Abort:TObject;ResolveSymLinks:Bool)
13751: Procedure jxCreatEmptyFile( const FileName : string )
13752: Function jxCloseVolume( var Volume : THandle ) : Boolean
13753: Function jxDelteDirectory( const DirectoryName : string; MoveToRecycleBin : Boolean ) : Boolean
13754: Function jxCopyDirectory( ExistingDirectoryName, NewDirectoryName : string ) : Boolean
13755: Function jxMoveDirectory( ExistingDirectoryName, NewDirectoryName : string ) : Boolean
13756: Function jxDelTree( const Path : string ) : Boolean
13757: //Function DelTreeEx(const Path:string;AbortOnFailure:Boolean; Progress:TDelTreeProgress):Boolean
13758: Function jxDiskInDrive( Drive : Char ) : Boolean
13759: Function jxDirectoryExists( const Name : string; ResolveSymLinks : Boolean ) : Boolean
13760: Function jxFileCreateTemp( var Prefix : string ) : THandle
13761: Function jxFfileBackup( const FileName : string; Move : Boolean ) : Boolean
13762: Function jxFfileCopy( const ExistingFileName, NewFileName : string; ReplaceExisting : Boolean ) : Boolean
13763: Function jxFfileDelete( const FileName : string; MoveToRecycleBin : Boolean ) : Boolean
13764: Function jxFfileExists( const FileName : string ) : Boolean
13765: Function jxFfileMove( const ExistingFileName, NewFileName : string; ReplaceExisting : Boolean ) : Boolean
13766: Function jxFfileRestore( const FileName : string ) : Boolean
13767: Function jxGetBackupFileName( const FileName : string ) : string
13768: Function jxIsBackupFileName( const FileName : string ) : Boolean
13769: Function jxFfileGetDisplayName( const FileName : string ) : string
13770: Function jxFfileGetGroupName( const FileName : string; ResolveSymLinks : Boolean ) : string
13771: Function jxFfileGetOwnerName( const FileName : string; ResolveSymLinks : Boolean ) : string
13772: Function jxFfileGetSize( const FileName : string ) : Int64
13773: Function jxFfileGetTempName( const Prefix : string ) : string
13774: Function jxFfileGetType( const FileName : string ) : string
13775: Function jxFfindUnusedFileName(FileName:string; const FileExt : string; NumberPrefix : string ) : string
13776: Function jxFforceDirectories( Name : string ) : Boolean
13777: Function jxFgetDirectorySize( const Path : string ) : Int64
13778: Function jxFgetDriveTypeStr( const Drive : Char ) : string
13779: Function jxFgetFileAgeCoherence( const FileName : string ) : Boolean
13780: Procedure jxFgetFileAttributeList( const Items : TStrings; const Attr : Integer )
13781: Procedure jxFgetFileAttributeListEx( const Items : TStrings; const Attr : Integer )
13782: Function jxFgetFileInformation( const FileName : string; out FileInfo : TSearchRec ) : Boolean;
13783: Function jxFgetFileInformation1( const FileName : string ) : TSearchRec;
13784: //Function GetFileStatus(const FileName:string;out StatBuf:TStatBuf64;const
ResolveSymLinks:Boolean):Integer
13785: Function jxFgetFileLastWrite( const FName : string ) : TFileTime;
13786: Function jxFgetFileLastWrite1( const FName : string; out LocalTime : TDateTime ) : Boolean;
13787: Function jxFgetFileLastAccess( const FName : string ) : TFileTime;
13788: Function jxFgetFileLastAccess1( const FName : string; out LocalTime : TDateTime ) : Boolean;

```

```

13789: Function jxGetFileCreation( const FName : string ) : TFileTime;
13790: Function jxGetFileCreation1( const FName : string; out LocalTime : TDateTime ) : Boolean;
13791: Function jxGetFileLastWrite( const FName : string; out TimeStamp:Integer;ResolveSymLinks : Boolean):Bool;
13792: Function jxGetFileLastWrite1( const FName:string; out LocalTime:TDateTime;ResolveSymLinks:Bool): Bool;
13793: Function jxGetFileLastWrite2( const FName : string; ResolveSymLinks : Boolean ) : Integer;
13794: Function jxGetFileLastAccess( const FName:string; out TimeStamp:Integer;ResolveSymLinks : Boolean): Bool;
13795: Function jxGetFileLastAccess1( const FName:string; out LocalTime:TDateTime;ResolveSymLinks:Bool):Bool;
13796: Function jxGetFileLastAccess2(const FName:string; ResolveSymLinks:Boolean): Integer;
13797: Function jxGetFileLastAttrChange( const FName:string;out TimeStamp:Integer;ResolveSymLinks:Bool): Bool;
13798: Function jxGetFileLastAttrChange1( const FName:string; out LocalTime:TDateTime;ResolveSymLinks:Bool):Bool;
13799: Function jxGetFileLastAttrChange2( const FName : string; ResolveSymLinks:Boolean): Integer;
13800: Function jxGetModulePath( const Module : HMODULE ) : string
13801: Function jxGetSizeOfFile( const FileName : string ) : Int64;
13802: Function jxGetSizeOfFile1( const FileInfo : TSearchRec ) : Int64;
13803: Function jxGetSizeOfFile2( Handle : THandle ) : Int64;
13804: Function jxGetStandardFileInfo( const FileName : string ) : TWin32FileInfoAttributeData
13805: Function jxIsDirectory( const FileName : string; ResolveSymLinks : Boolean ) : Boolean
13806: Function jxIsRootDirectory( const CanonicFileName : string ) : Boolean
13807: Function jxLockVolume( const Volume : string; var Handle : THandle ) : Boolean
13808: Function jxOpenVolume( const Drive : Char ) : THandle
13809: Function jxSetDirLastWrite( const DirName : string; const DateTIme : TDateTime ) : Boolean
13810: Function jxSetDirLastAccess( const DirName : string; const DateTIme : TDateTime ) : Boolean
13811: Function jxSetDirCreation( const DirName : string; const DateTIme : TDateTime ) : Boolean
13812: Function jxSetFileLastWrite( const FileName : string; const DateTIme : TDateTime ) : Boolean
13813: Function jxSetFileLastAccess( const FileName : string; const DateTIme : TDateTime ) : Boolean
13814: Function jxSetFileCreation( const FileName : string; const DateTIme : TDateTime ) : Boolean
13815: Procedure jxShredfile( const FileName : string; Times : Integer )
13816: Function jxUnlockVolume( var Handle : THandle ) : Boolean
13817: Function jxCreateSymbolicLink( const Name : string; Target : string ) : Boolean
13818: Function jxSymbolicLinkTarget( const Name : string ) : string
13819: TAttributeInterest', '( aiIgnored, aiRejected, aiRequired )
13820: SIRegister_TJclCustomFileAttrMask(CL);
13821: SIRegister_TJclFileAttributeMask(CL);
13822: TFileSearchOption', '( fsIncludeSubDirectories, fsIncludeHiddenS'
13823: +'ubDirectories, fsLastChangeAfter, fsLastChangeBefore, fsMaxSize, fsMinSize)
13824: TFileSearchOptions', 'set of TFileSearchOption
13825: TFileSearchTaskID', 'Integer
13826: TFileSearchTerminationEvent', 'Procedure ( const ID : TFileSearc'
13827: +'hTaskID; const Aborted : Boolean)
13828: TFileEnumeratorSyncMode', '( smPerFile, smPerDirectory )
13829: SIRegister_IJclFileEnumerator(CL);
13830: SIRegister_TJclFileEnumerator(CL);
13831: Function JxFileSearch : IJclFileEnumerator
13832: JxTFileFlag', '( ffDebug, ffInfoInferred, ffPatched,ffPreRelease,ffPrivateBuild, ffSpecialBuild )
13833: JxTFileFlags', 'set of TFileFlag
13834: FindClass('TOBJECT'), 'EJclFileVersionInfoError
13835: SIRegister_TJclFileVersionInfo(CL);
13836: Function jxOSIdentToString( const OSIdent : DWORD ) : string
13837: Function jxOSFileTypeToString( const OSFileType : DWORD; const OSFileTypeSubType : DWORD ) : string
13838: Function jxVersionResourceAvailable( const FileName : string ) : Boolean
13839: TFileVersionFormat', '( vfMajorMinor, vfFull )
13840: Function jxFormatVersionString( const Hv, Lv : Word ) : string;
13841: Function jxFormatVersionString1( const Major, Minor, Build, Revision : Word ) : string;
13842: //Function FormatVersionString2( const FixedInfo : TVSFixedFileInfo;VersionFormat:TFFileVersionFormat):str;
13843: //Procedure VersionExtractFileInfo(const FixedInfo:TVSFixedFileInfo;var Major,Minor,Build,Revision:Word);
13844: //Procedure VersionExtractProductInfo(const FixedInfo:TVSFixedFileInfo;var Major,Minor,Build,
13845: Revision:Word);
13845: //Function VersionFixedFileInfo( const FileName : string; var FixedInfo : TVSFixedFileInfo ) : Boolean
13846: Function jxVersionFixedFileInfoString( const FileName : string; VersionFormat : TFFileVersionFormat; const
13847: NotAvailableText : string ) : string
13847: SIRegister_TJclTempFileStream(CL);
13848: FindClass('TOBJECT'), 'TJclCustomFileMapping
13849: SIRegister_TJclFileMappingView(CL);
13850: TJclFileMappingRoundOffset', '( rvDown, rvUp )
13851: SIRegister_TJclCustomFileMapping(CL);
13852: SIRegister_TJclFileMapping(CL);
13853: SIRegister_TJclSwapFileMapping(CL);
13854: SIRegister_TJclFileMappingStream(CL);
13855: TJclMappedTextReaderIndex', '( tiNoIndex, tiFull )
13856: //PPCharArray', 'TPCharArray // will not work
13857: SIRegister_TJclMappedTextReader(CL);
13858: SIRegister_TJclFileMaskComparator(CL);
13859: FindClass('TOBJECT'), 'EJclPathError
13860: FindClass('TOBJECT'), 'EJclFileUtilsError
13861: FindClass('TOBJECT'), 'EJclTempFileStreamError
13862: FindClass('TOBJECT'), 'EJclTempFileStreamError
13863: FindClass('TOBJECT'), 'EJclFileMappingError
13864: FindClass('TOBJECT'), 'EJclFileMapViewError
13865: Function jxPathGetLongName2( const Path : string ) : string
13866: Function jxWin32DeleteFile( const FileName : string; MoveToRecycleBin : Boolean ) : Boolean
13867: Function jxWin32MoveFileReplaceExisting( const SrcFileName, DstfileName : string ) : Boolean
13868: Function jxWin32BackupFile( const FileName : string; Move : Boolean ) : Boolean
13869: Function jxWin32RestoreFile( const FileName : string ) : Boolean
13870: Function jxSamePath( const Path1, Path2 : string ) : Boolean
13871: Procedure jxPathListAddItems( var List : string; const Items : string )
13872: Procedure jxPathListIncludeItems( var List : string; const Items : string )
13873: Procedure jxPathListDelItems( var List : string; const Items : string )
13874: Procedure jxPathListDelItem( var List : string; const Index : Integer )
13875: Function jxPathListItemCount( const List : string ) : Integer

```

```

13876: Function jxPathListGetItem( const List : string; const Index : Integer ) : string
13877: Procedure jxPathListSetItem( var List : string; const Index : Integer; const Value : string )
13878: Function jxPathListItemIndex( const List, Item : string ) : Integer
13879: Function jxParamName( Idx:Int;const Separator:string;const AllowedPrefixChars:string;TrimName:Bool):string;
13880: Function jxParamValue( Index : Integer; const Separator : string; TrimValue : Boolean ) : string;
13881: Function jxParamValue1(const SearchName:string; const Separator : string; CaseSensitive : Boolean; const
13882: AllowedPrefixCharacters : string; TrimValue : Boolean) : string;
13883: Function jxParamPos( const SearchName : string; const Separator : string; CaseSensitive : Boolean; const
13884: AllowedPrefixCharacters : string ) : Integer
13885: end;
13886:
13885: procedure SIRegister_FileUtil(CL: TPSPascalCompiler);
13886: begin
13887:   'UTF8FileHeader','String #$ef#$bb#$bf';
13888:   Function lCompareFilenames( const Filenam1, Filenam2 : string ) : integer
13889:   Function lCompareFilenamesIgnoreCase( const Filenam1, Filenam2 : string ) : integer
13890:   Function lCompareFilenames( const Filenam1, Filenam2 : string; ResolveLinks : boolean ) : integer
13891:   Function lCompareFilenames(Filenam1:PChar;Len1:int;Filenam2:PChar;Len2:int;ResolveLinks:boolean):int;
13892:   Function lFilenameIsAbsolute( const TheFilename : string ) : boolean
13893:   Function lFilenameIsWinAbsolute( const TheFilename : string ) : boolean
13894:   Function lFilenameIsUnixAbsolute( const Thefilename : string ) : boolean
13895:   Procedure lCheckIfFileIsExecutable( const AFilename : string )
13896:   Procedure lCheckIfFileIsSymlink( const AFilename : string )
13897:   Function lFileIsReadable( const AFilename : string ) : boolean
13898:   Function lFileIsWritable( const AFilename : string ) : boolean
13899:   Function lFileIsText( const AFilename : string ) : boolean
13900:   Function lFileIsText( const AFilename : string; out FileReadable : boolean ) : boolean
13901:   Function lFileIsExecutable( const AFilename : string ) : boolean
13902:   Function lFileIsSymlink( const AFilename : string ) : boolean
13903:   Function lFileIsHardLink( const AFilename : string ) : boolean
13904:   Function lFileSize( const Filenam : string ) : int64;
13905:   Function lGetFileDescription( const AFilename : string ) : string
13906:   Function lReadAllLinks( const Filenam : string; ExceptionOnErr : boolean ) : string
13907:   Function lTryReadAllLinks( const Filenam : string ) : string
13908:   Function lDirPathExists( const FileName : String ) : Boolean
13909:   Function lForceDirectory( DirectoryName : string ) : boolean
13910:   Function lDeleteDirectory( const DirectoryName : string; OnlyChildren : boolean ) : boolean
13911:   Function lProgramDirectory : string
13912:   Function lDirectoryIsWritable( const DirectoryName : string ) : boolean
13913:   Function lExtractFileNameOnly( const AFilename : string ) : string
13914:   Function lExtractFileNameWithoutExt( const AFilename : string ) : string
13915:   Function lCompareFileExt( const Filenam, Ext : string; CaseSensitive : boolean ) : integer;
13916:   Function lCompareFileExt( const Filenam, Ext : string ) : integer;
13917:   Function lFilenameIsPascalUnit( const Filenam : string ) : boolean
13918:   Function lAppendPathDelim( const Path : string ) : string
13919:   Function lChompPathDelim( const Path : string ) : string
13920:   Function lTrimFilename( const AFilename : string ) : string
13921:   Function lCleanAndExpandFilename( const Filenam : string ) : string
13922:   Function lCleanAndExpandDirectory( const Filenam : string ) : string
13923:   Function lCreateAbsoluteSearchPath( const SearchPath, BaseDirectory : string ) : string
13924:   Function lCreateRelativePath( const Filenam, BaseDirectory : string; UsePointDirectory : boolean;
13924: AlwaysRequireSharedBaseFolder : Boolean ) : string
13925:   Function lCreateAbsolutePath( const Filenam, BaseDirectory : string ) : string
13926:   Function lFileIsInPath( const Filenam, Path : string ) : boolean
13927:   Function lFileIsInDirectory( const Filenam, Directory : string ) : boolean
13928:   TSearchFileInPathFlag', '( sffDontSearchInbasePath, sffSearchLoUpCase )
13929:   TSearchFileInPathFlags', 'set of TSearchFileInPathFlag
13930:   'AllDirectoryEntriesMask','String '*
13931:   Function l GetAllFilesMask : string
13932:   Function lGetExeExt : string
13933:   Function lSearchFileInPath( const Filenam, basePath, SearchPath, Delimiter : string; Flags :
13933: TSearchFileInPathFlags ) : string
13934:   Function lSearchAllFilesInPath( const Filenam, basePath, SearchPath, Delimiter:string;Flags :
13934: TSearchFileInPathFlags ) : TString
13935:   Function lFindDiskFilename( const Filenam : string ) : string
13936:   Function lFindDiskFileCaseInsensitive( const Filenam : string ) : string
13937:   Function lFindDefaultExecutablePath( const Executable : string; const BaseDir: string):string
13938:   Function lGetDarwinSystemFilename( Filenam : string ) : string
13939:   SIRegister_TFileIterator(CL);
13940:   TfileFoundEvent', 'Procedure ( FileIterator : TFileIterator )
13941:   TdirectoryFoundEvent', 'Procedure ( FileIterator : TFileIterator )
13942:   TdirectoryEnterEvent', 'Procedure ( FileIterator : TFileIterator )
13943:   SIRegister_TFileSearcher(CL);
13944:   Function lFindAllFiles(const SearchPath:String;SearchMsk:String;SearchSubDirs:Bool):TStringList
13945:   Function lFindAllDirectories( const SearchPath : string; SearchSubDirs : Boolean ) : TStringList
13946: // TCopyFileFlag', '( cffOverwriteFile, cffCreateDestDirectory, cffPreserveTime )
13947: // TCopyFileFlags', 'set of TCopyFileFlag
13948:   Function lCopyFile( const SrcFilename, DestFilename : string; Flags : TCopyFileFlags) : boolean
13949:   Function lCopyFile( const SrcFilename, DestFilename : string; PreserveTime : boolean) : boolean
13950:   Function lCopyDirTree( const SourceDir, TargetDir : string; Flags : TCopyFileFlags) : Boolean
13951:   Function lReadFileToString( const Filenam : string ) : string
13952:   Function lGetTempFilename( const Directory, Prefix : string ) : string
13953:   {Function NeedRTLAnsi : boolean
13954:   Procedure SetNeedRTLAnsi( NewValue : boolean)
13955:   Function UTF8ToSys( const s : string ) : string
13956:   Function SysToUTF8( const s : string ) : string
13957:   Function ConsoleToUTF8( const s : string ) : string
13958:   Function UTF8ToConsole( const s : string ) : string}
13959:   Function FileExistsUTF8( const Filenam : string ) : boolean

```

```

13960: Function FileAgeUTF8( const FileName : string ) : Longint
13961: Function DirectoryExistsUTF8( const Directory : string ) : Boolean
13962: Function ExpandFileNameUTF8( const FileName : string ) : string
13963: Function ExpandUNCfileNameUTF8( const FileName : string ) : string
13964: Function ExtractShortPathNameUTF8( const FileName : String ) : String
13965: Function FindFirstUTF8( const Path: string; Attr : Longint; out Rslt : TSearchRec ) : Longint
13966: Function FindNextUTF8( var Rslt : TSearchRec ) : Longint
13967: Procedure FindCloseUTF8( var F : TSearchrec )
13968: Function FileSetDateUTF8( const FileName : String; Age : Longint ) : Longint
13969: Function FileGetAttrUTF8( const FileName : String ) : Longint
13970: Function FileSetAttrUTF8( const Filename : String; Attr : longint ) : Longint
13971: Function DeleteFileUTF8( const FileName : String ) : Boolean
13972: Function RenameFileUTF8( const OldName, NewName : String ) : Boolean
13973: Function FileSearchUTF8( const Name, DirList : String; ImplicitCurrentDir : Boolean ) : String
13974: Function FileIsReadOnlyUTF8( const FileName : String ) : Boolean
13975: Function GetCurrentDirUTF8 : String
13976: Function SetCurrentDirUTF8( const NewDir : String ) : Boolean
13977: Function CreateDirUTF8( const NewDir : String ) : Boolean
13978: Function RemoveDirUTF8( const Dir : String ) : Boolean
13979: Function ForceDirectoriesUTF8( const Dir : string ) : Boolean
13980: Function FileOpenUTF8( const FileName : string; Mode : Integer ) : THandle
13981: Function FileCreateUTF8( const FileName : string ) : THandle;
13982: Function FileCreateUTF8( const FileName : string; Rights : Cardinal ) : THandle;
13983: Function ParamStrUTF8( Param : Integer ) : string
13984: Function GetEnvironmentStringUTF8( Index : Integer ) : string
13985: Function GetEnvironmentVariableUTF8( const EnvVar : string ) : String
13986: Function GetAppConfigDirUTF8( Global : Boolean; Create : boolean ) : string
13987: Function GetAppConfigFileUTF8( Global: Boolean; SubDir: boolean; CreateDir : boolean ) : string
13988: Function SysErrorMessageUTF8( ErrorCode : Integer ) : String
13989: end;
13990:
13991: procedure SIRegister_Keyboard(CL: TPPascalCompiler);
13992: begin
13993:   //VK_F23 = 134;
13994:   //{$EXTERNALSYM VK_F24}
13995:   //VK_F24 = 135;
13996:   TVirtualKeyCode', 'Integer
13997:   'VK_MOUSEWHEELUP', 'integer'(134);
13998:   'VK_MOUSEWHEELDOWN', 'integer'(135);
13999:   Function glIsKeyDown( c : Char ) : Boolean;
14000:   Function glIsKeyDown( vk : TVirtualKeyCode ) : Boolean;
14001:   Function glKeyPressed( minVkCode : TVirtualKeyCode ) : TVirtualKeyCode
14002:   Function glVirtualKeyCodeToKeyName( vk : TVirtualKeyCode ) : String
14003:   Function glKeyNameToVirtualKeyCode( const keyName : String ) : TVirtualKeyCode
14004:   Function glCharToVirtualKeyCode( c : Char ) : TVirtualKeyCode
14005:   Procedure glKeyboardNotifyWheelMoved( wheelDelta : Integer )
14006: end;
14007:
14008: procedure SIRegister_GLCrossPlatform(CL: TPPascalCompiler);
14009: begin
14010:   TGLPoint', 'TPoint
14011:   //PGLPoint', '^TGLPoint // will not work
14012:   TGLRect', 'TRect
14013:   //PGLRect', '^TGLRect // will not work
14014:   TDelphiColor', 'TColor
14015:   TGLPicture', 'TPicture
14016:   TGLGraphic', 'TGraphic
14017:   TGLBitmap', 'TBitmap
14018:   //TGraphicClass', 'class of TGraphic
14019:   TGLTextLayout', '( tlTop, tlCenter, tlBottom )
14020:   TGLMouseEvent', '( mbLeft, mbRight, mbMiddle )
14021:   TGLMouseEvent', 'Procedure ( Sender : TObject; Button : TGLMouse'
14022:     +'Button; Shift : TShiftState; X, Y : Integer )
14023:   TGLMouseMoveEvent', 'TMouseEvent
14024:   TGLKeyEvent', 'TKeyEvent
14025:   TGLKeyPressEvent', 'TKeyPressEvent
14026:   EGLOSError', 'EWin32Error
14027:   EGLOSError', 'EWin32Error
14028:   EGLOSError', 'EOSError
14029:   'glIsAllFilter', 'string'All // sAllFilter
14030:   Function GLPoint( const x, y : Integer ) : TGLPoint
14031:   Function GLRGB( const r, g, b : Byte ) : TColor
14032:   Function GLColorToRGB( color : TColor ) : TColor
14033:   Function GLGetRValue( rgb : DWORD ) : Byte
14034:   Function GLGetGValue( rgb : DWORD ) : Byte
14035:   Function GLGetBValue( rgb : DWORD ) : Byte
14036:   Procedure GLInitWinColors
14037:   Function GLRect( const aLeft, aTop, aRight, aBottom : Integer ) : TGLRect
14038:   Procedure GLInflateGLRect( var aRect : TGLRect; dx, dy : Integer )
14039:   Procedure GLIntersectGLRect( var aRect : TGLRect; const rect2 : TGLRect )
14040:   Procedure GLInformationDlg( const msg : String )
14041:   Function GLQuestionDlg( const msg : String ) : Boolean
14042:   Function GLInputDlg( const aCaption, aPrompt, aDefault : String ) : String
14043:   Function GLSavePictureDialog( var aFileName : String; const aTitle : String ) : Boolean
14044:   Function GLOpenPictureDialog( var aFileName : String; const aTitle : String ) : Boolean
14045:   Function GLApplicationTerminated : Boolean
14046:   Procedure GLRaiseLastOSError
14047:   Procedure GLFreeAndNil( var anObject: TObject )
14048:   Function GLGetDeviceLogicalPixelsX( device : Cardinal ) : Integer

```

```

14049: Function GLGetCurrentColorDepth : Integer
14050: Function GLPixelFormatToColorBits( aPixelFormat : TPixelFormat ) : Integer
14051: Function GLBitmapScanLine( aBitmap : TGLBitmap; aRow : Integer ) : Pointer
14052: Procedure GLSleep( length : Cardinal )
14053: Procedure GLQueryPerformanceCounter( var val : Int64 )
14054: Function GLQueryPerformanceFrequency( var val : Int64 ) : Boolean
14055: Function GLStartPrecisionTimer : Int64
14056: Function GLPrecisionTimerLap( const precisionTimer : Int64 ) : Double
14057: Function GLStopPrecisionTimer( const precisionTimer : Int64 ) : Double
14058: Function GLRTSC : Int64
14059: Procedure GLLoadBitmapFromInstance( ABitmap : TBitmap; AName : string )
14060: Function GLOKMessageBox( const Text, Caption : string ) : Integer
14061: Procedure GLShowHTMLUrl( Url : String )
14062: Procedure GLShowCursor( AShow : boolean )
14063: Procedure GLSetCursorPos( AScreenX, AScreenY : integer )
14064: Procedure GLGetCursorPos( var point : TGLPoint )
14065: Function GLGetScreenWidth : integer
14066: Function GLGetScreenHeight : integer
14067: Function GLGetTickCount : int64
14068: function RemoveSpaces(const str : String) : String;
14069:   TNORMALMAPSPACE', '( nmsObject, nmsTangent )
14070: Procedure CalcObjectSpaceLightVectors(Light:TAffineVector;Vertices TAffineVectorList:Colors:TVectorList)
14071: Procedure SetupTangentSpace( Vertices, Normals, TexCoords, Tangents, BiNormals : TAffineVectorList )
14072: Procedure CalcTangentSpaceLightVectors( Light : TAffineVector; Vertices, Normals, Tangents, BiNormals : TAffineVectorList; Colors : TVectorList )
14073: Function CreateObjectSpaceNormalMap( Width,Height:Integer;HiNormals,
  HiTexCoords:TAffineVectorList):TGLBitmap
14074: Function CreateTangentSpaceNormalMap( Width, Height : Integer; HiNormals, HiTexCoords, LoNormals,
  LoTexCoords, Tangents, BiNormals : TAffineVectorList ) : TGLBitmap
14075: end;
14076:
14077: procedure SIRegister_GLStarRecord(CL: TPSPascalCompiler);
14078: begin
14079:   TGLStarRecord', 'record RA: Word; DEC: SmallInt; BVColorIndex: Byte; VMagnitude: Byte; end
14080: // PGLStarRecord', '^TGLStarRecord // will not work
14081: Function StarRecordPositionZUp( const starRecord : TGLStarRecord ) : TAffineVector
14082: Function StarRecordPositionYUp( const starRecord : TGLStarRecord ) : TAffineVector
14083: Function StarRecordColor( const starRecord : TGLStarRecord; bias : Single ) : TVector
14084: end;
14085:
14086:
14087: procedure SIRegister_GeometryBB(CL: TPSPascalCompiler);
14088: begin
14089:   TAABB', 'record min : TAffineVector; max : TAffineVector; end
14090: // PAABB', '^TAABB // will not work
14091: TBSphere', 'record Center : TAffineVector; Radius : single; end
14092: TClipRect', 'record Left: Single; Top:Single; Right:Single; Bottom : Single; end
14093: TSpaceContains', '(scNoOverlap, scContainsFully, scContainsPartially )
14094: Function AddBB( var c1 : THmgBoundingBox; const c2 : THmgBoundingBox ) : THmgBoundingBox
14095: Procedure AddAABB( var aabb : TAABB; const aabb1 : TAABB )
14096: Procedure SetBB( var c : THmgBoundingBox; const v : TVector )
14097: Procedure SetAABB( var bb : TAABB; const v : TVector )
14098: Procedure BBTransform( var c : THmgBoundingBox; const m : TMatrix )
14099: Procedure AABBTransform( var bb : TAABB; const m : TMatrix )
14100: Procedure AABBScale( var bb : TAABB; const v : TAffineVector )
14101: Function BBMinX( const c : THmgBoundingBox ) : Single
14102: Function BBMaxX( const c : THmgBoundingBox ) : Single
14103: Function BBMinY( const c : THmgBoundingBox ) : Single
14104: Function BBMaxY( const c : THmgBoundingBox ) : Single
14105: Function BBMinZ( const c : THmgBoundingBox ) : Single
14106: Function BBMaxZ( const c : THmgBoundingBox ) : Single
14107: Procedure AABBInclude( var bb : TAABB; const p : TAffineVector )
14108: Procedure AABBFromSweep( var SweepAABB : TAABB; const Start, Dest : TVector; const Radius : Single )
14109: Function AABBIntersection( const aabb1, aabb2 : TAABB ) : TAABB
14110: Function BBTAAABB( const aabb : THmgBoundingBox ) : TAABB
14111: Function AABBTaaBB( const anAABB : TAABB ) : THmgBoundingBox
14112: Function AABBTaaB1( const anAABB : TAABB; const m : TMatrix ) : THmgBoundingBox
14113: Procedure OffsetAABB( var aabb : TAABB; const delta : TAffineVector );
14114: Procedure OffsetAABB1( var aabb : TAABB; const delta : TVector );
14115: Function IntersectAABBS( const aabb1, aabb2 : TAABB; const m1To2, m2To1 : TMatrix ) : Boolean;
14116: Function IntersectAABBSAbsoluteXY( const aabb1, aabb2 : TAABB ) : Boolean
14117: Function IntersectAABBSAbsoluteXZ( const aabb1, aabb2 : TAABB ) : Boolean
14118: Function IntersectAABBSAbsolute( const aabb1, aabb2 : TAABB ) : Boolean
14119: Function AABBfitsInAABBSAbsolute( const aabb1, aabb2 : TAABB ) : Boolean
14120: Function PointInAABB( const p : TAffineVector; const aabb : TAABB ) : Boolean;
14121: Function PointInAABB1( const p : TVector; const aabb : TAABB ) : Boolean;
14122: Function PlaneIntersectAABB( Normal : TAffineVector; d : single; aabb : TAABB ) : boolean
14123: Function TriangleIntersectAABB( const aabb : TAABB; v1, v2, v3 : TAffineVector ) : boolean
14124: Procedure ExtractAABBCorners( const aabb : TAABB; var AABBCorners : TAABBCorners )
14125: Procedure AABBTaaSphere( const aabb : TAABB; var BSphere : TBSphere )
14126: Procedure BSphereToAABB( const BSphere : TBSphere; var aabb : TAABB );
14127: Function BSphereToAABB1( const center : TAffineVector; radius : Single ) : TAABB;
14128: Function BSphereToAABB2( const center : TVector; radius : Single ) : TAABB;
14129: Function AABBContainsAABB( const mainAABB, testAABB : TAABB ) : TSpaceContains
14130: Function BSphereContainsAABB( const mainBSphere : TBSphere; const testAABB : TAABB ) : TSpaceContains
14131: Function BSphereContainsBSphere( const mainBSphere, testBSphere : TBSphere ) : TSpaceContains
14132: Function AABBContainsBSphere( const mainAABB : TAABB; const testBSphere : TBSphere ) : TSpaceContains
14133: Function PlaneContainsBSphere( const Location, Normal:TAffineVector; const
  testBSphere:TBSphere ):TSpaceContains

```

```

14134: Function FrustumContainsBSphere( const Frustum : TFrustum; const testBSphere : TBSphere ) : TSpaceContains
14135: Function FrustumContainsAABB( const Frustum : TFrustum; const testAABB : TAABB ) : TSpaceContains
14136: Function ClipToAABB( const v : TAffineVector; const AABB : TAABB ) : TAffineVector
14137: Function BSphereIntersectsBSphere( const mainBSphere, testBSphere : TBSphere ) : boolean
14138: Procedure IncludeInClipRect( var clipRect : TClipRect; x, y : Single )
14139: Function AABBToclipRect( const aabb:TAABB;modelViewProjection:TMatrix;viewportSizeX,
    viewportSizeY:Int ):TClipRect
14140: end;
14141:
14142: procedure SIRegister_GeometryCoordinates(CL: TPSPPascalCompiler);
14143: begin
14144:   Procedure Cylindrical_Cartesian( const r, theta, zl : single; var x, y, z : single );
14145:   Procedure Cylindrical_Cartesian1( const r, theta, zl : double; var x, y, z : double );
14146:   Procedure Cylindrical_Cartesian2( const r,theta,zl : single; var x, y, z : single; var ierr : integer );
14147:   Procedure Cylindrical_Cartesian3( const r,theta,zl : double; var x, y, z : double; var ierr : integer );
14148:   Procedure Cartesian_Cylindrical( const x, y, zl : single; var r, theta, z : single );
14149:   Procedure Cartesian_Cylindrical1( const x, y, zl : double; var r, theta, z : double );
14150:   Procedure Spherical_Cartesian( const r, theta, phi : single; var x, y, z : single );
14151:   Procedure Spherical_Cartesian1( const r, theta, phi : double; var x, y, z : double );
14152:   Procedure Spherical_Cartesian2( const r,theta,phi : single; var x, y, z : single; var ierr : integer );
14153:   Procedure Spherical_Cartesian3( const r,theta,phi : double; var x, y, z : double; var ierr : integer );
14154:   Procedure Cartesian_Spherical( const x, y, z : single; var r, theta, phi : single );
14155:   Procedure Cartesian_Spherical1( const v : TAffineVector; var r, theta, phi : Single );
14156:   Procedure Cartesian_Spherical2( const x, y, z : double; var r, theta, phi : double );
14157:   Procedure ProlateSpheroidal_Cartesian( const xi, eta, phi, a : single; var x, y, z : single );
14158:   Procedure ProlateSpheroidal_Cartesian1( const xi, eta, phi, a : double; var x, y, z : double );
14159:   Procedure ProlateSpheroidal_Cartesian2( const xi,eta,phi,a:single;var x,y,z:single;var ierr:integer );
14160:   Procedure ProlateSpheroidal_Cartesian3( const xi,eta,phi,a:double;var x,y,z:double;var ierr:integer );
14161:   Procedure OblateSpheroidal_Cartesian( const xi, eta, phi, a : single; var x, y, z : single );
14162:   Procedure OblateSpheroidal_Cartesian1( const xi, eta, phi, a : double; var x, y, z : double );
14163:   Procedure OblateSpheroidal_Cartesian2( const xi,eta,phi,a:single;var x,y,z:single;var ierr:integer );
14164:   Procedure OblateSpheroidal_Cartesian3( const xi,eta,phi,a:double;var x,y,z:double;var ierr:integer );
14165:   Procedure BipolarCylindrical_Cartesian( const u, v, zl, a : single; var x, y, z : single );
14166:   Procedure BipolarCylindrical_Cartesian1( const u, v, zl, a : double; var x, y, z : double );
14167:   Procedure BipolarCylindrical_Cartesian2( const u,v,zl,a: single;var x,y,z:single; var ierr : integer );
14168:   Procedure BipolarCylindrical_Cartesian3( const u,v,zl,a: double;var x,y,z:double; var ierr : integer );
14169: end;
14170:
14171: procedure SIRegister_VectorGeometry(CL: TPSPPascalCompiler);
14172: begin
14173:   'EPSILON','Single').setExtended( 1e-40 );
14174:   'EPSILON2','Single').setExtended( 1e-30 ); }
14175: TRenderContextClippingInfo', 'record origin : TVector; clippingD'
14176:   +'irection : TVector; viewPortRadius : Single; farClippingDistance:Single;frustum:TFrustum; end
14177: THmgPlane', 'TVector
14178: TDoubleHmgPlane', 'THomogeneousDblVector
14179: {TTtransType', '( ttScaleX, ttScaleY, ttScaleZ, ttShearXY, ttShear'
14180:   +'XZ, ttShearYZ, ttRotateX, ttRotateY, ttRotateZ, ttTranslateX, ttTranslateY'
14181:   +', ttTranslateZ, ttPerspectiveX, ttPerspectiveY, ttPerspectiveZ, ttPerspectiveW )}
14182: TSingleArray', 'array of Single
14183: TTransformations', 'array [0..15] of Single)
14184: TPackedRotationMatrix', 'array [0..2] of Smallint)
14185: TVertex', 'TAffineVector
14186: //TVectorGL', 'THomogeneousFltVector
14187: //TMatrixGL', 'THomogeneousFltMatrix
14188: // TPackedRotationMatrix = array [0..2] of SmallInt;
14189: Function glTexPointMake( const s, t : Single ) : TTexPoint
14190: Function glAffineVectorMake( const x, y, z : Single ) : TAffineVector;
14191: Function glAffineVectorMake1( const v : TVectorGL ) : TAffineVector;
14192: Procedure glSetAffineVector( var v : TAffineVector; const x, y, z : Single );
14193: Procedure glSetVector( var v : TAffineVector; const x, y, z : Single );
14194: Procedure glSetVector1( var v : TAffineVector; const vSrc : TVectorGL );
14195: Procedure glSetVector2( var v : TAffineVector; const vSrc : TAffineVector );
14196: Procedure glSetVector3( var v : TAffineDblVector; const vSrc : TAffineVector );
14197: Procedure glSetVector4( var v : TAffineDblVector; const vSrc : TVectorGL );
14198: Function glVectorMake( const v : TAffineVector; w : Single ) : TVectorGL;
14199: Function glVectorMake1( const x, y, z : Single; w : Single ) : TVectorGL;
14200: Function glPointMake( const x, y, z : Single ) : TVectorGL;
14201: Function glPointMake1( const v : TAffineVector ) : TVectorGL;
14202: Function glPointMake2( const v : TVectorGL ) : TVectorGL;
14203: Procedure glSetVector5( var v : TVectorGL; const x, y, z : Single; w : Single );
14204: Procedure glSetVector6( var v : TVectorGL; const av : TAffineVector; w : Single );
14205: Procedure glglSetVector7( var v : TVectorGL; const vSrc : TVectorGL );
14206: Procedure glMakePoint( var v : TVectorGL; const x, y, z : Single );
14207: Procedure glMakePoint1( var v : TVectorGL; const av : TAffineVector );
14208: Procedure glMakePoint2( var v : TVectorGL; const av : TVectorGL );
14209: Procedure glMakeVector( var v : TAffineVector; const x, y, z : Single );
14210: Procedure glMakeVector1( var v : TVectorGL; const x, y, z : Single );
14211: Procedure glMakeVector2( var v : TVectorGL; const av : TAffineVector );
14212: Procedure glMakeVector3( var v : TVectorGL; const av : TVectorGL );
14213: Procedure glRstVector( var v : TAffineVector );
14214: Procedure glRstVector1( var v : TVectorGL );
14215: Function glVectorAdd( const v1, v2 : TAffineVector ) : TAffineVector;
14216: Procedure glVectorAdd1( const v1, v2 : TAffineVector; var vr : TAffineVector );
14217: //Procedure VectorAdd2( const v1, v2 : TAffineVector; vr : PAffineVector );
14218: Function glVectorAdd3( const v1, v2 : TVectorGL ) : TVectorGL;
14219: Procedure glVectorAdd4( const v1, v2 : TVectorGL; var vr : TVectorGL );
14220: Function glVectorAdd5( const v : TAffineVector; const f : Single ) : TAffineVector;
14221: Function glVectorAdd6( const v : TVectorGL; const f : Single ) : TVectorGL;

```

```

14222: Procedure glAddVector7( var v1 : TAffineVector; const v2 : TAffineVector);
14223: Procedure glAddVector8( var v1 : TAffineVector; const v2 : TVectorGL);
14224: Procedure glAddVector9( var v1 : TVectorGL; const v2 : TVectorGL);
14225: Procedure glAddVector10( var v : TAffineVector; const f : Single);
14226: Procedure glAddVector11( var v : TVectorGL; const f : Single);
14227: //Procedure TexPointArrayAdd(const src:PTexPointArray,const delta:TTexPoint,const
nb:Int;dest:PTexPointArray);
14228: //Procedure TexPointArrayScaleAndAdd(const src:PTexPointArray,const delta:TTexPoint,const
nb:Integer,const scale: TTExPoint; dest : PTexPointArray);
14229: //Procedure VectorArrayAdd(const src:PAffineVectorArray,const delta:TAffineVector,const nb:Integer;dest:
PAffineVectorArray);
14230: Function glVectorSubtract( const V1, V2 : TAffineVector) : TAffineVector;
14231: Procedure glVectorSubtract1( const v1, v2 : TAffineVector; var result : TAffineVector);
14232: Procedure glVectorSubtract2( const v1, v2 : TAffineVector; var result : TVectorGL);
14233: Procedure glVectorSubtract3( const v1 : TVectorGL; v2 : TAffineVector; var result : TVectorGL);
14234: Function glVectorSubtract4( const V1, V2 : TVectorGL) : TVectorGL;
14235: Procedure glVectorSubtract5( const v1, v2 : TVectorGL; var result : TVectorGL);
14236: Procedure glVectorSubtract6( const v1, v2 : TVectorGL; var result : TAffineVector);
14237: Function glVectorSubtract7( const v1 : TAffineVector; delta : Single) : TAffineVector;
14238: Function glVectorSubtract8( const v1 : TVectorGL; delta : Single) : TVectorGL;
14239: Procedure glSubtractVector9( var V1 : TAffineVector; const V2 : TAffineVector);
14240: Procedure glSubtractVector10( var V1 : TVectorGL; const V2 : TVectorGL);
14241: Procedure glCombineVector( var vr : TAffineVector; const v : TAffineVector; var f : Single);
14242: //Procedure CombineVector1( var vr : TAffineVector; const v : TAffineVector; pf : PFloat);
14243: Function glTexPointCombine( const t1, t2 : TTExPoint; f1, f2 : Single) : TTExPoint;
14244: Function glVectorCombine2( const V1, V2 : TAffineVector; const F1, F2 : Single) : TAffineVector;
14245: Function glVectorCombine33( const V1, V2, V3 : TAffineVector; const F1, F2, F3 : Single) : TAffineVector;
14246: Procedure glVectorCombine34(const V1,V2,V3:TAffineVector; const F1,F2,F3: Single; var vr : TAffineVector);
14247: Procedure glCombineVector5( var vr : TVectorGL; const v : TVectorGL; var f : Single);
14248: Procedure glCombineVector6( var vr : TVectorGL; const v : TAffineVector; var f : Single);
14249: Function glVectorCombine7( const V1, V2 : TVectorGL; const F1, F2 : Single) : TVectorGL;
14250: Function glVectorCombine8( const V1 : TVectorGL;const V2 : TAffineVector; const F1,F2:Single): TVectorGL;
14251: Procedure glVectorCombine9(const V1:TVectorGL;const V2:TAffineVector;const F1,F2:Single;var vr:TVectorGL);
14252: Procedure glVectorCombine10( const V1, V2 : TVectorGL; const F1, F2 : Single; var vr : TVectorGL);
14253: Procedure glVectorCombine11( const V1, V2 : TVectorGL; const F2 : Single; var vr : TVectorGL);
14254: Function glVectorCombine3( const V1, V2, V3 : TVectorGL; const F1, F2, F3 : Single) : TVectorGL;
14255: Procedure glVectorCombine31( const V1, V2, V3 : TVectorGL; const F1, F2, F3:Single; var vr : TVectorGL);
14256: Function glVectorDotProduct( const V1, V2 : TAffineVector) : Single;
14257: Function glVectorDotProduct1( const V1, V2 : TVectorGL) : Single;
14258: Function glVectorDotProduct2( const V1 : TVectorGL; const V2 : TAffineVector) : Single;
14259: Function glPointProject( const p, origin, direction : TAffineVector) : Single;
14260: Function glPointProject1( const p, origin, direction : TVectorGL) : Single;
14261: Function glVectorCrossProduct( const V1, V2 : TAffineVector) : TAffineVector;
14262: Function glVectorCrossProduct1( const V1, V2 : TVectorGL) : TVectorGL;
14263: Procedure glVectorCrossProduct2( const v1, v2 : TVectorGL; var vr : TVectorGL);
14264: Procedure glVectorCrossProduct3( const v1, v2 : TAffineVector; var vr : TVectorGL);
14265: Procedure glVectorCrossProduct4( const v1, v2 : TVectorGL; var vr : TAffineVector);
14266: Procedure glVectorCrossProduct5( const v1, v2 : TAffineVector; var vr : TAffineVector);
14267: Function glLerp( const start, stop, t : Single) : Single;
14268: Function glAngleLerp( start, stop, t : Single) : Single;
14269: Function glDistanceBetweenAngles( angle1, angle2 : Single) : Single;
14270: Function glTexPointLerp( const t1, t2 : TTExPoint; t : Single) : TTExPoint;
14271: Function glVectorLerp( const v1, v2 : TAffineVector; t : Single) : TAffineVector;
14272: Procedure glVectorLerp1( const v1, v2 : TAffineVector; t : Single; var vr : TAffineVector);
14273: Function glVectorLerp2( const v1, v2 : TVectorGL; t : Single) : TVectorGL;
14274: Procedure glVectorLerp3( const v1, v2 : TVectorGL; t : Single; var vr : TVectorGL);
14275: Function glVectorAngleLerp( const v1, v2 : TAffineVector; t : Single) : TAffineVector;
14276: Function glVectorAngleCombine( const v1, v2 : TAffineVector; f : Single) : TAffineVector;
14277: // Procedure VectorArrayLerp( const src1, src2:PVectorArray; t:Single; n:Integer; dest:PVectorArray);
14278: // Procedure VectorArrayLerp1( const src1, src2 : PAffineVectorArray; t : Single; n : Integer; dest :
PAffineVectorArray);
14279: Function glVectorLength( const x, y : Single) : Single;
14280: Function glVectorLength1( const x, y, z : Single) : Single;
14281: Function glVectorLength2( const v : TAffineVector) : Single;
14282: Function glVectorLength3( const v : TVectorGL) : Single;
14283: Function glVectorLength4( const v : array of Single) : Single;
14284: Function glVectorNorm( const x, y : Single) : Single;
14285: Function glVectorNorm1( const v : TAffineVector) : Single;
14286: Function glVectorNorm2( const v : TVectorGL) : Single;
14287: Function glVectorNorm3( var V : array of Single) : Single;
14288: Procedure glNormalizeVector( var v : TAffineVector);
14289: Procedure glNormalizeVector1( var v : TVectorGL);
14290: Function glVectorNormalize( const v : TAffineVector) : TAffineVector;
14291: Function glVectorNormalize1( const v : TVectorGL) : TVectorGL;
14292: // Procedure NormalizeVectorArray( list : PAffineVectorArray; n : Integer);
14293: Function glVectorAngleCosine( const V1, V2 : TAffineVector) : Single;
14294: Function glVectorNegate( const v : TAffineVector) : TAffineVector;
14295: Function glVectorNegate1( const v : TVectorGL) : TVectorGL;
14296: Procedure glNegateVector( var V : TAffineVector);
14297: Procedure glNegateVector2( var V : TVectorGL);
14298: Procedure glNegateVector3( var V : array of Single);
14299: Procedure glScaleVector( var v : TAffineVector; factor : Single);
14300: Procedure glScaleVector1( var v : TAffineVector; const factor : TAffineVector);
14301: Procedure glScaleVector2( var v : TVectorGL; factor : Single);
14302: Procedure glScaleVector3( var v : TVectorGL; const factor : TVectorGL);
14303: Function glVectorScale( const v : TAffineVector; factor : Single) : TAffineVector;
14304: Procedure glVectorScale1( const v : TAffineVector; factor : Single; var vr : TAffineVector);
14305: Function glVectorScale2( const v : TVectorGL; factor : Single) : TVectorGL;
14306: Procedure glVectorScale3( const v : TVectorGL; factor : Single; var vr : TVectorGL);

```

```

14307: Procedure glVectorScale4( const v : TVectorGL; factor : Single; var vr : TAffineVector);
14308: Procedure glDivideVector( var v : TVectorGL; const divider : TVectorGL);
14309: Function glVectorEquals( const V1, V2 : TVectorGL) : Boolean;
14310: Function glVectorEqual1( const V1, V2 : TAffineVector) : Boolean;
14311: Function glAffineVectorEquals( const V1, V2 : TVectorGL) : Boolean;
14312: Function glVectorIsNull( const v : TVectorGL) : Boolean;
14313: Function glVectorIsNotNull( const v : TAffineVector) : Boolean;
14314: Function glVectorSpacing( const v1, v2 : TTexPoint) : Single;
14315: Function glVectorSpacing1( const v1, v2 : TAffineVector) : Single;
14316: Function glVectorSpacing2( const v1, v2 : TVectorGL) : Single;
14317: Function glVectorDistance( const v1, v2 : TAffineVector) : Single;
14318: Function glVectorDistance1( const v1, v2 : TVectorGL) : Single;
14319: Function glVectorDistance2( const v1, v2 : TAffineVector) : Single;
14320: Function glVectorDistance21( const v1, v2 : TVectorGL) : Single;
14321: Function glVectorPerpendicular( const V, N : TAffineVector) : TAffineVector;
14322: Function glVectorReflect( const V, N : TAffineVector) : TAffineVector;
14323: Procedure glRotateVector( var vector : TVectorGL; const axis : TAffineVector; angle : Single);
14324: Procedure glRotateVector1( var vector : TVectorGL; const axis : TVectorGL; angle : Single);
14325: Procedure glRotateVectorAroundY( var v : TAffineVector; alpha : Single);
14326: Function glVectorRotateAroundX( const v : TAffineVector; alpha : Single) : TAffineVector;
14327: Function glVectorRotateAroundY( const v : TAffineVector; alpha : Single) : TAffineVector;
14328: Procedure glVectorRotateAroundY1( const v : TAffineVector; alpha : Single; var vr : TAffineVector);
14329: Function glVectorRotateAroundZ( const v : TAffineVector; alpha : Single) : TAffineVector;
14330: Procedure glAbsVector( var v : TVectorGL);
14331: Procedure glAbsVector1( var v : TAffineVector);
14332: Function glVectorAbs( const v : TVectorGL) : TVectorGL;
14333: Function glVectorAbs1( const v : TAffineVector) : TAffineVector;
14334: Procedure glSetMatrix( var dest : THomogeneousDblMatrix; const src : TMatrixGL);
14335: Procedure glSetMatrix1( var dest : TAffineMatrix; const src : TMatrixGL);
14336: Procedure glSetMatrix2( var dest : TMatrixGL; const src : TAffineMatrix);
14337: Procedure glSetMatrixRow( var dest : TMatrixGL; rowNb : Integer; const aRow : TVectorGL);
14338: Function glCreateScaleMatrix( const v : TAffineVector) : TMatrixGL;
14339: Function glCreateScaleMatrix1( const v : TVectorGL) : TMatrixGL;
14340: Function glCreateTranslationMatrix( const V : TAffineVector) : TMatrixGL;
14341: Function glCreateTranslationMatrix1( const V : TVectorGL) : TMatrixGL;
14342: Function glCreateScaleAndTranslationMatrix( const scale, offset : TVectorGL) : TMatrixGL;
14343: Function glCreateRotationMatrixX( const sine, cosine : Single) : TMatrixGL;
14344: Function glCreateRotationMatrixX1( const angle : Single) : TMatrixGL;
14345: Function glCreateRotationMatrixY( const sine, cosine : Single) : TMatrixGL;
14346: Function glCreateRotationMatrixY1( const angle : Single) : TMatrixGL;
14347: Function glCreateRotationMatrixZ( const sine, cosine : Single) : TMatrixGL;
14348: Function glCreateRotationMatrixZ1( const angle : Single) : TMatrixGL;
14349: Function glCreateRotationMatrix( const anAxis : TAffineVector; angle : Single) : TMatrixGL;
14350: Function glCreateRotationMatrix1( const anAxis : TVectorGL; angle : Single) : TMatrixGL;
14351: Function glCreateAffineRotationMatrix( const anAxis : TAffineVector; angle:Single):TAffineMatrix
14352: Function glMatrixMultiply( const M1, M2 : TAffineMatrix) : TAffineMatrix;
14353: Function glMatrixMultiply1( const M1, M2 : TMatrixGL) : TMatrixGL;
14354: Procedure glMatrixMultiply2( const M1, M2 : TMatrixGL; var MResult : TMatrixGL);
14355: Function glVectorTransform( const V : TVectorGL; const M : TMatrixGL) : TVectorGL;
14356: Function glVectorTransform1( const V : TVectorGL; const M : TAffineMatrix) : TVectorGL;
14357: Function glVectorTransform2( const V : TAffineVector; const M : TMatrixGL) : TAffineVector;
14358: Function glVectorTransform3( const V : TAffineVector; const M : TAffineMatrix) : TAffineVector;
14359: Function glMatrixDeterminant( const M : TAffineMatrix) : Single;
14360: Function glMatrixDeterminant1( const M : TMatrixGL) : Single;
14361: Procedure glAdjointMatrix( var M : TMatrixGL);
14362: Procedure glAdjointMatrix1( var M : TAffineMatrix);
14363: Procedure glScaleMatrix( var M : TAffineMatrix; const factor : Single);
14364: Procedure glScaleMatrix1( var M : TMatrixGL; const factor : Single);
14365: Procedure glTranslateMatrix( var M : TMatrixGL; const v : TAffineVector);
14366: Procedure glTranslateMatrix1( var M : TMatrixGL; const v : TVectorGL);
14367: Procedure glNormalizeMatrix( var M : TMatrixGL);
14368: Procedure glTransposeMatrix( var M : TAffineMatrix);
14369: Procedure glTransposeMatrix1( var M : TMatrixGL);
14370: Procedure glInvertMatrix( var M : TMatrixGL);
14371: Procedure glInvertMatrix1( var M : TAffineMatrix);
14372: Function glAnglePreservingMatrixInvert( const mat : TMatrixGL) : TMatrixGL;
14373: Function glMatrixDecompose( const M : TMatrixGL; var Tran : TTransformations) : Boolean;
14374: Function glPlaneMake( const p1, p2, p3 : TAffineVector) : THmgPlane;
14375: Function glPlaneMake1( const p1, p2, p3 : TVectorGL) : THmgPlane;
14376: Function glPlaneMake2( const point, normal : TAffineVector) : THmgPlane;
14377: Function glPlaneMake3( const point, normal : TVectorGL) : THmgPlane;
14378: Procedure glSetPlane( var dest : TDoubleHmgPlane; const src : THmgPlane);
14379: Procedure glNormalizePlane( var plane : THmgPlane);
14380: Function glPlaneEvaluatePoint( const plane : THmgPlane; const point : TAffineVector) : Single;
14381: Function glPlaneEvaluatePoint1( const plane : THmgPlane; const point : TVectorGL) : Single;
14382: Function glCalcPlaneNormal( const p1, p2, p3 : TAffineVector) : TAffineVector;
14383: Procedure glCalcPlaneNormal1( const p1, p2, p3 : TAffineVector; var vr : TAffineVector);
14384: Procedure glCalcPlaneNormal2( const p1, p2, p3 : TVectorGL; var vr : TAffineVector);
14385: Function glPointIsInHalfSpace( const point, planePoint, planeNormal : TVectorGL) : Boolean;
14386: Function glPointIsInHalfSpace1( const point, planePoint, planeNormal : TAffineVector) : Boolean;
14387: Function glPointPlaneDistance( const point, planePoint, planeNormal : TVectorGL) : Single;
14388: Function glPointPlaneDistance1( const point, planePoint, planeNormal : TAffineVector) : Single;
14389: Function glPointSegmentClosestPoint( const point, segmentStart, segmentStop:TAffineVector):TAffineVector
14390: Function glPointSegmentDistance( const point, segmentStart, segmentStop : TAffineVector) : single
14391: Function glPointLineClosestPoint( const point, linePoint, lineDirection : TAffineVector) : TAffineVector
14392: Function glPointLineDistance( const point, linePoint, lineDirection : TAffineVector) : Single
14393: Procedure SglementSegmentClosestPoint( const S0Start, S0Stop, S1Start, S1Stop : TAffineVector; var
Segment0Closest, Segment1Closest : TAffineVector)
14394: Function glSegmentSegmentDistance(const S0Start,S0Stop,S1Start,S1Stop:TAffineVector):single

```

```

14395: TEulerOrder', '( eulXYZ, eulXZY, eulYXZ, eulYZX, eulZXY, eulZYX)
14396: Function glQuaternionMake( const Imag : array of Single; Real : Single ) : TQuaternion
14397: Function glQuaternionConjugate( const Q : TQuaternion ) : TQuaternion
14398: Function glQuaternionMagnitude( const Q : TQuaternion ) : Single
14399: Procedure glNormalizeQuaternion( var Q : TQuaternion )
14400: Function glQuaternionFromPoints( const V1, V2 : TAffineVector ) : TQuaternion
14401: Procedure glQuaternionToPoints( const Q : TQuaternion; var ArcFrom, ArcTo : TAffineVector )
14402: Function glQuaternionFromMatrix( const mat : TMatrixGL ) : TQuaternion
14403: Function glQuaternionToMatrix( quat : TQuaternion ) : TMatrixGL
14404: Function glQuaternionToAffineMatrix( quat : TQuaternion ) : TAffineMatrix
14405: Function glQuaternionFromAngleAxis( const angle : Single; const axis : TAffineVector ) : TQuaternion
14406: Function glQuaternionFromRollPitchYaw( const r, p, y : Single ) : TQuaternion
14407: Function glQuaternionFromEuler( const x, y, z : Single; eulerOrder : TEulerOrder ) : TQuaternion
14408: Function glQuaternionMultiply( const qL, qR : TQuaternion ) : TQuaternion
14409: Function glQuaternionSlerp( const QStart, QEnd : TQuaternion; Spin : Integer; t : Single ) : TQuaternion
14410: Function glQuaternionSlerp1( const source, dest : TQuaternion; const t : Single ) : TQuaternion;
14411: Function glLnXP1( X : Extended ) : Extended
14412: Function glLog10( X : Extended ) : Extended
14413: Function glLog2( X : Extended ) : Extended
14414: Function glLog21( X : Single ) : Single;
14415: Function glLogN( Base, X : Extended ) : Extended
14416: Function glIntPower( Base : Extended; Exponent : Integer ) : Extended
14417: Function glPower( const Base, Exponent : Single ) : Single;
14418: Function glPowerl( Base : Single; Exponent : Integer ) : Single;
14419: Function glDegToRad( const Degrees : Extended ) : Extended;
14420: Function glDegToRad1( const Degrees : Single ) : Single;
14421: Function glRadToDeg( const Radians : Extended ) : Extended;
14422: Function glRadToDeg1( const Radians : Single ) : Single;
14423: Function glNormalizeAngle( angle : Single ) : Single
14424: Function glNormalizeDegAngle( angle : Single ) : Single
14425: Procedure glSinCos( const Theta : Extended; var Sin, Cos : Extended );
14426: Procedure glSinCos1( const Theta : Double; var Sin, Cos : Double );
14427: Procedure glSinCos( const Theta : Single; var Sin, Cos : Single );
14428: Procedure glSinCos1( const theta, radius : Double; var Sin, Cos : Extended );
14429: Procedure glSinCos2( const theta, radius : Double; var Sin, Cos : Double );
14430: Procedure glSinCos3( const theta, radius : Single; var Sin, Cos : Single );
14431: Procedure glPrepareSinCosCache( var s, c : array of Single; startAngle, stopAngle : Single )
14432: Function glArcCos( const X : Extended ) : Extended;
14433: Function glArcCos1( const x : Single ) : Single;
14434: Function glArcSin( const X : Extended ) : Extended;
14435: Function glArcSin1( const X : Single ) : Single;
14436: Function glArcTan21( const Y, X : Extended ) : Extended;
14437: Function glArcTan21( const Y, X : Single ) : Single;
14438: Function glFastArcTan2( y, x : Single ) : Single
14439: Function glTan( const X : Extended ) : Extended;
14440: Function glTan1( const X : Single ) : Single;
14441: Function glCoTan( const X : Extended ) : Extended;
14442: Function glCoTan1( const X : Single ) : Single;
14443: Function glSinh( const x : Single ) : Single;
14444: Function glSinh1( const x : Double ) : Double;
14445: Function glCosh( const x : Single ) : Single;
14446: Function glCosh1( const x : Double ) : Double;
14447: Function glRSqrt( v : Single ) : Single
14448: Function glRLength( x, y : Single ) : Single
14449: Function glISqrt( i : Integer ) : Integer
14450: Function glILength( x, y : Integer ) : Integer;
14451: Function glILength1( x, y, z : Integer ) : Integer;
14452: Procedure glRegisterBasedExp
14453: Procedure glRandomPointOnSphere( var p : TAffineVector )
14454: Function glRoundInt( v : Single ) : Single;
14455: Function glRoundInt1( v : Extended ) : Extended;
14456: Function glTrunc( v : Single ) : Integer;
14457: Function glTrunc64( v : Extended ) : Int64;
14458: Function glInt( v : Single ) : Single;
14459: Function glInt1( v : Extended ) : Extended;
14460: Function glFrac( v : Single ) : Single;
14461: Function glFrac1( v : Extended ) : Extended;
14462: Function glRound( v : Single ) : Integer;
14463: Function glRound64( v : Single ) : Int64;
14464: Function glRound641( v : Extended ) : Int64;
14465: Function glTrunc( X : Extended ) : Int64
14466: Function glRound( X : Extended ) : Int64
14467: Function glFrac( X : Extended ) : Extended
14468: Function glCeil( v : Single ) : Integer;
14469: Function glCeil64( v : Extended ) : Int64;
14470: Function glFloor( v : Single ) : Integer;
14471: Function glFloor64( v : Extended ) : Int64;
14472: Function glScaleAndRound( i : Integer; var s : Single ) : Integer
14473: Function glSign( x : Single ) : Integer
14474: Function glIsInRange( const x, a, b : Single ) : Boolean;
14475: Function glIsInRangel( const x, a, b : Double ) : Boolean;
14476: Function glIsInCube( const p, d : TAffineVector ) : Boolean;
14477: Function glIsInCubel( const p, d : TVectorGL ) : Boolean;
14478: //Function MinFloat( values : PSingleArray; nbItems : Integer ) : Single;
14479: //Function MinFloat1( values : PDoubleArray; nbItems : Integer ) : Double;
14480: //Function MinFloat2( values : PExtendedArray; nbItems : Integer ) : Extended;
14481: Function glMinFloat3( const v1, v2 : Single ) : Single;
14482: Function glMinFloat4( const v : array of Single ) : Single;
14483: Function glMinFloat5( const v1, v2 : Double ) : Double;

```

```

14484: Function glMinFloat6( const v1, v2 : Extended ) : Extended;
14485: Function glMinFloat7( const v1, v2, v3 : Single ) : Single;
14486: Function glMinFloat8( const v1, v2, v3 : Double ) : Double;
14487: Function glMinFloat9( const v1, v2, v3 : Extended ) : Extended;
14488: //Function MaxFloat10( values : PSingleArray; nbItems : Integer ) : Single;
14489: //Function MaxFloat10( values : PDoubleArray; nbItems : Integer ) : Double;
14490: //Function MaxFloat1( values : PExtendedArray; nbItems : Integer ) : Extended;
14491: Function glMaxFloat2( const v : array of Single ) : Single;
14492: Function glMaxFloat3( const v1, v2 : Single ) : Single;
14493: Function glMaxFloat4( const v1, v2 : Double ) : Double;
14494: Function glMaxFloat5( const v1, v2 : Extended ) : Extended;
14495: Function glMaxFloat6( const v1, v2, v3 : Single ) : Single;
14496: Function glMaxFloat7( const v1, v2, v3 : Double ) : Double;
14497: Function glMaxFloat8( const v1, v2, v3 : Extended ) : Extended;
14498: Function glMinInteger9( const v1, v2 : Integer ) : Integer;
14499: Function glMinInteger( const v1, v2 : Cardinal ) : Cardinal;
14500: Function glMaxInteger( const v1, v2 : Integer ) : Integer;
14501: Function glMaxInteger1( const v1, v2 : Cardinal ) : Cardinal;
14502: Function glTriangleArea( const p1, p2, p3 : TAffineVector ) : Single;
14503: //Function PolygonArea( const p : PAffineVectorArray; nSides : Integer ) : Single;
14504: Function glTriangleSignedArea( const p1, p2, p3 : TAffineVector ) : Single;
14505: //Function PolygonSignedArea( const p : PAffineVectorArray; nSides : Integer ) : Single;
14506: //Procedure ScaleFloatArray( values : PSingleArray; nb : Integer; var factor : Single );
14507: Procedure glScaleFloatArray( var values : TSingleArray; factor : Single );
14508: //Procedure OffsetFloatArray( values : PSingleArray; nb : Integer; var delta : Single );
14509: Procedure glOffsetFloatArray1( var values : array of Single; delta : Single );
14510: //Procedure OffsetFloatArray2( valuesDest, valuesDelta : PSingleArray; nb : Integer );
14511: Function glMaxXYZComponent( const v : TVectorGL ) : Single;
14512: Function glMaxXYZComponent1( const v : TAffineVector ) : single;
14513: Function glMinXYZComponent( const v : TVectorGL ) : Single;
14514: Function glMinXYZComponent1( const v : TAffineVector ) : single;
14515: Function glMaxAbsXYZComponent( v : TVectorGL ) : Single;
14516: Function glMinAbsXYZComponent( v : TVectorGL ) : Single;
14517: Procedure glMaxVector( var v : TVectorGL; const v1 : TVectorGL );
14518: Procedure glMaxVector1( var v : TAffineVector; const v1 : TAffineVector );
14519: Procedure glMinVector( var v : TVectorGL; const v1 : TVectorGL );
14520: Procedure glMinVector1( var v : TAffineVector; const v1 : TAffineVector );
14521: Procedure glSortArrayAscending( var a : array of Extended );
14522: Function glClampValue( const aValue, aMin, aMax : Single ) : Single;
14523: Function glClampValue1( const aValue, aMin : Single ) : Single;
14524: Function glGeometryOptimizationMode : String;
14525: Procedure glBeginFPUOnlySection;
14526: Procedure glEndFPUOnlySection;
14527: Function glConvertRotation( const Angles : TAffineVector ) : TVectorGL;
14528: Function glMakeAffineDblVector( var v : array of Double ) : TAffineDblVector;
14529: Function glMakeDblVector( var v : array of Double ) : THomogeneousDblVector;
14530: Function glVectorAffineDblToFlt( const v : TAffineDblVector ) : TAffineVector;
14531: Function glVectorDblToFlt( const v : THomogeneousDblVector ) : THomogeneousVector;
14532: Function glVectorAffineFltToDbl( const v : TAffineVector ) : TAffineDblVector;
14533: Function glVectorFltToDbl( const v : TVectorGL ) : THomogeneousDblVector;
14534: Function glPointInPolygon( var xp, yp : array of Single; x, y : Single ) : Boolean;
14535: Procedure glDivMod( Dividend : Integer; Divisor : Word; var Result, Remainder : Word );
14536: Function glTurn( const Matrix : TMatrixGL; angle : Single ) : TMatrixGL;
14537: Function glTurn1( const Matrix : TMatrixGL; const MasterUp:TAffineVector;Angle:Single):TMatrixGL;
14538: Function glPitch( const Matrix : TMatrixGL; Angle : Single ) : TMatrixGL;
14539: Function glPitch1( const Matrix:TMatrixGL;const MasterRight:TAffineVector;Angle:Single):TMatrixGL;
14540: Function glRoll( const Matrix : TMatrixGL; Angle : Single ) : TMatrixGL;
14541: Function glRoll1(const Matrix: TMatrixGL;const MasterDirection:TAffineVector;Angle: Single): TMatrixGL;
14542: Function glRayCastMinDistToPoint( const rayStart, rayVector : TVectorGL;const point:TVectorGL):Single;
14543: Function glRayCastIntersectsSphere( const rayStart, rayVector : TVectorGL; const
sphereCenter:TVectorGL;const sphereRadius : Single ) : Boolean;
14544: Function glRayCastSphereIntersect( const rayStart, rayVector : TVectorGL; const sphereCenter:TVectorGL;
const sphereRadius : Single; var i1, i2 : TVectorGL ) : Integer;
14545: Function glSphereVisibleRadius( distance, radius : Single ) : Single;
14546: Function glExtractFrustumFromModelViewProjection( const modelViewProj : TMatrixGL ) : TFrustum;
14547: Function glIsVolumeClipped( const objPos : TVectorGL; const objRadius : Single; const rcci : TRenderContextClippingInfo ) : Boolean;
14548: Function glIsVolumeClipped1( const objPos : TAffineVector; const objRadius : Single; const rcci : TRenderContextClippingInfo ) : Boolean;
14549: Function glIsVolumeClipped2(const min,max:TAffineVector;const rcci : TRenderContextClippingInfo) : Bool;
14550: Function glIsVolumeClipped3(const objPos:TAffineVector;const objRadius:Single;const
Frustum:TFrustum):Bool;
14551: Function glMakeParallelProjectionMatrix( const plane : THmgPlane; const dir : TVectorGL ) : TMatrixGL;
14552: Function glMakeShadowMatrix( const planePoint, planeNormal, lightPos : TVectorGL ) : TMatrixGL;
14553: Function glMakeReflectionMatrix( const planePoint, planeNormal : TAffineVector ) : TMatrixGL;
14554: Function glPackRotationMatrix( const mat : TMatrixGL ) : TPackedRotationMatrix;
14555: Function glUnPackRotationMatrix( const packedMatrix : TPackedRotationMatrix ) : TMatrixGL;
14556: 'cPI','Single').setExtended( 3.141592654 );
14557: 'cPIdiv180','Single').setExtended( 0.017453292 );
14558: 'c180divPI','Single').setExtended( 57.29577951 );
14559: 'c2PI','Single').setExtended( 6.283185307 );
14560: 'cPIdiv2','Single').setExtended( 1.570796326 );
14561: 'cPIdiv4','Single').setExtended( 0.785398163 );
14562: 'c3PIdiv4','Single').setExtended( 2.35619449 );
14563: 'cInv2PI','Single').setExtended( 1 / 6.283185307 );
14564: 'cInv360','Single').setExtended( 1 / 360 );
14565: 'c180','Single').setExtended( 180 );
14566: 'c360','Single').setExtended( 360 );
14567: 'cOneHalf','Single').setExtended( 0.5 );

```

```

14568: 'cLn10','Single').setExtended( 2.302585093);
14569: {'MinSingle','Extended').setExtended( 1.5e-45);
14570: 'MaxSingle','Extended').setExtended( 3.4e+38);
14571: 'MinDouble','Extended').setExtended( 5.0e-324);
14572: 'MaxDouble','Extended').setExtended( 1.7e+308);
14573: 'MinExtended','Extended').setExtended( 3.4e-4932);
14574: 'MaxExtended','Extended').setExtended( 1.1e+4932);
14575: 'MinComp','Extended').setExtended( - 9.223372036854775807e+18);
14576: 'MaxComp','Extended').setExtended( 9.223372036854775807e+18);}
14577: end;
14578:
14579: procedure SIRegister_GLVectorFileObjects(CL: TPSCompiler);
14580: begin
14581:   AddClassN(FindClass('TOBJECT'), 'TMeshObjectList'
14582:   (FindClass('TOBJECT'), 'TFaceGroups'
14583:    TMeshAutoCentering', '( macCenterX, macCenterY, macCenterZ, macUseBarycenter )
14584:    set of TMeshAutoCentering
14585:    TMeshObjectMode', '( momTriangles, momTriangleStrip, momFaceGroups )
14586:    SIRegister_TBaseMeshObject(CL);
14587:    (FindClass('TOBJECT'), 'TSkeletonFrameList'
14588:     TSkeletonFrameTransform', '( sftRotation, sftQuaternion )
14589:     SIRegister_TSkeletonFrame(CL);
14590:     SIRegister_TSkeletonFrameList(CL);
14591:     (FindClass('TOBJECT'), 'TSkeleton
14592:       (FindClass('TOBJECT'), 'TSkeletonBone
14593:       SIRegister_TSkeletonBoneList(CL);
14594:       SIRegister_TSkeletonRootBoneList(CL);
14595:       SIRegister_TSkeletonBone(CL);
14596:       (FindClass('TOBJECT'), 'TSkeletonColliderList
14597:       SIRegister_TSkeletonCollider(CL);
14598:       SIRegister_TSkeletonColliderList(CL);
14599:       (FindClass('TOBJECT'), 'TGLBaseMesh
14600:       TBlendedLerpInfo', 'record frameIndex1 : Integer; frameIndex2 : '
14601:         +'Integer; lerpFactor : Single; weight : Single; externalPositions : TAffine'
14602:         +'VectorList; externalRotations : TAffineVectorList; externalQuaternions : T'
14603:         +'QuaternionList; end
14604:       SIRegister_TSkeleton(CL);
14605:       TMeshObjectRenderingOption', '( moroGroupByMaterial )
14606:       TMeshObjectRenderingOptions', 'set of TMeshObjectRenderingOption
14607:       SIRegister_TMeshObject(CL);
14608:       SIRegister_TMeshObjectList(CL);
14609: //TMeshObjectListClass', 'class of TMeshObjectList
14610: (FindClass('TOBJECT'), 'TMeshMorphTargetList
14611: SIRegister_TMorphTarget(CL);
14612: SIRegister_TMorphTargetList(CL);
14613: SIRegister_TMorphableMeshObject(CL);
14614: TVertexBoneWeight', 'record BoneID : Integer; Weight : Single; end
14615: //PVertexBoneWeightArray', '^TVertexBoneWeightArray // will not work
14616: //PVerticesBoneWeights', '^TVerticesBoneWeights // will not work
14617: TVertexBoneWeightDynArray', 'array of TVertexBoneWeight
14618: SIRegister_TSkeletonMeshObject(CL);
14619: SIRegister_TFaceGroup(CL);
14620: TFaceGroupMode', '( fgmmTriangles, fgmmTriangleStrip, fgmmFl'
14621:   +'atTriangles, fgmmTriangleFan, fgmmQuads )
14622: SIRegister_TFGVertexIndexList(CL);
14623: SIRegister_TFGVertexNormalTexIndexList(CL);
14624: SIRegister_TFGIndexTexCoordList(CL);
14625: SIRegister_TFaceGroups(CL);
14626: TMeshNormalsOrientation', '( mnoDefault, mnoInvert )
14627: SIRegister_TVectorFile(CL);
14628: //TVectorFileClass', 'class of TVectorFile
14629: SIRegister_TGLGLSMVectorFile(CL);
14630: SIRegister_TGLBaseMesh(CL);
14631: SIRegister_TGLFreeForm(CL);
14632: TGLActorOption', '( aoSkeletonNormalizeNormals )
14633: TGLActorOptions', 'set of TGLActorOption
14634: 'cDefaultGLActorOptions', 'LongInt').Value.ts32:= ord(aoSkeletonNormalizeNormals);
14635: (FindClass('TOBJECT'), 'TGLActor
14636: TActorAnimationReference', '( aarMorph, aarSkeleton, aarNone )
14637: SIRegister_TActorAnimation(CL);
14638: TActorAnimationName', 'string
14639: SIRegister_TActorAnimations(CL);
14640: SIRegister_TGLBaseAnimationController(CL);
14641: SIRegister_TGLAnimationController(CL);
14642: TActorFrameInterpolation', '( afpNone, afpLinear )
14643: TActorAnimationMode', '( aamNone, aamPlayOnce, aamLoop, aamBounce'
14644:   +'eForward, aamBounceBackward, aamLoopBackward, aamExternal )
14645: SIRegister_TGLActor(CL);
14646: SIRegister_TVectorFileFormat(CL);
14647: SIRegister_TVectorFileFormatsList(CL);
14648: (FindClass('TOBJECT'), 'EInvalidVectorFile
14649: Function GetVectorFileFormats : TVectorFileFormatsList
14650: Function VectorFileFormatsFilter : String
14651: Function VectorFileFormatsSaveFilter : String
14652: Function VectorFileFormatExtensionByIndex( index : Integer ) : String
14653: Procedure RegisterVectorFileFormat( const aExtension, aDescription : String; aClass : TVectorFileClass )
14654: Procedure UnregisterVectorFileClass( aClass : TVectorFileClass )
14655: end;
14656:

```

```

14657: procedure SIRegister_AxCtrls(CL: TPSPascalCompiler);
14658: begin
14659:   'Class_DColorPropPage', 'TGUID '{5CFF5D59-5946-11D0-BDEF-00A024D1875C}
14660:   'Class_DFontPropPage', 'TGUID '{5CFF5D5B-5946-11D0-BDEF-00A024D1875C}
14661:   'Class_DPicturePropPage', 'TGUID '{5CFF5D5A-5946-11D0-BDEF-00A024D1875C}
14662:   'Class_DStringPropPage', 'TGUID '{F42D677E-754B-11D0-BDFB-00A024D1875C}
14663:   SIRegister_TOLEStream(CL);
14664:   (FindClass('TOBJECT'), 'TConnectionPoints
14665:   TConnectionKind', '( ckSingle, ckMulti )
14666:   SIRegister_TConnectionPoint(CL);
14667:   SIRegister_TConnectionPoints(CL);
14668:   TDefinePropertyPage', 'Procedure ( const GUID : TGUID)
14669:   (FindClass('TOBJECT'), 'TActiveXControlFactory
14670:   SIRegister_TActiveXControl(CL);
14671:   //TActiveXControlClass', 'class of TActiveXControl
14672:   SIRegister_TActiveXControlFactory(CL);
14673:   SIRegister_TActiveFormControl(CL);
14674:   SIRegister_TActiveForm(CL);
14675:   //TActiveFormClass', 'class of TActiveForm
14676:   SIRegister_TActiveFormFactory(CL);
14677:   (FindClass('TOBJECT'), 'TPROPERTYPAGEImpl
14678:   SIRegister_TPropertyPage(CL);
14679:   //TPROPERTYPAGEClass', 'class of TPROPERTYPAGE
14680:   SIRegister_TPropertyPageImpl(CL);
14681:   SIRegister_TActiveXPropertyPage(CL);
14682:   SIRegister_TActiveXPropertyPageFactory(CL);
14683:   SIRegister_TCustomAdapter(CL);
14684:   SIRegister_TAdapterNotifier(CL);
14685:   SIRegister_TFontAccess(CL);
14686:   SIRegister_TFontAdapter(CL);
14687:   SIRegister_TPictureAccess(CL);
14688:   SIRegister_TPictureAdapter(CL);
14689:   SIRegister_TOLEGraphic(CL);
14690:   SIRegister_TStringsAdapter(CL);
14691:   SIRegister_TReflectorWindow(CL);
14692:   Procedure EnumDispatchProperties(Dispatch:IDispatch;PropType:TGUID;VTCode:Int;PropList:TStrings);
14693:   Procedure GetOLEFont( Font : TFont; var OleFont : IFontDisp)
14694:   Procedure SetOLEFont( Font : TFont; OleFont : IFontDisp)
14695:   Procedure GetOLEPicture( Picture : TPicture; var OlePicture : IPictureDisp)
14696:   Procedure SetOLEPicture( Picture : TPicture; OlePicture : IPictureDisp)
14697:   Procedure GetOLEStrings( Strings : TStrings; var OleStrings : IStrings)
14698:   Procedure SetOLEStrings( Strings : TStrings; OleStrings : IStrings)
14699:   Function ParkingWindow : Hwnd
14700: end;
14701:
14702: procedure SIRegister_synaip(CL: TPSPascalCompiler);
14703: begin
14704:   // TIP6Bytes = array [0..15] of Byte;
14705:   { :binary form of IPv6 adress (for string conversion routines)}
14706:   // TIP6Words = array [0..7] of Word;
14707:   AddTypeS('TIP6Bytes', 'array [0..15] of Byte;');
14708:   AddTypeS('TIP6Words', 'array [0..7] of Word;');
14709:   AddTypeS('TIPAdr', 'record Oct1 : Byte; Oct2 : Byte; Oct3 : Byte; Oct4: Byte; end');
14710:   Function synaIsIP( const Value : string) : Boolean';
14711:   Function synaIP6( const Value : string) : Boolean';
14712:   Function synalPToID( Host : string) : Ansistring';
14713:   Function synaStrToIp6( value : string) : TIP6Bytes';
14714:   Function synalp6ToStr( value : TIP6Bytes) : string';
14715:   Function synaStrToIp( value : string) : integer';
14716:   Function synalpToStr( value : integer) : string';
14717:   Function synaReverseIP( Value : AnsiString) : AnsiString';
14718:   Function synaReverseIP6( Value : AnsiString) : AnsiString';
14719:   Function synaExpandIP6( Value : AnsiString) : AnsiString';
14720:   Function xStrToIP( const Value : String) : TIPAdr';
14721:   Function xIPToStr( const Adresse : TIPAdr) : String';
14722:   Function IPToCardinal( const Adresse : TIPAdr) : Cardinal';
14723:   Function CardinalToIP( const Value : Cardinal) : TIPAdr';
14724: end;
14725:
14726: procedure SIRegister_synacode(CL: TPSPascalCompiler);
14727: begin
14728:   AddTypeS('TSpecials', 'set of Char');
14729:   Const('SpecialChar', 'TSpecials').SetSet( '=()[]<>;@/#\_');
14730:   Const('ABCDEFGHijklmnOPQRstuVWXYZabcfghijklmnopqrstuvwxyz0123456789+/=+');
14731:   Const('TableBase64'ABCDEFGHijklmnOPQRstuVWXYZabcfghijklmnopqrstuvwxyz0123456789+/=+');
14732:   Const('TableBase64mod'ABCDEFGHijklmnOPQRstuVWXYZabcfghijklmnopqrstuvwxyz0123456789+,=+');
14733:   Const('TableUU'(^!#$%&'^)*,-./0123456789:^=>@ABCDEFGHijklmnOPQRstuVWXYZ[\]^_');
14734:   Const('TableXX'(+0123456789ABCDEFGHijklmnOPQRstuVWXYZabcfghijklmnopqrstuvwxyz');
14735:   Function DecodeTriplet( const Value : AnsiString; Delimiter : Char) : AnsiString';
14736:   Function DecodeQuotedPrintable( const Value : AnsiString) : AnsiString';
14737:   Function DecodeURL( const Value : AnsiString) : AnsiString';
14738:   Function EncodeTriplet( const Value : AnsiString; Delimiter : Char; Specials : TSpecials) : AnsiString';
14739:   Function EncodeQuotedPrintable( const Value : AnsiString) : AnsiString';
14740:   Function EncodeSafeQuotedPrintable( const Value : AnsiString) : AnsiString';
14741:   Function EncodeURLElement( const Value : AnsiString) : AnsiString';
14742:   Function EncodeURL( const Value : AnsiString) : AnsiString';
14743:   Function Decode4to3( const Value, Table : AnsiString) : AnsiString';
14744:   Function Decode4to3Ex( const Value, Table : AnsiString) : AnsiString';
14745:   Function Encode3to4( const Value, Table : AnsiString) : AnsiString';

```

```

14746: Function synDecodeBase64( const Value : AnsiString ) : AnsiString';
14747: Function synEncodeBase64( const Value : AnsiString ) : AnsiString';
14748: Function DecodeBase64mod( const Value : AnsiString ) : AnsiString';
14749: Function EncodeBase64mod( const Value : AnsiString ) : AnsiString');
14750: Function DecodeUU( const Value : AnsiString ) : AnsiString');
14751: Function EncodeUU( const Value : AnsiString ) : AnsiString');
14752: Function DecodeXX( const Value : AnsiString ) : AnsiString');
14753: Function DecodeYEnc( const Value : AnsiString ) : AnsiString');
14754: Function UpdateCrc32( Value : Byte; Crc32 : Integer ) : Integer');
14755: Function synCrc32( const Value : AnsiString ) : Integer');
14756: Function UpdateCrc16( Value : Byte; Crc16 : Word ) : Word');
14757: Function Crc16( const Value : AnsiString ) : Word');
14758: Function synMD5( const Value : AnsiString ) : AnsiString');
14759: Function HMAC_MD5( Text, Key : AnsiString ) : AnsiString');
14760: Function MD5LongHash( const Value : AnsiString; Len : integer ) : AnsiString');
14761: Function synSHA1( const Value : AnsiString ) : AnsiString');
14762: Function HMAC_SHA1( Text, Key : AnsiString ) : AnsiString');
14763: Function SHA1longHash( const Value : AnsiString; Len : integer ) : AnsiString');
14764: Function synMD4( const Value : AnsiString ) : AnsiString');
14765: end;
14766:
14767: procedure SIRегистre_synamisc(CL: TPSPPascalCompiler);
14768: begin
14769:   AddTypeS('TMimeChar', '( ISO_8859_1, ISO_8859_2, ISO_8859_3, ISO_8859_4, I'
14770:             + 'SO_8859_5, ISO_8859_6, ISO_8859_7, ISO_8859_8, ISO_8859_9, ISO_8859_10, IS'
14771:             + 'O_8859_13, ISO_8859_14, ISO_8859_15, CP1250, CP1251, CP1252, CP1253, CP125'
14772:             + '4, CP1255, CP1256, CP1257, CP1258, KOI8_R, CP895, CP852, UCS_2, UCS_4, UTF'
14773:             + '8, UTF_7, UTF_7mod, UCS_2LE, UCS_4LE, UTF_16, UTF_16LE, UTF_32, UTF_32LE, '
14774:             + 'C99, JAVA, ISO_8859_16, KOI8_U, KOI8_RU, CP862, CP866, MAC, MACCE, MACICE'
14775:             + ', MACCRO, MACRO, MACCYR, MACUK, MACRU, MACHEB, MACAR, MACTH, ROMAN8'
14776:             + ', NEXTSTEP, ARMASCII, GEORGIAN_AC, GEORGIAN_PS, KOI8_T, MULELAO, CP1133, T'
14777:             + 'IS620, CP874, VISCII, TCVN, ISO_IR_14, JIS_X0201, JIS_X0208, JIS_X0212, GB'
14778:             + '1988_80, GB2312_80, ISO_IR_165, ISO_IR_149, EUC_JP, SHIFT_JIS, CP932, ISO_'
14779:             + '2022_JP, ISO_2022_JP1, ISO_2022_JP2, GB2312, CP936, GB18030, ISO_2022_CN, '
14780:             + 'ISO_2022_CNE, HZ, EUC_TW, BIG5, CP950, BIG5_HKSCS, EUC_KR, CP949, CP1361, '
14781:             + 'ISO_2022_KR, CP737, CP775, CP853, CP855, CP857, CP858, CP860, CP861, CP863'
14782:             + ', CP864, CP865, CP869, CP1125 ') );
14783:   AddTypeS('TMimeSetChar', 'set of TMimeChar');
14784:   Function CharsetConversion(const Value:AnsiString;CharFrom:TMimeChar;CharTo:TMimeChar):AnsiString;
14785:   Function CharsetConversionEx(const Value:AnsiString;CharFrom:TMimeChar;CharTo:TMimeChar; const
14786:     TransformTable : array of Word) : AnsiString');
14787:   Function CharsetConversionTrans( Value : AnsiString; CharFrom : TMimeChar; CharTo : TMimeChar; const
14788:     TransformTable : array of Word; Translit : Boolean) : AnsiString');
14789:   Function GetCurCP : TMimeChar');
14790:   Function GetCurOEMCP : TMimeChar');
14791:   Function GetCPFromID( Value : AnsiString ) : TMimeChar');
14792:   Function GetIDFromCP( Value : TMimeChar ) : AnsiString );
14793:   Function NeedCharsetConversion( const Value : AnsiString ) : Boolean');
14794:   Function IdealCharsetCoding(const Value:AnsiString;CharFrom:TMimeChar;CharTo:TMimeSetChar):TMimeChar;
14795:   Function GetBOM( Value : TMimeChar ) : AnsiString');
14796:   Function StringToWide( const Value : AnsiString ) : WideString');
14797:   Function WideToString( const Value : WideString ) : AnsiString');
14798: end;
14799:
14800: procedure SIRегистre_synamisc(CL: TPSPPascalCompiler);
14801: begin
14802:   AddTypeS('TProxySetting', 'record Host : string; Port : string; Bypass : string; end');
14803:   Procedure WakeOnLan( MAC, IP : string)');
14804:   Function GetDNS : string');
14805:   Function GetIEProxy( protocol : string ) : TProxySetting');
14806:   Function GetLocalIPs : string');
14807:
14808: procedure SIRегистre_synamisc(CL: TPSPPascalCompiler);
14809: begin
14810:   AddConstantN('synCR', Char #$0d);
14811:   Const('synLF', Char #$0a);
14812:   Const('cSerialChunk', 'LongInt'( 8192);
14813:   Const('LockfileDirectory', 'String '/var/lock');
14814:   Const('PortIsClosed', 'LongInt'( - 1);
14815:   Const('ErrAlreadyOwned', 'LongInt'( 9991);
14816:   Const('ErrAlreadyInUse', 'LongInt'( 9992);
14817:   Const('ErrWrongParameter', 'LongInt'( 9993);
14818:   Const('ErrPortNotOpen', 'LongInt'( 9994);
14819:   Const('ErrNoDeviceAnswer', 'LongInt'( 9995);
14820:   Const('ErrMaxBuffer', 'LongInt'( 9996);
14821:   Const('ErrTimeout', 'LongInt'( 9997);
14822:   Const('ErrNotRead', 'LongInt'( 9998);
14823:   Const('ErrFrame', 'LongInt'( 9999);
14824:   Const('ErrOverrun', 'LongInt'( 10000);
14825:   Const('ErrRxOver', 'LongInt'( 10001);
14826:   Const('ErrRxParity', 'LongInt'( 10002);
14827:   Const('ErrTxFull', 'LongInt'( 10003);
14828:   Const('dcb_Binary', 'LongWord')($00000001);
14829:   Const('dcb_ParityCheck', 'LongWord')($00000002);
14830:   Const('dcb_OutxCtsFlow', 'LongWord')($00000004);
14831:   Const('dcb_OutxDsrFlow', 'LongWord')($00000008);
14832:   Const('dcb_DtrControlMask', 'LongWord')($00000030);

```

```

14833: Const('dcb_DtrControlDisable','LongWord')( $00000000);
14834: Const('dcb_DtrControlEnable','LongWord')( $00000010);
14835: Const('dcb_DtrControlHandshake','LongWord')( $00000020);
14836: Const('dcb_DsrSensitivity','LongWord')( $00000040);
14837: Const('dcb_TXContinueOnXoff','LongWord')( $00000080);
14838: Const('dcb_OutX','LongWord')( $00000100);
14839: Const('dcb_InX','LongWord')( $00000200);
14840: Const('dcb_ErrorChar','LongWord')( $00000400);
14841: Const('dcb_NullStrip','LongWord')( $00000800);
14842: Const('dcb_RtsControlMask','LongWord')( $00003000);
14843: Const('dcb_RtsControlDisable','LongWord')( $00000000);
14844: Const('dcb_RtsControlEnable','LongWord')( $00001000);
14845: Const('dcb_RtsControlHandshake','LongWord')( $00002000);
14846: Const('dcb_RtsControlToggle','LongWord')( $00003000);
14847: Const('dcb_AbortOnError','LongWord')( $00004000);
14848: Const('dcb_Reservesd','LongWord')( $FFFF8000);
14849: Const('synSB1','LongInt'( 0));
14850: Const('SBlandHalf','LongInt'( 1));
14851: Const('synSB2','LongInt'( 2));
14852: Const('synINVALID_HANDLE_VALUE','LongInt'( THandle( - 1 )));
14853: Const('CS7fix','LongWord')( $00000200);
14854: AddTypeS('synTDCB', 'record DCBlength : DWORD; BaudRate : DWORD; Flags : Long'
14855:   + 'int; wReserved : Word; XonLim : Word; XoffLim : Word; ByteSize : Byte; Par'
14856:   + 'ity : Byte; StopBits : Byte; XonChar : CHAR; XoffChar : CHAR; ErrorChar : '
14857:   + 'CHAR; EofChar : CHAR; EvtChar : CHAR; wReserved1 : Word; end');
14858: //AddTypeS('PDCB', '^TDCB // will not work');
14859: //Const('MaxRates','LongInt'( 18));
14860: //Const('MaxRates','LongInt'( 30));
14861: //Const('MaxRates','LongInt'( 19));
14862: Const('O_SYNC','LongWord')( $0080);
14863: Const('synOK','LongInt'( 0));
14864: Const('synErr','LongInt'( integer( - 1 )));
14865: AddTypeS('THookSerialReason', '( HR_SerialClose, HR_Connect, HR_CanRead, HR_CanWrite, HR_ReadCount,
HR_WriteCount, HR_Wait )');
14866: Type('THookSerialStatus',Procedure(Sender: TObject; Reason:THookSerialReason; const Value:string'));
14867: SIRegister_ESynaSerError(CL);
14868: SIRegister_TBlockSerial(CL);
14869: Function GetSerialPortNames : string';
14870: end;
14871;
14872: procedure SIRegister_synaicnv(CL: TPSPPascalCompiler);
14873: begin
14874: Const('DLLIconvName','String 'libiconv.so');
14875: Const('DLLIconvName','String 'iconv.dll');
14876: AddTypeS('size_t','Cardinal');
14877: AddTypeS('iconv_t','Integer');
14878: //AddTypeS('iconv_t','Pointer');
14879: AddTypeS('argptr','iconv_t');
14880: Function SynalconvOpen( const tocode, fromcode : Ansistring ) : iconv_t';
14881: Function SynalconvOpenTranslit( const tocode, fromcode : Ansistring ) : iconv_t';
14882: Function SynalconvOpenIgnore( const tocode, fromcode : Ansistring ) : iconv_t';
14883: Function Synalconv( cd : iconv_t; inbuf : AnsiString; var outbuf : AnsiString ) : integer';
14884: Function SynalconvClose( var cd : iconv_t ) : integer';
14885: Function SynalconvCtl( cd : iconv_t; request : integer; argument : argptr ) : integer';
14886: Function IsIconvloaded : Boolean';
14887: Function InitIconvInterface : Boolean';
14888: Function DestroyIconvInterface : Boolean';
14889: Const('ICONV_TRIVIALP','LongInt'( 0));
14890: Const('ICONV_GET_TRANSLITERATE','LongInt'( 1));
14891: Const('ICONV_SET_TRANSLITERATE','LongInt'( 2));
14892: Const('ICONV_GET_DISCARD_ILSEQ','LongInt'( 3));
14893: Const('ICONV_SET_DISCARD_ILSEQ','LongInt'( 4));
14894: end;
14895;
14896: procedure SIRegister_pingsend(CL: TPSPPascalCompiler);
14897: begin
14898: Const('ICMP_ECHO','LongInt'( 8));
14899: Const('ICMP_ECHOREPLY','LongInt'( 0));
14900: Const('ICMP_UNREACH','LongInt'( 3));
14901: Const('ICMP_TIME_EXCEEDED','LongInt'( 11));
14902: Const('ICMP6_ECHO','LongInt'( 128));
14903: Const('ICMP6_ECHOREPLY','LongInt'( 129));
14904: Const('ICMP6_UNREACH','LongInt'( 1));
14905: Const('ICMP6_TIME_EXCEEDED','LongInt'( 3));
14906: AddTypeS('TICMPError', '( IE_NoError, IE_Other, IE_TTLExceed, IE_UnreachOr'
14907:   + 'her, IE_UnreachRoute, IE_UnreachAdmin, IE_UnreachAddr, IE_UnreachPort )');
14908: SIRegister_TPINGSend(CL);
14909: Function PingHost( const Host : string ) : Integer';
14910: Function TraceRouteHost( const Host : string ) : string';
14911: end;
14912;
14913: procedure SIRegister_asn1util(CL: TPSPPascalCompiler);
14914: begin
14915: AddConstantN('synASN1_BOOL','LongWord')( $01);
14916: Const('synASN1_INT','LongWord')( $02);
14917: Const('synASN1_OCTSTR','LongWord')( $04);
14918: Const('synASN1_NULL','LongWord')( $05);
14919: Const('synASN1_OBJID','LongWord')( $06);
14920: Const('synASN1_ENUM','LongWord')( $0a);

```

```

14921: Const('synASN1_SEQ','LongWord')($30);
14922: Const('synASN1_SETOF','LongWord')($31);
14923: Const('synASN1_IPADDR','LongWord')($40);
14924: Const('synASN1_COUNTER','LongWord')($41);
14925: Const('synASN1_GAUGE','LongWord')($42);
14926: Const('synASN1_TIMETICKS','LongWord')($43);
14927: Const('synASN1_OPAQUE','LongWord')($44);
14928: Function synASNEncOIDItem( Value : Integer ) : AnsiString';
14929: Function synASNDecOIDItem( var Start : Integer; const Buffer : AnsiString ) : Integer';
14930: Function synASNEncLen( Len : Integer ) : AnsiString';
14931: Function synASNDecLen( var Start : Integer; const Buffer : AnsiString ) : Integer';
14932: Function synASNEncInt( Value : Integer ) : AnsiString';
14933: Function synASNEncUInt( Value : Integer ) : AnsiString';
14934: Function synASNObject( const Data : AnsiString; ASNType : Integer ) : AnsiString';
14935: Function synASNItem(var Start:Integer;const Buffer:AnsiString;var ValueType:Integer):AnsiString;
14936: Function synMibToid( Mib : String ) : AnsiString';
14937: Function synIdToMib( const Id : AnsiString ) : String';
14938: Function synIntMibToStr( const Value : AnsiString ) : AnsiString';
14939: Function ASNdump( const Value : AnsiString ) : AnsiString';
14940: Function GetMailServers( const DNSHost, Domain : AnsiString; const Servers:TStrings ) : Boolean';
14941: Function LDAPResultDump( const Value : TLDAPResultList ) : AnsiString';
14942: end;
14943:
14944: procedure SIRegister_ldapsend(CL: TSPascalCompiler);
14945: begin
14946:   Const('cLDAPProtocol','String '389');
14947:   Const('LDAP ASN1_BIND_REQUEST','LongWord')($60);
14948:   Const('LDAP ASN1_BIND_RESPONSE','LongWord')($61);
14949:   Const('LDAP ASN1_UNBIND_REQUEST','LongWord')($42);
14950:   Const('LDAP ASN1_SEARCH_REQUEST','LongWord')($63);
14951:   Const('LDAP ASN1_SEARCH_ENTRY','LongWord')($64);
14952:   Const('LDAP ASN1_SEARCH_DONE','LongWord')($65);
14953:   Const('LDAP ASN1_SEARCH_REFERENCE','LongWord')($73);
14954:   Const('LDAP ASN1 MODIFY_REQUEST','LongWord')($66);
14955:   Const('LDAP ASN1 MODIFY_RESPONSE','LongWord')($67);
14956:   Const('LDAP ASN1_ADD_REQUEST','LongWord')($68);
14957:   Const('LDAP ASN1_ADD_RESPONSE','LongWord')($69);
14958:   Const('LDAP ASN1_DEL_REQUEST','LongWord')($4A);
14959:   Const('LDAP ASN1_DEL_RESPONSE','LongWord')($6B);
14960:   Const('LDAP ASN1 MODIFYDN_REQUEST','LongWord')($6C);
14961:   Const('LDAP ASN1 MODIFYDN_RESPONSE','LongWord')($6D);
14962:   Const('LDAP ASN1_COMPARE_REQUEST','LongWord')($6E);
14963:   Const('LDAP ASN1_COMPARE_RESPONSE','LongWord')($6F);
14964:   Const('LDAP ASN1_ABANDON_REQUEST','LongWord')($70);
14965:   Const('LDAP ASN1 EXT_REQUEST','LongWord')($77);
14966:   Const('LDAP ASN1 EXT_RESPONSE','LongWord')($78);
14967:   SIRegister_TLDAPAttribute(CL);
14968:   SIRegister_TLDAPAttributeList(CL);
14969:   SIRegister_TLDAPResult(CL);
14970:   SIRegister_TLDAPResultList(CL);
14971:   AddTypes('TLDAPModifyOp','( MO_Add, MO_Delete, MO_Replace )');
14972:   AddTypes('TLDAPSearchScope','( SS_BaseObject, SS_SingleLevel, SS_WholeSubtree )');
14973:   AddTypes('TLDAPSearchAliases','( SA_NeverDeref, SA_InSearching, SA_FindingBaseObj, SA_Always )');
14974:   SIRegister_TLDAPSnd(CL);
14975:   Function LDAPResultDump( const Value : TLDAPResultList ) : AnsiString';
14976: end;
14977:
14978:
14979: procedure SIRegister_slogsend(CL: TSPascalCompiler);
14980: begin
14981:   Const('cSysLogProtocol','String '514');
14982:   Const('FCL_Kernel','LongInt'( 0));
14983:   Const('FCL_UserLevel','LongInt'( 1));
14984:   Const('FCL_MailSystem','LongInt'( 2));
14985:   Const('FCL_System','LongInt'( 3));
14986:   Const('FCL_Security','LongInt'( 4));
14987:   Const('FCL_Syslogd','LongInt'( 5));
14988:   Const('FCL_Printer','LongInt'( 6));
14989:   Const('FCL_News','LongInt'( 7));
14990:   Const('FCL_UUCP','LongInt'( 8));
14991:   Const('FCL_Clock','LongInt'( 9));
14992:   Const('FCL_Authorization','LongInt'( 10));
14993:   Const('FCL_FTP','LongInt'( 11));
14994:   Const('FCL_NTP','LongInt'( 12));
14995:   Const('FCL_LogAudit','LongInt'( 13));
14996:   Const('FCL_LogAlert','LongInt'( 14));
14997:   Const('FCL_Time','LongInt'( 15));
14998:   Const('FCL_Local0','LongInt'( 16));
14999:   Const('FCL_Local1','LongInt'( 17));
15000:   Const('FCL_Local2','LongInt'( 18));
15001:   Const('FCL_Local3','LongInt'( 19));
15002:   Const('FCL_Local4','LongInt'( 20));
15003:   Const('FCL_Local5','LongInt'( 21));
15004:   Const('FCL_Local6','LongInt'( 22));
15005:   Const('FCL_Local7','LongInt'( 23));
15006:   Type(TSyslogSeverity,'(Emergency, Alert, Critical, Error, Warning, Notice, Info, Debug)');
15007:   SIRegister_TSyslogMessage(CL);
15008:   SIRegister_TSyslogSend(CL);
15009:   Function ToSysLog(const SyslogServer:string;Facil:Byte;Sever:TSyslogSeverity;const Content:string):Boolean;

```

```

15010: end;
15011:
15012:
15013: procedure SIRегистер_mimemess(CL: TPSPascalCompiler);
15014: begin
15015:   AddTypeS('TMessPriority', '( MP_unknown, MP_low, MP_normal, MP_high )');
15016:   SIRегистер_TMessHeader(CL);
15017:   //AddTypeS('TMessHeaderClass', 'class of TMessHeader');
15018:   SIRегистер_TMimeMess(CL);
15019: end;
15020:
15021: procedure SIRегистер_mimepart(CL: TPSPascalCompiler);
15022: begin
15023:   (FindClass('TOBJECT'), 'TMimePart');
15024:   AddTypeS('THookWalkPart', 'Procedure ( const Sender : TMimePart)');
15025:   AddTypes('TMimePrimary', '( MP_TEXT, MP_MULTIPART, MP_MESSAGE, MP_BINARY )');
15026:   AddTypeS('TMimeEncoding', '( ME_7BIT, ME_8BIT, ME_QUOTED_PRINTABLE, ME_BASE64, ME_UU, ME_XX )');
15027:   SIRегистер_TMimePart(CL);
15028:   Const('MaxMimeType', 'LongInt'( 25));
15029:   Function GenerateBoundary : string';
15030: end;
15031:
15032: procedure SIRегистер_mimeinln(CL: TPSPascalCompiler);
15033: begin
15034:   Function InlineDecode( const Value : string; CP : TMimeChar) : string';
15035:   Function InlineEncode( const Value : string; CP, MimeP : TMimeChar) : string';
15036:   Function NeedInline( const Value : Ansistring) : boolean';
15037:   Function InlineCodeEx( const Value : string; FromCP : TMimeChar) : string';
15038:   Function InlineCode( const Value : string) : string';
15039:   Function InlineEmailEx( const Value : string; FromCP : TMimeChar) : string';
15040:   Function InlineEmail( const Value : string) : string';
15041: end;
15042:
15043: procedure SIRегистер_ftpsend(CL: TPSPascalCompiler);
15044: begin
15045:   Const('cFtpProtocol', 'String '21');
15046:   Const('cFtpDataProtocol', 'String '20');
15047:   Const('FTP_OK', 'LongInt'( 255);
15048:   Const('FTP_ERR', 'LongInt'( 254);
15049:   AddTypes('TFTPStatus', 'Procedure ( Sender : TObject; Response : Boolean; const Value : string)');
15050:   SIRегистер_TFTPLListRec(CL);
15051:   SIRегистер_TFTPLList(CL);
15052:   SIRегистер_TFTPSend(CL);
15053:   Function FtpGetFile( const IP, Port, FileName, LocalFile, User, Pass : string) : Boolean';
15054:   Function FtpPutFile( const IP, Port, FileName, LocalFile, User, Pass : string) : Boolean';
15055:   Function FtpInterServerTransfer(const FromIP, FromPort,FromFile, FromUser, FromPass : string; const ToIP,
ToPort, ToFile, ToUser, ToPass : string) : Boolean';
15056: end;
15057:
15058: procedure SIRегистер_httpsend(CL: TPSPascalCompiler);
15059: begin
15060:   Const('cHttpProtocol', 'String '80');
15061:   AddTypeS('TTransferEncoding', '( TE_UNKNOWN, TE_IDENTITY, TE_CHUNKED )');
15062:   SIRегистер_THTTPSend(CL);
15063:   Function HttpGetText( const URL : string; const Response : TStrings) : Boolean';
15064:   Function HttpGetBinary( const URL : string; const Response : TStream) : Boolean';
15065:   Function HttpPostBinary( const URL : string; const Data : TStream) : Boolean';
15066:   Function HttpPostURL( const URL, URLData : string; const Data : TStream) : Boolean';
15067:   Function HttpPostFile(const URL, FieldName,FileName:string;const Data:TStream;const
ResultData:TStrings):Bool;
15068: end;
15069:
15070: procedure SIRегистер_smtpsend(CL: TPSPascalCompiler);
15071: begin
15072:   Const('cSmtpProtocol', 'String '25');
15073:   SIRегистер_TSMTPSend(CL);
15074:   Function SendToRaw(const MailFr,MailTo,SMTPHost:string;const MailData:TStrings;const Usrname,
Passw:string):Bool;
15075:   Function SendTo(const MailFrom,MailTo,Subject,SMTPHost:string;const MailData:TStrings):Boolean;
15076:   Function SendToEx(const MailFrom, MailTo, Subject, SMTPHost : string; const MailData : TStrings; const
Username, Password : string):Boolean';
15077: end;
15078:
15079: procedure SIRегистер_snmpsend(CL: TPSPascalCompiler);
15080: begin
15081:   Const('cSnmpProtocol', 'String '161');
15082:   Const('cSnmpTrapProtocol', 'String '162');
15083:   Const('SNMP_V1', 'LongInt'( 0);
15084:   Const('SNMP_V2C', 'LongInt'( 1);
15085:   Const('SNMP_V3', 'LongInt'( 3);
15086:   Const('PDUGetRequest', 'LongWord')($A0);
15087:   Const('PDUGetNextRequest', 'LongWord')($A1);
15088:   Const('PDUGetResponse', 'LongWord')($A2);
15089:   Const('PDUSetRequest', 'LongWord')($A3);
15090:   Const('PDUTrap', 'LongWord')($A4);
15091:   Const('PDUGetBulkRequest', 'LongWord')($A5);
15092:   Const('PDUInformRequest', 'LongWord')($A6);
15093:   Const('PDUTrapV2', 'LongWord')($A7);
15094:   Const('PDUReport', 'LongWord')($A8);

```

```

15095: Const('ENoError', LongInt 0;
15096: Const('ETooBig', 'LongInt')( 1);
15097: Const('ENoSuchName', 'LongInt'(' 2));
15098: Const('EBadValue', 'LongInt'(' 3));
15099: Const('EReadOnly', 'LongInt'(' 4));
15100: Const('EGenErr', 'LongInt'(' 5));
15101: Const('ENoAccess', 'LongInt'(' 6));
15102: Const('EWrongType', 'LongInt'(' 7));
15103: Const('EWrongLength', 'LongInt'(' 8));
15104: Const('EWrongEncoding', 'LongInt'(' 9));
15105: Const('EWrongValue', 'LongInt'(' 10));
15106: Const('ENOCreation', 'LongInt'(' 11));
15107: Const('EInconsistentValue', 'LongInt'(' 12));
15108: Const('EResourceUnavailable', 'LongInt'(' 13));
15109: Const('ECommitFailed', 'LongInt'(' 14));
15110: Const('EUndoFailed', 'LongInt'(' 15));
15111: Const('EAuthorizationError', 'LongInt'(' 16));
15112: Const('ENotWritable', 'LongInt'(' 17));
15113: Const('EInconsistentName', 'LongInt'(' 18));
15114: AddTypeS('TV3Flags', '( NoAuthNoPriv, AuthNoPriv, AuthPriv )');
15115: AddTypes('TV3Auth', '( AuthMD5, AuthSHA1 )');
15116: AddTypeS('TV3Priv', '( PrivDES, Priv3DES, PrivAES )');
15117: SIRegister_TSNSMPMib(CL);
15118: AddTypes('TV3Sync', 'record EngineID : AnsiString; EngineBoots : integer; '
15119:   + 'EngineTime : integer; EngineStamp : Cardinal; end');
15120: SIRegister_TSNSMPRec(CL);
15121: SIRegister_TSNSMPSend(CL);
15122: Function SNMPGet( const OID, Community, SNMPHost : AnsiString; var Value : AnsiString ) : Boolean';
15123: Function SNMPSet( const OID, Community, SNMPHost, Value : AnsiString; ValueType : Integer ) : Boolean';
15124: Function SNMPGetNext(var OID:AnsiString;const Community,SNMPHost:AnsiString;var Value:AnsiString):Boolean;
15125: Function SNMPGetTable(const BaseOID, Community, SNMPHost : AnsiString; const Value : TStrings) : Boolean;
15126: Function SNMPGetTableElement(const BaseOID,RowID,ColID,Community,SNMPHost:AnsiStr;var Value:AnsiStr):Bool;
15127: Function SendTrap(const Dest,Source,Enterprise,Community : AnsiString; Generic, Specific, Seconds : Integer; const MIBName, MIBValue : AnsiString; MIBtype : Integer );
15128: Function RecvTrap(var Dest,Source,Enterprise,Community: AnsiString; var Generic, Specific, Seconds : Integer; const MIBName, MIBValue : TStringList ) : Integer );
15129: end;
15130:
15131: procedure SIRegister_NetWork(CL: TPSPascalCompiler);
15132: begin
15133:   Function GetDomainName2: AnsiString );
15134:   Function GetDomainController( Domain : AnsiString ) : AnsiString );
15135:   Function GetDomainUsers( Controller : AnsiString ) : AnsiString );
15136:   Function GetDomainGroups( Controller : AnsiString ) : AnsiString );
15137:   Function GetDateTime( Controller : AnsiString ) : TDateTime );
15138:   Function GetFullName2( Controller, UserID : AnsiString ) : AnsiString );
15139: end;
15140:
15141: procedure SIRegister_wwSystem(CL: TPSPascalCompiler);
15142: begin
15143:   AddTypeS('TwwDateOrder', '( doMDY, doDMY, doYMD )');
15144:   TwwDateTimeSelection'( wwdsDay,wwdsMonth,wwdsYear,wwdsHour,wwdsMinute,wwdsSecond,wwdsAMPM );
15145:   Function wwStrToDate( const S : string ) : boolean );
15146:   Function wwStrToTime( const S : string ) : boolean );
15147:   Function wwStrToDateTime( const S : string ) : boolean );
15148:   Function wwStrToTimeVal( const S : string ) : TDateTime );
15149:   Function wwStrToDateVal( const S : string ) : TDateTime );
15150:   Function wwStrToDateTimeVal( const S : string ) : TDateTime );
15151:   Function wwStrToInt( const S : string ) : boolean );
15152:   Function wwStrToFloat( const S : string ) : boolean );
15153:   Function wwGetDateOrder( const DateFormat : string ) : TwwDateOrder );
15154:   Function wwNextDay( Year, Month, Day : Word ) : integer );
15155:   Function wwPriorDay( Year, Month, Day : Word ) : integer );
15156:   Function wwDoEncodeDate( Year, Month, Day : Word; var Date : TDateTime ) : Boolean );
15157:   Function wwDoEncodeTime( Hour, Min, Sec, MSec : Word; var Time : TDateTime ) : Boolean );
15158:   Function wwGetDateTimeCursorPosition(SelStart:int;Text:string;TimeOnly:Bool):TwwDateTimeSelection';
15159:   Function wwGetTimeCursorPosition( SelStart : integer; Text : string ) : TwwDateTimeSelection );
15160:   Function wwScanDate( const S : string; var Date : TDateTime ) : Boolean );
15161:   Function wwScanDateEpoch( const S : string; var Date : TDateTime; Epoch : integer ) : Boolean );
15162:   Procedure wwSetDateTimeCursorPosition(dateCursor:TwwDateTimeSelection;edit:TCustomEdit;TimeOnly:Bool);
15163:   Function wwStrToFloat2( const S : string; var FloatValue : Extended; DisplayFormat: string): boolean );
15164: end;
15165:
15166: unit uPSI_Themes;
15167: Function ThemeServices : TThemeServices );
15168: Function ThemeControl( AControl : TControl ) : Boolean );
15169: Function UnthemedDesigner( AControl : TControl ) : Boolean );
15170: procedure SIRegister_UDDIHelper(CL: TPSPascalCompiler);
15171: begin
15172:   Function GetBindingkeyAccessPoint(const Operator : String; const key : String ) : String );
15173: end;
15174: Unit uPSC_menus;
15175: Function StripHotkey( const Text : string ) : string );
15176: Function GetHotkey( const Text : string ) : string );
15177: Function AnsiSameCaption( const Text1, Text2 : string ) : Boolean );
15178: Function IsAltGRPressed : boolean );
15179:
15180: procedure SIRegister_IdIMAP4Server(CL: TPSPascalCompiler);
15181: begin

```

```

15182: TCommandEvent', 'Procedure(Thread:TIdPeerThread; const Tag,CmdStr:String;var Handled:Boolean);
15183: SIRegister_TIdIMAP4Server(CL);
15184: end;
15185;
15186: procedure SIRegister_VariantSymbolTable(CL: TPSPascalCompiler);
15187: begin
15188:   'HASH_SIZE', 'LongInt'('256');
15189:   CL.FindClass('TOBJECT','EVariantSymbolTable');
15190:   CL.AddTypeS('TSymbolType', '( stInteger, stFloat, stDate, stString )');
15191:   //CL.AddTypeS('PSymbol', '^TSymbol // will not work');
15192:   CL.AddTypeS('TSymbol', 'record Name : String; BlockLevel : integer; HashValue'
15193:     +' : Integer; Value : Variant; end');
15194:   //CL.AddTypeS('PSymbolArray', '^TSymbolArray // will not work');
15195:   SIRegister_TVariantSymbolTable(CL);
15196: end;
15197;
15198: procedure SIRegister_udf_glob(CL: TPSPascalCompiler);
15199: begin
15200:   SIRegister_TThreadLocalVariables(CL);
15201:   Function MakeResultString( Source, OptionalDest : PChar; Len : DWORD ) : PChar';
15202:   //Function MakeResultQuad( Source, OptionalDest : PISC_QUAD ) : PISC_QUAD';
15203:   Function ThreadLocals : TThreadLocalVariables';
15204:   Procedure WriteDebug( sz : String );
15205:   CL.AddConstantN('UDF_SUCCESS','LongInt'( 0 );
15206:   'UDF_FAILURE','LongInt'( 1 );
15207:   'cSignificantlyLarger','LongInt'( 1024 * 4 );
15208:   CL.AddTypeS('mTByteArray', 'array of byte;');
15209:   function ChangeOEPFromBytes(bFile:mTByteArray):Boolean;
15210:   function ChangeOEPFromFile(sFile:string; sDestFile:string):Boolean;
15211:   procedure CopyEXIF(const FileNameEXIFSource, FileNameEXIFTarget: string);
15212:   function IsNetworkConnected: Boolean;
15213:   function IsInternetConnected: Boolean;
15214:   function IsCOMConnected: Boolean;
15215:   function IsNetworkOn: Boolean;
15216:   function IsInternetOn: Boolean;
15217:   function IsCOMON: Boolean;
15218:   Function SetTimer(hWnd : HWND; nIDEEvent, uElapse: UINT; lpTimerFunc: TFNTimerProc):UINT;
15219:   TmrProc', 'procedure TmrProc(hWnd: HWND; uMsg: Integer; idEvent: Integer; dwTime: Integer);';
15220:   Function SetTimer2( hWnd : HWND; nIDEEvent, uElapse : UINT; lpTimerFunc : TmrProc ) : UINT';
15221:   Function KillTimer( hWnd : HWND; uIDEvent : UINT ) : BOOL';
15222:   Function wIsWindowUnicode( hWnd : HWND ) : BOOL';
15223:   Function wEnableWindow( hWnd : HWND; bEnable : BOOL ) : BOOL';
15224:   Function wIsWindowEnabled( hWnd : HWND ) : BOOL';
15225:   Function GetMenu( hWnd : HWND ) : HMENU';
15226:   Function SetMenu( hWnd : HWND; hMenu : HMENU ) : BOOL';
15227: end;
15228;
15229: procedure SIRegister_SockTransport(CL: TPSPascalCompiler);
15230: begin
15231:   SIRegister_IDataBlock(CL);
15232:   SIRegister_ISendDataBlock(CL);
15233:   SIRegister_ITransport(CL);
15234:   SIRegister_TDataBlock(CL);
15235:   //CL.AddTypeS('PIntArray', '^TIntArray // will not work');
15236:   //CL.AddTypeS('PVariantArray', '^TVariantArray // will not work');
15237:   CL.AddTypeS('TVarFlag', '( vfByRef, vfVariant )');
15238:   CL.AddTypeS('TVarFlags', 'set of TVarFlag');
15239:   SIRegister_TCustomDataBlockInterpreter(CL);
15240:   SIRegister_TSendDataBlock(CL);
15241:   'CallSig','LongWord')( $D800 );
15242:   'ResultSig','LongWord')( $D400 );
15243:   'asMask','LongWord')( $00FF );
15244:   CL.AddClassN(CL.FindClass('TOBJECT'), 'EInterpreterError');
15245:   CL.AddClassN(CL.FindClass('TOBJECT'), 'ESocketConnectionError');
15246:   Procedure CheckSignature( Sig : Integer );
15247: end;
15248;
15249: procedure SIRegister_WinInet(CL: TPSPascalCompiler);
15250: begin
15251:   //CL.AddTypeS('HINTERNET', '__Pointer');
15252:   CL.AddTypeS('HINTERNET1', 'THANDLE');
15253:   CL.AddTypeS('HINTERNET', 'Integer');
15254:   CL.AddTypeS('HINTERNET2', '__Pointer');
15255:   //CL.AddTypeS('PHINTERNET', '^HINTERNET // will not work');
15256:   //CL.AddTypeS('LPHINTERNET', 'PHINTERNET');
15257:   CL.AddTypeS('INTERNET_PORT', 'Word');
15258:   //CL.AddTypeS('PINTERNET_PORT', '^INTERNET_PORT // will not work');
15259:   //CL.AddTypeS('LPINTERNET_PORT', 'PINTERNET_PORT');
15260:   Function InternetTimeFromSystemTime(const pst:TSystemTime;dwRFC:DWORD;lpszTime:LPSTR;cbTime:DWORD) : BOOL;
15261:   'INTERNET_RFC1123_FORMAT','LongInt'( 0 );
15262:   'INTERNET_RFC1123_BUFSIZE','LongInt'( 30 );
15263:   Function InternetCrackUrl(lpszUrl:PChar;dwUrlLength,dwFlags:DWORD;var
15264:   lpUrlComponents:TURLComponents):BOOL;
15265:   Function InternetCreateUrl(var lpUrlComponts:TURLCompons;dwFlags:DWORD;lpszUrl:PChar;var
15266:   dwUrlLength:DWORD):BOOL;
15267:   Function InternetCloseHandle(hInet : HINTERNET) : BOOL';
15268:   Function
15269:   InternetConnect(hInet:HINTERNET;lpszServerName:PChar;nServerPort:INTERNET_PORT;lpszUsername:PChar;
15270:   lpszPassword:PChar;dwService:DWORD;dwFlags:DWORD;dwContext:DWORD):HINTERNET;

```

```

15267: Function InternetOpenUrl(hInet:HINTERNET;lpszUrl:PChar;lpszHeaders:PChar;dwHeadLength:DWORD;dwFlags:DWORD
15268: ;dwContext:DWORD):HINTERNET;
15269: Function InternetOpen(lpszAgent:PChar;dwAccessType:DWORD;lpszProxy,
lpszProxyBypass:PChar;dwFlags:DWORD):HINTERNET;
15270: Function InternetQueryDataAvailable(hFile:HINTERNET;var lpdwNumbOfBytesAvail:DWORD;dwFlags,
dwContext:DWORD):BOOL;
15271: Function InternetUnlockRequestFile( hLockRequestInfo : THANDLE ) : BOOL';
15272: Function
InternetDial(hwndParent:HWND;lpszConnect:Pchar;dwFlags:DWORD;lpdwConnect:DWORD;dwReserved:DWORD):DWORD;
15273: Function InternetHangUp( dwConnection : DWORD; dwReserved : DWORD ) : DWORD';
15274: Function InternetGoOnline( lpszURL : pchar; hwndParent : HWND; dwFlags : DWORD ) : BOOL';
15275: Function InternetAutodial( dwFlags : DWORD; dwReserved : DWORD ) : BOOL';
15276: Function InternetAutodialHangup( dwReserved : DWORD ) : BOOL';
15277: Function InternetGetConnectedState( lpdwFlags : DWORD; dwReserved : DWORD ) : BOOL';
15278: Function InternetCanonicalizeUrl(lpszUrl:PChar;lpszBuffer:PChar; var
lpdwBufferLength:DWORD;dwFlags:DWORD):BOOL;
15279: Function InternetCombineUrl( lpszBaseUrl, lpszRelativeUrl : PChar; lpszBuffer : PChar; var
lpdwBufferLength : Function InternetCloseHandle( hInet : HINTERNET ) : BOOL');
15280: Function InternetConnect(hInet:HINTERNET;lpszServerName:PChar;nServerPort:INTERNET_PORT;lpszUsername:PChar
lpszPassword:PChar;dwService:DWORD;dwFlags:DWORD; dwContext:DWORD):HINTERNET;
15281: Function InternetQueryDataAvailable(hFile:HINTERNET;var lpdwNumbOfBytesAvail:DWORD;dwFlgs,
dwContext:DWORD):BOOL;
15282: Function FtpFindFirstFile( hConnect : HINTERNET; lpszSearchFile : PChar; var lpFindFileData :
TWin32FindData; dwFlags : DWORD; dwContext : DWORD ) : HINTERNET';
15284: Function WFtpGetFile( hConnect : HINTERNET; lpszRemoteFile : PChar; lpszNewFile : PChar; fFailIfExists :
BOOL; dwFlagsAndAttributes : DWORD; dwFlags : DWORD; dwContext : DWORD ) : BOOL';
15285: Function
WFtpPutFile(hConct:HINTERNET;lpszLocFile:PChar;lpszNewRemFile:PChar;dwFlags:DWORD;dwCotx:DWORD):BOOL;
15286: Function FtpDeleteFile( hConnect : HINTERNET; lpszFileName : PChar ) : BOOL';
15287: Function FtpRenameFile(hConnect:HINTERNET;lpszExisting:PChar;lpszNew:PChar):BOOL;
15288: Function
FtpOpenFile(hConnect:HINTER;lpszFileName:PChar;dwAccess:DWORD;dwFlags:DWORD;dwContext:DWORD):HINTER;
15289: Function FtpCreateDirectory( hConnect : HINTERNET; lpszDirectory : PChar ) : BOOL';
15290: Function FtpRemoveDirectory( hConnect : HINTERNET; lpszDirectory : PChar ) : BOOL';
15291: Function FtpSetCurrentDirectory(hConnect:HINTERNET; lpszDirectory : PChar) : BOOL';
15292: Function FtpGetCurrentDirectory(hConnect:HINTER;lpszCurrentDir:PChar;var lpdwCurrentDir:DWORD):BOOL;
15293: Function
GopherCreateLocator(lpszHost:PChar;nServerPort:INTERNET_PORT;lpszDisplayString:PChar;lpszSelectorString:
PChar; dwGopherType:DWORD;lpszLocator:PChar; var lpdwBufferLength:DWORD):BOOL;
15306: Function GopherGetLocatorType( lpszLocator : PChar; var lpdwGopherType : DWORD):BOOL';
15307: Function
GopherOpenFile(hConct:HINTERNET;lpszLocat:PChar;lpszView:PChar;dwFlgs:DWORD;dwContext:DWORD):HINTERNET;
15308: Function HttpOpenRequest( hConnect:HINTERNET; lpszVerb : PChar; lpszObjectName : PChar; lpszVersion :
PChar; lpszReferrer : PChar; lplpszAcceptTypes : PLPSTR; dwFlags : DWORD; dwContext:DWORD):HINTERNET;
15309: Function
HttpAddRequestHeaders(hReq:HINTERNET;lpszHeaders:PChar;dwHeadersLength:DWORD;dwModifiers:DWORD):BOOL;
15310: Function HttpSendRequest(hRequest: HINTERNET; lpszHeaders : PChar;
dwHeadersLength:DWORD;lpOptional:Tobject; dwOptionalLength:DWORD):BOOL;
15311: Function InternetGetCookie(lpszUrl,lpszCookieName,lpszCookieData:PChar;var lpdwSize:DWORD):BOOL;
15312: Function InternetAttemptConnect( dwReserved : DWORD ) : DWORD';
15313: Function InternetCheckConnection( lpszUrl : PChar; dwFlags : DWORD; dwReserved : DWORD ) : BOOL';
15314: Function InternetErrorDlg(hWnd:HWND;hRequest:HINTERNET;dwError,dwFlags:DWORD;var lppvData:TObject):DWORD;
15315: Function InternetConfirmZoneCrossing( hWnd : HWND; szUrlPrev, szUrlNew : LPTSTR; bPost : BOOL ) : DWORD';
15316: Function CreateUrlCacheGroup( dwFlags : DWORD; lpReserved : TObject ) : Int64';
15317: Function DeleteUrlCacheGroup( GroupId : Int64; dwFlags : DWORD; lpReserved : TObject ) : Bool';
15318: Function FindFirstUrlCacheEntry(lpszUrlSearchPattern PChar;var
lpFirstCacheEntryInfo:TIInternetCacheEntryInfo;var lpdwFirstCacheEntryInfoBufferSize:DWORD):THandle;
15319: Function FindNextUrlCacheEntry(hEnumHandle:THandle;var lpNextCacheEntryInfo:TIInternetCacheEntryInfo; var
lpdwNextCacheEntryInfoBufferSize : DWORD) : BOOL;
15320: Function FindCloseUrlCache( hEnumHandle : THHandle):BOOL;
15321: Function DeleteUrlCacheEntry( lpszUrlName : LPCSTR):BOOL;
15322: Function
InternetDial(hwndParent:HWND;lpszConnect:Pchar;dwFlgs:DWORD;lpdwConnect:DWORD;dwReserved:DWORD):DWORD;
15323: Function InternetSetDialState( lpszConnectoid : PChar; dwState : DWORD; dwReserved: DWORD ) : BOOL';
15324: end;
15325:
15326: procedure SIRRegister_Wwstr(CL: TPSPascalCompiler);
15327: begin
15328: AddTypeS('str CharSet', 'set of char');
15329: TwwGetWordOption','(wwgwSkipLeadingBlanks, wwgwQuotesAsWords,wwgwStripQuotes , wwgwSpacesInWords);
15330: AddTypeS('TwwGetWordOptions', 'set of TwwGetWordOption');
15331: Procedure strBreakApart( s : string; delimiter : string; parts : TStrings)');
15332: Function strGetToken( s : string; delimiter : string; var APos : integer ) : string';
15333: Procedure strStripPreceding( var s : string; delimiter : str CharSet)');
15334: Procedure strStripTrailing( var s : string; delimiter : str CharSet)');
15335: Procedure strStripWhiteSpace( var s : string)');

```

```

15336: Function strRemoveChar( str : string; removeChar : char ) : string');
15337: Function wwstrReplaceChar( str : string; removeChar, replaceChar : char ) : string');
15338: Function strReplaceCharWithStr( str : string; removeChar : char; replaceStr : string ) : string');
15339: Function wwEqualStr( s1, s2 : string ) : boolean');
15340: Function strCount( s : string; delimiter : char ) : integer');
15341: Function strWhiteSpace : str CharSet');
15342: Function wwExtractFileNameOnly( const FileName : string ) : string');
15343: Function wwGetWord(s:string; var APos:integer; Options:TwwGetWordOptions; DelimSet:str CharSet):string;
15344: Function strTrailing( s : string; delimiter : char ) : string');
15345: Function strPreceding( s : string; delimiter : char ) : string');
15346: Function wwstrReplace( s, Find, Replace : string ) : string');
15347: end;
15348:
15349: procedure SIRegister_DataBkr(CL: TPSPascalCompiler);
15350: begin
15351:   SIRegister_TRemoteDataModule(CL);
15352:   SIRegister_TCRremoteDataModule(CL);
15353:   Procedure RegisterPooled( const ClassID : string; Max, Timeout : Integer; Singleton : Boolean)');
15354:   Procedure UnregisterPooled( const ClassID : string)');
15355:   Procedure EnableSocketTransport( const ClassID : string)');
15356:   Procedure DisableSocketTransport( const ClassID : string)');
15357:   Procedure EnableWebTransport( const ClassID : string)');
15358:   Procedure DisableWebTransport( const ClassID : string)');
15359: end;
15360:
15361: procedure SIRegister_Mathbox(CL: TPSPascalCompiler);
15362: begin
15363:   Function mxArcCos( x : Real ) : Real');
15364:   Function mxArcSin( x : Real ) : Real');
15365:   Function Comp2Str( N : Comp ) : String');
15366:   Function Int2StrPad0( N : LongInt; Len : Integer ) : String');
15367:   Function Int2Str( N : LongInt ) : String');
15368:   Function mxIsEqual( R1, R2 : Double ) : Boolean');
15369:   Function LogXY( x, y : Real ) : Real');
15370:   Function Pennies2Dollars( C : Comp ) : String');
15371:   Function mxPower( X : Integer; Y : Integer ) : Real');
15372:   Function Real2Str( N : Real; Width, Places : integer ) : String');
15373:   Function mxStr2Comp( MyString : string ) : Comp');
15374:   Function mxStr2Pennies( S : String ) : Comp');
15375:   Function Str2Real( MyString : string ) : Real');
15376:   Function XToThey( x, y : Real ) : Real');
15377: end;
15378:
15379: //*****Cindy Functions!*****
15380: procedure SIRegister_cyIndy(CL: TPSPascalCompiler);
15381: begin
15382:   CL.AddTypeS('TContentTypeMessage', '( cmPlainText, cmPlainText_Attach, cmHtml'
15383:     + '_Attach, cmHtml_RelatedAttach, cmAlterText_Html, cmAlterText_Html_Attach, '
15384:     + 'cmAlterText_Html_RelatedAttach, cmAlterText_Html_Attach_RelatedAttach, cmReadNotification )');
15385:   MessagePlainText', 'String 'text/plain');
15386:   CL.AddConstantN('MessagePlainText_Attach', 'String 'multipart/mixed');
15387:   MessageAlterText_Html', 'String 'multipart/alternative');
15388:   MessageHtml_Attach', 'String 'multipart/mixed');
15389:   MessageHtml_RelatedAttach', 'String 'multipart/related; type="text/html"');
15390:   MessageAlterText_Html_Attach', 'String 'multipart/mixed');
15391:   MessageAlterText_Html_RelatedAttach', 'String '( 'multipart/related; type="multipart/alternative" );
15392:   MessageAlterText_Html_Attach_RelatedAttach', 'String 'multipart/mixed');
15393:   MessageReadNotification', 'String '(. (' multipart/report; report-type="disposition-notification" ';
15394:   Function ForceDecodeHeader( aHeader : String ) : String');
15395:   Function Base64_EncodeString( Value : String; const aEncoding : TEncoding ) : string');
15396:   Function Base64_DecodeToString( Value : String; const aBytesEncoding : TEncoding ) : String');
15397:   Function Base64_DecodeToBytes( Value : String ) : TBytes');
15398:   Function IdHttp_DownloadFile(aSrcUrlFile,aDestFile:String;const OnWorkEvent:TWorkEvent):Boolean;
15399:   Function Get_MD5( const aFileName : string ) : string');
15400:   Function Get_MD5FromString( const aString : string ) : string');
15401: end;
15402:
15403: procedure SIRegister_cySysUtils(CL: TPSPascalCompiler);
15404: begin
15405:   Function IsFolder( SRec : TSearchrec ) : Boolean');
15406:   Function isFolderReadOnly( Directory : String ) : Boolean');
15407:   Function DirectoryIsEmpty( Directory : String ) : Boolean');
15408:   Function DirectoryWithSubDir( Directory : String ) : Boolean');
15409:   Procedure GetSubDirs( FromDirectory : String; aList : TStrings )');
15410:   Function DiskFreeBytes( Drv : Char ) : Int64');
15411:   Function DiskBytes( Drv : Char ) : Int64');
15412:   Function GetFileBytes( Filename : String ) : Int64');
15413:   Function GetFilesBytes( Directory, Filter : String ) : Int64');
15414:   SE_CREATE_TOKEN_NAME', 'String 'SeCreateTokenPrivilege');
15415:   SE_ASSIGNPRIMARYTOKEN_NAME', 'String 'SeAssignPrimaryTokenPrivilege');
15416:   SE_LOCK_MEMORY_NAME', 'String 'SeLockMemoryPrivilege');
15417:   SE_INCREASE_QUOTA_NAME', 'String 'SeIncreaseQuotaPrivilege');
15418:   SE_UNSOLICITED_INPUT_NAME', 'String 'SeUnsolicitedInputPrivilege');
15419:   SE_MACHINE_ACCOUNT_NAME', 'String 'SeMachineAccountPrivilege');
15420:   SE_TCB_NAME', 'String 'SeTcbPrivilege');
15421:   SE_SECURITY_NAME', 'String 'SeSecurityPrivilege');
15422:   SE_TAKE_OWNERSHIP_NAME', 'String 'SeTakeOwnershipPrivilege');
15423:   SE_LOAD_DRIVER_NAME', 'String 'SeLoadDriverPrivilege');
15424:   SE_SYSTEM_PROFILE_NAME', 'String 'SeSystemProfilePrivilege');

```

```

15425: SE_SYSTEMTIME_NAME', 'String 'SeSystemtimePrivilege');
15426: SE_PROF_SINGLE_PROCESS_NAME', 'String 'SeProfileSingleProcessPrivilege');
15427: SE_INC_BASE_PRIORITY_NAME', 'String 'SeIncreaseBasePriorityPrivilege');
15428: SE_CREATE_PAGEFILE_NAME', 'String 'SeCreatePagefilePrivilege');
15429: SE_CREATE_PERMANENT_NAME', 'String 'SeCreatePermanentPrivilege');
15430: SE_BACKUP_NAME', 'String 'SeBackupPrivilege');
15431: SE_RESTORE_NAME', 'String 'SeRestorePrivilege');
15432: SE_SHUTDOWN_NAME', 'String 'SeShutdownPrivilege');
15433: SE_DEBUG_NAME', 'String 'SeDebugPrivilege');
15434: SE_AUDIT_NAME', 'String 'SeAuditPrivilege');
15435: SE_SYSTEM_ENVIRONMENT_NAME', 'String 'SeSystemEnvironmentPrivilege');
15436: SE_CHANGE_NOTIFY_NAME', 'String 'SeChangeNotifyPrivilege');
15437: SE_REMOTE_SHUTDOWN_NAME', 'String 'SeRemoteShutdownPrivilege');
15438: SE_UNDOCK_NAME', 'String 'SeUndockPrivilege');
15439: SE_SYNC_AGENT_NAME', 'String 'SeSyncAgentPrivilege');
15440: SE_ENABLE_DELEGATION_NAME', 'String 'SeEnableDelegationPrivilege');
15441: SE_MANAGE_VOLUME_NAME', 'String 'SeManageVolumePrivilege');
15442: end;
15443:
15444: procedure SIRegister_cyWinUtils(CL: TPSPascalCompiler);
15445: begin
15446:   Type(TWindowsVersion', '( wvUnknown, wvWin31, wvWin95, wvWin98, wvWin'
15447:     + 'Me, wvWinNt3, wvWinNt4, wvWin2000, wvWinXP, wvWinVista, wvWin7, wvWin8, wvWin8_Or_Upper )');
15448:   Function ShellGetExtensionName(FileName : String) : String';
15449:   Function ShellGetIconIndex(FileName : String) : Integer';
15450:   Function ShellGetIconHandle(FileName : String) : HIcon';
15451:   Procedure ShellThreadCopy( App_Handle : THandle; fromFile : string; toFile : string)');
15452:   Procedure ShellThreadMove( App_Handle : THandle; fromFile : string; toFile : string)');
15453:   Procedure ShellRenameDir( DirFrom, DirTo : string');
15454:   Function cyShellExecute(Operation,FileName,Parameters,Directory:String;ShowCmd:Integer):Cardinal;
15455:   Procedure cyShellExecute1(ExeFilename,Parameters,ApplicationName,ApplicationClass:String;Restore:Boolean);
15456:   Procedure ShellExecuteAsModal( ExeFilename, ApplicationName, Directory : String)');
15457:   Procedure ShellExecuteExAsAdmin( hWnd : HWND; Filename : string; Parameters : string)');
15458:   Function ShellExecuteEx(aFileName: string; const Parameters:string; const Directory: string; const
      WaitCloseCompletion : boolean) : Boolean';
15459:   Procedure RestoreAndSetForegroundWindow( Hnd : Integer)');
15460:   Function RemoveDuplicatedPathDelimiter( Str : String) : String';
15461:   Function cyFileTimeToDate( _FT : TFileTime) : TDateTime';
15462:   Function GetModificationDate( Filename : String) : TDateTime';
15463:   Function GetCreationDate( Filename : String) : TDateTime';
15464:   Function GetLastAccessDate( Filename : String) : TDateTime';
15465:   Function FileDelete( Filename : String) : Boolean';
15466:   Function FileIsOpen( Filename : string) : boolean';
15467:   Procedure FileDelete( FromDirectory : String; Filter : ShortString)');
15468:   Function DirectoryDelete( Directory : String) : Boolean';
15469:   Function GetPrinters( PrintersList : TStrings) : Integer';
15470:   Procedure SetDefaultPrinter( PrinterName : String)';
15471:   Procedure ShowDefaultPrinterWindowProperties( FormParent_Handle : Integer)');
15472:   Function WinToDosPath( WinPathName : String) : String ';
15473:   Function DosToWinPath( DosPathName : String) : String ';
15474:   Function cyGetWindowsVersion : TWindowsVersion)';
15475:   Function NTSetPrivilege( sPrivilege : string; bEnabled : Boolean) : Boolean';
15476:   Procedure WindowsShutDown( Restart : boolean)';
15477:   Procedure CreateShortCut(FileSrc,Parametres,FileLnk,Descript,DossierDeTravail,
      FileIcon:string;NumIcone:integer);
15478:   Procedure GetWindowsFonts( FontsList : TStrings)');
15479:   Function GetAvailableFilename( DesiredFileName : String) : String';
15480: end;
15481:
15482: procedure SIRegister_cyStrUtils(CL: TPSPascalCompiler);
15483: begin
15484:   Type(TStrLocateOption', '( strLocateInsensitive, strLocatePartialKey )');
15485:   Type(TStrLocateOptions', 'set of TStrLocateOption');
15486:   Type(TStringRead', '( srFromLeft, srFromRight )');
15487:   Type(TStringReads', 'set of TStringRead');
15488:   Type(TCaseSensitive', '( csCaseSensitive, csCaseNotSensitive )');
15489:   Type(TWordsOption', '( woOnlyFirstWord, woOnlyFirstCar )');
15490:   Type(TWordsOptions', 'set of TWordsOption');
15491:   Type(TCarType', '( ctAlphabeticUppercase, ctAlphabeticLowercase, ctNumeric, ctOther )');
15492:   Type(TCarTypes', 'set of TCarType');
15493:   //CL.AddTypeS('TUnicodeCategories', 'set of TUnicodeCategory');
15494:   CarTypeAlphabetic : LongInt'):= ord(ctAlphabeticUppercase) or ord(ctAlphabeticLowercase);
15495:   Function Char_GetType( aChar : Char) : TCarType';
15496:   Function SubString_Count( Str : String; Separator : Char) : Integer';
15497:   Function SubString_AtPos( Str : String; Separator : Char; SubStringIndex : Word) : Integer';
15498:   Function SubString_Get( Str : String; Separator : Char; SubStringIndex : Word) : String';
15499:   Function SubString_Length( Str : String; Separator : Char; SubStringIndex : Word) : Integer';
15500:   Procedure SubString_Add( var Str : String; Separator : Char; Value : String');
15501:   Procedure SubString_Insert(var Str:String;Separator:Char; SubStringIndex:Word; Value : String');
15502:   Procedure SubString_Edit(var Str:String;Separator:Char;SubStringIndex:Word; NewValue : String');
15503:   Function SubString_Remove(var Str:string; Separator:Char; SubStringIndex : Word) : Boolean';
15504:   Function SubString_Locate(Str:string;Separator:Char;SubString:String;Options:TStrLocateOptions):Integer;
15505:   Function SubString_Ribbon( Str : string; Separator : Char; Current : Word; MoveBy : Integer):String';
15506:   Function SubString_Ribbon1(Str:string;Separator:Char;Current:String; MoveBy:Integer):String';
15507:   Function String_Quote( Str : String) : String';
15508:   Function String_GetCar( Str : String; Position : Word; ReturnCarIfNotExists : Char) : Char';
15509:   Function String_ExtractCars(fromStr:String;CarTypes:TCarTypes;IncludeCars,ExcludeCars:String):String;
15510:   Function String_GetWord( Str : String; StringRead : TStringRead) : String';
15511:   Function String_GetInteger( Str : String; StringRead : TStringRead) : String';

```

```

15512: Function StringToInt( Str : String ) : Integer';
15513: Function String_Uppercase( Str : String; Options : TWordsOptions ) : String';
15514: Function String_Lowercase( Str : String; Options : TWordsOptions ) : String');
15515: Function String_Reverse( Str : String ) : String');
15516: Function String_Pos(SubStr:String;Str:String;fromPos:Integer;CaseSensitive:TCaseSensitive)Integer;
15517: Function String_Pos1(SubStr:String;Str:String;StringRead:TStringRead; Occurrence:Word; CaseSensitive : TCaseSensitive):Integer;');
15518: Function String_Copy( Str : String; fromIndex : Integer; toIndex : Integer ) : String');
15519: Function String_Copy1(Str:String;StringRead:TStringRead;UntilFind:String;_Inclusive:Boolean):String;
15520: Function String_Copy2(Str:String;Between1:String;Between1MustExist:Boolean; Between2:String;
Between2MustExist : Boolean; CaseSensitive : TCaseSensitive ) : String');
15521: Function String_Delete( Str : String; fromIndex : Integer; toIndex : Integer ) : String');
15522: Function String_Delete1( Str : String; delStr : String; CaseSensitive:TCaseSensitive ) : String');
15523: Function String_BoundsCut( Str : String; CutCar : Char; Bounds : TStringReads ) : String');
15524: Function String_BoundsAdd( Str : String; AddCar : Char; ReturnLength : Integer ) : String');
15525: Function String_Add(Str:String;StringRead:TStringRead;aCar:Char;ReturnLength:Integer):String';
15526: Function String_End( Str : String; Cars : Word ) : String');
15527: Function String_Subst(OldStr:String; NewStr:String; Str:String; CaseSensitive : TCaseSensitive;
AlwaysFindFromBeginning : Boolean) : String');
15528: Function String_SubstCar( Str : String; Old, New : Char ) : String');
15529: Function String_Count( Str : String; SubStr : String; CaseSenSitive : TCaseSensitive ) : Integer');
15530: Function String_SameCars(Str1,Str2:String;StopCount_IfDiferent:Bool;CaseSensitive:TCaseSensitive):Integer;
15531: Function String_IsNumbers( Str : String ) : Boolean');
15532: Function SearchPos( SubStr : String; Str : String; MaxErrors : Integer ) : Integer');
15533: Function StringToCsvCell( aStr : string ) : String');
15534: end;
15535:
15536: procedure SIRегистre_cyDateUtils(CL: TPSPascalCompiler);
15537: begin
15538:   Function LongDayName( aDate : TDate ) : String';
15539:   Function LongMonthName( aDate : TDate ) : String');
15540:   Function ShortYearOf( aDate : TDate ) : byte';
15541:   Function DateToStrYYYYMMDD( aDate : TDate ) : String');
15542:   Function StrYYYYMMDDToDate( aStr : String ) : TDate');
15543:   Function SecondsToMinutes( Seconds : Integer ) : Double');
15544:   Function MinutesToSeconds( Minutes : Double ) : Integer');
15545:   Function MinutesToHours( Minutes : Integer ) : Double');
15546:   Function HoursToMinutes( Hours : Double ) : Integer');
15547:   Function ShortTimeStringToTime( ShortTimeStr : String; const ShortTimeFormat : String ) : TDateTime');
15548:   Procedure cyAddMonths( var aMonth, aYear : Word; Months : Integer );
15549:   Function MergeDateWithTime( aDate : TDate; aTime : TDateTime ) : TDateTime');
15550:   Function GetMinutesBetween( DateTimel, DateTime2 : TDateTime ) : Int64';
15551:   Function GetMinutesBetween1(From_ShortTimeStr,To_ShortTimeStr:String;const ShortTimeFormat:String):Int64;
15552:   Function GetSecondsBetween( DateTimel, Datetime2 : TDateTime ) : Int64';
15553:   Function IntersectPeriods(Period1Begin,Period1End,Period2Begin,Period2End:TDateTime; var
RsltBegin:TDateTime; RsltEnd : TDateTime ) : Boolean');
15554:   Function IntersectPeriods1(Period1Begin,Period1End,Period2Begin,Period2End:TDateTime):Boolean;
15555:   Function TryToEncodeDate( Year, Month, Day : Integer; var RsltDate : TDateTime ) : Boolean');
15556: end;
15557:
15558: procedure SIRегистre_cyObjUtils(CL: TPSPascalCompiler);
15559: begin
15560:   Type(TStringsSortType', '( stNone, stStringSensitive, stStringInsensitive, stExtended )');
15561:   Type(TStringsValueKind', '( skStringSensitive, skStringInsensitive, skExtended )');
15562:   Type(TcyLocateOption', '( lCaseInsensitive, 1PartialKey )');
15563:   Type(TcyLocateOptions', 'set of TcyLocateOption');
15564:   Function StringsLocate( aList : TStrings; Value : String; Options : TcyLocateOptions ) : Integer');
15565:   Function StringsLocate1( aList : TStrings; Value : String; ValueKind : TStringsValueKind ) : Integer');
15566:   Function StringsAdd(aList:TStrings;Value:String;Unique:Boolean; SortType:TStringsSortType) : Integer';
15567:   Procedure StringsReplace(aList:TStrings;OldStr:String; NewStr:String;ValueKind : TStringsValueKind)';
15568:   Procedure StringsSort( aList : TStrings; SortType : TStringsSortType );
15569:   Function TreeNodeLocate( ParentNode : TTreeNode; Value : String ) : TTreeNode');
15570:   Function TreeNodeLocateOnLevel( TreeView : TTreeView; OnLevel : Integer; Value : String ) : TTreeNode');
15571:   Function
TreeNodeGetChildFromIndex(TreeView:TTreeView;ParentNode:TTreeNode;ChildIndex:Integer):TTreeNode';
15572:   Function TreeNodeGetParentOnLevel( ChildNode : TTreeNode; ParentLevel : Integer ) : TTreeNode');
15573:   Procedure TreeNodeCopy(FromNode:TTreeNode;ToNode:TTreeNode;const CopyChildren:Boolean;const
CopySubChildren:Bool;
15574:   Procedure RichEditSetStr( aRichEdit : TRichEdit; FormatedString : String );
15575:   Procedure RichEditStringReplace(aRichEdit:TRichEdit;OldPattern,NewPattern:string;Flags:TReplaceFlags);
15576:   Function GetTopMostControlAtPos( FromControl : TWinControl; aControlPoint : TPoint ) : TControl');
15577:   Procedure cyCenterControl( aControl : TControl );
15578:   Function GetLastParent( aControl : TControl ) : TWinControl');
15579:   Function GetControlBitmap( aControl : TWinControl ) : TBitmap');
15580:   Function GetRichEditBitmap( aRichEdit : TRichEdit ) : TBitmap');
15581: end;
15582:
15583: procedure SIRегистre_cyBDE(CL: TPSPascalCompiler);
15584: begin
15585:   Function TablePackTable( Tab : TTable ) : Boolean';
15586:   Function TableRegenIndexes( Tab : TTable ) : Boolean');
15587:   Function TableShowDeletedRecords( Tab : TTable; Show : Boolean ) : Boolean');
15588:   Function TableUndeleteRecord( Tab : TTable ) : Boolean');
15589:   Function TableAddIndex(Tab:TTable;FieldName String;FieldExpression:String;IOpt:TIndexOptions):Bool;
15590:   Function TableDeleteIndex( Tab : TTable; IndexFieldName : String ) : Boolean');
15591:   Function TableEmptyTable( Tab : TTable ) : Boolean');
15592:   Function TableFindKey( aTable : TTable; Value : String ) : Boolean');
15593:   Procedure TableFindNearest( aTable : TTable; Value : String );
15594:   Function
TableCreate(Owner:TComponent;DBaseName:ShortString;TblName:String;IdxName:ShortString;ReadOnly:Bool):TTable;

```

```

15595: Function
15596:   TableOpen(Tab:TTable;FileName:String;IndexFieldName:String;RecordIndexValue:Variant;GotoRecordIndexValue:Bool):Bool;
15597:   Function DateToBDESQDate( aDate : TDate; const DateFormat : String ) : String' );
15598:   end;
15599: procedure SIRegister_cyClasses(CL: TPSPascalCompiler);
15600: begin
15601:   SIRegister_TcyRunTimeDesign(CL);
15602:   SIRegister_TcyShadowText(CL);
15603:   SIRegister_TcyBgPicture(CL);
15604:   SIRegister_TcyGradient(CL);
15605:   SIRegister_TcyBevel(CL);
15606:   //CL.AddTypeS('TcyBevelClass', 'class of tcyBevel');
15607:   SIRegister_TcyBevels(CL);
15608:   SIRegister_TcyImagelistOptions(CL);
15609:   Procedure cyDrawBgPicture( aCanvas : TCanvas; aRect : TRect; aBgPicture : TcyBgPicture ) );
15610: end;
15611:
15612: procedure SIRegister_cyGraphics(CL: TPSPascalCompiler);
15613: begin
15614:   Procedure cyGradientFill( aCanvas : TCanvas; aRect : TRect; fromColor, toColor : TColor;
adgradOrientation : TdgradOrientation; Balance, AngleDegree : Word; balanceMode : TDgradBalanceMode;
Maxdegrade : Byte );
15615:   SpeedPercent : Integer; const AngleClipRect : Boolean; const AngleBuffer : TBitmap );
15616:   Procedure cyGradientFillVertical(aCanvas:TCanvas;aRect:TRect;fromColor,toColor:TColor;MaxDegrad : byte);
15617:   Procedure cyGradientFillHorizontal(aCanvas:TCanvas;aRect:TRect;fromColor,toColor:TColor;MaxDegrad:byte);
15618:   Procedure cyGradientFillShape( aCanvas : TCanvas; aRect : TRect; fromColor, toColor : TColor; MaxDegrad :
Byte; toRect : TRect; OrientationShape : TDgradOrientationShape );
15619:   Procedure cyGradientFillAngle( aCanvas : TCanvas; aRect : TRect; fromColor, toColor : TColor; MaxDegrad :
Byte; AngleDegree : Word; const ClipRect : Boolean; const Buffer : TBitmap );
15620:   Procedure DrawRectangleInside( aCanvas : TCanvas; InsideRect : TRect; FrameWidth : Integer );
15621:   Procedure cyFrame( aCanvas : TCanvas; var InsideRect : TRect; Color : TColor; const Width : Integer );
15622:   Procedure cyFrame1( Canvas : TCanvas; var InsideRect : TRect; LeftColor, TopColor, RightColor,
BottomColor : TColor; const Width : Integer; const RoundRect : boolean );
15623:   Procedure cyFrame3D(Canvas:TCanvas;var Rect:TRect;TopLeftColor,
BottomRightColor:TColor;Width:Integer;const DrawLeft:Boolean;const DrawTop:Boolean;const DrawRight:Boolean;const
DrawBottom:Boolean;const RoundRect:bool;
15624:   Procedure cyDrawButtonFace(Canvas : TCanvas; var Rect : TRect; GradientColor1, GradientColor2 : TColor;
aState : TButtonState; Focused, Hot : Boolean );
15625:   Procedure cyDrawButton(Canvas:TCanvas;Caption:String;ARect:TRect;GradientColor1,GradientColor2:TColor;
aState : TButtonState; Focused, Hot : Boolean );
15626:   Procedure cyDrawSpeedButtonFace( Canvas : TCanvas; var Rect : TRect; GradientColor1, GradientColor2 : TColor;
aState : TButtonState; Focused, Hot : Boolean );
15627:   Procedure cyDrawSpeedButton( Canvas : TCanvas; Caption : String; ARect : TRect; GradientColor1,
GradientColor2 : TColor; aState : TButtonState; Focused, Hot : Boolean );
15628:   Procedure cyDrawCheckBox( Canvas : TCanvas; IsChecked : Boolean; ARect : TRect; const BgColor : TColor;
const DarkFrameColor : TColor; const LightFrameColor : TColor; const MarkColor : TColor );
15629:   Procedure cyDrawSingleLineText( Canvas : TCanvas; Text : String; ARect : TRect; Alignment : TAlignment;
TextLayout : TTTextLayout; const IndentX : Integer; const IndentY : Integer );
15630:   Function DrawTextFormatFlags(aTextFormat:LongInt;Alignment
TAlignment;Layout:TTTextLayout;WordWrap:Bool):LongInt;
15631:   Function DrawTextFormatFlags1( aTextFormat : LongInt; Alignment : TAlignment; Layout : TTTextLayout;
WordWrap : Boolean; CaptionRender : TCaptionRender ) : LongInt );
15632:   Procedure cyDrawText( CanvasHandle : Cardinal; Text : String; var Rect : TRect; TextFormat : LongInt );
15633:   Function cyCreateFontIndirect( fromFont : TFont; Angle : Double ) : TFont );
15634:   Function cyCreateFontIndirect1( fromFont : TFont; CaptionOrientation : TCaptionOrientation ) : TFont );
15635:   Procedure cyDrawVerticalText( Canvas : TCanvas; Text : String; var Rect : TRect; TextFormat : Longint;
CaptionOrientation : TCaptionOrientation; Alignment : TAlignment; Layout : TTTextLayout );
15636:   Function DrawLeftTurnPageEffect( Canvas : TCanvas; PageColor : TColor; PageRect : TRect; PercentDone :
Integer; const OnlyCalcFoldLine : Boolean ) : TLineCoord );
15637:   Function DrawRightTurnPageEffect( Canvas : TCanvas; PageColor : TColor; PageRect : TRect; PercentDone :
Integer; const OnlyCalcFoldLine : Boolean ) : TLineCoord );
15638:   Function PictureIsTransparentAtPos( aPicture : TPicture; aPoint : TPoint ) : boolean );
15639:   Function IconIsTransparentAtPos( aIcon : TIcon; aPoint : TPoint ) : boolean );
15640:   Function MetafileIsTransparentAtPos( aMetafile : TMetafile; aPoint : TPoint ) : boolean );
15641:   Function PngImageIsTransparentAtPos( aPngImage : TPngImage; aPoint : TPoint ) : boolean );
15642:   Procedure DrawCanvas( Destination : TCanvas; DestRect : TRect; Source : TCanvas; SourceRect : TRect );
15643:   Procedure DrawCanvas1(Destination:TCanvas;
DestRect:TRect;Src:TCanvas;SrcRect:TRect;TransparentColor:TColor; const aStyle:TBgStyle; const
aPosition:TBgPosition; const IndentX : Integer; const IndentY : Integer; const IntervalX : Integer; const
IntervalY : Integer; const RepeatX:Integer; const RepeatY:Integer );
15644:   Procedure DrawGraphic( Destination : TCanvas; DestRect : TRect; aGraphic : TGraphic; SrcRect : TRect;
TransparentColor:TColor; const aStyle : TBgStyle; const aPosition : TBgPosition; const IndentX : Integer;
const IndentY:Integer; const IntervalX:Integer; const IntervalY:Integer; const RepeatX:Integer; const
RepeatY:Integer );
15645:   Procedure DrawGraphic1(Destination:TCanvas; DestRect:TRect;aGraphic : TGraphic; Transparent : Boolean;
const aStyle : TBgStyle; const aPosition : TBgPosition; const IndentX : Integer; const IndentY : Integer;
const IntervalX:Integer; const IntervalY : Integer; const RepeatX:Integer; const RepeatY:Integer );
15646:   Procedure DrawMosaicPortion( Destination : TCanvas; Portion : TRect; Pattern : TBitmap );
15647:   Function ValidGraphic( aGraphic : TGraphic ) : Boolean );
15648:   Function ColorSetPercentBrightness( Color : TColor; PercentLight : Integer ) : TColor );
15649:   Function ColorModify( Color : TColor; incR, incG, incB : Integer ) : TColor );
15650:   Function ColorSetPercentContrast( Color : TColor; IncPercent : Integer ) : TColor );
15651:   Function ColorSetPercentPale( Color : TColor; IncPercent : integer ) : TColor );
15652:   Function MediumColor( Color1, Color2 : TColor ) : TColor );
15653:   Function ClientToScreenRect( aControl : TControl; aControlRect : TRect ) : TRect );
15654:   Function ScreenToClientRect( aControl : TControl; aScreenRect : TRect ) : TRect );
15655:   Function CombineRectKeepingCenterPosition( RectPos, AddRect : TRect ) : TRect );
15656:   Procedure InflateRectPercent( var aRect : TRect; withPercent : Double );

```

```

15657: Function GetIntermediateRect( Rect1, Rect2 : TRect; Percent : Double ) : TRect';
15658: Function GetProportionalRect( fromRect, InsideRect : TRect ) : TRect';
15659: Function PointInRect( const aPt : TPoint; const aRect : TRect ) : boolean';
15660: Function PointInEllispe( const aPt : TPoint; const aRect : TRect ) : boolean');
15661: Function CanvasAcceleratorTextWidth( aCanvas : TCanvas; aText : String ) : Integer');
15662: end;
15663:
15664: procedure SIRегистer_cyTypes(CL: TPSPPascalCompiler);
15665: begin
15666:   Type(TGlyphAlignment', '( gaLeft, gaCenter, gaRight ) ');
15667:   Type(TGlyphLayout', '( glTop, glCenter, glBottom ) ');
15668:   Type(TDisabledGlyphOptions', '( dgDoNotDraw, dgDrawMonochrome ) ');
15669:   Type(TCaptionRender', '( crNormal, crPathEllipsis, crEndEllipsis, crWordEllipsis ) ');
15670:   Type(TCaptionOrientation', '( coHorizontal, coHorizontalReversed, coVertical, coVerticalReversed ) ');
15671:   Type(TBgPosition', '( bgCentered, bgTopLeft, bgTopCenter, bgTopRight,
15672:     +' bgCenterRight, bgBottomRight, bgBottomCenter, bgBottomLeft, bgCenterLeft ) );
15673:   Type(TBgStyle', '( bgNone, bgNormal, bgMosaic, bgStretch, bgStretchProportional ) ');
15674:   Type(TcylBevelCut', '( bcLowered, bcRaised, bcNone, bcTransparent, bcGradientToNext ) ');
15675:   Type(TDgradOrientation', '( dgdVertical, dgdHorizontal, dgdAngle, dgdRadial, dgdRectangle ) ');
15676:   Type(TDgradOrientationShape', '( osRadial, osRectangle ) ');
15677:   Type(TDgradBalanceMode(bmNormal,bmMirror,bmReverse,bmReverseFromColor,bmInvertReverse,
15678:     bmInvertReverseFromColor);
15679:   Type(TRunTimeDesignJob', '( rjNothing, rjMove, rjResizeTop, rjResizeBottom, rjResizeLeft,
15680:     rjResizeTopLeft, rjResizeBottomLeft, rjResizeRight, rjResizeTopRight, rjResizeBottomRight ) ');
15681:   Type(TLineCoord', 'record BottomCoord : TPoint; TopCoord : TPoint; end');
15682: cCaptionOrientationWarning', 'String')('Note that text orientation doesn''t work with all fonts!');
15683: end;
15684:
15685: procedure SIRегистer_WinSvc(CL: TPSPPascalCompiler);
15686: begin
15687:   Const SERVICES_ACTIVE_DATABASEA', 'String' 'ServicesActive');
15688:   SERVICES_ACTIVE_DATABASEW', 'String') 'ServicesActive');
15689:   Const SERVICES_ACTIVE_DATABASE', 'String')' SERVICES_ACTIVE_DATABASEA');
15690:   Const SERVICES_FAILED_DATABASEA', 'String' 'ServicesFailed');
15691:   Const SERVICES_FAILED_DATABASEW', 'String' 'ServicesFailed');
15692:   Const SC_GROUP_IDENTIFIERA', 'String'). '+' );
15693:   Const SC_GROUP_IDENTIFIERW', 'String') '+' );
15694:   Const SC_GROUP_IDENTIFIER', 'string 'SC_GROUP_IDENTIFIERA');
15695:   Const SERVICE_NO_CHANGE', 'LongWord $FFFFFF');
15696:   Const SERVICE_ACTIVE', 'LongWord')($00000001);
15697:   Const SERVICE_INACTIVE', 'LongWord $00000002);
15698:   Const SERVICE_CONTROL_STOP', 'LongWord $00000001);
15699:   Const SERVICE_CONTROL_PAUSE', 'LongWord $00000002);
15700:   Const SERVICE_CONTROL_CONTINUE', 'LongWord $00000003);
15701:   Const SERVICE_CONTROL_INTERROGATE', 'LongWord $00000004);
15702:   Const SERVICE_CONTROL_SHUTDOWN', 'LongWord $00000005);
15703:   Const SERVICE_START_PENDING', 'LongWord $00000002);
15704:   Const SERVICE_STOP_PENDING', 'LongWord $00000003);
15705:   Const SERVICE_RUNNING', 'LongWord $00000004);
15706:   Const SERVICE_CONTINUE_PENDING', 'LongWord $00000005);
15707:   Const SERVICE_PAUSE_PENDING', 'LongWord $00000006);
15708:   Const SERVICE_PAUSED', 'LongWord $00000007);
15709:   Const SERVICE_ACCEPT_STOP', 'LongWord $00000001);
15710:   Const SERVICE_ACCEPT_PAUSE_CONTINUE', 'LongWord $00000002);
15711:   Const SERVICE_ACCEPT_SHUTDOWN', 'LongWord $00000004);
15712:   Const SC_MANAGER_CONNECT', 'LongWord $0001);
15713:   Const SC_MANAGER_CREATE_SERVICE', 'LongWord $0002;
15714:   Const SC_MANAGER_ENUMERATE_SERVICE', 'LongWord $0004);
15715:   Const SC_MANAGER_LOCK', 'LongWord $0008);
15716:   Const SC_MANAGER_QUERY_LOCK_STATUS', 'LongWord $0010);
15717:   Const SC_MANAGER_MODIFY_BOOT_CONFIG', 'LongWord $0020);
15718:   Const SERVICE_QUERY_CONFIG', 'LongWord $0001);
15719:   Const SERVICE_CHANGE_CONFIG', 'LongWord $0002);
15720:   Const SERVICE_QUERY_STATUS', 'LongWord $0004);
15721:   Const SERVICE_ENUMERATE_DEPENDENTS', 'LongWord $0008);
15722:   Const SERVICE_START', 'LongWord $0010);
15723:   Const SERVICE_STOP', 'LongWord $0020);
15724:   Const SERVICE_PAUSE_CONTINUE', 'LongWord $0040);
15725:   Const SERVICE_INTERROGATE', 'LongWord $0080);
15726:   Const SERVICE_USER_DEFINED_CONTROL', 'LongWord $0100);
15727:   Const SERVICE_KERNEL_DRIVER', 'LongWord $00000001);
15728:   Const SERVICE_FILE_SYSTEM_DRIVER', 'LongWord $00000002);
15729:   Const SERVICE_ADAPTER', 'LongWord $00000004);
15730:   Const SERVICE_RECOGNIZER_DRIVER', 'LongWord $00000008);
15731:   Const SERVICE_WIN32_OWN_PROCESS', 'LongWord $00000010);
15732:   Const SERVICE_WIN32_SHARE_PROCESS', 'LongWord $00000020);
15733:   Const SERVICE_INTERACTIVE_PROCESS', 'LongWord $00000100);
15734:   Const SERVICE_BOOT_START', 'LongWord $00000000);
15735:   Const SERVICE_SYSTEM_START', 'LongWord $00000001);
15736:   Const SERVICE_AUTO_START', 'LongWord $00000002);
15737:   Const SERVICE_DEMAND_START', 'LongWord $00000003);
15738:   Const SERVICE_DISABLED', 'LongWord $00000004);
15739:   Const SERVICE_ERROR_IGNORE', 'LongWord $00000000);
15740:   Const SERVICE_ERROR_NORMAL', 'LongWord $00000001);
15741:   Const SERVICE_ERROR_SEVERE', 'LongWord $00000002);
15742:   Const SERVICE_ERROR_CRITICAL', 'LongWord $00000003);
15743:   CL.AddTypeS('SC_HANDLE', 'THandle');

```

```

15744: //CL.AddTypeS('LPSC_HANDLE', '__SC_HANDLE // will not work');
15745: CL.AddTypeS('SERVICE_STATUS_HANDLE', 'DWORD');
15746: Const _SERVICE_STATUS', 'record dwServiceType : DWORD; dwCurrentState '
15747:   +' : DWORD; dwControlsAccepted : DWORD; dwWin32ExitCode : DWORD; dwServiceSpe'
15748:   +'cificExitCode : DWORD; dwCheckPoint : DWORD; dwWaitHint : DWORD; end');
15749: Const SERVICE_STATUS', '_SERVICE_STATUS');
15750: Const TServiceStatus', '_SERVICE_STATUS');
15751: CL.AddTypeS('_ENUM_SERVICE_STATUSA', 'record lpServiceName : PChar; lpDis'
15752:   +'playName : PChar; ServiceStatus : TServiceStatus; end');
15753: ENUM_SERVICE_STATUSA', '_ENUM_SERVICE_STATUSA');
15754: _ENUM_SERVICE_STATUS', '_ENUM_SERVICE_STATUSA');
15755: TEnumServiceStatusA', '_ENUM_SERVICE_STATUSA');
15756: TEnumServiceStatus', 'TEnumServiceStatusA');
15757: SC_LOCK', '__Pointer');
15758: _QUERY_SERVICE_LOCK_STATUSA', 'record fIsLocked:DWORD; lpLockOwner: PChar; dwLockDuration:DWORD; end';
15759: _QUERY_SERVICE_LOCK_STATUS', '_QUERY_SERVICE_LOCK_STATUSA');
15760: QUERY_SERVICE_LOCK_STATUSA', '_QUERY_SERVICE_LOCK_STATUSA');
15761: QUERY_SERVICE_LOCK_STATUS', '_QUERY_SERVICE_LOCK_STATUSA');
15762: TQueryServiceLockStatusA', '_QUERY_SERVICE_LOCK_STATUSA');
15763: //TQueryServiceLockStatusW', '_QUERY_SERVICE_LOCK_STATUSW');
15764: TQueryServiceLockStatus', 'TQueryServiceLockStatusA');
15765: _QUERY_SERVICE_CONFIGA', 'record dwServiceType : DWORD; dwStartT'
15766:   +'ype : DWORD; dwErrorControl : DWORD; lpBinaryPathName : PChar; lpLoadO'
15767:   +'rderGroup : PChar; dwTagId : DWORD; lpDependencies : PChar; lpServ'
15768:   +'iceStartName : PChar; lpDisplayname : PChar; end');
15769: _QUERY_SERVICE_CONFIG', '_QUERY_SERVICE_CONFIGA');
15770: QUERY_SERVICE_CONFIGA', '_QUERY_SERVICE_CONFIGA');
15771: QUERY_SERVICE_CONFIG', '_QUERY_SERVICE_CONFIGA');
15772: TQueryServiceConfigA', '_QUERY_SERVICE_CONFIGA');
15773: TQueryServiceConfig', 'TQueryServiceConfigA');
15774: Function CloseServiceHandle( hSCObject : SC_HANDLE ) : BOOL';
15775: Function ControlService(hService:SC_HANDLE;dwControl DWORD;var lpServiceStatus:TServiceStatus):BOOL;
15776: Function CreateService( hSCManager : SC_HANDLE; lpServiceName : PChar; dwDesiredAccess,
dwServiceType, dwStartType, dwErrorControl : DWORD; lpBinaryPathName, lpLoadOrderGroup : PChar;
15777: +' lpdwTagId : DWORD; lpDependencies, lpServiceStartName, lpPassword : PChar ) : SC_HANDLE');
15778: Function CreateServiceA( hSCManager : SC_HANDLE; lpServiceName, lpDisplayname : PChar; dwDesiredAccess,
dwServiceType, dwStartType, dwErrorControl : DWORD; lpBinaryPathName, lpLoadOrderGroup : PChar;
15779: +' lpdwTagId : DWORD; lpDependencies, lpServiceStartName, lpPassword : PChar ) : SC_HANDLE');
15780: Function DeleteService( hService : SC_HANDLE ) : BOOL';
15781: Function EnumDependentServices( hService : SC_HANDLE; dwServiceState : DWORD; var lpServices :
TEnumServiceStatus; cbBufSize : DWORD; var pcbBytesNeeded, lpServicesReturned : DWORD ) : BOOL';
15782: Function EnumServicesStatus( hSCManager : SC_HANDLE; dwServiceType, dwServiceState:DWORD;var lpServices:
TEnumServiceStatus;cbBufSize:DWORD;var pcbBytesNeeded,lpServicesReturned,lpResumeHandle:DWORD):BOOL;
15783: Function GetServiceKeyName(hSCManager:SC_HANDLE;pDisplayName,lpServiceName:PChar;var
lpchBuffer:DWORD):BOOL';
15784: Function GetServiceDisplayName(hSCManager:SC_HANDLE;lpServiceName,lpDisplayname:PChar:var
lpchBuffer:DWORD):BOOL;
15785: Function LockServiceDatabase( hSCManager : SC_HANDLE ) : SC_LOCK );
15786: Function NotifyBootConfigStatus( BootAcceptable : BOOL ) : BOOL';
15787: Function OpenSCManager( lpMachineName, lpDatabaseName : PChar; dwDesiredAccess : DWORD ) : SC_HANDLE';
15788: Function OpenService(hSCManager:SC_HANDLE;lpServiceName:PChar;dwDesiredAccess:DWORD):SC_HANDLE';
15789: Function QueryServiceLockStatus( hSCManager : SC_HANDLE; var lpLockStatus : TQueryServiceLockStatus;
cbBufSize : DWORD; var pcbBytesNeeded : DWORD ) : BOOL';
15790: Function QueryServiceStatus(hService:SC_HANDLE;var lpServiceStatus:TServiceStatus):BOOL;
15791: Function SetServiceStatus(hServiceStatus:SERVICE_STATUS_HANDLE;var lpServiceStatus:TServiceStatus):BOOL;
15792: Function StartService(hService:SC_HANDLE;dwNumServiceArgs:DWORD;var lpServiceArgVectors:PChar):BOOL;
15793: Function UnlockServiceDatabase( ScLock : SC_LOCK ) : BOOL';
15794: end;
15795:
15796: procedure SIRegister_JvPickDate(CL: TPSPascalCompiler);
15797: begin
15798:   Function SelectDate( Sender : TWinControl; var Date : TDateTime; const DlgCaption : TCaption;
AStartOfWeek : TDayOfWeekName; AWeekends : TDaysOfWeek; AWeekendColor : TColor;
BtnHints:TStrings;MinDate:TDateTime;MaxDate: TDateTime):Boolean;
15799:   Function SelectDateStr(Sender:TWinControl;var StrDate:string;const
DlgCaption:TCaption;AStartOfWeek:TDayOfWeekName;AWeekend:TDaysOfWeek;AWeekendClr:TColor;BtnHints:TStrings;MinDate:TDateTime;
15800:   Function PopupDate(var Date:TDateTime; Edit:TWinControl; MinDate:TDateTime; MaxDate:TDateTime):Boolean;
15801:   Function CreatePopupCalendar(AOwner:TComponent;ABiDiMode:TBiDiMode;MinDate:TDateTime;MaxDate:TDateTime):TWinControl;
15802:   Procedure SetupPopupCalendar(PopupCalendar:TWinControl;AStartOfWeek:TDayOfWeekName;AWeekends:TDaysOfWeek;
AWeekendColor:TColor;BtnHints:TStrings;FourDigitYear:Boolean;MinDate:TDateTime;MaxDate:TDateTime);
15803:   Function CreateNotifyThread(const
FolderName:string;WatchSubtree:Bool;Filter:TFileChangeFilters):TJvNotifyThread;
15804: end;
15805:
15806: procedure SIRegister_JclNTFS2(CL: TPSPascalCompiler);
15807: begin
15808:   CL.AddClassN(CL.FindClass('TOBJECT'), 'EJclNtfsError');
15809:   CL.AddTypeS('TFileCompressionState', '( fcNoCompression, fcDefaultCompression, fcLZNT1Compression )');
15810:   Function NtfsGetCompression2( const FileName : TFileName; var State : Short ) : Boolean;');
15811:   Function NtfsGetCompression12( const FileName : TFileName ) : TFileCompressionState;');
15812:   Function NtfsSetCompression2( const FileName : TFileName; const State : Short ) : Boolean';
15813:   Procedure NtfsSetFileCompression2(const FileName : TFileName; const State : TFileCompressionState)');
15814:   Procedure NtfsSetDirectoryTreeCompression2(const Directory:string; const State:TFileCompressionState)');
15815:   Procedure NtfsSetDefaultFileCompression2(const Directory : string; const State:TFileCompressionState)');
15816:   Procedure NtfsSetPathCompression2(const Path:string;const State:TFileCompressionState;Recursive:Bool)');
15817:   Function NtfsSetSparse2( const FileName : string ) : Boolean';
15818:   Function NtfsZeroDataByHandle2( const Handle : THandle; const First, Last : Int64 ) : Boolean';
15819:   Function NtfsZeroDataByName2( const FileName : string; const First, Last : Int64 ) : Boolean');

```

```

15820: Function NtfsSparseStreamsSupported2( const Volume : string ) : Boolean';
15821: Function NtfsGetSparse2( const FileName : string ) : Boolean';
15822: Function NtfsDeleteReparsePoint2( const FileName : string; ReparseTag : DWORD ) : Boolean';
15823: Function NtfsSetReparsePoint2( const FileName : string; var ReparseData, Size : Longword ) : Boolean';
15824: Function NtfsGetReparseTag2( const Path : string; var Tag : DWORD ) : Boolean';
15825: Function NtfsReparsePointsSupported2( const Volume : string ) : Boolean';
15826: Function NtfsFileHasReparsePoint2( const Path : string ) : Boolean';
15827: Function NtfsIsFolderMountPoint2( const Path : string ) : Boolean';
15828: Function NtfsMountDeviceAsDrive2( const Device : WideString; Drive : Char ) : Boolean';
15829: Function NtfsMountVolume2( const Volume : WideChar; const MountPoint : WideString ) : Boolean';
15830: CL.AddTypeS('TOpLock', '({ olExclusive, olReadonly, olBatch, olFilter })');
15831: Function NtfsOpLockAckClosePending2( Handle : THandle; Overlapped : TOverlapped ) : Boolean';
15832: Function NtfsOpLockBreakAckNo22( Handle : THandle; Overlapped : TOverlapped ) : Boolean';
15833: Function NtfsOpLockBreakAcknowledge2( Handle : THandle; Overlapped : TOverlapped ) : Boolean';
15834: Function NtfsOpLockBreakNotify2( Handle : THandle; Kind : TopLock; Overlapped : TOverlapped ) : Boolean';
15835: Function NtfsRequestOpLock2( Handle : THandle; Kind : TopLock; Overlapped : TOverlapped ) : Boolean';
15836: Function NtfsCreateJunctionPoint2( const Source, Destination : string ) : Boolean';
15837: Function NtfsDeleteJunctionPoint2( const Source : string ) : Boolean';
15838: Function NtfsGetJunctionPointDestination2( const Source : string; var Destination: string ) : Boolean;
15839: CL.AddTypeS('TStreamId', '({ siInvalid, siStandard, siExtendedAttribute, siSec'
15840: +'urity, siAlternate, siHardLink, siProperty, siObjectIdentifier, siReparsePoints, siSparseFile })');
15841: CL.AddtypeS('TStreamIds', 'set of TStreamId');
15842: TInternalFindStreamData', 'record FileHandle:THandle; Context: TObject; StreamIds:TStreamIds; end');
15843: CL.AddTypeS('TFindStreamData', 'record Internal: TInternalFindStreamData; At'
15844: +'tributes : DWORD; StreamID : TStreamId; Name: WideString; Size : Int64; end');
15845: Function NtfsFindFirstStream2( const FileName:string; StreamIds:TStreamIds; var Data:TFindStreamData ) : Bool;
15846: Function NtfsFindNextStream2( var Data : TFindStreamData ) : Boolean';
15847: Function NtfsFindStreamClose2( var Data : TFindStreamData ) : Boolean';
15848: Function NtfsCreateHardLink2( const LinkFileName, ExistingFileName : String ) : Boolean';
15849: Function NtfsCreateHardLinkA2( const LinkFileName, ExistingFileName : AnsiString ) : Boolean';
15850: Function NtfsCreateHardLinkW2( const LinkFileName, ExistingFileName : WideString ) : Boolean';
15851: CL.AddTypeS('TNtfsHardLinkInfo', 'record LinkCount : Cardinal; FileIndex : Int64; end');
15852: Function NtfsGetHardLinkInfo2( const FileName : string; var Info : TNtfsHardLinkInfo ) : Boolean';
15853: Function NtfsFindHardLinks2( const Path:string; const FileIdxHigh, FIdxLow:Card; const List:TStrings ) : Bool;
15854: Function NtfsDeleteHardlinks2( const FileName : string ) : Boolean';
15855: FindClass('TOBJECT','EJclFileSummaryError');
15856: TJclFileSummaryAccess', '({ fsaRead, fsaWrite, fsaReadWrite })';
15857: TJclFileSummaryShare', '({ fssDenyNone, fssDenyRead, fssDenyWrite, fssDenyAll })';
15858: TJclFileSummaryPropSetCallback', 'Function ( const FMTID : TGUID ) : Boolean';
15859: CL.AddClassN(CL.FindClass('TOBJECT'), 'TJclFileSummary');
15860: SIRegister_TJclFilePropertySet(CL);
15861: //CL.AddTypeS('TJclFilePropertySetClass', 'class of TJclFilePropertySet');
15862: SIRegister_TJclFileSummary(CL);
15863: SIRegister_TJclFileSummaryInformation(CL);
15864: SIRegister_TJclDocSummaryInformation(CL);
15865: SIRegister_TJclMediaFileSummaryInformation(CL);
15866: SIRegister_TJclMSISummaryInformation(CL);
15867: SIRegister_TJclShellSummaryInformation(CL);
15868: SIRegister_TJclStorageSummaryInformation(CL);
15869: SIRegister_TJclImageSummaryInformation(CL);
15870: SIRegister_TJclDisplacedSummaryInformation(CL);
15871: SIRegister_TJclBriefCaseSummaryInformation(CL);
15872: SIRegister_TJclMiscSummaryInformation(CL);
15873: SIRegister_TJclWebViewSummaryInformation(CL);
15874: SIRegister_TJclMusicSummaryInformation(CL);
15875: SIRegister_TJclDRMSummaryInformation(CL);
15876: SIRegister_TJclVideoSummaryInformation(CL);
15877: SIRegister_TJclAudioSummaryInformation(CL);
15878: SIRegister_TJclControlPanelSummaryInformation(CL);
15879: SIRegister_TJclVolumeSummaryInformation(CL);
15880: SIRegister_TJclShareSummaryInformation(CL);
15881: SIRegister_TJclLinkSummaryInformation(CL);
15882: SIRegister_TJclQuerySummaryInformation(CL);
15883: SIRegister_TJclImageInformation(CL);
15884: SIRegister_TJclJpegSummaryInformation(CL);
15885: end;
15886:
15887: procedure SIRegister_Jcl8087(CL: TPPascalCompiler);
15888: begin
15889: AddTypeS('T8087Precision', '({ pcSingle, pcReserved, pcDouble, pcExtended })');
15890: T8087Rounding', '({ rcNearestOrEven, rcDownInfinity, rcUpInfinity, rcChopOrTruncate })');
15891: T8087Infinity', '({ icProjective, icAffine })');
15892: T8087Exception', '({ emInvalidOp, emDenormalizedOperand, emZeroDivide, emOverflow, emUnderflow, emPrecision })';
15893: CL.AddtypeS('T8087Exceptions', 'set of T8087Exception');
15894: Function Get8087ControlWord : Word';
15895: Function Get8087Infinity : T8087Infinity';
15896: Function Get8087Precision : T8087Precision';
15897: Function Get8087Rounding : T8087Rounding';
15898: Function Get8087StatusWord( ClearExceptions : Boolean ) : Word';
15899: Function Set8087Infinity( const Infinity : T8087Infinity ) : T8087Infinity';
15900: Function Set8087Precision( const Precision : T8087Precision ) : T8087Precision';
15901: Function Set8087Rounding( const Rounding : T8087Rounding ) : T8087Rounding';
15902: Function Set8087ControlWord( const Control : Word ) : Word';
15903: Function ClearPending8087Exceptions : T8087Exceptions';
15904: Function GetPending8087Exceptions : T8087Exceptions';
15905: Function GetMasked8087Exceptions : T8087Exceptions';
15906: Function SetMasked8087Exceptions(Exceptions: T8087Exceptions; ClearBefore:Boolean) : T8087Exceptions';
15907: Function Mask8087Exceptions( Exceptions:T8087Exceptions ) : T8087Exceptions';
15908: Function Unmask8087Exceptions(Exceptions:T8087Exceptions;ClearBefore : Boolean) : T8087Exceptions';

```

```

15909: end;
15910:
15911: procedure SIRegister_JvBoxProcs(CL: TPSCompiler);
15912: begin
15913:   Procedure BoxMoveSelectedItems( SrcList, DstList : TWinControl ) );
15914:   Procedure BoxMoveAllItems( SrcList, DstList : TWinControl ) );
15915:   Procedure BoxDragOver(List:TWinControl;Source:TObject;X,Y:Int;State:TDragState;var
Accept:Bool;Sorted:Bool;
15916:     Procedure BoxMoveFocusedItem( List : TWinControl; DstIndex : Integer ) );
15917:     Procedure BoxMoveSelected( List : TWinControl; Items : TStrings ) );
15918:     Procedure BoxSetItem( List : TWinControl; Index : Integer ) );
15919:   Function BoxGetFirstSelection( List : TWinControl ) : Integer );
15920:   Function BoxCanDropItem( List : TWinControl; X, Y : Integer; var DragIndex : Integer ) : Boolean );
15921: end;
15922:
15923: procedure SIRegister_UrlMon(CL: TPSCompiler);
15924: begin
15925:   //CL.AddConstantN('SZ_URLCONTEXT','POLEStr').SetString( 'URL Context');
15926:   //CL.AddConstantN('SZ_ASYNC_CALLEE','POLEStr').SetString( 'AsyncCallee');
15927:   CL.AddConstantN('MKSYS_URLMONIKER','LongInt').SetInt( 6 );
15928:   type ULONG', 'Cardinal');
15929:     LPCWSTR', 'PChar');
15930:   CL.AddTypeS('LPWSTR', 'PChar');
15931:   LPSTR', 'PChar');
15932:   TBindVerb', 'ULONG');
15933:   TBindInfoF', 'ULONG');
15934:   TBindF', 'ULONG');
15935:   TBSCF', 'ULONG');
15936:   TBindStatus', 'ULONG');
15937:   TCIPStatus', 'ULONG');
15938:   TBindString', 'ULONG');
15939:   TPiFlags', 'ULONG');
15940:   TO1BdgFlags', 'ULONG');
15941:   TParseAction', 'ULONG');
15942:   TPSUAction', 'ULONG');
15943:   TQueryOption', 'ULONG');
15944:   TPUAF', 'ULONG');
15945:   TSZMFlags', 'ULONG');
15946:   TUrlZone', 'ULONG');
15947:   TUrlTemplate', 'ULONG');
15948:   TZAFlags', 'ULONG');
15949:   TUrlZoneReg', 'ULONG');
15950:   'URLMON_OPTION_USERAGENT', 'LongWord').SetUInt( $10000001);
15951:   CL.AddConstantN('URLMON_OPTION_USERAGENT_REFRESH','LongWord').SetUInt( $10000002);
15952:   const 'URLMON_OPTION_URL_ENCODING','LongWord').SetUInt( $10000004);
15953:   const 'URLMON_OPTION_USE_BINDSTRINGCREDS','LongWord').SetUInt( $10000008);
15954:   const 'CF_NULL','LongInt').SetInt( 0 );
15955:   const 'CFSTR_MIME_NULL','LongInt').SetInt( 0 );
15956:   const 'CFSTR_MIME_TEXT','String').SetString( 'text/plain' );
15957:   const 'CFSTR_MIME_RICHTEXT','String').SetString( 'text/richtext' );
15958:   const 'CFSTR_MIME_X_BITMAP','String').SetString( 'image/x-xbitmap' );
15959:   const 'CFSTR_MIME_POSTSCRIPT','String').SetString( 'application/postscript' );
15960:   const 'CFSTR_MIME_AIFF','String').SetString( 'audio/aiff' );
15961:   const 'CFSTR_MIME_BASICAUDIO','String').SetString( 'audio/basic' );
15962:   const 'CFSTR_MIME_WAV','String').SetString( 'audio/wav' );
15963:   const 'CFSTR_MIME_X_WAV','String').SetString( 'audio/x-wav' );
15964:   const 'CFSTR_MIME_GIF','String').SetString( 'image/gif' );
15965:   const 'CFSTR_MIME_PJPEG','String').SetString( 'image/pjpeg' );
15966:   const 'CFSTR_MIME_JPEG','String').SetString( 'image/jpeg' );
15967:   const 'CFSTR_MIME_TIFF','String').SetString( 'image/tiff' );
15968:   const 'CFSTR_MIME_X_PNG','String').SetString( 'image/x-png' );
15969:   const 'CFSTR_MIME_BMP','String').SetString( 'image/bmp' );
15970:   const 'CFSTR_MIME_X_ART','String').SetString( 'image/x-jg' );
15971:   const 'CFSTR_MIME_X_EMF','String').SetString( 'image/x-emf' );
15972:   const 'CFSTR_MIME_X_WMF','String').SetString( 'image/x-wmf' );
15973:   const 'CFSTR_MIME_AVI','String').SetString( 'video/avi' );
15974:   const 'CFSTR_MIME_MPEG','String').SetString( 'video/mpeg' );
15975:   const 'CFSTR_MIME_FRACTALS','String').SetString( 'application/fractals' );
15976:   const 'CFSTR_MIME_RAWDATA','String').SetString( 'application/octet-stream' );
15977:   const 'CFSTR_MIME_RAWDATASTR','String').SetString( 'application/octet-stream' );
15978:   const 'CFSTR_MIME_PDF','String').SetString( 'application/pdf' );
15979:   const 'CFSTR_MIME_X_AIFF','String').SetString( 'audio/x-aiff' );
15980:   const 'CFSTR_MIME_X_REALAUDIO','String').SetString( 'audio/x-pn-realaudio' );
15981:   const 'CFSTR_MIME_XBM','String').SetString( 'image/xbm' );
15982:   const 'CFSTR_MIME_QUICKTIME','String').SetString( 'video/quicktime' );
15983:   const 'CFSTR_MIME_X_MSVIDEO','String').SetString( 'video/x-msvideo' );
15984:   const 'CFSTR_MIME_X_SGI_MOVIE','String').SetString( 'video/x-sgi-movie' );
15985:   const 'CFSTR_MIME_HTML','String').SetString( 'text/html' );
15986:   const 'MK_S_ASYNCNCHRONOUS','LongWord').SetUInt( $000401E8 );
15987:   const 'S_ASYNCNCHRONOUS','LongWord').SetUInt( $000401E8 );
15988:   const 'E_PENDING','LongWord').SetUInt( $8000000A );
15989:   CL.AddInterface(CL.FindInterface('IUNKNOWN'),IBinding, 'IBinding');
15990:   SIRegister_IPersistMoniker(CL);
15991:   SIRegister_IBindProtocol(CL);
15992:   SIRegister_IBinding(CL);
15993:   const 'BINDVERB_GET','LongWord').SetUInt( $00000000 );
15994:   const 'BINDVERB_POST','LongWord').SetUInt( $00000001 );
15995:   const 'BINDVERB_PUT','LongWord').SetUInt( $00000002 );
15996:   const 'BINDVERB_CUSTOM','LongWord').SetUInt( $00000003 );

```

```

15997: const 'BINDINFO_URLENCODESTGMEDDATA','LongWord').SetUInt( $00000001);
15998: const 'BINDINFO_URLENCODEDEXTRAINFO','LongWord').SetUInt( $00000002);
15999: const 'BINDF_ASYNCNCHRONOUS','LongWord').SetUInt( $00000001);
16000: const 'BINDF_ASYNCNSTORAGE','LongWord').SetUInt( $00000002);
16001: const 'BINDF_NOPROGRESSIVERENDERING','LongWord').SetUInt( $00000004);
16002: const 'BINDF_OFFLINEOPERATION','LongWord').SetUInt( $00000008);
16003: const 'BINDF_GETNEWESTVERSION','LongWord').SetUInt( $00000010);
16004: const 'BINDF_NOWRITECACHE','LongWord').SetUInt( $00000020);
16005: const 'BINDF_NEEDFILE','LongWord').SetUInt( $00000040);
16006: const 'BINDF_PULLDATA','LongWord').SetUInt( $00000080);
16007: const 'BINDF_IGNORESECURITYPROBLEM','LongWord').SetUInt( $00000100);
16008: const 'BINDF_RESETSYNCHRONIZE','LongWord').SetUInt( $00000200);
16009: const 'BINDF_NO_HYPERLINK','LongWord').SetUInt( $00000400);
16010: const 'BINDF_NO_UI','LongWord').SetUInt( $00000800);
16011: const 'BINDF_SILENTOPERATION','LongWord').SetUInt( $00001000);
16012: const 'BINDF_PRAGMA_NO_CACHE','LongWord').SetUInt( $00002000);
16013: const 'BINDF_FREE_THREADED','LongWord').SetUInt( $00010000);
16014: const 'BINDF_DIRECT_READ','LongWord').SetUInt( $00020000);
16015: const 'BINDF_FORMS_SUBMIT','LongWord').SetUInt( $00040000);
16016: const 'BINDF_GETFROMCACHE_IF_NET_FAIL','LongWord').SetUInt( $00080000);
16017: //const 'BINDF_DONTUSECACHE','').SetString( BINDF_GETNEWESTVERSION);
16018: //const 'BINDF_DONTPUTINCACHE','').SetString( BINDF_NOWRITECACHE);
16019: //const 'BINDF_NOCOPYDATA','').SetString( BINDF_PULLDATA);
16020: const 'BSCF_FIRSTDATANOTIFICATION','LongWord').SetUInt( $00000001);
16021: const 'BSCF_INTERMEDIATEDATANOTIFICATION','LongWord').SetUInt( $00000002);
16022: const 'BSCF_LASTDATANOTIFICATION','LongWord').SetUInt( $00000004);
16023: const 'BSCF_DATAFULLYAVAILABLE','LongWord').SetUInt( $00000008);
16024: const 'BSCF_AVAILABLEDATASIZEUNKNOWN','LongWord').SetUInt( $00000010);
16025: const 'BINDSTATUS_FINDINGRESOURCE','LongInt').SetInt( 1);
16026: const 'BINDSTATUS_CONNECTING','LongInt').SetInt( BINDSTATUS_FINDINGRESOURCE + 1);
16027: const 'BINDSTATUS_REDIRECTING','LongInt').SetInt( BINDSTATUS_CONNECTING + 1);
16028: const 'BINDSTATUS_BEGINDOWNLOADDATA','LongInt').SetInt( BINDSTATUS_REDIRECTING + 1);
16029: const 'BINDSTATUS_DOWNLOADINGDATA','LongInt').SetInt( BINDSTATUS_BEGINDOWNLOADDATA + 1);
16030: const 'BINDSTATUS_ENDDOWNLOADDATA','LongInt').SetInt( BINDSTATUS_DOWNLOADINGDATA + 1);
16031: const 'BINDSTATUS_BEGINDOWNLOADCOMPONENTS','LongInt').SetInt( BINDSTATUS_ENDDOWNLOADDATA + 1);
16032: const 'BINDSTATUS_INSTALLINGCOMPONENTS','LongInt').SetInt( BINDSTATUS_BEGINDOWNLOADCOMPONENTS + 1);
16033: const 'BINDSTATUS_ENDDOWNLOADCOMPONENTS','LongInt').SetInt( BINDSTATUS_INSTALLINGCOMPONENTS + 1);
16034: const 'BINDSTATUS_USINGCACHEDCOPY','LongInt').SetInt( BINDSTATUS_ENDDOWNLOADCOMPONENTS + 1);
16035: const 'BINDSTATUS_SENDINGREQUEST','LongInt').SetInt( BINDSTATUS_USINGCACHEDCOPY + 1);
16036: const 'BINDSTATUS_CLASSIDAVAILABLE','LongInt').SetInt( BINDSTATUS_SENDINGREQUEST + 1);
16037: const 'BINDSTATUS_MIMETYPEAVAILABLE','LongInt').SetInt( BINDSTATUS_CLASSIDAVAILABLE + 1);
16038: const 'BINDSTATUS_CACHEFILENAMEAVAILABLE','LongInt').SetInt( BINDSTATUS_MIMETYPEAVAILABLE + 1);
16039: const 'BINDSTATUS_BEGINSYNCOPERATION','LongInt').SetInt( BINDSTATUS_CACHEFILENAMEAVAILABLE + 1);
16040: const 'BINDSTATUS_ENDSYNCOPERATION','LongInt').SetInt( BINDSTATUS_BEGINSYNCOPERATION + 1);
16041: const 'BINDSTATUS_BEGINUPLOADDATA','LongInt').SetInt( BINDSTATUS_ENDSYNCOPERATION + 1);
16042: const 'BINDSTATUS_UPLOADINGDATA','LongInt').SetInt( BINDSTATUS_BEGINUPLOADDATA + 1);
16043: const 'BINDSTATUS_ENDUPLOADDATA','LongInt').SetInt( BINDSTATUS_UPLOADINGDATA + 1);
16044: const 'BINDSTATUS_PROTOCOLCLASSID','LongInt').SetInt( BINDSTATUS_ENDUPLOADDATA + 1);
16045: const 'BINDSTATUS_ENCODING','LongInt').SetInt( BINDSTATUS_PROTOCOLCLASSID + 1);
16046: const 'BINDSTATUS_VERIFIEDMIMETYPEAVAILABLE','LongInt').SetInt( BINDSTATUS_ENCODING + 1);
16047: const 'BINDSTATUS_CLASSINSTALLOCATION','LongInt').SetInt( BINDSTATUS_VERIFIEDMIMETYPEAVAILABLE + 1);
16048: const 'BINDSTATUS_DECODING','LongInt').SetInt( BINDSTATUS_CLASSINSTALLOCATION + 1);
16049: const 'BINDSTATUS_LOADINGMIMEHANDLER','LongInt').SetInt( BINDSTATUS_DECODING + 1);
16050: const 'BINDSTATUS_CONTENTDISPOSITIONATTACH','LongInt').SetInt( BINDSTATUS_LOADINGMIMEHANDLER + 1);
16051: const 'BINDSTATUS_FILTERREPORTMIMETYPE','LongInt').SetInt( BINDSTATUS_CONTENTDISPOSITIONATTACH + 1);
16052: const 'BINDSTATUS_CLSIDCANINSTANTIATE','LongInt').SetInt( BINDSTATUS_FILTERREPORTMIMETYPE + 1);
16053: const 'BINDSTATUS_IUNKNOWNAVAILABLE','LongInt').SetInt( BINDSTATUS_CLSIDCANINSTANTIATE + 1);
16054: const 'BINDSTATUS_DIRECTBIND','LongInt').SetInt( BINDSTATUS_IUNKNOWNAVAILABLE + 1);
16055: const 'BINDSTATUS_RAWMIMETYPE','LongInt').SetInt( BINDSTATUS_DIRECTBIND + 1);
16056: const 'BINDSTATUS_PROXYDETECTING','LongInt').SetInt( BINDSTATUS_RAWMIMETYPE + 1);
16057: const 'BINDSTATUS_ACCEPTRANGES','LongInt').SetInt( BINDSTATUS_PROXYDETECTING + 1);
16058: const 'BINDSTATUS_COOKIE_SENT','LongInt').SetInt( BINDSTATUS_ACCEPTRANGES + 1);
16059: const 'BINDSTATUS_COMPACT_POLICY_RECEIVED','LongInt').SetInt( BINDSTATUS_COOKIE_SENT + 1);
16060: const 'BINDSTATUS_COOKIE_SUPPRESSED','LongInt').SetInt( BINDSTATUS_COMPACT_POLICY_RECEIVED + 1);
16061: const 'BINDSTATUS_COOKIE_STATE_UNKNOWN','LongInt').SetInt( BINDSTATUS_COOKIE_SUPPRESSED + 1);
16062: const 'BINDSTATUS_COOKIE_STATE_ACCEPT','LongInt').SetInt( BINDSTATUS_COOKIE_STATE_UNKNOWN + 1);
16063: const 'BINDSTATUS_COOKIE_STATE_REJECT','LongInt').SetInt( BINDSTATUS_COOKIE_STATE_ACCEPT + 1);
16064: const 'BINDSTATUS_COOKIE_STATE_PROMPT','LongInt').SetInt( BINDSTATUS_COOKIE_STATE_REJECT + 1);
16065: const 'BINDSTATUS_COOKIE_STATE_LEASH','LongInt').SetInt( BINDSTATUS_COOKIE_STATE_PROMPT + 1);
16066: const 'BINDSTATUS_COOKIE_STATE_DOWNGRADE','LongInt').SetInt( BINDSTATUS_COOKIE_STATE_LEASH + 1);
16067: const 'BINDSTATUS_POLICY_HREF','LongInt').SetInt( BINDSTATUS_COOKIE_STATE_DOWNGRADE + 1);
16068: const 'BINDSTATUS_P3P_HEADER','LongInt').SetInt( BINDSTATUS_POLICY_HREF + 1);
16069: const 'BINDSTATUS_SESSION_COOKIE_RECEIVED','LongInt').SetInt( BINDSTATUS_P3P_HEADER + 1);
16070: const 'BINDSTATUS_PERSISTENT_COOKIE_RECEIVED','LongInt').SetInt( BINDSTATUS_SESSION_COOKIE_RECEIVED + 1);
16071: const 'BINDSTATUS_SESSION_COOKIES_ALLOWED','LongInt').SetInt( BINDSTATUS_PERSISTENT_COOKIE_RECEIVED + 1);
16072: const 'BINDSTATUS_CACHECONTROL','LongInt').SetInt( BINDSTATUS_SESSION_COOKIES_ALLOWED + 1);
16073: const 'BINDSTATUS_CONTENTDISPOSITIONFILENAME','LongInt').SetInt( BINDSTATUS_CACHECONTROL + 1);
16074: const 'BINDSTATUS_MIMETEXPLAINMISMATCH','LongInt').SetInt( BINDSTATUS_CONTENTDISPOSITIONFILENAME + 1);
16075: const 'BINDSTATUS_PUBLISHERAVAILABLE','LongInt').SetInt( BINDSTATUS_MIMETEXPLAINMISMATCH + 1);
16076: const 'BINDSTATUS_DISPLAYNAMEAVAILABLE','LongInt').SetInt( BINDSTATUS_PUBLISHERAVAILABLE + 1);
16077: // PBindInfo', '^TBindInfo // will not work');
16078: {_tagBINDINFO', 'record cbSize : ULONG; szExtraInfo : LPWSTR; stg'
16079: +'medData : TStgMedium; grfBindInfoF : DWORD; dwBindVerb : DWORD; szCustomVe'
16080: +'rb : LPWSTR; cbstgmedData : DWORD; dwOptions : DWORD; dwOptionsFlags : DWO'
16081: +'RD; dwCodePage : DWORD; securityAttributes : TSecurityAttributes; iid : TG'
16082: +'UID; pUnk : IUnknown; dwReserved : DWORD; end');
16083: TBindInfo', '_tagBINDINFO');
16084: BINDINFO', '_tagBINDINFO');
16085: _REMSECURITY_ATTRIBUTES', 'record nLength : DWORD; lpSecurityDes'

```

```

16086:     +'cryptor : DWORD; bInheritHandle : BOOL; end');
16087:     TRemSecurityAttributes', '_REMSECURITY_ATTRIBUTES');
16088:     REMSECURITY_ATTRIBUTES', '_REMSECURITY_ATTRIBUTES');
16089: //PREmBindInfo', '^TRemBindInfo // will not work');
16090: {_tagRemBINDINFO' : record cbSize : ULONG; szExtraInfo : LPWSTR;
16091:   +grfBindInfo : DWORD; dwBindVerb : DWORD; szCustomVerb : LPWSTR; cbstgmedD'
16092:   +'ata : DWORD; dwOptions : DWORD; dwOptionsFlags : DWORD; dwCodePage : DWORD'
16093:   +'; securityAttributes : TRemSecurityAttributes; iid : TGUID; pUnk : IUnknown'
16094:   +'n; dwReserved : DWORD; end');
16095:     TRemBindInfo', '_tagRemBINDINFO');
16096:     RemBINDINFO', '_tagRemBINDINFO');
16097: //PREmFormatEtc', '^TRemFormatEtc // will not work');
16098:     tagRemFORMATETC', 'record cfFormat:DWORD; ptd:DWORD; dwAspect:DWORD;lindex:Longint;tmmed:DWORD; end');
16099:     TRemFormatEtc', 'tagRemFORMATETC');
16100:     RemFORMATETC', 'tagRemFORMATETC');
16101:     SIRegister_IBindStatusCallback(CL);
16102:     SIRegister_IAuthenticate(CL);
16103:     SIRegister_IHttpNegotiate(CL);
16104:     SIRegister_IWindowForBindingUI(CL);
16105:     const 'CIP_DISK_FULL','LongInt').SetInt( 0 );
16106:     const 'CIP_ACCESS_DENIED','LongInt').SetInt( CIP_DISK_FULL + 1 );
16107:     const 'CIP_NEWER_VERSION_EXISTS','LongInt').SetInt( CIP_ACCESS_DENIED + 1 );
16108:     const 'CIP_OLDER_VERSION_EXISTS','LongInt').SetInt( CIP_NEWER_VERSION_EXISTS + 1 );
16109:     const 'CIP_NAME_CONFLICT','LongInt').SetInt( CIP_OLDER_VERSION_EXISTS + 1 );
16110:     const 'CIP_TRUST_VERIFICATION_COMPONENT_MISSING','LongInt').SetInt( CIP_NAME_CONFLICT + 1 );
16111:     const 'CIP_EXE_SELF_REGISTRATION_TIMEOUT',LongInt( CIP_TRUST_VERIFICATION_COMPONENT_MISSING + 1 );
16112:     const 'CIP_UNSAFE_TO_ABORT','LongInt').SetInt( CIP_EXE_SELF_REGISTRATION_TIMEOUT + 1 );
16113:     const 'CIP_NEED_REBOOT','LongInt').SetInt( CIP_UNSAFE_TO_ABORT + 1 );
16114:     const 'CIP_NEED_REBOOT_UI_PERMISSION','LongInt').SetInt( CIP_NEED_REBOOT + 1 );
16115:     SIRegister_ICodeInstall(CL);
16116:     SIRegister_IWinInetInfo(CL);
16117:     const 'WININETINFO_OPTION_LOCK_HANDLE','LongInt').SetInt( 65534 );
16118:     SIRegister_IHttpSecurity(CL);
16119:     SIRegister_IWinInetHttpInfo(CL);
16120:     SIRegister_IBindHost(CL);
16121:     const 'URLOSTRM_USECACHEDCOPY_ONLY','LongWord').SetUInt( $00000001 );
16122:     const 'URLOSTRM_USECACHEDCOPY','LongWord').SetUInt( $00000002 );
16123:     const 'URLOSTRM_GETNEWESTVERSION','LongWord').SetUInt( $00000003 );
16124:     Function URLOpenStream( pl : IUnknown; p2 : PChar; p3 : DWORD; p4 : IBindStatusCallback ) : HResult';
16125:     Function URLOpenPullStream( pl : IUnknown; p2 : PChar; p3 : DWORD; BSC : IBindStatusCallback ) : HResult';
16126:     Function URLDownloadToFile( Caller : IUnknown; URL : PChar; FileName : PChar; Reserved : DWORD; StatusCB
: IBindStatusCallback ) : HResult';
16127:     Function URLDownloadToCacheFile( pl : IUnknown; p2 : PChar; p3 : PChar; p4 : DWORD; p5 : DWORD; p6 :
IBindStatusCallback ) : HResult';
16128:     Function URLOpenBlockingStream(p1:IUnknown;p2:PChar;out
p3:IStream;p4:DWORD;p5:IBindStatusCallback):HResult';
16129:     Function HlinkGoBack( unk : IUnknown ) : HResult';
16130:     Function HlinkGoForward( unk : IUnknown ) : HResult';
16131:     Function HlinkNavigateString( unk : IUnknown; szTarget : LPCWSTR ) : HResult';
16132: // Function HlinkNavigateMoniker( unk : IUnknown; mkTarget : IMoniker ) : HResult';
16133:     SIRegister_IInternet(CL);
16134:     const 'BINDSTRING_HEADERS','LongInt').SetInt( 1 );
16135:     const 'BINDSTRING_ACCEPT_MIMES','LongInt').SetInt( BINDSTRING_HEADERS + 1 );
16136:     const 'BINDSTRING_EXTRA_URL','LongInt').SetInt( BINDSTRING_ACCEPT_MIMES + 1 );
16137:     const 'BINDSTRING_LANGUAGE','LongInt').SetInt( BINDSTRING_EXTRA_URL + 1 );
16138:     const 'BINDSTRING_USERNAME','LongInt').SetInt( BINDSTRING_LANGUAGE + 1 );
16139:     const 'BINDSTRING_PASSWORD','LongInt').SetInt( BINDSTRING_USERNAME + 1 );
16140:     const 'BINDSTRING_UA_PIXELS','LongInt').SetInt( BINDSTRING_PASSWORD + 1 );
16141:     const 'BINDSTRING_UA_COLOR','LongInt').SetInt( BINDSTRING_UA_PIXELS + 1 );
16142:     const 'BINDSTRING_OS','LongInt').SetInt( BINDSTRING_UA_COLOR + 1 );
16143:     const 'BINDSTRING_USER_AGENT','LongInt').SetInt( BINDSTRING_OS + 1 );
16144:     const 'BINDSTRING_ACCEPT_ENCODINGS','LongInt').SetInt( BINDSTRING_USER_AGENT + 1 );
16145:     const 'BINDSTRING_POST_COOKIE','LongInt').SetInt( BINDSTRING_ACCEPT_ENCODINGS + 1 );
16146:     const 'BINDSTRING_POST_DATA_MIME','LongInt').SetInt( BINDSTRING_POST_COOKIE + 1 );
16147:     const 'BINDSTRING_URL','LongInt').SetInt( BINDSTRING_POST_DATA_MIME + 1 );
16148: // POLEStrArray', '^TOLESTRArray // will not work');
16149:     SIRegister_IInternetBindInfo(CL);
16150:     const 'PI_PARSE_URL','LongWord').SetUInt( $00000001 );
16151:     const 'PI_FILTER_MODE','LongWord').SetUInt( $00000002 );
16152:     const 'PI_FORCE_ASYNC','LongWord').SetUInt( $00000004 );
16153:     const 'PI_USE_WORKERTHREAD','LongWord').SetUInt( $00000008 );
16154:     const 'PI_MIMEVERIFICATION','LongWord').SetUInt( $00000010 );
16155:     const 'PI_CLSIDLOOKUP','LongWord').SetUInt( $00000020 );
16156:     const 'PI_DATAPROGRESS','LongWord').SetUInt( $00000040 );
16157:     const 'PI_SYNCHRONOUS','LongWord').SetUInt( $00000080 );
16158:     const 'PI_APARTMENTTHREADED','LongWord').SetUInt( $00000100 );
16159:     const 'PI_CLASSINSTALL','LongWord').SetUInt( $00000200 );
16160:     const 'PD_FORCE_SWITCH','LongWord').SetUInt( $00010000 );
16161: //const 'PI_DOCFILECLSIDLOOKUP','','').SetString( PI_CLSIDLOOKUP );
16162: //PProtocolData', '^TProtocolData // will not work');
16163:     _tagPROTOCOLDATA', 'record grfFlags:DWORD; dwState:DWORD; pData : TObject; cbData : ULONG; end');
16164:     TProtocolData', '_tagPROTOCOLDATA');
16165:     PROTOCOLDATA', '_tagPROTOCOLDATA');
16166:     CL.AddInterface(CL.FindInterface('IUNKNOWN'),IIInternetProtocolSink, 'IIInternetProtocolSink');
16167:     SIRegister_IInternetProtocolRoot(CL);
16168:     SIRegister_IInternetProtocol(CL);
16169:     SIRegister_IInternetProtocolSink(CL);
16170:     const 'OIBDG_APARTMENTTHREADED','LongWord').SetUInt( $00000100 );
16171:     SIRegister_IInternetSession(CL);

```

```

16172:     SIRegister_IInternetThreadSwitch(CL);
16173:     SIRegister_IInternetPriority(CL);
16174:     const 'PARSE_CANONICALIZE','LongInt').SetInt( 1);
16175:     const 'PARSE_FRIENDLY','LongInt').SetInt( PARSE_CANONICALIZE + 1);
16176:     const 'PARSE_SECURITY_URL','LongInt').SetInt( PARSE_FRIENDLY + 1);
16177:     const 'PARSE_ROOTDOCUMENT','LongInt').SetInt( PARSE_SECURITY_URL + 1);
16178:     const 'PARSE_DOCUMENT','LongInt').SetInt( PARSE_ROOTDOCUMENT + 1);
16179:     const 'PARSE_ANCHOR','LongInt').SetInt( PARSE_DOCUMENT + 1);
16180:     const 'PARSE_ENCODE','LongInt').SetInt( PARSE_ANCHOR + 1);
16181:     const 'PARSE_DECODE','LongInt').SetInt( PARSE_ENCODE + 1);
16182:     const 'PARSE_PATH_FROM_URL','LongInt').SetInt( PARSE_DECODE + 1);
16183:     const 'PARSE_URL_FROM_PATH','LongInt').SetInt( PARSE_PATH_FROM_URL + 1);
16184:     const 'PARSE_MIME','LongInt').SetInt( PARSE_URL_FROM_PATH + 1);
16185:     const 'PARSE_SERVER','LongInt').SetInt( PARSE_MIME + 1);
16186:     const 'PARSE_SCHEMA','LongInt').SetInt( PARSE_SERVER + 1);
16187:     const 'PARSE_SITE','LongInt').SetInt( PARSE_SCHEMA + 1);
16188:     const 'PARSE_DOMAIN','LongInt').SetInt( PARSE_SITE + 1);
16189:     const 'PARSE_LOCATION','LongInt').SetInt( PARSE_DOMAIN + 1);
16190:     const 'PARSE_SECURITY_DOMAIN','LongInt').SetInt( PARSE_LOCATION + 1);
16191:     const 'PSU_DEFAULT','LongInt').SetInt( 1);
16192:     const 'PSU_SECURITY_URL_ONLY','LongInt').SetInt( PSU_DEFAULT + 1);
16193:     const 'QUERY_EXPIRATION_DATE','LongInt').SetInt( 1);
16194:     const 'QUERY_TIME_OF_LAST_CHANGE','LongInt').SetInt( QUERY_EXPIRATION_DATE + 1);
16195:     const 'QUERY_CONTENT_ENCODING','LongInt').SetInt( QUERY_TIME_OF_LAST_CHANGE + 1);
16196:     const 'QUERY_CONTENT_TYPE','LongInt').SetInt( QUERY_CONTENT_ENCODING + 1);
16197:     const 'QUERY_REFRESH','LongInt').SetInt( QUERY_CONTENT_TYPE + 1);
16198:     const 'QUERY_RECOMBINE','LongInt').SetInt( QUERY_REFRESH + 1);
16199:     const 'QUERY_CAN_NAVIGATE','LongInt').SetInt( QUERY_RECOMBINE + 1);
16200:     const 'QUERYUSES_NETWORK','LongInt').SetInt( QUERY_CAN_NAVIGATE + 1);
16201:     const 'QUERY_IS_CACHED','LongInt').SetInt( QUERYUSES_NETWORK + 1);
16202:     const 'QUERY_IS_INSTALLEDENTRY','LongInt').SetInt( QUERY_IS_CACHED + 1);
16203:     const 'QUERY_IS_CACHED_OR_MAPPED','LongInt').SetInt( QUERY_IS_INSTALLEDENTRY + 1);
16204:     const 'QUERYUSES_CACHE','LongInt').SetInt( QUERY_IS_CACHED_OR_MAPPED + 1);
16205:     const 'QUERY_IS_SECURE','LongInt').SetInt( QUERYUSES_CACHE + 1);
16206:     const 'QUERY_IS_SAFE','LongInt').SetInt( QUERY_IS_SECURE + 1);
16207:     SIRegister_IInternetProtocolInfo(CL);
16208:     IOInet', 'IInternet');
16209:     IOInetBindInfo', 'IInternetBindInfo');
16210:     IOInetProtocolRoot', 'IInternetProtocolRoot');
16211:     IOInetProtocol', 'IInternetProtocol');
16212:     IOInetProtocolSink', 'IInternetProtocolSink');
16213:     IOInetProtocolInfo', 'IInternetProtocolInfo');
16214:     IOInetSession', 'IInternetSession');
16215:     IOInetPriority', 'IInternetPriority');
16216:     IOInetThreadSwitch', 'IInternetThreadSwitch');
16217:     Function CoInternetParseUrl( pwzUrl : LPCWSTR; ParseAction : TParseAction; dwFlags : DWORD; pszResult : LPWSTR; cchResult : DWORD; var pcchResult : DWORD; dwReserved : DWORD ) : HResult );
16218:     Function CoInternetCombineUrl( pwzBaseUrl, pwzRelativeUrl : LPCWSTR; dwCombineFlags : DWORD; pszResult : LPWSTR; cchResult : DWORD; var pcchResult : DWORD; dwReserved : DWORD ) : HResult );
16219:     Function CoInternetCompareUrl( pwzUrl1, pwzUrl2 : LPCWSTR; dwFlags : DWORD ) : HResult );
16220:     Function CoInternetGetProtocolFlags(pwzUrl : LPCWSTR; var dwFlags DWORD; dwReserved:DWORD):HResult );
16221:     Function CoInternetQueryInfo( pwzUrl : LPCWSTR; QueryOptions : TQueryOption; dwQueryFlags : DWORD; pvBuffer : TObject; cbBuffer : DWORD; var pcbBuffer : DWORD; dwReserved : DWORD ) : HResult );
16222:     Function CoInternetGetSession(dwSessionMode:DWORD; var pIInternetSession: IInternetSes;dwReserved:DWORD):HResult;
16223:     Function CoInternetGetSecurityUrl(pwzUrl:LPCWSTR;var pwzSecUrl:LPWSTR;psuAct:TPSUAction;dwReserv:DWORD):HResult;
16224:     Function OInetParseUrl( pwzUrl : LPCWSTR; ParseAction : TParseAction; dwFlags : DWORD; pszResult : LPWSTR; cchResult : DWORD; var pcchResult : DWORD; dwReserved : DWORD ) : HResult );
16225:     Function OInetCombineUrl( pwzBaseUrl, pwzRelativeUrl : LPCWSTR; dwCombineFlags : DWORD; pszResult : LPWSTR; cchResult : DWORD; var pcchResult : DWORD; dwReserved : DWORD ) : HResult );
16226:     Function OInetCompareUrl( pwzUrl1, pwzUrl2 : LPCWSTR; dwFlags : DWORD ) : Hresult );
16227:     Function OInetProtocolFlags( pwzUrl : LPCWSTR; var dwFlags : DWORD; dwReserved : DWORD ) : HResult );
16228:     Function OInetQueryInfo( pwzUrl : LPCWSTR; QueryOptions : TQueryOption; dwQueryFlags : DWORD; pvBuffer : TObject; cbBuffer : DWORD; var pcbBuffer : DWORD; dwReserved : DWORD ) : HResult );
16229:     Function OInetGetSession(dwSessionMode:DWORD; var pIInternetSession:IInternetSession;dwReserved:DWORD):HResult;
16230:     //Function CopyBindInfo( const cbisrc : TBindInfo; var bidest : TBindInfo ) : HResult';
16231:     //Procedure ReleaseBindInfo( const bindinfo : TBindInfo );
16232:     // const 'INET_E_USE_DEFAULT_PROTOCOLHANDLER','LongWord').SetUInt( HResult ( $800C0011 ) );
16233:     // const 'INET_E_USE_DEFAULT_SETTING','LongWord').SetUInt( HResult ( $800C0012 ) );
16234:     //const 'INET_E_DEFAULT_ACTION','LongWord').SetUInt( HResult ( $800C0011 ) );
16235:     //const 'INET_E_QUERYOPTION_UNKNOWN','LongWord').SetUInt( HResult ( $800C0013 ) );
16236:     //const 'INET_E_REDIRECTING','LongWord').SetUInt( HResult ( $800C0014 ) );
16237:     const 'PROTOCOLFLAG_NO_PICS_CHECK','LongWord').SetUInt( $00000001 );
16238:     SIRegister_IInternetSecurityMgrSite(CL);
16239:     const 'MUTZ_NOSAVEDFILECHECK','LongWord').SetUInt( $00000001 );
16240:     const 'MUTZ_ISFILE','LongWord').SetUInt( $00000002 );
16241:     const 'MUTZ_ACCEPT_WILDCARD_SCHEME','LongWord').SetUInt( $00000080 );
16242:     const 'MUTZ_ENFORCERESTRICTED','LongWord').SetUInt( $00000100 );
16243:     const 'MUTZ_REQUIRESAVEDFILECHECK','LongWord').SetUInt( $00000400 );
16244:     const 'MAX_SIZE_SECURITY_ID','LongInt').SetInt( 512 );
16245:     const 'PUAF_DEFAULT','LongWord').SetUInt( $00000000 );
16246:     const 'PUAF_NOUI','LongWord').SetUInt( $00000001 );
16247:     const 'PUAF_ISFILE','LongWord').SetUInt( $00000002 );
16248:     const 'PUAF_WARN_IF_DENIED','LongWord').SetUInt( $00000004 );
16249:     const 'PUAF_FORCEUI_FOREGROUND','LongWord').SetUInt( $00000008 );
16250:     const 'PUAF_CHECK_TIFS','LongWord').SetUInt( $00000010 );
16251:     const 'PUAF_DONTCHECKBOXINDIALOG','LongWord').SetUInt( $00000020 );

```

```

16252: const 'PUAF_TRUSTED', 'LongWord').SetUInt( $00000040);
16253: const 'PUAF_ACCEPT_WILDCARD_SCHEME', 'LongWord').SetUInt( $00000080);
16254: const 'PUAF_ENFORCERESTRICTED', 'LongWord').SetUInt( $00000100);
16255: const 'PUAF_NOSAVEDFILECHECK', 'LongWord').SetUInt( $00000200);
16256: const 'PUAF_REQUIRESAVEDFILECHECK', 'LongWord').SetUInt( $00000400);
16257: const 'PUAF_LMZ_UNLOCKED', 'LongWord').SetUInt( $00010000);
16258: const 'PUAF_LMZ_LOCKED', 'LongWord').SetUInt( $00020000);
16259: const 'PUAF_DEFAULTZONEPOL', 'LongWord').SetUInt( $00040000);
16260: const 'PUAF_NPL_USE_LOCKED_IF_RESTRICTED', 'LongWord').SetUInt( $00080000);
16261: const 'PUAF_NOUIIFLOCKED', 'LongWord').SetUInt( $00100000);
16262: const 'PUAFOUT_DEFAULT', 'LongWord').SetUInt( $0);
16263: const 'PUAFOUT_ISLOCKZONEPOLICY', 'LongWord').SetUInt( $1);
16264: const 'SZM_CREATE', 'LongWord').SetUInt( $00000000);
16265: const 'SZM_DELETE', 'LongWord').SetUInt( $00000001);
16266: SIRegister_IInternetSecurityManager(CL);
16267: SIRegister_IInternetHostSecurityManager(CL);
16268: SIRegister_IInternetSecurityManagerEx(CL);
16269: const 'URLACTION_MIN', 'LongWord').SetUInt( $00001000);
16270: const 'URLACTION_DOWNLOAD_MIN', 'LongWord').SetUInt( $00001000);
16271: const 'URLACTION_DOWNLOAD_SIGNED_ACTIVEVEX', 'LongWord').SetUInt( $00001001);
16272: const 'URLACTION_DOWNLOAD_UNSIGNED_ACTIVEVEX', 'LongWord').SetUInt( $00001004);
16273: const 'URLACTION_DOWNLOAD_CURR_MAX', 'LongWord').SetUInt( $00001004);
16274: const 'URLACTION_DOWNLOAD_MAX', 'LongWord').SetUInt( $000011FF);
16275: const 'URLACTION_ACTIVEVEX_MIN', 'LongWord').SetUInt( $00001200);
16276: const 'URLACTION_ACTIVEVEX_RUN', 'LongWord').SetUInt( $00001200);
16277: const 'URLACTION_ACTIVEVEX_OVERRIDE_OBJECT_SAFETY', 'LongWord').SetUInt( $00001201);
16278: const 'URLACTION_ACTIVEVEX_OVERRIDE_DATA_SAFETY', 'LongWord').SetUInt( $00001202);
16279: const 'URLACTION_ACTIVEVEX_OVERRIDE_SCRIPT_SAFETY', 'LongWord').SetUInt( $00001203);
16280: const 'URLACTION_SCRIPT_OVERRIDE_SAFETY', 'LongWord').SetUInt( $00001401);
16281: const 'URLACTION_ACTIVEVEX_CONFIRM_NOOBJECTSAFETY', 'LongWord').SetUInt( $00001204);
16282: const 'URLACTION_ACTIVEVEX_TREATASUNTRUSTED', 'LongWord').SetUInt( $00001205);
16283: const 'URLACTION_ACTIVEVEX_NO_WEBOC_SCRIPT', 'LongWord').SetUInt( $00001206);
16284: const 'URLACTION_ACTIVEVEX_CURR_MAX', 'LongWord').SetUInt( $00001206);
16285: const 'URLACTION_ACTIVEVEX_MAX', 'LongWord').SetUInt( $000013FF);
16286: const 'URLACTION_SCRIPT_MIN', 'LongWord').SetUInt( $00001400);
16287: const 'URLACTION_SCRIPT_RUN', 'LongWord').SetUInt( $00001400);
16288: const 'URLACTION_SCRIPT_JAVA_USE', 'LongWord').SetUInt( $00001402);
16289: const 'URLACTION_SCRIPT_SAFE_ACTIVEVEX', 'LongWord').SetUInt( $00001405);
16290: const 'URLACTION_SCRIPT_CURR_MAX', 'LongWord').SetUInt( $00001405);
16291: const 'URLACTION_SCRIPT_MAX', 'LongWord').SetUInt( $000015FF);
16292: const 'URLACTION_HTML_MIN', 'LongWord').SetUInt( $00001600);
16293: const 'URLACTION_HTML_SUBMIT_FORMS', 'LongWord').SetUInt( $00001601);
16294: const 'URLACTION_HTML_SUBMIT_FORMS_FROM', 'LongWord').SetUInt( $00001602);
16295: const 'URLACTION_HTML_SUBMIT_FORMS_TO', 'LongWord').SetUInt( $00001603);
16296: const 'URLACTION_HTML_FONT_DOWNLOAD', 'LongWord').SetUInt( $00001604);
16297: const 'URLACTION_HTML_JAVA_RUN', 'LongWord').SetUInt( $00001605);
16298: const 'URLACTION_HTML_CURR_MAX', 'LongWord').SetUInt( $00001605);
16299: const 'URLACTION_HTML_MAX', 'LongWord').SetUInt( $000017FF);
16300: const 'URLACTION_SHELL_MIN', 'LongWord').SetUInt( $00001800);
16301: const 'URLACTION_SHELL_INSTALL_DITITEMS', 'LongWord').SetUInt( $00001800);
16302: const 'URLACTION_SHELL_MOVE_OR_COPY', 'LongWord').SetUInt( $00001802);
16303: const 'URLACTION_SHELL_FILE_DOWNLOAD', 'LongWord').SetUInt( $00001803);
16304: const 'URLACTION_SHELL_VERB', 'LongWord').SetUInt( $00001804);
16305: const 'URLACTION_SHELL_WEBVIEW_VERB', 'LongWord').SetUInt( $00001805);
16306: const 'URLACTION_SHELL_SHELLEXECUTE', 'LongWord').SetUInt( $00001806);
16307: const 'URLACTION_SHELL_EXECUTE_HIGHRISK', 'LongWord').SetUInt( $00001806);
16308: const 'URLACTION_SHELL_EXECUTE_MODRISK', 'LongWord').SetUInt( $00001807);
16309: const 'URLACTION_SHELL_EXECUTE_LOWRISK', 'LongWord').SetUInt( $00001808);
16310: const 'URLACTION_SHELL_POPUPMGR', 'LongWord').SetUInt( $00001809);
16311: const 'URLACTION_SHELL_CURR_MAX', 'LongWord').SetUInt( $00001809);
16312: const 'URLACTION_SHELL_MAX', 'LongWord').SetUInt( $000019ff);
16313: const 'URLACTION_NETWORK_MIN', 'LongWord').SetUInt( $00001A00);
16314: const 'URLACTION_CREDENTIALS_USE', 'LongWord').SetUInt( $00001A00);
16315: const 'URLPOLICY_CREDENTIALS_SILENT_LOGON_OK', 'LongWord').SetUInt( $00000000);
16316: const 'URLPOLICY_CREDENTIALS_MUST_PROMPT_USER', 'LongWord').SetUInt( $00010000);
16317: const 'URLPOLICY_CREDENTIALS_CONDITIONAL_PROMPT', 'LongWord').SetUInt( $00020000);
16318: const 'URLPOLICY_CREDENTIALS_ANONYMOUS_ONLY', 'LongWord').SetUInt( $00030000);
16319: const 'URLACTION_AUTHENTICATE_CLIENT', 'LongWord').SetUInt( $00001A01);
16320: const 'URLPOLICY_AUTHENTICATE_CLEARTEXT_OK', 'LongWord').SetUInt( $00000000);
16321: const 'URLPOLICY_AUTHENTICATE_CHALLENGE_RESPONSE', 'LongWord').SetUInt( $00010000);
16322: const 'URLPOLICY_AUTHENTICATE_MUTUAL_ONLY', 'LongWord').SetUInt( $00030000);
16323: const 'URLACTION_NETWORK_CURR_MAX', 'LongWord').SetUInt( $00001A01);
16324: const 'URLACTION_NETWORK_MAX', 'LongWord').SetUInt( $00001BFF);
16325: const 'URLACTION_JAVA_MIN', 'LongWord').SetUInt( $00001C00);
16326: const 'URLACTION_JAVA_PERMISSIONS', 'LongWord').SetUInt( $00001C00);
16327: const 'URLPOLICY_JAVA_PROHIBIT', 'LongWord').SetUInt( $00000000);
16328: const 'URLPOLICY_JAVA_HIGH', 'LongWord').SetUInt( $00010000);
16329: const 'URLPOLICY_JAVA_MEDIUM', 'LongWord').SetUInt( $00020000);
16330: const 'URLPOLICY_JAVA_LOW', 'LongWord').SetUInt( $00030000);
16331: const 'URLPOLICY_JAVA_CUSTOM', 'LongWord').SetUInt( $00800000);
16332: const 'URLACTION_JAVA_CURR_MAX', 'LongWord').SetUInt( $00001C00);
16333: const 'URLACTION_JAVA_MAX', 'LongWord').SetUInt( $00001cff);
16334: const 'URLACTION_INFODELIVERY_MIN', 'LongWord').SetUInt( $00001D00);
16335: const 'URLACTION_INFODELIVERY_NO_ADDING_CHANNELS', 'LongWord').SetUInt( $00001D00);
16336: const 'URLACTION_INFODELIVERY_NO_EDITING_CHANNELS', 'LongWord').SetUInt( $00001D01);
16337: const 'URLACTION_INFODELIVERY_NO_Removing_CHANNELS', 'LongWord').SetUInt( $00001D02);
16338: const 'URLACTION_INFODELIVERY_NO_ADDING_SUBSCRIPTIONS', 'LongWord').SetUInt( $00001D03);
16339: const 'URLACTION_INFODELIVERY_NO_EDITING_SUBSCRIPTIONS', 'LongWord').SetUInt( $00001D04);
16340: const 'URLACTION_INFODELIVERY_NO_Removing_SUBSCRIPTIONS', 'LongWord').SetUInt( $00001D05);

```

```

16341: const 'URLACTION_INFODELIVERY_NO_CHANNEL_LOGGING', 'LongWord').SetUInt( $00001D06);
16342: const 'URLACTION_INFODELIVERY_CURR_MAX', 'LongWord').SetUInt( $00001D06);
16343: const 'URLACTION_INFODELIVERY_MAX', 'LongWord').SetUInt( $00001Dff);
16344: const 'URLACTION_CHANNEL_SOFTDIST_MIN', 'LongWord').SetUInt( $00001E00);
16345: const 'URLACTION_CHANNEL_SOFTDIST_PERMISSIONS', 'LongWord').SetUInt( $00001E05);
16346: const 'URLPOLICY_CHANNEL_SOFTDIST_PROHIBIT', 'LongWord').SetUInt( $00010000);
16347: const 'URLPOLICY_CHANNEL_SOFTDIST_PRECACHE', 'LongWord').SetUInt( $00020000);
16348: const 'URLPOLICY_CHANNEL_SOFTDIST_AUTOINSTALL', 'LongWord').SetUInt( $00030000);
16349: const 'URLACTION_CHANNEL_SOFTDIST_MAX', 'LongWord').SetUInt( $00001EFF);
16350: const 'URLACTION_BEHAVIOR_MIN', 'LongWord').SetUInt( $00002000);
16351: const 'URLACTION_BEHAVIOR_RUN', 'LongWord').SetUInt( $00002000);
16352: const 'URLPOLICY_BEHAVIOR_CHECK_LIST', 'LongWord').SetUInt( $00010000);
16353: const 'URLACTION_FEATURE_MIN', 'LongWord').SetUInt( $00002100);
16354: const 'URLACTION_FEATURE_MIME_SNIFFING', 'LongWord').SetUInt( $00002100);
16355: const 'URLACTION_FEATURE_ZONE_ELEVATION', 'LongWord').SetUInt( $00002101);
16356: const 'URLACTION_FEATURE_WINDOW_RESTRICTIONS', 'LongWord').SetUInt( $00002102);
16357: const 'URLACTION_AUTOMATIC_DOWNLOAD_UI_MIN', 'LongWord').SetUInt( $00002200);
16358: const 'URLACTION_AUTOMATIC_DOWNLOAD_UI', 'LongWord').SetUInt( $00002200);
16359: const 'URLACTION_AUTOMATIC_ACTIVEVUI', 'LongWord').SetUInt( $00002201);
16360: const 'URLACTION_ALLOW_RESTRICTEDPROTOCOLS', 'LongWord').SetUInt( $00002300);
16361: const 'URLPOLICY_ALLOW', 'LongWord').SetUInt( $00);
16362: const 'URLPOLICY_QUERY', 'LongWord').SetUInt( $01);
16363: const 'URLPOLICY_DISALLOW', 'LongWord').SetUInt( $03);
16364: const 'URLPOLICY_NOTIFY_ON_ALLOW', 'LongWord').SetUInt( $10);
16365: const 'URLPOLICY_NOTIFY_ON_DISALLOW', 'LongWord').SetUInt( $20);
16366: const 'URLPOLICY_LOG_ON_ALLOW', 'LongWord').SetUInt( $40);
16367: const 'URLPOLICY_LOG_ON_DISALLOW', 'LongWord').SetUInt( $80);
16368: const 'URLPOLICY_MASK_PERMISSIONS', 'LongWord').SetUInt( $0f);
16369: Function GetUrlPolicyPermissions( dw : DWORD) : DWORD';
16370: Function SetUrlPolicyPermissions( dw, dw2 : DWORD) : DWORD';
16371: const 'URLZONE_PREDEFINED_MIN', 'LongInt').SetInt( 0);
16372: const 'URLZONE_LOCAL_MACHINE', 'LongInt').SetInt( 0);
16373: const 'URLZONE_INTRANET', 'LongInt').SetInt( URLZONE_LOCAL_MACHINE + 1);
16374: const 'URLZONE_TRUSTED', 'LongInt').SetInt( URLZONE_INTRANET + 1);
16375: const 'URLZONE_INTERNET', 'LongInt').SetInt( URLZONE_TRUSTED + 1);
16376: const 'URLZONE_UNTRUSTED', 'LongInt').SetInt( URLZONE_INTERNET + 1);
16377: const 'URLZONE_PREDEFINED_MAX', 'LongInt').SetInt( 999);
16378: const 'URLZONE_USER_MIN', 'LongInt').SetInt( 1000);
16379: const 'URLZONE_USER_MAX', 'LongInt').SetInt( 10000);
16380: const 'URLTEMPLATE_CUSTOM', 'LongWord').SetUInt( $00000000);
16381: const 'URLTEMPLATE_PREDEFINED_MIN', 'LongWord').SetUInt( $00010000);
16382: const 'URLTEMPLATE_LOW', 'LongWord').SetUInt( $00010000);
16383: const 'URLTEMPLATE_MEDIUM', 'LongWord').SetUInt( $00011000);
16384: const 'URLTEMPLATE_HIGH', 'LongWord').SetUInt( $00012000);
16385: const 'URLTEMPLATE_PREDEFINED_MAX', 'LongWord').SetUInt( $00020000);
16386: const 'MAX_ZONE_PATH', 'LongInt').SetInt( 260);
16387: const 'MAX_ZONE_DESCRIPTION', 'LongInt').SetInt( 200);
16388: const 'ZAFLAGS_CUSTOM_EDIT', 'LongWord').SetUInt( $00000001);
16389: const 'ZAFLAGS_ADD_SITES', 'LongWord').SetUInt( $00000002);
16390: const 'ZAFLAGS_REQUIRE_VERIFICATION', 'LongWord').SetUInt( $00000004);
16391: const 'ZAFLAGS_INCLUDE_PROXY_OVERRIDE', 'LongWord').SetUInt( $00000008);
16392: const 'ZAFLAGS_INCLUDE_INTRANET_SITES', 'LongWord').SetUInt( $00000010);
16393: const 'ZAFLAGS_NO_UI', 'LongWord').SetUInt( $00000020);
16394: const 'ZAFLAGS_SUPPORTS_VERIFICATION', 'LongWord').SetUInt( $00000040);
16395: const 'ZAFLAGS_UNC_AS_INTRANET', 'LongWord').SetUInt( $00000080);
16396: const 'ZAFLAGS_USE_LOCKED_ZONES', 'LongWord').SetUInt( $00010000);
16397: //PZoneAttributes', '^TZoneAttributes // will not work');
16398: _ZONEATTRIBUTES', record cbSize:ULONG;szDisplayName:array [0..260-1] of Char;szDescription:array [0..200 - 1] of Char;szIconPath: array [0..260 - 1] of char; dwTemplateMinLevel: DWORD; dwTemplateRecommended: DWORD; dwTemplateCurrentLevel: DWORD; dwFlags: DWORD; end');
16399: { _ZONEATTRIBUTES = packed record
16400:   cbSize: ULONG;
16401:   szDisplayName: array [0..260 - 1] of WideChar;
16402:   szDescription: array [0..200 - 1] of WideChar;
16403:   szIconPath: array [0..260 - 1] of WideChar;
16404:   dwTemplateMinLevel: DWORD;
16405:   dwTemplateRecommended: DWORD;
16406:   dwTemplateCurrentLevel: DWORD;
16407:   dwFlags: DWORD;
16408: end; }
16409: TZoneAttributes', '_ZONEATTRIBUTES');
16410: ZONEATTRIBUTES', '_ZONEATTRIBUTES');
16411: const 'URLZONEREG_DEFAULT', 'LongInt').SetInt( 0);
16412: const 'URLZONEREG_HKLM', 'LongInt').SetInt( URLZONEREG_DEFAULT + 1);
16413: const 'URLZONEREG_HKCU', 'LongInt').SetInt( URLZONEREG_HKLM + 1);
16414: SIRegister_IInternetZoneManager(CL);
16415: SIRegister_IInternetZoneManagerEx(CL);
16416: const 'SOFTDIST_FLAG_USAGE_EMAIL', 'LongWord').SetUInt( $00000001);
16417: const 'SOFTDIST_FLAG_USAGE_PRECACHE', 'LongWord').SetUInt( $00000002);
16418: const 'SOFTDIST_FLAG_USAGE_AUTOINSTALL', 'LongWord').SetUInt( $00000004);
16419: const 'SOFTDIST_FLAG_DELETE_SUBSCRIPTION', 'LongWord').SetUInt( $00000008);
16420: const 'SOFTDIST_ADSTATE_NONE', 'LongWord').SetUInt( $00000000);
16421: const 'SOFTDIST_ADSTATE_AVAILABLE', 'LongWord').SetUInt( $00000001);
16422: const 'SOFTDIST_ADSTATE_DOWNLOADED', 'LongWord').SetUInt( $00000002);
16423: const 'SOFTDIST_ADSTATE_INSTALLED', 'LongWord').SetUInt( $00000003);
16424: //PCodeBaseHold', '^TCodeBaseHold // will not work');
16425: _tagCODEBASEHOLD', record cbSize : ULONG; szDistUnit : LPWSTR;
16426: +'szCodeBase : LPWSTR; dwVersionMS : DWORD; dwVersionLS : DWORD; dwStyle : DWORD; end');
16427: TCodeBaseHold', '_tagCODEBASEHOLD');

```

```

16428: CODEBASEHOLD', '_tagCODEBASEHOLD');
16429: //PSofDistInfo', '^TSoftDistInfo // will not work');
16430: _tagSOFTDISTINFO', 'record cbSize : ULONG; dwFlags : DWORD; dwAd'
16431: +'State : DWORD; szTitle : LPWSTR; szAbstract : LPWSTR; szHREF : LPWSTR; dwI'
16432: +'nstalledVersionMS : DWORD; dwInstalledVersionLS : DWORD; dwUpdateVersionMS'
16433: +' : DWORD; dwUpdateVersionLS : DWORD; dwAdvertisedVersionMS : DWORD; dwAdve'
16434: +'rtisedVersionLS : DWORD; dwReserved : DWORD; end');
16435: TSoftDistInfo', '_tagSOFTDISTINFO');
16436: SOFTDISTINFO', '_tagSOFTDISTINFO');
16437: SIRregister_ISoftDistExt(CL);
16438: Function GetSoftwareUpdateInfo( szDistUnit : LPCWSTR; var dsi : TSoftDistInfo ) : HResult');
16439: Function SetSoftwareUpdateAdvertisementState(szDistUnit: LPCWSTR; dwAdState, dwAdvertisedVersionMS,
dwAdvertisedVersionLS : DWORD) : HResult');
16440: SIRregister_IDataFilter(CL);
16441: //PProtocolFilterData', '^TProtocolFilterData // will not work');
16442: _tagPROTOCOLFILTERDATA', 'record cbSize : DWORD; ProtocolsSink : '
16443: +'IInternetProtocolSink; Protocol : IInternetProtocol; Unk : IUnknown; dwFil'
16444: +'terFlags : DWORD; end');
16445: TProtocolFilterData', '_tagPROTOCOLFILTERDATA');
16446: PROTOCOLFILTERDATA', '_tagPROTOCOLFILTERDATA');
16447: //PDataInfo', '^TDataInfo // will not work');
16448: _tagDATAINFO', 'record ulTotalSize : ULONG; ulavrPacketSize : UL'
16449: +'ONG; ulConnectSpeed : ULONG; ulProcessorSpeed : ULONG; end');
16450: TDataInfo', '_tagDATAINFO');
16451: DATAINFO', '_tagDATAINFO');
16452: SIRregister_IEncodingFilterFactory(CL);
16453: Function IsLoggingEnabled( pszUrl : PChar ) : BOOL';
16454: //Function IsLoggingEnabledA( pszUrl : PAnsiChar ) : BOOL';
16455: //Function IsLoggingEnabledW( pszUrl : PWideChar ) : BOOL';
16456: //PHitLoggingInfo', '^THitLoggingInfo // will not work');
16457: _tagHIT_LOGGING_INFO', 'record dwStructSize : DWORD; lpszLoggedU'
16458: +'rlName : LPSTR; StartTime : TSystemTime; EndTime : TSystemTime; lpszExtendedInfo : LPSTR; end');
16459: THitLoggingInfo', '_tagHIT_LOGGING_INFO');
16460: HIT_LOGGING_INFO', '_tagHIT_LOGGING_INFO');
16461: Function WriteHitLogging( const Logginginfo : THitLoggingInfo ) : BOOL';
16462: end;
16463:
16464: procedure SIRregister_DFFUtils(CL: TPSPascalCompiler);
16465: begin
16466: Procedure reformatMemo( const m : TCustomMemo)');
16467: Procedure SetMemoMargins( m : TCustomMemo; const L, T, R, B : integer)');
16468: Procedure MoveToTop( memo : TMemo)');
16469: Procedure ScrollToTop( memo : TMemo)');
16470: Function LineNumberClicked( memo : TMemo ) : integer');
16471: Function MemoClickedLine( memo : TMemo ) : integer');
16472: Function ClickedMemoLine( memo : TMemo ) : integer');
16473: Function MemoLineClicked( memo : TMemo ) : integer');
16474: Function LinePositionClicked( Memo : TMemo ) : integer');
16475: Function ClickedMemoPosition( memo : TMemo ) : integer');
16476: Function MemoPositionClicked( memo : TMemo ) : integer');
16477: Procedure AdjustGridSize( grid : TDrawGrid)');
16478: Procedure DeleteGridRow( Grid : TStringGrid; const ARow : integer)');
16479: Procedure InsertgridRow( Grid : TStringGrid; const ARow : integer)');
16480: Procedure Sortgrid( Grid : TStringGrid; const SortCol : integer)');
16481: Procedure Sortgrid1(Grid:TStringGrid; const SortCol : integer; sortascending : boolean)');
16482: Procedure sortstrDown( var s : string)');
16483: Procedure sortstrUp( var s : string)');
16484: Procedure rotatestrleft( var s : string)');
16485: Function dffstrtofloatdef( s : string; default : extended ) : extended');
16486: Function deblank( s : string ) : string');
16487: Function IntToBinaryString( const n : integer; MinLength : integer ) : string');
16488: Procedure FreeAndClearListBox( C : TListBox)');
16489: Procedure FreeAndClearMemo( C : TMemo)');
16490: Procedure FreeAndClearStringList( C : TStringList)');
16491: Function dffgetfilesize( f : TSearchrec ) : int64');
16492: end;
16493:
16494: procedure SIRregister_MathsLib(CL: TPSPascalCompiler);
16495: begin
16496: CL.AddTypeS('intset', 'set of byte');
16497: TPoint64', 'record x : int64; y : int64; end');
16498: Function GetNextPandigital( size : integer; var Digits : array of integer ) : boolean');
16499: Function IsPolygonal( T : int64; var rank : array of integer ) : boolean');
16500: Function GeneratePentagon( n : integer ) : integer');
16501: Function IsPentagon( p : integer ) : boolean');
16502: Function isSquare( const N : int64 ) : boolean');
16503: Function isCube( const N : int64 ) : boolean');
16504: Function isPalindrome( const n : int64 ) : boolean');
16505: Function isPalindromel( const n : int64; var len : integer ) : boolean');
16506: Function GetEulerPhi( n : int64 ) : int64');
16507: Function dffIntPower( a, b : int64 ) : int64');
16508: Function IntPowerl( a : extended; b : int64 ) : extended');
16509: Function gcd2( a, b : int64 ) : int64');
16510: Function GCDMany( A : array of integer ) : integer');
16511: Function LCMMany( A : array of integer ) : integer');
16512: Procedure ContinuedFraction(A: array of int64;const wholepart:integer;var numerator,denominator:int64);
16513: Function dfffFactorial( n : int64 ) : int64');
16514: Function digitcount( n : int64 ) : integer');
16515: Function nextpermute( var a : array of integer ) : boolean');

```

```

16516: Function convertfloattofractionstring(N:extended; maxdenom:integer; multipleof : boolean) : string');
16517: Function convertStringToDecimal( s : string; var n : extended) : Boolean');
16518: Function InttoBinaryStr( nn : integer) : string');
16519: Function StrtoAngle( const s : string; var angle : extended) : boolean');
16520: Function AngleToStr( angle : extended) : string');
16521: Function deg2rad( deg : extended) : extended');
16522: Function rad2deg( rad : extended) : extended');
16523: Function GetLongToMercProjection( const long : extended) : extended');
16524: Function GetLatToMercProjection( const Lat : Extended) : Extended');
16525: Function GetMercProjectionToLong( const ProjLong : extended) : extended');
16526: Function GetMercProjectionToLat( const ProjLat : extended) : extended');
16527: SIRegister_TPrimes(CL);
16528: //RIRegister_TPrimes(CL);
16529: //CL.AddConstantN('deg','LongInt').SetInt( char( 176));
16530: CL.AddConstantN('minmark','LongInt').SetInt(( 180));
16531: Function Random64( const N : Int64) : Int64;');
16532: Procedure Randomize64');
16533: Function Random64l : extended;');
16534: Procedure GetParens( Variables : string; OpChar : char; var list : TStringlist)//DFFUtils
16535: end;
16536:
16537: procedure SIRegister_UGeometry(CL: TPSPPascalCompiler);
16538: begin
16539:   TrealPoint', 'record x : extended; y : extended; end');
16540:   Tline', 'record pl : TPoint; p2 : TPoint; end');
16541:   TRealLine', 'record pl : TRealPoint; p2 : TRealPoint; end');
16542:   TCircle', 'record cx : integer; cy : integer; r : integer; end');
16543:   TRealCircle', 'record cx : extended; cy : extended; r : extended; end');
16544:   PResult', '( PPOutside, PPInside, PPVertex, PPEdge, PPError )');
16545:   Function realpoint( x, y : extended) : TRealPoint');
16546:   Function dist( const pl, p2 : TrealPoint) : extended');
16547:   Function intdist( const pl, p2 : TPoint) : integer');
16548:   Function dffline( const pl, p2 : TPoint) : Tline');
16549:   Function Linel( const pl, p2 : TRealPoint) : TRealline');
16550:   Function dffCircle( const cx, cy, R : integer) : TCircle');
16551:   Function Circlel( const cx, cy, R : extended) : TRealCircle');
16552:   Function GetTheta( const L : TLine) : extended');
16553:   Function GetTheta1( const pl, p2 : TPoint) : extended;');
16554:   Function GetTheta2( const pl, p2 : TRealPoint) : extended;');
16555:   Procedure Extendline( var L : TLine; dist : integer);');
16556:   Procedure Extendline1( var L : TRealLine; dist : extended);');
16557:   Function Linesintersect( line1, line2 : TLine) : boolean');
16558:   Function ExtendedLinesIntersect(Lin1,Line2:TLine; const extendlines:bool;var IP:TPoint):bool;
16559:   Function ExtendedLinesIntersect1(const Lin1,Line2:TLine;const extendlines:bool;var IP:TRealPoint):bool;
16560:   Function Intersect( L1, L2 : TLine; var pointonborder : boolean; var IP : TPoint) : boolean');
16561:   Function PointPerpendicularLine( L : TLine; P : TPoint) : TLine');
16562:   Function PerpDistance( L : TLine; P : TPoint) : Integer');
16563:   Function AngledLineFromLine( L : TLine; P : TPoint; Dist : extended; alpha : extended) : TLine');
16564:   Function AngledLineFromLine1(L:TLine;P:TPoint;Dist:extended;alpha:extended;useScreenCoordinates:bool):TLine;
16565:   Function PointInPoly( const p : TPoint; Points : array of TPoint) : PResult');
16566:   Function PolygonArea(const points:array of TPoint;const screencoordinates:boolean;var Clockwise:bool):integer;
16567:   Procedure InflatePolygon(const points:array of Tpoint; var points2:array of TPoint;var area:integer;
16568:     const screenCoordinates : boolean; const inflateby : integer)');
16569:   Function PolyBuiltClockwise(const points:array of TPoint;const screencoordinates:boolean):bool;
16570:   Function DegtoRad( d : extended) : extended');
16571:   Function RadtoDeg( r : extended) : extended');
16572:   Procedure TranslateLeftTo( var L : TLine; newend : TPoint);';
16573:   Procedure TranslateLeftTo1( var L : TrealLine; newend : TrealPoint);';
16574:   Procedure RotateRightEndBy( var L : TLine; alpha : extended);';
16575:   Procedure RotateRightEndTo( var pl, p2 : Trealpoint; alpha : extended);');
16576:   Function CircleCircleIntersect( c1, c2 : TCircle; var IP1, Ip2 : TPoint) : boolean;');
16577:   Function CircleCircleIntersect1( c1, c2 : TRealCircle; var IP1, Ip2 : TRealPoint) : boolean;');
16578:   Function PointCircleTangentLines( const C : TCircle; const P : TPoint; var L1, L2 : TLine) : boolean');
16579:   Function CircleCircleExtTangentLines(C1,C2:TCircle;var C3:TCircle;var L1,L2,PL1,PL2,TL1,TL2:TLine):Bool;
16580: end;
16581:
16582:
16583: procedure SIRegister_UAstronomy(CL: TPSPPascalCompiler);
16584: begin
16585:   TCoordType', '( ctUnknown, ctAzAlt, ctEclLonLat, ctRADecl, ctHADecl, ctGallonLat ');
16586:   TDTType', '( ttLocal, ttUT, ttGST, ttLST )');
16587:   TRPoint', 'record x : extended; y : extended; CoordType : TCoordType; end');
16588:   TSunrec', 'record TrueEclLon:extended;
16589:     AppEclLon:extended;AUDistance:extended;TrueHADecl:TRPoint;TrueRADecl : TRPoint;
16590:     TrueAzAlt:TRPoint;AppHADecl:TRPoint;AppRADecl:TRPoint;AppAzAlt:TRPoint;SunMeanAnomaly:extended;end;
16591:     TMoonRec', 'record ECLonLat : TRPoint; AZAlt : TRPoint; RADecl : '
16592:       +' TRPoint; HorizontalParallax : extended; AngularDiameter : extended; KMtoE'
16593:       +' arth : extended; Phase : extended; end');
16594:     TMoonEclipseAdd', 'record UmbralStartTime : TDatetime; UmbralEnd'
16595:       +' Time : TDatetime; TotalStartTime : TDatetime; TotalEndTime : TDateTime; end');
16596:     TEclipseRec', 'record Msg : string; Status : integer; FirstConta'
16597:       +' ct : TDatetime; LastContact : Date; Magnitude:Extended;MaxEclipseUTime:TDateTIme:end');
16598:     TPlanet', '( MERCURY, VENUS, MARS, JUPITER, SATURN, URANUS, NEPTUNE, PLUTO ');
16599:     TPlanetRec', 'record AsOf : TDateTime; Name : string; MeanLon : '
16599:       +'extended; MeanLonMotion : extended; LonOfPerihelion : extended; Eccentrici'
16599:       +'ty : extended; Inclination : extended; LonAscendingNode : extended; SemiMa'

```

```

16600: +'jorAxis : extended; AngularDiameter : extended; Magnitude : extended; end');
16601: TPlanetLocRec', 'record PlanetBaseData : TPlanetrec; HelioCentricLonLat : TRpoint; RadiusVector :
extended; UncorrectedEarthDistance : extended; GeoEclLonLat : TRpoint; CorrectedEarthDistance:extended;
ApparentRaDecl:TRPoint; end');
16602: SIRegister_TAstronomy(CL);
16603: Function AngleToStr( angle : extended) : string');
16604: Function StrToAngle( s : string; var angle : extended) : boolean');
16605: Function HoursToStr24( t : extended) : string');
16606: Function RPoint( x, y : extended) : TRPoint');
16607: Function getStimenename( t : TDType) : string');
16608: end;
16609:
16610: procedure SIRegister_UCardComponentV2(CL: TPSPascalCompiler);
16611: begin
16612:   TCardValue', 'Integer');
16613:   TCardSuit', '( Spades, Diamonds, Clubs, Hearts ');
16614:   TShortSuit', '( cardS, cardD, cardC, cardH ');
16615:   Type(TDecks,Standard1,Standard2,Fishes1,Fishes2,Beach,Leaves1,Leaves2,Robot,Roses,Shell,Castle,Hand);
16616:   SIRegister_TCard(CL);
16617:   SIRegister_TDeck(CL);
16618: end;
16619:
16620: procedure SIRegister_UTGraphSearch(CL: TPSPascalCompiler);
16621: begin
16622:   tMethodCall', 'Procedure');
16623:   tVerboseCall', 'Procedure ( s : string)');
16624: // PTEdge', '^TEdge // will not work');
16625: TEdge', 'record FromNodeIndex : Integer; ToNodeIndex : Integer;
16626:   +'Weight : integer; work : integer; Len : integer; Highlight : boolean; end');
16627: SIRegister_TNode(CL);
16628: SIRegister_TGraphList(CL);
16629: end;
16630:
16631: procedure SIRegister_UParser10(CL: TPSPascalCompiler);
16632: begin
16633:   ParserFloat', 'extended');
16634: //PParserFloat', '^ParserFloat // will not work');
16635: TDFFToken', '( variab, constant, minus, sum, diff, prod, divis, mod';
16636:   +'ulo, IntDiv, IntDIV2, integerpower, realpower,square,third,fourth,FuncOneVar,FuncTwoVar ');
16637: //POperation', '^TOperation // will not work');
16638: TDFFOperation', 'record Arg1 : PParserFloat; Arg2 : PParserFloat; D'
16639:   +'est : PParserFloat; NextOperation : POperation; Operation : TMathProcedure';
16640:   +'; Token : TDFFToken; end');
16641: TMathProcedure', 'procedure(AnOperation: TDFFOperation)');
16642: (CL.FindClass('TOBJECT'),'EMathParserError');
16643: CL.FindClass('TOBJECT'),'ESyntaxError');
16644: (CL.FindClass('TOBJECT'),'EExpressionHasBlanks');
16645: (CL.FindClass('TOBJECT'),'EExpressionTooComplex');
16646: (CL.FindClass('TOBJECT'),'ETooManyNestings');
16647: (CL.FindClass('TOBJECT'),'EMissMatchingBracket');
16648: (CL.FindClass('TOBJECT'),'EBadName');
16649: (CL.FindClass('TOBJECT'),'EParseInternalError');
16650: ('TExParserExceptionEvent', 'Procedure ( Sender : TObject; E : Exception)');
16651: SIRegister_TCustomParser(CL);
16652: SIRegister_TExParser(CL);
16653: end;
16654:
16655:   function isService: boolean;
16656: begin
16657:   result:= NOT(Application is TApplication);
16658:   {result:= Application is TServiceApplication;}
16659: end;
16660:   function isApplication: boolean;
16661: begin
16662:   result:= Application is TApplication;
16663: end;
16664: //SM_REMOTESESSION = $1000
16665:   function isTerminalSession: boolean;
16666: begin
16667:   result:= GetSystemMetrics(SM_REMOTESESSION) > 0;
16668: end;
16669:
16670: procedure SIRegister_cyIEUtils(CL: TPSPascalCompiler);
16671: begin
16672:   CL.AddTypeS('TwbPageSetup', 'record font : String; footer : String; header : '
16673:   +'String; margin_bottom : String; margin_left : String; margin_right : String';
16674:   +'g; margin_top : String; Print_Background : String; Shrink_To_Fit : String; end');
16675:   Function cyURLEncode( const S : string) : string');
16676:   Function MakeResourceURL( const ModuleName:string;const ResName:PChar;const ResType:PChar):string;
16677:   Function MakeResourceURL1( const Module:HMODULE;const ResName:PChar;const ResType:PChar):string;
16678:   Function cyColorToHtml( aColor : TColor) : String');
16679:   Function HtmlToColor( aHtmlColor : String) : TColor');
16680: //Function GetStreamEncoding( aStream : TStream) : TEncoding';
16681: // Function IsStreamEncodedWith( aStream : TStream; Encoding : TEncoding) : Boolean';
16682:   Function AddHtmlUnicodePrefix( aHtml : String) : String');
16683:   Function RemoveHtmlUnicodePrefix( aHtml : String) : String');
16684: Procedure GetPageSetupFromRegistry( var awbPageSetup : TwbPageSetup)');
16685: Procedure SetPageSetupToRegistry( awbPageSetup : TwbPageSetup)');
16686: CL.AddConstantN('IEBodyBorderless','String').SetString( 'none');

```

```

16687: CL.AddConstantN('IEBodySingleBorder','String').SetString( '' );
16688: CL.AddConstantN('IEDesignModeOn','String').SetString( 'On' );
16689: CL.AddConstantN('IEDesignModeOff','String').SetString( 'Off' );
16690: CL.AddConstantN('cHtmlUnicodePrefixChar','Char').SetString( #$FEFF );
16691: CL.AddConstantN('cHtmlUnicodePrefixChar','Char').SetString( #$FE );
16692: end;
16693:
16694:
16695: procedure SIRegister_UcomboV2(CL: TPSPascalCompiler);
16696: begin
16697:   CL.AddConstantN('UMaxEntries','LongInt').SetInt( 600 );
16698:   CL.AddTypeS('TCombotype', '( Combinations, Permutations, CombinationsDown, Pe'
16699:     + 'rmutationsDown, CombinationsCoLex, CombinationsCoLexDown, PermutationsRepe'
16700:     + 'at, PermutationsWithRep, PermutationsRepeatDown, CombinationsWithrep, Comb'
16701:     + 'inationsRepeat, CombinationsRepeatDown )');
16702:   CL.AddTypeS('TByteArray64', 'array[0..600 + 1] of int64;');
16703:   SIRegister_TComboSet(CL);
16704: end;
16705:
16706: procedure SIRegister_cyBaseComm(CL: TPSPascalCompiler);
16707: begin
16708:   TcyCommandType', '( ctDevelopperDefined, ctUserDefined )');
16709:   TStreamContentType', '( scDevelopperDefined, scUserDefined, scString )');
16710:   TProcOnReceiveCommand', 'Procedure ( Sender : TObject; aCommand: Word; userParam : Integer )';
16711:   TProcOnReceiveString', 'Procedure ( Sender : TObject; fromBaseCo'
16712:     + 'mmHandle : THandle; aString : String; userParam : Integer )';
16713:   TProcOnReceiveMemoryStream', 'Procedure ( Sender : TObject; from'
16714:     + 'BaseCommHandle : THandle; aStream : TMemoryStream; userParam : Integer )';
16715:   SIRegister_TcyBaseComm(CL);
16716:   CL.AddConstantN('MsgCommand','LongInt').SetInt( WM_USER + 1 );
16717:   CL.AddConstantN('MsgResultOk','LongInt').SetInt( 99 );
16718:   Function ValidateFileMappingName( aName : String ) : String );
16719:   procedure makeCaption(leftSide, Rightside:string; form:TForm);
16720: end;
16721:
16722: procedure SIRegister_cyDERUtils(CL: TPSPascalCompiler);
16723: begin
16724:   CL.AddTypeS('DERString', 'String');
16725:   CL.AddTypeS('DERChar', 'Char');
16726:   CL.AddTypeS('TElementsType', '( etText, etExpressionKeyWord, etNumbers, etInt'
16727:     + 'eger, etFloat, etPercentage, etwebsite, etWebMail, etMoney, etDate, etTextLine, etParagraph )');
16728:   CL.AddTypeS('TElementsTypes', 'set of TElementsType');
16729:   CL.AddTypeS('DERNString', 'String');
16730:   const DERDecimalSeparator', 'String').SetString( '.' );
16731:   const DERDefaultChars', 'String')('+@/%-
16732:   _.:0123456789abcdefghijklmnopqrstuvwxyzABCDEFGHIJKLMNOPQRSTUVWXYZ');
16733:   const DERDefaultChars', 'String').SetString( '/%.0123456789abcdefghijklmnopqrstuvwxyz' );
16734:   Function isValidWebSiteChar( aChar : Char ) : Boolean';
16735:   Function isValidWebMailChar( aChar : Char ) : Boolean';
16736:   Function isValidWebSite( aStr : String ) : Boolean';
16737:   Function isValidWebMail( aStr : String ) : Boolean';
16738:   Function ValidateToDate( aDERStr : DERString; var RsltFormat : String ) : Boolean';
16739:   Function DERToStrToDate( aDERStr, aFormat : String ) : TDate';
16740:   Function IsDERChar( aChar : Char ) : Boolean';
16741:   Function IsDERDefaultChar( aChar : Char ) : Boolean';
16742:   Function IsDERMoneyChar( aChar : Char ) : Boolean';
16743:   Function IsDERExceptionChar( aChar : Char ) : Boolean';
16744:   Function IsDERSymbols( aDERString : String ) : Boolean';
16745:   Function StringToDERCharSet( aStr : String ) : DERString';
16746:   Function IsDERNDefaultChar( aChar : Char ) : Boolean';
16747:   Function DERToDERNCharset( aDERStr : DERString ) : DERNString';
16748:   Function DERExtractwebSite( aDERStr : DERString; SmartRecognition : Boolean ) : String';
16749:   Function DERExtractWebMail( aDERStr : DERString ) : String';
16750:   Function DERExtractPhoneNr( aDERStr : DERString ) : String';
16751:   Function DERExecute(aDERStr:DERString;SmartNumbersRecognition,
SmartWebsiteRecognition:Boolean):TElementsType;
16752:   Function DERExecute1(aDERStr : DERString; var RsltNumbers, RsltInteger, RsltFloat, RsltPercentage,
RsltwebSite, RsltWebMail,RsltMoney,RsltDate:String;SmartNumbersRecognition,
SmartWebsiteRecognition:Boolean):TElementsType;
16753:   Function RetrieveElementValue( aStr : String; SmartNumbersRecognition, SmartWebsiteRecognition: Boolean;
aElementsType : TEelementsType) : String');
16754:   Procedure RetrieveElementValue1( aStr : String; SmartNumbersRecognition, SmartWebsiteRecognition :
Boolean; var RsltDERStr : DERString; var RsltElementType : TEelementsType);');
16755: end;
16756:
16757: procedure SIRegister_cyImage(CL: TPSPascalCompiler);
16758: begin
16759:   pRGBQuadArray', '^TRGBQuadArray // will not work');
16760:   Function BitmapsCompare(Bmp1:TBitmap;Bmp2:TBitmap;FirstCol,LastCol,FirstRow,LastRow:Int):Integer';
16761:   Procedure BitmapSetPercentBrightness( Bmp : TBitmap; IncPercent : Integer; RefreshBmp : Boolean );
16762:   Procedure BitmapSetPixelsBrightness( Bmp : TBitmap; IncPixels : Integer; RefreshBmp : Boolean );
16763:   Procedure BitmapSetPercentContrast( Bmp : TBitmap; IncPercent : Integer; RefreshBmp : Boolean );
16764:   Procedure BitmapSetPixelsContrast( Bmp : TBitmap; IncPixels : Integer; RefreshBmp : Boolean );
16765:   Procedure BitmapNegative( Bmp : TBitmap; RefreshBmp : Boolean );
16766:   Procedure BitmapModifyRGB( Bmp:TBitmap;IncRed:Integer;IncGreen:Int;IncBlue:Int;RefreshBmp:Bool;
16767:   Procedure BitmapReplaceColor(Bmp : TBitmap; OldColor : TColor; NewColor : TColor; RangeRed, RangeGreen,
RangeBlue : Word; SingleDestinationColor : Boolean; RefreshBmp : Boolean);');
16768:   Procedure BitmapReplaceColor1(Bmp:TBitmap; OldColor:TColor;NewColor:TColor;PercentRange1Red,
PercentRange1Green, PercentRange1Blue:Extended;PercentRange2Red,PercentRange2Green,
PercentRange2Blue:Double;SingleDestinationColor: Boolean;RefreshBmp:Bool );';

```

```

16769: Procedure BitmapReplaceColors(Bmp: TBitmap; Array_OldPalette, Array_NewPalette : array of TColor;
16770:   SingleDestinationColor, RefreshBmp : Boolean)');
16771: Procedure BitmapResize(SourceBmp TBitmap;DestinationBmp:TBitmap;Percent:Extended;RefreshBmp : Boolean)');
16772: Procedure BitmapRotate( Bmp : TBitmap; AngleDegree : Word; AdjustSize : Boolean; BkColor : TColor)');
16773: Procedure BitmapBlur(SourceBmp:TBitmap;DestinationBmp:TBitmap;Pixels:Word;Percent:Integer;RefreshBmp:Bool;
16774: Procedure GraphicMirror(Source:TGraphic;Destination:TCanvas;Left,Top:Integer;Horizontal,Vertical:Bool;
16775: Function BitmapCreate(BmpWidth:Integer;BmpHeight:Integer;BgColor:TColor;PixelFormat:TPixelFormat):TBitmap;
16776: Procedure BitmapSaveToJpegFile( Bmp : TBitmap; FileName : String; QualityPercent : Word)');
16777: Procedure JpegSaveToBitmapFile( JPEG : TJPEGImage; FileName : String)');
16778: end;
16779:
16780: procedure SIRegister_WaveUtils(CL: TPSPPascalCompiler);
16781: begin
16782:   TMS2StrFormat', '( msHMSh, msHMS, msMSh, msMS, msSh, msS, msAh,msA )');
16783:   TPCMChannel', '( cMono, cStereo )';
16784:   TPCMSamplesPerSec', '( ss8000Hz, ss11025Hz, ss22050Hz, ss44100Hz, ss48000Hz )';
16785:   TPCMBitsPerSample', '( bs8Bit, bs16Bit )';
16786:   TPCMFormat', '( nonePCM, Mono8Bit8000Hz, Stereo8bit8000Hz, Mono1';
16787:     +'6bit8000Hz, Stereo16bit8000Hz, Mono8bit11025Hz, Stereo8bit11025Hz, Mono16b';
16788:     +'it11025Hz, Stereo16bit11025Hz, Mono8bit22050Hz, Stereo8bit22050Hz, Mono16b';
16789:     +'it22050Hz, Stereo16bit22050Hz, Mono8bit44100Hz, Stereo8bit44100Hz, Mono16b';
16790:     +'it44100Hz, Stereo16bit44100Hz, Mono8bit48000Hz, Stereo8bit48000Hz, Mono16b';
16791:     +'it48000Hz, Stereo16bit48000Hz )';
16792:   PWaveFormatEx', 'record wFormatTag : word; nChannels: word; nSamplesPerSec: DWORD; '
16793:     +'nAvgBytesPerSec: DWORD; nBlockAlign: Word; wBitsPerSample: Word; ecbSiz: Word; end');
16794:   tWaveFormatEx', 'PWaveFormatEx');
16795:   HMMIO', 'Integer');
16796:   TWaveDeviceFormats', 'set of TPCMFormat');
16797:   TWaveOutDeviceSupport', '( dsVolume, dsStereoVolume, dsPitch, ds'
16798:     +'PlaybackRate, dsPosition, dsAsynchronize, dsDirectSound )');
16799:   CL.AddTypeS('TWaveOutDeviceSupports', 'set of TWaveOutDeviceSupport');
16800:   TWaveOutOption', '( woSetVolume, woSetPitch, woSetPlaybackRate )');
16801:   TWaveOutOptions', 'set of TWaveOutOption');
16802:   TStreamOwnership2', '( soReference, soOwned )');
16803:   TWaveStreamState', '( wssReady, wssReading, wssWriting, wssWritingEx )');
16804: // PRawWave', '^TRawWave // will not work');
16805:   TRawWave', 'record pData : TObject; dwSize : DWORD; end');
16806:   CL.AddClassN(CL.FindClass('TOBJECT'), 'EWaveAudioError');
16807:   CL.AddClassN(CL.FindClass('TOBJECT'), 'EWaveAudioSysError');
16808:   CL.AddClassN(CL.FindClass('TOBJECT'), 'EWaveAudioInvalidOperation');
16809:   TWaveAudioEvent', 'Procedure ( Sender : TObject)');
16810:   TWaveAudioGetFormatEvent', 'Procedure ( Sender : TObject; var pW'
16811:     +'aveFormat : PWaveFormatEx; var FreeIt : Boolean)');
16812:   TWaveAudioGetDataEvent', 'Function ( Sender : TObject; const Buf'
16813:     +'fer : TObject; BufferSize : DWORD; var NumLoops : DWORD) : DWORD');
16814:   TWaveAudioGetDataPtrEvent', 'Function ( Sender : TObject; var Bu'
16815:     +'ffer : TObject; var NumLoops : DWORD; var FreeIt : Boolean) : DWORD');
16816:   TWaveAudioDataReadyEvent', 'Procedure ( Sender : TObject; const '
16817:     +'Buffer : TObject; BufferSize : DWORD; var FreeIt : Boolean)');
16818:   TWaveAudioLevelEvent', 'Procedure ( Sender : TObject; Level : Integer)');
16819:   TWaveAudioFilterEvent', 'Procedure ( Sender : TObject; const Buffer:TObject; BufferSize:DWORD)';
16820:   GetWaveAudioInfo(mmiO:HMMIO;var pWaveFormat:PWaveFormatEx;var DataSize,DataOffset:DWORD):Bool;
16821:   CreateWaveAudio(mmiO: HMMIO; const pWaveFormat:PWaveFormatEx;var ckRIFF,ckData:TMMCKInfo):Bool;
16822:   CloseWaveAudio( mmiO : HMMIO; var ckRIFF, ckData : TMMCKInfo );
16823:   GetStreamWaveAudioInfo(Stream:TStream; var pWaveFormat:PWaveFormatEx;var DataSize,DataOffset:DWORD):Bool;
16824:   CreateStreamWaveAudio(Stream: TStream;const pWaveFormat:PWaveFormatEx; var ckRIFF,ckData:TMMCKInfo):HMMIO;
16825:   OpenStreamWaveAudio( Stream : TStream ) : HMMIO';
16826:   CalcWaveBufferSize( const pWaveFormat : PWaveFormatEx; Duration : DWORD ) : DWORD');
16827:   GetAudioFormat( FormatTag : Word ) : String');
16828:   GetWaveAudioFormat( const pWaveFormat : PWaveFormatEx ) : String');
16829:   GetWaveAudioLength( const pWaveFormat : PWaveFormatEx; DataSize : DWORD ) : DWORD');
16830:   GetWaveAudioBitRate( const pWaveFormat : PWaveFormatEx ) : DWORD');
16831:   GetWaveAudioPeakLevel( const Data : TObject; DataSize:DWORD; const pWaveFormat:PWaveFormatEx) : Integer');
16832:   InvertWaveAudio( const Data : TObject; DataSize : DWORD;const pWaveFormat : PWaveFormatEx) : Boolean');
16833:   SilenceWaveAudio( const Data : TObject; DataSize : DWORD;const pWaveFormat : PWaveFormatEx) : Boolean');
16834:   ChangeWaveAudioVolume( const Data:TObject;DataSize:DWORD;const pWaveFormat:PWaveFormatEx;Percent:Int):Bool;
16835:   MixWaveAudio( const RawWaves : TRawWave; Count : Integer; const pWaveFormat : PWaveFormatEx; Buffer :
16836:     TObject; BufferSize : DWORD ) : Boolean');
16837:   ConvertWaveFormat( const srcFormat : PWaveFormatEx; srcData : TObject; srcDataSize : DWORD; const
16838:     dstFormat : PWaveFormatEx; var dstData : TObject; var dstDataSize : DWORD ) : Boolean');
16839:   SetPCMFormat(const pWaveFormat: PWaveFormatEx; Channels : TPCMChannel; SamplesPerSec :
16840:     TPCMSamplesPerSec; BitsPerSample : TPCMBitsPerSample)');
16841:   Procedure SetPCMFormatS( const pWaveFormat : PWaveFormatEx; PCMFormat : TPCMFormat)');
16842:   GetPCMFormat( const pWaveFormat : PWaveFormatEx ) : TPCMFormat');
16843:   GetWaveDataPositionOffset( const pWaveFormat : PWaveFormatEx; Position : DWORD ) : DWORD');
16844:   MS2Str( Milliseconds : DWORD; Fmt : TMS2StrFormat ) : String');
16845:   WaitForSyncObject( SyncObject : THandle; Timeout : DWORD ) : DWORD');
16846: //mmioStreamProc( lpmmIOInfo : PMMIOInfo; uMsg, lParam1, lParam2 : DWORD) : LRESULT');
16847: end;
16848: procedure SIRegister_NamedPipes(CL: TPSPPascalCompiler);
16849: begin
16850:   'DEFAULT_PIPE_BUFFER_SIZE','LongInt').SetInt( 4096 );
16851:   CL.AddConstantN('DEFAULT_PIPE_TIMEOUT','LongInt').SetInt( 5000 );
16852:   'PIPE_NAMING_SCHEME','String').SetString( '\%s\pipe\%s' );
16853:   'WAIT_ERROR','LongWord').SetUInt( DWORD( $FFFFFF ) );
16854:   'WAIT_OBJECT_1','LongInt').SetInt( WAIT_OBJECT_0 + 1 );
16855:   'STATUS_SUCCESS','LongWord').SetUInt( $00000000 );

```

```

16854: 'STATUS_BUFFER_OVERFLOW','LongWord').SetUInt( $80000005 );
16855: CL.AddTypeS('TPipeDirection', '( pdir_Duplex, pdir_ClientToServer, pdir_ServerToClient )');
16856: CL.AddTypeS('TPipeType', '( ptyp_BytByte, ptyp_MsgByte, ptyp_MsgMsg )');
16857: CL.AddTypeS('TOverlappedResult', '( ov_Failed, ov_Pending, ov_MoreData, ov_Complete )');
16858: SIRegister_TNamedPipe(CL);
16859: SIRegister_TServerPipe(CL);
16860: SIRegister_TClientPipe(CL);
16861: Function CalculateTimeout( aBasis : DWORD ) : DWORD';
16862: Function HasOverlappedIoCompleted( const ov : OVERLAPPED ) : Boolean';
16863: Function GetOverlappedPipeResult(aHandle:THandle;const ov:OVERLAPPED;var dwBytes:DWORD;bWait:Boolean): TOverlappedResult;
16864: Function GetStreamAsText( stm : TStream ) : string';
16865: Procedure SetStreamAsText( const aTxt : string; stm : TStream )';
16866: end;
16867:
16868: procedure SIRegister_DPUtils(CL: TPPascalCompiler);
16869: begin
16870: // CL.AddTypeS('PRGBTripleArray', '^TRGBTripleArray // will not work');
16871: SIRegister_TThumbData(CL);
16872: 'PIC_BMP','LongInt').SetInt( 0 );
16873: 'PIC_JPG','LongInt').SetInt( 1 );
16874: 'THUMB_WIDTH','LongInt').SetInt( 60 );
16875: 'THUMB_HEIGHT','LongInt').SetInt( 60 );
16876: Function IsEqualFile(Filename:string; Size:Integer; LastWriteTime : TDateTime) : Boolean';
16877: Procedure GetFileInfo(Filename : string; var Size : Integer; var LastWriteTime : TDateTime)';
16878: Function ReadBitmap( Filehandle : Integer; Width, Height : Integer ) : TBitmap';
16879: Procedure WriteBitmap( Filehandle : Integer; bmp : TBitmap )';
16880: Function OpenPicture( fn : string; var tp : Integer ) : Integer';
16881: Function ConvertPicture( pi : Integer; tp : Integer ) : TBitmap';
16882: Function LoadPicture( fn : string; var w, h : Integer ) : TBitmap';
16883: Function TurnBitmap( bmp : TBitmap; ang : Integer ) : TBitmap';
16884: Function RotateBitmap( Bitmap : TBitmap; Direction : Integer ) : TBitmap';
16885: Function StretchBitmap( Canvas : TCanvas; re : TRect; bmp : TBitmap ) : TRect';
16886: Function ThumbBitmap( Bitmap : TBitmap; Width, Height : Integer ) : TBitmap';
16887: Procedure ClearFrame( Canvas : TCanvas; Rect : TRect; Width, Height : Integer )';
16888: Procedure FindFiles( path, mask : string; items : TStringList )';
16889: Function LetfileName( s : string ) : string';
16890: Function LetParentPath( path : string ) : string';
16891: Function AddBackSlash( path : string ) : string';
16892: Function CutBackSlash( path : string ) : string';
16893: end;
16894:
16895: procedure SIRegister_CommonTools(CL: TPPascalCompiler);
16896: begin
16897: //BYTES','LongInt').SetInt( 1 );
16898: 'KBYTES','LongInt').SetInt( 1024 );
16899: 'DBG_ALIVE','LongWord').SetUInt( Integer ( $11BABEL1 ) );
16900: 'DBG_DESTROYING','LongWord').SetUInt( Integer ( $44FADE44 ) );
16901: 'DBG_GONE','LongWord').SetUInt( $99AC1D99 );
16902: 'SHELL_NS_MYCOMPUTER','String').SetString( '::{20D04FEO-3AEA-1069-A2D8-08002B30309D}' );
16903: SIRegister_MakeComServerMethodsPublic(CL);
16904: CL.AddTypeS('TSomeFileInfo','( fi_DisplayType, fi_Application )');
16905: Function IsFlagSet( dwTestForFlag, dwFlagSet : DWORD ) : Boolean';
16906: Procedure TBSetFlag( const dwThisFlag : DWORD; var dwFlagSet : DWORD; aSet : Boolean )';
16907: Function TBGetTempFolder : string';
16908: Function TBGetTempFile : string';
16909: Function TBGetModuleFilename : string';
16910: Function FormatModuleVersionInfo( const aFilename : string ) : string';
16911: Function GetVersionInfoString( const aFile, aEntry : string; aLang : WORD ) : string';
16912: Function TBGetFileSize( aFile : string; aMultipleOf : Integer ) : Integer';
16913: Function FormatAttribString( aAttr : Integer ) : string';
16914: Function GetSomeFileInfo( aFile : string; aWhatInfo : TSomeFileInfo ) : string';
16915: Function ShellRecycle( aWnd : HWND; aFileOrFolder : string ) : Boolean';
16916: Function IsDebuggerPresent : BOOL';
16917: Function TBNotImplemented : HRESULT ';
16918: end;
16919:
16920: procedure SIRegister_D2_VistaHelperU(CL: TPPascalCompiler);
16921: begin
16922: //CL.AddTypeS('OSVERSIONINFOEXA', '_OSVERSIONINFOEXA');
16923: //CL.AddTypeS('TOSVersionInfoExA', '_OSVERSIONINFOEXA');
16924: CL.AddTypeS('TOSVersionInfoEx', 'TOSVersionInfo');
16925: CL.AddTypeS('TDrivesProperty', 'array[1..26] of boolean');
16926: //TDrivesProperty = array['A'..'Z'] of boolean;
16927: Function TBSetSystemTime( DateTime : TDateTime; DOW : word ) : boolean';
16928: Function IsElevated : Boolean';
16929: Procedure CoCreateInstanceAsAdmin(aHWnd:HWND;const aClassID:GUID;const aIID:GUID;out aObj:TObject);
16930: CL.AddTypeS('TPasswordUsage', '( pu_None, pu_Default, pu_Defined )');
16931: Function TrimNetResource( UNC : string ) : string';
16932: Procedure GetFreeDrives( var FreeDrives : TDrivesProperty );
16933: Procedure GetMappedDrives( var MappedDrives : TDrivesProperty );
16934: Function MapDrive(UNCPath:string; Drive : char; PasswordUsage : TPasswordUsage; Password : string;
UserUsage : TPasswordUsage; User : string; Comment : string ) : boolean';
16935: Function UnmapDrive( Drive : char; Force : boolean ) : boolean';
16936: Function TBIsWindowsVista : Boolean';
16937: Procedure SetVistaFonts( const AForm : TForm );
16938: Procedure SetVistaContentFonts( const AFont : TFont );
16939: Function GetProductType( var sType : String ) : Boolean';
16940: Function lstrcmp( lpString1, lpString2 : PChar ) : Integer';

```

```

16941: Function lstrcmpi( lpString1, lpString2 : PChar ) : Integer';
16942: Function lstrcpyn( lpString1, lpString2 : PChar; iMaxLength : Integer ) : PChar';
16943: Function lstrcpy( lpString1, lpString2 : PChar ) : PChar';
16944: Function lstrcat( lpString1, lpString2 : PChar ) : PChar';
16945: Function lstrlen( lpString : PChar ) : Integer';
16946: Function GetTokenInformation( TokenHandle : THandle; TokenInformationClass : TTokenInformationClass;
  TokenInformation : __Pointer; TokenInformationLength : DWORD; var ReturnLength : DWORD ) : BOOL';
16947: Function SetTokenInformation( TokenHandle : THandle; TokenInformationClass : TTokenInformationClass;
  TokenInformation : __Pointer; TokenInformationLength : DWORD ) : BOOL';
16948: end;
16949:
16950: procedure SIRегистer_dwsXPlatform(CL: TPPascalCompiler);
16951: begin
16952:   'clineTerminator','Char').SetString( #10);
16953:   'cLineTerminators','String').SetString(#13#10);
16954:   'INVALID_HANDLE_VALUE','LongInt').SetInt( DWORD( - 1 ) );
16955:   SIRегистer_TFixedCriticalSection(CL);
16956:   SIRегистer_TMultiReadSingleWrite(CL);
16957:   Procedure SetDecimalSeparator( c : Char );
16958:   Function GetDecimalSeparator : Char;
16959:   TCollectFileProgressEvent', 'Procedure ( const directory : String; var skipScan : Boolean )';
16960:   Procedure CollectFiles(const directory,fileMask:UnicodeString; list:TStrings;
  recurseSubdirectories:Boolean; onProgress : TCollectFileProgressEvent );
16961:   CL.AddTypeS('NativeInt', 'Integer');
16962:   //CL.AddTypeS('PNativeInt', '^NativeInt // will not work');
16963:   CL.AddTypeS('NativeUInt', 'Cardinal');
16964:   //CL.AddTypeS('PNativeUInt', '^NativeUInt // will not work');
16965:   //CL.AddTypeS('TBytes', 'array of Byte');
16966:   CL.AddTypeS('RawByteString', 'UnicodeString');
16967:   //CL.AddTypeS('PNativeInt', '^NativeInt // will not work');
16968:   //CL.AddTypeS('PUInt64', '^UInt64 // will not work');
16969:   SIRегистer_TPath(CL);
16970:   SIRегистer_Tfile(CL);
16971:   SIRегистer_TdwsThread(CL);
16972:   Function GetSystemMilliseconds : Int64';
16973:   Function UTCDateTime : TDateTime';
16974:   Function UnicodeFormat(const fmt:UnicodeString; const args : array of const): UnicodeString';
16975:   Function UnicodeCompareStr( const S1, S2 : UnicodeString ) : Integer';
16976:   Function dwsAnsiCompareText( const S1, S2 : UnicodeString ) : Integer';
16977:   Function dwsAnsiCompareStr( const S1, S2 : UnicodeString ) : Integer';
16978:   Function UnicodeComparePChars( pl : PChar; nl : Integer; p2 : PChar; n2 : Integer ) : Integer';
16979:   Function UnicodeComparePChars1( pl, p2 : PChar; n : Integer ) : Integer';
16980:   Function UnicodeLowerCase( const s : UnicodeString ) : UnicodeString';
16981:   Function UnicodeUpperCase( const s : UnicodeString ) : UnicodeString';
16982:   Function ASCIICompareText( const s1, s2 : UnicodeString ) : Integer';
16983:   Function ASCIISameText( const s1, s2 : UnicodeString ) : Boolean';
16984:   Function InterlockedIncrement( var val : Integer ) : Integer';
16985:   Function InterlockedDecrement( var val : Integer ) : Integer';
16986:   Procedure FastInterlockedIncrement( var val : Integer );
16987:   Procedure FastInterlockedDecrement( var val : Integer );
16988:   Function InterlockedExchangePointer( var target : __Pointer; val : __Pointer ) : __Pointer';
16989:   Procedure SetThreadName( const threadName : Char; threadID : Cardinal );
16990:   Procedure dwsOutputDebugString( const msg : UnicodeString );
16991:   Procedure WriteToOSEventLog(const logName,logCaption,logDetails:UnicodeString;const logRawData:Str);
16992:   Function TryTextToFloat(const s:PChar;var value:Extended;const formatSettings:TFormatSettings):Bool;
16993:   Procedure VarCopy( out dest : Variant; const src : Variant );
16994:   Function VarToUnicodeStr( const v : Variant ) : UnicodeString';
16995:   Function LoadTextFromBuffer( const buf : TBytes ) : UnicodeString';
16996:   Function LoadTextFromStream( aStream : TStream ) : UnicodeString';
16997:   Function LoadTextFromFile( const fileName : UnicodeString ) : UnicodeString';
16998:   Procedure SaveTextToUTF8File( const fileName, text : UnicodeString );
16999:   Function OpenFileForSequentialReadOnly( const fileName : UnicodeString ) : THandle';
17000:   Function OpenFileForSequentialWriteOnly( const fileName : UnicodeString ) : THandle';
17001:   Procedure CloseFileHandle( hFile : THandle );
17002:   Function FileCopy(const existing, new : UnicodeString; failIfExists : Boolean):Boolean';
17003:   Function FileMove( const existing, new : UnicodeString ) : Boolean';
17004:   Function dwsFileDelete( const fileName : String ) : Boolean';
17005:   Function FileRename( const oldName, newName : String ) : Boolean';
17006:   Function dwsFileSize( const name : String ) : Int64';
17007:   Function dwsDateDateTime( const name : String ) : TDateTime';
17008:   Function DirectSet8087CW( newValue : Word ) : Word';
17009:   Function DirectSetMXCSR( newValue : Word ) : Word';
17010:   Function TtoObject( const T: byte ) : TObject';
17011:   Function TtoPointer( const T: byte ) : __Pointer';
17012:   Procedure GetMemForT(var T: byte; Size : integer );
17013:   Function FindDelimiter( const Delimiters, S : string; StartIdx : Integer ) : Integer';
17014: end;
17015:
17016: procedure SIRегистer_AdSocket(CL: TPPascalCompiler);
17017: begin
17018:   'IPStrSize','LongInt').SetInt( 15 );
17019:   'CM_APDSOCKETMESSAGE','LongWord').SetUInt( WM_USER + $0711 );
17020:   'CM_APDSOCKETQUIT','LongWord').SetUInt( WM_USER + $0712 );
17021:   'ADWSBASE','LongInt').SetInt( 9000 );
17022:   CL.AddTypeS('TCMADSocketMessage', 'record Msg : Cardinal; Socket : TSocket; '
  + 'SelectEvent : Word; SelectError : Word; Result : Longint; end');
17023:   SIRегистer_EApdSocketException(CL);
17024:   TWsMode', '( wsClient, wsServer )');
17025:   TWsNotifyEvent', 'Procedure ( Sender : TObject; Socket : TSocket)');
17026: 
```

```

17027: TWsSocketErrorEvent', 'Procedure ( Sender : TObject; Socket : TSocket; ErrCode : Integer)');
17028: SIRegister_TApdSocket(CL);
17029: end;
17030:
17031: procedure SIRegister_AdPort(CL: TPSPPascalCompiler);
17032: begin
17033:   SIRegister_TApdCustomComPort(CL);
17034:   SIRegister_TApdComPort(CL);
17035:   Function ComName( const ComNumber : Word ) : shortString';
17036:   Function SearchComPort( const C : TComponent ) : TApdCustomComPort';
17037: end;
17038:
17039: procedure SIRegister_PathFunc(CL: TPSPPascalCompiler);
17040: begin
17041:   Function inAddBackslash( const S : String ) : String';
17042:   Function PathChangeExt( const Filename, Extension : String ) : String';
17043:   Function PathCharCompare( const S1, S2 : PChar ) : Boolean';
17044:   Function PathCharIsSlash( const C : Char ) : Boolean';
17045:   Function PathCharIsTrailByte( const S : String; const Index : Integer ) : Boolean';
17046:   Function PathCharLength( const S : String; const Index : Integer ) : Integer';
17047:   Function inPathCombine( const Dir, Filename : String ) : String';
17048:   Function PathCompare( const S1, S2 : String ) : Integer';
17049:   Function PathDrivePartLength( const Filename : String ) : Integer';
17050:   Function PathDrivePartLengthEx(const Filename:String;const IncludeSignificantSlash:Bool):Int;
17051:   Function inPathExpand( const Filename : String ) : String';
17052:   Function PathExtensionPos( const Filename : String ) : Integer';
17053:   Function PathExtractDir( const Filename : String ) : String';
17054:   Function PathExtractDrive( constFilename : String ) : String';
17055:   Function PathExtractExt( constFilename : String ) : String';
17056:   Function PathExtractName( constFilename : String ) : String';
17057:   Function PathExtractPath( constFilename : String ) : String';
17058:   Function PathIsRooted( constFilename : String ) : Boolean';
17059:   Function PathLastChar( const S : String ) : PChar';
17060:   Function PathLastDelimiter( const Delimiters, S : string ) : Integer';
17061:   Function PathLowercase( const S : String ) : String';
17062:   Function PathNormalizeSlashes( const S : String ) : String';
17063:   Function PathPathPartLength(const Filename:String;const IncludeSlashesAfterPath:Bool):Int;
17064:   Function PathPos( Ch : Char; const S : String ) : Integer';
17065:   Function PathStartsWith( const S, AStartsWith : String ) : Boolean';
17066:   Function PathStrNextChar( const S : PChar ) : PChar';
17067:   Function PathStrPrevChar( const Start, Current : PChar ) : PChar';
17068:   Function PathStrScan( const S : PChar; const C : Char ) : PChar';
17069:   Function inRemoveBackslash( const S : String ) : String';
17070:   Function RemoveBackslashUnlessRoot( const S : String ) : String';
17071: Procedure PathFuncRunTests( const AlsoTestJapaneseDBCS : Boolean );
17072: end;
17073:
17074:
17075: procedure SIRegister_CmnFunc2(CL: TPSPPascalCompiler);
17076: begin
17077:   NEWREGSTR_PATH_SETUP', 'String').SetString( 'Software\Microsoft\Windows\CurrentVersion');
17078:   NEWREGSTR_PATH_EXPLORER', 'String').SetString( NEWREGSTR_PATH_SETUP + '\Explorer');
17079:   NEWREGSTR_PATH_SPECIAL_FOLDERS', 'String').SetString(NEWREGSTR_PATH_EXPLORER + '\Shell Folders');
17080:   NEWREGSTR_PATH_UNINSTALL', 'String').SetString( NEWREGSTR_PATH_SETUP + '\Uninstall');
17081:   NEWREGSTR_VAL_UNINSTALLER_DISPLAYNAME', 'String').SetString( 'DisplayName');
17082:   NEWREGSTR_VAL_UNINSTALLER_COMMANDLINE', 'String').SetString( 'UninstallString');
17083: KEY_WOW64_64KEY', 'LongWord').SetUInt( $0100);
17084: //CL.AddTypes('TLeadByteSet', 'TLeadByteSet // will not work');
17085: CL.AddTypeS('TLeadByteSet', 'set of Char');
17086: SIRegister_TOneShotTimer(CL);
17087: CL.AddTypeS('TRegView', '( rvDefault, rv32Bit, rv64Bit )');
17088: 'RegViews64Bit', 'LongInt').Value.ts32 := ord(rv64bit);
17089: Function NewFileExists( const Name : String ) : Boolean';
17090: Function inDirExists( const Name : String ) : Boolean';
17091: Function FileOrDirExists( const Name : String ) : Boolean';
17092: Function IsDirectoryAndNotReparsePoint( const Name : String ) : Boolean';
17093: Function GetIniString( const Section, Key : String; Default:String; const Filename:String): String';
17094: Function GetIniInt(const Section,Key:String;Default:Longint,Min,Max:Longint;const Filenam:String):Longint;
17095: Function GetIniBool( const Section,Key:String; const Default:Boolean;const Filename:String): Boolean';
17096: Function IniKeyExists( const Section, Key, Filename : String ) : Boolean';
17097: Function IsIniSectionEmpty( const Section, Filename : String ) : Boolean';
17098: Function SetIniString( const Section, Key, Value, Filename : String ) : Boolean';
17099: Function SetIniInt(const Section,Key:String;const Value: Longint;const Filename: String):Boolean';
17100: Function SetIniBool(const Section,Key:String;const Value: Boolean;const Filename: String):Boolean';
17101: Procedure DeleteIniEntry( const Section, Key, Filename : String );
17102: Procedure DeleteIniSection( const Section, Filename : String );
17103: Function GetEnv( const EnvVar : String ) : String';
17104: Function GetCmdTail : String';
17105: Function GetCmdTailEx( StartIndex : Integer ) : String';
17106: Function NewParamCount : Integer';
17107: Function NewParamStr( Index : Integer ) : string';
17108: Function AddQuotes( const S : String ) : String';
17109: Function RemoveQuotes( const S : String ) : String';
17110: Function inGetShortName( const LongName : String ) : String';
17111: Function inGetWinDir : String';
17112: Function inGetSystemDir : String';
17113: Function GetSysWow64Dir : String';
17114: Function GetSysNativeDir( const IsWin64 : Boolean ) : String';
17115: Function inGetTempDir : String';

```

```

17116: Function StringChange( var S : String; const FromStr,ToStr : String ) : Integer';
17117: Function StringChangeEx(var S:String;const FromStr,ToStr:String;const SupportDBCS:Bool):Int;
17118: Function AdjustLength( var S : String; const Res : Cardinal ) : Boolean';
17119: Function UsingWinNT : Boolean';
17120: Function ConvertConstPercentStr( var S : String ) : Boolean';
17121: Function ConvertPercentStr( var S : String ) : Boolean';
17122: Function ConstPos( const Ch : Char; const S : String ) : Integer';
17123: Function SkipPastConst( const S : String; const Start : Integer ) : Integer';
17124: Function RegQueryStringValue( H : HKEY; Name : PChar; var ResultStr : String ) : Boolean';
17125: Function RegQueryMultiStringValue( H : HKEY; Name : PChar; var ResultStr : String ):Boolean;
17126: Function RegValueExists( H : HKEY; Name : PChar ) : Boolean';
17127: Function RegCreateKeyExView(const RegView:TRegView;hKey:HKEY;lpSubKey:PChar;Reserved:DWORD;lpClass:PChar;
dwOptions:DWORD;samDesired:REGSAM;lpSecurityAttributes:TObject;var phkResult:HKEY;lpdwDisposition:DWORD):Longint;
17128: Function RegOpenKeyExView(const RegView:TRegView;hKey:HKEY;lpSubKey:PChar;ulOptions:DWORD;samDesired:REGSAM;var phkResult:HKEY):Longint;
17129: Function RegDeleteKeyView( const RegView : TRegView; const Key : HKEY; const Name : PChar ) : Longint;
17130: Function RegDeleteKeyIncludingSubkeys(const RegView:TRegView;const Key:HKEY;const Name:PChar):Longint;
17131: Function RegDeleteKeyIfEmpty(const RegView:TRegView;const RootKey:HKEY;const SubkeyName:PChar):Longint;
17132: Function GetShellFolderPath( const FolderID : Integer ) : String';
17133: Function IsAdminLoggedOn : Boolean';
17134: Function IsPowerUserLoggedOn : Boolean';
17135: Function IsMultiByteString( const S : AnsiString ) : Boolean';
17136: Function FontExists( const FaceName : String ) : Boolean';
17137: //Procedure FreeAndNil( var Obj );
17138: Function SafeLoadLibrary( const Filename : String; ErrorMode : UINT ) : HMODULE';
17139: Function GetUILanguage : LANGID';
17140: Function RemoveAccelChar( const S : String ) : String';
17141: Function GetTextWidth(const DC : HDC; S : String; const Prefix:Boolean):Integer';
17142: Function AddPeriod( const S : String ) : String';
17143: Function GetExceptMessage : String';
17144: Function GetPreferredUIFont : String';
17145: Function IsWildcard( const Pattern : String ) : Boolean';
17146: Function WildcardMatch( const Text, Pattern : PChar ) : Boolean';
17147: Function IntMax( const A, B : Integer ) : Integer';
17148: Function Win32ErrorString( ErrorCode : Integer ) : String';
17149: Procedure GetLeadBytes( var ALeadBytes : TLeadByteSet );
17150: Function inCompareMem( P1, P2 : TObject; Length : Integer ) : Boolean';
17151: Function DeleteDirTree( const Dir : String ) : Boolean';
17152: Function SetNTFSCompression(const FileOrDir: String; Compress : Boolean) : Boolean';
17153: Procedure AddToWindowMessageFilterEx( const Wnd : HWND; const Msg : UINT );
17154: // CL.AddTypeS('TSysCharSet', 'set of AnsiChar');
17155: Function inCharInSet( C : Char; const CharSet : TSysCharSet ) : Boolean';
17156: Function ShutdownBlockReasonCreate( Wnd : HWND; const Reason : String ) : Boolean';
17157: Function ShutdownBlockReasonDestroy( Wnd : HWND ) : Boolean';
17158: Function TryStrToBoolean( const S : String; var BoolResult : Boolean ) : Boolean';
17159: Procedure WaitMessageWithTimeout( const Milliseconds : DWORD );
17160: Function MoveFileReplace(const ExistingFileName, NewFileName : String ) : Boolean';
17161: Procedure TryEnableAutoCompleteFileSystem( Wnd : HWND );
17162: end;
17163:
17164: procedure SIRегистre_CmnFunc(CL: TPPascalCompiler);
17165: begin
17166:   SIRегистre_TWindowDisabler(CL);
17167:   TMsgBoxType', '( mbInformation, mbConfirmation, mbError, mbCriticalError )';
17168:   TMsgBoxCallbackFunc', 'procedure(const Flags:LongInt;const After:Bool;const Param:LongInt);
17169:   Procedure UpdateHorizontalExtent( const ListBox : TCustomListBox );
17170:   Function MinimizePathName(const Filename:String; const Font:TFont;MaxLen:Integer):String;
17171:   Function AppMessageBox( const Text, Caption : PChar; Flags : Longint ) : Integer';
17172:   Function MsgBoxP( const Text,Caption: PChar; const Typ: TMMsgBoxType;const Buttons:Cardinal):Int;
17173:   Function inMsgBox(const Text,Caption:String; const Typ: TMMsgBoxType;const Buttons:Cardinal):Int;
17174:   Function MsgBoxFmt(const Text:String;const Args:array of const;const Caption:String;const
Typ:TMMsgBoxType;const Buttons:Cardinal):Integer';
17175:   Procedure ReactivateTopWindow';
17176:   Procedure SetMessageBoxCaption( const Typ : TMMsgBoxType; const NewCaption : PChar );
17177:   Procedure SetMessageBoxRightToLeft( const ARightToLeft : Boolean );
17178:   Procedure SetMessageBoxCallbackFunc(const AFunc : TMMsgBoxCallbackFunc; const AParam : LongInt );
17179: end;
17180:
17181: procedure SIRегистre_ImageGrabber(CL: TPPascalCompiler);
17182: begin
17183:   SIRегистre_TImageGrabber(CL);
17184:   SIRегистre_TCaptureDrivers(CL);
17185:   SIRегистre_TCaptureDriver(CL);
17186: end;
17187:
17188: procedure SIRегистre_SecurityFunc(CL: TPPascalCompiler);
17189: begin
17190:   Function GrantPermissionOnFile(const DisableFsRedir:Boolean; Filename:String;const
Entries:TGrantPermissionEntry; const EntryCount:Integer):Boolean';
17191:   Function GrantPermissionOnKey(const RegView:TRegView;const RootKey:HKEY;const Subkey:String;const
Entries: TGrantPermissionEntry; const EntryCount:Integer): Boolean';
17192: end;
17193:
17194: procedure SIRегистre_RedirFunc(CL: TPPascalCompiler);
17195: begin
17196:   CL.AddTypeS('TPreviousFsRedirectionState', record DidDisable : Boolean; OldValue : __Pointer; end );
17197:   Function AreFsRedirectionFunctionsAvailable : Boolean';
17198:   Function DisableFsRedirectionIf(const Disable:Boolean;var PreviousState:TPreviousFsRedirectionState):Bool;

```

```

17199: Procedure RestoreFsRedirection( const PreviousState : TPreviousFsRedirectionState );
17200: Function CreateDirectoryRedir( const DisableFsRedir : Boolean; const Filename : String ) : BOOL';
17201: Function CreateProcessRedir( const DisableFsRedir:Boolean;const lpApplicationName:PChar;const
lpCommandLine:PChar; const lpProcessAttributes, lpThreadAttributes:PSecurityAttributes;const
bInherItHandles:BOOL; const dwCreationFlags:DWORD;const lpEnvironment:Pointer; const
lpCurrentDirectory:PChar; const lpStartupInfo : TStartupInfo; var
lpProcessInformation:TProcessInformation):BOOL;
17202: Function CopyFileRedir( const DisableFsRedir:Boolean; const ExistingFilename, NewFilename : String; const
FailIfExists : BOOL ) : BOOL';
17203: Function DeleteFileRedir( const DisableFsRedir : Boolean; const Filename : String ) : BOOL';
17204: Function DirExistsRedir( const DisableFsRedir : Boolean; const Filename : String ) : Boolean';
17205: Function FileOrDirExistsRedir( const DisableFsRedir : Boolean; const Filename : String ) : Boolean';
17206: Function FindFirstFileRedir( const DisableFsRedir : Boolean; const Filename : String; var FindData :
TWin32FindData ) : THandle';
17207: Function GetFileAttributesRedir( const DisableFsRedir : Boolean; const Filename : String ) : DWORD';
17208: Function GetShortNameRedir( const DisableFsRedir : Boolean; const Filename : String ) : String';
17209: Function GetVersionNumbersRedir( const DisableFsRedir:Boolean; const Filename:String; var VersionNumbers :
TFileVersionNumbers ) : Boolean';
17210: Function IsDirectoryAndNotReparsePointRedir(const DisableFsRedir:Boolean;const Name:String):Bool;
17211: Function MoveFileRedir( const DisableFsRedir:Bool;const ExistingFilename,NewFilename:String):BOOL;
17212: Function MoveFileExRedir( const DisableFsRedir:Bool;const ExistingFilen,NewFilename:String;const
Flags:DWORD):BOOL;
17213: Function NewFileExistsRedir( const DisableFsRedir : Boolean; const Filename : String ) : Boolean';
17214: Function RemoveDirectoryRedir( const DisableFsRedir : Boolean; const Filename : String ) : BOOL';
17215: Function SetfileAttributesRedir( const DisableFsRedir:Bool;const Filename:String;const Attrib:DWORD):BOOL;
17216: Function SetNTFSCompressionRedir( const DisableFsRedir:Boolean;const FileOrDir:String;Compress:Bool:Bool;
17217: SIRegister_TFileRedir(CL);
17218: SIRegister_TTextFileReaderRedir(CL);
17219: SIRegister_TTextFileWriterRedir(CL);
17220: end;
17221:
17222: procedure SIRegister_Int64Em(CL: TPPSPascalCompiler);
17223: begin
17224: //CL.AddTypeS('LongWord', 'Cardinal');
17225: CL.AddTypeS('Integer64', 'record Lo : LongWord; Hi : LongWord; end');
17226: Function Compare64( const N1, N2 : Integer64 ) : Integer';
17227: Procedure Dec64( var X : Integer64; N : LongWord );
17228: Procedure Dec6464( var X : Integer64; const N : Integer64 );
17229: Function Div64( var X : Integer64; const Divisor : LongWord ) : LongWord';
17230: Function Inc64( var X : Integer64; N : LongWord ) : Boolean';
17231: Function Inc6464( var X : Integer64; const N : Integer64 ) : Boolean';
17232: Function Integer64ToStr( X : Integer64 ) : String';
17233: Function Mod64( const X : Integer64; const Divisor : LongWord ) : LongWord';
17234: Function Mul64( var X : Integer64; N : LongWord ) : Boolean';
17235: Procedure Multiply32x32to64( N1, N2 : LongWord; var X : Integer64 );
17236: Procedure Shr64( var X : Integer64; Count : LongWord );
17237: Function StrToInteger64( const S : String; var X : Integer64 ) : Boolean';
17238: end;
17239:
17240: procedure SIRegister_InstFunc(CL: TPPSPascalCompiler);
17241: begin
17242: //CL.AddTypes('PSimpleStringListArray', '^TSimpleStringListArray // will not work');
17243: SIRegister_TSsimpleStringList(CL);
17244: CL.AddTypeS('TExecWait', '( ewNoWait, ewWaitUntilTerminated, ewWaitUntilIdle)');
17245: CL.AddTypeS('TDetermineDefaultLanguageResult', '( ddNoMatch, ddMatch, ddMatchLangParameter )');
17246: CL.AddTypeS('TMD5Digest', 'array[0..15] of Byte;');
17247: CL.AddTypeS('TSHA1Digest', 'array[0..19] of Byte;');
17248: // TMD5Digest = array[0..15] of Byte;
17249: // TSHA1Digest = array[0..19] of Byte;
17250: Function CheckForMutexes( Mutexes : String ) : Boolean';
17251: Function CreateTempDir : String';
17252: Function DecrementSharedCount( const RegView : TRegView; const Filename : String ) : Boolean';
17253: Procedure DelayDeleteFile( const DisableFsRedir : Boolean; const Filename : String; const MaxTries,
FirstRetryDelayMS, SubsequentRetryDelayMS : Integer );
17254: //Function DelTree( const DisableFsRedir : Boolean; const Path : String; const IsDir, DeleteFiles,
DeleteSubdirsAlso, BreakOnError : Boolean; const DeleteDirProc : TDeleteDirProc; const DeleteFileProc :
TDeleteFileProc; const Param : Pointer ) : Boolean';
17255: //Function DetermineDefaultLanguage( const GetLanguageEntryProc : TGetLanguageEntryProc; const Method :
TSetupLanguageDetectionMethod; const LangParameter : String; var ResultIndex : Integer ) :
TDetermineDefaultLanguageResult );
17256: //Procedure EnumFileReplaceOperationsFilenames(const EnumFunc:TEnumFROFilenamesProc;Param:Pointer);
17257: Function GenerateNonRandomUniqueFilename( Path : String; var Filename : String ) : Boolean';
17258: Function GenerateUniqueName( const DisableFsRedir:Bool;Path:String;const Extension:String):String;
17259: Function GetComputerNameString : String';
17260: Function GetFileDateTime( const DisableFsRedir:Boolean;const Filename:String;var DateTime:TFileTime ):Bool;
17261: Function GetMD5OfFile( const DisableFsRedir : Boolean; const Filename : String ) : TMD5Digest';
17262: Function GetMD5OfAnsiString( const S : AnsiString ) : TMD5Digest );
17263: // Function GetMD5OfUnicodeString( const S : UnicodeString ) : TMD5Digest';
17264: Function GetSHA1OfFile( const DisableFsRedir:Boolean;const Filename:String):TSHA1Digest';
17265: Function GetSHA1OfAnsiString( const S : AnsiString ) : TSHA1Digest';
17266: // Function GetSHA1OfUnicodeString( const S : UnicodeString ) : TSHA1Digest';
17267: Function GetRegRootKeyName( const RootKey : HKEY ) : String';
17268: Function GetSpaceOnDisk( const DisableFsRedir:Bool;const DriveRoot:String;var FreeBytes,
TotBytes:Int64 ):Bool;
17269: Function GetSpaceOnNearestMountPoint( const DisableFsRedir:Bool;const StartDir:String;var FreeBytes,
TotalBytes: Integer64 ):Bool;
17270: Function GetUserNamesString : String';
17271: Procedure IncrementSharedCount( const RegView:TRegView;const Filename:String;const AlreadyExisted:Boolean );
17272: //Function InstExec( const DisableFsRedir : Boolean; const Filename, Params : String; WorkingDir :
String; const Wait:TExecWait;const ShowCmd:Integer;const ProcessMessagesProc:TProcedure;var
ResultCode:Integer ) : Boolean';

```

```

17273: // Function InstShellExec( const Verb, Filename, Params : String; WorkingDir : String; const Wait : 
17274:   TExecWait; const ShowCmd:Integer;const ProcessMessagesProc:TProcedure;var ResultCode:Integer):Boolean;
17275: Procedure InternalError( const Id : String')';
17276: Procedure InternalErrorFmt( const S : String; const Args : array of const')';
17277: Function IsDirEmpty( const DisableFsRedir : Boolean; const Dir : String) : Boolean';
17278: Function IsProtectedSystemFile(const DisableFsRedir:Boolean; const Filename:String) : Boolean';
17279: Function MakePendingFileRenameOperationsChecksum : TMD5Digest)';
17280: Function ModifyPifFile( const Filename : String; const CloseOnExit : Boolean) : Boolean';
17281: Procedure RaiseFunctionFailedError( const FunctionName : String')';
17282: Procedure RaiseOleError( const FunctionName : String; const ResultCode : HRESULT')';
17283: Procedure RefreshEnvironment')';
17284: Function ReplaceSystemDirWithSysWow64( const Path : String) : String';
17285: Function ReplaceSystemDirWithSysNative( Path : String; const IsWin64 : Boolean) : String';
17286: Procedure UnregisterFont( const FontName, FontFilename : String')';
17287: Function RestartComputer : Boolean)';
17288: Procedure RestartReplace( const DisableFsRedir : Boolean; TempFile, DestFile : String')';
17289: Procedure SplitNewParamStr( const Index : Integer; var AName, AValue : String')';
17290: Procedure Win32ErrorMsgEx( const FunctionName : String; const ErrorCode : DWORD')';
17291: Function inForceDirectories(const DisableFsRedir:Boolean; Dir : String) : Boolean';
17292: //from Func2
17293: //Function inCreateShellLink( const Filename, Description, ShortcutTo, Parameters, WorkingDir : String, 
17294:   Iconfilename : String; const IconIndex, ShowCmd : Integer; const HotKey : Word; FolderShortcut : Boolean, 
17295:   //+'const AppUserModelID:String;const FromShowInNewInstall,PreventPinning:Bool):String');
17296: Procedure RegisterTypeLibrary( const Filename : String')';
17297: //Procedure UnregisterTypeLibrary( const Filename : String')';
17298: function getVersionInfoEx3: TOSVersionInfoEx';
17299: Function GetVersionEx3(out verinfo: TOSVersionInfoEx): boolean';
17300: procedure InitOle;';
17301: Function ExpandConst( const S : String) : String';
17302: Function ExpandConstEx( const S : String; const CustomConsts : array of String) : String';
17303: Function ExpandConstEx2(const S:String;const CustConsts:array of Str;const DoExpandIndividualConst:Bool):Str;
17304: Function ExpandConstIfPrefixed( const S : String) : String';
17305: Procedure LogWindowsVersion)';
17306: Function EvalCheck( const Expression : String) : Boolean';
17307: end;
17308:
17309: procedure SIRegister_unitResourceDetails(CL: TPPascalCompiler);
17310: begin
17311:   CL.AddClassN(CL.FindClass('TOBJECT'),'TResourceDetails');
17312:   //CL.AddTypeS('TResourceDetailsClass', 'class of TResourceDetails');
17313:   SIRegister_TResourceModule(CL);
17314:   SIRegister_TResourceDetails(CL);
17315:   SIRegister_TAnsiResourceDetails(CL);
17316:   SIRegister_TUnicodeResourceDetails(CL);
17317:   Procedure RegisterResourceDetails( resourceClass : TResourceDetailsClass)');
17318:   Procedure UnRegisterResourceDetails( resourceClass : TResourceDetailsClass)';
17319:   Function ResourceWideCharToStr( var wstr : PWideChar; codePage : Integer) : string';
17320:   Procedure ResourceStrToWideChar( const s : string; var p : PWideChar; codePage : Integer)';
17321:   Function ResourceNameToInt( const s : string) : Integer';
17322:   Function CompareDetails( p1, p2 : TObject(Pointer)) : Integer';
17323: end;
17324:
17325:
17326: procedure SIRegister_TSsimpleComPort(CL: TPPascalCompiler);
17327: begin
17328:   //with RegClassS(CL,'TObject', 'TSimpleComPort') do
17329:     with CL.AddClassN(CL.FindClass('TObject'),'TSimpleComPort') do begin
17330:       RegisterMethod('Constructor Create');
17331:       RegisterMethod('Procedure Free');
17332:       RegisterMethod('Procedure Open( PortNumber : Integer; const Parameters : String)');
17333:       RegisterMethod('Procedure WriteString( const S : String)');
17334:       RegisterMethod('Procedure ReadString( var S : String)');
17335:     end;
17336:   Ex.: SimpleComPort:= TSimpleComPort.Create;
17337:   SimpleComPort.Open(1, 'baud=115200 parity=N data=8 stop=1');
17338:   SimpleComPort.WriteString(AsciiChar);
17339: end;
17340:
17341:
17342: procedure SIRegister_Console(CL: TPPascalCompiler);
17343: begin
17344:   CL.AddConstantN('White','LongInt').SetInt( 15);
17345:   // CL.AddConstantN('Blink','LongInt').SetInt( 128);
17346:   ('conBW40','LongInt').SetInt( 0);
17347:   ('conCO40','LongInt').SetInt( 1);
17348:   ('conBW80','LongInt').SetInt( 2);
17349:   ('conCO80','LongInt').SetInt( 3);
17350:   ('conMono','LongInt').SetInt( 7);
17351:   CL.AddConstantN('conFont8x8','LongInt').SetInt( 256);
17352:   //CL.AddConstantN('C40','','').SetString( C040);
17353:   //CL.AddConstantN('C80','','').SetString( C080);
17354:   Function conReadKey : Char';
17355:   Function conKeyPressed : Boolean';
17356:   Procedure conGotoXY( X, Y : Smallint)';
17357:   Function conWhereX : Integer';
17358:   Function conWhereY : Integer';
17359:   Procedure conTextColor( Color : Byte);'

```

```

17360: Function conTextColor1 : Byte;');
17361: Procedure conTextBackground( Color : Byte;');
17362: Function conTextBackground1 : Byte;');
17363: Procedure conTextMode( Mode : Word)');
17364: Procedure conLowVideo');
17365: Procedure conHighVideo');
17366: Procedure conNormVideo');
17367: Procedure conClrScr');
17368: Procedure conClrEol');
17369: Procedure conInsLine');
17370: Procedure conDelLine');
17371: Procedure conWindow( Left, Top, Right, Bottom : Integer)');
17372: Function conScreenWidth : Smallint');
17373: Function conScreenHeight : Smallint');
17374: Function conBufferWidth : Smallint');
17375: Function conBufferHeight : Smallint');
17376: procedure InitScreenMode;');
17377: end;
17378:
17379: (*-----*)
17380: procedure SIRegister_testutils(CL: TPSPascalCompiler);
17381: begin
17382:   SIRegister_TNoRefCountObject(CL);
17383:   Procedure FreeObjects( List : TFPLList)');
17384:   Procedure GetMethodList( AObject : TOobject; AList : TStrings)');
17385:   Procedure GetMethodList1( AClass : TClass; AList : TStrings)');
17386: end;
17387:
17388: procedure SIRegister_ToolsUnit(CL: TPSPascalCompiler);
17389: begin
17390:   'MaxDataSet','LongInt').SetInt( 35);
17391:   //CL.AddTypeS('TDBConnectorClass', 'class of TDBConnector');
17392:   SIRegister_TDBConnector(CL);
17393:   SIRegister_TDBBasicsTestSetup(CL);
17394:   SIRegister_TTestDataLink(CL);
17395:   'testValuesCount','LongInt').SetInt( 25);
17396:   Procedure InitialiseDBConnector');
17397:   Procedure FreeDBConnector');
17398:   Function DateTimeToTimeString( d : tdatetime ) : string');
17399:   Function TStringToDate( d : String ) : TDate');
17400: end;
17401:
17402: procedure SIRegister_fpcunit(CL: TPSPascalCompiler);
17403: begin
17404:   SIRegister_EAssertionFailedError(CL);
17405:   CL.AddTypeS('TTestStep', '( stSetUp, stRunTest, stTearDown, stNothing )');
17406:   CL.AddTypeS('TRunMethod', 'Procedure');
17407:   CL.AddClassN(CL.FindClass('TOBJECT'), 'TTestResult');
17408:   SIRegister_TTest(CL);
17409:   SIRegister_TAssert(CL);
17410:   SIRegister_TTestFailure(CL);
17411:   SIRegister_ITestListener(CL);
17412:   SIRegister_TTestCase(CL);
17413:   //CL.AddTypeS('TTestCaseClass', 'class of TTestCase');
17414:   SIRegister_TTestSuite(CL);
17415:   SIRegister_TTestResult(CL);
17416:   Function ComparisonMsg( const aExpected : string; const aActual : string ) : string');
17417: end;
17418:
17419: procedure SIRegister_cTCPBuffer(CL: TPSPascalCompiler);
17420: begin
17421:   TOBJECT', 'TCPPBuffer');
17422:   TTCPBuffer', 'record Ptr : TObject; Size : Integer; Max : Integer';
17423:     +r; Head : Integer; Used : Integer; end');
17424:   'ETHERNET_MTU_100MBIT','LongInt').SetInt( 1500);
17425:   'ETHERNET_MTU_1GBT','LongInt').SetInt( 9000);
17426:   'TCP_BUFFER_DEFAULTMAXSIZE','LongInt').SetInt( ETHERNET_MTU_1GBT * 4);
17427:   'TCP_BUFFER_DEFAULTBUFSIZE','LongInt').SetInt( ETHERNET_MTU_100MBIT * 4);
17428:   Procedure TCPBufferInitialise(var TCPBuf:TTCPBuffer;const TCPBufMaxSize:Int;const TCPBufSize:Int);
17429:   Procedure TCPBufferFinalise( var TCPBuf : TTCPBuffer)');
17430:   Procedure TCPBufferPack( var TCPBuf : TTCPBuffer)');
17431:   Procedure TCPBufferResize( var TCPBuf : TTCPBuffer; const TCPBufSize : Integer)');
17432:   Procedure TCPBufferExpand( var TCPBuf : TTCPBuffer; const Size : Integer)');
17433:   Procedure TCPBufferShrink( var TCPBuf : TTCPBuffer)');
17434:   Function TCPBufferAddPtr( var TCPBuf : TTCPBuffer; const Size : Integer ) : Pointer');
17435:   Procedure TCPBufferAddBuf( var TCPBuf : TTCPBuffer; const Buf : string; const Size : Integer)');
17436:   Function TCPBufferPeekPtr( const TCPBuf : TTCPBuffer; var BufPtr : Pointer ) : Integer');
17437:   Function TCPBufferPeek( var TCPBuf : TTCPBuffer; var Buf : string; const Size:Integer) : Integer');
17438:   Function TCPBufferRemove( var TCPBuf : TTCPBuffer; var Buf : string; const Size:Integer) : Integer');
17439:   Procedure TCPBufferClear( var TCPBuf : TTCPBuffer)');
17440:   Function TCPBufferDiscard( var TCPBuf : TTCPBuffer; const Size : Integer ) : Integer');
17441:   Function TCPBufferUsed( const TCPBuf : TTCPBuffer ) : Integer');
17442:   Function TCPBufferEmpty( const TCPBuf : TTCPBuffer ) : Boolean');
17443:   Function TCPBufferAvailable( const TCPBuf : TTCPBuffer ) : Integer');
17444:   Function TCPBufferPtr( const TCPBuf : TTCPBuffer ) : Pointer');
17445:   Procedure TCPBufferSetMaxSize( var TCPBuf : TTCPBuffer; const MaxSize : Integer)');
17446: end;
17447:
17448: procedure SIRegister_Glut(CL: TPSPascalCompiler);

```

```

17449: begin
17450:   //CL.AddTypeS('PInteger', '^Integer // will not work');
17451:   //CL.AddTypeS('PPChar', '^PChar // will not work');
17452:   CL.AddConstantN('GLUT_API_VERSION','LongInt').SetInt( 3);
17453:   CL.AddConstantN('GLUT_XLIB_IMPLEMENTATION','LongInt').SetInt( 12);
17454:   CL.AddConstantN('GLUT_RGB','LongInt').SetInt( 0);
17455:   CL.AddConstantN('GLUT_GAME_MODE_REFRESH_RATE','LongInt').SetInt( 5);
17456:   CL.AddConstantN('GLUT_GAME_MODE_DISPLAY_CHANGED','LongInt').SetInt( 6);
17457:   Procedure LoadGlut( const dll : String );
17458:   Procedure FreeGlut();
17459: end;
17460:
17461: procedure SIRegister_LEDBitmaps(CL: TPSPascalCompiler);
17462: begin
17463:   CL.AddTypeS('TLEDColor', '( ledcGreen, ledcRed, ledcGray )');
17464:   Function GetLEDBitmapHandle( Color : TLEDColor; State : Boolean ) : THandle;
17465: end;
17466:
17467: procedure SIRegister_SwitchLed(CL: TPSPascalCompiler);
17468: begin
17469:   TLedColor', '( Aqua, Pink, Purple, Red, Yellow, Green, Blue, Orange, Black )';
17470:   TTledState', '( LedOn, LedOff, LedDisabled )';
17471:   SIRegister_TSwitchLed(CL);
17472:   //Procedure Register';
17473: end;
17474:
17475: procedure SIRegister_FileClass(CL: TPSPascalCompiler);
17476: begin
17477:   CL.AddTypeS('TFileCreateDisposition', '( fdCreateAlways, fdCreateNew, fdOpenE'
17478:     +'xisting, fdOpenAlways, fdTruncateExisting )');
17479:   CL.AddTypeS('TFileAccess', '( faRead, faWrite, faReadWrite )');
17480:   CL.AddTypeS('TFileSharing', '( fsNone, fsRead, fsWrite, fsReadWrite )');
17481:   SIRegister_TCustomFile(CL);
17482:   SIRegister_TFile(CL);
17483:   SIRegister_TMemoryFile(CL);
17484:   SIRegister_TTextFileReader(CL);
17485:   SIRegister_TTextfileWriter(CL);
17486:   SIRegister_TFileMapping(CL);
17487:   SIRegister_EFileError(CL);
17488: end;
17489:
17490: procedure SIRegister_FileUtilsClass(CL: TPSPascalCompiler);
17491: begin
17492:   CL.AddTypeS('TFileAttributes', '( ffaReadOnly, ffaHidden, ffaSysFile, ffaVolumeID'
17493:     +', ffaDirectory, ffaArchive, ffaAnyFile )');
17494:   CL.AddTypeS('TAttributeSet', 'set of TFileAttributes');
17495:   SIRegister_TFileSearch(CL);
17496: end;
17497:
17498: procedure SIRegister_uColorFunctions(CL: TPSPascalCompiler);
17499: begin
17500:   TRGBTType', 'record RedHex : string; GreenHex : string; BlueHex : '
17501:     + string; Red : integer; Green : integer; Blue : integer; end');
17502:   Function FadeColor( aColor : Longint; aFade : integer ) : Tcolor;
17503:   Function CountColor( aColor : Tcolor; CompareColor : Tcolor; AdjustVale:integer):Tcolor;
17504: end;
17505:
17506: procedure SIRegister_uSettings(CL: TPSPascalCompiler);
17507: begin
17508:   Procedure SaveOscSettings';
17509:   Procedure GetOscSettings';
17510: end;
17511:
17512: procedure SIRegister_cyDebug(CL: TPSPascalCompiler);
17513: begin
17514:   TProcProcessEvent', 'Procedure ( Sender : TObject; Index : Integer )';
17515:   RecProcess', 'record Name : ShortString; DurationMs : Cardinal; '
17516:     FirstDurationMs : Cardinal; LastDurationMs : Cardinal; MinDurationMs : Int'
17517:     64; MaxDurationMs : Cardinal; MarksCount : Integer; ArrayMarks : array of '
17518:     Cardinal; EnterCount : Integer; ExitCount : Integer; end');
17519:   SIRegister_TcyDebug(CL);
17520: end;
17521:
17522: (*-----*)
17523: procedure SIRegister_cyCopyFiles(CL: TPSPascalCompiler);
17524: begin
17525:   TCopyFileResult', '( cfCreate, cfOverwrite, cfNoNeed, cfForceDirectoryError, cfCopyError )';
17526:   TCopyFileExists', '( feDoNothing, feCopy, feCopyIfModified, feCopyIfMoreRecent )';
17527:   TCopyFileNotExists', '( fnDoNothing, fnCopy, fnCopyForceDir )';
17528:   SIRegister_TDestinationOptions(CL);
17529:   TProcCustomCopyFileEvent', 'Procedure ( Sender : TObject; var CopyFileResult : TCopyFileResult )';
17530:   TProcOnCopyFileProgressEvent', 'PROCEDURE(Sender:TObject;FileBytes,
TransferredBytes:int64;PercentDone:Int64);
17531:   TProcOnCustomSetFileDestination', 'Procedure ( Sender : TObject; var FileName : String )';
17532:   SIRegister_TcyCopyFiles(CL);
17533:   Function cyCopyFile(FromFile,ToFile: String; FileExists:TCopyFileExists;FileNotExists:TCopyFileNotExists;
ResetAttr:boolean): TCopyFileResult';
17534:   Function cyCopyFileEx(FromFile,ToFile: String;FileExists: TCopyFileExists;FileNotExists
TCopyFileNotExists; ResetAttr:boolean; aProgressBar:TProgressBar): TCopyFileResult';

```

```

17535: Function cyCopyFilesEx(SourcePath, DestinationPath, IncludeFilters, ExcludeFilters : String; ArchiveFiles,
17536:   ReadOnlyFiles, HiddenFiles, SystemFiles : TcyFileAttributeMode; FileExists : TCopyFileExists;
17537:   + FileNotExists: TCopyFileNotExists; SubFolders, ResetAttributes:Boolean) : Integer');
17538: end;
17539: procedure SIRegister_cySearchFiles(CL: TPSPascalCompiler);
17540: begin
17541:   CL.AddTypeS('TcyFileAttributeMode', '( faYes, faNo, faBoth )');
17542:   SIRegister_TcyFileAttributes(CL);
17543:   SIRegister_TSearchRecInstance(CL);
17544:   TOption', '( soOnlyDirs, soIgnoreAttributes, soIgnoreMaskInclude, soIgnoreMaskExclude )');
17545:   TOptions', 'set of TOption');
17546:   TSearchState', '( ssIdle, ssPaused, ssSearch, ssPausing, ssResuming, ssAborting )');
17547:   TProcOnValidateFileEvent Procedure(Sender:TObject;ValidMaskIncl,ValidMaskExcl,ValidAttrbs:bool;var
Accept:bool;
17548:   TProcOnValidateDirectoryEvent ',Procedure(Sender:TObject;Directory:String;var Accept:boolean)');
17549:   SIRegister_TcyCustomSearchFiles(CL);
17550:   SIRegister_TcySearchFiles(CL);
17551:   Function FileNameRespondToMask( aFileName : String; aMask : String) : Boolean');
17552:   Function IscyFolder( aSRec : TSearchrec ) : Boolean');
17553: end;
17554:
17555: procedure SIRegister_jcontrolutils(CL: TPSPascalCompiler);
17556: begin
17557:   Function jCountChar( const s : string; ch : char ) : integer');
17558:   Procedure jSplit( const Delimiter : char; Input : string; Strings : TStrings)');
17559:   Function jNormalizeDate(const Value: string;theValue: TDateTime;const theFormat:string): string');
17560:   Function jNormalizeTime(const Value: string;theValue: TTime;const theFormat : string): string');
17561:   Function jNormalizeDateTime(const Value:string;theValue:TDateTime;const theFormat:string):string');
17562:   Function jNormalizeDateSeparator( const s : string ) : string');
17563:   Function jIsValidDateString( const Value : string ) : boolean');
17564:   Function jIsValidTimeString( const Value : string ) : boolean');
17565:   Function jIsValidDateTimeString( const Value : string ) : boolean');
17566: end;
17567:
17568: procedure SIRegister_kcMapView(CL: TPSPascalCompiler);
17569: begin
17570:   CL.AddClassN(CL.FindClass('TOBJECT'),'TMapView');
17571:   CL.AddTypeS('TMapViewSource', '( msNone, msGoogleNormal, msGoogleSatellite, msGoo'
17572:     + 'gleHybrid, msGooglePhysical, msGooglePhysicalHybrid, msOpenStreetMapMapnik'
17573:     + ', msOpenStreetMapOsmarender, msOpenCycleMap, msVirtualEarthBing, msVirtual'
17574:     + 'EarthRoad, msVirtualEarthAerial, msVirtualEarthHybrid, msYahooNormal, msYa'
17575:     + 'hooSatellite, msYahooHybrid, msOviNormal, msOviSatellite, msOviHybrid, msOviPhysical )');
17576:   TArea', 'record top : Int64; left : Int64; bottom : Int64; right: Int64; end');
17577:   TRealArea', 'record top : Extended; left : Extended; bottom : Extended; right : Extended; end');
17578:   TIntPoint', 'record X : Int64; Y : Int64; end');
17579:   TkcRealPoint', 'record X : Extended; Y : Extended; end');
17580:   TOnBeforeDownloadEvent', 'Procedure ( Url : string; str : TStream; var CanHandle : Boolean)');
17581:   TOnAfterDownloadEvent', 'Procedure ( Url : string; str : TStream)');
17582:   SIRegister_TCustomDownloadEngine(CL);
17583:   SIRegister_TCustomGeolocationEngine(CL);
17584:   SIRegister_TMapView(CL);
17585: end;
17586:
17587: procedure SIRegister_cparserutils(CL: TPSPascalCompiler);
17588: begin
17589:   (*Function isFunc( name : TNamePart ) : Boolean');*)
17590:   Function isUnnamedFunc( name : TNamepart ) : Boolean');
17591:   Function isPtrToFunc( name : TNamePart ) : Boolean');
17592:   Function isFuncRetFuncPtr( name : TNamePart ) : Boolean');
17593:   Function isPtrToFuncRetFuncPtr( name : TNamePart ) : Boolean');
17594:   Function GetFuncParam( name : TNamePart ) : TNamePart');
17595:   Function isArray( name : TNamePart ) : Boolean');
17596:   Function GetArrayPart( name : TNamePart ) : TNamePart');
17597:   Function GetIdFromPart( name : TNamePart ) : AnsiString');
17598:   Function GetIdPart( name : TNamePart ) : TNamePart');
17599:   Function isNamePartPtrToFunc( part : TNamePart ) : Boolean');
17600:   Function isAnyBlock( part : TNamePart ) : Boolean');*)
17601:   CL.AddTypeS('TLineInfo', 'record linestart : Integer; lineend : Integer; end');
17602:   SIRegister_TLineBreaker(CL);
17603:   CL.AddTypeS('TNameKind', 'Integer');
17604:   CL.AddClassN(CL.FindClass('TOBJECT'),'TNamePart');
17605:   //CL.AddTypeS('TFuncParam', 'record prmtype : TEntity; name : TNamePart; end');
17606:   Function SphericalMod( X : Extended ) : Extended');
17607:   Function cSign( Value : Extended ) : Extended');
17608:   Function LimitFloat( const eValue, eMin, eMax : Extended ) : Extended');
17609:   Function AngleToRadians( iAngle : Extended ) : Extended');
17610:   Function RadiansToAngle( eRad : Extended ) : Extended');
17611:   Function Cross180( iLong : Double ) : Boolean');
17612:   Function Mod180( Value : integer ) : Integer');
17613:   Function Mod180Float( Value : Extended ) : Extended');
17614:   Function MulDivFloat( a, b, d : Extended ) : Extended');
17615:   Function LongDiff( iLong1, iLong2 : Double ) : Double');
17616:   Procedure Bmp_AssignFromPersistent( Source : TPersistent; Bmp : TbitMap );
17617:   Function Bmp_CreateFromPersistent( Source : TPersistent ) : TbitMap );
17618:   Function FixFilePath( const Inpath, CheckPath : string ) : string );
17619:   Function UnFixFilePath( const Inpath, CheckPath : string ) : string );
17620:   Procedure FillStringList( sl : TStringList; const aText : string );
17621: end;

```

```

17622:
17623: procedure SIRegister_LedNumber(CL: TPPascalCompiler);
17624: begin
17625:   TLedSegmentSize', 'Integer');
17626:   TLedNumberBorderStyle', '( lnbNone, lnbSingle, lnbSunken, lnbRaised )');
17627:   SIRegister_TCustomLEDNumber(CL);
17628:   SIRegister_TLEDNumber(CL);
17629: end;
17630:
17631: procedure SIRegister_StStrL(CL: TPPascalCompiler);
17632: begin
17633:   CL.AddTypeS('LStrRec', 'record AllocSize : Longint; RefCount : Longint; Length : Longint; end');
17634:   CL.AddTypeS('AnsiChar', 'Char');
17635:   CL.AddTypes('BTable', 'array[0..255] of Byte'); //!!!
17636:   Function HexBL( B : Byte) : AnsiString';
17637:   Function HexWL( W : Word) : AnsiString';
17638:   Function HexLL( L : LongInt) : AnsiString';
17639:   Function HexPtrL( P : __Pointer) : AnsiString';
17640:   Function BinaryBL( B : Byte) : AnsiString';
17641:   Function BinaryWL( W : Word) : AnsiString';
17642:   Function BinaryLL( L : LongInt) : AnsiString';
17643:   Function OctalBL( B : Byte) : AnsiString';
17644:   Function OctalWL( W : Word) : AnsiString';
17645:   Function OctalLL( L : LongInt) : AnsiString';
17646:   Function Str2Int16L( const S : AnsiString; var I : SmallInt) : Boolean';
17647:   Function Str2WordL( const S : AnsiString; var I : Word) : Boolean';
17648:   Function Str2LongL( const S : AnsiString; var I : LongInt) : Boolean';
17649:   Function Str2RealL( const S : AnsiString; var R : Double) : Boolean';
17650:   Function Str2RealL( const S : AnsiString; var R : Real) : Boolean';
17651:   Function Str2ExtL( const S : AnsiString; var R : Extended) : Boolean';
17652:   Function Long2StrL( L : LongInt) : AnsiString';
17653:   Function Real2StrL( R : Double; Width : Byte; Places : ShortInt) : AnsiString';
17654:   Function Ext2StrL( R : Extended; Width : Byte; Places : ShortInt) : AnsiString';
17655:   Function ValPrepL( const S : AnsiString) : AnsiString';
17656:   Function CharStrL( C : Char; Len : Cardinal) : AnsiString';
17657:   Function PadChL( const S : AnsiString; C : AnsiChar; Len : Cardinal) : AnsiString';
17658:   Function PadLL( const S : AnsiString; Len : Cardinal) : AnsiString';
17659:   Function LeftPadChL( const S : AnsiString; C : AnsiChar; Len : Cardinal) : AnsiString';
17660:   Function LeftPadL( const S : AnsiString; Len : Cardinal) : AnsiString';
17661:   Function TrimLeadL( const S : AnsiString) : AnsiString';
17662:   Function TrimTrailL( const S : AnsiString) : AnsiString';
17663:   Function TrimL( const S : AnsiString) : AnsiString';
17664:   Function TrimSpacesL( const S : AnsiString) : AnsiString';
17665:   Function CenterChL( const S : AnsiString; C : AnsiChar; Len : Cardinal) : AnsiString';
17666:   Function CenterL( const S : AnsiString; Len : Cardinal) : AnsiString';
17667:   Function EntabL( const S : AnsiString; TabSize : Byte) : AnsiString';
17668:   Function DetabL( const S : AnsiString; TabSize : Byte) : AnsiString';
17669:   Function ScrambleL( const S : AnsiString) : AnsiString';
17670:   Function SubstituteL( const S, FromStr,ToStr : AnsiString) : AnsiString';
17671:   Function FilterL( const S, Filters : AnsiString) : AnsiString';
17672:   Function CharExistsL( const S : AnsiString; C : AnsiChar) : Boolean';
17673:   Function CharCountL( const S : AnsiString; C : AnsiChar) : Cardinal';
17674:   Function WordCountL( const S, WordDelims : AnsiString) : Cardinal';
17675:   Function WordPositionL( N : Cardinal; const S, WordDelims : AnsiString; var Pos : Cardinal) : Boolean';
17676:   Function ExtractWordL( N : Cardinal; const S, WordDelims : AnsiString) : AnsiString';
17677:   Function AsciiCountL( const S, WordDelims : AnsiString; Quote : AnsiChar) : Cardinal';
17678:   Function AsciiPositionL(N: Cardinal;const S,WordDelims:AnsiString;Quote:AnsiChar;var Pos:Cardinal):Bool;
17679:   Function ExtractAsciiL( N : Cardinal; const S, WordDelims : AnsiString; Quote : AnsiChar) : AnsiString';
17680:   Procedure WordWrapL(const InSt:AnsiString;var OutSt,Overlap:AnsiString;Margin:Cardinal;PadToMargin:Bool;
17681:   Procedure WordWrap(const InSt:AnsiString;var OutSt,Overlap:AnsiString;Margin:Cardinal;PadToMargin:Bool;
17682:   Function CompStringL( const S1, S2 : AnsiString) : Integer');
17683:   Function CompUCStringL( const S1, S2 : AnsiString) : Integer';
17684:   Function SoundexL( const S : AnsiString) : AnsiString';
17685:   Function MakeLetterSetL( const S : AnsiString) : Longint';
17686:   Procedure BMMakeTableL( const MatchString : AnsiString; var BT : BTable)');
17687:   Function BMSearchL(var Buffer,BufLength:Cardinal;var BT:BTable;const MatchString:AnsiString;var
Pos:Card):Bool;
17688:   Function BMSearchUCL( var Buffer, BufLength : Cardinal; var BT : BTable; const MatchString : AnsiString;
var Pos : Cardinal) : Boolean';
17689:   Function DefaultExtensionL( const Name, Ext : AnsiString) : AnsiString';
17690:   Function ForceExtensionL( const Name, Ext : AnsiString) : AnsiString';
17691:   Function JustFilenameL( const PathName : AnsiString) : AnsiString';
17692:   Function JustNameL( const PathName : AnsiString) : AnsiString';
17693:   Function JustExtensionL( const Name : AnsiString) : AnsiString';
17694:   Function JustPathnameL( const PathName : AnsiString) : AnsiString';
17695:   Function AddBackSlashL( const DirName : AnsiString) : AnsiString';
17696:   Function CleanPathNameL( const PathName : AnsiString) : AnsiString';
17697:   Function HasExtensionL( const Name : AnsiString; var DotPos : Cardinal) : Boolean';
17698:   Function CommaizeL( L : LongInt) : AnsiString';
17699:   Function CommaizeChL( L : Longint; Ch : AnsiChar) : AnsiString';
17700:   Function FloatFormL(const Mask:AnsiString;R:TstFloat;const LtCurr,RtCurr:AnsiString;Sep,
DecPt:Char):AnsiString;
17701:   Function LongIntFormL(const Mask:AnsiString;L:LongInt;const LtCurr,
RtCurr:AnsiString;Sep:Char):AnsiString';
17702:   Function StrChPosL( const P : AnsiString; C : AnsiChar; var Pos : Cardinal) : Boolean';
17703:   Function StrStPosL( const P, S : AnsiString; var Pos : Cardinal) : Boolean';
17704:   Function StrStCopyL( const S : AnsiString; Pos, Count : Cardinal) : AnsiString';
17705:   Function StrChInsertL( const S : AnsiString; C : AnsiChar; Pos : Cardinal) : AnsiString');
17706:   Function StrStInsertL( const S1, S2 : AnsiString; Pos : Cardinal) : AnsiString');

```

```

17707: Function StrChDeleteL( const S : AnsiString; Pos : Cardinal ) : AnsiString';
17708: Function StrDeleteL( const S : AnsiString; Pos, Count : Cardinal ) : AnsiString';
17709: Function ContainsOnlyL( const S, Chars : AnsiString; var BadPos : Cardinal ) : Boolean';
17710: Function ContainsOtherThanL( const S, Chars : AnsiString; var BadPos : Cardinal ) : Boolean';
17711: Function CopyLeftL( const S : AnsiString; Len : Cardinal ) : AnsiString';
17712: Function CopyMidL( const S : AnsiString; First, Len : Cardinal ) : AnsiString';
17713: Function CopyRightL( const S : AnsiString; First : Cardinal ) : AnsiString';
17714: Function CopyRightAbsL( const S : AnsiString; NumChars : Cardinal ) : AnsiString';
17715: Function CopyFromNthWordL( const S,WordDelims:AString;const AWord:AString;N:Cardinal;var
SubString:AString):Bool;
17716: Function CopyFromToWordL( const S,WordDelims,Word1,Word2:AnsiString;N1,N2:Cardinal;var
SubString:AnsiString):Bool;
17717: Function CopyWithinL( const S, Delimiter : AnsiString; Strip : Boolean ) : AnsiString';
17718: Function DeleteFromNthWordL( const S, WordDelims : AnsiString; const AWord : AnsiString; N : Cardinal;
var SubString : AnsiString ) : Boolean';
17719: Function DeleteFromToWordL( const S, WordDelims, Word1, Word2 : AnsiString; N1, N2 : Cardinal; var
SubString : AnsiString ) : Boolean';
17720: Function DeleteWithinL( const S, Delimiter : AnsiString ) : AnsiString';
17721: Function ExtractTokensL(const S,
Delims:AnsiString;QuoteChar:AnsiChar;AllowNulls:Bool;Tokens:TStrings):Cardinal;
17722: Function IsChAlphaL( C : AnsiChar ) : Boolean';
17723: Function IsChNumericL( C : AnsiChar; const Numbers : AnsiString ) : Boolean';
17724: Function IsChAlphaNumericL( C : AnsiChar; const Numbers : AnsiString ) : Boolean';
17725: Function IsStrAlphaL( const S : AnsiString ) : Boolean';
17726: Function IsStrNumericL( const S, Numbers : AnsiString ) : Boolean';
17727: Function IsStrAlphaNumericL( const S, Numbers : AnsiString ) : Boolean';
17728: Function KeepCharsL( const S, Chars : AnsiString ) : AnsiString';
17729: Function LastWordL( const S, WordDelims, AWord : AnsiString; var Position : Cardinal ) : Boolean';
17730: Function LastWordAbsL( const S, WordDelims : Ansistring; var Position : Cardinal ) : Boolean';
17731: Function LastStringL( const S, AString : AnsiString; var Position : Cardinal ) : Boolean';
17732: Function LeftTrimCharsL( const S, Chars : AnsiString ) : AnsiString';
17733: Function ReplaceWordL(const S, WordDelims,OldWord,NewWord:AnsiString;N:Card;var
Replacements:Card):AnsiString;
17734: Function ReplaceWordAllL(const S,WordDelims,OldWord,NewWord:AnsiString;var
Replacements:Cardinal):AnsiString';
17735: Function ReplaceStringL(const S,OldString,NewString:AnsiString;N:Cardinal;var
Replacements:Cardinal):AnsiString;
17736: Function ReplaceStringAllL(const S,OldString,NewString:AnsiString; var Replacements:Cardinal):AnsiString;
17737: Function RepeatStringL(const RepeatString:AnsiString;var Repetitions:Cardinal;MaxLen:Cardinal):AnsiString;
17738: Function RightTrimCharsL( const S, Chars : AnsiString ) : AnsiString';
17739: Function StrWithinL( const S, SearchStr : string; Start : Cardinal; var Position : Cardinal ) : boolean';
17740: Function TrimCharsL( const S, Chars : AnsiString ) : AnsiString';
17741: Function WordPosL(const S,WordDelims,AWord: AnsiString;N:Cardinal;var Position:Cardinal):Bool;
17742: Function WordPos(const S,WordDelims,AWord:AnsiString;N:Cardinal;var Position:Cardinal):Bool;
17743: end;
17744:
17745: procedure SIRegister_pwnative_out(CL: TPSCompiler);
17746: begin
17747: CL.AddConstantN('STDIN','LongInt').SetInt( 0 );
17748: ('STDOUT','LongInt').SetInt( 1 );
17749: ('STDERR','LongInt').SetInt( 2 );
17750: Procedure NativeWrite( s : astr );');
17751: Procedure NativeWrite1( PString : PChar );');
17752: Procedure NativeWrite2( Buffer : PChar; NumChars : Cardinal );');
17753: Procedure NativeWriteLn( s : astr );');
17754: Procedure NativeWriteLn1();';
17755: end;
17756:
17757: procedure SIRegister_synwrap1(CL: TPSCompiler);
17758: begin
17759: CL.AddTypeS(TSynwInfo', 'record Err : byte; UrlHtml : ansistring; ErrResponse
17760: : integer; UltimateURL : ansistring; Headers : ansistring; end');
17761: CL.AddTypeS('TUrlInfo', 'record Err : byte; UltimateURL : string; end');
17762: Function GetHttpFile( const Url, UserAgent, Outfile : string; verbose : boolean) : TSynwInfo;';
17763: Function GetHttpFile1( const Url, UserAgent, Outfile : string) : TSynwInfo;');
17764: Function GetHttpFile2( const Url, Outfile : string) : TSynwInfo;');
17765: Function GetHttpFile3( const Url, outfile : string; verbose : boolean) : TSynwInfo;');
17766: Function GetHtm( const Url : string) : string;');
17767: Function GetHtml( const Url, UserAgent : string) : string;');
17768: Function GetUrl( const Url : string; verbose : boolean) : TSynwInfo;');
17769: Function GetUrl1( const Url, useragent : string) : TSynwInfo;');
17770: Function GetUrl2( const Url : string) : TSynwInfo;');
17771: Function GetUrl3( const Url : string; const http : THHTPSend; verbose : boolean) : TUrlInfo;');
17772: Function GetUrl4( const Url : string; const http : THHTPSend) : TUrlInfo;');
17773: Procedure StrToStream( s : String; strm : TMemoryStream)');
17774: Function StrLoadStream( strm : TStream ) : String );
17775: end;
17776:
17777: procedure SIRegister_HTMLUtil(CL: TPSCompiler);
17778: begin
17779: Function GetVal( const tag, attribname_ci : string ) : string';
17780: Function GetTagName( const Tag : string ) : string';
17781: Function GetUpTagName( const tag : string ) : string';
17782: Function GetNameValPair( const tag, attribname_ci : string ) : string';
17783: Function GetValFromNameVal( const namevalpair : string ) : string');
17784: Function GetNameValPair_cs( const tag, attribname : string ) : string');
17785: Function GetVal_JAMES( const tag, attribname_ci : string ) : string');
17786: Function GetNameValPair_JAMES( const tag, attribname_ci : string ) : string');
17787: Function CopyBuffer( StartIndex : PChar; Len : integer ) : string');

```

```

17788: Function Ucase( s : string ) : string');
17789: end;
17790:
17791: procedure SIRegister_pwmain(CL: TPSPascalCompiler);
17792: begin
17793:   CL.AddConstantN('FUTURE_COOKIE','String').SetString( 'Mon, 01 Dec 2099 12:00:00 GMT');
17794:   EXPIRED_COOKIE,'String').SetString( 'Mon, 01 Jan 2001 12:00:00 GMT');
17795:   'SECURE_OFF','LongInt').SetInt( 0);
17796:   'SECURE_ON','LongInt').SetInt( 2);
17797:   'SECURE_FILTER','LongInt').SetInt( 3);
17798:   THandle or DWord!
17799: //  astr = ansistring;
17800: CL.AddTypeS('pastr', 'ansistring');
17801: CL.AddTypeS('TFilterFunc', 'function(const s: pastr): pastr;');
17802: uses pwinit at begin
17803: //type TFilterFunc = function(const s: astr): astr;
17804: Demo: ..\maxbox3\examples2\519_powtills.txt
17805:
17806: //CL.AddConstantN('CASE_SENSITIVE','Boolean')BoolToStr( false);
17807: //CL.AddConstantN('CASE_IGNORE','Boolean')BoolToStr( false);
17808: Procedure pwInit();
17809: Procedure OffReadln();
17810: Function Lcase( const s : pastr ) : pastr';
17811: Function Ucase( const s : pastr ) : pastr';
17812: Function CountPostVars : longword';
17813: Function GetPostVar( const name : pastr ) : pastr;';
17814: Function GetPostVar1( const name : pastr; filter : TFilterFunc ) : pastr;';
17815: Function GetPostVar_S( const name : pastr; Security : integer ) : pastr';
17816: Function GetPostVar_SF( const name : pastr; Security : integer ) : pastr';
17817: Function GetPostVarAsFloat( const name : pastr ) : double';
17818: Function GetPostVarAsInt( const name : pastr ) : longint';
17819: Function GetPostVar_SafeHTML( const name : pastr ) : pastr';
17820: Function FetchPostVarName( idx : longword ) : pastr';
17821: Function FetchPostVarVal( idx : longword ) : pastr';
17822: Function FetchPostVarVal1( idx : longword; filter : TFilterFunc ) : pastr');
17823: Function FetchPostVarName_S( idx : longword; Security : integer ) : pastr';
17824: Function FetchPostVarVal_S( idx : longword; Security : integer ) : pastr';
17825: Function IsPostVar( const name : pastr ) : boolean';
17826: Function CountAny : longword';
17827: Function GetAny( const name : pastr ) : pastr';
17828: Function GetAny1( const name : pastr; filter : TFilterFunc ) : pastr');
17829: Function GetAny_S( const name : pastr; Security : integer ) : pastr';
17830: Function GetAnyAsFloat( const name : pastr ) : double';
17831: Function GetAnyAsInt( const name : pastr ) : longint';
17832: Function IsAny( const name : pastr ) : byte';
17833: Function CountCookies : longword';
17834: Function FetchCookieName( idx : longword ) : pastr';
17835: Function FetchCookieVal( idx : longword ) : pastr';
17836: Function FetchCookieVal1( idx : longword; filter : TFilterFunc ) : pastr');
17837: Function GetCookie( const name : pastr ) : pastr';
17838: Function GetCookie1( const name : pastr; filter : TFilterFunc ) : pastr');
17839: Function GetCookieAsFloat( const name : pastr ) : double';
17840: Function GetCookieAsInt( const name : pastr ) : longint';
17841: Function IsCookie( const name : pastr ) : boolean';
17842: Function SetCookie( const name, value : pastr ) : boolean';
17843: Function SetCookieAsFloat( const name : pastr; value : double ) : boolean';
17844: Function SetCookieAsInt( const name : pastr; value : longint ) : boolean';
17845: Function SetCookieEx( const name, value, path, domain, expiry : pastr ) : boolean';
17846: Function SetCookieAsFloatEx( const name:pastr;value : double; const path, domain,expiry:pastr ):bool;
17847: Function SetCookieAsIntEx( const name:pastr;value : longint; const path, domain,expiry:pastr ):bool;
17848: Function UnsetCookie( const name : pastr ) : boolean';
17849: Function UnsetCookieEx( const name, path, domain : pastr ) : boolean';
17850: Function FilterHtml( const input : pastr ) : pastr';
17851: Function FilterHtml_S( const input : pastr; security : integer ) : pastr');
17852: Function TrimBadChars( const input : pastr ) : pastr';
17853: Function TrimBadFile( const input : pastr ) : pastr';
17854: Function TrimBadDir( const input : pastr ) : pastr';
17855: Function TrimBad_S( const input : pastr; security : integer ) : pastr');
17856: Function CountHeaders : longword';
17857: Function FetchHeaderName( idx : longword ) : pastr';
17858: Function FetchHeaderVal( idx : longword ) : pastr';
17859: Function GetHeader( const name : pastr ) : pastr';
17860: Function IsHeader( const name : pastr ) : boolean';
17861: Function SetHeader( const name, value : pastr ) : boolean';
17862: Function UnsetHeader( const name : pastr ) : boolean';
17863: Function PutHeader( const header : pastr ) : boolean';
17864: Procedure Out1( const s : pastr );
17865: Procedure OutLn( const s : pastr );
17866: Procedure OutA( args : array of const );
17867: Procedure OutF( const s : pastr );
17868: Procedure OutLnF( const s : pastr );
17869: Procedure OutFF( const s : pastr );
17870: Procedure OutF_FI( const s : pastr; HTMLFilter : boolean );
17871: Procedure OutLnFF( const s : pastr );
17872: Procedure OutLnF_FI( const s : pastr; HTMLFilter : boolean );
17873: Function FileOut( const fname : pastr ) : word';
17874: Function ResourceOut( const fname : pastr ) : word';
17875: Procedure BufferOut( const buff, len : LongWord );
17876: Function TemplateOut( const fname : pastr; HtmlFilter : boolean ) : word';

```

```

17877: Function TemplateOut1( const fname : pastr ) : word');
17878: Function TemplateOut2( const fname : pastr; filter : TFilterFunc) : word');
17879: Function TemplateOut3( const fname : pastr; HtmlFilter : boolean) : word');
17880: Function TemplateRaw( const fname : pastr ) : word');
17881: Function Fmt( const s : pastr ) : pastr');
17882: Function Fmt1( const s : pastr; filter : TFilterFunc) : pastr');
17883: Function FmtFilter( const s : pastr ) : pastr');
17884: Function Fmt_SF(const s:pastr;HTMLFilter:bool;filter:TFilterFunc;FilterSecurity:int):pastr;
17885: Function Fmt_SFL(const s:pastr; HTMLFilter:boolean; FilterSecurity, TrimSecurity : integer) : pastr');
17886: Function CountRtiVars : longword');
17887: Function FetchRtiName( idx : longword ) : pastr');
17888: Function FetchRtiVal( idx : longword ) : pastr');
17889: Function GetRti( const name : pastr ) : pastr');
17890: Function GetRtiAsFloat( const name : pastr ) : double');
17891: Function GetRtiAsInt( const name : pastr ) : longint');
17892: Function IsRti( const name : pastr ) : boolean');
17893: Procedure SetRTI( const name, value : pastr)');
17894: Function FetchUpfileName( idx : longword ) : pastr');
17895: Function GetUpfileName( const name : pastr ) : pastr');
17896: Function GetUpfileSize( const name : pastr ) : longint');
17897: Function GetUpFileType( const name : pastr ) : pastr');
17898: Function CountUpfiles : longword');
17899: Function IsUpfile( const name : pastr ) : boolean');
17900: Function SaveUpfile( const name, fname : pastr ) : boolean');
17901: Function CountVars : longword');
17902: Function FetchVarName( idx : longword ) : pastr');
17903: Function FetchVarVal( idx : longword ) : pastr');
17904: Function FetchVarVal1( idx : longword; filter : TFilterFunc ) : pastr');
17905: Function GetVar( const name : pastr ) : pastr');
17906: Function GetVar1( const name : pastr; filter : TFilterFunc ) : pastr');
17907: Function GetVar_S( const name : pastr; security : integer ) : pastr');
17908: Function GetVarAsFloat( const name : pastr ) : double');
17909: Function GetVarAsInt( const name : pastr ) : longint');
17910: Procedure SetVar( const name, value : pastr)');
17911: Procedure SetVarAsFloat( const name : pastr; value : double)');
17912: Procedure SetVarAsInt( const name : pastr; value : longint)');
17913: Function IsVar( const name : pastr ) : byte');
17914: Procedure UnsetVar( const name : pastr)');
17915: Function LineEndToBR( const s : pastr ) : pastr');
17916: Function RandomStr( len : longint ) : pastr');
17917: Function XorCrypt( const s : pastr; key : byte ) : pastr');
17918: Function CountCfgVars : longword');
17919: Function FetchCfgVarName( idx : longword ) : pastr');
17920: Function FetchCfgVarVal( idx : longword ) : pastr');
17921: Function IsCfgVar( const name : pastr ) : boolean');
17922: Function SetCfgVar( const name, value : pastr ) : boolean');
17923: Function GetCfgVar( const name : pastr ) : pastr');
17924: Procedure ThrowErr( const s : pastr)');
17925: Procedure ThrowWarn( const s : pastr)');
17926: Procedure ErrWithHeader( const s : pastr)');
17927: CL.AddTypeS('TWebVar', 'record name : pastr; value : pastr; end');
17928: CL.AddTypeS('TWebVars', 'array of TWebVar');
17929: Function iUpdateWebVar(var webv : TWebVars; const name, value:pastr; upcased:boolean):boolean';
17930: Function iAddWebCfgVar( const name, value : pastr ) : boolean');
17931: Procedure iAddWebVar( var webv : TWebVars; const name, value : pastr)');
17932: Procedure iSetRTI( const name, value : pastr)');
17933: Function iCustomSessUnitSet : boolean');
17934: Function iCustomCfgUnitSet : boolean');
17935: end;
17936:
17937: procedure SIRegister_W32VersionInfo(CL: TPPascalCompiler);
17938: begin
17939:   SIRegister_TProjectVersionInfo(CL);
17940:   Function MSLanguageToHex( const s : string ) : string');
17941:   Function MSHexToLanguage( const s : string ) : string');
17942:   Function MSCharacterSetToHex( const s : string ) : string');
17943:   Function MSHexToCharacterSet( const s : string ) : string');
17944:   Function MSLanguages : TStringList');
17945:   Function MSHexLanguages : TStringList');
17946:   Function MSCharacterSets : TStringList');
17947:   Function MSHexCharacterSets : TStringList');
17948: end;
17949:
17950: procedure SIRegister_IpUtils(CL: TPPascalCompiler);
17951: begin
17952:   TIpHandle', 'Cardinal');
17953:   TIpMD5StateArray', 'array[0..3] of DWORD');
17954:   CL.AddTypeS('TIpMD5CountArray', 'array[0..1] of DWORD');
17955:   TIpMD5ByteBuf', 'array[0..63] of Byte');
17956:   TIpMD5LongBuf', 'array[0..15] of DWORD');
17957:   TIpMD5Digest', 'array[0..15] of Byte');
17958:   TIpLineTerminator', '(ltNone, ltCR, ltLF, ltCRLF, ltOther )');
17959:   TIpMD5Context', 'record State : TIpMD5StateArray; Count : TIpMD5';
17960:     +'CountArray; ByteBuf : TIpMD5ByteBuf; end');
17961:   CL.AddClassN(CL.FindClass('TOBJECT'), 'EIpBaseException');
17962:   CL.AddClassN(CL.FindClass('TOBJECT'), 'EIpAccessException');
17963:   CL.AddClassN(CL.FindClass('TOBJECT'), 'EIpHtmlException');
17964:   SIRegister_TIpBaseAccess(CL);
17965:   SIRegister_TIpBasePersistent(CL);

```

```

17966: //TIPComponentClass', 'class of TIPBaseComponent');
17967: SIRegister_TIPBaseComponent(CL);
17968: SIRegister_TIPBaseWinControl(CL);
17969: Function InClassA( Addr : LongInt ) : Boolean';
17970: Function InClassB( Addr : LongInt ) : Boolean');
17971: Function InClassC( Addr : LongInt ) : Boolean');
17972: Function InClassD( Addr : LongInt ) : Boolean');
17973: Function InMulticast( Addr : LongInt ) : Boolean');
17974: Function IpCharCount( const Buffer, BufSize : DWORD; C : AnsiChar ) : DWORD');
17975: Function IpCompStruct( const S1, S2, Size : Cardinal ) : Integer');
17976: Function IpMaxInt( A, B : Integer ) : Integer');
17977: Function IpMinInt( A, B : Integer ) : Integer');
17978: Procedure IpSafeFree( var Obj: TObject' );
17979: Function IpShortVersion : string');
17980: Function IpInternetSumPrim( var Data, DataSize, CurCrc : DWORD ) : DWORD');
17981: Function IpInternetSumOfStream( Stream : TStream; CurCrc : DWORD ) : DWORD');
17982: Function IpInternetSumOfFile( const FileName : string ) : DWORD');
17983: Function MD5SumOfFile( const FileName : string ) : string');
17984: Function MD5SumOfStream( Stream : TStream ) : string');
17985: Function MD5SumOfStreamDigest( Stream : TStream ) : TIPMD5Digest');
17986: Function MD5SumOfString( const S : string ) : string');
17987: Function MD5SumOfStringDigest( const S : string ) : TIPMD5Digest');
17988: Function SafeYield : LongInt');
17989: Function AllTrimSpaces( Strng : string ) : string');
17990: Function IpCharPos( C : AnsiChar; const S : string ) : Integer');
17991: Function CharPosIdx( C : AnsiChar; const S : string; Idx : Integer ) : Integer');
17992: Function NthCharPos( C : AnsiChar; const S : string; Nth : Integer ) : Integer');
17993: Function RCharPos( C : AnsiChar; const S : string ) : Integer');
17994: Function RCharPosIdx( C : AnsiChar; const S : string; Idx : Integer ) : Integer');
17995: Function RNthCharPos( C : AnsiChar; const S : string; Nth : Integer ) : Integer');
17996: Function IpRPos( const Substr : string; const S : string ) : Integer');
17997: Function IpPosIdx( const SubStr, S : string; Idx : Integer ) : Integer');
17998: ACharSet', 'set of AnsiChar');
17999: TIPAddrRec', 'record Scheme : string; UserName : string; Password string; Authority : string;
18000: Port : string; Path : string; Fragment : string; Query : string; QueryDelim : AnsiChar; end');
18001: Procedure Initialize( var AddrRec : TIPAddrRec );
18002: Procedure Finalize( var AddrRec : TIPAddrRec );
18003: Function ExtractEntityName( const NamePath : string ) : string');
18004: Function ExtractEntityPath( const NamePath : string ) : string');
18005: Function IpParseURL( const URL : string; var Rslt : TIPAddrRec ) : Boolean');
18006: Function BuildURL( const OldURL, NewURL : string ) : string');
18007: Function PutEscapes( const S : string; EscapeSet : ACharSet ) : string');
18008: Function RemoveEscapes( const S : string; EscapeSet : ACharSet ) : string');
18009: Procedure SplitParams( const Params : string; Dest : TStrings );
18010: Function NetToDOSPath( const PathStr : string ) : string');
18011: Function DOSToNetPath( const PathStr : string ) : string');
18012: Procedure SplitHttpResponse( const S : string; var V, MsgID, Msg : string );
18013: Procedure FieldFix( Fields : TStrings );
18014: Function AppendSlash( APath : string ) : string');
18015: Function RemoveSlash( APath : string ) : string');
18016: Function GetParentPath( const Path : string ) : string');
18017: Function GetLocalContent( const TheFileName : string ) : string');
18018: Function IPDirExists( Dir : string ) : Boolean');
18019: Function GetTemporaryFile( const Path : string ) : string');
18020: Function GetTemporaryPath : string );
18021: Function AppendBackSlash( APath : string ) : string');
18022: Function IpRemoveBackSlash( APath : string ) : string');
18023: Function INetDateStrToDate( const DateStr : string ) : TDateTime');
18024: Function DateToINetDateStr( Date : TDateTime ) : string');
18025: Function IpTimeZoneBias : Integer );
18026: Procedure SplitCookieFields( const Data : string; Fields : TStrings );
18027: end;
18028:
18029: procedure SIRegister_LrtPoTools(CL: TPPascalCompiler);
18030: begin
18031: CL.AddTypeS('TPOStyle', '( postStandard, postPropertyName, postFull )');
18032: Procedure Lrt2Po( const LRTfile : string; POSTyle : TPOStyle );
18033: Procedure CombinePoFiles( SL : TStrings; const FName : string );
18034: end;
18035:
18036: procedure SIRegister_GPS(CL: TPPascalCompiler);
18037: begin
18038: CL.AddConstantN('MAX_SATS','LongInt').SetInt( 12 );
18039: GPSMSG_START', 'String').SetString( '$' );
18040: GPSMSG_STOP', 'String').SetString( '*' );
18041: SEC_BETWEEN_SEG', 'LongInt').SetInt( 5 );
18042: CL.AddTypeS('TSatellite', 'record Identification : Shortint; Elevation : Shor'
18043: +'tint; Azimut : Smallint; SignLevel : Smallint; end');
18044: CL.AddTypeS('TSatellites', 'array[1..12] of TSatellite');
18045: //TSatellites = array[1..MAX_SATS] of TSatellite;
18046: TGPSSatEvent', 'Procedure ( Sender : TObject; NbSat, NbSatUse: Shortint; Sats : TSatellites )');
18047: TGPSDatas', 'record Latitude : Double; Longitude : Double; Heigh'
18048: tAboveSea : Double; Speed : Double; UTCTime : TDateTime; Valid : Boolean; '
18049: NbrSats : Shortint; NbrSatsUsed : Shortint; Course : Double; end');
18050: CL.AddTypeS('TGPSDatasEvent', 'Procedure ( Sender : TObject; GPSDatas : TGPSDatas )');
18051: CL.AddTypeS('TMsgGP', '( msgGP, msgGPGGA, msgGPGLL, msgGPGSV, msgGPRMA, msgGPZDA )');
18052: CL.AddTypeS('TSpeedUnit', '( suKilometre, suMile, suNauticalMile )');
18053: SIRegister_TGPSLink(CL);
18054: SIRegister_TCustomGPS(CL);

```

```

18055:  SIRegister_TGPS(CL);
18056:  SIRegister_TGPSToGPX(CL);
18057:  SIRegister_TGPSSpeed(CL);
18058:  SIRegister_TGPSSatellitesPosition(CL);
18059:  SIRegister_TGPSSatellitesReception(CL);
18060:  SIRegister_TGPSCompass(CL);
18061:  //Procedure Register( ')';
18062:  Function IndexMsgGP( StrMsgGP : String ) : TMsgGP';
18063:  Function StrCoordToAngle( Point : Char; Angle : String ) : Double';
18064:  Function StrTimeToTime( const Time : String ) : TDateTime';
18065:  Function StrToInteger( const Str : String ) : Integer';
18066:  Function StrToReal( const Str : String ) : Extended';
18067:  Function GPSRotatePoint( Angle : Double; Ct, Pt : TPoint ) : TPoint';
18068:  Procedure LoadRessource( RessourceName : String; ImageList : TImageList );
18069: end;
18070:
18071:  procedure SIRegister_NMEA(CL: TPSPascalCompiler);
18072: begin
18073:  NMEADataArray', 'array of string');
18074:  Procedure TrimNMEA( var S : string );
18075:  Procedure ExpandNMEA( var S : string );
18076:  Function ParseNMEA( S : string ) : NMEADataArray';
18077:  Function ChkValidNMEA( S : string ) : Boolean';
18078:  Function IdNMEA( S : string ) : string';
18079:  Function ChkSumNMEA( const S : string ) : string';
18080:  Function PosInDeg( const PosStr : string ) : Double';
18081:  Function DateTimeNMEA( const StrD, StrT : string ) : TDateTime';
18082:  Function SysClockSet( const StrD, StrT : string ) : Boolean';
18083:  function Ticks2Secs(Ticks : LongInt) : LongInt';
18084:  function Secs2Ticks(Secs : LongInt) : LongInt';
18085:  function MSecs2Ticks(MSecs : LongInt) : LongInt';
18086: end;
18087:
18088:  procedure SIRegister_SortUtils(CL: TPSPascalCompiler);
18089: begin
18090:  CL.AddTypeS('SortType1', 'Byte');
18091:  CL.AddTypeS('SortType2', 'Double');
18092:  CL.AddTypeS('SortType3', 'DWord');
18093:  //CL.AddTypeS('PDWordArray', '^DWordArray // will not work');
18094:  CL.AddTypeS('TDataRecord4', 'record Value : Integer; Data : Integer; end');
18095:  Function('Procedure QuickSort( var List : array of SortType1; Min, Max : Integer)');
18096:  Procedure QuickSortDWord( var List : array of SortType3; Min, Max : Integer );
18097:  Procedure QuickSortDataRecord4( var List : array of TDataRecord4; Count : Integer );
18098:  Procedure HeapSort( var List : array of SortType1; Count : DWord; FirstNeeded : DWord );
18099:  Function QuickSelect( var List : array of SortType1; Min, Max, Wanted : Integer ) : SortType1';
18100:  Function QuickSelectDouble( var List : array of SortType2; Min, Max, Wanted : Integer ) : SortType2';
18101:  Function QuickSelectDWord( var List : array of SortType3; Min, Max, Wanted : Integer ) : SortType3';
18102: end;
18103:
18104:  procedure SIRegister_BitmapConversion(CL: TPSPascalCompiler);
18105: begin
18106:  // TMatrix3x3 = array[1..3,1..3] of Double;
18107:  // TMatrix4x4 = array[1..4,1..4] of Double;
18108:  CL.AddTypeS('TMatrix3x3L', 'array[1..3] of Double');
18109:  CL.AddTypeS('TMatrix3x3', 'array[1..3] of TMatrix3x3L');
18110:  CL.AddTypeS('TMatrix4x4L', 'array[1..4] of Double');
18111:  CL.AddTypeS('TMatrix4x4', 'array[1..4] of TMatrix4x4L');
18112:  Procedure ColorTransform( A, B, C : Byte; out X, Y, Z : Byte; const T : TMatrix4x4 );
18113:  Procedure ColorTransform1( A, B, C : Byte; out X, Y, Z : Float; const T : TMatrix4x4 );
18114:  Procedure ColorTransform2( const A, B, C : Float; out X, Y, Z : Byte; const T : TMatrix4x4 );
18115:  Procedure ColorTransformHSI2RGB( H, S, I : Byte; out R, G, B : Byte );
18116:  Procedure ColorTransformRGB2HSI( R, G, B : Byte; out H, S, I : Byte );
18117:  Procedure ColorTransformRGB2Lab( R, G, B : Byte; out L, a_, b_ : Byte );
18118:  Procedure ColorTransformLab2RGB( L, a_, b_ : Byte; out R, G, B : Byte );
18119:  Procedure ColorTransformRGB2LOCO( R, G, B : Byte; out S0, S1, S2 : Byte );
18120:  Procedure ColorTransformLOCO2RGB( S0, S1, S2 : Byte; out R, G, B : Byte );
18121:  Procedure ConvertColorSpace( Image : TLinarBitmap; const T : TMatrix4x4; NewImage : TLinarBitmap );
18122:  //Procedure
18123:  ConvertColorSpace1(Image:TLinarBitmap;ColorTransform:TColorTransformProc;NewImage:TLinarBitmap);
18124:  Procedure ConvertToGrayscale( const Image, GrayImage : TLinarBitmap );
18125: end;
18126:
18127:  procedure SIRegister_ZDbcUtils(CL: TPSPascalCompiler);
18128: begin
18129:  { ZSQLType = (zsqlstUnknown, zsqlstBoolean, zsqlstByte, zsqlstShort, zsqlstInteger, zsqlstLong,
18130:    zsqlstFloat, zsqlstDouble, zsqlstBigDecimal, zsqlstString, zsqlstUnicodeString, zsqlstBytes,
18131:    zsqlstDate, zsqlstTime, zsqlstTimestamp, zsqlstDataSet, zsqlstGUID,
18132:    stAsciiStream, stUnicodeStream, stBinaryStream);}
18133:  Function ResolveConnectionProtocol( Url : string; SupportedProtocols : TStringDynArray ) : string';
18134:  //Procedure ResolveDatabaseUrl( const Url: string; Info:TStrings; var HostName:string; var
18135:  Port:Integer;var Database : string; var UserName : string; var Password : string; ResultInfo : TStrings );
18136:  Function CheckConversion( InitialType : TZSQLType; ResultType : TZSQLType ) : Boolean';
18137:  Procedure DefineColumnType( ColumnType : TZSQLType ) : string';
18138:  //Procedure CopyColumnsInfo( FromList : TObjectList; ToList : TObjectList );
18139:  Function ToLikeString( const Value : string ) : string';
18140:  Function GetSQLHexWideString( Value : PChar; Len : Integer; ODBC : Boolean ) : WideString';
18141:  Function GetSQLHexAnsiString( Value : PChar; Len : Integer; ODBC : Boolean ) : RawByteString';

```

```

18142: Function GetSQLHexString( Value : PChar; Len : Integer; ODBC : Boolean) : String';
18143: Function WideStringStream( const AString : WideString ) : TStream';
18144: function ConvertAdoToTypeName(FieldType: SmallInt): string;
18145: function GetTableName(const AField: TField): string;');
18146: function GetFieldName(const AField: TField): string;');
18147: end;
18148:
18149: procedure SIRegister_JclTD32(CL: TPSPascalCompiler);
18150: CL.AddTypeS('TSymbolInfo', 'record Size : Word; SymbolType : Word; end');
18151: //CL.AddTypeS('PSymbolInfos', '^TSymbolInfos // will not work');
18152: SIRegister_TJclModuleInfo(CL);
18153: SIRegister_TJclLineInfo(CL);
18154: SIRegister_TJclSourceModuleInfo(CL);
18155: SIRegister_TJclSymbolInfo(CL);
18156: SIRegister_TJclProcSymbolInfo(CL);
18157: CL.AddClassN(CL.FindClass('TOBJECT'), 'TJclLocalProcSymbolInfo');
18158: CL.AddClassN(CL.FindClass('TOBJECT'), 'TJclGlobalProcSymbolInfo');
18159: SIRegister_TJclTD32InfoParser(CL);
18160: SIRegister_TJclTD32InfoScanner(CL);
18161: SIRegister_TJclPeBorTD32Image(CL);
18162: end;
18163:
18164: procedure SIRegister_JvIni(CL: TPSPascalCompiler);
18165: begin
18166: CL.AddTypeS('TReadObjectEvent', 'Function ( Sender : TObject; const Section,
18167: +Item, Value : string) : TObject');
18168: TWriteObjectEvent', 'Procedure ( Sender : TObject; const Section, Item: string; Obj: TObject)');
18169: Function StringToFontStyles( const Styles : string) : TFontStyles';
18170: Function FontStylesToString( Styles : TFontStyles) : string');
18171: Function FontToString( Font : TFont ) : string');
18172: Procedure StringToFont( const Str : string; Font : TFont );
18173: Function RectToStr( Rect : TRect ) : string');
18174: Function StrToRect( const Str : string; const Def : TRect ) : TRect');
18175: Function JPointToStr( P : TPoint ) : string');
18176: Function JStrToPoint( const Str : string; const Def : TPoint ) : TPoint');
18177: Function DefProfileName : string');
18178: Function DefLocalProfileName : string');
18179: CL.AddConstantN('idnListItem','String').SetString( 'Item');
18180: end;
18181:
18182: procedure SIRegister_JvHtControls(CL: TPSPascalCompiler);
18183: begin
18184: Procedure ItemHtDrawEx( Canvas : TCanvas; Rect : TRect; const State : TOwnerDrawState; const Text : string;
18185: const HideSelColor : Boolean; var PlainItem : string; var Width : Integer; CalcWidth : Boolean)');
18186: Function ItemHtDraw( Canvas : TCanvas; Rect : TRect; const State : TOwnerDrawState; const Text : string;
18187: const HideSelColor : Boolean) : string');
18188: Function ItemHtWidth( Canvas : TCanvas; Rect : TRect; const State : TOwnerDrawState; const Text : string;
18189: const HideSelColor : Boolean) : Integer);
18190: Function ItemHtPlain( const Text : string) : string');
18191: Procedure ExecuteHyperlink(Sender:TObject;HyperLinkClick:TJvHyperLinkClickEvent;const LinkName:string);
18192: Function IsHyperLink(Canvas:TCanvas;Rect:TRect;const Text:string;MouseX:Integer;var HyperLink:string):Bool;
18193: end;
18194: procedure SIRegister_NeuralNetwork(CL: TPSPascalCompiler);
18195: begin
18196: CL.AddClassN(CL.FindClass('TOBJECT'), 'TNeuron');
18197: CL.AddTypeS('TSynapse', 'record W : Real; Connection : TNeuron; end');
18198: CL.AddTypeS('TAcson', 'record Alfa : Real; Beta : Real; Gama : Real; end');
18199: SIRegister_TNeuron(CL);
18200: SIRegister_TNeuronLayer(CL);
18201: SIRegister_TNeuralNet(CL);
18202: end;
18203: procedure SIRegister_StExpr(CL: TPSPascalCompiler);
18204: begin
18205: //CL.AddTypeS('PStFloat', '^TStFloat // will not work');
18206: TStMethod0Param', 'Function : TStFloat');
18207: TStMethod1Param', 'Function ( Value1 : TStFloat ) : TStFloat');
18208: TStMethod2Param', 'Function ( Value1, Value2 : TStFloat ) : TStFloat');
18209: TStMethod3Param', 'Function ( Value1, Value2, Value3 : TStFloat ) : TStFloat');
18210: TStGetValueEvent', 'Procedure ( Sender : TObject; const Ide'
18211: +'ntifier : AnsiString; var Value : TStFloat)');
18212: TStToken', '( ssStart, ssIdent, ssInNum, ssInSign, ssInExp, ss
18213: +'Eol, ssNum, ssIdent, ssLPar, ssRPar, ssComma, ssPlus, ssMinus, ssTimes, ssDiv, ssEqual, ssPower )');
18214: SIRegister_TStExpression(CL);
18215: TStExprErrorEvent', 'Procedure ( Sender : TObject; ErrorNumber : '
18216: +' LongInt; const ErrorStr : AnsiString)');
18217: SIRegister_TStExpressionEdit(CL);
18218: Function AnalyzeExpr( const Expr : AnsiString ) : Double');
18219: Procedure TpVal( const S : AnsiString; var V : Extended; var Code : Integer)');
18220: end;
18221: procedure SIRegister_GR32_Containers(CL: TPSPascalCompiler);
18222: begin
18223: CL.AddConstantN('BUCKET_MASK', 'LongWord').SetUInt( $FF);
18224: CL.AddConstantN('BUCKET_COUNT', 'LongInt').SetInt( BUCKET_MASK + 1);
18225: Procedure SmartAssign( Src, Dst : TPersistent; TypeKinds : TTypeKinds)');
18226: Procedure Advance( var Node : TLinkedNode; Steps : Integer)');

```

```

18227: end;
18228:
18229: procedure SIRegister_StSaturn(CL: TPSPPascalCompiler);
18230: begin
18231:   TStJupSatPos', 'record X: double; Y: Double; end');
18232:   TStJupSats', 'record Io: TStJupSatPos;
18233:     Europa:TStJupSatPos; Ganymede:TStJupSatPos; Callisto:TStJupSatPos;end';
18234:   Function ComputeSaturn( JD : Double) : TStEclipticalCord');
18235:   Function ComputePluto( JD : Double) : TStEclipticalCord');
18236:   Function ComputeVenus( JD : Double) : TStEclipticalCord');
18237:   Function ComputeMars( JD : Double) : TStEclipticalCord');
18238:   Function ComputeMercury( JD : Double) : TStEclipticalCord');
18239:   Function ComputeJupiter( JD : Double) : TStEclipticalCord');
18240:   Function ComputeUranus( JD : Double) : TStEclipticalCord');
18241:   Function ComputeNeptune( JD : Double) : TStEclipticalCord');
18242:   function GetJupSats(JD : TDateTime; HighPrecision, Shadows : Boolean) : TStJupSats;');
18243: end;
18244: procedure SIRegister_JclParseUses(CL: TPSPPascalCompiler);
18245: begin
18246:   CL.AddClassN(CL.FindClass('TOBJECT'), 'EUsesListError');
18247:   Function CreateGoal( Text : PChar) : TCustomGoal');
18248: end;
18249:
18250: procedure SIRegister_JvFinalize(CL: TPSPPascalCompiler);
18251: begin
18252: //type
18253: //  TFinalizeProc = procedure;
18254:   CL.AddTypeS('TFinalizeProc', 'procedure');
18255: Procedure AddFinalizeProc( const UnitName : string; FinalizeProc : TFinalizeProc)');
18256: Function AddFinalizeObject( const UnitName : string; Instance : TObject) : TObject');
18257: Function AddFinalizeObjectNil( const UnitName : string; var Reference: TObject) : TObject');
18258: Function AddFinalizeFreeAndNil( const UnitName : string; var Reference: TObject) : TObject');
18259: Function AddFinalizeMemory( const UnitName : string; Ptr : __Pointer) : __Pointer');
18260: Function AddFinalizeMemoryNil( const UnitName : string; var Ptr: __Pointer) : __Pointer');
18261: Procedure FinalizeUnit( const UnitName : string)');
18262: end;
18263:
18264: procedure SIRegister_BigIni(CL: TPSPPascalCompiler);
18265: begin
18266:   CL.AddConstantN('IniTextBufferSize', 'LongWord').SetUInt( $7000);
18267:   CL.AddConstantN('cIniCount', 'String').SetString( 'Count');
18268:   TEraseSectionCallback', 'Function ( const sectionName : string; '
18269:     const s11, s12 : TStringList) : Boolean');
18270:   SIRegister_TCommaSeparatedInfo(CL);
18271:   SIRegister_TSectionList(CL);
18272:   SIRegister_TBigIniFile(CL);
18273:   SIRegister_TBiggerIniFile(CL);
18274:   SIRegister_TAppIniFile(CL);
18275:   SIRegister_TLibIniFile(CL);
18276:   Function ModuleName( getLibraryName : Boolean) : String');
18277: end;
18278:
18279: procedure SIRegister_ShellCtrls(CL: TPSPPascalCompiler);
18280: begin
18281:   CL.AddTypeS('TRoot', 'string');
18282:   CL.AddTypeS('TRootFolder', '( rfDesktop, rfMyComputer, rfNetwork, rfRecycleBi'
18283:     +'n, rfAppData, rfCommonDesktopDirectory, rfCommonPrograms, rfCommonStartMen'
18284:     +'u, rfCommonStartup, rfControlPanel, rfDesktopDirectory, rfFavorites, rfFon'
18285:     +'ts, rfInternet, rfPersonal, rfPrinters, rfPrintHood, rfPrograms, rfRecent, '
18286:     +' rfSendTo, rfStartMenu, rfStartup, rfTemplates )');
18287:   TShellFolderCapability', '( fcCanCopy, fcCanDelete, fcCanLink, f'
18288:     +'cCanMove, fcCanRename, fcDropTarget, fcHasPropSheet )');
18289:   TShellFolderCapabilities', 'set of TShellFolderCapability');
18290:   TShellFolderProperty', '( fpCut, fpIsLink, fpReadOnly, fpShared, '
18291:     +' fpFileSystem, fpFileSystemAncestor, fpRemovable, fpValidate )');
18292:   TShellFolderProperties', 'set of TShellFolderProperty');
18293:   TShellObjectType', '( otFolders, otNonFolders, otHidden )');
18294:   TShellObjectType', 'set of TShellObjectType');
18295:   CL.AddClassN(CL.FindClass('TOBJECT'), 'EInvalidPath');
18296:   SIRegister_IShellCommandVerb(CL);
18297:   SIRegister_TShellFolder(CL);
18298:   TNotifyFilter', '( nfFileNameChange, nfDirNameChange, nfAttribut'
18299:     +'eChange, nfSizeChange, nfWriteChange, nfSecurityChange )');
18300:   TNotifyFilters', 'set of TNotifyFilter');
18301:   SIRegister_TShellChangeThread(CL);
18302:   SIRegister_TCustomShellChangeNotifier(CL);
18303:   SIRegister_TShellChangeNotifier(CL);
18304:   CL.AddClassN(CL.FindClass('TOBJECT'), 'TCustomShellComboBox');
18305:   CL.AddClassN(CL.FindClass('TOBJECT'), 'TCustomShellListView');
18306:   TAddFolderEvent', 'Procedure ( Sender : TObject; AFolder : TShel'
18307:     +'lFolder; var CanAdd : Boolean)');
18308:   TGetImageIndexEvent', 'Procedure ( Sender : TObject; Index : Int'
18309:     +'eger; var ImageIndex : Integer)');
18310:   SIRegister_TCustomShellTreeView(CL);
18311:   SIRegister_TShellTreeView(CL);
18312:   SIRegister_TCustomShellComboBox(CL);
18313:   SIRegister_TShellComboBox(CL);
18314:   SIRegister_TCustomShellListView(CL);

```

```

18315:  SIRegister_TShellListView(CL);
18316:  Procedure InvokeContextMenu( Owner : TWinControl; AFolder : TShellFolder; X, Y : Integer)'');
18317: end;
18318:
18319: procedure SIRegister_fmath(CL: TPSPascalCompiler);
18320: begin
18321:   CL.AddTypeS('Float', 'Double');
18322:   'FN_OK','LongInt').SetInt( 0 );
18323:   CL.AddConstantN('FN_DOMAIN','LongInt').SetInt( - 1 );
18324:   'FN_SING','LongInt').SetInt( - 2 );
18325:   'FN_OVERFLOW','LongInt').SetInt( - 3 );
18326:   'FN_UNDERFLOW','LongInt').SetInt( - 4 );
18327:   'FN_TLOSS','LongInt').SetInt( - 5 );
18328:   'FN_PLOSS','LongInt').SetInt( - 6 );
18329: //CL.AddConstantN('NFACT','LongInt').SetInt( 33 );
18330: Function MathError: Integer';
18331: Function FMin( X, Y : Float ) : Float';
18332: Function FMax( X, Y : Float ) : Float';
18333: Function IMin( X, Y : Integer ) : Integer';
18334: Function IMax( X, Y : Integer ) : Integer';
18335: Function FSgn( X : Float ) : Integer';
18336: Function Sgn0( X : Float ) : Integer';
18337: Function DSgn( A, B : Float ) : Float';
18338: Procedure FSwap( var X, Y : Float );
18339: Procedure ISwap( var X, Y : Integer );
18340: Function fExpo( X : Float ) : Float';
18341: Function fExp2( X : Float ) : Float';
18342: Function fExp10( X : Float ) : Float';
18343: Function fLog( X : Float ) : Float';
18344: Function fLog2( X : Float ) : Float';
18345: Function fLog10( X : Float ) : Float';
18346: Function fLogA( X, A : Float ) : Float';
18347: Function fIntPower( X : Float; N : Integer ) : Float';
18348: Function fPower( X, Y : Float ) : Float';
18349: Function Pythag( X, Y : Float ) : Float';
18350: Function FixAngle( Theta : Float ) : Float';
18351: Function fTan( X : Float ) : Float';
18352: Function fArcSin( X : Float ) : Float';
18353: Function fArcCos( X : Float ) : Float';
18354: Function fArcTan2( Y, X : Float ) : Float';
18355: Procedure fSinCos( X : Float; var SinX, CosX : Float );
18356: Function fSinh( X : Float ) : Float';
18357: Function fCosh( X : Float ) : Float';
18358: Function fTanh( X : Float ) : Float';
18359: Function fArcSinh( X : Float ) : Float';
18360: Function fArcCosh( X : Float ) : Float';
18361: Function fArcTanh( X : Float ) : Float';
18362: Procedure fSinhCosh( X : Float; var SinhX, CoshX : Float );
18363: Function fFact( N : Integer ) : Float';
18364: Function fBinomial( N, K : Integer ) : Float';
18365: Function fGamma( X : Float ) : Float';
18366: Function fSgnGamma( X : Float ) : Integer';
18367: Function LnGamma( X : Float ) : Float';
18368: Function fIGamma( A, X : Float ) : Float';
18369: Function fJGamma( A, X : Float ) : Float';
18370: Function fBeta( X, Y : Float ) : Float';
18371: Function fIBeta( A, B, X : Float ) : Float';
18372: Function fErf( X : Float ) : Float';
18373: Function fErfc( X : Float ) : Float';
18374: Function fPBinom(N: Integer; P: Float; K : Integer) : Float';
18375: Function FBinom(N: Integer; P: Float; K : Integer) : Float';
18376: Function PPoisson( Mu : Float; K : Integer ) : Float';
18377: Function FPoisson( Mu : Float; K : Integer ) : Float';
18378: Function fDNorm( X : Float ) : Float';
18379: Function FNorm( X : Float ) : Float';
18380: Function PNorm( X : Float ) : Float';
18381: Function InvNorm( P : Float ) : Float';
18382: Function fDStudent( Nu : Integer; X : Float ) : Float';
18383: Function FStudent( Nu : Integer; X : Float ) : Float';
18384: Function PStudent( Nu : Integer; X : Float ) : Float';
18385: Function fDKhi2( Nu : Integer; X : Float ) : Float';
18386: Function FKhi2( Nu : Integer; X : Float ) : Float';
18387: Function PKhi2( Nu : Integer; X : Float ) : Float';
18388: Function fDSnedecor( Nul, Nu2 : Integer; X : Float ) : Float';
18389: Function FSnedecor( Nul, Nu2 : Integer; X : Float ) : Float';
18390: Function PSnedecor( Nul, Nu2 : Integer; X : Float ) : Float';
18391: Function fDErpo( A, X : Float ) : Float';
18392: Function FExpo( A, X : Float ) : Float';
18393: Function fDBeta( A, B, X : Float ) : Float';
18394: Function FBeta( A, B, X : Float ) : Float';
18395: Function fDGamma( A, B, X : Float ) : Float';
18396: Function FGamma( A, B, X : Float ) : Float';
18397: Procedure RMarIn( Seed1, Seed2 : Integer );
18398: Function IRanMar : LongInt';
18399: Function RanMar : Float';
18400: Function RanGaussStd : Float';
18401: Function RanGauss( Mu, Sigma : Float ) : Float';
18402: end;
18403:

```

```

18404: procedure SIRegister_fcomp(CL: TPSPascalCompiler);
18405: begin
18406:   CL.AddTypeS('ComplexForm', '( Rec, Pol )');
18407:   CL.AddTypeS('TComplex', 'record Form : ComplexForm; X : Float; Y : Float; R :'
18408:     +' Float; Theta : Float; end');
18409:   Procedure CSet( var Z : TComplex; A, B : Float; F : ComplexForm );
18410:   Procedure CConvert( var Z : TComplex; F : ComplexForm );
18411:   Procedure CSwap( var X, Y : TComplex );
18412:   Function CReal( Z : TComplex ) : Float;
18413:   Function CIImag( Z : TComplex ) : Float;
18414:   Function CAbs( Z : TComplex ) : Float;
18415:   Function CArg( Z : TComplex ) : Float;
18416:   Function CSgn( Z : TComplex ) : Integer;
18417:   Procedure CNeg( A : TComplex; var Z : TComplex );
18418:   Procedure CConj( A : TComplex; var Z : TComplex );
18419:   Procedure CAdd( A, B : TComplex; var Z : TComplex );
18420:   Procedure CSub( A, B : TComplex; var Z : TComplex );
18421:   Procedure CDiv( A, B : TComplex; var Z : TComplex );
18422:   Procedure CMult( A, B : TComplex; var Z : TComplex );
18423:   Procedure CLn( A : TComplex; var Z : TComplex );
18424:   Procedure CExp( A : TComplex; var Z : TComplex );
18425:   Procedure CPower( A, B : TComplex; var Z : TComplex );
18426:   Procedure CIntPower( A : TComplex; N : Integer; var Z : TComplex );
18427:   Procedure CRealPower( A : TComplex; X : Float; var Z : TComplex );
18428:   Procedure CSqrt( A : TComplex; var Z : TComplex );
18429:   Procedure CRoot( A : TComplex; K, N : Integer; var Z : TComplex );
18430:   Procedure CCSin( A : TComplex; var Z : TComplex );
18431:   Procedure CCos( A : TComplex; var Z : TComplex );
18432:   Procedure CTan( A : TComplex; var Z : TComplex );
18433:   Procedure CArcSin( A : TComplex; var Z : TComplex );
18434:   Procedure CArcCos( A : TComplex; var Z : TComplex );
18435:   Procedure CArcTan( A : TComplex; var Z : TComplex );
18436:   Procedure CSinh( A : TComplex; var Z : TComplex );
18437:   Procedure CCosh( A : TComplex; var Z : TComplex );
18438:   Procedure CTanh( A : TComplex; var Z : TComplex );
18439:   Procedure CArcSinh( A : TComplex; var Z : TComplex );
18440:   Procedure CArcCosh( A : TComplex; var Z : TComplex );
18441:   Procedure CArcTanh( A : TComplex; var Z : TComplex );
18442:   Procedure CLnGamma( A : TComplex; var Z : TComplex );
18443: end;
18444:
18445:
18446: function TRestRequest_createStringStreamFromStringList(strings: TStringList): TStream;
18447:
18448: {A simple Oscilloscope using TWaveIn class.
18449: More info at http://www.delphiforfun.org/programs/oscilloscope.htm }
18450: http://www.retroarchive.org/garbo/pc/turbopas/index.html
18451: uses
18452:   Forms,
18453:   U_Oscilloscope4 in 'U_Oscilloscope4.pas' {frmMain},
18454:   ufrmOscilloscope4 in 'ufrmOscilloscope4.pas' {frmOscilloscope: TFrame},
18455:   uColorFunctions in 'uColorFunctions.pas',
18456:   AMixer in 'AMixer.pas',
18457:   uSettings in 'uSettings.pas',
18458:   UWavein4 in 'UWavein4.pas',
18459:   U_Spectrum4 in 'U_Spectrum4.pas' {Form2},
18460:   ufrmInputControl4 in 'ufrmInputControl4.pas' {frmInputControl: TFrame};
18461:
18462: Functions_max hex in the box maxbox
18463: functionslist.txt
18464: FunctionsList1 3.9.9.86/88/91/92/94/95/96/98/100/101/110/120/160
18465:
18466: ****
18467: Procedure
18468: PROCEDURE SIZE 8516 8396 8289 8242 7507 7401 6792 6310 5971 4438 3797 3600
18469: Procedure *****Now the Procedure list*****
18470: Procedure ( ACol, ARow : Integer; Items : TStrings)
18471: Procedure ( Agg : TAggregate)
18472: Procedure ( ASender : TComponent; const AReplyStatus : TReplyStatus)
18473: Procedure ( ASender : TComponent; const AString : String; var AMsg : TIdMessage)
18474: Procedure ( ASender : TComponent; var AMsg : TIdMessage)
18475: Procedure ( ASender : TObject; const ABytes : Integer)
18476: Procedure ( ASender : TObject; VStream : TStream)
18477: Procedure ( AThread : TIdThread)
18478: Procedure ( AWebModule : TComponent)
18479: Procedure ( Column : TColumn)
18480: Procedure ( const AUsername : String; const APassword : String; AAAuthenticationResult : Boolean)
18481: Procedure ( const iStart : integer; const sText : string)
18482: Procedure ( Control : TCustomTabControl; TabIndex : Integer; const Rect : TRect; Active : Boolean)
18483: Procedure ( Database : TDatabase; LoginParams : TStrings)
18484: Procedure ( DataSet:TCustomClientDataSet; E:EReconcileError; UpdateKind:TUpdateKind; var Action:TReconcileAction)
18485: Procedure ( DATASET : TDATASET)
18486: Procedure ( DataSet:TDataSet; E:EDatabaseError; UpdateKind:TUpdateKind; var UpdateAction: TUpdateAction)
18487: Procedure ( DATASET : TDATASET; E : TObject; var ACTION : TDATAACTION)
18488: Procedure ( DataSet : TDataSet; UpdateKind : TUpdateKind; var UpdateAction : TUpdateAction)
18489: Procedure ( DATASET : TDATASET; var ACCEPT : BOOLEAN)
18490: Procedure ( DBCtrlGrid : TDBCtrlGrid; Index : Integer)
18491: Procedure ( Done : Integer)

```

```

18492: Procedure ( HeaderControl : TCustomHeaderControl; Section : THeaderSection)
18493: Procedure (HeaderControl:TCustomHeaderControl;Section:THeaderSection; const Rect:TRect;Pressed:Boolean)
18494: Procedure ( HeaderControl:TCustomHeaderControl;Sect:THeaderSection;Width:Int;State:TSectionTrackState)
18495: Procedure ( HeaderControl : THeaderControl; Section : THeaderSection)
18496: Procedure (HeaderControl:THeaderControl;Section: THeaderSection; const Rect:TRect; Pressed : Boolean)
18497: Procedure (HeaderControl:THeaderControl;Section:THeaderSection;Width:Integer;State : TSectionTrackState)
18498: Procedure (Sender: TCustomListView;const ARect: TRect;Stage:TCustomDrawStage;var DefaultDraw: Boolean)
18499: Procedure ( Sender : TCustomListView; const ARect : TRect; var DefaultDraw : Boolean)
18500: Procedure ( Sender : TCustomListView; Item : TListItem; Rect : TRect; State : TOwnerDrawState)
18501: Procedure ( Sender : TCustomTreeView; const ARect : TRect; var DefaultDraw : Boolean)
18502: Procedure ( SENDER : TFIELD; const TEXT : String)
18503: Procedure ( SENDER : TFIELD; var TEXT : STRING; DISPLAYTEXT : BOOLEAN)
18504: Procedure ( Sender : TIdTelnet; const Buffer : String)
18505: Procedure ( Sender : TIdTelnet; Status : TIdTelnetCommand)
18506: Procedure ( SENDER : TOBJECT; ACANVAS : TCANVAS; ARECT : TRECT; SELECTED : BOOLEAN)
18507: Procedure ( SENDER : TOBJECT; ACANVAS : TCANVAS; ARECT : TRECT; STATE : TOWNERDRAWSTATE)
18508: Procedure ( SENDER : TOBJECT; ACANVAS : TCANVAS; var WIDTH, HEIGHT : INTEGER)
18509: Procedure ( Sender : TObject; ACol, ARow : Longint; const Value : string)
18510: Procedure ( Sender : TObject; ACol, ARow : Longint; Rect : TRect; State : TGridDrawState)
18511: Procedure ( Sender : TObject; ACol, ARow : Longint; var CanSelect : Boolean)
18512: Procedure ( Sender : TObject; ACol, ARow : Longint; var Value : string)
18513: Procedure ( Sender : TObject; Button : TMPBtnType)
18514: Procedure ( Sender : TObject; Button : TMPBtnType; var DoDefault : Boolean)
18515: Procedure ( Sender : TObject; Button : TUDBtnType)
18516: Procedure ( Sender : TObject; Canvas : TCanvas; PageRect : TRect; var DoneDrawing : Boolean)
18517: Procedure ( Sender: TObject; ClientSocket: TServerClientWinSocket; var SocketThread : TServerClientThread)
18518: Procedure ( Sender : TObject; Column : TListColumn)
18519: Procedure ( Sender : TObject; Column : TListColumn; Point : TPoint)
18520: Procedure ( Sender : TObject; Connecting : Boolean)
18521: Procedure (Sender:TObject;const PapSize:SmallInt;const Orient:TPrtOrient;const PageTy:TPageTy;var DoneDraw:Bool)
18522: Procedure (Sender:TObject; const Rect : TRect; DataCol : Integer; Column: TColumn; State : TGridDrawState)
18523: Procedure ( Sender : TObject; const Rect : TRect; Field : TField; State : TGridDrawState)
18524: Procedure (Sender: TObject; const UserString:string;var DateAndTime:TDateTime;var AllowChange:Boolean)
18525: Procedure ( Sender : TObject; E : Exception; var Handled : Boolean)
18526: Procedure ( Sender : TObject; FromIndex, ToIndex : Longint)
18527: Procedure ( Sender : TObject; FromSection, ToSection : THeaderSection; var AllowDrag : Boolean)
18528: Procedure ( Sender : TObject; Index : LongInt)
18529: Procedure ( Sender : TObject; Item : TListItem)
18530: Procedure ( Sender : TObject; Item : TListItem; Change : TItemChange)
18531: Procedure ( Sender : TObject; Item : TListItem; Change : TItemChange; var AllowChange : Boolean)
18532: Procedure ( Sender : TObject; Item : TListItem; Selected : Boolean)
18533: Procedure ( Sender : TObject; Item : TListItem; var AllowEdit : Boolean)
18534: Procedure ( Sender : TObject; Item : TListItem; var S : string)
18535: Procedure ( Sender : TObject; Item1, Item2 : TListItem; Data : Integer; var Compare : Integer)
18536: Procedure ( Sender : TObject; ModalResult : TModalResult; var CanClose : Boolean)
18537: Procedure ( Sender : TObject; Month : LongWord; var MonthBoldInfo : LongWord)
18538: Procedure ( Sender : TObject; NewTab : Integer; var AllowChange : Boolean)
18539: Procedure ( Sender : TObject; Node : TTreenode)
18540: Procedure ( Sender : TObject; Node : TTreenode; var AllowChange : Boolean)
18541: Procedure ( Sender : TObject; Node : TTreenode; var AllowCollapse : Boolean)
18542: Procedure ( Sender : TObject; Node : TTreenode; var AllowEdit : Boolean)
18543: Procedure ( Sender : TObject; Node : TTreenode; var AllowExpansion : Boolean)
18544: Procedure ( Sender : TObject; Node : TTreenode; var S : string)
18545: Procedure ( Sender : TObject; Node1, Node2 : TTreenode; Data : Integer; var Compare : Integer)
18546: Procedure ( Sender : TObject; NumObjects, NumChars : Integer; var SaveClipboard : Boolean)
18547: Procedure ( Sender : TObject; Rect : TRect)
18548: Procedure ( Sender : TObject; Request : TWebRequest; Response : TWebResponse; var Handled : Boolean)
18549: Procedure ( Sender:TObject;Shift:TShiftState;X,Y:Integer;Orient:TPageScrollerOrientation;var Delta:Int)
18550: Procedure ( Sender : TObject; Socket : TCustomWinSocket)
18551: Procedure (Sender:TObject; Socket:TCustomWinSocket;ErrorEvent: TErrorEvent; var ErrorCode : Integer)
18552: Procedure ( Sender : TObject; Socket : TCustomWinSocket; SocketEvent : TSocketEvent)
18553: Procedure ( Sender : TObject; Socket : TSocket; var ClientSocket : TServerClientWinSocket)
18554: Procedure ( SENDER : TOBJECT; SOURCE : TMENUITEM; REBUILD : BOOLEAN)
18555: Procedure ( Sender : TObject; StartPos, EndPos : Integer; var AllowChange : Boolean)
18556: Procedure ( Sender : TObject; TabCanvas : TCanvas; R : TRect; Index : Integer; Selected : Boolean)
18557: Procedure ( Sender : TObject; TabIndex : Integer; var ImageIndex : Integer)
18558: Procedure ( Sender : TObject; Thread : TServerClientThread)
18559: Procedure ( Sender : TObject; TickCount : Cardinal; var Reset : Boolean)
18560: Procedure ( Sender : TObject; Username, Password : string)
18561: Procedure ( Sender : TObject; var AllowChange : Boolean)
18562: Procedure ( Sender : TObject; var AllowChange : Boolean; NewValue : SmallInt; Direction:TUpDownDirection)
18563: Procedure ( Sender : TObject; var Caption : string; var Alignment : THTMLCaptionAlignment)
18564: Procedure ( Sender : TObject; var Continue : Boolean)
18565: Procedure (Sender:TObject;var dest:string;var NumRedirect:Int;var Handled:bool; var VMETHOD:TIdHTTPMethod)
18566: Procedure ( Sender : TObject; var Username : string)
18567: Procedure ( Sender : TObject; Wnd : HWND)
18568: Procedure ( Sender : TToolbar; Button : TToolbutton)
18569: Procedure ( Sender : TToolbar; const ARect : TRect; Stage : TCustomDrawStage; var DefaultDraw : Boolean)
18570: Procedure ( Sender : TToolbar; const ARect : TRect; var DefaultDraw : Boolean)
18571: Procedure ( Sender : TToolbar; Index : Integer; var Allow : Boolean)
18572: Procedure ( Sender : TToolbar; Index : Integer; var Button : TToolbutton)
18573: Procedure ( StatusBar : TCustomStatusbar; Panel : TStatusPanel; const Rect : TRect)
18574: Procedure ( StatusBar : TStatusbar; Panel : TStatusPanel; const Rect : TRect)
18575: Procedure ( var FieldNames:TWideStrings;SQL:WideString; var BindAllFields:Boolean;var TableName: WideString)
18576: Procedure ( var FieldNames : TWideStrings; SQL : WideString; var TableName : WideString)
18577: procedure (Sender: TObject)
18578: procedure (Sender: TObject; var Done: Boolean)
18579: procedure (Sender: TObject; var Key: Word; Shift: TShiftState);

```

```

18580: procedure _T(Name: tbtString; v: Variant);
18581: Procedure AbandonSignalHandler( RtlSigNum : Integer)
18582: Procedure Abort
18583: Procedure About1Click( Sender : TObject)
18584: Procedure Accept( Socket : TSocket)
18585: Procedure AESSymmetricExecute(const plaintext, ciphertext, password: string)
18586: Procedure AESEncryptFile(const plaintext, ciphertext, password: string)
18587: Procedure AESDecryptFile(const plaintext, ciphertext, password: string)
18588: Procedure AESEncryptString(const plaintext: string; var ciphertext: string; password: string)
18589: Procedure AESDecryptString(var plaintext: string; const ciphertext: string; password: string)
18590: Procedure Add( Addend1, Addend2 : TMyBigInt)
18591: Procedure ADD( const AKEY, AVALUE : VARIANT)
18592: Procedure Add( const Key : string; Value : Integer)
18593: Procedure ADD( const NAME, FIELDS : String; OPTIONS : TINDEXOPTIONS)
18594: Procedure ADD( FIELD : TFIELD)
18595: Procedure ADD( ITEM : TMENUITEM)
18596: Procedure ADD( POPUP : TPOPUPMENU)
18597: Procedure AddCharacters( xCharacters : TCharSet)
18598: Procedure AddDriver( const Name : string; List : TStrings)
18599: Procedure AddImages( Value : TCustomImageList)
18600: Procedure AddIndex( const Name, Fields : string; Options : TIndexOptions; const DescFields : string)
18601: Procedure AddLambdaTransitionTo( oState : TniRegularExpressionState)
18602: Procedure AddLoader( Loader : TBitmapLoader)
18603: Procedure ADDPARAM( VALUE : TPARAM)
18604: Procedure AddPassword( const Password : string)
18605: Procedure AddStandardAlias( const Name, Path, DefaultDriver : string)
18606: Procedure AddState( oState : TniRegularExpressionState)
18607: Procedure AddStrings( Strings : TStrings);
18608: procedure AddStrings(Strings: TStrings);
18609: Procedure AddStrings1( Strings : TWideStrings);
18610: Procedure AddStringTerm( var sString : string; const sTerm : string; const sSeparator : string)
18611: Procedure AddToRecentDocs( const Filename : string)
18612: Procedure AddTransitionTo( oState : TniRegularExpressionState; xCharacters : TCharset)
18613: Procedure AllFunctionsList1Click( Sender : TObject)
18614: procedure AllocObjectsList1Click(Sender: TObject);
18615: Procedure Allocate( AAllocateBytes : Integer)
18616: procedure AllResourceList1Click(Sender: TObject);
18617: Procedure AnsiAppend( var dst : AnsiString; const src : AnsiString)
18618: Procedure AnsiAssign( var dst : AnsiString; var src : AnsiString)
18619: Procedure AnsiDelete( var dst : AnsiString; index, count : Integer)
18620: Procedure AnsiFree( var s : AnsiString)
18621: Procedure AnsiFromWide( var dst : AnsiString; const src : WideString)
18622: Procedure AnsiInsert( var dst : AnsiString; const src : AnsiString; index : Integer)
18623: Procedure AnsiSetLength( var dst : AnsiString; len : Integer)
18624: Procedure AnsiString_to_stream( const Value : ansistring; Destin : TStream)
18625: Procedure AntiFreeze;
18626: Procedure APPEND
18627: Procedure Append( const S : WideString)
18628: procedure Append(S: string);
18629: Procedure AppendByte( var VBytes : TIdBytes; AByte : byte)
18630: Procedure AppendBytes( var VBytes : TIdBytes; AAdd : TIdBytes)
18631: Procedure AppendChunk( Val : OleVariant)
18632: Procedure AppendData( const Data : OleVariant; HitEOF : Boolean)
18633: Procedure AppendStr( var Dest : string; S : string)
18634: Procedure AppendString( var VBytes : TIdBytes; const AStr : String; ALength : Integer)
18635: Procedure ApplyRange
18636: procedure Arc(X1, Y1, X2, Y2, X3, Y3, X4, Y4: Integer);
18637: Procedure Arrange( Code : TListArrangement)
18638: procedure Assert(expr : Boolean; const msg: string);
18639: procedure Assert2(expr : Boolean; const msg: string);
18640: Procedure Assign( AList : TCustomBucketList)
18641: Procedure Assign( Other : TObject)
18642: Procedure Assign( Source : TDragObject)
18643: Procedure Assign( Source : TPersistent)
18644: Procedure Assign(Source: TPersistent)
18645: procedure Assign2(mystring, mypath: string);
18646: Procedure AssignCurValues( Source : TDataSet);
18647: Procedure AssignCurValues1( const CurValues : Variant);
18648: Procedure ASSIGNFIELD( FIELD : TFIELD)
18649: Procedure ASSIGNFIELDVALUE( FIELD : TFIELD; const VALUE : VARIANT)
18650: Procedure AssignFile(var F: Text; FileName: string)
18651: procedure AssignFile(var F: TextFile; FileName: string)
18652: procedure AssignFileRead(var mystring, myfilename: string);
18653: procedure AssignFileWrite(mystring, myfilename: string);
18654: Procedure AssignTo( Other : TObject)
18655: Procedure AssignValues( Value : TParameters)
18656: Procedure ASSIGNVALUES( VALUE : TPARAMS)
18657: Procedure AssociateExtension( IconPath, ProgramName, Path, Extension : string)
18658: Procedure Base64_to_stream( const Base64 : ansistring; Destin : TStream)
18659: Procedure Base64ToVar( NatData : Pointer; const SoapData : WideString);
18660: Procedure Base64ToVar1( var V : Variant; const SoapData : WideString);
18661: Procedure BcdAdd( const bcdIn1, bcdIn2 : TBcd; var bcdOut : TBcd)
18662: Procedure BcdDivide( Dividend, Divisor : string; var bcdOut : TBcd);
18663: Procedure BcdDivide1( const Dividend, Divisor : TBcd; var bcdOut : TBcd);
18664: Procedure BcdDivide2( const Dividend : TBcd; const Divisor : Double; var bcdOut : TBcd);
18665: Procedure BcdDivide3( const Dividend : TBcd; const Divisor : string; var bcdOut : TBcd);
18666: Procedure BcdMultiply( const bcdIn1, bcdIn2 : TBcd; var bcdOut : TBcd);
18667: Procedure BcdMultiply1( const bcdIn : TBcd; const DoubleIn : Double; var bcdOut : TBcd);
18668: Procedure BcdMultiply2( const bcdIn : TBcd; const StringIn : string; var bcdOut : TBcd);

```

```

18669: Procedure BcdMultiply3( StringIn1, StringIn2 : string; var bcdOut : TBcd);
18670: Procedure BcdSubtract( const bcdIn1, bcdIn2 : TBcd; var bcdOut : TBcd)
18671: Procedure BcdToBytes( Value : TBcd; Bytes : array of byte)
18672: procedure Beep
18673: Procedure BeepOk
18674: Procedure BeepQuestion
18675: Procedure BeepHand
18676: Procedure BeepExclamation
18677: Procedure BeepAsterisk
18678: Procedure BeepInformation
18679: procedure BEGINDRAG(IMMEDIATE:BOOLEAN)
18680: Procedure BeginLayout
18681: Procedure BeginTimer( const Delay, Resolution : Cardinal)
18682: Procedure BeginUpdate
18683: procedure BeginUpdate;
18684: procedure BigScreen1Click(Sender: TObject);
18685: procedure BinToHex(Buffer: PChar; Text: PChar; BufSize: Integer);
18686: Procedure BitsToBooleans( const Bits : Byte; var B : TBooleanArray; AllBits : Boolean);
18687: Procedure BitsToBooleans1( const Bits : Word; var B : TBooleanArray; AllBits : Boolean);
18688: Procedure BitsToBooleans2( const Bits : Integer; var B : TBooleanArray; AllBits : Boolean);
18689: Procedure BitsToBooleans3( const Bits : Int64; var B : TBooleanArray; AllBits : Boolean);
18690: Procedure BoldDays(Days : array of LongWord; var MonthBoldInfo : LongWord)
18691: Procedure BooleansToBits( var Dest : Byte; const B : TBooleanArray);
18692: Procedure BooleansToBits1( var Dest : Word; const B : TBooleanArray);
18693: Procedure BooleansToBits2( var Dest : Integer; const B : TBooleanArray);
18694: Procedure BooleansToBits3( var Dest : Int64; const B : TBooleanArray);
18695: Procedure BreakPointMenuClick( Sender : TObject)
18696: procedure BRINGTOFRONT
18697: procedure BringToFront;
18698: Procedure btnBackClick( Sender : TObject)
18699: Procedure btnBrowseClick( Sender : TObject)
18700: Procedure BtnClick( Index : TNavigateBtn)
18701: Procedure btnLargeIconsClick( Sender : TObject)
18702: Procedure BuildAndSendRequest( AURI : TIdURI)
18703: Procedure BuildCache
18704: Procedure BurnMemory( var Buff, BuffLen : integer)
18705: Procedure BurnMemoryStream( Destructo : TMemoryStream)
18706: Procedure CalculateFirstSet
18707: Procedure Cancel
18708: procedure CancelDrag;
18709: Procedure CancelEdit
18710: procedure CANCELHINT
18711: Procedure CancelRange
18712: Procedure CancelUpdates
18713: Procedure CancelWriteBuffer
18714: Procedure Capture1(ADest:TStream;out VLineCount:Integer;const ADelim:string;const AIsRFCMessage:Bool);
18715: Procedure Capture2( ADest : TStrings; const ADelim : string; const AIsRFCMessage : Boolean);
18716: Procedure Capture3(ADest:TStrings;out VLineCount:Integer;const ADelim:string;const AIsRFCMessage:Bool);
18717: procedure CaptureScreenFormat(vname: string; vextension: string);
18718: procedure CaptureScreenPNG(vname: string);
18719: procedure CardinalsToI64(var I: Int64; const LowPart, HighPart: Cardinal);
18720: procedure CASCADE
18721: Procedure CastNativeToSoap(Info:PTypeInfo;var SoapData:WideString;NatData:Pointer;var IsNull: Boolean)
18722: Procedure CastSoapToVariant( SoapInfo : PTypeInfo; const SoapData : WideString; NatData : Pointer);
18723: Procedure cbPathClick( Sender : TObject)
18724: Procedure cbPathKeyDown( Sender : TObject; var Key : Word; Shift : TShiftState)
18725: Procedure cedebugAfterExecute( Sender : TPSScript)
18726: Procedure cedebugBreakpoint( Sender : TObject; const FileName : String; Position, Row, Col : Cardinal)
18727: Procedure cedebugCompile( Sender : TPSScript)
18728: Procedure cedebugExecute( Sender : TPSScript)
18729: Procedure cedebugIdle( Sender : TObject)
18730: Procedure cedebugLineInfo( Sender : TObject; const FileName : String; Position, Row, Col : Cardinal)
18731: Procedure CenterHeight( const pc, pcParent : TControl)
18732: Procedure CenterDlg(AForm: TForm; MForm: TForm); { Zentriert Forms }
18733: Procedure CenterForm(AForm: TForm; MForm: TForm); { Zentriert Forms }
18734: Procedure Change
18735: procedure ChangeBiDiModeAlignment(var Alignment: TAlignment);
18736: Procedure Changed
18737: Procedure ChangeDir( const ADirName : string)
18738: Procedure ChangeDirUp
18739: Procedure ChangeEntryTransitions( oNewState : TniRegularExpressionState)
18740: Procedure ChangeLevelBy( Value : TChangeRange)
18741: Procedure ChDir(const s: string)
18742: Procedure Check(Status: Integer)
18743: Procedure CheckCommonControl( CC : Integer)
18744: Procedure CHECKFIELDNAME( const FIELDNAME : String)
18745: Procedure CHECKFIELDNAMES( const FIELDNAMES : String)
18746: Procedure CheckForDisconnect(const ARaiseExceptionIfDisconnected: boolean;const AIgnoreBuffer:bool)
18747: Procedure CheckForGracefulDisconnect( const ARaiseExceptionIfDisconnected : Boolean)
18748: Procedure CheckToken( T : Char)
18749: procedure CheckToken(t:char)
18750: Procedure CheckTokenSymbol( const S : string)
18751: procedure CheckTokenSymbol(s:string)
18752: Procedure CheckToolMenuDropdown( ToolButton : TToolButton)
18753: procedure Chord(X1, Y1, X2, Y2, X3, Y3, X4, Y4: Integer);
18754: Procedure CIED65ToCIED50( var X, Y, Z : Extended)
18755: Procedure CIELABToBGR( const Source, Target : Pointer; const Count : Cardinal);
18756: procedure CipherFile1Click(Sender: TObject);
18757: Procedure Clear;

```

```

18758: Procedure Clear1Click( Sender : TObject)
18759: Procedure ClearColor( Color : TColor)
18760: Procedure CLEARITEM( AITEM : TMENUITEM)
18761: Procedure ClearMapping
18762: Procedure ClearSelection( KeepPrimary : Boolean)
18763: Procedure ClearWriteBuffer
18764: Procedure Click
18765: Procedure Close
18766: Procedure Close1Click( Sender : TObject)
18767: Procedure CloseDatabase( Database : TDatabase)
18768: Procedure CloseDataSets
18769: Procedure CloseDialog
18770: Procedure CloseFile(var F: Text);
18771: Procedure Closure
18772: Procedure CMYKToBGR( const Source, Target : Pointer; const BitsPerSample : Byte; Count : Cardinal);
18773: Procedure CMYKToBGR1( const C, M, Y, K, Target : Pointer; const BitsPerSample : Byte; Count : Cardinal);
18774: Procedure CodeCompletionList1Click( Sender : TObject)
18775: Procedure ColEnter
18776: Procedure Collapse
18777: Procedure Collapse( Recurse : Boolean)
18778: Procedure ColorRGBToHLS( clrRGB : TColorRef; var Hue, Luminance, Saturation : Word)
18779: Procedure CommaSeparatedToStringList( Alist : TStringList; const Value : string)
18780: Procedure CommitFreeAndNil( var Transaction : TDBXTransaction)
18781: Procedure Compile1Click( Sender : TObject)
18782: procedure ComponentCount1Click(Sender: TObject);
18783: Procedure Compress(azipfolder, azipfile: string)
18784: Procedure DeCompress(azipfolder, azipfile: string)
18785: Procedure XZip(azipfolder, azipfile: string)
18786: Procedure XUnZip(azipfolder, azipfile: string)
18787: Procedure Connect( const ATimeout : Integer)
18788: Procedure Connect( Socket : TSocket)
18789: procedure Console1Click(Sender: TObject);
18790: Procedure Continue
18791: Procedure ContinueCount( var Counter : TJclCounter)
18792: procedure CONTROLDESTROYED(CONTROL:TCONTROL)
18793: Procedure ConvertStreamFromAnsiToUTF8( Src, Dst : TStream; cp : integer)
18794: Procedure ConvertStreamFromUTF8ToAnsi( Src, Dst : TStream; cp : integer)
18795: Procedure ConvertImage(vsource, vdestination: string);
18796: // Ex. ConvertImage('Exepath+'\my233.bmp.bmp',Exepath+'\mypng111.png')
18797: Procedure ConvertBitmap(vsource, vdestination: string);
18798: Procedure ConvertToGray(Cnv: TCanvas);
18799: Procedure Copy( Buffer : TRecordBuffer; Dest : TBytes; Offset : Integer; Length : Integer)
18800: Procedure Copy( Buffer : TValueBuffer; Dest : TBytes; Offset : Integer; Count : Integer);
18801: Procedure Copy1( Source : TBytes; Offset : Integer; Buffer : TValueBuffer; Count : Integer);
18802: Procedure CopyBytesToHostLongWord(const ASource:TIdBytes;const ASourceIndex:Integer;var VDest:LongWord)
18803: Procedure CopyBytesToHostWord( const ASource : TIdBytes; const ASourceIndex : Integer; var VDest : Word)
18804: Procedure CopyFrom( mbCopy : TMyBigInt)
18805: Procedure CopyMemoryStream( Source, Destination : TMemoryStream)
18806: procedure CopyRect(const Dest: TRect; Canvas: TCanvas;const Source: TRect);
18807: Procedure CopyTidByteArray( const ASource : array of Byte; const ASourceIndex : Integer; var VDest : array
of Byte; const ADestIndex : Integer; const ALength : Integer)
18808: Procedure CopyTidBytes(const ASrc:TIdBytes;const ASrcIdx:Int;var VDest:TIdBytes;const ADestIdx:Int;const
ALen:Int)
18809: Procedure CopyTidCardinal( const ASource : Cardinal; var VDest : TIdBytes; const ADestIndex : Integer)
18810: Procedure CopyTidInt64( const ASource : Int64; var VDest : TIdBytes; const ADestIndex : Integer)
18811: Procedure CopyTidIPv6Address(const ASource:TIdIPv6Address; var VDest : TIdBytes; const ADestIndex : Integer)
18812: Procedure CopyTidLongWord( const ASource : LongWord; var VDest : TIdBytes; const ADestIndex : Integer)
18813: Procedure CopyTidNetworkLongWord( const ASource : LongWord; var VDest : TIdBytes; const ADestIndex:Integer)
18814: Procedure CopyTidNetworkWord( const ASource : Word; var VDest : TIdBytes; const ADestIndex : Integer)
18815: Procedure CopyTidString(const ASource:String;var VDest:TIdBytes;const ADestIndex:Integer;ALength: Integer)
18816: Procedure CopyTidWord( const ASource : Word; var VDest : TIdBytes; const ADestIndex : Integer)
18817: Procedure CopyToClipboard
18818: Procedure CountParts
18819: Procedure CreateDataSet
18820: Procedure CreateEmptyFile( const FileName : string)
18821: Procedure CreateFileFromString( const FileName, Data : string)
18822: Procedure CreateFromDelta( Source : TPacketDataSet)
18823: procedure CREATEHANDLE
18824: Procedure CreatePipeStreams(var InPipe:TInputPipeStream;var
OutPipe:TOutputPipeStream;SecAttr:PSecurityAttributes; BufSize:Longint);
18825: Procedure CreateProcAsUser( const UserDomain, UserName, Password, CommandLine : string)
18826: Procedure CreateProcAsUserEx(const UserDomain,UserName,Password,CommandLine:string;const Environment:PChar)
18827: Procedure CreateTable
18828: Procedure CreateUDLFile( const FileName, ProviderName, DataSourceName : WideString)
18829: procedure CSyntax1Click(Sender: TObject);
18830: Procedure CurrencyToComp( Value : Currency; var Result : Comp)
18831: Procedure CURSORPOSCHANGED
18832: procedure CutFirstDirectory(var S: String)
18833: Procedure DataBaseError(const Message: string)
18834: Procedure DateTimeToString( var Result : string; Format : string; DateTime : TDateTime);
18835: procedure DateTimeToString(var Result: string; const Format: string; DateTime: TDateTime)
18836: Procedure DateTimeToSystemTime( DateTime : TDateTime; var SystemTime : TSystemTime)
18837: procedure DateTimeToSystemTime(const DateTime: TDateTime; var SystemTime: TSystemTime);
18838: Procedure DBIError(errorCode: Integer)
18839: Procedure DebugOutput( const AText : string)
18840: procedure DebugIn(DebugLOGFILE: string; Event_message: string);
18841: Procedure DebugRun1Click( Sender : TObject)
18842: procedure Dec;
18843: Procedure DecodeDate( DateTime : TDateTime; var Year, Month, Day : Word)

```

```

18844: procedure DecodeDate(const DateTime: TDateTime; var Year, Month, Day: Word);
18845: Procedure DecodeDateDay( const AValue : TDateTime; out AYear, ADayOfYear : Word)
18846: Procedure DecodeDateMonthWeek(const AValue:TDateTime;out AYear, AMonth,AWeekOfMonth,ADayOfWeek : Word)
18847: Procedure DecodeDateTime( const AValue:TDateTime;out AYear,AMonth,ADay,AHour,AMin,ASec,AMillSec:Word)
18848: Procedure DecodeDateWeek( const AValue : TDateTime; out AYear, AWeekOfYear, ADayOfWeek : Word)
18849: Procedure DecodeDayOfWeekInMonth(const AValue:TDateTime;out AYear,AMonth,ANthDayOfWeek,ADayOfWeek:Word)
18850: Procedure DecodeTime( DateTime : TDateTime; var Hour, Min, Sec, MSec : Word)
18851: procedure DecodeTime(const DateTime: TDateTime; var Hour, Min, Sec, MSec: Word);
18852: Procedure Decompile1Click( Sender : TObject)
18853: Procedure DefaultDrawColumnCell(const Rect : TRect; DataCol:Integer;Column:TColumn;State:TGridDrawState)
18854: Procedure DefaultDrawDataCell( const Rect : TRect; Field : TField; State : TGridDrawState)
18855: Procedure DeferLayout
18856: Procedure deffileread
18857: procedure DEFOCUSCONTROL(CONTROL:TWINCONTROL;REMOVING:BOOLEAN)
18858: Procedure DelayMicroseconds( const MicroSeconds : Integer)
18859: Procedure Delete
18860: Procedure Delete( const Afilename : string)
18861: Procedure Delete( const Index : Integer)
18862: Procedure DELETE( INDEX : INTEGER)
18863: Procedure Delete( Index : LongInt)
18864: Procedure Delete( Node : TTreeNode)
18865: procedure Delete(var s: AnyString; ifrom, icount: Longint);
18866: Procedure DeleteAlias( const Name : string)
18867: Procedure DeletedDriver( const Name : string)
18868: Procedure DeleteIndex( const Name : string)
18869: Procedure DeleteKey( const Section, Ident : String)
18870: Procedure DeleteRecords
18871: Procedure DeleteRecords( AffectRecords : TAffectRecords)
18872: Procedure DeleteString( var pStr : String; const pDelStr : string)
18873: Procedure DeleteTable
18874: procedure DelphiSite1Click(Sender: TObject);
18875: Procedure Deselect
18876: Procedure Deselect( Node : TTreeNode)
18877: procedure DestroyComponents
18878: Procedure DestroyHandle
18879: Procedure Diff( var X : array of Double)
18880: procedure Diff(var X: array of Double);
18881: Procedure DirCreate( const DirectoryName : String)');
18882: procedure DISABLEALIGN
18883: Procedure DisableConstraints
18884: Procedure Disconnect
18885: Procedure Disconnect( Socket : TSocket)
18886: Procedure Dispose
18887: procedure Dispose(P: PChar)
18888: Procedure DivMod( Dividend : Integer; Divisor : Word; var Result, Remainder : Word)
18889: Procedure DoKey( Key : TDBCtrlGridKey)
18890: Procedure DomToTree(anXmlNode: IXMLNode; aTreeNode: TTreeNode; aTreeView: TTreeView);
18891: Procedure DomToTreeJ(anXmlNode: TJvXMLNode; aTreeNode: TTreeNode; aTreeView: TTreeView);
18892: Procedure Dormant
18893: Procedure DoubleToBcd1( const AValue : Double; var bcd : TBcd);
18894: Procedure DoubleToBytes( Value : Double; Bytes : array of byte)
18895: Procedure DoubleToComp( Value : Double; var Result : Comp)
18896: Procedure doWebCamPic(picname: string); //eg: c:\mypic.png
18897: Procedure Draw( Canvas : TCanvas; X, Y, Index : Integer; Enabled : Boolean);
18898: procedure Draw(X, Y: Integer; Graphic: TGraphic);
18899: Procedure Draw1(Canvas:TCanvas; X,Y,
Index:Int;ADrawingStyle:TDrawingStyle;AImageType:TImageType;Enabled:Bool);
18900: Procedure DrawArrow( ACanvas : TCanvas; Direction : TScrollDirection; Location : TPoint; Size : Integer)
18901: Procedure DrawCheck( ACanvas : TCanvas; Location : TPoint; Size : Integer; Shadow : Boolean)
18902: Procedure DrawChevron( ACanvas : TCanvas; Direction : TScrollDirection; Location : TPoint; Size : Integer)
18903: Procedure DrawColumnCell( const Rect : TRect; DataCol : Integer; Column : TColumn; State : TGridDrawState)
18904: procedure DrawFocusRect(const Rect: TRect);
18905: Procedure DrawHDIBToTBitmap( HDIB : THandle; Bitmap : TBitmap)
18906: Procedure DRAWMENUEITEM( MENUITEM : TMENUITEM; ACANVAS : TCANVAS; ARECT : TRECT; STATE : TOWNERDRAWSTATE)
18907: Procedure DrawOverlay(Canvas:TCanvas;X,Y:Integer;ImageIndex:Integer;Overlay:TOverlay;Enabled: Boolean);
18908: Procedure DrawOverlay1(Canvas:TCanvas; X,Y:Int; ImageIndex:Int; Overlay : TOverlay; ADrawingStyle :
TDrawingStyle; AImageType : TImageType; Enabled : Boolean);
18909: procedure drawPlot(vPoints: TPointArray; cFrm: TForm; vcolor: integer);
18910: Procedure DrawPolyLine( const Canvas : TCanvas; var Points : TPointArray; const ClipRect : TRect)
18911: Procedure DropConnections
18912: Procedure DropDown
18913: Procedure DumpDescription( oStrings : TStrings)
18914: Procedure DumpStateTable( oStrings : TStrings)
18915: Procedure EDIT
18916: Procedure EditButtonClick
18917: Procedure EditFont1Click( Sender : TObject)
18918: procedure Ellipse(X1, Y1, X2, Y2: Integer);
18919: Procedure Ellipse1( const Rect : TRect);
18920: Procedure EMMS
18921: Procedure Encode( ADest : TStream)
18922: procedure ENDDRAG(DROP:BOOLEAN)
18923: Procedure EndEdit( Cancel : Boolean)
18924: Procedure EndTimer
18925: Procedure EndUpdate
18926: Procedure EraseSection( const Section : string)
18927: Procedure Error( const Ident : string)
18928: procedure Error(Ident:Integer)
18929: Procedure ErrorFmt( const Ident : string; const Args : array of const)
18930: Procedure ErrorStr( const Message : string)

```

```

18931: procedure ErrorStr(Message:String)
18932: Procedure Exchange( Index1, Index2 : Integer)
18933: procedure Exchange(Index1, Index2: Integer);
18934: Procedure Exec( FileName, Parameters, Directory : string)
18935: Procedure ExecProc
18936: Procedure ExecSQL( UpdateKind : TUpdateKind)
18937: Procedure Execute
18938: Procedure Execute( const CommandText : WideString; var Params, OwnerData : OleVariant)
18939: Procedure ExecuteAndWait( FileName : string; Visibility : Integer)
18940: Procedure ExecuteCommand(executeFile, paramstring: string)
18941: Procedure ExecuteShell(executeFile, paramstring: string)
18942: Procedure ShellExecuteAndWait(executeFile, paramstring: string);
18943: Procedure ExitThread(ExitCode: Integer); stdcall;
18944: Procedure ExitProcess(ExitCode: Integer); stdcall;
18945: Procedure Expand( AUserName : String; AResults : TStrings)
18946: Procedure Expand( Recurse : Boolean)
18947: Procedure ExportClipboard1Click( Sender : TObject)
18948: Procedure ExportDataSetToExcel( DataSet : TDataSet; OnExportProgress : TOnExportProgress)
18949: Procedure ExtractContentFields( Strings : TStrings)
18950: Procedure ExtractCookieFields( Strings : TStrings)
18951: Procedure ExtractFields( Separators,WhiteSpace : TSysCharSet; Content : PChar; Strings : TStrings)
18952: Procedure ExtractHeaderFields(Separar,
    WhiteSpace:TSysChSet;Cont:PChar;Strings:TStrings;Decode:Bool;StripQuots:Bool)
18953: Procedure ExtractHTTPFields(Separators,WhiteSpace:
    TSysCharSet;Content:PChar;Strings:TStrings;StripQuots:Bool)
18954: Procedure ExtractQueryFields( Strings : TStrings)
18955: Procedure FastDegToGrad
18956: Procedure FastDegToRad
18957: Procedure FastGradToDeg
18958: Procedure FastGradToRad
18959: Procedure FastRadToDeg
18960: Procedure FastRadToGrad
18961: Procedure FileClose( Handle : Integer)
18962: Procedure FileClose(handle: integer)
18963: procedure FilesFromWildcard(Dir,Mask:string;var Files:TStringList;Subdirs>ShowDirs,Multitasking:Bool)
18964: Procedure FileStructure( AStructure : TIIdFTPDataStructure)
18965: Procedure FillByte2(var X: Byte ; count: integer; value: byte)
18966: Procedure FillBytes( var VBytes : TIBytes; const ACount : Integer; const AValue : Byte)
18967: Procedure FillChar( Buffer : TRecordBuffer; Length : Integer; value : Byte)
18968: Procedure FillChar2(var X: PChar ; count: integer; value: char)
18969: Procedure FillCharS(var p: string; count: integer; value: char); //fix3.8
18970: Procedure FillIPList
18971: procedure FillRect(const Rect: TRect);
18972: Procedure FillTStrings( AStrings : TStrings)
18973: Procedure FilterOnBookmarks( Bookmarks : array of const)
18974: procedure FinalizePackage(Module: HMODULE)
18975: procedure FindClose;
18976: procedure FindClose2(var F: TSearchRec)
18977: Procedure FindMatches( const sString : string; xNotify : TniRegularExpressionMatchFoundEvent );
18978: Procedure FindMatches1(const sString:string;iStart:integer;xNotify:TniRegularExpressionMatchFoundEvent );
18979: Procedure FindNearest( const KeyValues : array of const)
18980: Procedure FinishContext
18981: Procedure FIRST
18982: Procedure FloatToDegMinSec( const X : Float; var Degs, Mins, Secs : Float)
18983: Procedure FloatToDeciml(var Result:TFloatRec;const Value:extend;ValueType:TFloatValue;Precis,Decs:Int);
18984: Procedure FloodFill( X, Y : Integer; Color : TColor; FillStyle : TFillStyle)
18985: Procedure FlushSchemaCache( const TableName : string)
18986: procedure FmtStr(var Result: string; const Format: string; const Args: array of const)
18987: procedure FOCUSCONTROL(CONTROL:TWINCONTROL)
18988: Procedure Form1Close( Sender : TObject; var Action : TCloseAction)
18989: Procedure FormActivate( Sender : TObject)
18990: procedure FormatIn(const format: String; const args: array of const); //alias
18991: Procedure FormClose( Sender : TObject; var Action : TCloseAction)
18992: Procedure FormCreate( Sender : TObject)
18993: Procedure FormDestroy( Sender : TObject)
18994: Procedure FormKeyPress( Sender : TObject; var Key : Char)
18995: procedure FormOutput1Click(Sender: TObject);
18996: Procedure FormToHtml( Form : TForm; Path : string)
18997: procedure FrameRect(const Rect: TRect);
18998: Procedure Frame3D(Canvas:TCanvas; var Rect:TRect; TopColor,BottomColor:TColor; Width : Integer)
18999: Procedure NotebookHandlesNeeded( Notebook : TNotebook)
19000: Procedure Free( Buffer : TRecordBuffer)
19001: Procedure Free( Buffer : TValueBuffer)
19002: Procedure Free;
19003: Procedure FreeAndNil(var Obj:TObject)
19004: Procedure FreeImage
19005: procedure FreeMem(P: PChar; Size: Integer)
19006: Procedure FreeTreeData( Tree : TUpdateTree)
19007: Procedure Frexp( const X : Extended; var Mantissa : Extended; var Exponent : Integer)
19008: Procedure FullCollapse
19009: Procedure FullExpand
19010: Procedure GenerateDPB(sl: TStrings; var DPB: string; var DPBLength: Short); //InterBase
19011: Procedure GenerateTPB(sl: TStrings; var TPB: string; var TPBLength: Short);
19012: Procedure OUTPUTXML( SQLOBJECT : TIBSQL; OUTPUTOBJECT : TIBOUTPUTXML)
19013: Procedure Get1( AURL : string; const AResponseContent : TStream);
19014: Procedure Get1( const ASourceFile : string; Adest : TStream; AResume : Boolean);
19015: Procedure Get2(const ASourceFile,AdestFile: string;const ACanOverwrite: boolean; AResume: Boolean);
19016: Procedure GetAliasNames( List : TStrings)
19017: Procedure GetAliasParams( const AliasName : string; List : TStrings)

```

```

19018: Procedure GetApplicationsRunning( Strings : TStrings)
19019: Procedure getBox(aURL, extension: string);
19020: Procedure GetCommandTypes( List : TWideStrings)
19021: Procedure GetConfigParams( const Path, Section : string; List : TStrings)
19022: Procedure GetConnectionNames( List : TStrings; Driver : string; DesignMode : Boolean)
19023: Procedure GetConvFamilies( out AFamilies : TConvFamilyArray)
19024: Procedure GetConvTypes( const AFamily : TConvFamily; out ATypes : TConvTypeArray)
19025: Procedure GetDatabaseNames( List : TStrings)
19026: Procedure GetDataPacket( DataSet : TDataSet; var RecsOut : Integer; out Data : OleVariant)
19027: Procedure GetDIBSizes(Bitmap: HBITMAP; var InfoHeaderSize: longWORD; var ImageSize : longWORD)
19028: Procedure GetDir(d: byte; var s: string)
19029: Procedure GetDirList( const Search : string; List : TStrings; Recursive : Boolean)
19030: Procedure GetDriverNames( List : TStrings)
19031: Procedure GetDriverNames( List : TStrings; DesignMode : Boolean)
19032: Procedure GetDriverParams( const DriverName : string; List : TStrings)
19033: Procedure GetEmailsClick( Sender : TObject)
19034: Procedure getEnvironmentInfo;
19035: Function getEnvironmentString: string;
19036: Procedure GetFieldNames( const DatabaseName, TableName : string; List : TStrings)
19037: Procedure GetFieldNames( const TableName : string; List : TStrings)
19038: Procedure GetFieldNames( const TableName : string; List : TStrings);
19039: Procedure GetFieldNames( const TableName : WideString; List : TWideStrings);
19040: Procedure GETFIELDNAMES( LIST : TSTRINGS)
19041: Procedure GetFieldNames1( const TableName : string; List : TStrings);
19042: Procedure GetFieldNames1( const TableName : string; SchemaName : string; List : TStrings);
19043: Procedure GetFieldNames2( const TableName : WideString; SchemaName : WideString; List : TWideStrings);
19044: Procedure GetFieldNames3( const TableName : WideString; List : TWideStrings);
19045: Procedure GetFileAttributeList( const Items : TStrings; const Attr : Integer)
19046: Procedure GetFileAttributeListEx( const Items : TStrings; const Attr : Integer)
19047: Procedure GetFMTBcd( Buffer : TRecordBuffer; var value : TBcd)
19048: Procedure GetFormatSettings
19049: Procedure GetFromDIB( var DIB : TBitmapInfo)
19050: Procedure GetFromHDI( HDIB : HBitmap)
19051: // GetGEOMAPX('html',ExePath+'cologne2mapX.html','cathedral_cologne')
19052: Procedure GetGEOMap(C_form,apath: string; const Data: string); //c_form: [html/json/xml]
19053: Procedure GetIcon( Index : Integer; Image : TIcon);
19054: Procedure GetIcon1(Index : Integer; Image:TIcon; ADrawingStyle:TDrawingStyle; AImageType:TImageType);
19055: Procedure GetIndexInfo( IndexName : string)
19056: Procedure GetIndexNames( const TableName, SchemaName : string; List : TStrings);
19057: Procedure GetIndexNames( List : TStrings)
19058: Procedure GetIndexNames1( const TableName : WideString; List : TWideStrings);
19059: Procedure GetIndexNames2( const TableName, SchemaName : WideString; List : TWideStrings);
19060: Procedure GetIndexNames4( const TableName : string; List : TStrings);
19061: Procedure GetInternalResponse
19062: Procedure GETITEMNAMES( LIST : TSTRINGS)
19063: procedure GetMem(P: PChar; Size: Integer)
19064: Procedure GETOLE2ACCELERORTABLE(var ACCELTABLE:HACCEL;var ACCELCOUNT:INTEGER;GROUPS:array of INTEGER)
19065: procedure GetPackageDescription(ModuleName: PChar): string
19066: Procedure GetPackageNames( List : TStrings);
19067: Procedure GetPackageNames1( List : TWideStrings);
19068: Procedure GetParamList( List : TList; const ParamNames : WideString)
19069: Procedure GetProcedureNames( List : TStrings);
19070: Procedure GetProcedureNames( List : TWideStrings);
19071: Procedure GetProcedureNames1( const PackageName : string; List : TStrings);
19072: Procedure GetProcedureNames1( List : TStrings);
19073: Procedure GetProcedureNames2( const PackageName, SchemaName : string; List : TStrings);
19074: Procedure GetProcedureNames3( List : TWideStrings);
19075: Procedure GetProcedureNames4( const PackageName : WideString; List : TWideStrings);
19076: Procedure GetProcedureNames5( const PackageName, SchemaName : WideString; List : TWideStrings);
19077: Procedure GetProcedureParams( ProcedureName : WideString; List : TList);
19078: Procedure GetProcedureParams1( ProcedureName, PackageName : WideString; List : TList);
19079: Procedure GetProcedureParams2( ProcedureName, PackageName, SchemaName : WideString; List : TList);
19080: Procedure GetProviderNames( Names : TWideStrings);
19081: Procedure GetProviderNames( Proc : TGGetStrProc)
19082: Procedure GetProviderNames1( Names : TStrings);
19083: procedure GetQrCode2(Width,Height:Word; Correct_Level: string; const Data:string; apath: string)
19084: procedure GetQrCode3(Width,Height:Word;Correct_Level:string;const Data:string;apath:string)//no open image
19085: Function GetQrCode4(Width,Height:Word;Correct_Level:string; const
Data:string;aformat:string):TLinearBitmap;
19086: Procedure GetRGBValue( const Color: TColor; out Red, Green, Blue : Byte)
19087: Procedure GetSchemaNames( List : TStrings);
19088: Procedure GetSchemaNames1( List : TWideStrings);
19089: Procedure getScriptandRunAsk;
19090: Procedure getScriptandRun(ascript: string);
19091: Procedure getScript(ascript: string); //alias
19092: Procedure getWebScript(ascript: string); //alias
19093: Procedure GetSessionNames( List : TStrings)
19094: Procedure GetStoredProcNames( const DatabaseName : string; List : TStrings)
19095: Procedure GetStrings( List : TStrings)
19096: Procedure GetSystemTime; stdcall;
19097: Procedure GetTableNames(const DatabaseName,Pattern:string;Extensions,SystemTables:Boolean;List:TStrings)
19098: Procedure GetTableNames( List : TStrings; SystemTables : Boolean)
19099: Procedure GetTableNames( List : TStrings; SystemTables : Boolean);
19100: Procedure GetTableNames( List : TWideStrings; SystemTables : Boolean);
19101: Procedure GetTableNames1( List : TStrings; SchemaName : WideString; SystemTables : Boolean);
19102: Procedure GetTableNames1( List : TStrings; SystemTables : Boolean);
19103: Procedure GetTableNames2( List : TWideStrings; SchemaName : WideString; SystemTables : Boolean);
19104: Procedure GetTransitionsOn( cChar : char; oStateList : TList)
19105: Procedure GetVisibleWindows( List : TStrings)

```

```

19106: Procedure GoBegin
19107: Procedure GotoCurrent( DataSet : TCustomClientDataSet)
19108: Procedure GotoCurrent( Table : TTable)
19109: procedure GotoEnd1Click(Sender: TObject);
19110: Procedure GotoNearest
19111: Procedure GradientFillCanvas(const ACanvas:TCanvas;const AStartCol,AEndCol:TColor;const ARect:TRect;const
Direction: TGradientDirection)
19112: Procedure HandleException( E : Exception; var Handled : Boolean)
19113: procedure HANDLEMESSAGE
19114: procedure HandleNeeded;
19115: Procedure Head( AURL : string)
19116: Procedure Help( var AHelpContents : TStringList; ACommand : String)
19117: Procedure HexToBinary( Stream : TStream)
19118: procedure HexToBinary(Stream:TStream)
19119: Procedure HideDragImage
19120: Procedure HideFormCaption( FormHandle : THandle; Hide : Boolean)
19121: Procedure HideTraybar
19122: Procedure HideWindowForSeconds(secs: integer); { //3 seconds}
19123: Procedure HideWindowForSeconds2(secs: integer; apphandle, aself: TForm); { //3 seconds}
19124: Procedure HookOSExceptions
19125: Procedure HookSignal( RtlSigNum : Integer)
19126: Procedure HSLToRGB( const H, S, L : Single; out R, G, B : Single);
19127: Procedure HTMLSyntax1Click( Sender : TObject)
19128: Procedure IFPS3ClassesPlugin1CompImport( Sender : TObject; x : TPSCompiler)
19129: Procedure IFPS3ClassesPlugin1ExecImport( Sender : TObject; Exec : TPSEExec; x : TPSRuntimeClassImporter)
19130: Procedure ImportfromClipboard1Click( Sender : TObject)
19131: Procedure ImportfromClipboard2Click( Sender : TObject)
19132: Procedure IncAMonth( var Year, Month, Day : Word; NumberOfMonths : Integer)
19133: procedure Incb(var x: byte);
19134: Procedure Include1Click( Sender : TObject)
19135: Procedure IncludeOFF; //preprocessing
19136: Procedure IncludeON;
19137: procedure Info1Click(Sender: TObject);
19138: Procedure InitAltRecBuffers( CheckModified : Boolean)
19139: Procedure InitContext( Request : TWebRequest; Response : TWebResponse)
19140: Procedure InitContext(WebModuleList:TAbstractWebModuleList;Request:TWebRequest;Response:TWebResponse)
19141: Procedure InitData( ASource : TDataSet)
19142: Procedure InitDelta( ADelta : TPacketDataSet);
19143: Procedure InitDelta1( const ADelta : OleVariant);
19144: Procedure InitErrorPacket( E : EUpdateError; Response : TResolverResponse)
19145: Procedure Initialize
19146: procedure InitializePackage(Module: HMODULE)
19147: Procedure INITIATEACTION
19148: Procedure initHexArray(var hexn: THexArray); //THexArray', 'array[0..15] of char;'
19149: Procedure InitKeyFields( Tree : TUpdateTree; ADelta : TPacketDataSet)
19150: Procedure InitModule( AModule : TComponent)
19151: Procedure InitStdConvs
19152: Procedure InitTreeData( Tree : TUpdateTree)
19153: Procedure INSERT
19154: Procedure Insert( Index : Integer; AClass : TClass)
19155: Procedure Insert( Index : Integer; AComponent : TComponent)
19156: Procedure Insert( Index : Integer; AObject : TObject)
19157: Procedure Insert( Index : Integer; const S : WideString)
19158: Procedure Insert( Index : Integer; Image, Mask : TBitmap)
19159: Procedure Insert(Index: Integer; const S: string);
19160: procedure Insert(Index: Integer; S: string);
19161: procedure Insert(s: AnyString; var s2: AnyString; iPos: Longint);
19162: procedure InsertComponent(AComponent:TComponent)
19163: procedure InsertControl(AControl: TControl);
19164: Procedure InsertIcon( Index : Integer; Image : TIcon)
19165: Procedure InsertMasked( Index : Integer; Image : TBitmap; MaskColor : TColor)
19166: Procedure InsertObject( Index : Integer; const S : WideString; AObject : TObject)
19167: procedure InsertObject(Index:Integer;S:String;AObject:TObject)
19168: Procedure Int16ToBytes( Value : SmallInt; Bytes : array of byte)
19169: Procedure Int32ToBytes( Value : Integer; Bytes : array of byte)
19170: Procedure Int64ToBytes( Value : Int64; Bytes : array of byte)
19171: procedure I64ToCardinals(I: Int64; var LowPart, HighPart: Cardinal);
19172: Procedure InternalBeforeResolve( Tree : TUpdateTree)
19173: Procedure InvalidateModuleCache
19174: Procedure InvalidateTitles
19175: Procedure InvalidDateDayError( const AYear, ADayOfYear : Word)
19176: Procedure InvalidDateMonthWeekError( const AYear, AMonth, AWeekOfMonth, ADayOfWeek : Word)
19177: Procedure InvalidDateTimeError(const AYear,AMth,Aday,AMin,ASec,AMilSec:Word;const
ABaseDate:TDateTime)
19178: Procedure InvalidDateWeekError(const AYear, AWeekOfYear, ADayOfWeek : Word)
19179: Procedure InvalidDayOfWeekInMonthError( const AYear, AMonth, ANthDayOfWeek, ADayOfWeek : Word)
19180: procedure JavaSyntax1Click(Sender: TObject);
19181: Procedure JclLocalesInfoList( const Strings : TStrings; InfoType : Integer)
19182: Procedure KillDataChannel
19183: Procedure Largefont1Click( Sender : TObject)
19184: Procedure LAST
19185: Procedure LaunchCpl( FileName : string)
19186: Procedure Launch( const AFile : string)
19187: Procedure LaunchFile( const AFile : string)
19188: Procedure LetfileList(FileList: TStringlist; apath: string);
19189: Procedure LineToNumber( xmemo : String; met : boolean)
19190: Procedure ListViewCustomDrawItem(Sender:TCustListView;Item:TListItem;State:TCustDrawState;var
DefaultDraw:Bool)
19191: Procedure ListViewCustomDrawSubItem( Sender : TCustomListView; Item : TListItem; SubItem : Integer; State
: TCustomDrawState; var DefaultDraw : Boolean)

```

```

19192: Procedure ListViewData( Sender : TObject; Item : TListItem)
19193: Procedure ListViewDataFind(Sender:TObject; Find : TItemFind; const FindString : String; const FindPosition
   : TPoint; FindData:Pointer; StartIndex:Integer;Direction:TSearchDirection;Wrap:Boolean;var Index: Integer)
19194: Procedure ListViewDataHint( Sender : TObject; StartIndex, EndIndex : Integer)
19195: Procedure ListViewDblClick( Sender : TObject)
19196: Procedure ListViewKeyDown( Sender : TObject; var Key : Word; Shift : TShiftState)
19197: Procedure ListDLEExports(const FileName: string; List: TStrings);
19198: Procedure Load( const WSDLFileName : WideString; Stream : TMemoryStream)
19199: procedure LoadBytocode1Click(Sender: TObject);
19200: procedure LoadFilefromResource(const FileName: string; ms: TMemoryStream);
19201: Procedure LoadFromClipboardFormat( AFormat : Word; AData : THandle; APalette : HP)
19202: Procedure LoadFromClipboardFormat( AFormat : Word; AData : THHandle; APalette : HPALETTE)
19203: Procedure LoadFromFile( AFileName : string)
19204: Procedure LoadFromFile( const AFileName : string; const AHeadersOnly : Boolean)
19205: Procedure LoadFromFile( const FileName : string)
19206: Procedure LOADFROMFILE( const FILENAME : String; BLOBTYPE : TBLOBTYPE)
19207: Procedure LoadFromFile( const FileName : string; DataType : TDataType)
19208: Procedure LoadFromFile( const FileName : WideString)
19209: Procedure LoadFromFile( const FileName, FileType : string; Bitmap : TLinearBitmap)
19210: Procedure LoadFromFile(const AFileName: string)
19211: procedure LoadFromFile(FileName: string);
19212: procedure LoadFromFile(FileName:String)
19213: Procedure LoadFromResourceID( Instance : THandle; ResID : Integer)
19214: Procedure LoadFromResourceName( Instance : THandle; const ResName : String)
19215: Procedure LoadFromStream( AStream : TStream; const AHeadersOnly : Boolean)
19216: Procedure LoadFromStream( const Stream : TStream)
19217: Procedure LoadFromStream( S : TStream)
19218: Procedure LoadFromStream( Stream : TSeekableStream; const Ext : string; Bitmap : TLinearBitmap)
19219: Procedure LoadFromStream( Stream : TSeekableStream; const Ext : string; Bitmap : TLinearBitmap)
19220: Procedure LoadFromStream( Stream : TStream)
19221: Procedure LOADFROMSTREAM( STREAM : TSTREAM; BLOBTYPE : TBLOBTYPE)
19222: Procedure LoadFromStream( Stream : TStream; DataType : TDataType)
19223: procedure LoadFromStream(Stream: TStream);
19224: Procedure LoadFromStream1( Stream : TSeekableStream; const FormatExt : string);
19225: Procedure LoadFromStream2( Stream : TStream; const FormatExt : string);
19226: Procedure LoadFromStrings( AStrings : TStrings; const MimeSeparator : Char)
19227: Procedure LoadLastfile1Click( Sender : TObject)
19228: { LoadIconToImage loads two icons from resource named NameRes,
19229:   into two image lists ALarge and ASmall}
19230: Procedure LoadIconToImage(ALarge, ASmall: ImgList.TCustomImageList; const NameRes: string);
19231: Procedure LoadMemo
19232: Procedure LoadParamsFromIniFile( FFileName : WideString)
19233: Procedure Lock
19234: Procedure Login
19235: Procedure MakeAlphaChannelFromAlphaPalette( Source : TLinearBitmap)
19236: Procedure MakeAlphaChannelFromColorKey( Source : TLinearBitmap; ColorKey : TColor)
19237: Procedure MakeCaseInsensitive
19238: Procedure MakeDeterministic( var bChanged : boolean)
19239: Procedure MakeGrayPal( var Palette, ColorCount : Integer)
19240: // type TVolumeLevel = 0..127; , saveFilePath as C:\MyFile.wav
19241: Procedure MakeSound(Frequency{Hz}, Duration{mSec}: Int; Volume: TVolumeLevel; savefilePath: string);
19242: Procedure MakeComplexSound(N:integer;freqlist:TStrings;Duration{mSec}:Int;pinknoise:bool;Volume:Byte);
19243: Procedure SetComplexSoundElements(freqedt,Phaseedt,AmpEdt,WaveGrp:integer);
19244: Procedure SetRectComplexFormatStr( const S : string)
19245: Procedure SetPolarComplexFormatStr( const S : string)
19246: Procedure AddComplexSoundObjectToList(newf,newp,newa,neww,newn:integer; freqlist: TStrings);
19247: Procedure MakeVisible
19248: Procedure MakeVisible( PartialOK : Boolean)
19249: Procedure ManualClick( Sender : TObject)
19250: Procedure MarkReachable
19251: Procedure maxbox; //shows the exe version data in a win box
19252: Procedure MeanAndStdDev( const Data : array of Double; var Mean, StdDev : Extended)
19253: Procedure Memo1Change( Sender : TObject)
19254: Procedure Memo1ReplaceText(Sender:TObject;const ASearch,AReplace:String;Line,Column:Int;var Action:TSynReplaceAction)
19255: Procedure Memo1SpecialLineColors(Sender:TObject;Line:Integer; var Special:Boolean;var FG,BG: TColor)
19256: Procedure Memo1StatusChange( Sender : TObject; Changes : TSynStatusChanges)
19257: procedure Memory1Click(Sender: TObject);
19258: Procedure MERGE( MENU : TMAINMENU)
19259: Procedure MergeChangeLog
19260: procedure MINIMIZE
19261: Procedure MinimizeMaxbox;
19262: procedure MyCopyFile(Namel,Name2:string);
19263: Procedure MkDir(const s: string)
19264: Procedure MakeDir(const s: string)');
19265: Procedure ChangeDir(const s: string)');
19266: Function makefile(const FileName: string): integer');
19267: Procedure mnuPrintFont1Click( Sender : TObject)
19268: procedure ModalStarted
19269: Procedure Modified
19270: Procedure ModifyAlias( Name : string; List : TStrings)
19271: Procedure ModifyDriver( Name : string; List : TStrings)
19272: Procedure MomentSkewKurtosis(const Data:array of Double;var M1,M2,M3,M4, Skew,Kurtosis:Extended)
19273: Procedure MouseToCell( X, Y : Integer; var ACol, ARow : Longint)
19274: Procedure Move( CurIndex, NewIndex : Integer)
19275: procedure Move(CurIndex, NewIndex: Integer);
19276: procedure Move2(const Source: TByteArray; var Dest: TByteArray; Count: Integer)
19277: Procedure MoveChars(const ASource: String; ASourceStart:int;var ADest: String; ADestStart,ALen:integer)
19278: Procedure moveCube( o : TMyLabel)

```

```

19279: Procedure MoveTo( Destination : LongInt; AttachMode : TAttachMode)
19280: procedure MoveTo(X, Y: Integer);
19281: procedure MoveWindowOrg(DC: HDC; DX, DY: Integer);
19282: Procedure MovePoint(var x,y:Extended; const angle:Extended);
19283: Procedure Multiply( Multiplier1, Multiplier2 : TMyBigInt );
19284: Procedure Multiply1( Multiplier1 : TMyBigInt; Multiplier2 : Integer );
19285: Procedure MsgAbout(Handle:Int;const Msg,Caption:string;const IcoName:string ='MAINICON';Flags:DWORD=MB_OK);
19286: Procedure mxButton(x,y,width,height,top,left,ahandle: integer);
19287: Procedure New( Width, Height : Integer; PixFormat : TPixelFormat )
19288: procedure New(P: PChar)
19289: procedure NewlClick(Sender: TObject);
19290: procedure NewInstanceClick(Sender: TObject);
19291: Procedure NEXT
19292: Procedure NextMonth
19293: Procedure Noop
19294: Procedure NormalizePath( var APath : string )
19295: procedure ObjectBinaryToText( Input, Output: TStream )
19296: procedure ObjectBinaryToText1( Input, Output: TStream;var OriginalFormat: TStreamOriginalFormat )
19297: procedure ObjectResourceToText( Input, Output: TStream )
19298: procedure ObjectResourceToText1( Input, Output: TStream;var OriginalFormat: TStreamOriginalFormat )
19299: procedure ObjectTextToBinary( Input, Output: TStream )
19300: procedure ObjectTextToBinary1( Input, Output: TStream;var OriginalFormat: TStreamOriginalFormat )
19301: procedure ObjectTextToResource( Input, Output: TStream )
19302: procedure ObjectTextToResourcel( Input, Output: TStream;var OriginalFormat: TStreamOriginalFormat )
19303: Procedure Open( const Name, Address, Service : string; Port : Word; Block : Boolean )
19304: Procedure Open( const UserID : WideString; const Password : WideString );
19305: Procedure Open;
19306: Procedure open1Click( Sender : TObject )
19307: Procedure OpenCdDrive
19308: Procedure OpenCloseCdDrive( OpenMode : Boolean; Drive : Char )
19309: Procedure OpenCurrent
19310: Procedure OpenFile(vfilenamepath: string)
19311: Procedure OpenDirectory1Click( Sender : TObject )
19312: Procedure OpenDir(adir: string);
19313: Procedure OpenIndexFile( const IndexName : string )
19314: Procedure OpenSchema(const Schema:TSchemaInf;const Restricts:OleVar;const SchemID:OleVariant;DataSet:TADODataset)
19315: Procedure OpenWriteBuffer( const AThreshold : Integer )
19316: Procedure OptimizeMem
19317: Procedure Options1( AURL : string );
19318: Procedure OutputDebugString(lpOutputString : PChar)
19319: Procedure PackBuffer
19320: Procedure Paint
19321: Procedure PaintToCanvas( Canvas : TCanvas; const Dest : TRect; HalftoneStretch : Boolean )
19322: Procedure PaintToTBitmap( Target : TBitmap )
19323: Procedure PaletteChanged
19324: Procedure ParentBiDiModeChanged
19325: Procedure PARENTBIDI MODECHANGED( ACONTROL : TOBJECT )
19326: Procedure PasteFromClipboard;
19327: Procedure PasteImage( Source : TLinearBitmap; X, Y : Integer )
19328: Procedure PathExtractElements( const Source : string; var Drive, Path, FileName, Ext : string )
19329: Procedure PerformEraseBackground(Control: TControl; DC: HDC);
19330: Procedure PEError( Text : string )
19331: procedure Pie(X1, Y1, X2, Y2, X3, Y3, X4, Y4: Integer);
19332: procedure Pie(X1:Integer;Y1:Integer;X2:Integer;Y2:Integer;X3:Int;Y3:Integer;X4:Integer;Y4:Integer);
19333: Procedure Play(FromFrame, ToFrame : Word; Count : Integer )
19334: procedure playmp3(mpPath: string);
19335: Procedure PlayMP31Click( Sender : TObject )
19336: Procedure PointCopy( var Dest : TPoint; const Source : TPoint )
19337: Procedure PointMove( var P : TPoint; const DeltaX, DeltaY : Integer )
19338: procedure PolyBezier(const Points: array of TPoint );
19339: procedure PolyBezierTo(const Points: array of TPoint );
19340: procedure Polygon(const Points: array of TPoint );
19341: procedure Polyline(const Points: array of TPoint );
19342: Procedure Pop
19343: Procedure POPULATEOLE2MENU(SHAREDMENU: HMENU;GROUPS: array of INT; var WIDTHS : array of LONGINT)
19344: Procedure PopulationVarianceAndMean( const X : TDynFloatArray; var Variance, Mean : Float )
19345: Procedure POPUP( X, Y : INTEGER )
19346: Procedure PopupURL(URL : WideString);
19347: Procedure POST
19348: Procedure Post4( AURL : string; const ASource : TStrings; const AResponseContent : TStream );
19349: Procedure Post5( AURL : string; const ASource, AResponseContent : TStream );
19350: Procedure Post6( AURL : string; const ASource : TIdMultiPartFormDataStream; AResponseContent : TStream );
19351: Procedure PostUser( const Email, FirstName, LastName : WideString )
19352: Procedure PostKeyEx32(key: Word; const shift: TShiftState; specialkey: Boolean );
19353: procedure Pred(X: int64);
19354: Procedure Prepare
19355: Procedure PrepareStatement
19356: Procedure PreProcessXML( AList : TStrings )
19357: Procedure PreventDestruction
19358: Procedure Print( const Caption : string )
19359: procedure PrintBitmap(aGraphic: TGraphic; Title: string );
19360: procedure printf(const format: String; const args: array of const );
19361: Procedure PrintList(Value: TStringList );
19362: Procedure PrintImage(aValue:TBitmap;Style:TBitmapStyle); //TBitmapStyle=(bsNormal,bsCentered,bsStretched)
19363: Procedure Printout1Click( Sender : TObject )
19364: Procedure ProcessHeaders
19365: Procedure PROCESSMENUCHAR( var MESSAGE : TWMMENUCHAR )
19366: Procedure ProcessMessage( AMsg : TIdMessage; AHeaderOnly : Boolean );

```

```

19367: Procedure ProcessMessage1( AMsg : TIdMessage; const AStream : TStream; AHeaderOnly : Boolean);
19368: Procedure ProcessMessage2( AMsg : TIdMessage; const AFilename : string; AHeaderOnly : Boolean);
19369: Procedure ProcessMessagesOFF; //application.processmessages
19370: Procedure ProcessMessagesON;
19371: Procedure ProcessPath(const EditText:string;var Drive:Char; var DirPart:string; var FilePart : string)
19372: Procedure ProcessPath1(const EditText:string;var Drive:Char; var DirPart:string; var FilePart:string);
19373: Procedure Prolist Size is: 3797 /1415
19374: Procedure procMessClick( Sender : TObject)
19375: Procedure PSScriptCompile( Sender : TPSScript)
19376: Procedure PSScriptExecute( Sender : TPSScript)
19377: Procedure PSScriptLine( Sender : TObject)
19378: Procedure Push( ABoundary : string)
19379: procedure PushItem(AItem: Pointer)
19380: Procedure Put2( AURL : string; const ASource, AResponseContent : TStream);
19381: Procedure Put2( const ASourceFile : string; const ADestFile : string; const AAppend : boolean);
19382: procedure PutLinuxLines(const Value: string)
19383: Procedure Quit
19384: Procedure RaiseConversionError( const AText : string);
19385: Procedure RaiseConversionError1( const AText : string; const AArgs : array of const);
19386: Procedure RaiseConversionRegError( AFamily : TConvFamily; const ADescription : string)
19387: procedure RaiseException(Ex: TIFException; Param: String);
19388: Procedure RaiseExceptionForLastCmdResult;
19389: procedure RaiseLastException;
19390: procedure RaiseException2;
19391: Procedure RaiseException3(const Msg: string);
19392: Procedure RaiseExcept( const Msg: string);
19393: Procedure RaiseLastOSError
19394: Procedure RaiseLastWin32;
19395: procedure RaiseLastWin32Error)
19396: Procedure RaiseListError( const ATemplate : string; const AData : array of const)
19397: Procedure RandomFillStream( Stream : TMemoryStream)
19398: procedure randomize;
19399: Procedure Rasterize( Rasterizer : TRasterizer; Dst : TBitmap32; DstRect : TRect)
19400: Procedure RCS
19401: Procedure Read( Socket : TSocket)
19402: procedure ReadLn1(var ast: string); //of inputquery
19403: Procedure ReadBlobData
19404: procedure ReadBuffer(Buffer:String;Count:LongInt)
19405: procedure ReadOnly1Click(Sender: TObject); -->maxform1.memo2.readonly:= false;
19406: Procedure ReadSection( const Section : string; Strings : TStrings)
19407: Procedure ReadSections( Strings : TStrings)
19408: Procedure ReadSections( Strings : TStrings);
19409: Procedure ReadSections1( const Section : string; Strings : TStrings);
19410: Procedure ReadSectionValues( const Section : string; Strings : TStrings)
19411: Procedure ReadStream( AStream : TStream; AByteCount:LongInt; const AReadUntilDisconnect : boolean)
19412: Procedure ReadStrings( Adest : TStrings; AReadLinesCount : Integer)
19413: Procedure ReadVersion2(aFileName: STRING; aVersion : TStrings);
19414: Function ReadVersion(aFileName: STRING; aVersion : TStrings): boolean;
19415: Procedure Realign;
19416: procedure Rectangle(X1, Y1, X2, Y2: Integer);
19417: Procedure Rectangle1( const Rect : TRect);
19418: Procedure RectCopy( var Dest : TRect; const Source : TRect)
19419: Procedure RectFitToScreen( var R : TRect)
19420: Procedure RectGrow( var R : TRect; const Delta : Integer)
19421: Procedure RectGrowX( var R : TRect; const Delta : Integer)
19422: Procedure RectGrowY( var R : TRect; const Delta : Integer)
19423: Procedure RectMove( var R : TRect; const DeltaX, DeltaY : Integer)
19424: Procedure RectMoveTo( var R : TRect; const X, Y : Integer)
19425: Procedure RectNormalize( var R : TRect)
19426: // TFileCallbackProcedure = procedure(filename:string);
19427: Procedure RecurseDirectory(Dir: String;IncludeSubs: boolean;callback: TFileCallbackProcedure);
19428: Procedure RecurseDirectory2(Dir: String; IncludeSubs : boolean);
19429: Procedure RedirectTransition(oOldState:TniRegularExpressionState; oNewState : TniRegularExpressionState)
19430: Procedure Refresh;
19431: Procedure RefreshData( Options : TFetchOptions)
19432: Procedure REFRESHLOOKUPLIST
19433: Procedure regExPathfinder(Pathin, fileout, firstp, aregex, ext: string; asort: boolean);
19434: Procedure RegExPathfinder2(Pathin, fileout, firstp, aregex, ext: string; asort, acopy: boolean);
19435: Procedure RegisterAuthenticationMethod( MethodName : String; AuthClass : TIAuthenticationClass)
19436: Procedure RegisterChanges( Value : TChangeLink)
19437: Procedure RegisterConversionFormat( const AExtension : string; AConversionClass : TConversionClass)
19438: Procedure RegisterFileFormat( const AExtension, ADescription : string; AGraphicClass : TGraphicClass)
19439: Procedure RegisterFileFormat(Extension,AppID:string;Description:string;Executable:string;IconIndex:Int)
19440: Procedure ReInitialize( ADelay : Cardinal)
19441: procedure RELEASE
19442: Procedure Remove( const AByteCount : integer)
19443: Procedure REMOVE( FIELD : TFIELD)
19444: Procedure REMOVE( ITEM : TMENUITEM)
19445: Procedure REMOVE( POPUP : TPOPUPMENU)
19446: Procedure RemoveAllPasswords
19447: procedure RemoveComponent(AComponent:TComponent)
19448: Procedure RemoveDir( const ADirName : string)
19449: Procedure RemoveLambdaTransitions( var bChanged : boolean)
19450: Procedure REMOVEPARAM( VALUE : TPARAM)
19451: Procedure RemoveTransitionTo( oState : TniRegularExpressionState; xCharacters : TCharset);
19452: Procedure RemoveTransitionTo1( oState : TniRegularExpressionState);
19453: Procedure Rename( const ASourceFile, ADestFile : string)
19454: Procedure Rename( const FileName : string; Reload : Boolean)
19455: Procedure RenameTable( const NewTableName : string)

```

```

19456: Procedure Replace( Index : Integer; Image, Mask : TBitmap)
19457: Procedure Replace1Click( Sender : TObject)
19458: Procedure ReplaceDate( var DateTime : TDateTime; NewDate : TDateTime)
19459: procedure ReplaceDate(var DateTime: TDateTime; const NewDate: TDateTime))
19460: Procedure ReplaceIcon( Index : Integer; Image : TIcon)
19461: Procedure ReplaceMasked( Index : Integer; NewImage : TBitmap; MaskColor : TColor)
19462: Procedure ReplaceTime( var DateTime : TDateTime; NewTime : TDateTime)
19463: procedure ReplaceTime(var DateTime: TDateTime; const NewTime: TDateTime);
19464: Procedure Requery( Options : TExecuteOptions)
19465: Procedure Reset
19466: Procedure Reset1Click( Sender : TObject)
19467: Procedure ResizeCanvas( XSiz, YSiz, XPos, YPos : Integer; Color : TColor)
19468: procedure ResourceExplore1Click(Sender: TObject);
19469: Procedure RestoreContents
19470: Procedure RestoreDefaults
19471: Procedure RestoreOtherInstance( MainFormClassName, MainFormCaption : string)
19472: Procedure RetrieveHeaders
19473: Procedure RevertRecord
19474: Procedure RGBAToBGRA( const Source, Target : Pointer; const BitsPerSample : Byte; Count : Cardinal)
19475: Procedure RGBToBGR( const Source, Target : Pointer; const BitsPerSample : Byte; Count : Cardinal);
19476: Procedure RGBToBGR1( const R, G, B, Target : Pointer; const BitsPerSample : Byte; Count : Cardinal);
19477: Procedure RGBToHSL( const R, G, B : Single; out H, S, L : Single);
19478: Procedure RGBToHSL1( const RGB : TColor32; out H, S, L : Single);
19479: Procedure RGBtoHSV( r, g, b : Integer; var h, s, v : Integer)
19480: Procedure RleCompress2( Stream : TStream)
19481: Procedure RleDecompress2( Stream : TStream)
19482: Procedure RmDir( const S: string)
19483: Procedure Rollback
19484: Procedure Rollback( TransDesc : TTransactionDesc)
19485: Procedure RollbackFreeAndNil( var Transaction : TDBXTransaction)
19486: Procedure RollbackIncompleteFreeAndNil( var Transaction : TDBXTransaction)
19487: Procedure RollbackTrans
19488: procedure RoundRect(X1, Y1, X2, Y2, X3, Y3: Integer);
19489: Procedure RoundToAllocGranularity64( var Value : Int64; Up : Boolean)
19490: Procedure RoundToAllocGranularityPtr( var Value : Pointer; Up : Boolean)
19491: Procedure RunDll32Internal( Wnd : HWnd; const DLLName, FuncName, CmdLine : string; CmdShow : Integer)
19492: Procedure S_AddMessageToStrings( AMessages : TStrings; AMsg : string)
19493: Procedure S_EBox( const AText : string)
19494: Procedure S_GetEncryptionKeys(Datetime1,DTIME2:TDateTime;var StartKey:int;var MultKey:int;var AddKey:int)
19495: Procedure S_IBox( const AText : string)
19496: Procedure S_ReplaceChar( var cStr : string; cOldChr, cNewChr : char)
19497: Procedure S_ReplaceStringInFile( AFileName : string; ASearchString, AReplaceString : string)
19498: Procedure S_TokenInit( cBuffer : PChar; const cDelimiters : string)
19499: Procedure SampleVarianceAndMean
19500: ( const X : TDynFloatArray; var Variance, Mean : Float)
19501: Procedure Save2Click( Sender : TObject)
19502: Procedure Saveas3Click( Sender : TObject)
19503: Procedure Savebefore1Click( Sender : TObject)
19504: Procedure SaveBytesToFile( const Data: TBytes; const FileName: string);
19505: procedure SaveCanvas2(vCanvas: TCanvas; FileName: string);
19506: Procedure SaveConfigFile
19507: Procedure SaveOutput1Click( Sender : TObject)
19508: procedure SaveScreenshotClick(Sender: TObject);
19509: Procedure SaveLn(pathname, content: string); //Saveln(exepath+'mysavelntest.txt', memo2.text);
19510: Procedure SaveToClipboardFormat( var AFormat : Word; var AData : THandle; var APalette : HPALETTE)
19511: Procedure SaveToClipboardFormat( var Format : Word; var Data : THandle; var APalette : HPALETTE)
19512: Procedure SaveToFile( AFileName : string)
19513: Procedure SAVETOFILE( const FILENAME : String)
19514: Procedure SaveToFile( const FileName : WideString)
19515: Procedure SaveToFile( const FileName : WideString; Format : TPersistFormat)
19516: Procedure SaveToFile( const FileName, FileType : string; Bitmap : TLinearBitmap)
19517: procedure SaveToFile(FileName: string);
19518: procedure SaveToFile(FileName:String)
19519: Procedure SaveToStream( AStream : TStream; const AHeadersOnly : Boolean)
19520: Procedure SaveToStream( OutStream : TSeekableStream; const Ext : string; Bitmap : TLinearBitmap)
19521: Procedure SaveToStream( S : TStream)
19522: Procedure SaveToStream( Stream : TSeekableStream; const Ext : string; Bitmap : TLinearBitmap)
19523: Procedure SaveToStream( Stream : TStream)
19524: Procedure SaveToStream( Stream : TStream; Format : TDataPacketFormat)
19525: procedure SaveToStream(Stream: TStream);
19526: procedure SaveToStream(Stream:TStream)
19527: Procedure SaveToStream1( Stream : TSeekableStream; const FormatExt : string);
19528: Procedure SaveToStream2( Stream : TStream; const FormatExt : string);
19529: Procedure SaveToStrings( AStrings : TStrings; const MimeSeparator : Char)
19530: procedure Say(const sText: string)
19531: Procedure SBytecode1Click( Sender : TObject)
19532: Procedure ScaleImage( const SourceBitmap, ResizedBitmap : TBitmap; const ScaleAmount : Double)
19533: procedure ScriptExplorer1Click(Sender: TObject);
19534: Procedure Scroll( Distance : Integer)
19535: Procedure Scroll( DX, DY : Integer)
19536: procedure ScrollBy(DeltaX, DeltaY: Integer);
19537: procedure SCROLLINVIEW(ACONTROL:TCONTROL)
19538: Procedure ScrollTabs( Delta : Integer)
19539: Procedure Search1Click( Sender : TObject)
19540: procedure SearchAndOpenDoc(vfilenamepath: string)
19541: procedure SearchAndOpenFile(vfilenamepath: string)
19542: procedure SearchAndReplace(aStrList: TStrings; aSearchStr, aNewStr: string)
19543: procedure SearchAndCopy(aStrList: TStrings; aSearchStr, aNewStr: string; offset: integer);
19544: Procedure SearchNext1Click( Sender : TObject)

```

```

19545: Procedure Select( Node : TTreeNode; ShiftState : TShiftState);
19546: Procedure Select1( const Nodes : array of TTreeNode);
19547: Procedure Select2( Nodes : TList);
19548: Procedure SelectNext( Direction : Boolean)
19549: Procedure SelectNextPage( GoForward : Boolean; CheckTabVisible : Boolean)
19550: Procedure SelfTestPEM //unit uPSI_cPEM
19551: Procedure Send( AMsg : TIdMessage)
19552: //config forst in const MAILINIFILE = 'maildef.ini';
19553: //ex.: SendEmail('max@kleiner.ch','max@kleiner.com','this test7','maxbox the SSL fox','
19554: Procedure SendEmail(mFrom, mTo, mSubject, mBody, mAttachment: variant);
19555: Procedure SendMail(mFrom, mTo, mSubject, mBody, mAttachment: variant);
19556: Procedure SendMsg( AMsg : TIdMessage; const AHeadersOnly : Boolean)
19557: Procedure SendMsg(AMsg: TIdMessage; const AHeadersOnly: Boolean = False)
19558: Procedure SendResponse
19559: Procedure SendStream( AStream : TStream)
19560: procedure SendMCICommand(Cmd: string); !
19561: Procedure Set8087CW( NewCW : Word)
19562: Procedure SetAll( One, Two, Three, Four : Byte)
19563: Procedure SetAltRecBuffers( Old, New, Cur : PChar)
19564: Procedure SetAppDispatcher( const ADispatcher : TComponent)
19565: procedure SetArrayLength;
19566: procedure SetArrayLength2String(arr: T2StringArray; asize1, asize2: integer); //2 dimension
19567: procedure SetArrayLength2Integer(arr: T2IntegerArray; asize1, asize2: integer);
19568: procedure SetArrayLength2String2(arr: T2StringArray; asize1, asize2: integer); //all init
19569: procedure SetArrayLength2Integer2(arr: T2IntegerArray; asize1, asize2: integer);
19570: procedure SetArrayLength2Char2(var arr: T2CharArray; asize1, asize2: integer');");
19571: procedure Set2DimStrArray(var arr: T2StringArray; asize1, asize2: integer');");
19572: procedure Set2DimIntArray(var arr: T2IntegerArray; asize1, asize2: integer');");
19573: procedure Set3DimIntArray(var arr: T3IntegerArray; asize1, asize2, asize3: integer);
19574: procedure Set3DimStrArray(var arr: T3StringArray; asize1, asize2, asize3: integer);
19575: Procedure SetAsHandle( Format : Word; Value : THandle)
19576: procedure SetBounds(ALeft, ATop, AWidth, AHeight: Integer)
19577: procedure SetCaptureControl(Control: TControl);
19578: Procedure SetColumnAttributes
19579: Procedure SetCookieField(Values:TStrings;const ADomain,APath:string;AExpires:TDateTime;ASecure:Boolean)
19580: Procedure SetCustomHeader( const Name, Value : string)
19581: Procedure SetExprParams(const Text:Widestring;Opts:TFilterOpts;ParserOpts:TParserOpts;const
  FieldName:Widestring)
19582: Procedure SetFMTBcd( Buffer : TRecordBuffer; value : TBcd)
19583: Procedure SetFocus
19584: procedure SetFocus; virtual;
19585: Procedure SetInitialState
19586: Procedure SetKey
19587: procedure SetLastError(ErrorCode: Integer)
19588: procedure SetLength;
19589: procedure SetLength2(var S: string; NewLength: Integer)');
19590: Procedure SetLineBreakStyle( var T : Text; Style : TTextLineBreakStyle)
19591: Procedure SETOLE2MENUHANDLE( HANDLE : HMENU)
19592: Procedure SetParams( ADataSet : TDataSet; UpdateKind : TUpdateKind);
19593: procedure SETPARAMS(APosition,AMIN,AMAX:INTEGER)
19594: Procedure SetParams1( UpdateKind : TUpdateKind);
19595: Procedure SetPassword( const Password : string)
19596: Procedure SetPointer( Ptr : Pointer; Size : Longint)
19597: Procedure SetPrimalityTest( const Method : TPrimalityTestMethod)
19598: Procedure SetPrinter( ADevice, ADriver, APort : PChar; ADeviceMode : THandle)
19599: Procedure SetProvider( Provider : TComponent)
19600: Procedure SetProxy( const Proxy : string)
19601: Procedure SetPSResult( var PSResult : TPSResult; Value : TObject)
19602: Procedure SetRange( const StartValues, EndValues : array of const)
19603: Procedure SetRangeEnd
19604: Procedure SetRate( const aPercent, aYear : integer)
19605: procedure SetRate(const aPercent, aYear: integer)
19606: Procedure SetReportMemoryLeaksOnShutdown(abo: boolean)
19607: Procedure SetSafeCallExceptionMsg( Msg : String)
19608: procedure SETSELTEXTBUF(BUFFER:PCHAR)
19609: Procedure SetSize( AWidth, AHeight : Integer)
19610: procedure SetSize(NewSize:LongInt)
19611: procedure SetString(var s: string; buffer: PChar; len: Integer)
19612: Procedure SetStrings( List : TStrings)
19613: Procedure SetText( Text : PwideChar)
19614: procedure SetText(Text: PChar);
19615: Procedure SetTextBuf( Buffer : PChar)
19616: procedure SETTEXTBUF(BUFFER:PCHAR)
19617: Procedure SetTick( Value : Integer)
19618: Procedure SetTimeout( ATimeOut : Integer)
19619: Procedure SetTraceEvent( Event : TDBXTraceEvent)
19620: Procedure SetUserName( const UserName : string)
19621: Procedure SetWallpaper( Path : string);
19622: procedure ShellStyle1Click(Sender: TObject);
19623: Procedure SHORTCUTTOKEY( SHORTCUT : TSHORCUT; var KEY : WORD; var SHIFT : TSHIFTSTATE)
19624: Procedure ShowFileProperties( const FileName : string)
19625: Procedure ShowInclude1Click( Sender : TObject)
19626: Procedure ShowInterfaces1Click( Sender : TObject)
19627: Procedure ShowLastException1Click( Sender : TObject)
19628: Procedure ShowMessage( const Msg : string)
19629: Procedure ShowMessageBig(const aText : string);
19630: Procedure ShowMessageBig2(const aText : string; aautosize: boolean);
19631: Procedure ShowMessageBig3(const aText : string; fsize: byte; aaautosize: boolean);
19632: Procedure MsgBig(const aText : string);           //alias

```

```

19633: procedure showmessage(mytext: string);
19634: Procedure ShowMessageFmt( const Msg : string; Params : array of const)
19635: procedure ShowMessageFmt(const Msg: string; Params: array of const))
19636: Procedure ShowMessagePos( const Msg : string; X, Y : Integer)
19637: procedure ShowMessagePos(const Msg: string; X: Integer; Y: Integer))
19638: Procedure ShowSearchDialog( const Directory : string)
19639: Procedure ShowSpecChars1Click( Sender : TObject)
19640: Procedure ShowBitmap(bmap: TBitmap); //draw in a form!
19641: Procedure ShredFile( const FileName : string; Times : Integer)
19642: procedure Shuffle(vq: TStringList);
19643: Procedure ShuffleList( var List : array of Integer; Count : Integer)
19644: Procedure SimulateKeystroke( Key : byte; Shift : TShiftState)
19645: Procedure SinCos( const Theta : Extended; var Sin, Cos : Extended)
19646: Procedure SinCose( X : Extended; out Sin, Cos : Extended)
19647: Procedure Site( const ACommand : string)
19648: Procedure SkipEOL
19649: Procedure Sleep( ATime : cardinal)
19650: Procedure Sleep( milliseconds : Cardinal)
19651: Function SleepEx( dwMilliseconds : DWORD; bAlertable : BOOL) : DWORD
19652: Procedure Slinenumbers1Click( Sender : TObject)
19653: Procedure Sort
19654: Procedure SortColorArray(ColorArray:TColorArray;L,R:Int;SortType:TColorArraySortType;Reverse:Bool)
19655: procedure SoundAlarm; //beep seq
19656: procedure Speak(const sText: string) //async like voice
19657: procedure Speak2(const sText: string) //sync
19658: procedure Split(Str: string; SubStr: string; List: TStrings);
19659: Procedure SplitNameValuePair( const Line : string; var Name, Value : string)
19660: Procedure SplitColumns( const AData : String; AStrings : TStrings; const ADelim : String)
19661: Procedure SplitColumnsNoTrim( const AData : String; AStrings : TStrings; const ADelim : String)
19662: Procedure SplitLines( AData : PChar; ADataSize : Integer; AStrings : TStrings)
19663: Procedure SplitString( const AStr, AToken : String; var VLeft, VRight : String)
19664: procedure SQLSyntax1Click(Sender: TObject);
19665: Procedure SRand( Seed : RNG_IntType)
19666: Procedure Start
19667: Procedure StartCount( var Counter : TJclCounter; const Compensate : Boolean)
19668: procedure StartFileFinder3(spath,aext,searchstr: string; arecursiv: boolean; reslist: TStringlist);
19669: //Ex. StartFileFinder3(exepath+'exercices','*.pas','record',false,seclist);
19670: Procedure StartTransaction( TransDesc : TTransactionDesc)
19671: Procedure Status( var AStatusList : TStringList)
19672: Procedure StatusBar1DblClick( Sender : TObject)
19673: Procedure StepInto1Click( Sender : TObject)
19674: Procedure StepIt
19675: Procedure StepOut1Click( Sender : TObject)
19676: Procedure Stop
19677: procedure stopmp3;
19678: procedure StartWeb(NSURL: string);
19679: Procedure StrToInt: integer; astr: string); //of system
19680: Procedure StrDispose( Str : PChar)
19681: procedure StrDispose(Str: PChar)
19682: Procedure StrReplace(var Str: String; Old, New: String);
19683: Procedure StretchDIBits( DC : THandle; const Dest : TRect; HalftoneStretch : Boolean)
19684: procedure StretchDraw(const Rect: TRect; Graphic: TGraphic);
19685: Procedure StringToBytes( Value : String; Bytes : array of byte)
19686: procedure StrSet(c : Char; I : Integer; var s : String);
19687: Procedure StrSplitP(const Delimiter: Char; Input: string; const Strings: TStrings);
19688: Procedure StructureMount( APath : String)
19689: procedure STYLECHANGED(SENDER:TOBJECT)
19690: Procedure Subselect( Node : TTreenode; Validate : Boolean)
19691: procedure Succ(X: int64);
19692: Procedure SumsAndSquares( const Data : array of Double; var Sum, SumOfSquares : Extended)
19693: procedure SwapChar(var X,Y: char); //swapX follows
19694: Procedure SwapFloats( var X, Y : Float)
19695: procedure SwapGrid(grd: TStringGrid);
19696: Procedure SwapOrd( var I, J : Byte);
19697: Procedure SwapOrd( var X, Y : Integer)
19698: Procedure SwapOrd1( var I, J : Shortint);
19699: Procedure SwapOrd2( var I, J : Smallint);
19700: Procedure SwapOrd3( var I, J : Word);
19701: Procedure SwapOrd4( var I, J : Integer);
19702: Procedure SwapOrd5( var I, J : Cardinal);
19703: Procedure SwapOrd6( var I, J : Int64);
19704: Procedure SymetricCompareFiles(const plaintext, replaintext: string)
19705: Procedure Synchronize1( Method : TMethod);
19706: procedure SyntaxCheck1Click(Sender: TObject);
19707: Procedure SysFreeString(const S: WideString); stdcall;
19708: Procedure TakeOver( Other : TLinearBitmap)
19709: Procedure TalkIn(const sText: string) //async voice
19710: procedure tbtn6resClick(Sender: TObject);
19711: Procedure tbtnUseCaseClick( Sender : TObject)
19712: procedure TerminalStyle1Click(Sender: TObject);
19713: Procedure Terminate
19714: Procedure texSyntax1Click( Sender : TObject)
19715: procedure TextOut(X, Y: Integer; Text: string);
19716: Procedure TextRect( Rect : TRect; X, Y : Integer; const Text : string);
19717: procedure TextRect(Rect: TRect; X: Integer; Y: Integer; const Text: string);
19718: Procedure TextRect1( var Rect : TRect; var Text : string; TextFormat : TTextFormat);
19719: Procedure TextStart
19720: procedure TILE
19721: Procedure TimeStampToBytes( Value : TBcd; Bytes : array of byte)

```

```

19722: Procedure TitleClick( Column : TColumn )
19723: Procedure ToDo
19724: procedure Tone(500 hz, 10000 ms length);
19725: procedure toolbarTutorialClick(Sender: TObject);
19726: Procedure Trace1( AURL : string; const AResponseContent : TStream );
19727: Procedure TransferMode( ATransferMode : TIIdFTPTTransferMode )
19728: Procedure Truncate
19729: procedure Tutorial101Click(Sender: TObject);
19730: procedure Tutorial10Statistics1Click(Sender: TObject);
19731: procedure Tutorial11Forms1Click(Sender: TObject);
19732: procedure Tutorial12SQL1Click(Sender: TObject);
19733: Procedure tutorial1Click( Sender : TObject )
19734: Procedure tutorial21Click( Sender : TObject )
19735: Procedure tutorial31Click( Sender : TObject )
19736: Procedure tutorial4Click( Sender : TObject )
19737: Procedure Tutorial5Click( Sender : TObject )
19738: procedure Tutorial6Click(Sender: TObject);
19739: procedure Tutorial91Click(Sender: TObject);
19740: Procedure UnhookSignal( RtlSigNum : Integer; OnlyIfHooked : Boolean )
19741: procedure UniqueString(var str: AnsiString)
19742: procedure UploadLoadPackage(Module: HMODULE)
19743: Procedure Unlock
19744: Procedure UNMERGE( MENU : TMAINMENU )
19745: Procedure UnRegisterChanges( Value : TChangeLink )
19746: Procedure UnregisterConversionFamily( const AFamily : TConvFamily )
19747: Procedure UnregisterConversionType( const AType : TConvType )
19748: Procedure UnRegisterProvider( Prov : TCustomProvider )
19749: Procedure UPDATE
19750: Procedure UpdateBatch( AffectRecords : TAffectRecords )
19751: Procedure UPDATECURSORPOS
19752: Procedure UpdateFile
19753: Procedure UpdateItems( FirstIndex, LastIndex : Integer )
19754: Procedure UpdateResponse( AResponse : TWebResponse )
19755: Procedure UpdateScrollBar
19756: Procedure UpdateView1Click( Sender : TObject )
19757: procedure UpdateExeResource(Const Source,Dest:string); //!
19758: procedure Val(const s: string; var n, z: Integer)
19759: procedure VarArraySet(c : Variant; I : Integer; var s : Variant);
19760: Procedure VarMTBCdCreate( var ADest : Variant; const ABCD : TBcd );
19761: Procedure VariantAdd( const src : Variant; var dst : Variant )
19762: Procedure VariantAnd( const src : Variant; var dst : Variant )
19763: Procedure VariantArrayRedim( var V : Variant; High : Integer )
19764: Procedure VariantCast( const src : Variant; var dst : Variant; vt : Integer )
19765: Procedure VariantClear( var V : Variant )
19766: Procedure VariantCpy( const src : Variant; var dst : Variant )
19767: Procedure VariantDiv( const src : Variant; var dst : Variant )
19768: Procedure VariantMod( const src : Variant; var dst : Variant )
19769: Procedure VariantMul( const src : Variant; var dst : Variant )
19770: Procedure VariantOr( const src : Variant; var dst : Variant )
19771: Procedure VariantPutElement( var V : Variant; const data : Variant; i1 : integer );
19772: Procedure VariantPutElement1( var V : Variant; const data : Variant; i1, i2 : integer );
19773: Procedure VariantPutElement2( var V : Variant; const data : Variant; i1, i2, i3 : integer );
19774: Procedure VariantPutElement3( var V : Variant; const data : Variant; i1, i2, i3, i4 : integer );
19775: Procedure VariantPutElement4( var V : Variant; const data : Variant; i1, i2, i3, i4, i5 : integer );
19776: Procedure VariantShl( const src : Variant; var dst : Variant )
19777: Procedure VariantShr( const src : Variant; var dst : Variant )
19778: Procedure VariantSub( const src : Variant; var dst : Variant )
19779: Procedure VariantXor( const src : Variant; var dst : Variant )
19780: Procedure VarCastError;
19781: Procedure VarCastError1( const ASourceType, ADestType : TVarType );
19782: Procedure VarInvalidOp
19783: Procedure VarInvalidNullOp
19784: Procedure VarOverflowError( const ASourceType, ADestType : TVarType )
19785: Procedure VarRangeCheckError( const ASourceType, ADestType : TVarType )
19786: Procedure VarArrayCreateError
19787: Procedure VarResultCheck( AResult : HRESULT );
19788: Procedure VarResultCheck1( AResult : HRESULT; ASourceType, ADestType : TVarType );
19789: Procedure HandleConversionException( const ASourceType, ADestType : TVarType )
19790: Function VarTypeAsText( const AType : TVarType ) : string
19791: procedure Voice1(const sText: string) //async
19792: procedure Voice2(const sText: string) //sync
19793: Procedure WaitMilliseconds( AMSec : word )
19794: Procedure WaitMS( AMSec : word );
19795: procedure WebCamPic(picname: string); //eg: c:\mypic.png
19796: Procedure WideAppend( var dst : WideString; const src : WideString )
19797: Procedure WideAssign( var dst : WideString; var src : WideString )
19798: Procedure WideDelete( var dst : WideString; index, count : Integer )
19799: Procedure WideFree( var s : WideString )
19800: Procedure WideFromAnsi( var dst : WideString; const src : AnsiString )
19801: Procedure WideFromPChar( var dst : WideString; src : PChar )
19802: Procedure WideInsert( var dst : WideString; const src : WideString; index : Integer )
19803: Procedure WideStringLength( var dst : WideString; len : Integer )
19804: Procedure WideString2Stream( aWideString : WideString; oStream : TStream )
19805: Procedure WideStringToBytes( Value : WideString; Bytes : array of byte )
19806: Procedure WinColorToOpenGLColor( const Color : TColor; out Red, Green, Blue : Float )
19807: Procedure WinInet_HttpGet( const Url: string; Stream:TStream );
19808: Procedure HttpGet(const Url: string; Stream:TStream );
19809: Procedure WordToTwoBytes( AWord : Word; ByteArray : TIIdBytes; Index : integer )
19810: Procedure WordWrap1Click( Sender : TObject )

```

```

19811: Procedure Write( const AOut : string)
19812: Procedure Write( Socket : TSocket)
19813: procedure Write(S: string);
19814: Procedure WriteBinaryStream( const Section, Name : string; Value : TStream)
19815: Procedure WriteBool( const Section, Ident : string; Value : Boolean)
19816: Procedure WriteBuffer( const ABuffer, AByteCount : Longint; const AWriteNow : Boolean)
19817: procedure WriteBuffer(Buffer:String;Count:LongInt)
19818: Procedure WriteCardinal( AValue : Cardinal; const AConvert : Boolean)
19819: Procedure WriteChar( AValue : Char)
19820: Procedure WriteDate( const Section, Name : string; Value : TDateTime)
19821: Procedure WriteDateTime( const Section, Name : string; Value : TDateTime)
19822: Procedure WriteFloat( const Section, Name : string; Value : Double)
19823: Procedure WriteHeader( AHeader : TStrings)
19824: Procedure WriteInteger( AValue : Integer; const AConvert : Boolean)
19825: Procedure WriteInteger( const Section, Ident : string; Value : Longint)
19826: Procedure WriteIn( const AOut : string)
19827: procedure Writeln(s: string);
19828: Procedure WriteLog( const FileName, LogLine : string)
19829: Procedure WriteRFCReply( AReply : TIdRFCReply)
19830: Procedure WriteRFCStrings( AStrings : TStrings)
19831: Procedure WriteSmallInt( AValue : SmallInt; const AConvert : Boolean)
19832: Procedure WriteStream(ASstream:TStream;const AAll:Bool;const AWriteByteCount:Bool;const ASIZE:Int)
19833: Procedure WriteString( const Section, Ident, Value : String)
19834: Procedure WriteStrings( Value : TStrings; const AWriteLinesCount : Boolean)
19835: Procedure WriteTime( const Section, Name : string; Value : TDateTime)
19836: Procedure WriteObjectResourceHeader( ObjStream, Output : TStream)
19837: Procedure Write16bitResourceHeader( const AName : TBytes; DataSize : Integer; Output : TStream)
19838: Procedure Write32bitResourceHeader( const AName : TBytes; DataSize : Integer; Output : TStream)
19839: Procedure WriteDataSetToCSV(DataSet: TDataSet; FileName: String) );
19840: procedure WStrSet(c : AnyString; I : Integer; var s : AnyString);
19841: procedure XMLSyntax1Click(Sender: TObject);
19842: Procedure XOR_Streams2( Dest, Srce : TMemoryStream)
19843: Procedure XOR_Streams3( Dest, SrceA, SrceB : TMemoryStream)
19844: Procedure ZeroFillStream( Stream : TMemoryStream)
19845: procedure XMLSyntax1Click(Sender: TObject);
19846: Procedure ZeroMemory( Ptr : Pointer; Length : Longint)
19847: procedure(Control: TWinControl; Index: Integer; Rect: TRect; State: Byte)
19848: procedure(Control: TWinControl; Index: Integer; var Height: Integer)
19849: procedure(Sender, Source: TObject; X, Y: Integer; State: TDragState; var Accept: Boolean)
19850: procedure(Sender, Source: TObject; X, Y: Integer)
19851: procedure(Sender, Target: TObject; X, Y: Integer)
19852: procedure(Sender: TObject; ASection, AWidth: Integer)
19853: procedure(Sender: TObject; ScrollCode: TScrollCode; var ScrollPos: Integer)
19854: procedure(Sender: TObject; Shift: TShiftState; X, Y: Integer);
19855: procedure(Sender: TObject; var Action: TCloseAction)
19856: procedure(Sender: TObject; var CanClose: Boolean)
19857: procedure(Sender: TObject; var Key: Char);
19858: ProcedureName ProcedureNames ProcedureParametersCursor @
19859:
19860: *****Now Constructors constructor *****
19861: Size is: 1248 1115 996 628 550 544 501 459 (381)
19862: Attach( VersionInfoData : Pointer; Size : Integer)
19863: constructor Create( ABuckets : TBucketListSizes)
19864: Create( ACallBackWnd : HWND)
19865: Create( AClient : TCustomTaskDialog)
19866: Create( AClient : TIdTelnet)
19867: Create( ACollection : TCollection)
19868: Create( ACollection : TFavoriteLinkItems)
19869: Create( ACollection : TTaskDialogButtons)
19870: Create( AConnection : TIdCustomHTTP)
19871: Create( ACreateSuspended : Boolean)
19872: Create( ADataSet : TCustomSQLDataSet)
19873: CREATE( ADATASET : TDATASET)
19874: Create( Aggregates : TAggregates; ADataSet : TCustomClientDataSet);
19875: Create( AGrid : TCustomDBGrid)
19876: Create( AGrid : TStringGrid; AIndex : Longint)
19877: Create( AHTTP : TIdCustomHTTP)
19878: Create( AListItems : TlistItems)
19879: Create( AOnBytesRemoved : TIdBufferBytesRemoved)
19880: Create( AOnBytesRemoved : TIdBufferBytesRemoved)
19881: Create( AOwner : TCommonCalendar)
19882: Create( AOwner : TComponent)
19883: CREATE( AOWNER : TCOMPONENT)
19884: Create( AOwner : TCustomListView)
19885: Create( AOwner : TCustomOutline)
19886: Create( AOwner : TCustomRichEdit)
19887: Create( AOwner : TCustomRichEdit; AttributeType : TAttributeType)
19888: Create( AOwner : TCustomTreeView)
19889: Create( AOwner : TidUserManager)
19890: Create( AOwner : TListItems)
19891: Create(AOwner:TObj;Handle:hDBCICur;CBTyp:CBType;CBBuf:Ptr;CBBufSiz:Int;CallbkEvt:TBDECallbkEvt;Chain:Bool)
19892: CREATE( AOWNER : TPERSISTENT)
19893: Create( AOwner : TPersistent)
19894: Create( AOwner : TTable)
19895: Create( AOwner : TTreeNodes)
19896: Create( AOwner : TWinControl; const ClassName : string)
19897: Create( AParent : TIdCustomHTTP)
19898: Create( AParent : TUpdateTree; AResolver : TCustomResolver)
19899: Create( AProvider : TBaseProvider)

```

```

19900: Create( AProvider : TCustomProvider);
19901: Create( AProvider : TDataSetProvider)
19902: Create( ASocket : TCustomWinSocket; TimeOut : Longint)
19903: Create( ASocket : TSocket)
19904: Create( AStrings : TWideStrings)
19905: Create( AToolBar : TToolBar)
19906: Create( ATreeNodes : TTreeNodes)
19907: Create( Autofill : boolean)
19908: Create( AWebPageInfo : TABstractWebPageInfo)
19909: Create( AWebRequest : TWebRequest)
19910: Create( Collection : TCollection)
19911: Create( Collection : TIdMessageParts; ABody : TStrings)
19912: Create( Collection : TIdMessageParts; const AFileName : TFileName)
19913: Create( Column : TColumn)
19914: Create( const AConvFamily : TConvFamily; const ADescription : string)
19915: Create( const AConvFamily : TConvFamily; const ADescription : string; const AFactor : Double)
19916: Create( const AConvFamily: TConvFamily; const ADescription:string; const AToCommonProc,
  AFromComProc:TConversionProc)
19917: Create( const AInitialState : Boolean; const AManualReset : Boolean)
19918: Create( const ATabSet : TTabSet)
19919: Create( const Compensate : Boolean)
19920: Create( const FileMap : TJclCustomFileMapping; Access, Size : Cardinal; ViewOffset : Int64)
19921: Create( const FileName : string)
19922: Create( const FileName : string; FileMode:Cardinal; const Name:string; Protect:Cardinal; const MaximumSize
  : Int64; const SecAttr : PSecurityAttributes)
19923: Create( const FileName : string; FileMode : WordfmShareDenyWrite)
19924: Create( const MaskValue : string)
19925: Create( const Name:string; Protect:Cardinal;const MaximumSize:Int64;const SecAttr:PSecurityAttributes)
19926: Create( const Prefix : string)
19927: Create( const sRegularExpression : string; xFlags : TniRegularExpressionMatchFlags)
19928: Create( const sRule : string; xFlags : TniRegularExpressionMatchFlags)
19929: Create( const sRule : string; xFlags : TniRegularExpressionMatchFlags)
19930: Create( CoolBar : TCoolBar)
19931: Create( CreateSuspended : Boolean; ASocket : TServerClientWinSocket)
19932: Create( CreateSuspended : Boolean; ASocket : TServerWinSocket)
19933: Create( DataSet : TDataSet; const
  Text:Widestring;Options:TFilterOptions;ParserOptions:TParserOptions;const FieldName : Widestring;
  DepFields : TBits; FieldMap : TFieldMap)
19934: Create( DBCtrlGrid : TDBCtrlGrid)
19935: Create( DSTableProducer : TDSTableProducer)
19936: Create( DSTableProducer : TDSTableProducer; ColumnClass : THTMLTableColumnClass)
19937: Create( ErrorCode : DBIResult)
19938: Create( Field : TBlobField; Mode : TBlobStreamMode)
19939: Create( Grid : TCustomDBGrid; ColumnClass : TColumnClass)
19940: Create( HeaderControl : TCustomHeaderControl)
19941: Create( HTTPRequest : TWebRequest)
19942: Create( iStart : integer; sText : string)
19943: Create( iValue : Integer)
19944: Create( Kind : TMmTimerKind; Notification : TMmNotificationKind)
19945: Create( MciErrNo : MCIERROr; const Msg : string)
19946: Create(MemoryStream:TCustomMemStream;FreeStream:Boolean;const AIndexOption:TJclMappedTextReaderIndex);
19947: Create( Message : string; ErrorCode : DBResult)
19948: Create( Msg : string)
19949: Create( NativeError, Context : string; ErrCode, PrevError : Integer; E : Exception)
19950: Create( NativeError, Context : string; ErrorCode, PreviousError : DBResult)
19951: Create( oExpression : TniRegularExpression; eType : TniRegularExpressionStateType)
19952: Create( oOwner : TniRegularExpression; xFlags : TniRegularExpressionMatchFlags)
19953: Create(oSource:TniRegularExpressionState;oDestination:TniRegularExpressionState;xCharacts:TCharSet;bLambda:bool)
19954: Create( Owner : EDBEngineError; ErrorCode : DBIResult; NativeError : Longint; Message : PChar)
19955: Create( Owner : TCustomComboBoxEx)
19956: CREATE( OWNER : TINDEXDEFS; const NAME, FIELDS: String; OPTIONS: TINDEXOPTIONS)
19957: Create( Owner : TPersistent)
19958: Create( Params : TStrings) Create( Size : Cardinal)
19959: Create( Socket : TSocket; ServerWinSocket : TServerWinSocket)
19960: Create( StatusBar : TCustomStatusBar)
19961: Create( WebDispatcher : TCustomWebDispatcher; ItemClass : TCollectionItemClass)
19962: Create( WebResponse : TWebResponse; ItemClass : TCollectionItemClass)
19963: Create(AHandle:Integer)
19964: Create(AOwner: TComponent); virtual;
19965: Create(const AURI : string)
19966: Create(FileName:String;Mode:Word)
19967: Create(Instance:THandle;ResName:String;ResType:PChar)
19968: Create(Stream : TStream)
19969: Create( ADataset : TDataset);
19970: Create( const FileHandle:THandle;const Name:string;Protect:Cardinal;const MaximumSize:Int64;const
  SecAttr:PSecurityAttributes);
19971: Create( const FileName : string; const AIndexOption : TJclMappedTextReaderIndex);
19972: Create2( Other : TObject);
19973: CreateAt(FileMap : TJclCustomFileMapping; Access,Size:Cardinal;ViewOffset:Int64;Address: Pointer)
19974: CreateError(const anErrCode: Integer;const asReplyMessage: string; const asErrorMessage: string)
19975: CreateFmt( MciErrNo : MCIERROr; const Msg : string; const Args : array of const)
19976: CreateFromId(Instance:THandle;ResId:Integer;ResType:PChar)
19977: CreateLinked( DBCtrlGrid : TDBCtrlGrid)
19978: CREATE(OWNER:TCOMPONENT; Dummy: Integer)
19979: CreateRes( Ident : Integer);
19980: CreateRes( MciErrNo : MCIERROr; Ident : Integer)
19981: CreateRes( ResStringRec : PResStringRec);
19982: CreateResHelp( Ident : Integer; AHelpContext : Integer);
19983: CreateResHelp( ResStringRec : PResStringRec; AHelpContext : Integer);

```

```

19984: CreateShadow( AOwner : TComponent; ControlSide : TControlSide)
19985: CreateSize( AWidth, AHeight : Integer)
19986: Open( const Name : string; const InheritHandle : Boolean; const DesiredAccess : Cardinal)
19987:
19988: -----
19989: unit uPSI_MathMax;
19990: -----
19991: CONSTS
19992: Bernstein: Float = 0.2801694990238691330364364912307; // Bernstein constant
19993: Cbrt2: Float = 1.2599210498948731647672106072782; // CubeRoot(2)
19994: Cbrt3: Float = 1.4422495703074083823216383107801; // CubeRoot(3)
19995: Cbrt10: Float = 2.1544346900318837217592935665194; // CubeRoot(10)
19996: Cbrt100: Float = 4.6415888336127788924100763509194; // CubeRoot(100)
19997: CbrtPi: Float = 1.4645918875615232630201425272638; // CubeRoot(Pi)
19998: Catalan: Float = 0.9159655941772190150546035149324; // Catalan constant
19999: PiJ: Float = 3.1415926535897932384626433832795; // PI
20000: PI: Extended = 3.1415926535897932384626433832795;
20001: PiOn2: Float = 1.5707963267948966192313216916398; // PI / 2
20002: PiOn3: Float = 1.0471975511965977461542144610932; // PI / 3
20003: PiOn4: Float = 0.78539816339744830961566084581988; // PI / 4
20004: Sqrt2: Float = 1.4142135623730950488016887242097; // Sqrt(2)
20005: Sqrt3: Float = 1.7320508075688772935274463415059; // Sqrt(3)
20006: Sqrt5: Float = 2.2360679774997896964091736687313; // Sqrt(5)
20007: Sqrt10: Float = 3.1622776601683793319988935444327; // Sqrt(10)
20008: SqrtPi: Float = 1.772453850905160272981674833411; // Sqrt(Pi)
20009: Sqrt2Pi: Float = 2.506628274631000502415765284811; // Sqrt(2 * PI)
20010: TwoPi: Float = 6.283185307179586476925286766559; // 2 * PI
20011: ThreePi: Float = 9.4247779607693797153879301498385; // 3 * PI
20012: Ln2: Float = 0.69314718055994530941723212145818; // Ln(2)
20013: Ln10: Float = 2.3025850929940456840179914546844; // Ln(10)
20014: LnPi: Float = 1.1447298858494001741434273513531; // Ln(Pi)
20015: Log2J: Float = 0.301029995663981195212973889472449; // Log10(2)
20016: Log3: Float = 0.47712125471966243729502790325512; // Log10(3)
20017: LogPi: Float = 0.4971498726941338543512682882909; // Log10(Pi)
20018: LogE: Float = 0.43429448190325182765112891891661; // Log10(E)
20019: E: Float = 2.7182818248590452353602874713527; // Natural constant
20020: hLn2Pi: Float = 0.91893853320467274178032973640562; // Ln(2*Pi)/2
20021: inv2Pi: Float = 0.15915494309189533576888376337251436203445964574046; // 0.5/Pi
20022: TwoToPower63: Float = 9223372036854775808.0; // 2^63
20023: GoldenMean: Float = 1.618033988749894848204586834365638; // GoldenMean
20024: EulerMascheroni: Float = 0.5772156649015328606065120900824; // Euler GAMMA
20025: RadCor : Double = 57.29577951308232; {number of degrees in a radian}
20026: StDelta : Extended = 0.00001; {delta for difference equations}
20027: StEpsilon : Extended = 0.00001; {epsilon for difference equations}
20028: StMaxIterations : Integer = 100; {max attempts for convergence}
20029:
20030: procedure SIRegister_StdConvs(CL: TPPascalCompiler);
20031: begin
20032:   MetersPerInch = 0.0254; // [1]
20033:   MetersPerFoot = MetersPerInch * 12;
20034:   MetersPerYard = MetersPerFoot * 3;
20035:   MetersPerMile = MetersPerFoot * 5280;
20036:   MetersPerNauticalMiles = 1852;
20037:   MetersPerAstronomicalUnit = 1.49598E11; // [4]
20038:   MetersPerLightSecond = 2.99792458E8; // [5]
20039:   MetersPerLightYear = MetersPerLightSecond * 31556925.9747; // [7]
20040:   MetersPerParsec = MetersPerAstronomicalUnit * 206264.806247096; // 60 * 60 * (180 / Pi)
20041:   MetersPerCubit = 0.4572; // [6][?]
20042:   MetersPerFathom = MetersPerFoot * 6;
20043:   MetersPerFurlong = MetersPerYard * 220;
20044:   MetersPerHand = MetersPerInch * 4;
20045:   MetersPerPace = MetersPerInch * 30;
20046:   MetersPerRod = MetersPerFoot * 16.5;
20047:   MetersPerChain = MetersPerRod * 4;
20048:   MetersPerLink = MetersPerChain / 100;
20049:   MetersPerPoint = MetersPerInch * 0.013837; // [7]
20050:   MetersPerPica = MetersPerPoint * 12;
20051:
20052:   SquareMetersPerSquareInch = MetersPerInch * MetersPerInch;
20053:   SquareMetersPerSquareFoot = MetersPerFoot * MetersPerFoot;
20054:   SquareMetersPerSquareYard = MetersPerYard * MetersPerYard;
20055:   SquareMetersPerSquareMile = MetersPerMile * MetersPerMile;
20056:   SquareMetersPerAcre = SquareMetersPerSquareYard * 4840;
20057:   SquareMetersPerSquareRod = MetersPerRod * MetersPerRod;
20058:
20059:   CubicMetersPerCubicInch = MetersPerInch * MetersPerInch * MetersPerInch;
20060:   CubicMetersPerCubicFoot = MetersPerFoot * MetersPerFoot * MetersPerFoot;
20061:   CubicMetersPerCubicYard = MetersPerYard * MetersPerYard * MetersPerYard;
20062:   CubicMetersPerCubicMile = MetersPerMile * MetersPerMile * MetersPerMile;
20063:   CubicMetersPerAcresFoot = SquareMetersPerAcre * MetersPerFoot;
20064:   CubicMetersPerAcresInch = SquareMetersPerAcre * MetersPerInch;
20065:   CubicMetersPerCord = CubicMetersPerCubicFoot * 128;
20066:   CubicMetersPerCordFoot = CubicMetersPerCubicFoot * 16;
20067:
20068:   CubicMetersPerUSFluidGallon = CubicMetersPerCubicInch * 231; // [2][3][7]
20069:   CubicMetersPerUSFluidQuart = CubicMetersPerUSFluidGallon / 4;
20070:   CubicMetersPerUSFluidPint = CubicMetersPerUSFluidQuart / 2;
20071:   CubicMetersPerUSFluidCup = CubicMetersPerUSFluidPint / 2;
20072:   CubicMetersPerUSFluidGill = CubicMetersPerUSFluidCup / 2;

```

```

20073: CubicMetersPerUSFluidOunce = CubicMetersPerUSFluidCup / 8;
20074: CubicMetersPerUSFluidTablespoon = CubicMetersPerUSFluidOunce / 2;
20075: CubicMetersPerUSFluidTeaspoon = CubicMetersPerUSFluidOunce / 6;
20076: CubicMetersPerUSDryGallon = CubicMetersPerCubicInch * 268.8025; // [7]
20077: CubicMetersPerUSDryQuart = CubicMetersPerUSDryGallon / 4;
20078: CubicMetersPerUSDryPint = CubicMetersPerUSDryQuart / 2;
20079: CubicMetersPerUSDryPeck = CubicMetersPerUSDryGallon * 2;
20080: CubicMetersPerUSDryBucket = CubicMetersPerUSDryPeck * 2;
20081: CubicMetersPerUSDryBushel = CubicMetersPerUSDryBucket * 2;
20082:
20083: CubicMetersPerUKGallon = 0.00454609; // [2][7]
20084: CubicMetersPerUKPottle = CubicMetersPerUKGallon / 2;
20085: CubicMetersPerUKQuart = CubicMetersPerUKPottle / 2;
20086: CubicMetersPerUKPint = CubicMetersPerUKQuart / 2;
20087: CubicMetersPerUKGill = CubicMetersPerUKPint / 4;
20088: CubicMetersPerUKOunce = CubicMetersPerUKPint / 20;
20089: CubicMetersPerUKPeck = CubicMetersPerUKGallon * 2;
20090: CubicMetersPerUKBucket = CubicMetersPerUKPeck * 2;
20091: CubicMetersPerUKBushel = CubicMetersPerUKBucket * 2;
20092:
20093: GramsPerPound = 453.59237; // [1][7]
20094: GramsPerDrams = GramsPerPound / 256;
20095: GramsPerGrains = GramsPerPound / 7000;
20096: GramsPerTons = GramsPerPound * 2000;
20097: GramsPerLongTons = GramsPerPound * 2240;
20098: GramsPerOunces = GramsPerPound / 16;
20099: GramsPerStones = GramsPerPound * 14;
20100:
20101: MaxAngle 9223372036854775808.0;
20102: MaxTanH 5678.2617031470719747459655389854);
20103: MaxFactorial( 1754);
20104: MaxFloatingPoint(1.189731495357231765085759326628E+4932);
20105: MinFloatingPoint'(3.3621031431120935062626778173218E-4932);
20106: MaxTanh( 354.89135644669199842162284618659);
20107: MaxFactorial'LongInt'( 170);
20108: MaxFloatingPointD(1.797693134862315907729305190789E+308);
20109: MinFloatingPointD(2.2250738585072013830902327173324E-308);
20110: MaxTanh( 44.361419555836499802702855773323);
20111: MaxFactorial'LongInt'( 33);
20112: MaxFloatingPointS( 3.4028236692093846346337460743177E+38);
20113: MinFloatingPointS( 1.1754943508222875079687365372222E-38);
20114: PiExt( 3.1415926535897932384626433832795);
20115: RatioDegToRad( PiExt / 180.0);
20116: RatioGradToRad( PiExt / 200.0);
20117: RatioDegToGrad( 200.0 / 180.0);
20118: RatioGradToDeg( 180.0 / 200.0);
20119: Crc16PolynomCCITT'LongWord $1021);
20120: Crc16PolynomIBM'LongWord $8005);
20121: Crc16Bits'LongInt'( 16);
20122: Crc16Bytes'LongInt'( 2);
20123: Crc16HighBit'LongWord $8000);
20124: NotCrc16HighBit', 'LongWord $7FFF);
20125: Crc32PolynomIEEE', 'LongWord $04C11DB7);
20126: Crc32PolynomCastagnoli', 'LongWord $1EDC6F41);
20127: Crc32Koopman', 'LongWord $741B8CD7);
20128: Crc32Bits', 'LongInt'( 32);
20129: Crc32Bytes', 'LongInt'( 4);
20130: Crc32HighBit', 'LongWord $80000000);
20131: NotCrc32HighBit', 'LongWord $7FFFFFFF);
20132:
20133: MinByte      = Low(Byte);
20134: MaxByte      = High(Byte);
20135: MinWord      = Low(Word);
20136: MaxWord      = High(Word);
20137: MinShortInt  = Low(ShortInt);
20138: MaxShortInt  = High(ShortInt);
20139: MinSmallInt  = Low(SmallInt);
20140: MaxSmallInt  = High(SmallInt);
20141: MinLongWord  = LongWord(Low(LongWord));
20142: MaxLongWord  = LongWord(High(LongWord));
20143: MinLongInt   = LongInt(Low(LongInt));
20144: MaxLongInt   = LongInt(High(LongInt));
20145: MinInt64     = Int64(Low(Int64));
20146: MaxInt64     = Int64(High(Int64));
20147: MinInteger   = Integer(Low(Integer));
20148: MaxInteger   = Integer(High(Integer));
20149: MinCardinal  = Cardinal(Low(Cardinal));
20150: MaxCardinal  = Cardinal(High(Cardinal));
20151: MinNativeUInt = NativeUInt(Low(NativeUInt));
20152: MaxNativeUInt = NativeUInt(High(NativeUInt));
20153: MinNativeInt = NativeInt(Low(NativeInt));
20154: MaxNativeInt = NativeInt(High(NativeInt));
20155: Function CosH( const Z : Float) : Float;
20156: Function SinH( const Z : Float) : Float;
20157: Function TanH( const Z : Float) : Float;
20158:
20159: //*****from DMath.Dll Lib of types.inc in source\dmath_dll
20160: InvLn2        = 1.44269504088896340736; { 1/Ln(2) }
20161: InvLn10       = 0.43429448190325182765; { 1/Ln(10) }

```

```

20162: TwoPi      = 6.28318530717958647693; { 2*Pi }
20163: PiDiv2     = 1.57079632679489661923; { Pi/2 }
20164: SqrtPi     = 1.77245385090551602730; { Sqrt(Pi) }
20165: Sqrt2Pi    = 2.50662827463100050242; { Sqrt(2*pi) }
20166: InvSqrt2Pi = 0.39894228040143267794; { 1/Sqrt(2*Pi) }
20167: LnSqrt2Pi  = 0.91893853320467274178; { Ln(Sqrt(2*Pi)) }
20168: Ln2PiDiv2 = 0.91893853320467274178; { Ln(2*Pi)/2 }
20169: Sqrt2      = 1.41421356237309504880; { Sqrt(2) }
20170: Sqrt2Div2 = 0.7071067818654752440; { Sqrt(2)/2 }
20171: Gold       = 1.61803398874989484821; { Golden Mean = (1 + Sqrt(5))/2 }
20172: CGold      = 0.38196601125010515179; { 2 - GOLD }
20173: MachEp    = 2.220446049250313E-16; { 2^(-52) }
20174: MaxNum    = 1.797693134862315E+308; { 2^1024 }
20175: MinNum    = 2.225073858507202E-308; { 2^(-1022) }
20176: MaxLog    = 709.7827128933840;
20177: MinLog    = -708.3964185322641;
20178: MaxFac    = 170;
20179: MaxGam    = 171.624376956302;
20180: MaxLgm    = 2.556348E+305;
20181: SingleCompareDelta = 1.0E-34;
20182: DoubleCompareDelta = 1.0E-280;
20183: ($IFDEF CLR)
20184: ExtendedCompareDelta = DoubleCompareDelta;
20185: ($ELSE)
20186: ExtendedCompareDelta = 1.0E-4400;
20187: ($ENDIF)
20188: Bytes1KB   = 1024;
20189: Bytes1MB   = 1024 * Bytes1KB;
20190: Bytes1GB   = 1024 * Bytes1MB;
20191: Bytes64KB  = 64 * Bytes1KB;
20192: Bytes64MB  = 64 * Bytes1MB;
20193: Bytes2GB   = 2 * LongWord(Bytes1GB);
20194:   clBlack32', $FF000000 );
20195:   clDimGray32', $FF3F3F3F );
20196:   clGray32', $FF7F7F7F );
20197:   clLightGray32', $FFBFBFBF );
20198:   clWhite32', $FFFFFF );
20199:   clMaroon32', $FF7F0000 );
20200:   clGreen32', $FF007F00 );
20201:   clOlive32', $FF7F7F00 );
20202:   clNavy32', $FF00007F );
20203:   clPurple32', $FF7F007F );
20204:   clTeal32', $FF007F7F );
20205:   clRed32', $FFFF0000 );
20206:   clLime32', $FF00FF00 );
20207:   clYellow32', $FFFFFF00 );
20208:   clBlue32', $FF0000FF );
20209:   clFuchsia32', $FFFF00FF );
20210:   clAqua32', $FF00FFFF );
20211:   clAliceBlue32', $FFF0F8FF );
20212:   clAntiqueWhite32', $FFFAEBD7 );
20213:   clAquamarine32', $FF7FFFD4 );
20214:   clAzure32', $FFF0FFFF );
20215:   clBeige32', $FFF5F5DC );
20216:   clBisque32', $FFF4E4C4 );
20217:   clBlancheDalmond32', $FFFFEBBC );
20218:   clBlueViolet32', $FF8A2BE2 );
20219:   clBrown32', $FFA52A2A );
20220:   clBurlyWood32', $FFDEB887 );
20221:   clCadetblue32', $FF59EA0 );
20222:   clChartreuse32', $FF7FFF00 );
20223:   clChocolate32', $FFD2691E );
20224:   clCoral32', $FFFF7F50 );
20225:   clCornFlowerBlue32', $FF6495ED );
20226:   clCornSilk32', $FFFFF8DC );
20227:   clCrimson32', $FFDC143C );
20228:   clDarkBlue32', $FF00008B );
20229:   clDarkCyan32', $FF008B8B );
20230:   clDarkGoldenRod32', $FFB8860B );
20231:   clDarkGray32', $FFA9A9A9 );
20232:   clDarkGreen32', $FF006400 );
20233:   clDarkGrey32', $FFA9A9A9 );
20234:   clDarkKhaki32', $FFBD876B );
20235:   clDarkMagenta32', $FF8B008B );
20236:   clDarkOliveGreen32', $FF556B2F );
20237:   clDarkOrange32', $FFFF8C00 );
20238:   clDarkOrchid32', $FF9932CC );
20239:   clDarkRed32', $FF8B0000 );
20240:   clDarkSalmon32', $FFE9967A );
20241:   clDarkSeaGreen32', $FF8FB8C8F );
20242:   clDarkSlateBlue32', $FF483D8B );
20243:   clDarkSlateGray32', $FF2F4F4F );
20244:   clDarkSlateGrey32', $FF2F4F4F );
20245:   clDarkTurquoise32', $FF00CED1 );
20246:   clDarkViolet32', $FF9400D3 );
20247:   clDeepPink32', $FFFF1493 );
20248:   clDeepSkyBlue32', $FF00BFFF );
20249:   clDodgerBlue32', $FF1E90FF );
20250:   clFireBrick32', $FFB22222 );

```

```
20251: clFloralWhite32', $FFFFFAF0 ));  
20252: clGainsboro32', $FFDCDCDC ));  
20253: clGhostWhite32', $FFF8F8FF ));  
20254: clGold32', $FFFFD700 ));  
20255: clGoldenRod32', $FFDA520 ));  
20256: clGreenYellow32', $FFFADFF2F ));  
20257: clGrey32', $FF808080 ));  
20258: clHoneyDew32', $FFF0FF0 ));  
20259: clHotPink32', $FFFF69B4 ));  
20260: clIndianRed32', $FFCD5C5C ));  
20261: clIndigo32', $FF4B0082 ));  
20262: clIvory32', $FFFFFFF0 ));  
20263: clKhaki32', $FFF0E68C ));  
20264: clLavender32', $FFE6E6FA ));  
20265: clLavenderBlush32', $FFFFF0F5 ));  
20266: clLawnGreen32', $FF7CFC00 ));  
20267: clLemonChiffon32', $FFFFFFACD ));  
20268: clLightBlue32', $FFADD8E6 ));  
20269: clLightCoral32', $FFF08080 ));  
20270: clLightCyan32', $FFE0FFF ));  
20271: clLightGoldenRodYellow32', $FFFCAFAD2 ));  
20272: clLightGreen32', $FF90EE90 ));  
20273: clLightGrey32', $FFD3D3D3 ));  
20274: clLightPink32', $FFFBB6C1 ));  
20275: clLightSalmon32', $FFF0A07A ));  
20276: clLightSeagreen32', $FF20B2AA ));  
20277: clLightSkyblue32', $FF87CEFA ));  
20278: clLightSlategray32', $FF778899 ));  
20279: clLightSlategrey32', $FF778899 ));  
20280: clLightSteelblue32', $FFB0C4DE ));  
20281: clLightYellow32', $FFFFFFE0 ));  
20282: clLtGray32', $FFC0C0C0 ));  
20283: clMedGray32', $FFA0A0A4 ));  
20284: clDkGray32', $FF808080 ));  
20285: clMoneyGreen32', $FFC0DCC0 ));  
20286: clLegacySkyBlue32', $FFA6CAF0 ));  
20287: clCream32', $FFFFFFBF0 ));  
20288: clLimeGreen32', $FF32CD32 ));  
20289: clLinene32', $FFF0E6 ));  
20290: clMediumAquamarine32', $FF66CDAA ));  
20291: clMediumBlue32', $FF0000CD ));  
20292: clMediumOrchid32', $FFBA55D3 ));  
20293: clMediumPurple32', $FF9370DB ));  
20294: clMediumSeaGreen32', $FF3CB371 ));  
20295: clMediumSlateBlue32', $FF7B68EE ));  
20296: clMediumSpringGreen32', $FF00FA9A ));  
20297: clMediumTurquoise32', $FF48D1CC ));  
20298: clMediumVioletRed32', $FFC71585 ));  
20299: clMidnightBlue32', $FF191970 ));  
20300: clMintCream32', $FFF5FFFA ));  
20301: clMistyRose32', $FFFE4E1 ));  
20302: clMoccasin32', $FFFE4B5 ));  
20303: clNavajoWhite32', $FFFFDEAD ));  
20304: clOldLace32', $FFFDF5E6 ));  
20305: clOliveDrab32', $FF6B8E23 ));  
20306: clOrange32', $FFF0A500 ));  
20307: clOrangeRed32', $FFFF4500 ));  
20308: clOrchid32', $FFDA70D6 ));  
20309: clPaleGoldenRod32', $FFEEE8AA ));  
20310: clPaleGreen32', $FF98FB98 ));  
20311: clPaleTurquoise32', $FFAFEEEE ));  
20312: clPaleVioletred32', $FFDB7093 ));  
20313: clPapayaWhip32', $FFFEFD5 ));  
20314: clPeachPuff32', $FFFFFFDAB9 ));  
20315: clPeru32', $FFCD853F ));  
20316: clPlum32', $FFDDA0DD ));  
20317: clPowderBlue32', $FFB0E0E6 ));  
20318: clRosyBrown32', $FFBC8F8F ));  
20319: clRoyalBlue32', $FF4169E1 ));  
20320: clSaddleBrown32', $FF8B4513 ));  
20321: clSalmon32', $FFF0A8072 ));  
20322: clSandyBrown32', $FFF4A460 ));  
20323: clSeaGreen32', $FF2E8B57 ));  
20324: clSeashell32', $FFFFFF5EE ));  
20325: clSienna32', $FFA0522D ));  
20326: clSilver32', $FFC0C0C0 ));  
20327: clSkyblue32', $FF87CEEB ));  
20328: clSlateBlue32', $FF6A5ACD ));  
20329: clSlateGray32', $FF708090 ));  
20330: clSlateGrey32', $FF708090 ));  
20331: clSnow32', $FFFFFFAFA ));  
20332: clSpringgreen32', $FF00FF7F ));  
20333: clSteelblue32', $FF4682B4 ));  
20334: clTan32', $FFD2B48C ));  
20335: clThistle32', $FFD8BFD8 ));  
20336: clTomato32', $FFFF6347 ));  
20337: clTurquoise32', $FF40E0D0 ));  
20338: clViolet32', $FFEE82EE ));  
20339: clWheat32', $FFF5DEB3 ));
```

```

20340:   clWhitesmoke32', $FFF5F5F5 ));
20341:   clYellowgreen32', $FF9ACD32 ));
20342:   clTrWhite32', $FFFFFF );
20343:   clTrBlack32', $7F000000 ));
20344:   clTrRed32', $7FFF0000 ));
20345:   clTrGreen32', $7F00FF00 ));
20346:   clTrBlue32', $7F0000FF ));
20347: // Fixed point math constants
20348: FixedOne = $10000; FixedHalf = $7FFF;
20349: FixedPI = Round(PI * FixedOne);
20350: FixedToFloat = 1/FixedOne;
20351:
20352: Special Types
20353: ****
20354: type Complex = record //for complex numbers
20355:   X, Y : Float;
20356: end;
20357: type TComplex', 'record Form : ComplexForm; X : Float; Y : Float; R :'
20358:   + Float; Theta : Float; end');
20359: type TVector      = array of Float;
20360: TIntVector     = array of Integer;
20361: TCompVector    = array of Complex;
20362: TBoolVector    = array of Boolean;
20363: TStringVector = array of String;
20364: TMatrix        = array of TVector;
20365: TIntMatrix    = array of TIntVector;
20366: TCompMatrix   = array of TCompVector;
20367: TBoolMatrix   = array of TBoolVector;
20368: TStringMatrix = array of TString;
20369: TByteArray    = array[0..32767] of byte; !
20370: THexArray     = array [0..15] of Char; // = '0123456789ABCDEF';
20371: TBitmapStyle  = (bsNormal, bsCentered, bsStretched);
20372: T2StringArray = array of array of string;
20373: T2IntegerArray= array of array of integer;
20374: AddTypes('INT_PTR', 'Integer
20375: AddTypes('LONG_PTR', 'Integer
20376: AddTypes('UINT_PTR', 'Cardinal
20377: AddTypes('ULONG_PTR', 'Cardinal
20378: AddTypes('DWORD_PTR', 'ULONG_PTR
20379: TIntegerDynArray', 'array of Integer
20380: TCardinalDynArray', 'array of Cardinal
20381: TWordDynArray', 'array of Word
20382: TSmallIntDynArray', 'array of SmallInt
20383: TByteDynArray', 'array of Byte
20384: TShortIntDynArray', 'array of ShortInt
20385: TInt64DynArray', 'array of Int64
20386: TLongWordDynArray', 'array of LongWord
20387: TSsingleDynArray', 'array of Single
20388: TDoubleDynArray', 'array of Double
20389: TBooleanDynArray', 'array of Boolean
20390: TStringDynArray', 'array of string
20391: TWideStringDynArray', 'array of WideString
20392: TDynByteArray   = array of Byte;
20393: TDynShortintArray = array of Shortint;
20394: TDynSmallintArray = array of Smallint;
20395: TDynWordArray    = array of Word;
20396: TDynIntegerArray = array of Integer;
20397: TDynLongintArray = array of Longint;
20398: TDynCardinalArray = array of Cardinal;
20399: TDynInt64Array   = array of Int64;
20400: TDynExtendedArray = array of Extended;
20401: TDynDoubleArray  = array of Double;
20402: TDynSingleArray   = array of Single;
20403: TDynFloatArray    = array of Float;
20404: TDynPointerArray  = array of Pointer;
20405: TDynStringArray   = array of string;
20406: TSynSearchOption = (ssoMatchCase, ssoWholeWord, ssoBackwards,
20407:   ssoEntireScope, ssoSelectedOnly, ssoReplace, ssoReplaceAll, ssoPrompt);
20408: TSynSearchOptions = set of TSynSearchOption;
20409: TFloat = single
20410: Float = double
20411:
20412:
20413: /* Project: IFSI_WinFormlpuzzle.pas BaseInclude RunTimeLib for maxbox */: pas_includebox.inc
20414: -----
20415: procedure drawPolygon(vPoints: TXYVector; cFrm: TForm);
20416: procedure drawPlot(vPoints: TXYVector; cFrm: TForm; vcolor: integer);
20417: procedure SaveCanvas(vCanvas: TCanvas; FileName: string);
20418: procedure SaveCanvas2(vCanvas: TCanvas; FileName: string);
20419: function CheckStringSum(vstring: string): integer;
20420: function HexToInt(HexNum: string): LongInt;
20421: function IntToBin(Int: Integer): String;
20422: function BinToInt(Binary: String): Integer;
20423: function HexToBin(HexNum: string): string; external2
20424: function BinToHex(Binary: String): string;
20425: function IntToFloat(i: Integer): double;
20426: function AddThousandSeparator(S: string; myChr: Char): string;
20427: function Max3(const X,Y,Z: Integer): Integer;
20428: procedure Swap(var X,Y: char); // faster without inline

```

```

20429: procedure ReverseString(var S: String);
20430: function CharToHexStr(Value: Char): string;
20431: function CharToUniCode(Value: Char): string;
20432: function Hex2Dec(Value: Str002): Byte;
20433: function HexStrCodeToStr(Value: string): string;
20434: function HexToStr(i: integer; value: string): string;
20435: function UniCodeToStr(Value: string): string;
20436: function CRC16(statement: string): string;
20437: function SearchForSubstrings(aStrList: TStrings; aSearchStr1, aSearchStr2: string): string;
20438: procedure SearchAndReplace(aStrList: TStrings; aSearchStr, aNewStr: string);
20439: procedure SearchAndCopy(aStrList: TStrings; aSearchStr, aNewStr: string; offset: integer);
20440: Procedure ExecuteCommand(executeFile, paramstring: string);
20441: Procedure ShellExecuteAndWait(executeFile, paramstring: string);
20442: function ExecConsoleApp(const AppName, Parameters: String; AppOutput: TStrings): DWORD;
20443: procedure SearchAndOpenDoc(vfilenamepath: string);
20444: procedure ShowInterfaces(myFile: string);
20445: function Fact2(av: integer): extended;
20446: Function BoolToStr(B: Boolean): string;
20447: Function GCD(x, y : LongInt) : LongInt;
20448: function LCM(m,n: longint): longint;
20449: function GetASCII: string;
20450: function GetItemHeight(Font: TFont): Integer;
20451: function myPlaySound(s: pchar; flag,syncflag: integer): boolean;
20452: function myGetWindowsDirectory(lpBuffer: PChar; uSize: longword): longword;
20453: function getHINSTANCE: longword;
20454: function getHMODULE: longword;
20455: function GetASCII: string;
20456: function ByteIsOk(const AByte: string; var VB: Byte): boolean;
20457: function WordIsOk(const AWord: string; var VW: Word): boolean;
20458: function TwentyFourBitValueIsOk(const AValue: string; var VI: Integer): boolean;
20459: function LongIsOk(const Along: string; var VC: Cardinal): boolean;
20460: function SafeStr(const s: string): string;
20461: function ExtractUrlPath(const FileName: string): string;
20462: function ExtractUrlName(const FileName: string): string;
20463: function IsInternet: boolean;
20464: function RotateLeft1Bit_u32( Value: uint32): uint32;
20465: procedure LinearRegression(const KnownY:array of Double;const KnownX:array of Double;NData:Int;var LF:TStLinEst; ErrorStats: Bool);
20466: procedure getEnvironmentInfo;
20467: procedure AntiFreeze;
20468: function GetCPUSpeed: Double;
20469: function IsVirtualPcGuest : Boolean;
20470: function IsVmWareGuest : Boolean;
20471: procedure StartSerialDialog;
20472: function IsWoW64: boolean;
20473: function IsWow64String(var s: string): Boolean;
20474: procedure StartThreadDemo;
20475: Function RGB(R,G,B: Byte): TColor;
20476: Function SendIn(amess: string): boolean;
20477: Procedure maxbox;
20478: Function AspectRatio(aWidth, aHeight: Integer): String;
20479: function wget(aURL, afile: string): boolean;
20480: procedure PrintList(Value: TStringList);
20481: procedure PrintImage(aValue: TBitmap; Style: TBitmapStyle);
20482: procedure getEnvironmentInfo;
20483: procedure AntiFreeze;
20484: function getBitmap(apath: string): TBitmap;
20485: procedure ShowMessageBig(const aText : string);
20486: function YesNoDialog(const ACaption, AMsg: string): boolean;
20487: procedure SetArrayLength2String(arr: T2StringArray; asize1, asize2: integer);
20488: procedure SetArrayLength2Integer(arr: T2IntegerArray; asize1, asize2: integer);
20489: //function myStrToBytes(const Value: String): TBytes;
20490: //function myBytesToStr(const Value: TBytes): String;
20491: function SaveAsExcelFile(AGrid: TStringGrid; ASheetName, AFileName: string; open: boolean): Boolean;
20492: function getBitmap(apath: string): TBitmap;
20493: procedure ShowMessageBig(const aText : string);
20494: Function StrToBytes(const Value: String): TBytes;
20495: Function BytesToStr(const Value: TBytes): String;
20496: function SaveAsExcelFile(AGrid: TStringGrid; ASheetName, AFileName: string; open: boolean): Boolean;
20497: function ReversedDNSLookup(const IPAdrs:String;const DNSServer:String;Timeout,Retries:Int;var HostName:String):Bool;
20498: function FindInPaths(const fileName, paths : String) : String;
20499: procedure initHexArray(var hexn: THexArray);
20500: function josephusG(n,k: integer; var graphout: string): integer;
20501: function isPowerof2(num: int64): boolean;
20502: function powerOf2(exponent: integer): int64;
20503: function getBigPI: string;
20504: procedure MakeSound(Frequency{Hz}, Duration{mSec}: Integer; Volume: TVolumeLevel; savefilePath: string);
20505: function GetASCIILine: string;
20506: procedure MakeComplexSound(N:integer{stream # to use}; freqlist:TStrings; Duration{mSec}: Integer;
20507: pinknoise: boolean; shape: integer; Volume: TVolumeLevel);
20508: procedure SetComplexSoundElements(freqedt,Phaseedt,AmpEdt,WaveGrp:integer);
20509: procedure AddComplexSoundObjectToList(newf,newp,newa,neww,newn,integer; freqlist: TStrings);
20510: function mapfunc(ax, in_min, in_max, out_min, out_max: integer): integer;
20511: function mapmax(ax, in_min, in_max, out_min, out_max: integer): integer;
20512: function isKeypressed: boolean;
20513: function Keypress: boolean;
20514: procedure StrSplitP(const Delimiter: Char; Input: string; const Strings: TStrings);
20515: function ReadReg(Base: HKEY; KeyName, ValueName: string): string;

```

```

20516: function ReadRegistry(Base: HKEY; KeyName, ValueName: string): string;
20517: function GetOSName: string;
20518: function GetOSVersion: string;
20519: function GetOSNumber: string;
20520: function getEnvironmentString: string;
20521: procedure StrReplace(var Str: String; Old, New: String);
20522: procedure SendEmail(mFrom, mTo, mSubject, mBody, mAttachment: variant);
20523: function getTeamViewerID: string;
20524: Procedure RecurseDirectory(Dir: String; IncludeSubs:boolean; callback:TFileCallbackProcedure);
20525: Procedure RecurseDirectory2(Dir : String; IncludeSubs : boolean);
20526: procedure WinInet_HttpGet(const Url: string; Stream:TStream);
20527: procedure GetQrCode2(Width,Height: Word;Correct_Level:string;const Data:string;apath:string);
20528: function StartSocketService: Boolean;
20529: procedure StartSocketServiceForm;
20530: function GetFileList(FileList: TStringlist; apath: string): TStringlist;
20531: function GetFileList1(apath: string): TStringlist;
20532: procedure LetFileList(FileList: TStringlist; apath: string);
20533: procedure StartWeb(NSURL: string);
20534: function GetTodayFiles(startdir, amask: string): TStringlist;
20535: function PortTCPISOpen(dwPort: Word; ipAddressStr: String): boolean;
20536: function JavahashCode(val: string): Integer;
20537: procedure PostKeyEx32(key: Word; const shift: TShiftState; specialkey: Boolean);
20538: procedure SaveBytesToFile2(const Data: Sysutils.TBytes; const FileName: string);
20539: Procedure HideWindowForSeconds(secs: integer); //3 seconds
20540: Procedure HideWindowForSeconds2(secs: integer; appHandle, aSelf: TForm); //3 seconds
20541: Procedure ConvertToGray(Cnv: TCanvas);
20542: function GetFileDate(aFile:string; aWithTime:Boolean):string;
20543: procedure ShowMemory;
20544: function ShowMemory2: string;
20545: function getHostIP: string;
20546: procedure ShowBitmap(bmap: TBitmap);
20547: function GetOsVersionInfo: TOSVersionInfo; //thx to wischnewski
20548: function CreateDBGridForm(dblist: TStringList): TListbox;
20549: function isService: boolean;
20550: function isApplication: boolean;
20551: function isTerminalSession: boolean;
20552: function SetPrivilege(privilegeName: string; enable: boolean): boolean;
20553: procedure getScriptandRunAsk;
20554: procedure getScriptandRun(ascript: string);
20555: function VersionCheckAct: string;
20556: procedure getBox(NSURL, extension: string);
20557: function CheckBox: string;
20558: function isNTFS: boolean;
20559: //procedure doWebCamPic;
20560: procedure doWebCamPic(picname: string);
20561: function readm: string;
20562: procedure getGEOMapandRunAsk;
20563: function GetMapX(C_form,apath: string; const Data: string): boolean;
20564: procedure GetGEOMap(C_form,apath: string; const Data: string);
20565: function GetMapXGeoReverse(C_form: string; const lat,long: string): string;
20566: //function RoundTo(const AValue: Extended;
20567: // const ADigit: TRoundToEXRangeExtended): Extended;
20568: function DownloadFile(SourceFile, DestFile: string): Boolean;
20569: function DownloadfileOpen(Sourcefile, DestFile: string): Boolean;
20570: function OpenMap(const Data: string): boolean;
20571: function GetGeoCode(C_form,apath: string; const data: string; sfile: boolean): string;
20572: Function getFileCount(amask: string): integer;
20573: function CoordinateStr(Idx: Integer; PosInSec: Double; PosLn: TNavPos): string;
20574: procedure DebugLn(DebugLOGFILE: string; E: string);
20575: function IntToFloat(i: Integer): double;
20576: function AddThousandSeparator(S: string; myChr: Char): string;
20577: function mymcisendString(cmd: PChar; ret: PChar; len: integer; callback: integer): cardinal;
20578: End C:\maXbook\maxbox3\mX3999\maxbox3\source\IFSI_WinForm1puzzle.pas File loaded
20579:
20580:
20581: // News of 3.9.8 up
20582: Halt-Stop Program in Menu, WebServer2, Stop Event Recompile,
20583: Conversion Routines, Prebuild Forms, more RCData, DebugOutString
20584: CodeSearchEngine to search code patterns in /examples <Ctrl F3>
20585: JvChart - TJvChart Component - 2009 Public
20586: MemoryLeakReport in ini-file (MEMORYREPORT=Y)
20587: PerlRegEx PCRE obj lib included, Perl & Python Syntax Editor, bitbox3 logic example
20588: TAdoQuery.SQL.Add() fixed, ShLwAPI extensions, Indy HTTPHeader Extensions
20589: DMath DLL included incl. Demos
20590: Interface Navigator menu/View/Intf Navigator
20591: Unit Explorer menu/Debug/Units Explorer
20592: EKON 16 Slides ..\maxbox3\docs\utils Excel Export maXcel
20593: Tutorial 19 WinCOM with Arduino Tutorial 20 RegEx Coding
20594: Script History to 9 Files WebServer light /Options/Addons/WebServer
20595: Full Text Finder, JVSimLogic Simulator Package
20596: Halt-Stop Program in Menu, WebServer2, Stop Event ,
20597: Conversion Routines, Prebuild Forms, CodeSearch
20598: Halt-Stop Program in Menu, WebServer2, Stop Event Recompile,
20599: Conversion Routines, Prebuild Forms, more RCData, DebugOutString
20600: CodeSearchEngine to search code patterns in /examples <Ctrl F3>
20601: JvChart - TJvChart Component - 2009 Public, mXGames, JvgXMLSerializer, TJvPaintFX
20602: Compress-Decompress Zip, Services Tutorial22, Synapse framework, PDFLib
20603: SynEdit API, Macro, Macro Recorder, DLL Spy, Configuration Tutorial
20604: IDE Reflection API, Session Service Shell S3

```

```

20605: additional SynEdit API, isKeyPressed Routine, Bookmarks, OpenToolsAPI Catalog (OTAC)
20606: Class TMonitor, Configuration Tutorial maxbox_starter25.pdf, Chess.dll Game
20607: arduino map() function, PRandom Generator
20608: StBarCode Lib, StreamReaderClass, BarCode Package, Astro Package
20609: more ShellAPI, add 32 more units, Simulated Annealing, GenAlgo
20610: REST Test Lib, Multilang Component, Forth Interpreter
20611: New Macros, Sendmail (instant email), DevCUnits, Tetris Addon
20612: DCOM, MDAC, MIDI, TLS support, Posmarks, Utils Addon
20613: Routines for LaTeX/PS, Utils Addon, Indy Package3, TAR Archive, @Callbacks
20614: Routines for LaTeX/PS, Utils Addon, Indy Package3, TAR Archive, @Callbacks
20615: First LCL of Lazarus, CmdLine API, ToDo List, 36 more Units preCompiled
20616: QRCode Service, add more CFunctions like CDateTTime of Synapse
20617: Gamma Functions, IndyPackage4, HotLog Threadable, FormTemplateLibrary FTL
20618: Nonlinear regression, ADO Workbench Addon, Assign fixing, IntfNavigator fixing, Applet
20619: 30 more Units preCompiled, QRCode Indy Service, more CFunctions like CFill or SRand
20620: RestartDialog, RTF, SQL Scanner, RichEdit, 15 more Units
20621: Tool Section, SOAP Tester, Hot Log Logger2, TCPPortScan, 28 more Units
20622: BOLD Package, Indy Package5, maTRIX. MATHEMAX
20623: SPS Utils WDOS, Plc BitBus (PetriNet), 40 more units
20624: emax layers: system-package-component-unit-class-function-block
20625: HighPrecision Timers, Indy Package6, AutoDetect, UltraForms
20626: Reversi, GOL, bugfixing, 8 more units, Tutorial 24 Clean Code
20627: Tutorial 18_3 RGB LED, OpenGL Geometry, maxpix, statictext
20628: OpenGL Game Demo: ..Options/Add Ons/Reversi
20629: IBUtils Refactor, InterBase Package, DotNet Routines (JvExControls)
20630: add 31 units, mX4 Introduction Paper, more Socket&Streams, ShortString Routines
20631: 7% performance gain (hot spot profiling)
20632: PEP -Pascal Education Program, GSM Module, CGI, PHP Runner
20633: add 42 + 22 (64 units), memcached database, autobookmark, Alcinoe PAC, IPC Lib
20634: Orpheus PAC, AsyncFree Library advapi32 samples, FirebirdExp+MySQL units
20635: FBX Lib, psAPI, SMS Cell Module, OpenGL, Borland Tools, Zeus
20636:
20637: add routines in 3.9.7.5
20638: 097: procedure RIRegister_BarCodeScanner_Routines(S: TPSEexec);
20639: 996: procedure RIRegister_DBCtrls_Routines(S: TPSEexec);
20640: 069: procedure RIRegister_IdStrings_Routines(S: TPSEexec);
20641: 516: procedure RIRegister_JclMultimedia_Routines(S: TPSEexec);
20642: 215: procedure RIRegister_PNGLoader_Routines(S: TPSEexec);
20643: 374: procedure RIRegister_SerDlgs_Routines(S: TPSEexec);
20644: 777: procedure RIRegister_LinarBitmap_Routines(S: TPSEexec);
20645:
20646: ////////////////////////////////////////////////////////////////// TestUnits //////////////////////////////////////////////////////////////////
20647: SelfTestPEM;
20648: SelfTestCFundamentUtils;
20649: SelfTestCFileUtils;
20650: SelfTestCDateTime;
20651: SelfTestCTimer;
20652: SelfTestCRandom;
20653: Test with e.g.: Assert(PathHasDriveLetter('A:'), 'PathHasDriveLetter'
20654:           Assert(WinPathToUnixPath('\c\d\f') = '/c/d/f', 'WinPathToUnixPath'
20655:
20656: // Note: There's no need for installing a client certificate in the
20657: // webbrowser. The server asks the webbrowser to send a certificate but
20658: // if nothing is installed the software will work because the server
20659: // doesn't check to see if a client certificate was supplied. If you want you can install:
20660: // file: c_cacert.p12 password: c_cakey
20661:
20662: TGraphicControl = class(TControl)
20663: private
20664:   FCanvas: TCanvas;
20665:   procedure WMPaint(var Message: TWMPaint); message WM_PAINT;
20666: protected
20667:   procedure Paint; virtual;
20668:   property Canvas: TCanvas read FCanvas;
20669: public
20670:   constructor Create(AOwner: TComponent); override;
20671:   destructor Destroy; override;
20672: end;
20673:
20674: TCustomControl = class(TWinControl)
20675: private
20676:   FCanvas: TCanvas;
20677:   procedure WMPaint(var Message: TWMPaint); message WM_PAINT;
20678: protected
20679:   procedure Paint; virtual;
20680:   procedure PaintWindow(DC: HDC); override;
20681:   property Canvas: TCanvas read FCanvas;
20682: public
20683:   constructor Create(AOwner: TComponent); override;
20684:   destructor Destroy; override;
20685: end;
20686: RegisterPublishedProperties;
20687: ('ONCHANGE', 'TNotifyEvent', iptrw);
20688: ('ONCLICK', 'TNotifyEvent', iptrw);
20689: ('ONDBLCLICK', 'TNotifyEvent', iptrw);
20690: ('ONENTER', 'TNotifyEvent', iptrw);
20691: ('ONEXIT', 'TNotifyEvent', iptrw);
20692: ('ONKEYDOWN', 'TKeyEvent', iptrw);
20693: ('ONKEYPRESS', 'TKeyPressEvent', iptrw);

```

```

20694:     ('ONMOUSEDOWN', 'TMouseEvent', iptrw);
20695:     ('ONMOUSEMOVE', 'TMouseEvent', iptrw);
20696:     ('ONMOUSEUP', 'TMouseEvent', iptrw);
20697: //*****
20698: // To stop the while loop, click on Options>Show Include (boolean switch)!
20699: Control a loop in a script with a form event:
20700: IncludeON; //control the while loop
20701: while maxform1.ShowInclude1.checked do begin //menu event Options>Show Include
20702: repeat {for it:= 1 to n do} until is keypressed //keypress in output window below (memo2)
20703:
20704: //-----
20705: //*****mX4 ini-file Configuration*****
20706: //-----
20707: using config file maxboxdef.ini      menu/Help/Config File
20708:
20709: //*** Definitions for maXbox mX3 ***
20710: [FORM]
20711: LAST_FILE=E:\maxbox\maxbox3\examples\140_drive_typedemo.txt //history up to 10 files
20712: FONTSIZE=14
20713: EXTENSION=txt
20714: SCREENX=1386
20715: SCREENY=1077
20716: MEMHEIGHT=350
20717: PRINTFONT=Courier New //GUI Settings
20718: LINENUMBERS=Y //line numbers at gutter in editor at left side
20719: EXCEPTIONLOG=Y //store excepts + success in 2 log files see below! -menu Debug>Show Last Exceptions
20720: EXECUTESHELL=Y //prevents execution of ExecuteShell() or ExecuteCommand()
20721: BOOTSCRIPT=Y //enabling load a boot script
20722: MEMORYREPORT=Y //shows memory report on closing maXbox
20723: MACRO=Y //expand macros (see below) in code e.g. #path:E:\maxbox3\mXGit39988\maxbox3\docs\
20724: NAVIGATOR=N //shows function list at the right side of editor
20725: NAVWIDTH=350 //width of the right side interface list <CTRL L> >=200
20726: AUTOBOOKMARK=Y //sets on all functions a bookmark to jump
20727: [WEB]
20728: IMPORT=8080 //for internal webserver - menu /Options/Add Ons/WebServer
20729: IPHOST=192.168.1.53 //run as Administrator!
20730: ROOTCERT=filepathY
20731: SCERT=filepathY
20732: RSAKEY=filepathY
20733: VERSIONCHECK=Y
20734: APP=C:\WINDOWS\System32\calc.exe //set path to an external app
20735:
20736:
20737: using Logfile: maxboxlog.log , Exceptionlogfile: maxboxerrorlog.txt
20738: Also possible to set report memory in script to override ini setting
20739: procedure Set_ReportMemoryLeaksOnShutdown(abo: boolean)
20740:
20741: After Change the ini file you can reload the file with ./Help/Config Update
20742:
20743: //-----
20744: //*****mX4 maildef.ini ini-file Configuration*****
20745: //-----
20746: //*** Definitions for maXMail ***
20747: //sendemail, HOST=mail.hover.com, PORT=465 (SSL)
20748: [MAXMAIL]
20749: HOST=mailto:software@schule.ch
20750: USER=mailusername
20751: PASS=password
20752: PORT=110
20753: SSL=Y
20754: BODY=Y
20755: LAST=5
20756:
20757: ADO Connection String:
20758: Provider=MSDASQL;DSN=mx3base;Uid=sa;Pwd=admin
20759: \452_dbtreeview2access.txt \452_dbtrv3accessUML2.txt
20760: program TestDbTreeViewMainForm2_ACCESS;
20761:   ConnectionString='Provider=Microsoft.Jet.OLEDB.4.0;Data Source='
20762:           +Exepath+'\examples\detail.mdb;Persist Security Info=False';
20763:   'Provider=MSDASQL.1;Persist Security Info=False;Extended
Properties="DSN=FB_EMPLOYEE;Driver=Firebird/InterBase(r)
driver;Dbname=C:\maxbox\maxbox3\mX3999\maxbox3\examples\EMPLOYEE.FDB;CHARSET=NONE;UID=SYSDBA;Role=Admin;"'
20764:
20765: OpenSSL Lib: unit ssl_openssl_lib;
20766: {$IFDEF CIL}
20767: const
20768: {$IFDEF LINUX}
20769: DLLSSLName = 'libssl.so';
20770: DLLUtilName = 'libcrypto.so';
20771: {$ELSE}
20772: DLLSSLName = 'ssleay32.dll';
20773: DLLUtilName = 'libeay32.dll';
20774: {$ENDIF}
20775: {$ELSE}
20776: var
20777: {$IFNDEF MSWINDOWS}
20778: {$IFDEF DARWIN}
20779: DLLSSLName: string = 'libssl.dylib';
20780: DLLUtilName: string = 'libcrypto.dylib';

```

```

20781: { $ELSE}
20782: DLLSSLName: string = 'libssl.so';
20783: DLLUtilName: string = 'libcrypto.so';
20784: { $ENDIF}
20785: { $ELSE}
20786: DLLSSLName: string = 'ssleay32.dll';
20787: DLLSSLName2: string = 'libssl32.dll';
20788: DLLUtilName: string = 'libleay32.dll';
20789: { $ENDIF}
20790: { $ENDIF}
20791:
20792: //-----
20793: //*****mX4 Macro Tags *****
20794: //-----
20795:
20796: asm #name #hostmAPSN2APSN211le, #head,max: APSN21: 04.01.2014 19:05:50
E:\maxbox\maxbox3\docs\maxbox_extract_funcList399.txt end
20797:
20798: //Tag Macros in ini-file configure
20799:
20800: asm #name, #date, #host, #path, #file, #head, #sign #tech #net end
20801:
20802: //Tag Macros
20803: 10188: SearchAndCopy(memo1.lines, '#name', getUserNameWin, 11);
20804: 10189: SearchAndCopy(memo1.lines, '#date', datetimetoStr(now), 11);
20805: 10190: SearchAndCopy(memo1.lines, '#host', getComputernameWin, 11);
20806: 10191: SearchAndCopy(memo1.lines, '#path', fpath, 11);
20807: 10192: SearchAndCopy(memo1.lines, '#file', fname, 11);
20808: 10199: SearchAndCopy(memo1.lines, '#files', fname + '+SHA1(Act_Filename), 11);
20809: 10193: SearchAndCopy(memo1.lines, '#locs', intToStr(getCodeEnd), 11);
20810: 10194: SearchAndCopy(memo1.lines, '#perf', perfTime, 11);
20811: 10195: SearchAndCopy(memo1.lines, '#sign', Format('%s: %s: %s',
20812: [getUserNameWin, getComputernameWin, datetimetoStr(now),
20813: 10196: SearchAndCopy(memo1.lines, '#head', Format('%s: %s: %s %s ',
20814: 10197: [getUserNameWin, getComputernameWin, datetimetoStr(now), Act_Filename]], 11));
20815: [getUserNameWin, getComputernameWin, datetimetoStr(now), Act_Filename]], 11));
20816: 10198: SearchAndCopy(memo1.lines, '#tech', Format('perf: %s threads: %d %s %s',
20817: [perfTime, numprocesssthreads, getIPAddress(getComputerNameWin), timetoStr(time), mbversion]], 11));
20818: 10298: SearchAndCopy(memo1.lines, '#net', Format('DNS: %s; local IPs: %s; local IP: %s',
20819: [getDNS, GetLocalIPs, getIPAddress(getComputerNameWin)], 10));
20820:
20821: //#tech!perf: 0:0:29.297 threads: 3 192.168.174.1 19:26:30
20822:
20823: //Replace Macros
20824: SearchAndCopy(memo1.lines, '<TIME>', timetoStr(time), 6);
20825: SearchAndCopy(memo1.lines, '<DATE>', datetoStr(date), 6);
20826: SearchAndCopy(memo1.lines, '<PATH>', fpath, 6);
20827: SearchAndCopy(memo1.lines, '<EXEPATH>', EXEPATH, 9);
20828: SearchAndCopy(memo1.lines, '<FILE>', fname, 6);
20829: SearchAndCopy(memo1.lines, '<SOURCE>', ExePath+'Source', 8);
20830: ref: netcologne.dl.sourceforge.net/project/maxbox/maxbox3.zip
20831: SearchAndCopy(memo1.lines, '#tech'perf: threads: 2 192.168.1.53 19:05:50 3.9.9.84
20832: [perfTime,numprocesssthreads,getIPAddress(getComputerNameWin),timetoStr(time),mbversion]], 11);
20833: //#tech!84perf: threads: 2 192.168.1.53 19:05:50 3.9.9.84
20834: SearchAndCopy(memo1.lines, 'maxbox_extract_funcList399.txt
20835:
20836: //-----
20837: //*****mX4 ToDo List Tags ..../Help/ToDo List*****
20838: //-----
20839:
20840: while I < sl.Count do begin
20841: // if MatchesMask(sl[I], '/? TODO ([a-z0-9_]*#[1-9]#)*:*') then
20842: if MatchesMask(sl[I], '/? TODO (?*#?#)*:*') then
20843: BreakupToDo(Filename, sl, I, 'TODO', True, True) // full info TODO
20844: else if MatchesMask(sl[I], '/? DONE (?*#?#)*:*') then
20845: BreakupToDo(Filename, sl, I, 'DONE', True, True) // full info DONE
20846: else if MatchesMask(sl[I], '/? TODO (#?#)*:*') then
20847: BreakupToDo(Filename, sl, I, 'TODO', False, True) // only priority info TODO
20848: else if MatchesMask(sl[I], '/? DONE (#?#)*:*') then
20849: BreakupToDo(Filename, sl, I, 'DONE', False, True) // only priority info DONE
20850: else if MatchesMask(sl[I], '/?/?TODO*:*)' then
20851: BreakupToDo(Filename, sl, I, 'TODO', False, False) // custom TODO
20852: else if MatchesMask(sl[I], '/?/?DONE*:*)' then
20853: BreakupToDo(Filename, sl, I, 'DONE', False, False) // custom DONE
20854: Inc(I);
20855: end;
20856:
20857: //-----
20858: //*****mX4 Public Tools API *****
20859: //-----
20860: file : unit uPSI_fMain.pas; {SOTAP} Open Tools API Catalog
20861: // Those functions concern the editor and preprocessor, all of the IDE
20862: Example: Call it with maxform1.Info1Click(self)
20863: Note: Call all Methods with maxForm1., e.g.:
20864: maxForm1.ShellStyle1Click(self);
20865:
20866: procedure SIRegister_fMain(CL: TPPascalCompiler);
20867: begin
20868: Const ('BYTECODE','String 'bytecode.txt'

```

```
20869: Const('PSTEXT','String PS Scriptfiles (*.txt)|*.TXT')
20870: Const('PSMODEL','String PS Modelfiles (*.uc)|*.UC'
20871: Const('PSPASCAL','String PS Pascalfiles (*.pas)|*.PAS'
20872: Const('PSINC','String PS Includes (*.inc)|*.INC'
20873: Const('DEFFILENAME','String 'firstdemo.txt'
20874: Const('DEFINIFILE','String 'maxboxdef.ini'
20875: Const('EXCEPTLOGFILE','String 'maxboxerrorlog.txt'
20876: Const('ALLFUNCTIONSLIST','String 'upsi_allfunctionslist.txt'
20877: Const('ALLFUNCTIONSLISTPDF','String 'maxbox_functions_all.pdf'
20878: Const('ALLOBJECTSLIST','String 'docs\VCL.pdf'
20879: Const('ALLRESOURCELIST','String 'docs\upsi_allresourcelist.txt'
20880: Const('ALLUNITLIST','String 'docs\maxbox3_9.xml')
20881: Const('INCLUDEBOX','String 'pas_includebox.inc'
20882: Const('BOOTSCRIPT','String 'maxbootscript.txt'
20883: Const('MBVERSION','String '3.9.9.180'
20884: Const('VERSION','String '3.9.9.180'
20885: Const('MBVER','String '399'
20886: Const('MBVERI','Integer'(399);
20887: Const('MBVERIALL','Integer'(399180);
20888: Const('EXENAME','String 'maXbox3.exe'
20889: Const('MXSITE','String 'http://www.softwareschule.ch/maxbox.htm'
20890: Const('MXVERSIONFILE','String 'http://www.softwareschule.ch/maxvfile.txt'
20891: Const('MXVERSIONFILE2','String 'http://www.softwareschule.ch/maxvfile2.txt'
20892: Const('MXINTERNETCHECK','String 'www.ask.com'
20893: Const('MXMAIL','String 'max@kleiner.com'
20894: Const('TAB','Char #$09';
20895: Const('CODECOMPLETION','String 'bds_delphi.dci'
20896: SIRegister_TMaxForm1(CL);
20897: end;
20898:
20899: with FindClass('TForm'),'TMaxForm1') do begin
20900:   memo2', 'TMemo', iptrw);
20901:   memo1', 'TSynMemo', iptrw);
20902:   CB1SCList', 'TComboBox', iptrw);
20903:   mxNavigator', 'TComboBox', iptrw);
20904:   IPHost', 'string', iptrw);
20905:   IPPort', 'integer', iptrw);
20906:   COMPort', 'integer', iptrw); //3.9.6.4
20907:   Splitter1', 'TSplitter', iptrw);
20908:   PSScript', 'TPSScript', iptrw);
20909:   PS3D11Plugin', 'TPS3D11Plugin', iptrw);
20910:   MainMenul', 'TMainMenu', iptrw);
20911:   Programl', 'TMenuItem', iptrw);
20912:   Compilel', 'TMenuItem', iptrw);
20913:   Files1', 'TMenuItem', iptrw);
20914:   open1', 'TMenuItem', iptrw);
20915:   Save2', 'TMenuItem', iptrw);
20916:   Options1', 'TMenuItem', iptrw);
20917:   Savebefore1', 'TMenuItem', iptrw);
20918:   Largefont1', 'TMenuItem', iptrw);
20919:   sBytecode1', 'TMenuItem', iptrw);
20920:   Saveas3', 'TMenuItem', iptrw);
20921:   Clear1', 'TMenuItem', iptrw);
20922:   Slinenumbers1', 'TMenuItem', iptrw);
20923:   About1', 'TMenuItem', iptrw);
20924:   Search1', 'TMenuItem', iptrw);
20925:   SynPasSyn1', 'TSynPasSyn', iptrw);
20926:   memo1', 'TSynMemo', iptrw);
20927:   SynEditSearch1', 'TSynEditSearch', iptrw);
20928:   WordWrap1', 'TMenuItem', iptrw);
20929:   XPMManifest1', 'TXPMManifest', iptrw);
20930:   SearchNext1', 'TMenuItem', iptrw);
20931:   Replace1', 'TMenuItem', iptrw);
20932:   PSImport_Controls1', 'TPSImport_Controls', iptrw);
20933:   PSImport_Classes1', 'TPSImport_Classes', iptrw);
20934:   ShowInclude1', 'TMenuItem', iptrw);
20935:   SynEditPrint1', 'TSynEditPrint', iptrw);
20936:   Printout1', 'TMenuItem', iptrw);
20937:   mnPrintColors1', 'TMenuItem', iptrw);
20938:   dlgFilePrint', 'TPrintDialog', iptrw);
20939:   dlgPrintFont1', 'TFontDialog', iptrw);
20940:   mnuPrintFont1', 'TMenuItem', iptrw);
20941:   Include1', 'TMenuItem', iptrw);
20942:   CodeCompletionList1', 'TMenuItem', iptrw);
20943:   IncludeList1', 'TMenuItem', iptrw);
20944:   ImageList1', 'TImageList', iptrw);
20945:   ImageList2', 'TImageList', iptrw);
20946:   CoolBar1', 'TCoolBar', iptrw);
20947:   ToolBar1', 'TToolBar', iptrw);
20948:   btnLoad', 'TToolButton', iptrw);
20949:   ToolButton2', 'TToolButton', iptrw);
20950:   btnFind', 'TToolButton', iptrw);
20951:   btnCompile', 'TToolButton', iptrw);
20952:   btnTrans', 'TToolButton', iptrw);
20953:   btnUseCase', 'TToolButton', iptrw); //3.8
20954:   toolbtnTutorial', 'TToolButton', iptrw);
20955:   btn6res', 'TToolButton', iptrw);
20956:   ToolButton5', 'TToolButton', iptrw);
20957:   ToolButton1', 'TToolButton', iptrw);
```

```
20958: ToolButton3', 'TToolButton', iptrw);
20959: statusBar1', 'TStatusBar', iptrw);
20960: SaveOutput1', 'TMenuItem', iptrw);
20961: ExportClipboard1', 'TMenuItem', iptrw);
20962: Close1', 'TMenuItem', iptrw);
20963: Manual1', 'TMenuItem', iptrw);
20964: About2', 'TMenuItem', iptrw);
20965: loadLastfile1', 'TMenuItem', iptrw);
20966: imgLogo', 'TImage', iptrw);
20967: cedebbug', 'TPSScriptDebugger', iptrw);
20968: debugPopupMenu1', 'TPopupMenu', iptrw);
20969: BreakPointMenu', 'TMenuItem', iptrw);
20970: Decompile1', 'TMenuItem', iptrw);
20971: StepInto1', 'TMenuItem', iptrw);
20972: StepOut1', 'TMenuItem', iptrw);
20973: Reset1', 'TMenuItem', iptrw);
20974: DebugRun1', 'TMenuItem', iptrw);
20975: PSImport_ComObj1', 'TPSImport_ComObj', iptrw);
20976: PSImport_StdCtrls1', 'TPSImport_StdCtrls', iptrw);
20977: PSImport_Forms1', 'TPSImport_Forms', iptrw);
20978: PSImport_DateUtils1', 'TPSImport_DateUtils', iptrw);
20979: tutorial4', 'TMenuItem', iptrw);
20980: ExporttoClipboard1', 'TMenuItem', iptrw);
20981: ImportfromClipboard1', 'TMenuItem', iptrw);
20982: N4', 'TMenuItem', iptrw);
20983: N5', 'TMenuItem', iptrw);
20984: N6', 'TMenuItem', iptrw);
20985: ImportfromClipboard2', 'TMenuItem', iptrw);
20986: tutorial1', 'TMenuItem', iptrw);
20987: N7', 'TMenuItem', iptrw);
20988: ShowSpecChars1', 'TMenuItem', iptrw);
20989: OpenDirectory1', 'TMenuItem', iptrw);
20990: procMess', 'TMenuItem', iptrw);
20991: btnUseCase', 'TToolButton', iptrw);
20992: ToolButton7', 'TToolbutton', iptrw);
20993: EditFont1', 'TMenuItem', iptrw);
20994: UseCase1', 'TMenuItem', iptrw);
20995: tutorial21', 'TMenuItem', iptrw);
20996: OpenUseCase1', 'TMenuItem', iptrw);
20997: PSImport_DB1', 'TPSImport_DB', iptrw);
20998: tutorial31', 'TMenuItem', iptrw);
20999: SynHTMLSyn1', 'TSynHTMLSyn', iptrw);
21000: HTMLSyntax1', 'TMenuItem', iptrw);
21001: ShowInterfaces1', 'TMenuItem', iptrw);
21002: Tutorials5', 'TMenuItem', iptrw);
21003: AllFunctionsList1', 'TMenuItem', iptrw);
21004: ShowLastException1', 'TMenuItem', iptrw);
21005: PlayMP31', 'TMenuItem', iptrw);
21006: SynTeXSyn1', 'TSynTeXSyn', iptrw);
21007: texSyntax1', 'TMenuItem', iptrw);
21008: N8', 'TMenuItem', iptrw);
21009: GetEMails1', 'TMenuItem', iptrw);
21010: SynCppSyn1', 'TSynCppSyn', iptrw);
21011: CSyntax1', 'TMenuItem', iptrw);
21012: Tutorial16', 'TMenuItem', iptrw);
21013: New1', 'TMenuItem', iptrw);
21014: AllObjectsList1', 'TMenuItem', iptrw);
21015: LoadBytecode1', 'TMenuItem', iptrw);
21016: CipherFile1', 'TMenuItem', iptrw);
21017: N9', 'TMenuItem', iptrw);
21018: N10', 'TMenuItem', iptrw);
21019: Tutorial111', 'TMenuItem', iptrw);
21020: Tutorial71', 'TMenuItem', iptrw);
21021: UpdateService1', 'TMenuItem', iptrw);
21022: PascalSchool1', 'TMenuItem', iptrw);
21023: Tutorial81', 'TMenuItem', iptrw);
21024: DelphiSite1', 'TMenuItem', iptrw);
21025: Output1', 'TMenuItem', iptrw);
21026: TerminalStyle1', 'TMenuItem', iptrw);
21027: ReadOnly1', 'TMenuItem', iptrw);
21028: ShellStyle1', 'TMenuItem', iptrw);
21029: BigScreen1', 'TMenuItem', iptrw);
21030: Tutorial191', 'TMenuItem', iptrw);
21031: SaveOutput2', 'TMenuItem', iptrw);
21032: N11', 'TMenuItem', iptrw);
21033: SaveScreenshot', 'TMenuItem', iptrw);
21034: Tutorial101', 'TMenuItem', iptrw);
21035: SQLSyntax1', 'TMenuItem', iptrw);
21036: SynSQLSyn1', 'TSynSQLSyn', iptrw);
21037: Console1', 'TMenuItem', iptrw);
21038: SynXMLSyn1', 'TSynXMLSyn', iptrw);
21039: XMLSyntax1', 'TMenuItem', iptrw);
21040: ComponentCount1', 'TMenuItem', iptrw);
21041: NewInstance1', 'TMenuItem', iptrw);
21042: toolbtnTutorial', 'TToolButton', iptrw);
21043: Memory1', 'TMenuItem', iptrw);
21044: SynJavaSyn1', 'TSynJavaSyn', iptrw);
21045: JavaSyntax1', 'TMenuItem', iptrw);
21046: SyntaxCheck1', 'TMenuItem', iptrw);
```

```
21047: Tutorial10Statistics1', 'TMenuItem', iptrw);
21048: ScriptExplorer1', 'TMenuItem', iptrw);
21049: FormOutput1', 'TMenuItem', iptrw);
21050: ArduinoDump1', 'TMenuItem', iptrw);
21051: AndroidDump1', 'TMenuItem', iptrw);
21052: GotoEnd1', 'TMenuItem', iptrw);
21053: AllResourceList1', 'TMenuItem', iptrw);
21054: ToolButton4', 'TToolButton', iptrw);
21055: btn6res', 'TToolButton', iptrw);
21056: Tutorial11Forms1', 'TMenuItem', iptrw);
21057: Tutorial12SQL1', 'TMenuItem', iptrw);
21058: ResourceExplore1', 'TMenuItem', iptrw);
21059: Info1', 'TMenuItem', iptrw);
21060: N12', 'TMenuItem', iptrw);
21061: CryptoBox1', 'TMenuItem', iptrw);
21062: Tutorial13Ciphering1', 'TMenuItem', iptrw);
21063: CipherFile2', 'TMenuItem', iptrw);
21064: N13', 'TMenuItem', iptrw);
21065: ModulesCount1', 'TMenuItem', iptrw);
21066: AddOns2', 'TMenuItem', iptrw);
21067: N4GewinntGame1', 'TMenuItem', iptrw);
21068: DocuforAddOns1', 'TMenuItem', iptrw);
21069: Tutorial14Asyncl1', 'TMenuItem', iptrw);
21070: Lessons15Review1', 'TMenuItem', iptrw);
21071: SynPHPSyn1', 'TSynPHPSyn', iptrw);
21072: PHPSyntax1', 'TMenuItem', iptrw);
21073: Breakpoint1', 'TMenuItem', iptrw);
21074: SerialRS2321', 'TMenuItem', iptrw);
21075: N14', 'TMenuItem', iptrw);
21076: SynCSSSyn1', 'TSynCSSSyn', iptrw);
21077: CSyntax2', 'TMenuItem', iptrw);
21078: Calculator1', 'TMenuItem', iptrw);
21079: btnSerial', 'TToolButton', iptrw);
21080: ToolButton8', 'TToolButton', iptrw);
21081: Tutorial151', 'TMenuItem', iptrw);
21082: N15', 'TMenuItem', iptrw);
21083: N16', 'TMenuItem', iptrw);
21084: ControlBar1', 'TControlBar', iptrw);
21085: ToolBar2', 'TToolBar', iptrw);
21086: BtnOpen', 'TToolButton', iptrw);
21087: BtnSave', 'TToolButton', iptrw);
21088: BtnPrint', 'TToolButton', iptrw);
21089: BtnColors', 'TToolButton', iptrw);
21090: btnClassReport', 'TToolButton', iptrw);
21091: BtnRotateRight', 'TToolButton', iptrw);
21092: BtnFullScreen', 'TToolButton', iptrw);
21093: BtnFitToWindowSize', 'TToolButton', iptrw);
21094: BtnZoomMinus', 'TToolButton', iptrw);
21095: BtnZoomPlus', 'TToolButton', iptrw);
21096: Panel1', 'TPanel', iptrw);
21097: LabelBrettgroesse', 'TLabel', iptrw);
21098: CB1SCList', 'TComboBox', iptrw);
21099: ImageListNormal', 'TImageList', iptrw);
21100: spbtnexpose', 'TSpeedButton', iptrw);
21101: spbtnexsample', 'TSpeedButton', iptrw);
21102: spbsaveas', 'TSpeedButton', iptrw);
21103: imglogobox', 'TImage', iptrw);
21104: EnlargeFont1', 'TMenuItem', iptrw);
21105: EnlargeFont2', 'TMenuItem', iptrw);
21106: ShrinkFont1', 'TMenuItem', iptrw);
21107: ThreadDemo1', 'TMenuItem', iptrw);
21108: HEXEditor1', 'TMenuItem', iptrw);
21109: HEXView1', 'TMenuItem', iptrw);
21110: HEXInspect1', 'TMenuItem', iptrw);
21111: SynExporterHTML1', 'TSynExporterHTML', iptrw);
21112: ExporttoHTML1', 'TMenuItem', iptrw);
21113: ClassCount1', 'TMenuItem', iptrw);
21114: HTMLOutput1', 'TMenuItem', iptrw);
21115: HEXEditor2', 'TMenuItem', iptrw);
21116: Minesweeper1', 'TMenuItem', iptrw);
21117: N17', 'TMenuItem', iptrw);
21118: PicturePuzzle1', 'TMenuItem', iptrw);
21119: sbvc1help', 'TSpeedButton', iptrw);
21120: DependencyWalker1', 'TMenuItem', iptrw);
21121: WebScanner1', 'TMenuItem', iptrw);
21122: View1', 'TMenuItem', iptrw);
21123: mnToolbar1', 'TMenuItem', iptrw);
21124: mnStatusbar2', 'TMenuItem', iptrw);
21125: mnConsole2', 'TMenuItem', iptrw);
21126: mnCoolbar2', 'TMenuItem', iptrw);
21127: mnSplitter2', 'TMenuItem', iptrw);
21128: WebServer1', 'TMenuItem', iptrw);
21129: Tutorial17Server1', 'TMenuItem', iptrw);
21130: Tutorial18Arduinol', 'TMenuItem', iptrw);
21131: SynPerlSyn1', 'TSynPerlSyn', iptrw);
21132: PerlSyntax1', 'TMenuItem', iptrw);
21133: SynPythonSyn1', 'TSynPythonSyn', iptrw);
21134: PythonSyntax1', 'TMenuItem', iptrw);
21135: DMathLibrary1', 'TMenuItem', iptrw);
```

```

21136: IntfNavigator1', 'TMenuItem', iptrw);
21137: EnlargeFontConsole1', 'TMenuItem', iptrw);
21138: ShrinkFontConsole1', 'TMenuItem', iptrw);
21139: SetInterfaceList1', 'TMenuItem', iptrw);
21140: popintfList', 'TPopupMenu', iptrw);
21141: intfAdd1', 'TMenuItem', iptrw);
21142: intfDelete1', 'TMenuItem', iptrw);
21143: intfRefactor1', 'TMenuItem', iptrw);
21144: Defactor1', 'TMenuItem', iptrw);
21145: Tutorial19COMArduino1', 'TMenuItem', iptrw);
21146: Tutorial20Regex', 'TMenuItem', iptrw);
21147: N18', 'TMenuItem', iptrw);
21148: ManualE1', 'TMenuItem', iptrw);
21149: FullTextFinder1', 'TMenuItem', iptrw);
21150: Move1', 'TMenuItem', iptrw);
21151: FractalDemo1', 'TMenuItem', iptrw);
21152: Tutorial21Android1', 'TMenuItem', iptrw);
21153: Tutorial0Function1', 'TMenuItem', iptrw);
21154: SimuLogBox1', 'TMenuItem', iptrw);
21155: OpenExamples1', 'TMenuItem', iptrw);
21156: SynJScriptSyn1', 'TSynJScriptSyn', iptrw);
21157: JavaScriptSyntax1', 'TMenuItem', iptrw);
21158: Halt1', 'TMenuItem', iptrw);
21159: CodeSearch1', 'TMenuItem', iptrw);
21160: SynRubySyn1', 'TSynRubySyn', iptrw);
21161: RubySyntax1', 'TMenuItem', iptrw);
21162: Undo1', 'TMenuItem', iptrw);
21163: SynUNIXShellScriptSyn1', 'TSynUNIXShellScriptSyn', iptrw);
21164: LinuxShellsScript1', 'TMenuItem', iptrw);
21165: Rename1', 'TMenuItem', iptrw);
21166: spdcodesearch', 'TSpeedButton', iptrw);
21167: Preview1', 'TMenuItem', iptrw);
21168: Tutorial22Services1', 'TMenuItem', iptrw);
21169: Tutorial23RealTime1', 'TMenuItem', iptrw);
21170: Configuration1', 'TMenuItem', iptrw);
21171: MP3Player1', 'TMenuItem', iptrw);
21172: DLLSpy1', 'TMenuItem', iptrw);
21173: SynURIOpener1', 'TSynURIOpener', iptrw);
21174: SynURISyn1', 'TSynURISyn', iptrw);
21175: URILinksClicks1', 'TMenuItem', iptrw);
21176: EditReplace1', 'TMenuItem', iptrw);
21177: GotoLine1', 'TMenuItem', iptrw);
21178: ActiveLineColor1', 'TMenuItem', iptrw);
21179: ConfigFile1', 'TMenuItem', iptrw);
21180: SortIntlList', 'TMenuItem', iptrw);
21181: Redo1', 'TMenuItem', iptrw);
21182: Tutorial24CleanCode1', 'TMenuItem', iptrw);
21183: Tutorial25Configuration1', 'TMenuItem', iptrw);
21184: IndentSelection1', 'TMenuItem', iptrw);
21185: UnindentSection1', 'TMenuItem', iptrw);
21186: SkyStyle1', 'TMenuItem', iptrw);
21187: N19', 'TMenuItem', iptrw);
21188: CountWords1', 'TMenuItem', iptrw);
21189: imbookmarkimages', 'TImageList', iptrw);
21190: Bookmark11', 'TMenuItem', iptrw);
21191: N20', 'TMenuItem', iptrw);
21192: Bookmark21', 'TMenuItem', iptrw);
21193: Bookmark31', 'TMenuItem', iptrw);
21194: Bookmark41', 'TMenuItem', iptrw);
21195: SynMultiSyn1', 'TSynMultiSyn', iptrw);
21196:
21197: Procedure IPFS3ClassesPluginImport( Sender : TObject; x : TPSPascalCompiler)
21198: Procedure IPFS3ClassesPluginExecImport(Sender: TObject; Exec: TPSEExec; x:TPSRuntimeClassImporter);
21199: Procedure PSScriptCompile( Sender : TPSScript)
21200: Procedure Compile1Click( Sender : TObject)
21201: Procedure PSScriptExecute( Sender : TPSScript)
21202: Procedure open1Click( Sender : TObject)
21203: Procedure Save2Click( Sender : TObject)
21204: Procedure Savebefore1Click( Sender : TObject)
21205: Procedure Largefont1Click( Sender : TObject)
21206: Procedure FormActivate( Sender : TObject)
21207: Procedure SBytecode1Click( Sender : TObject)
21208: Procedure FormKeyPress( Sender : TObject; var Key : Char)
21209: Procedure Saveas3Click( Sender : TObject)
21210: Procedure Clear1Click( Sender : TObject)
21211: Procedure Slinenumbers1Click( Sender : TObject)
21212: Procedure About1Click( Sender : TObject)
21213: Procedure Search1Click( Sender : TObject)
21214: Procedure FormCreate( Sender : TObject)
21215: Procedure Memo1ReplaceText(Sender:TObject;const ASearch,AReplace:String;Line,Column:Integer;
21216: var Action : TSynReplaceAction)
21217: Procedure Memo1StatusChange( Sender : TObject; Changes : TSynStatusChanges)
21218: Procedure WordWrap1Click( Sender : TObject)
21219: Procedure SearchNext1Click( Sender : TObject)
21220: Procedure Replace1Click( Sender : TObject)
21221: Function PSScriptNeedFile(Sender:TObject;const OriginFileName:String;var FName,Output:String):Bool;
21222: Procedure ShowInclude1Click( Sender : TObject)
21223: Procedure Printout1Click( Sender : TObject)
21224: Procedure mnPrintFont1Click( Sender : TObject)

```

```
21225: Procedure Include1Click( Sender : TObject)
21226: Procedure FormDestroy( Sender : TObject)
21227: Procedure FormClose( Sender : TObject; var Action : TCloseAction)
21228: Procedure UpdateView1Click( Sender : TObject)
21229: Procedure CodeCompletionList1Click( Sender : TObject)
21230: Procedure SaveOutput1Click( Sender : TObject)
21231: Procedure ExportClipboard1Click( Sender : TObject)
21232: Procedure Close1Click( Sender : TObject)
21233: Procedure Manual1Click( Sender : TObject)
21234: Procedure LoadLastFile1Click( Sender : TObject)
21235: Procedure Memo1Change( Sender : TObject)
21236: Procedure Decompile1Click( Sender : TObject)
21237: Procedure StepInto1Click( Sender : TObject)
21238: Procedure StepOut1Click( Sender : TObject)
21239: Procedure Reset1Click( Sender : TObject)
21240: Procedure cedebugAfterExecute( Sender : TPSScript)
21241: Procedure cedebugBreakpoint(Sender:TObject; const FileName:String; Position,Row, Col: Cardinal)
21242: Procedure cedebugCompile( Sender : TPSScript)
21243: Procedure cedebugExecute( Sender : TPSScript)
21244: Procedure cedebugIdle( Sender : TObject)
21245: Procedure cedebugLineInfo( Sender:TObject;const FileName:String; Position, Row, Col : Cardinal)
21246: Procedure Memo1SpecialLineColor(Sender: TObject; Line:Int; var Special:Boolean;var FG,BG:TColor);
21247: Procedure BreakPointMenuClick( Sender : TObject)
21248: Procedure DebugRun1Click( Sender : TObject)
21249: Procedure tutorial4Click( Sender : TObject)
21250: Procedure ImportfromClipboard1Click( Sender : TObject)
21251: Procedure ImportfromClipboard2Click( Sender : TObject)
21252: Procedure tutorial1Click( Sender : TObject)
21253: Procedure ShowSpecChars1Click( Sender : TObject)
21254: Procedure StatusBar1DblClick( Sender : TObject)
21255: Procedure PSScriptLine( Sender : TObject)
21256: Procedure OpenDirectory1Click( Sender : TObject)
21257: Procedure procMessClick( Sender : TObject)
21258: Procedure btnUseCaseClick( Sender : TObject)
21259: Procedure EditFont1Click( Sender : TObject)
21260: Procedure tutorial21Click( Sender : TObject)
21261: Procedure tutorial31Click( Sender : TObject)
21262: Procedure HTMLEyntax1Click( Sender : TObject)
21263: Procedure ShowInterfaces1Click( Sender : TObject)
21264: Procedure Tutorial5Click( Sender : TObject)
21265: Procedure ShowLastException1Click( Sender : TObject)
21266: Procedure PlayMP31Click( Sender : TObject)
21267: Procedure AllFunctionsList1Click( Sender : TObject)
21268: Procedure texSyntax1Click( Sender : TObject)
21269: Procedure GetEMails1Click( Sender : TObject)
21270: procedure DelphiSite1Click(Sender: TObject);
21271: procedure TerminalStyle1Click(Sender: TObject);
21272: procedure ReadOnly1Click(Sender: TObject); -->maxform1.memo2.readonly:= false;
21273: procedure ShellStyle1Click(Sender: TObject);
21274: procedure Console1Click(Sender: TObject); //3.2
21275: procedure BigScreen1Click(Sender: TObject);
21276: procedure Tutorial91Click(Sender: TObject);
21277: procedure SaveScreenshotClick(Sender: TObject);
21278: procedure Tutorial101Click(Sender: TObject);
21279: procedure SQLSyntax1Click(Sender: TObject);
21280: procedure XMLSyntax1Click(Sender: TObject);
21281: procedure ComponentCount1Click(Sender: TObject);
21282: procedure NewInstance1Click(Sender: TObject);
21283: procedure CSyntax1Click(Sender: TObject);
21284: procedure Tutorial6Click(Sender: TObject);
21285: procedure New1Click(Sender: TObject);
21286: procedure AllObjectsList1Click(Sender: TObject);
21287: procedure LoadBytecode1Click(Sender: TObject);
21288: procedure CipherFile1Click(Sender: TObject); //V3.5
21289: procedure NewInstance1Click(Sender: TObject);
21290: procedure toolbarTutorialClick(Sender: TObject);
21291: procedure Memory1Click(Sender: TObject);
21292: procedure JavaSyntax1Click(Sender: TObject);
21293: procedure SyntaxCheck1Click(Sender: TObject);
21294: procedure ScriptExplorer1Click(Sender: TObject);
21295: procedure FormOutput1Click(Sender: TObject); //V3.6
21296: procedure GotoEnd1Click(Sender: TObject);
21297: procedure AllResourceList1Click(Sender: TObject);
21298: procedure btn6resClick(Sender: TObject); //V3.7
21299: procedure Info1Click(Sender: TObject);
21300: procedure Tutorial10Statistics1Click(Sender: TObject);
21301: procedure Tutorial11Forms1Click(Sender: TObject);
21302: procedure Tutorial12SQL1Click(Sender: TObject); //V3.8
21303: procedure ResourceExplore1Click(Sender: TObject);
21304: procedure Info1Click(Sender: TObject);
21305: procedure CryptoBox1Click(Sender: TObject);
21306: procedure ModulesCount1Click(Sender: TObject);
21307: procedure N4GewinntGame1Click(Sender: TObject);
21308: procedure PHPSyntax1Click(Sender: TObject);
21309: procedure SerialRS2321Click(Sender: TObject);
21310: procedure CSyntax2Click(Sender: TObject);
21311: procedure Calculator1Click(Sender: TObject);
21312: procedure Tutorial13Ciphering1Click(Sender: TObject);
21313: procedure Tutorial14Async1Click(Sender: TObject);
```

```

21314: procedure PHPSyntax1Click(Sender: TObject);
21315: procedure BtnZoomPlusClick(Sender: TObject);
21316: procedure BtnZoomMinusClick(Sender: TObject);
21317: procedure btnClassReportClick(Sender: TObject);
21318: procedure ThreadDemo1Click(Sender: TObject);
21319: procedure HEXView1Click(Sender: TObject);
21320: procedure ExporttoHTML1Click(Sender: TObject);
21321: procedure Minesweeper1Click(Sender: TObject);
21322: procedure PicturePuzzle1Click(Sender: TObject); //V3.9
21323: procedure sbvc1helpClick(Sender: TObject);
21324: procedure DependencyWalker1Click(Sender: TObject);
21325: procedure CB1SListDrawItem(Control:TWinControl;Index:Int;aRect:TRect;State:TOwnerDrawState);
21326: procedure WebScanner1Click(Sender: TObject);
21327: procedure mnToolbar1Click(Sender: TObject);
21328: procedure mnStatusbar2Click(Sender: TObject);
21329: procedure mnConsole2Click(Sender: TObject);
21330: procedure mnCoolbar2Click(Sender: TObject);
21331: procedure mnSplitter2Click(Sender: TObject);
21332: procedure WebServer1Click(Sender: TObject);
21333: procedure PerlSyntax1Click(Sender: TObject);
21334: procedure PythonSyntax1Click(Sender: TObject);
21335: procedure DMathLibrary1Click(Sender: TObject);
21336: procedure IntfNavigator1Click(Sender: TObject);
21337: procedure FullTextFinder1Click(Sender: TObject);
21338: function AppName: string;
21339: function ScriptName: string;
21340: function LastName: string;
21341: procedure FractalDemo1Click(Sender: TObject);
21342: procedure SimuLogBox1Click(Sender: TObject);
21343: procedure OpenExamples1Click(Sender: TObject);
21344: procedure Halt1Click(Sender: TObject);
21345: procedure Stop;
21346: procedure CodeSearch1Click(Sender: TObject);
21347: procedure RubySyntax1Click(Sender: TObject);
21348: procedure Undo1Click(Sender: TObject);
21349: procedure LinuxShellScript1Click(Sender: TObject);
21350: procedure WebScannerDirect(urls: string);
21351: procedure WebScanner(urls: string);
21352: procedure LoadInterfaceList2;
21353: procedure DLSSpy1Click(Sender: TObject);
21354: procedure Memo1DblClick(Sender: TObject);
21355: procedure URILinksClicks1Click(Sender: TObject);
21356: procedure GotoLine1Click(Sender: TObject);
21357: procedure ConfigFile1Click(Sender: TObject);
21358: Procedure SortListlistClick( Sender : TObject )
21359: Procedure Redo1Click( Sender : TObject )
21360: Procedure Tutorial24CleanCode1Click( Sender : TObject )
21361: Procedure IndentSelection1Click( Sender : TObject )
21362: Procedure UnindentSection1Click( Sender : TObject )
21363: Procedure SkyStyle1Click( Sender : TObject )
21364: Procedure CountWords1Click( Sender : TObject )
21365: Procedure Memo1PlaceBookmark( Sender : TObject; var Mark : TSynEditMark )
21366: Procedure Memo1GutterClick(Sender:TObject;Button:TMouseButton;X,Y,Line:Integer;Mark:TSynEditMark);
21367: Procedure Bookmark11Click( Sender : TObject )
21368: Procedure Bookmark21Click( Sender : TObject )
21369: Procedure Bookmark31Click( Sender : TObject )
21370: Procedure Bookmark41Click( Sender : TObject )
21371: Procedure SynMultiSyn1CustomRange(Sender:TSynMultiSyn;Operat:TRangeOperation;var Range:Pointer);
21372: 'STATMemoryReport', 'boolean', iptrw);
21373: 'IPPort', 'integer', iptrw);
21374: 'COMPort', 'integer', iptrw);
21375: 'lbintflist', 'TListBox', iptrw);
21376: Function GetStatChange : boolean
21377: Procedure SetStatChange( vstat : boolean )
21378: Function GetActFileName : string
21379: Procedure SetActFileName( vname : string )
21380: Function GetLastFileName : string
21381: Procedure SetLastFileName( vname : string )
21382: Procedure WebScannerDirect( urls : string )
21383: Procedure LoadInterfaceList2
21384: Function GetStatExecuteShell : boolean
21385: Procedure DoEditorExecuteCommand( EditorCommand : word )
21386: function GetActiveLineColor: TColor
21387: procedure SetActiveLineColor(acolor: TColor)
21388: procedure ScriptListbox1Click(Sender: TObject);
21389: procedure Memo2KeyPress(Sender: TObject; var Key: Char);
21390: procedure EnlargeGutter1Click(Sender: TObject);
21391: procedure Tetris1Click(Sender: TObject);
21392: procedure ToDoList1Click(Sender: TObject);
21393: procedure ProcessList1Click(Sender: TObject);
21394: procedure MetricReport1Click(Sender: TObject);
21395: procedure ProcessList1Click(Sender: TObject);
21396: procedure TCPSockets1Click(Sender: TObject);
21397: procedure ConfigUpdate1Click(Sender: TObject);
21398: procedure ADOWorkbench1Click(Sender: TObject);
21399: procedure SocketServer1Click(Sender: TObject);
21400: procedure FormDemo1Click(Sender: TObject);
21401: procedure Richedit1Click(Sender: TObject);
21402: procedure SimpleBrowser1Click(Sender: TObject);

```

```

21403: procedure DOSShell1Click(Sender: TObject);
21404: procedure SynExport1Click(Sender: TObject);
21405: procedure ExporttoRTF1Click(Sender: TObject);
21406: procedure FormCloseQuery(Sender: TObject; var CanClose: Boolean);
21407: procedure SOAPTester1Click(Sender: TObject);
21408: procedure Sniffer1Click(Sender: TObject);
21409: procedure AutoDetectSyntax1Click(Sender: TObject);
21410: procedure FPPlot1Click(Sender: TObject);
21411: procedure PasStyle1Click(Sender: TObject);
21412: procedure Tutorial183RGBLED1Click(Sender: TObject);
21413: procedure Reversi1Click(Sender: TObject);
21414: procedure ManualmaxBox1Click(Sender: TObject);
21415: procedure BlaisePascalMagazine1Click(Sender: TObject);
21416: procedure AddToDolClick(Sender: TObject);
21417: procedure CreateGUID1Click(Sender: TObject);
21418: procedure Tutorial27XML1Click(Sender: TObject);
21419: procedure CreateDLLStub1Click(Sender: TObject);
21420: procedure Tutorial28DLL1Click(Sender: TObject);');
21421: procedure ResetKeyPressed;');
21422: procedure KeyPressedFalse;
21423: procedure FileChanges1Click(Sender: TObject);');
21424: procedure OpenGLTry1Click(Sender: TObject);');
21425: procedure AllUnitList1Click(Sender: TObject);');
21426: procedure Tutorial29UMLClick(Sender: TObject);
21427: procedure CreateHeader1Click(Sender: TObject);
21428: procedure Oscilloscope1Click(Sender: TObject);');
21429: procedure Tutorial30WOT1Click(Sender: TObject);');
21430: procedure GetWebScript1Click(Sender: TObject);');
21431: procedure Checkers1Click(Sender: TObject);');
21432: procedure TaskMgr1Click(Sender: TObject);');
21433: procedure WebCam1Click(Sender: TObject);');
21434: procedure Tutorial31Closure1Click(Sender: TObject);');
21435: procedure GEOMapView1Click(Sender: TObject);');
21436: procedure Run1Click(Sender: TObject);
21437: MaxForm1.GPSatView1Click, 'GPSatView1Click');
21438: MaxForm1.N3DLab1Click, 'N3DLab1Click');
21439: procedure ExternalApp1Click(Sender: TObject);');
21440: procedure PANView1Click(Sender: TObject);
21441: procedure Tutorial39GEOMaps1Click(Sender: TObject);
21442: procedure UnitConverter1Click(Sender: TObject);
21443: //-----
21444: //*****mX4 Editor SynEdit Tools API *****
21445: //-----
21446: procedure SIRegister_TCustomSynEdit(CL: TPSPPascalCompiler);
21447: begin //with RegClassS(CL,'TCustomControl', 'TCustomSynEdit') do
21448: with FindClass('TCustomControl'),'TCustomSynEdit') do begin
21449:   Constructor Create(AOwner : TComponent)
21450:   SelStart', 'Integer', iptrw);
21451:   SelEnd', 'Integer', iptrw); AlwaysShowCaret', 'Boolean', iptrw);
21452:   Procedure UpdateCaret
21453:   Procedure AddKey(Command: TSynEditorCommand; Key1: word; SS1: TShiftState; Key2: word; SS2: TShiftState);
21454:   Procedure AddKey(Command: TSynEditorCommand; Key1: word; SS1: TShiftState; Key2: word; SS2: TShiftState);
21455:   Procedure BeginUndoBlock
21456:   Procedure BeginUpdate
21457:   Function CaretInView : Boolean
21458:   Function CharIndexToRowCol( Index : integer ) : TBufferCoord
21459:   Procedure Clear
21460:   Procedure ClearAll
21461:   Procedure ClearBookMark( BookMark : Integer )
21462:   Procedure ClearSelection
21463:   Procedure CommandProcessor( Command : TSynEditorCommand; AChar : char; Data : pointer )
21464:   Procedure ClearUndo
21465:   Procedure CopyToClipboard
21466:   Procedure CutToClipboard
21467:   Procedure DoCopyToClipboard( const SText : string )
21468:   Procedure EndUndoBlock
21469:   Procedure EndUpdate
21470:   Procedure EnsureCursorPosVisible
21471:   Procedure EnsureCursorPosVisibleEx( ForceToMiddle : Boolean )
21472:   Procedure FindMatchingBracket
21473:   Function GetMatchingBracket : TBufferCoord
21474:   Function GetMatchingBracketEx( const APoint : TBufferCoord ) : TBufferCoord
21475:   Procedure ExecuteCommand( Command : TSynEditorCommand; AChar : char; Data : pointer )
21476:   Function GetBookMark( BookMark : integer; var X, Y : integer ) : boolean
21477:   Function GetHighlighterAttrAtRowCol( const XY : TBufferCoord; var Token : string; var Attr
21478:   : TSynHighlighterAttributes ) : boolean
21479:   Function GetHighlighterAttrAtRowColEx( const XY : TBufferCoord; var Token : string;
21480:   var TokenType, Start : Integer; var Attr:TSynHighlighterAttributes):boolean
21481:   Function GetPositionOfMouse( out aPos : TBufferCoord ) : Boolean
21482:   Function GetWordAtRowCol( const XY : TBufferCoord ) : string
21483:   Procedure GotoBookMark( BookMark : Integer )
21484:   Procedure GotoLineAndCenter( ALine : Integer )
21485:   Function IdentChars : TSynIdentChars
21486:   Procedure InvalidateGutter
21487:   Procedure InvalidateGutterLine( aLine : integer )
21488:   Procedure InvalidateGutterLines( FirstLine, LastLine : integer )
21489:   Procedure InvalidateLine( Line : integer )
21490:   Procedure InvalidateLines( FirstLine, LastLine : integer )
21491:   Procedure InvalidateSelection

```

```

21492: Function IsBookmark( BookMark : integer ) : boolean
21493: Function IsPointInSelection( const Value : TBufferCoord ) : boolean
21494: Procedure LockUndo
21495: Function BufferToDisplayPos( const p : TBufferCoord ) : TDisplayCoord
21496: Function DisplayToBufferPos( const p : TDisplayCoord ) : TBufferCoord
21497: Function LineToRow( aLine : integer ) : integer
21498: Function RowToLine( aRow : integer ) : integer
21499: Function NextWordPos : TBufferCoord
21500: Function NextWordPosEx( const XY : TBufferCoord ) : TBufferCoord
21501: Procedure PasteFromClipboard
21502: Function WordStart : TBufferCoord
21503: Function WordStartEx( const XY : TBufferCoord ) : TBufferCoord
21504: Function WordEnd : TBufferCoord
21505: Function WordEndEx( const XY : TBufferCoord ) : TBufferCoord
21506: Function PrevWordPos : TBufferCoord
21507: Function PrevWordPosEx( const XY : TBufferCoord ) : TBufferCoord
21508: Function PixelsToRowColumn( aX, aY : integer ) : TDisplayCoord
21509: Function PixelsToNearestRowColumn( aX, aY : integer ) : TDisplayCoord
21510: Procedure Redo
21511: Procedure RegisterCommandHandler( const AHandlerProc:THookedCommandEvent; AHandlerData:pointer );
21512: Function RowColumnToPixels( const RowCol : TDisplayCoord ) : TPoint
21513: Function RowColToCharIndex( RowCol : TBufferCoord ) : integer
21514: Function SearchReplace( const ASearch, AReplace:string; AOptions:TSynSearchOptions): integer
21515: Procedure SelectAll
21516: Procedure SetBookMark( BookMark : Integer; X : Integer; Y : Integer )
21517: Procedure SetCaretAndSelection( const ptCaret, ptBefore, ptAfter : TBufferCoord )
21518: Procedure SetDefaultKeystrokes
21519: Procedure SetSelWord
21520: Procedure SetWordBlock( Value : TBufferCoord )
21521: Procedure Undo
21522: Procedure UnlockUndo
21523: Procedure UnregisterCommandHandler( AHandlerProc : THookedCommandEvent )
21524: Procedure AddKeyUpHandler( aHandler : TKeyEvent )
21525: Procedure RemoveKeyUpHandler( aHandler : TKeyEvent )
21526: Procedure AddKeyDownHandler( aHandler : TKeyEvent )
21527: Procedure RemoveKeyDownHandler( aHandler : TKeyEvent )
21528: Procedure AddKeyPressHandler( aHandler : TKeyPressEvent )
21529: Procedure RemoveKeyPressHandler( aHandler : TKeyPressEvent )
21530: Procedure AddFocusControl( aControl : TWinControl )
21531: Procedure RemoveFocusControl( aControl : TWinControl )
21532: Procedure AddMouseDownHandler( aHandler : TMouseEvent )
21533: Procedure RemoveMouseDownHandler( aHandler : TMouseEvent )
21534: Procedure AddMouseUpHandler( aHandler : TMouseEvent )
21535: Procedure RemoveMouseUpHandler( aHandler : TMouseEvent )
21536: Procedure AddMouseCursorHandler( aHandler : TMouseEvent )
21537: Procedure RemoveMouseCursorHandler( aHandler : TMouseEvent )
21538: Procedure SetLinesPointer( ASynEdit : TCustomSynEdit )
21539: Procedure RemoveLinesPointer
21540: Procedure HookTextBuffer( aBuffer : TSynEditStringList; aUndo, aRedo : TSynEditUndoList )
21541: Procedure UnHookTextBuffer
21542: BlockBegin', 'TBufferCoord', iptrw);
21543: BlockEnd', 'TBufferCoord', iptrw);
21544: CanPaste', 'Boolean', iptr);
21545: CanRedo', 'boolean', iptr);
21546: CanUndo', 'boolean', iptr);
21547: CaretX', 'Integer', iptrw);
21548: CaretY', 'Integer', iptrw);
21549: CaretXY', 'TBufferCoord', iptrw);
21550: ActiveLineColor', 'TColor', iptrw);
21551: DisplayX', 'Integer', iptr);
21552: DisplayY', 'Integer', iptr);
21553: DisplayXY', 'TDisplayCoord', iptr);
21554: DisplayLineCount', 'integer', iptr);
21555: CharsInWindow', 'Integer', iptr);
21556: CharWidth', 'integer', iptr);
21557: Font', 'TFont', iptrw);
21558: GutterWidth', 'Integer', iptr);
21559: Highlighter', 'TSynCustomHighlighter', iptrw);
21560: LeftChar', 'Integer', iptrw);
21561: LineHeight', 'integer', iptr);
21562: LinesInWindow', 'Integer', iptr);
21563: LineText', 'string', iptrw);
21564: Lines', 'TStrings', iptrw);
21565: Marks', 'TSynEditMarkList', iptr);
21566: MaxScrollWidth', 'integer', iptrw);
21567: Modified', 'Boolean', iptrw);
21568: PaintLock', 'Integer', iptr);
21569: ReadOnly', 'Boolean', iptrw);
21570: SearchEngine', 'TSynEditSearchCustom', iptrw);
21571: SelAvail', 'Boolean', iptr); SelLength', 'integer', iptrw);
21572: SelTabBlock', 'Boolean', iptr);
21573: SelTabLine', 'Boolean', iptr);
21574: SelText', 'string', iptrw);
21575: StateFlags', 'TSynStateFlags', iptr);
21576: Text', 'string', iptrw); TopLine', 'Integer', iptrw);
21577: WordAtCursor', 'string', iptr);
21578: WordAtMouse', 'string', iptr);
21579: UndoList', 'TSynEditUndoList', iptr);
21580: RedoList', 'TSynEditUndoList', iptr);

```

```

21581:     OnProcessCommandEvent', 'TProcessCommandEvent', iptrw);
21582:     BookMarkOptions', 'TSynBookMarkOpt', iptrw);
21583:     BorderStyle', 'TSynBorderStyle', iptrw);
21584:     ExtraLineSpacing', 'integer', iptrw);
21585:     Gutter', 'TSynGutter', iptrw);
21586:     HideSelection', 'boolean', iptrw);
21587:     InsertCaret', 'TSynEditCaretType', iptrw);
21588:     InsertMode', 'boolean', iptrw);
21589:     IsScrolling', 'Boolean', iptr);
21590:     Keystrokes', 'TSynEditKeyStrokes', iptrw);
21591:     MaxUndo', 'Integer', iptrw);
21592:     Options', 'TSynEditorOptions', iptrw);
21593:     OverwriteCaret', 'TSynEditCaretType', iptrw);
21594:     RightEdge', 'Integer', iptrw); RightEdgeColor', 'TColor', iptrw);
21595:     ScrollHintColor', 'TColor', iptrw);
21596:     ScrollHintFormat', 'TScrollHintFormat', iptrw);
21597:     ScrollBars', 'TScrollStyle', iptrw);
21598:     SelectedColor', 'TSynSelectedColor', iptrw);
21599:     SelectionMode', 'TSynSelectionMode', iptrw);
21600:     ActiveSelectionMode', 'TSynSelectionMode', iptrw);
21601:     TabWidth', 'integer', iptrw); WantReturns', 'boolean', iptrw);
21602:     WantTabs', 'boolean', iptrw); WordWrap', 'boolean', iptrw);
21603:     WordWrapGlyph', 'TSynGlyph', iptrw);
21604:     OnChange', 'TNotifyEvent', iptrw);
21605:     OnClearBookmark', 'TPlaceMarkEvent', iptrw);
21606:     OnCommandProcessed', 'TProcessCommandEvent', iptrw);
21607:     OnContextHelp', 'TContextHelpEvent', iptrw);
21608:     OnDropFiles', 'TDropFilesEvent', iptrw);
21609:     OnGutterClick', 'TGutterClickEvent', iptrw);
21610:     OnGutterGetText', 'TGutterGetTextEvent', iptrw);
21611:     OnGutterPaint', 'TGutterPaintEvent', iptrw);
21612:     OnMouseCursor', 'TMouseCursorEvent', iptrw);
21613:     OnPaint', 'TPaintEvent', iptrw);
21614:     OnPlaceBookmark', 'TPlaceMarkEvent', iptrw);
21615:     OnProcessUserCommand', 'TProcessCommandEvent', iptrw);
21616:     OnReplaceText', 'TReplaceTextEvent', iptrw);
21617:     OnSpeciallineColors', 'TSpeciallineColorsEvent', iptrw);
21618:     OnStatusChange', 'TStatusChangeEvent', iptrw);
21619:     OnPaintTransient', 'TPaintTransient', iptrw);
21620:     OnScroll', 'TScrollEvent', iptrw);
21621:   end;
21622:   Procedure RegisterPlaceableHighlighter(highlighter : TSynCustomHighlighterClass)
21623:   Function GetPlaceableHighlighters : TSynHighlighterList
21624:   Function EditorCommandToDescrString( Cmd : TSynEditorCommand ) : string
21625:   Function EditorCommandToCodeString( Cmd : TSynEditorCommand ) : string
21626:   Procedure GetEditorCommandValues( Proc : TGetStrProc )
21627:   Procedure GetEditorCommandExtended( Proc : TGetStrProc )
21628:   Function IdentToEditorCommand( const Ident : string; var Cmd : longint ) : boolean
21629:   Function EditorCommandToIdent( Cmd : longint; var Ident : string ) : boolean
21630:   Function ConvertCodeStringToExtended( AString : String ) : String
21631:   Function ConvertExtendedToCodeString( AString : String ) : String
21632:   Function ConvertExtendedToCommand( AString : String ) : TSynEditorCommand
21633:   Function ConvertCodeStringToCommand( AString : String ) : TSynEditorCommand
21634:   Function IndexToEditorCommand( const AIndex : Integer ) : Integer
21635:
21636:   TSynEditorOption = (
21637:     eoAltSetsColumnMode,           //Holding down the Alt Key will put the selection mode into columnar format
21638:     eoAutoIndent,                 //Will indent caret on newlines with same amount of leading whitespace as
21639:                               // preceding line
21640:     eoAutoSizeMaxScrollWidth,    //Automatically resizes the MaxScrollWidth property when inserting text
21641:     eoDisableScrollArrows,       //Disables the scroll bar arrow buttons when you can't scroll in that
21642:                               //direction any more
21643:     eoDragDropEditing,           //Allows to select a textblock and drag it in document to another location
21644:     eoDropFiles,                 //Allows the editor accept OLE file drops
21645:     eoEnhanceHomeKey,           //enhances home key positioning, similar to visual studio
21646:     eoEnhanceEndKey,            //enhances End key positioning, similar to JDeveloper
21647:     eoGroupUndo,                 //When undoing/redoing actions,handle all cont.changes same kind in onecall
21648:                               //instead undoing/redoing each command separately
21649:     eoHalfPageScroll,            //By scrolling with page-up/page-down commands,only scroll half page attime
21650:     eoHideShowScrollbars,        //if enabled, then scrollbars will only show if necessary.
21651:     If you have ScrollPasteEOL, then it the horizontal bar will always be there (it uses MaxLength instead)
21652:     eoKeepCaretX,                //When moving through lines w/o cursor Past EOL, keeps X position of cursor
21653:     eoNoCaret,                  //Makes it so the caret is never visible
21654:     eoNoSelection,               //Disables selecting text
21655:     eoRightMouseMovesCursor,    //When clicking with right mouse for popup menu, moves cursor to location
21656:     eoscrollByOneLess,           //Forces scrolling to be one less
21657:     eoscrollHintFollows,         //The scroll hint follows the mouse when scrolling vertically
21658:     eoscrollPastEof,             //Allows the cursor to go past the end of file marker
21659:     eoscrollPastEol,             //Allows cursor to go past last character into white space at end of a line
21660:     eoshowScrollHint,            //Shows a hint of the visible line numbers when scrolling vertically
21661:     eoshowSpecialChars,          //Shows the special Characters
21662:     eosmartTabDelete,            //similar to Smart Tabs, but when you delete characters
21663:     eosmartTabs,                 //When tabbing, cursor will go to non-white space character of previous line
21664:     eospecialLineDefaultFg,      //disables the foreground text color override using OnSpecialLineColor event
21665:     eotabIndent,                  //If active <Tab>and<Shift><Tab> act block indent,unindent when text select
21666:     eotabsToSpaces,               //Converts a tab character to a specified number of space characters
21667:     eotrimTrailingSpaces,        //Spaces at the end of lines will be trimmed and not saved
21668:
21669:   *****Important Editor Short Cuts*****);

```

```

21670: Double click to select a word and count words with highlighting.
21671: Triple click to select a line.
21672: CTRL+SHIFT+click to extend a selection.
21673: Drag with the ALT key down to select columns of text !!!
21674: Drag and drop is supported.
21675: Type CTRL+Z to undo and SHIFT+CTRL+Z to redo.
21676: Type CTRL+A to select all.
21677: Type CTRL+N to set a new line.
21678: Type CTRL+T to delete a line or token. //Tokenizer
21679: Type CTRL+C to copy to clipboard. Type CTRL+V to paste from clipboard.
21680: Type CTRL+Shift+T to add ToDo in line and list.
21681: Type CTRL+Shift+[0..9] to set bookmarks. //Bookmark
21682: Type CTRL[0..9] to jump or get to bookmarks.
21683: Type Home to position cursor at beginning of current line and End to position it at end of line.
21684: Type CTRL+Home to position cursor at start of doc and CTRL+End to position it at end of document.
21685: Page Up and Page Down work as expected.
21686: CTRL+Page Up sends cursor to top of viewed portion and CTRL+Page Down sends it to bottom.
21687: using http://pp4s.co.uk/main/tu-form2-help-demo-laz.html
21688:
21689: {# Short Key Positions Ctrl<A-Z>: }
21690: def
21691:   <A> Select All
21692:   <B> Count Words
21693:   <C> Copy
21694:   <D> Internet Start
21695:   <E> Script List
21696:   <F> Find
21697:   <G> Goto
21698:   <H> Mark Line
21699:   <I> Interface List
21700:   <J> Code Completion
21701:   <K> Console
21702:   <L> Interface List Box
21703:   <M> Font Smaller -
21704:   <N> New Line
21705:   <O> Open File
21706:   <P> Font Larger +
21707:   <Q> Quit
21708:   <R> Replace
21709:   <S> Save!
21710:   <T> Delete Line
21711:   <U> Use Case Editor
21712:   <V> Paste
21713:   <W> URI Links
21714:   <X> Reserved for coding use internal
21715:   <Y> Delete Line
21716:   <Z> Undo
21717:
21718: ref F1 Help
21719:   F2 Syntax Check
21720:   F3 Search Next
21721:   F4 New Instance
21722:   F5 Line Mark /Breakpoint
21723:   F6 Goto End
21724:   F7 Debug Step Into
21725:   F8 Debug Step Out
21726:   F9 Compile
21727:   F10 Menu
21728:   F11 Word Count Highlight
21729:   F12 Reserved for coding use internal
21730:
21731: AddRegisteredVariable('Application', 'TApplication');
21732: AddRegisteredVariable('Screen', 'TScreen');
21733: AddRegisteredVariable('Self', 'TForm');
21734: AddRegisteredVariable('Memo1', 'TSynMemo');
21735: AddRegisteredVariable('memo2', 'TMemo');
21736: AddRegisteredVariable('maxForm1', 'TMaxform1'); //!
21737: AddRegisteredVariable('debugout', 'TDebugoutput'); //!
21738: AddRegisteredVariable('hlog', 'THotlog'); //!
21739: AddRegisteredVariable( it ,integer); //for closure!!
21740: AddRegisteredVariable( sr ,string); //for closure
21741: AddRegisteredVariable( bt ,boolean); //for closure
21742: AddRegisteredVariable( ft ,double); //for closure
21743: AddRegisteredVariable( srlist ,TStringlist); //for closures
21744:
21745: def ReservedWords: array[0..86] of string =
21746:   ('and', 'array', 'as', 'asm', 'at', 'begin', 'case', 'class', 'const',
21747:   'constructor', 'default', 'destructor', 'dispinterface', 'div', 'do',
21748:   'downto', 'else', 'end', 'except', 'exports', 'file', 'finalization',
21749:   'finally', 'for', 'function', 'goto', 'if', 'implementation', 'in',
21750:   'inherited', 'initialization', 'inline', 'interface', 'is', 'label',
21751:   'library', 'message', 'mod', 'nil', 'not', 'object', 'of', 'on', 'or',
21752:   'out', 'packed', 'procedure', 'program', 'property', 'raise', 'read',
21753:   'record', 'repeat', 'resourcestring', 'set', 'shl', 'shr', 'string',
21754:   'stored', 'then', 'threadvar', 'to', 'try', 'type', 'unit', 'until',
21755:   'uses', 'var', 'while', 'with', 'write', 'xor', 'private', 'protected',
21756:   'public', 'published',def.ref.using.typedef.memo1', 'memo2', 'doc', 'maxform1', 'it';
21757: AllowedChars: array[0..5] of string = ('(', ')', '[', ']', ',', ',', t,t1,t2,t3: boolean;
21758: //-----

```

```

21759: //*****End of mX4 Public Tools API *****
21760: -----
21761: maxbox Internal Inventory
21762: Amount of Functions: 14164
21763: Amount of Procedures: 8742
21764: Amount of Constructors: 1408
21765: Totals of Calls: 24314
21766: SHA1: Win of 3.9.9.180 94032DDA24F18A3D8515CCA6BB256E0633475F2F
21767: -----
21768: ****
21769: Doc Short Manual with 50 Tips!
21770: ****
21771: - Install: just save your maxboxdef.ini before and then extract the zip file!
21772: - Toolbar: Click on the red maxbox Sign (right on top) opens your work directory or jump to <Help>
21773: - Menu: With <F2> you check syntax with <F8> you debug and <F9> you compile!
21774: - Menu: With <Ctrl><F3> you can search for code on examples
21775: - Menu: Open in menu Output a new instance <F4> of the box to compare or prepare your scripts
21776: - Menu: Set Interface Naviagator in menu /View/Intf Navigator
21777: - Menu: Switch or toogle between the last 2 scripts in menu File/LoadLast (History is set to 9 files)
21778: -
21779: - Inifile: Set memory report in ini: MEMORYREPORT=Y :report on memory leaks on shutdown by dialog
21780: - Inifile: Refresh (reload) the inifile after edit with ..../Help/Config Update
21781: - Context Menu: You can printout your scripts as a pdf-file or html-export
21782: - Context: You do have a context menu with the right mouse click
21783: -
21784: - Menu: With the UseCase Editor you can convert graphic formats too.
21785: - Menu: On menu Options you find Addons as compiled scripts
21786: - IDE: Menu Program: Run Only is faster, after F2 - You don't need a mouse use shortcuts
21787: - Menu: Check Options/ProcessMessages! if something is wrong or you can't see graphics in a time
21788: - IDE: Dragndrop your scripts in box or the model in use case editor (Cut,Copy,Paste always available)
21789: - Editor: You can get templates as code completion with <ctrl j> in editor like classp or iinterface
21790:         or ttimer (you type classp and then CTRL J), or you type tstringlist and <Ctrl><J>
21791: -
21792: - Menu: In menu output (console) you can set output menu in edit mode by unchecking <read only output>
21793: - Editor: After the end. you can write or copy notes or descriptions concerning the app or code
21794: - Code: If you code a loop till key-pressed use function: isKeyPressed;
21795: - Code: Macro set the macros #name,, #paAdministrorth, #file,startmaxbox_extract_funcList399.txt
21796: - Code: change Syntax in autoboot macro 'maxbootscript.txt'
21797: - Editor: - <F11> Click on Word in Editor search amount of words with highlighting, Dbl Click on Bookmarks
21798:         to delete and Click and mark to drag a bookmark
21799: - Menu: To start handling from CD-ROM (read only mode) uncheck in Menu /Options/Save before Compile
21800: - IDE: A file info with system and script information you find in menu Program/Information
21801: - IDE: After change the config file in help you can update changes in menu Help/Config Update
21802: - IDE: Make a screenshot of the content and environment in menu Output/Save Screenshot
21803: - IDE: Use a boot loader script 'maxbootscript.txt' (as auto start) to change box each time you start it.
21804: - IDE: With escape or <Ctrl> Q you can also leave the box or stop a script in menu program - stop program
21805: - Editor: Set Bookmarks to check your work in app or code
21806: - Editor: With <Ctrl H> you set {$Active Line Color} and F11 you get Word Count Statistic on Output too
21807: - Editor: With //TODO: some description or DONE you set code entries for ToDo List in ..../Help/ToDo List
21808: - Editor: With <Ctrl W> you set active URL links in your code to test availability in Context Menu
21809: -
21810: - IDE with menu /Options/ADO SQL Workbench you can manage your Database
21811: - Context Menu: You can write your docus with RichEdit RTF printout /Editor Form Options/Richedit
21812: - Menu: Set Interface Naviagator also with toggle <Ctrl L> or /View/Intf Navigator
21813: - Toolbar: In menu /View switch Off Toolbar and Coolbar to get more coding space
21814: - Code: Put some resources in your code /Help/Resource Explorer like bitbtn, forms, dialogs;
21815: - Code Editor: Compile with <F9> but also Alt C in case <F9> isn't available;
21816: - Code: if you cant run a function try the second one, for ex. Voice() - Voice2(), inc() - incl()
21817: - IDE set bookmarks with <Ctrl Shift> (0..9) and jump with <Ctrl> (0..9)
21818: - IDE menu /Help/Tools/ write with RTF Editor or open a DOS Shell or browse
21819: - IDE menu /Help/Tools/ open the Task Manager
21820: -
21821: - Add on write your Requirements in RTF Docu with <CTRL ALT R> in context menu
21822: - Add on when no browser is available start /Options/Add ons/Easy Browser
21823: - Add on SOAP Tester with SOP POST File
21824: - Add on IP Protocol Sniffer with List View
21825: - Add on OpenGL mX Robot Demo for android
21826: - Add on Checkers Game, Add on Oscilloscope /View GEO Map View3
21827: -
21828: - Menu: Help/Tools as a Tool Section with DOS Opener
21829: - Menu Editor: export the code as RTF File
21830: - Menu: Help/Tools/Syn Export your code as available in HTML or RTF
21831: - Menu: Help/Tools/ with <Alt H-S-D> you start the DOS Shell
21832: - Context: Auto Detect of Syntax depending on file extension
21833: - Code: some Windows API function start with w in the name like wGetAtomName();
21834: - IDE Close - if you cant close the box then reset it <Ctrl F2> in menu /Debug
21835: - IDE File Check with menu ..View/File Changes/...
21836: - Context: Create a Header with Create Header in Navigator List at right window
21837: - Code: use SysErrorMessage to get a real Error Description, Ex.
21838:     RemoveDir('c:\NoSuchFolder'); writeln('System Error Message:' + SysErrorMessage(GetLastError));
21839: - IDE getWebScript from a URL with menu ..Help/Get Web Script/...
21840: - Editor: with <Ctrl W> you can click on hyperlinks in Code - CTRL Click on link
21841: - Editor: with <Ctrl+Alt+R> you can write in RTF format with RichEdit link
21842: - Menu: Check Help/Tools! you can use richedit, DOS Shell or Explorer
21843: -
21844: - using DLL example in maxbox: //function: {*****}
21845:     Function GetProcessMemoryInfo(Process: THandle; var MemoryCounters: TProcessMemoryCounters;
21846:                                     cb: DWORD): BOOL; //stdcall;;
21847:     External 'GetProcessMemoryInfo@psapi.dll stdcall';

```

```

21848:     Function OpenProcess(dwDesiredAccess:DWORD; bInheritHandle:BOOL; dwProcessId: DWORD):THandle;
21849:     External 'OpenProcess@kernel32.dll stdcall';
21850:
21851: GCC Compile Ex Script
21852: procedure TFormMain_btnCompileClick(Sender: TObject);
21853: begin
21854:     AProcess:= TProcess.Create(Nil);
21855:     try AProcess.CommandLine := 'gcc.exe "' + OpenDialog1.FileName + '"';
21856:     +' -o "' + OpenDialog2.FileName + '"';
21857:     AProcess.Options:= AProcess.Options + [poWaitOnExit, poUsePipes];
21858:     AProcess.Execute;
21859:     Memo2.Lines.BeginUpdate;
21860:     Memo2.Lines.Clear;
21861:     Memo2.Lines.LoadFromStream(AProcess.Output);
21862:     Memo2.Lines.EndUpdate;
21863:   finally
21864:     AProcess.Free;
21865:   end;
21866: end;
21867:
21868: ref Stopwatch pattern snip
21869: Timel:= Time;
21870: writeln(formatdatetime('start:' hh:mm:ss:zzz',Time))
21871: if initAndStartBoard then
21872:   writeln('Filesize: '+inttostr(filesize(FILESAVE)));
21873: writeln(formatDateTime('stop:' hh:mm:ss:zzz',Time))
21874: PrintF('%d %s',[Trunc((Time-Timel)*24),
21875:   FormatDateTime('h runtime:' nn:ss:zzz',Time-Timel)])
21876:
21877: POST git-receive-pack (chunked)
21878: Pushing to https://github.com/maxkleiner/maXbox3.git
21879: To https://github.com/maxkleiner/maXbox3.git f127d21..c6a98da masterbox2 -> masterbox2
21880: updating local tracking ref 'refs/remotes/maXbox3Remote/masterbox2'
21881:
21882: History Shell Hell - Walk the Talk
21883: PCT Precompile Technology, mX4 ScriptStudio
21884: Indy, JCL, Jedi, VCL, SysTools, TurboPower, Fundamentals, ExtendedRTL, Synedit
21885: DMath, devC, Graphics32, ExtPascal, mX4, LCL, CLX, FCL, CPort and more
21886: emax layers: system-package-component-unit-class-function-block
21887: new keywords def ref using maXCalcF UML: use case act class state seq pac comp dep - lib lab
21888: FBX Lib, psAPI, SMS Cell Module, OpenGL, Borland Tools
21889: Tutorials, 30 Units add, VCL constructors, controls plus, unit list
21890: 2 Tutorials, 36 Units add, Synapse V40, LDAP, OpenSSL, AVScan
21891: 1 Report, 15 Units add, DBCtrls, Stream+, IRadio, Wininet
21892: 1 DLL Report, 24 Units add, DRTable, Remote+, Cindy functions!
21893: DLL Report, UML Tutor, 32 Units add, DRTable, Remote+, Cindy functions!
21894: Oscilloscope V4, Mixer, 17 Units add, URLMon, Form properties+, mathmax
21895: SendBuffer, Color+Caption hack, ComboSet, SetPrivilege, WakeOnLAN, ParaDice 3D Cube Polygraph, OCR
21896: GetScript or GetWebScript, GPS Example, Profiler, Checkers, Toolbox commons
21897: Add 15 Units, Wav resources, RoundTo, OpenOffice, Pipes
21898: TFixedCriticalSection, XPlatform beta, GCC Command Pipe
21899: Inno Install and Setup Routines
21900: Add 32 Units, Wav res, RoundTo, OpenOffice, Pipes, GSM2
21901: TFixedCriticalSection, XPlatform beta, GCC Command Pipe
21902: Vfw (Video), FindFirst3, ResFiler, AssemblyCache, UnitTest
21903: 9 Color LED, LED Resources, Runtime LED, it + sr var , morse generator
21904: Add 5 Units, 1 Tutors, maXmap, OpenStreetView, MAPX
21905: Function Menu/View/GEO Map View, DownloadFile, wgetX, sensors
21906: StreamUtils, IDL Syntax, OpenStreetMap, runByteCode, sensor panel, CGI of Powtils
21907: ByteCode2, IPUtils2, GEOCode, CGI-Powtils, GPS_2, External App, Unit Converter
21908:
21909: Ref:
21910: https://unibe-ch.academia.edu/MaxKleiner
21911: http://www.slideshare.net/maxkleiner1
21912: http://www.scribd.com/max_kleiner
21913: http://www.delphiforfun.org/Programs/Utilities/index.htm
21914: http://www.slideshare.net/maxkleiner1
21915: http://s3.amazonaws.com/PreviewLinks/22959.html
21916: http://www.softwareschule.ch/arduino_training.pdf
21917: http://www.jrsoftware.org/isinfo.php
21918: http://www.be-precision.com/products/precision-builder/express/
21919: http://www.blaisepascal.eu/
21920: http://www.delhibasics.co.uk/
21921: http://www.youtube.com/watch?v=av89HAbqAsI
21922: http://www.angelfire.com/his5/delphizeus/modal.html
21923: http://www.retroarchive.org/garbo/pc/turbopas/index.html
21924: https://github.com/dilshan/signalman/blob/master/SignalManTemplate.pas
21925: http://delphi.org/2014/01/every-android-api-for-delphi/
21926: https://en.wikipedia.org/wiki/User:Maxkleiner
21927: http://en.wikipedia.org/wiki/Megido_%28Free_Pascal%29
21928: https://bitbucket.org/max_kleiner/maxbox3
21929: https://bitbucket.org/max_kleiner/maxbox3/downloads
21930: https://bitbucket.org/max_kleiner/maxbox3/wiki/maXbox%20Tutorials
21931:
21932: UrlGoogleQrCode='http://chart.apis.google.com/chart?chs=%dx%d&cht=qr&chl=%s';
21933: UrlMapQuestAPICode2='http://open.mapquestapi.com/nominatim/v1/search.php?format=%s&json_callback
21934: =renderBasicSearchNarrative&q=%s';
21935: UrlMapQuestAPIReverse:= 'http://open.mapquestapi.com/nominatim/v1/reverse.php?format=
21936: %s&json_callback=renderExampleThreeResults&lat=%s&lon=%s';

```

```

21937:
21938: function OpenMap(const Data: string): boolean;
21939: var encURL: string;
21940: begin
21941:   encURL:= Format(UrlMapQuestAPICode2,['html',HTTPPEncode(Data)]);
21942:   try //HttpGet(EncodedURL, mapStream); //WinInet
21943:     Result:= UrlDownloadToFile(Nil,PChar(encURL),PChar(Exepath+'openmapx.html'),0,Nil)= 0;
21944:     //OpenDoc(Exepath+'openmapx.html');
21945:     S_ShellExecute(Exepath+'openmapx.html','','seCmdOpen');
21946:   finally
21947:     encURL:= '';
21948:   end;
21949: end;
21950:
21951: procedure GetGEOMap(C_form,apath: string; const Data: string);
21952: var encodedURL: string; mapStream: TMemoryStream;
21953: begin
21954:   //encodedURL:= Format(UrlGoogleQrCode,[Width,Height, C_Level, HTTPPEncode(Data)]);
21955:   encodedURL:= Format(UrlMapQuestAPICode2,[c_form,HTTPPEncode(Data)]);
21956:   mapStream:= TMemoryStream.create;
21957:   try
21958:     Wininet_HttpGet(EncodedURL, mapStream); //WinInet
21959:     mapStream.Position:= 0;
21960:     mapStream.Savetofile(apath); // OpenDoc(apath);
21961:     S_ShellExecute(apath,'',seCmdOpen);
21962:   finally
21963:     mapStream.Free;
21964:   end;
21965: end;
21966:
21967: Procedure BtnFactory(a,b,c,d:smallint; title,apic:string;
21968:                         var abtn:TBitBtn; anEvent:TNotifyEvent; afrm:TForm);
21969: begin
21970:   abtn:= TBitBtn.create(afrm);
21971:   with abtn do begin
21972:     parent:= afrm;
21973:     setBounds(a,b,c,d);
21974:     font.size:= 12;
21975:     glyph.LoadFromResourceName(HINSTANCE, apic);
21976:     mxButton(5, width, height,12,12,handle);
21977:     caption:= title;
21978:     onClick:= anEvent As TNotifyEvent;
21979:   end;
21980: end;
21981:
21982: function MySoundcard: Longint;
21983:   external 'waveOutGetNumDevs@winmm.dll stdcall';
21984: function isSound: boolean;
21985: begin result:= mySoundcard > 0 end;
21986:
21987: function ListIdentical2(l1,l2:TStringList): Boolean;
21988: begin
21989:   Result:= False;
21990:   if l1.count = l2.count then begin
21991:     for it:= 0 to l1.count-1 do
21992:       if (l1[it] <> l2[it]) then Exit;
21993:     Result:= True;
21994:   end;
21995: end;
21996:
21997:
21998: ****
21999: unit List asm internal end
22000: ****
22001: 01 unit RIRegister_StrUtils_Routines(exec); //Delphi
22002: 02 unit SIRRegister_IdStrings; //Indy Sockets
22003: 03 unit RIRegister_niSTRING_Routines(Exec); //from RegEx
22004: 04 unit uPSI_fMain Functions; //maXbox Open Tools API
22005: 05 unit IFSI_WinForm1puzzle; //maXbox
22006: 06 unit RIRegister_LinarBitmap_Routines(Exec); //ImageFileLibBCB
22007: 07 unit RegisterDateTimelibrary_R(exec); //Delphi
22008: 08 unit RIRegister_MathMax_Routines(exec); //Jedi & Delphi
22009: 09 unit RIRegister_IdGlobal_Routines(exec); //Indy Sockets
22010: 10 unit RIRegister_SysUtils_Routines(Exec); //Delphi
22011: 11 unit uPSI_IdTCPConnection; //Indy some functions
22012: 12 unit uPSCompiler.pas; //PS kernel functions
22013: 13 unit uPSI_DBCommon; //DB Common_Routines and Types
22014: 14 unit uPSI_Printers.pas; //Delphi VCL
22015: 15 unit uPSI_MPlayer.pas; //Delphi VCL
22016: 16 unit uPSC_comobj; //COM Functions
22017: 17 unit uPSI_Clipbrd; //Delphi VCL
22018: 18 unit Filectrl in IFSI_SysUtils_max; //VCL Runtime
22019: 19 unit uPSI_SqlExpr; //DBX3
22020: 20 unit uPSI_ADODB; //ADODB
22021: 21 unit uPSI_StrHlpr; //String Helper Routines
22022: 22 unit uPSI_DateUtils; //Expansion to DateTImeLib
22023: 23 unit uPSI_FileUtils; //Expansion to Sys/File Utils
22024: 24 unit JUutils / gsUtils; //Jedi / Metabase
22025: 25 unit JvFunctions_max; //Jedi Functions

```

```

22026: 26 unit HTTPParser;                                //Delphi VCL
22027: 27 unit HTTPUtil;                               //Delphi VCL
22028: 28 unit uPSI_XMLUtil;                           //Delphi VCL
22029: 29 unit uPSI_SOAPHTTPClient;                   //Delphi VCL SOAP WebService V3.5
22030: 30 unit uPSI_Contrns;                           //Delphi RTL Container of Classes
22031: 31 unit uPSI_MaskUtils;                         //RTL Edit and Mask functions
22032: 32 unit uPSI_MyBigInt;                          //big integer class with Math
22033: 33 unit uPSI_ConvUtils;                         //Delphi VCL Conversions engine
22034: 34 unit Types_Variants;                        //Delphi\Win32\rtl\sys
22035: 35 unit uPSI_IdHashSHA1;                        //Indy Crypto Lib
22036: 36 unit uPSI_IdHashMessageDigest;               //Indy Crypto;
22037: 37 unit uPSI_IdASN1Util;                        //Indy ASN1Utility Routines;
22038: 38 unit uPSI_IdLogFile;                         //Indy Logger from LogBase
22039: 39 unit uPSI_IdICmpClient;                     //Indy Ping ICMP
22040: 40 unit uPSI_IdHashMessageDigest_max;          //Indy Crypto &OpenSSL;
22041: 41 unit uPSI_FileCtrl;                          //Delphi RTL
22042: 42 unit uPSI_Outline;                           //Delphi VCL
22043: 43 unit uPSI_ScktComp;                          //Delphi RTL
22044: 44 unit uPSI_Calendar;                         //Delphi VCL
22045: 45 unit uPSI_VListView;                         //VListView;
22046: 46 unit uPSI_DBGrids;                           //Delphi VCL
22047: 47 unit uPSI_DBCtrls;                           //Delphi VCL
22048: 48 unit ide_debugoutput;                        //maXbox
22049: 49 unit uPSI_ComCtrls;                          //Delphi VCL
22050: 50 unit uPSC_stdCtrls+;                         //Delphi VCL
22051: 51 unit uPSI_Dialogs;                           //Delphi VCL
22052: 52 unit uPSI_StdConvs;                          //Delphi RTL
22053: 53 unit uPSI_DBClient;                          //Delphi RTL
22054: 54 unit uPSI_DBPlatform;                       //Delphi RTL
22055: 55 unit uPSI_Provider;                          //Delphi RTL
22056: 56 unit uPSI_FMTBcd;                           //Delphi RTL
22057: 57 unit uPSI_DBCGrids;                          //Delphi VCL
22058: 58 unit uPSI_CDSUtil;                           //MIDAS
22059: 59 unit uPSI_VarHlpr;                           //Delphi RTL
22060: 60 unit uPSI_ExtDlgls;                          //Delphi VCL
22061: 61 unit sdpStopwatch;                          //maXbox
22062: 62 unit uPSI_JclStatistics;                   //JCL
22063: 63 unit uPSI_JclLogic;                          //JCL
22064: 64 unit uPSI_JclMiscel;                         //JCL
22065: 65 unit uPSI_JclMath_max;                      //JCL RTL
22066: 66 unit uPSI_uTPLb_StreamUtils;                //LockBox 3
22067: 67 unit uPSI_MathUtils;                         //BCB
22068: 68 unit uPSI_JclMultimedia;                  //JCL
22069: 69 unit uPSI_WideStrUtils;                    //Delphi API/RTL
22070: 70 unit uPSI_GraphUtil;                         //Delphi RTL
22071: 71 unit uPSI_TypeTrans;                         //Delphi RTL
22072: 72 unit uPSI_HTTPApp;                           //Delphi VCL
22073: 73 unit uPSI_DBWeb;                            //Delphi VCL
22074: 74 unit uPSI_DBBdeWeb;                          //Delphi VCL
22075: 75 unit uPSI_DBXpressWeb;                     //Delphi VCL
22076: 76 unit uPSI_ShadowWnd;                        //Delphi VCL
22077: 77 unit uPSI_ToolWin;                           //Delphi VCL
22078: 78 unit uPSI_Tabs;                             //Delphi VCL
22079: 79 unit uPSI_JclGraphUtils;                   //JCL
22080: 80 unit uPSI_JclCounter;                        //JCL
22081: 81 unit uPSI_JclSysInfo;                       //JCL
22082: 82 unit uPSI_JclSecurity;                      //JCL
22083: 83 unit uPSI_JclFileUtils;                     //JCL
22084: 84 unit uPSI_IdUserAccounts;                  //Indy
22085: 85 unit uPSI_IdAuthentication;                 //Indy
22086: 86 unit uPSI_uTPLb_AES;                        //LockBox 3
22087: 87 unit uPSI_IdHashSHA1;                        //LockBox 3
22088: 88 unit uTPLb_BlockCipher;                     //LockBox 3
22089: 89 unit uPSI_ValEdit.pas;                      //Delphi VCL
22090: 90 unit uPSI_JvVCLUtils;                        //JCL
22091: 91 unit uPSI_JvDBUtil;                          //JCL
22092: 92 unit uPSI_JvDBUtils;                         //JCL
22093: 93 unit uPSI_JvAppUtils;                        //JCL
22094: 94 unit uPSI_JvCtrlUtils;                       //JCL
22095: 95 unit uPSI_JvFormToHtml;                      //JCL
22096: 96 unit uPSI_JvParsing;                         //JCL
22097: 97 unit uPSI_SerDlgls;                          //Toolbox
22098: 98 unit uPSI_Serial;                           //Toolbox
22099: 99 unit uPSI_JvComponent;                      //JCL
22100: 100 unit uPSI_JvCalc;                           //JCL
22101: 101 unit uPSI_JvBdeUtils;                      //JCL
22102: 102 unit uPSI_JvDateUtil;                       //JCL
22103: 103 unit uPSI_JvGenetic;                        //JCL
22104: 104 unit uPSI_JclBase;                          //JCL
22105: 105 unit uPSI_JvUtils;                          //JCL
22106: 106 unit uPSI_JvStrUtil;                        //JCL
22107: 107 unit uPSI_JvStrUtils;                       //JCL
22108: 108 unit uPSI_JvFileUtil;                       //JCL
22109: 109 unit uPSI_JvMemoryInfos;                   //JCL
22110: 110 unit uPSI_JvComputerInfo;                  //JCL
22111: 111 unit uPSI_JvgCommClasses;                 //JCL
22112: 112 unit uPSI_JvgLogics;                        //JCL
22113: 113 unit uPSI_JvLED;                           //JCL
22114: 114 unit uPSI_JvTurtle;                         //JCL

```

```

22115: 115 unit uPSI_SortThds; unit uPSI_ThSort;      //maxbox
22116: 116 unit uPSI_JvgUtils;                      //JCL
22117: 117 unit uPSI_JvExprParser;                  //JCL
22118: 118 unit uPSI_HexDump;                      //Borland
22119: 119 unit uPSI_DBLogDlg;                     //VCL
22120: 120 unit uPSI_SqlTimSt;                     //RTL
22121: 121 unit uPSI_JvHtmlParser;                 //JCL
22122: 122 unit uPSI_JvgXMLSerializer;             //JCL
22123: 123 unit uPSI_JvJCLUtis;                   //JCL
22124: 124 unit uPSI_JvStrings;                    //JCL
22125: 125 unit uPSI_uTPLb_IntegerUtils;           //TurboPower
22126: 126 unit uPSI_uTPLb_HugeCardinal;          //TurboPower
22127: 127 unit uPSI_uTPLb_HugeCardinalUtils;     //TurboPower
22128: 128 unit uPSI_SynRegExpr;                  //SynEdit
22129: 129 unit uPSI_StUtils;                     //SysTools4
22130: 130 unit uPSI_StToHTML;                    //SysTools4
22131: 131 unit uPSI_StStrms;                    //SysTools4
22132: 132 unit uPSI_StFIN;                      //SysTools4
22133: 133 unit uPSI_StAstroP;                  //SysTools4
22134: 134 unit uPSI_StStat;                     //SysTools4
22135: 135 unit uPSI_StNetCon;                  //SysTools4
22136: 136 unit uPSI_StDecMth;                  //SysTools4
22137: 137 unit uPSI_StOStr;                     //SysTools4
22138: 138 unit uPSI_StPrtrs;                   //SysTools4
22139: 139 unit uPSI_StNetMsg;                  //SysTools4
22140: 140 unit uPSI_StMath;                     //SysTools4
22141: 141 unit uPSI_StExpEng;                  //SysTools4
22142: 142 unit uPSI_StCRC;                     //SysTools4
22143: 143 unit uPSI_StExport;                  //SysTools4
22144: 144 unit uPSI_StExpLog;                  //SysTools4
22145: 145 unit uPSI_Actnlist;                  //Delphi VCL
22146: 146 unit uPSI_jpeg;                      //Borland
22147: 147 unit uPSI_StRandom;                  //SysTools4
22148: 148 unit uPSI_StDict;                    //SysTools4
22149: 149 unit uPSI_StBCD;                     //SysTools4
22150: 150 unit uPSI_StTxtDat;                  //SysTools4
22151: 151 unit uPSI_StRegEx;                  //SysTools4
22152: 152 unit uPSI_IMouse;                   //VCL
22153: 153 unit uPSI_SyncObjs;                 //Hausladen
22154: 154 unit uPSI_AsyncCalls;                //Saraiva
22155: 155 unit uPSI_ParallelJobs;              //VCL
22156: 156 unit uPSI_Variants;                 //VCL Wolfram
22157: 157 unit uPSI_VarCmplx;                 //VCL
22158: 158 unit uPSI_DTDSchema;                //Brakel
22159: 159 unit uPSI_ShLwApi;                  //VCL
22160: 160 unit uPSI_IBUtils;                  //VCL
22161: 161 unit uPSI_CheckLst;                 //VCL
22162: 162 unit uPSI_JvSimpleXml;              //JCL
22163: 163 unit uPSI_JclSimpleXml;             //JCL
22164: 164 unit uPSI_JvXmlDatabase;            //JCL
22165: 165 unit uPSI_JvMaxPixel;               //JCL
22166: 166 unit uPSI_JvItemsSearchs;           //JCL
22167: 167 unit uPSI_StExpEng2;                //SysTools4
22168: 168 unit uPSI_StGenLog;                 //SysTools4
22169: 169 unit uPSI_JvLogFile;                //Jcl
22170: 170 unit uPSI_CPort;                    //ComPort Lib v4.11
22171: 171 unit uPSI_CPortCtl;                 //ComPort
22172: 172 unit uPSI_CPortEsc;                 //ComPort
22173: 173 unit BarCodeScanaer;               //ComPort
22174: 174 unit uPSI_JvGraph;                  //JCL
22175: 175 unit uPSI_JvComCtrls;               //JCL
22176: 176 unit uPSI_GUITesting;              //D Unit
22177: 177 unit uPSI_JvFindFiles;              //JCL
22178: 178 unit uPSI_StSystem;                //SysTools4
22179: 179 unit uPSI_JvKeyboardStates;         //JCL
22180: 180 unit uPSI_JvMail;                  //JCL
22181: 181 unit uPSI_JclConsole;              //JCL
22182: 182 unit uPSI_JclLANman;              //JCL
22183: 183 unit uPSI_IdCustomHTTPServer;       //Indy
22184: 184 unit IdHTTPServer;                 //Indy
22185: 185 unit uPSI_IdTCPServer;             //Indy
22186: 186 unit uPSI_IdSocketHandle;          //Indy
22187: 187 unit uPSI_IdIOHandlerSocket;        //Indy
22188: 188 unit IdIOHandler;                 //Indy
22189: 189 unit uPSI_cutils;                  //Bloodshed
22190: 190 unit uPSI_BoldUtils;               //boldsoft
22191: 191 unit uPSI_IdSimpleServer;          //Indy
22192: 192 unit uPSI_IdSSLOpenSSL;            //Indy
22193: 193 unit uPSI_IdMultipartFormData;     //Indy
22194: 194 unit uPSI_SynURIOpener;            //SynEdit
22195: 195 unit uPSI_PerlRegEx;               //PCRE
22196: 196 unit uPSI_IdHeaderList;            //Indy
22197: 197 unit uPSI_StFirst;                 //SysTools4
22198: 198 unit uPSI_JvCtrls;                 //JCL
22199: 199 unit uPSI_IdTrivialFTPBase;        //Indy
22200: 200 unit uPSI_IdTrivialFTP;            //Indy
22201: 201 unit uPSI_IdUDPBase;               //Indy
22202: 202 unit uPSI_IdUDPClient;             //Indy
22203: 203 unit uPSI_utypes;                 //for DMath.DLL

```

```

22204: 204 unit uPSI_ShellAPI;                                //Borland
22205: 205 unit uPSI_IdRemoteCMDClient;                      //Indy
22206: 206 unit uPSI_IdRemoteCMDServer;                      //Indy
22207: 207 unit IdRexecServer;                               //Indy
22208: 208 unit IdRexec;  (unit uPSI_IdRexec;)              //Indy
22209: 209 unit IdUDPServer;                               //Indy
22210: 210 unit IdTimeUDPServer;                           //Indy
22211: 211 unit IdTimeServer;                             //Indy
22212: 212 unit IdTimeUDP;  (unit uPSI_IdUDPServer;)        //Indy
22213: 213 unit uPSI_IdIPWatch;                           //Indy
22214: 214 unit uPSI_IdIrcServer;                          //Indy
22215: 215 unit uPSI_IdMessageCollection;                  //Indy
22216: 216 unit uPSI_cPEM;                                //Fundamentals 4
22217: 217 unit uPSI_cFundamentUtils;                     //Fundamentals 4
22218: 218 unit uPSI_uwinplot;                            //DMath
22219: 219 unit uPSI_xrtl_util_CPUUtils;                  //ExtentedRTL
22220: 220 unit uPSI_GR32_System;                         //Graphics32
22221: 221 unit uPSI_cFileUtils;                          //Fundamentals 4
22222: 222 unit uPSI_cDateTime;  (timemachine)            //Fundamentals 4
22223: 223 unit uPSI_cTimers;  (high precision timer)    //Fundamentals 4
22224: 224 unit uPSI_cRandom;                            //Fundamentals 4
22225: 225 unit uPSI_ueval;                             //DMath
22226: 226 unit uPSI_xrtl_net_URIUtils;                 //ExtendedRTL
22227: 227 unit xrtl_net_URIUtils;                      //ExtendedRTL
22228: 228 unit uPSI_ufft;  (FFT)                        //DMath
22229: 229 unit uPSI_DBXChannel;                         //Delphi
22230: 230 unit uPSI_DBXIndyChannel;                    //Delphi Indy
22231: 231 unit uPSI_xrtl_util_COMCat;                  //ExtendedRTL
22232: 232 unit uPSI_xrtl_util_StrUtils;                //ExtendedRTL
22233: 233 unit uPSI_xrtl_util_VariantUtils;           //ExtendedRTL
22234: 234 unit uPSI_xrtl_util_FileUtils;               //ExtendedRTL
22235: 235 unit xrtl_util_Compat;                      //ExtendedRTL
22236: 236 unit uPSI_OleAuto;                           //Borland
22237: 237 unit uPSI_xrtl_util_COMUtils;                //ExtendedRTL
22238: 238 unit uPSI_CmAdmCtl;                          //Borland
22239: 239 unit uPSI_ValEdit2;                           //VCL
22240: 240 unit uPSI_GR32;  //Graphics32;                //Graphics32
22241: 241 unit uPSI_GR32_Image;                         //Graphics32
22242: 242 unit uPSI_xrtl_util_TimeUtils;               //ExtendedRTL
22243: 243 unit uPSI_xrtl_util_TimeZone;                //ExtendedRTL
22244: 244 unit uPSI_xrtl_util_TimeStamp;               //ExtendedRTL
22245: 245 unit uPSI_xrtl_util_Map;                     //ExtendedRTL
22246: 246 unit uPSI_xrtl_util_Set;                     //ExtendedRTL
22247: 247 unit uPSI_CPortMonitor;                      //ComPort
22248: 248 unit uPSI_StIniStm;                          //SysTools4
22249: 249 unit uPSI_GR32_ExtImage;                     //Graphics32
22250: 250 unit uPSI_GR32_OrdinalMaps;                 //Graphics32
22251: 251 unit uPSI_GR32_Rasterizers;                 //Graphics32
22252: 252 unit uPSI_xrtl_util_Exception;               //ExtendedRTL
22253: 253 unit uPSI_xrtl_util_Value;                  //ExtendedRTL
22254: 254 unit uPSI_xrtl_util_Compare;                //ExtendedRTL
22255: 255 unit uPSI_FlatSB;                           //VCL
22256: 256 unit uPSI_JvAnalogClock;                    //JCL
22257: 257 unit uPSI_JvAlarms;                          //JCL
22258: 258 unit uPSI_JvSQLS;                           //JCL
22259: 259 unit uPSI_JvDBSecur;                         //JCL
22260: 260 unit uPSI_JvDBQBE;                           //JCL
22261: 261 unit uPSI_JvStarfield;                      //JCL
22262: 262 unit uPSI_JVCLMiscal;                      //JCL
22263: 263 unit uPSI_JvProfiler32;                     //JCL
22264: 264 unit uPSI_JvDirectories;                    //JCL
22265: 265 unit uPSI_JclSchedule;                      //JCL
22266: 266 unit uPSI_JclSvcCtrl;                      //JCL
22267: 267 unit uPSI_JvSoundControl;                  //JCL
22268: 268 unit uPSI_JvBDESQLScript;                  //JCL
22269: 269 unit uPSI_JvgDigits;                        //JCL>
22270: 270 unit uPSI_ImgList;                           //TCustomImageList
22271: 271 unit uPSI_JclMIDI;                          //JCL>
22272: 272 unit uPSI_JclWinMidi;                      //JCL>
22273: 273 unit uPSI_JclNTFS;                          //JCL>
22274: 274 unit uPSI_JclAppInst;                      //JCL>
22275: 275 unit uPSI_JvRle;                            //JCL>
22276: 276 unit uPSI_JvRas32;                          //JCL>
22277: 277 unit uPSI_JvImageDrawThread;                //JCL>
22278: 278 unit uPSI_JvImageWindow;                   //JCL>
22279: 279 unit uPSI_JvTransparentForm;                //JCL>
22280: 280 unit uPSI_JvWinDialogs;                    //JCL>
22281: 281 unit uPSI_JvSimLogic;                      //JCL>
22282: 282 unit uPSI_JvSimIndicator;                  //JCL>
22283: 283 unit uPSI_JvSimPID;                        //JCL>
22284: 284 unit uPSI_JvSimPIDLinker;                 //JCL>
22285: 285 unit uPSI_IdRFCReply;                     //Indy
22286: 286 unit uPSI_IdIdent;                         //Indy
22287: 287 unit uPSI_IdIdentServer;                  //Indy
22288: 288 unit uPSI_JvPatchFile;                    //JCL
22289: 289 unit uPSI_StNetPfm;                        //SysTools4
22290: 290 unit uPSI_StNet;                           //SysTools4
22291: 291 unit uPSI_JclPeImage;                     //JCL
22292: 292 unit uPSI_JclPrint;                        //JCL

```

```

22293: 293 unit uPSI_JclMime;                                //JCL
22294: 294 unit uPSI_JvRichEdit;                            //JCL
22295: 295 unit uPSI_JvDBRichEd;                            //JCL
22296: 296 unit uPSI_JvDice;                               //JCL
22297: 297 unit uPSI_JvFloatEdit;                           //JCL 3.9.8
22298: 298 unit uPSI_JvDirFrm;                             //JCL
22299: 299 unit uPSI_JvDualList;                            //JCL
22300: 300 unit uPSI_JvSwitch;                            //JCL
22301: 301 unit uPSI_JvTimerLst;                           //JCL
22302: 302 unit uPSI_JvMemTable;                           //JCL
22303: 303 unit uPSI_JvObjStr;                            //JCL
22304: 304 unit uPSI_StLArr;                             //SysTools4
22305: 305 unit uPSI_StWmDCpy;                           //SysTools4
22306: 306 unit uPSI_StText;                             //SysTools4
22307: 307 unit uPSI_StNTLog;                            //SysTools4
22308: 308 unit uPSI_xrtl_math_Integer;                  //ExtendedRTL
22309: 309 unit uPSI_JvImagPrvw;                           //JCL
22310: 310 unit uPSI_JvFormPatch;                           //JCL
22311: 311 unit uPSI_JvPicClip;                            //JCL
22312: 312 unit uPSI_JvDataConv;                           //JCL
22313: 313 unit uPSI_JvCpuUsage;                           //JCL
22314: 314 unit uPSI_JclUnitConv_mx2;                   //JCL
22315: 315 unit JvDualListForm;                           //JCL
22316: 316 unit uPSI_JvCpuUsage2;                          //JCL
22317: 317 unit uPSI_JvParserForm;                          //JCL
22318: 318 unit uPSI_JvJanTreeView;                        //JCL
22319: 319 unit uPSI_JvTransLED;                           //JCL
22320: 320 unit uPSI_JvPlaylist;                           //JCL
22321: 321 unit uPSI_JvFormAutoSize;                      //JCL
22322: 322 unit uPSI_JvYearGridEditForm;                 //JCL
22323: 323 unit uPSI_JvMarkupCommon;                     //JCL
22324: 324 unit uPSI_JvChart;                            //JCL
22325: 325 unit uPSI_JvXPCore;                           //JCL
22326: 326 unit uPSI_JvXPCoreUtils;                      //JCL
22327: 327 unit uPSI_StatsClasses;                      //mx4
22328: 328 unit uPSI_ExtCtrls2;                           //VCL
22329: 329 unit uPSI_JvUrlGrabbers;                      //JCL
22330: 330 unit uPSI_JvXmlTree;                           //JCL
22331: 331 unit uPSI_JvWavePlayer;                         //JCL
22332: 332 unit uPSI_JvUnicodeCanvas;                    //JCL
22333: 333 unit uPSI_JvTFUtils;                           //JCL
22334: 334 unit uPSI_IdServerIOHandler;                 //Indy
22335: 335 unit uPSI_IdServerIOHandlerSocket;           //Indy
22336: 336 unit uPSI_IdMessageCoder;                     //Indy
22337: 337 unit uPSI_IdMessageCoderMIME;                //Indy
22338: 338 unit uPSI_IdMIMETypes;                        //Indy
22339: 339 unit uPSI_JvConverter;                          //JCL
22340: 340 unit uPSI_JvCsvParse;                           //JCL
22341: 341 unit uPSI_umath;   unit uPSI_ugamma;          //DMath
22342: 342 unit uPSI_ExcelExport;(Nat:TJsExcelExport)    //JCL
22343: 343 unit uPSI_JvDBGGridExport;                     //JCL
22344: 344 unit uPSI_JvgExport;                           //JCL
22345: 345 unit uPSI_JvSerialMaker;                       //JCL
22346: 346 unit uPSI_JvWin32;                            //JCL
22347: 347 unit uPSI_JvPaintFX;                           //JCL
22348: 348 unit uPSI_JvOracleDataSet; (beta)            //JCL
22349: 349 unit uPSI_JvValidators; (preview)             //JCL
22350: 350 unit uPSI_JvNTEventLog;                         //JCL
22351: 351 unit uPSI_ShellZipTool;                         //mx4
22352: 352 unit uPSI_JvJoystick;                           //JCL
22353: 353 unit uPSI_JvMailSlots;                          //JCL
22354: 354 unit uPSI_JclComplex;                           //JCL
22355: 355 unit uPSI_SynPdf;                            //Synopse
22356: 356 unit uPSI_Registry;                           //VCL
22357: 357 unit uPSI_TlHelp32;                            //VCL
22358: 358 unit uPSI_JclRegistry;                         //JCL
22359: 359 unit uPSI_JvAirBrush;                           //JCL
22360: 360 unit uPSI_mORMotReport;                        //Synopse
22361: 361 unit uPSI_JclLocales;                           //JCL
22362: 362 unit uPSI_SynEdit;                            //SynEdit
22363: 363 unit uPSI_SynEditTypes;                        //SynEdit
22364: 364 unit uPSI_SynMacroRecorder;                   //SynEdit
22365: 365 unit uPSI_LongIntList;                         //SynEdit
22366: 366 unit uPSI_devcutils;                           //DevC
22367: 367 unit uPSI_SynEditMiscClasses;                 //SynEdit
22368: 368 unit uPSI_SynEditRegexSearch;                 //SynEdit
22369: 369 unit uPSI_SynEditHighlighter;                 //SynEdit
22370: 370 unit uPSI_SynHighlighterPas;                  //SynEdit
22371: 371 unit uPSI_JvSearchFiles;                        //JCL
22372: 372 unit uPSI_SynHighlighterAny;                  //Lazarus
22373: 373 unit uPSI_SynEditKeyCmds;                     //SynEdit
22374: 374 unit uPSI_SynEditMiscProcs;                   //SynEdit
22375: 375 unit uPSI_SynEditKbdHandler;                  //SynEdit
22376: 376 unit uPSI_JvAppInst;                           //JCL
22377: 377 unit uPSI_JvAppEvent;                           //JCL
22378: 378 unit uPSI_JvAppCommand;                        //JCL
22379: 379 unit uPSI_JvAnimTitle;                          //JCL
22380: 380 unit uPSI_JvAnimatedImage;                     //JCL
22381: 381 unit uPSI_SynEditExport;                        //SynEdit

```

```

22382: 382 unit uPSI_SynExportHTML;                                //SynEdit
22383: 383 unit uPSI_SynExportRTF;                                //SynEdit
22384: 384 unit uPSI_SynEditSearch;                               //SynEdit
22385: 385 unit uPSI_fMain_back;                                 //maxbox;
22386: 386 unit uPSI_JvZoom;                                    //JCL
22387: 387 unit uPSI_PMrand;                                   //PM
22388: 388 unit uPSI_JvSticker;                                 //JCL
22389: 389 unit uPSI_XmlVerySimple;                            //mX4
22390: 390 unit uPSI_Services;                                 //ExtPascal
22391: 391 unit uPSI_ExtPascalUtils;                           //ExtPascal
22392: 392 unit uPSI_SocketsDelphi;                           //ExtPascal
22393: 393 unit uPSI_StBarC;                                  //SysTools
22394: 394 unit uPSI_StDbBarC;                                //SysTools
22395: 395 unit uPSI_StBarPN;                                 //SysTools
22396: 396 unit uPSI_StDbPNBC;                                //SysTools
22397: 397 unit uPSI_StDb2DBC;                                //SysTools
22398: 398 unit uPSI_StMoney;                                 //SysTools
22399: 399 unit uPSI_JvForth;                                 //JCL
22400: 400 unit uPSI_RestRequest;                             //mX4
22401: 401 unit uPSI_HttpRESTConnectionIndy;                  //mX4
22402: 402 unit uPSI_JvXmlDatabase; //update                 //JCL
22403: 403 unit uPSI_StAstro;                                //SysTools
22404: 404 unit uPSI_StSort;                                 //SysTools
22405: 405 unit uPSI_StDate;                                 //SysTools
22406: 406 unit uPSI_StDateSt;                               //SysTools
22407: 407 unit uPSI_StBase;                                 //SysTools
22408: 408 unit uPSI_StVInfo;                               //SysTools
22409: 409 unit uPSI_JvBrowseFolder;                          //JCL
22410: 410 unit uPSI_JvBoxProcs;                            //JCL
22411: 411 unit uPSI_urandom; (unit uranuvag;)             //DMath
22412: 412 unit uPSI_usimann; (unit ugenalg;)              //DMath
22413: 413 unit uPSI_JvHighlighter;                         //JCL
22414: 414 unit uPSI_Diff;                                 //mX4
22415: 415 unit uPSI_SpringWinAPI;                          //DSpring
22416: 416 unit uPSI_StBits;                                //SysTools
22417: 417 unit uPSI_TomDBQue;                             //mX4
22418: 418 unit uPSI_MultilangTranslator;                  //mX4
22419: 419 unit uPSI_HyperLabel;                           //mX4
22420: 420 unit uPSI_Starter;                             //mX4
22421: 421 unit uPSI_FileAssoc;                           //devC
22422: 422 unit uPSI_devFileMonitorX;                      //devC
22423: 423 unit uPSI_devrun;                              //devC
22424: 424 unit uPSI_devExec;                            //devC
22425: 425 unit uPSI_oyzUtils;                           //devC
22426: 426 unit uPSI_DosCommand;                          //devC
22427: 427 unit uPSI_CppTokenizer;                        //devC
22428: 428 unit uPSI_JvHLParser;                          //devC
22429: 429 unit uPSI_JclMapi;                            //JCL
22430: 430 unit uPSI_JclShell;                           //JCL
22431: 431 unit uPSI_JclCOM;                            //JCL
22432: 432 unit uPSI_GR32_Math;                           //Graphics32
22433: 433 unit uPSI_GR32_LowLevel;                      //Graphics32
22434: 434 unit uPSI_SimpleHl;                           //mX4
22435: 435 unit uPSI_GR32_Filters;                        //Graphics32
22436: 436 unit uPSI_GR32_VectorMaps;                   //Graphics32
22437: 437 unit uPSI_cXMLFunctions;                     //Fundamentals 4
22438: 438 unit uPSI_JvTimer;                            //JCL
22439: 439 unit uPSI_cHTTPUtils;                         //Fundamentals 4
22440: 440 unit uPSI_cTLSUtils;                          //Fundamentals 4
22441: 441 unit uPSI_JclGraphics;                        //JCL
22442: 442 unit uPSI_JclSynch;                           //JCL
22443: 443 unit uPSI_IdTelnet;                           //Indy
22444: 444 unit uPSI_IdTelnetServer;                    //Indy
22445: 445 unit uPSI_IdEcho,                            //Indy
22446: 446 unit uPSI_IdEchoServer;                      //Indy
22447: 447 unit uPSI_IdEchoUDP;                         //Indy
22448: 448 unit uPSI_IdEchoUDPServer;                  //Indy
22449: 449 unit uPSI_IdSocks;                           //Indy
22450: 450 unit uPSI_IdAntiFreezeBase;                  //Indy
22451: 451 unit uPSI_IdHostnameServer;                  //Indy
22452: 452 unit uPSI_IdTunnelCommon;                   //Indy
22453: 453 unit uPSI_IdTunnelMaster;                   //Indy
22454: 454 unit uPSI_IdTunnelSlave;                    //Indy
22455: 455 unit uPSI_IdRSH;                            //Indy
22456: 456 unit uPSI_IdRSHServer;                      //Indy
22457: 457 unit uPSI_Spring_Cryptography_Utils;        //Spring4Delphi
22458: 458 unit uPSI_MapReader;                          //devC
22459: 459 unit uPSI_LibTar;                            //devC
22460: 460 unit uPSI_IdStack;                           //Indy
22461: 461 unit uPSI_IdBlockCipherIntercept;           //Indy
22462: 462 unit uPSI_IdChargenServer;                  //Indy
22463: 463 unit uPSI_IdFTPServer;                      //Indy
22464: 464 unit uPSI_IdException;                      //Indy
22465: 465 unit uPSI_utexploit;                         //DMath
22466: 466 unit uPSI_uwinstr;                           //DMath
22467: 467 unit uPSI_VarRecUtils;                      //devC
22468: 468 unit uPSI_JvStringListToHtml;                //JCL
22469: 469 unit uPSI_JvStringHolder;                   //JCL
22470: 470 unit uPSI_IdCoder;                           //Indy

```

```

22471: 471 unit uPSI_SynHighlighterDfm; //Synedit
22472: 472 unit uHighlighterProcs; in 471 //Synedit
22473: 473 unit uPSI_LazFileUtils; //LCL
22474: 474 unit uPSI_IDECmdLine; //LCL
22475: 475 unit uPSI_lazMasks; //LCL
22476: 476 unit uPSI_ip_misc; //mx4
22477: 477 unit uPSI_Barcodes; //LCL
22478: 478 unit uPSI_SimpleXML; //LCL
22479: 479 unit uPSI_JclIniFiles; //JCL
22480: 480 unit uPSI_D2XXUnit; {$X-} //FTDI
22481: 481 unit uPSI_JclDateTime; //JCL
22482: 482 unit uPSI_JclEDI; //JCL
22483: 483 unit uPSI_JclMiscel2; //JCL
22484: 484 unit uPSI_JclValidation; //JCL
22485: 485 unit uPSI_JclAnsiStrings; {-PString} //JCL
22486: 486 unit uPSI_SynEditMiscProcs2; //Synedit
22487: 487 unit uPSI_JclStreams; //JCL
22488: 488 unit uPSI_QRCode; //mx4
22489: 489 unit uPSI_BlockSocket; //ExtPascal
22490: 490 unit uPSI_Masks_Utils; //VCL
22491: 491 unit uPSI_synautil; //Synapse!
22492: 492 unit uPSI_JclMath_Class; //JCL RTL
22493: 493 unit ugamdist; //Gamma function //DMath
22494: 494 unit ubeta, ucorrel; //IBeta //DMath
22495: 495 unit uPSI_SRMgr; //mx4
22496: 496 unit uPSI_HotLog; //mx4
22497: 497 unit uPSI_DebugBox; //mx4
22498: 498 unit uPSI_ustrings; //DMath
22499: 499 unit uPSI_uregtest; //DMath
22500: 500 unit uPSI_usimplex; //DMath
22501: 501 unit uPSI_uhyper; //DMath
22502: 502 unit uPSI_IdHL7; //Indy
22503: 503 unit uPSI_IdIPMCastBase; //Indy
22504: 504 unit uPSI_IdIPMCastServer; //Indy
22505: 505 unit uPSI_IdIPMCastClient; //Indy
22506: 506 unit uPSI_unlfit; //nlregression //DMath
22507: 507 unit uPSI_IdRawHeaders; //Indy
22508: 508 unit uPSI_IdRawClient; //Indy
22509: 509 unit uPSI_IdRawFunctions; //Indy
22510: 510 unit uPSI_IdTCPStream; //Indy
22511: 511 unit uPSI_IdSNPP; //Indy
22512: 512 unit uPSI_St2DBarC; //SysTools
22513: 513 unit uPSI_ImageWin; //FTL //VCL
22514: 514 unit uPSI_CustomDrawTreeView; //FTL //VCL
22515: 515 unit uPSI_GraphWin; //FTL //VCL
22516: 516 unit uPSI_actionMain; //FTL //VCL
22517: 517 unit uPSI_StSpawn; //SysTools
22518: 518 unit uPSI_CtlPanel; //VCL
22519: 519 unit uPSI_IdLPR; //Indy
22520: 520 unit uPSI_SockRequestInterpreter; //Indy
22521: 521 unit uPSI_ultimo; //DMath
22522: 522 unit uPSI_ucholesk; //DMath
22523: 523 unit uPSI_SimpleDS; //VCL
22524: 524 unit uPSI_DBXSqlScanner; //VCL
22525: 525 unit uPSI_DBXMetaDataTable; //VCL
22526: 526 unit uPSI_Chart; //TEE
22527: 527 unit uPSI_TeeProcs; //TEE
22528: 528 unit mXBDEUtils; //mx4
22529: 529 unit uPSI_MDIEdit; //VCL
22530: 530 unit uPSI_CopyPrsr; //VCL
22531: 531 unit uPSI_SockApp; //VCL
22532: 532 unit uPSI_AppEvnts; //VCL
22533: 533 unit uPSI_ExtActns; //VCL
22534: 534 unit uPSI_TeEngine; //TEE
22535: 535 unit uPSI_CoolMain; //browser //VCL
22536: 536 unit uPSI_StCRC; //SysTools
22537: 537 unit uPSI_StDecMth2; //SysTools
22538: 538 unit uPSI_frmExportMain; //Synedit
22539: 539 unit uPSI_SynDBEdit; //Synedit
22540: 540 unit uPSI_SynEditWildcardSearch; //Synedit
22541: 541 unit uPSI-BoldComUtils; //BOLD
22542: 542 unit uPSI-BoldIsoDateTime; //BOLD
22543: 543 unit uPSI-BoldGUIDUtils; //inCOMUtils //BOLD
22544: 544 unit uPSI-BoldXMLRequests; //BOLD
22545: 545 unit uPSI-BoldStringList; //BOLD
22546: 546 unit uPSI-BoldFileHandler; //BOLD
22547: 547 unit uPSI-BoldContainers; //BOLD
22548: 548 unit uPSI-BoldQueryUserDlg; //BOLD
22549: 549 unit uPSI-BoldWinINet; //BOLD
22550: 550 unit uPSI-BoldQueue; //BOLD
22551: 551 unit uPSI_JvPcx; //JCL
22552: 552 unit uPSI_IdWhois; //Indy
22553: 553 unit uPSI_IdWhoisServer; //Indy
22554: 554 unit uPSI_IdGopher; //Indy
22555: 555 unit uPSI_IdDateTimeStamp; //Indy
22556: 556 unit uPSI_IdDayTimeServer; //Indy
22557: 557 unit uPSI_IdDayTimeUDP; //Indy
22558: 558 unit uPSI_IdDayTimeUDPServer; //Indy
22559: 559 unit uPSI_IdDICTServer; //Indy

```

```

22560: 560 unit uPSI_IdDiscardServer; //Indy
22561: 561 unit uPSI_IdDiscardUDPServer; //Indy
22562: 562 unit uPSI_IdMappedFTP; //Indy
22563: 563 unit uPSI_IdMappedPortTCP; //Indy
22564: 564 unit uPSI_IdGopherServer; //Indy
22565: 565 unit uPSI_IdQotdServer; //Indy
22566: 566 unit uPSI_JvRgbToHtml; //JCL
22567: 567 unit uPSI_JvRemLog; //JCL
22568: 568 unit uPSI_JvSysComp; //JCL
22569: 569 unit uPSI_JvTMTL; //JCL
22570: 570 unit uPSI_JvWinampAPI; //JCL
22571: 571 unit uPSI_MSysUtils; //mX4
22572: 572 unit uPSI_ESBMaths; //ESB
22573: 573 unit uPSI_ESBMaths2; //ESB
22574: 574 unit uPSI_uLkJSON; //Lk
22575: 575 unit uPSI_ZURL; //Zeos
22576: 576 unit uPSI_ZSysUtils; //Zeos
22577: 577 unit unaUtils internals //UNA
22578: 578 unit uPSI_ZMatchPattern; //Zeos
22579: 579 unit uPSI_ZClasses; //Zeos
22580: 580 unit uPSI_ZCollections; //Zeos
22581: 581 unit uPSI_ZEncoding; //Zeos
22582: 582 unit uPSI_IdRawBase; //Indy
22583: 583 unit uPSI_IdNTLM; //Indy
22584: 584 unit uPSI_IdNNTP; //Indy
22585: 585 unit uPSI_usniffer; //PortScanForm //mX4
22586: 586 unit uPSI_IdCoderMIME; //Indy
22587: 587 unit uPSI_IdCoderUUE; //Indy
22588: 588 unit uPSI_IdCoderXXE; //Indy
22589: 589 unit uPSI_IdCoder3to4; //Indy
22590: 590 unit uPSI_IdCookie; //Indy
22591: 591 unit uPSI_IdCookieManager; //Indy
22592: 592 unit uPSI_WDOSocketUtils; //WDOS
22593: 593 unit uPSI_WDOSPlcUtils; //WDOS
22594: 594 unit uPSI_WDOSPorts; //WDOS
22595: 595 unit uPSI_WDOSResolvers; //WDOS
22596: 596 unit uPSI_WDOSTimers; //WDOS
22597: 597 unit uPSI_WDOSPlcs; //WDOS
22598: 598 unit uPSI_WDOSPneumatics; //WDOS
22599: 599 unit uPSI_IdFingerServer; //Indy
22600: 600 unit uPSI_IdDNSResolver; //Indy
22601: 601 unit uPSI_IdHTTPWebBrokerBridge; //Indy
22602: 602 unit uPSI_IdIntercept; //Indy
22603: 603 unit uPSI_IdIPMCastBase; //Indy
22604: 604 unit uPSI_IdLogFile; //Indy
22605: 605 unit uPSI_IdIOHandlerStream; //Indy
22606: 606 unit uPSI_IdMappedPortUDP; //Indy
22607: 607 unit uPSI_IdQOTDUDPServer; //Indy
22608: 608 unit uPSI_IdQOTDUDP; //Indy
22609: 609 unit uPSI_IdSysLog; //Indy
22610: 610 unit uPSI_IdSysLogServer; //Indy
22611: 611 unit uPSI_IdSysLogMessage; //Indy
22612: 612 unit uPSI_IdTimeServer; //Indy
22613: 613 unit uPSI_IdTimeUDP; //Indy
22614: 614 unit uPSI_IdTimeUDPServer; //Indy
22615: 615 unit uPSI_IdUserAccounts; //Indy
22616: 616 unit uPSI_TextUtils; //mX4
22617: 617 unit uPSI_MandelbrotEngine; //mX4
22618: 618 unit uPSI_delphi_arduino_Unit1; //mX4
22619: 619 unit uPSI_TDTSchema2; //mX4
22620: 620 unit uPSI_fpplotMain; //DMath
22621: 621 unit uPSI_FindfileIter; //mX4
22622: 622 unit uPSI_PppState; (JclStrHashMap) //PPP
22623: 623 unit uPSI_PppParser; //PPP
22624: 624 unit uPSI_PppLexer; //PPP
22625: 625 unit uPSI_PCharUtils; //PPP
22626: 626 unit uPSI_uJSON; //WU
22627: 627 unit uPSI_JclStrHashMap; //JCL
22628: 628 unit uPSI_JclHookExcept; //JCL
22629: 629 unit uPSI_EncdDecd; //VCL
22630: 630 unit uPSI_SockAppReg; //VCL
22631: 631 unit uPSI_PJFileHandle; //PJ
22632: 632 unit uPSI_PJEnvVars; //PJ
22633: 633 unit uPSI_PJPipe; //PJ
22634: 634 unit uPSI_PJPipeFilters; //PJ
22635: 635 unit uPSI_PJConsoleApp; //PJ
22636: 636 unit uPSI_UConsoleAppEx; //PJ
22637: 637 unit uPSI_DbxSocketChannelNative; //VCL
22638: 638 unit uPSI_DbxDataGenerator; //VCL
22639: 639 unit uPSI_DBXClient; //VCL
22640: 640 unit uPSI_IdLogEvent; //Indy
22641: 641 unit uPSI_Reversi; //mX4
22642: 642 unit uPSI_Geometry; //mX4
22643: 643 unit uPSI_IdSMTPServer; //Indy
22644: 644 unit uPSI_Textures; //mX4
22645: 645 unit uPSI_IBX; //VCL
22646: 646 unit uPSI_IWDBCommon; //VCL
22647: 647 unit uPSI_SortGrid; //mX4
22648: 648 unit uPSI_IB; //VCL

```

```

22649: 649 unit uPSI_IBScript; //VCL
22650: 650 unit uPSI_JvCSVBaseControls; //JCL
22651: 651 unit uPSI_Jvg3DColors; //JCL
22652: 652 unit uPSI_JvHLEditor; //beat //JCL
22653: 653 unit uPSI_JvShellHook; //JCL
22654: 654 unit uPSI_DBCommon2 //VCL
22655: 655 unit uPSI_JvSHFileOperation; //JCL
22656: 656 unit uPSI_uFileExport; //mX4
22657: 657 unit uPSI_JvDialogs; //JCL
22658: 658 unit uPSI_JvDBTreeview; //JCL
22659: 659 unit uPSI_JvDBUltimGrid; //JCL
22660: 660 unit uPSI_JvDBQueryParamsForm; //JCL
22661: 661 unit uPSI_JvExControls; //JCL
22662: 662 unit uPSI_JvBDEMemTable; //JCL
22663: 663 unit uPSI_JvCommStatus; //JCL
22664: 664 unit uPSI_JvMailSlots2; //JCL
22665: 665 unit uPSI_JvgWinMask; //JCL
22666: 666 unit uPSI_StEclipse; //SysTools
22667: 667 unit uPSI_StMime; //SysTools
22668: 668 unit uPSI_StList; //SysTools
22669: 669 unit uPSI_StMerge; //SysTools
22670: 670 unit uPSI_StStrs; //SysTools
22671: 671 unit uPSI_StTree; //SysTools
22672: 672 unit uPSI_StVar; //SysTools
22673: 673 unit uPSI_StRegIni; //SysTools
22674: 674 unit uPSI_urkf; //DMath
22675: 675 unit uPSI_usvd; //DMath
22676: 676 unit uPSI_DepWalkUtils; //JCL
22677: 677 unit uPSI_OptionsFrm; //JCL
22678: 678 unit yuvconverts; //mX4
22679: 679 uPSI_JvPropAutoSave; //JCL
22680: 680 uPSI_AclAPI; //alcinoe
22681: 681 uPSI_AviCap; //alcinoe
22682: 682 uPSI_ALAVLBinaryTree; //alcinoe
22683: 683 uPSI_ALFcMisc; //alcinoe
22684: 684 uPSI_ALStringList; //alcinoe
22685: 685 uPSI_ALQuickSortList; //alcinoe
22686: 686 uPSI_ALStaticText; //alcinoe
22687: 687 uPSI_ALJSONDoc; //alcinoe
22688: 688 uPSI_ALGSMComm; //alcinoe
22689: 689 uPSI_ALWindows; //alcinoe
22690: 690 uPSI_ALMultiPartFormDataParser; //alcinoe
22691: 691 uPSI_ALHttpCommon; //alcinoe
22692: 692 uPSI_ALWebSpider; //alcinoe
22693: 693 uPSI_ALHttpClient; //alcinoe
22694: 694 uPSI_ALFcHTML; //alcinoe
22695: 695 uPSI_ALFTPClient; //alcinoe
22696: 696 uPSI_ALInternetMessageCommon; //alcinoe
22697: 697 uPSI_ALWininetHttpclient; //alcinoe
22698: 698 uPSI_ALWinInetFTPClient; //alcinoe
22699: 699 uPSI_ALWinHttpWrapper; //alcinoe
22700: 700 uPSI_ALWinHttpclient; //alcinoe
22701: 701 uPSI_ALFcWinSock; //alcinoe
22702: 702 uPSI_ALFcSQL; //alcinoe
22703: 703 uPSI_ALFcCGI; //alcinoe
22704: 704 uPSI_ALFcExecute; //alcinoe
22705: 705 uPSI_ALFcFile; //alcinoe
22706: 706 uPSI_ALFcMimeType; //alcinoe
22707: 707 uPSI_ALPhpRunner; //alcinoe
22708: 708 uPSI_ALGraphic; //alcinoe
22709: 709 uPSI_ALIniFiles; //alcinoe
22710: 710 uPSI_ALMemCachedClient; //alcinoe
22711: 711 unit uPSI_MyGrids; //mX4
22712: 712 uPSI_ALMultiPartMixedParser; //alcinoe
22713: 713 uPSI_ALSMTPClient; //alcinoe
22714: 714 uPSI_ALNNTPClient; //alcinoe
22715: 715 uPSI_ALHintBalloon; //alcinoe
22716: 716 unit uPSI_ALXmlDoc; //alcinoe
22717: 717 unit uPSI_IPCThrd; //VCL
22718: 718 unit uPSI_MonForm; //VCL
22719: 719 unit uPSI_TeCanvas; //Orpheus
22720: 720 unit uPSI_OvcMisc; //Orpheus
22721: 721 unit uPSI_OvcFiler; //Orpheus
22722: 722 unit uPSI_OvcState; //Orpheus
22723: 723 unit uPSI_OvcCoco; //Orpheus
22724: 724 unit uPSI_OvcRvExp; //Orpheus
22725: 725 unit uPSI_OvcFormatSettings; //Orpheus
22726: 726 unit uPSI_OvcUtils; //Orpheus
22727: 727 unit uPSI_OvcStore; //Orpheus
22728: 728 unit uPSI_OvcStr; //Orpheus
22729: 729 unit uPSI_OvcMru; //Orpheus
22730: 730 unit uPSI_OvcCmd; //Orpheus
22731: 731 unit uPSI_Ovctimer; //Orpheus
22732: 732 unit uPSI_OvcIntl; //Orpheus
22733: 733 uPSI_AfCircularBuffer; //AsyncFree
22734: 734 uPSI_AfUtils; //AsyncFree
22735: 735 uPSI_AfSafeSync; //AsyncFree
22736: 736 uPSI_AfComPortCore; //AsyncFree
22737: 737 uPSI_AfComPort; //AsyncFree

```

```

22738: 738 uPSI_AfPortControls;           //AsyncFree
22739: 739 uPSI_AfDataDispatcher;         //AsyncFree
22740: 740 uPSI_AfViewers;                //AsyncFree
22741: 741 uPSI_AfDataTerminal;          //AsyncFree
22742: 742 uPSI_SimplePortMain;          //AsyncFree
22743: 743 unit uPSI_ovcclock;          //Orpheus
22744: 744 unit uPSI_o32intlst;          //Orpheus
22745: 745 unit uPSI_o32ledlabel;        //Orpheus
22746: 746 unit uPSI_AlMySqlClient;      //alcinoe
22747: 747 unit uPSI_ALFBXClient;        //alcinoe
22748: 748 unit uPSI_ALFcnsSQL;          //alcinoe
22749: 749 unit uPSI_AsyncTimer;         //mX4
22750: 750 unit uPSI_ApplicationFileIO;   //mX4
22751: 751 uni uPSI_PsAPI;              //VCLé
22752: 752 uPSI_ovcuser;                //Orpheus
22753: 753 uPSI_ovcurl;                //Orpheus
22754: 754 uPSI_ovcvlb;                //Orpheus
22755: 755 uPSI_ovccolor;              //Orpheus
22756: 756 uPSI_ALFBXLib;              //alcinoe
22757: 757 uPSI_ovcmeter;              //Orpheus
22758: 758 uPSI_ovcpeakm;              //Orpheus
22759: 759 uPSI_O32BGSty;              //Orpheus
22760: 760 uPSI_ovcBidi;                //Orpheus
22761: 761 uPSI_ovctcarry;             //Orpheus
22762: 762 uPSI_DXPUtils;              //mX4
22763: 763 uPSI_ALMultiPartBaseParser;  //alcinoe
22764: 764 uPSI_ALMultiPartAlternativeParser; //alcinoe
22765: 765 uPSI_ALPOP3Client;          //alcinoe
22766: 766 uPSI_SmallUtils;             //mX4
22767: 767 uPSI_MakeApp;               //mX4
22768: 768 uPSI_O32MouseMon;           //Orpheus
22769: 769 uPSI_OvcCache;              //Orpheus
22770: 770 uPSI_ovccalc;               //Orpheus
22771: 771 uPSI_Joystick;              //OpenGL
22772: 772 uPSI_ScreenSaver;            //OpenGL
22773: 773 uPSI_XCollection;           //OpenGL
22774: 774 uPSI_Polynomials;           //OpenGL
22775: 775 uPSI_PersistentClasses;     //9.86 //OpenGL
22776: 776 uPSI_VectorLists;            //OpenGL
22777: 777 uPSI_XOpenGL;               //OpenGL
22778: 778 uPSI_MeshUtils;              //OpenGL
22779: 779 unit uPSI_JclSysUtils;      //JCL
22780: 780 unit uPSI_JclBorlandTools;   //JCL
22781: 781 unit Jcl FileUtils_max;      //JCL
22782: 782 uPSI_AfDataControls;         //AsyncFree
22783: 783 uPSI_GLSilhouette;           //OpenGL
22784: 784 uPSI_JclSysUtils_class;      //JCL
22785: 785 uPSI_Jcl FileUtils_class;    //JCL
22786: 786 uPSI_FileUtil;               //JCL
22787: 787 uPSI_changefind;             //mX4
22788: 788 uPSI_CmdIntf;                //mX4
22789: 789 uPSI_fservice;               //OpenGL
22790: 790 uPSI_Keyboard;                //OpenGL
22791: 791 uPSI_VRMLParser;             //OpenGL
22792: 792 uPSI_GLFileVRML;             //OpenGL
22793: 793 uPSI_Octree;                 //OpenGL
22794: 794 uPSI_GLPolyhedron;            //OpenGL
22795: 795 uPSI_GLCrossPlatform;        //OpenGL
22796: 796 uPSI_GLParticles;            //OpenGL
22797: 797 uPSI_GLNavigator;             //OpenGL
22798: 798 uPSI_GLStarRecord;           //OpenGL
22799: 799 uPSI_GLTextureCombiners;    //OpenGL
22800: 800 uPSI_GLCanvas;                //OpenGL
22801: 801 uPSI_GeometryBB;              //OpenGL
22802: 802 uPSI_GeometryCoordinates;    //OpenGL
22803: 803 uPSI_VectorGeometry;          //OpenGL
22804: 804 uPSI_BumpMapping;             //OpenGL
22805: 805 uPSI_TGA;                   //OpenGL
22806: 806 uPSI_GLVectorFileObjects;    //OpenGL
22807: 807 uPSI_IMM;                   //VCL
22808: 808 uPSI_CategoryButtons;        //VCL
22809: 809 uPSI_ButtonGroup;             //VCL
22810: 810 uPSI_DbExcept;               //VCL
22811: 811 uPSI_AxCtrls;                //VCL
22812: 812 uPSI_GL_actorUnit1;          //OpenGL
22813: 813 uPSI_StdVCL;                //VCL
22814: 814 unit CurvesAndSurfaces;     //OpenGL
22815: 815 uPSI_DataAwareMain;           //AsyncFree
22816: 816 uPSI_TabNotBk;               //VCL
22817: 817 uPSI_udwsfiler;              //mX4
22818: 818 uPSI_synaip;                //Synapse!
22819: 819 uPSI_synacode;               //Synapse
22820: 820 uPSI_synachar;               //Synapse
22821: 821 uPSI_synamisc;               //Synapse
22822: 822 uPSI_synaser;                //Synapse
22823: 823 uPSI_synaicnv;               //Synapse
22824: 824 uPSI_tlnitsend;              //Synapse
22825: 825 uPSI_pingsend;               //Synapse
22826: 826 uPSI_blksock;                //Synapse

```

```

22827: 827 uPSI_asnlutil; //Synapse
22828: 828 uPSI_dnssend; //Synapse
22829: 829 uPSI_clamsend; //Synapse
22830: 830 uPSI_ldapsend; //Synapse
22831: 831 uPSI_mimemess; //Synapse
22832: 832 uPSI_slogsend; //Synapse
22833: 833 uPSI_mimepart; //Synapse
22834: 834 uPSI_mimeinln; //Synapse
22835: 835 uPSI_ftpsend; //Synapse
22836: 836 uPSI_ftptsend; //Synapse
22837: 837 uPSI_httpsend; //Synapse
22838: 838 uPSI_sntpsend; //Synapse
22839: 839 uPSI_smtpsend; //Synapse
22840: 840 uPSI_snmpsend; //Synapse
22841: 841 uPSI_imapsend; //Synapse
22842: 842 uPSI_pop3send; //Synapse
22843: 843 uPSI_nttpsend; //Synapse
22844: 844 uPSI_ssl_cryptlib; //Synapse
22845: 845 uPSI_ssl_openssl; //Synapse
22846: 846 uPSI_synhttp_daemon; //Synapse
22847: 847 uPSI_NetWork; //mX4
22848: 848 uPSI_PingThread; //Synapse
22849: 849 uPSI_JvThreadTimer; //JCL
22850: 850 unit uPSI_wwSystem; //InfoPower
22851: 851 unit uPSI_IdComponent; //Indy
22852: 852 unit uPSI_IdIOHandlerThrottle; //Indy
22853: 853 unit uPSI_Themes; //VCL
22854: 854 unit uPSI_StdStyleActnCtrls; //VCL
22855: 855 unit uPSI_UDDIHelper; //VCL
22856: 856 unit uPSI_IdIMAP4Server; //Indy
22857: 857 uPSI_VariantSymbolTable; //VCL //3.9.9.92
22858: 858 uPSI_udf_glob; //mX4
22859: 859 uPSI_TabGrid; //VCL
22860: 860 uPSI_JsDBTreeView; //mX4
22861: 861 uPSI_JsSendMail; //mX4
22862: 862 uPSI_dbTvRecordList; //mX4
22863: 863 uPSI_TreeVwEx; //mX4
22864: 864 uPSI_ECDataLink; //mX4
22865: 865 uPSI_dbTree; //mX4
22866: 866 uPSI_dbTreeCBox; //mX4
22867: 867 unit uPSI_Debug; //TfrmDebug //mX4
22868: 868 uPSI_TimeFncts; //mX4
22869: 869 uPSI_FileIntf; //VCL
22870: 870 uPSI_SockTransport; //RTL
22871: 871 unit uPSI_WinInet; //RTL
22872: 872 unit uPSI_WWSTR; //mX4
22873: 873 uPSI_DBLookup; //VCL
22874: 874 uPSI_Hotspot; //mX4
22875: 875 uPSI_HList; //History List //mX4
22876: 876 unit uPSI_DrTable; //VCL
22877: 877 uPSI_TConnect; //VCL
22878: 878 uPSI_DataBkr; //VCL
22879: 879 uPSI_HTTPIntr; //VCL
22880: 880 unit uPSI_Mathbox; //mX4
22881: 881 uPSI_cyIndy; //cY
22882: 882 uPSI_cySysUtils; //cY
22883: 883 uPSI_cyWinUtils; //cY
22884: 884 uPSI_cyStrUtils; //cY
22885: 885 uPSI_cyObjUtils; //cY
22886: 886 uPSI_cyDateUtils; //cY
22887: 887 uPSI_cyBDE; //cY
22888: 888 uPSI_cyClasses; //cY
22889: 889 uPSI_cyGraphics; //3.9.9.94_2 //cY
22890: 890 unit uPSI_cyTypes; //cY
22891: 891 uPSI_JvDatePicker; //JCL
22892: 892 uPSI_JvCreateProcess; //JCL
22893: 893 uPSI_JvEasterEgg; //JCL
22894: 894 uPSI_WinSvc; //3.9.9.94_3 //VCL
22895: 895 uPSI_SvcMgr; //VCL
22896: 896 unit uPSI_JvPickDate; //JCL
22897: 897 unit uPSI_JvNotify; //JCL
22898: 898 uPSI_JvStrHlder; //JCL
22899: 899 unit uPSI_JclNTFS2; //JCL
22900: 900 uPSI_Jcl8087 //math coprocessor //JCL
22901: 901 uPSI_JvAddPrinter //JCL
22902: 902 uPSI_JvCabFile //JCL
22903: 903 uPSI_JvDataEmbedded; //JCL
22904: 904 unit uPSI_U_HexView; //mX4
22905: 905 uPSI_UWavein4; //mX4
22906: 906 uPSI_AMixer; //mX4
22907: 907 uPSI_JvaScrollText; //mX4
22908: 908 uPSI_JvArrow; //mX4
22909: 909 unit uPSI.UrlMon; //mX4
22910: 910 U_Oscilloscope4 in 'U_Oscilloscope4.pas' //mX4
22911: 911 unit uPSI_U_Oscilloscope4; //T0scfrmMain; //DFF
22912: 912 unit uPSI_DFFUtils; //DFF
22913: 913 unit uPSI_MathsLib; //DFF
22914: 914 uPSI_UIntList; //DFF
22915: 915 uPSI_UGetParens; //DFF

```

```

22916: 916 unit uPSI_UGeometry; //DFF
22917: 917 unit uPSI_UAstronomy; //DFF
22918: 918 unit uPSI_UCardComponentV2; //DFF
22919: 919 unit uPSI_UTGraphSearch; //DFF
22920: 920 unit uPSI_UParser10; //DFF
22921: 921 unit uPSI_cyIEUtils; //cY
22922: 922 unit uPSI_UcomboV2; //DFF
22923: 923 uPSI_cyBaseComm; //cY
22924: 924 uPSI_cyAppInstances; //cY
22925: 925 uPSI_cyAttract; //cY
22926: 926 uPSI_cyDERUtils; //cY
22927: 927 unit uPSI_cyDocER; //cY
22928: 928 unit uPSI_ODBC; //mX
22929: 929 unit uPSI_AssocExec; //mX
22930: 930 uPSI_cyBaseCommRoomConnector; //cY
22931: 931 uPSI_cyCommRoomConnector; //cY
22932: 932 uPSI_cyCommunicate; //cY
22933: 933 uPSI_cyImage; //cY
22934: 934 uPSI_cyBaseContainer; //cY
22935: 935 uPSI_cyModalContainer; //cY
22936: 936 uPSI_cyFlyingContainer; //cY
22937: 937 uPSI_RegStr; //VCL
22938: 938 uPSI_HtmlHelpViewer; //VCL
22939: 939 unit uPSI_cyIniForm; //cY
22940: 940 unit uPSI_cyVirtualGrid; //cY
22941: 941 uPSI_Profiler; //DA
22942: 942 uPSI_BackgroundWorker; //DA
22943: 943 uPSI_WavePlay; //DA
22944: 944 uPSI_WaveTimer; //DA
22945: 945 uPSI_WaveUtils; //DA
22946: 946 uPSI_NamedPipes; //TB
22947: 947 uPSI_NamedPipeServer; //TB
22948: 948 unit uPSI_process; //TB
22949: 949 unit uPSI_DPUtils; //TB
22950: 950 unit uPSI_CommonTools; //TB
22951: 951 uPSI_DataSendToWeb; //TB
22952: 952 uPSI_StarCalc; //TB
22953: 953 uPSI_D2_XPVistaHelperU; //TB
22954: 954 unit uPSI_NetTools; //TB
22955: 955 unit uPSI_Pipes; //TB
22956: 956 uPSI_ProcessUnit; //mX
22957: 957 uPSI_adGSM; //mX
22958: 958 unit uPSI_BetterADODataSet; //mX
22959: 959 unit uPSI_AdSelCom; //FTT
22960: 960 unit unit uPSI_dwsXPlatform; //DWS
22961: 961 uPSI_AdSocket; //mX Turbo Power
22962: 962 uPSI_AdPacket; //mX
22963: 963 uPSI_AdPort; //mX
22964: 964 uPSI_PathFunc; //Inno
22965: 965 uPSI_CmnFunc; //Inno
22966: 966 uPSI_CmnFunc2; //Inno Setup
22967: 967 unit uPSI_BitmapImage; //mX4
22968: 968 unit uPSI_ImageGrabber; //mX4
22969: 969 uPSI_SecurityFunc; //Inno
22970: 970 uPSI_RedirFunc; //Inno
22971: 971 uPSI_FIFO, (MemoryStream) //mX4
22972: 972 uPSI_Int64Em; //Inno
22973: 973 unit uPSI_InstFunc; //Inno
22974: 974 unit uPSI_LibFusion; //Inno
22975: 975 uPSI_SimpleExpression; //Inno
22976: 976 uPSI_unitResourceDetails; //XN
22977: 977 uPSI_unitResFile; //XN
22978: 978 unit uPSI_simpleComport; //mX4
22979: 979 unit uPSI_AfViewershelfers; //Async
22980: 980 unit uPSI_Console; //mX4
22981: 981 unit uPSI_AnalogMeter; //TB
22982: 982 unit uPSI_XPrinter; //TB
22983: 983 unit uPSI_IniFiles; //VCL
22984: 984 unit uPSI_lazIniFiles; //FP
22985: 985 uPSI_testutils; //FP
22986: 986 uPSI_ToolsUnit; (DBTests) //FP
22987: 987 uPSI_fpcunit //FP
22988: 988 uPSI_testdecorator; //FP
22989: 989 unit uPSI_fpcunittests; //Fundamentals 4
22990: 990 unit uPSI_cTCPBuffer; //Open GL
22991: 991 unit uPSI_Glut; //mX4
22992: 992 uPSI_LEDBitmaps; //mX4
22993: 993 uPSI_FileClass; //Inno
22994: 994 uPSI_FileUtilsClass; //mX4
22995: 995 uPSI_ComPortInterface; //Kit //mX4
22996: 996 unit uPSI_SwitchLed; //mX4
22997: 997 unit uPSI_cyDmmCanvas; //cY
22998: 998 uPSI_uColorFunctions; //DFF
22999: 999 uPSI_uSettings; //DFF
23000: 1000 uPSI_cyDebug.pas //cY
23001: 1001 uPSI_cyColorMatrix; //cY
23002: 1002 unit uPSI_cyCopyFiles; //cY
23003: 1003 unit uPSI_cySearchFiles; //cY
23004: 1004 unit uPSI_cyBaseMeasure; //cY

```

```

23005: 1005 unit uPSI_PJISystems; //DD
23006: 1006 unit uPSI_cyRunTimeResize; //CY
23007: 1007 unit uPSI_jcontrolutils; //cY
23008: 1008 unit uPSI_kcMapViewer; (+GEONames) //kc
23009: 1009 unit uPSI_kcMapViewDESynapse; //kc
23010: 1010 unit uPSI_cparserutils; (+GIS_SysUtils) //kc
23011: 1011 unit uPSI_LedNumber; //TurboPower
23012: 1012 unit uPSI_StStrL; //SysTools
23013: 1013 unit uPSI_indGnouMeter; //LAZ
23014: 1014 unit uPSI_Sensors; //LAZ
23015: 1015 unit uPSI_pwmain; //cgi of powtils //Pow
23016: 1016 unit uPSI_HTMLUtil; //Pow
23017: 1017 unit uPSI_synthrapl; //httpsend //Pow
23018: 1018 unit StreamWrapl; //Pow
23019: 1019 unit uPSI_pwmain; //Pow
23020: 1020 unit pwtypes; //Pow
23021: 1021 uPSI_W32VersionInfo //LAZ
23022: 1022 unit uPSI_IpAnim; //LAZ
23023: 1023 unit uPSI_IpUtils; //iputils2(TurboPower) //TP
23024: 1024 unit uPSI_LrtPoTools; //LAZ
23025: 1025 unit uPSI_Laz_DOM; //LAZ
23026: 1026 unit uPSI_hhAvComp; //LAZ
23027: 1027 unit uPSI_GPS2; //mX4
23028: 1028 unit uPSI_GPS; //mX4
23029: 1029 unit uPSI_GPSUDemo; // formtemplate TFDemo //mX4
23030: 1030 unit uPSI_NMEA; // GPS //mX4
23031: 1031 unit uPSI_ScreenThreeDLab; //mX4
23032: 1032 unit uPSI_Spin; //VCL
23033: 1033 unit uPSI_DynaZip; //mX4
23034: 1034 unit uPSI_clockExpert; //TB
23035: 1035 unit debugLn //mX4
23036: 1036 uPSI_SortUtils; //Jcl
23037: 1037 uPSI_BitmapConversion; //Jcl
23038: 1038 unit uPSI_JclTDS2; //Jcl
23039: 1039 unit uPSI_ZDbcUtils; //Zeos
23040: 1040 unit uPSI_ZScriptParser; //Zeos
23041: 1041 uPSI_JvIni; //JCL
23042: 1042 uPSI_JvFtpGrabber; //JCL
23043: 1043 unit uPSI_NeuralNetwork; //OCL
23044: 1044 unit uPSI_StExpr; //SysTools
23045: 1045 unit uPSI_GR32_Geometry; //GR32
23046: 1046 unit uPSI_GR32_Containers; //GR32
23047: 1047 unit uPSI_GR32_Backends_VCL; //GR32
23048: 1048 unit uPSI_StSaturn; //Venus+Mercury+Mars++ //SysTools
23049: 1049 unit uPSI_JclParseUses; //JCL
23050: 1050 unit uPSI_JvFinalize; //JCL
23051: 1051 unit uPSI_panUnit1; //GLScene
23052: 1052 unit uPSI_DD83u1; //Arduino Tester //mX4
23053: 1053 unit uPSI_BigIni //Hinzen
23054: 1054 unit uPSI_ShellCtrls; //VCL
23055: 1055 unit uPSI_fmath; //FMath
23056: 1056 unit uPSI_fComp; //FMath
23057: 1057 unit uPSI_HighResTimer; //Lauer
23058: 1058 unit uconvMain; (Unit Converter) //PS
23059: 1059 unit uPSI_uconvMain; //PS
23060: 1060 unit uPSI_ParserUtils; //PS
23061: 1061 unit uPSI_UPSUtils; //PS
23062: 1062 unit uPSI_ParserU; //PS
23063: 1063 unit uPSI_TypeInfo; //VCL
23064: 1064 unit uPSI_ServiceMgr; //mX
23065: 1065 unit uPSI_UDict; //DFF
23066: 1066 unit uPSI_ubigFloatV3; //DFF
23067: 1067 unit uPSI_UBigIntsV4; //DFF
23068: 1068 unit uPSI_ServiceMgr2; //mX
23069: 1069 unit uPSI_UP10Build; //PS
23070: 1070 unit uPSI_UParser10; //PS
23071:
23072:
23073: /////////////////////////////////
23074: //Form Template Library FTL
23075: /////////////////////////////////
23076:
23077: FTL For Form Building Lib out of the Script, eg. 399_form_templates.txt
23078: 045 unit uPSI_VListView TFormListView;
23079: 263 unit uPSI_JvProfiler32; TProfReport
23080: 270 unit uPSI_ImgList; TCustomImageList
23081: 278 unit uPSI_JvImageWindow; TJvImageWindow
23082: 317 unit uPSI_JvParserForm; TJvHTMLParserForm
23083: 497 unit uPSI_DebugBox; TDebugBox
23084: 513 unit uPSI_ImageWin; TImageForm, TImageForm2
23085: 514 unit uPSI_CustomDrawTreeView; TCustomDrawForm
23086: 515 unit uPSI_GraphWin; TGraphWinForm
23087: 516 unit uPSI_actionMain; TActionForm
23088: 518 unit uPSI_CtlPanel; TAppletApplication
23089: 529 unit uPSI_MDIEdit; TEditForm
23090: 535 unit uPSI_CoolMain; {browser} TWebMainForm
23091: 538 unit uPSI_frmExportMain; TSynexportForm
23092: 585 unit uPSI_usniffer; {PortScanForm} TSniffForm
23093: 600 unit uPSI_ThreadForm; TThreadSortForm;

```

```

23094: 618 unit uPSI_delphi_arduino_Unit1;          TLEDForm
23095: 620 unit uPSI_fplotMain;                    TfplotForm1
23096: 660 unit uPSI_JvDBQueryParamsForm;          TJvQueryParamsDialog
23097: 677 unit uPSI_OptionsFrm;                  TfrmOptions;
23098: 718 unit uPSI_MonForm;                     TMonitorForm
23099: 742 unit uPSI_SimplePortMain;              TPortForm1
23100: 770 unit uPSI_ovccalc;                    TOvcCalculator //widget
23101: 810 unit uPSI_DbExcept;                   TDbEngineErrorDlg
23102: 812 unit uPSI_GL_actorUnit1;              TglActorForm1 //OpenGL Robot
23103: 846 unit uPSI_synhttp_daemon;            TTCPHttpDaemon, TTCPHttpThrd, TPingThread
23104: 867 unit uPSI_Debug;                      TfrmDebug
23105: 904 unit uPSI_U_HexView;                  THexForm2
23106: 911 unit uPSI_U_Oscilloscope4;           TOscfrmMain
23107: 959 unit uPSI_AdSelCom;                  TComSelectForm
23108: 1029 unit uPSI_GPSUDemo;                 TFDemo
23109: 1031 unit uPSI_ScreenThreeeDLab;         TFormLab3D
23110: 1051 unit uPSI_panUnit1;                  TPanForm1 //GLScene
23111: 1052 unit uPSI_DD83ul; {Arduino Tester Frm} TDD83f1
23112: 1059 unit uPSI_uconvMain;                 TfconvMain //PS
23113:
23114: ex.:with TEditForm.create(self) do begin
23115:   caption:= 'Template Form Tester';
23116:   FormStyle:= fsStayOnTop;
23117:   with editor do begin
23118:     Lines.LoadFromFile(Exepath+'\docs\Readme_rus_mx2.rtf'
23119:     SelStart:= 0;
23120:     Modified:= False;
23121:   end;
23122: end;
23123: with TWebMainForm.create(self) do begin
23124:   URLs.Text:= 'http://www.kleiner.ch';
23125:   URLsClick(self); Show;
23126: end;
23127: with TSynexportForm.create(self) do begin
23128:   Caption:= 'Synexport HTML RTF tester';
23129:   Show;
23130: end;
23131: with TThreadSortForm.create(self) do begin
23132:   showmodal; free;
23133: end;
23134: with TCustomDrawForm.create(self) do begin
23135:   width:=820; height:=820;
23136:   image1.height:= 600; //add properties
23137:   image1.picture.bitmap:= image2.picture.bitmap;
23138:   //SelectionBackground1Click(self) CustomDraw1Click(self);
23139:   Background1.click;
23140:   bitmap1.click; Tile1.click;
23141:   Showmodal;
23142:   Free;
23143: end;
23144: with TfplotForm1.Create(self) do begin
23145:   BtnPlotClick(self);
23146:   Showmodal; Free;
23147: end;
23148: with TOvcCalculator.create(self) do begin
23149:   parent:= aForm; //free;
23150:   setbounds(550,510,200,150);
23151:   displaystr:= 'maXcalc';
23152: end;
23153: with THexForm2.Create(self) do begin
23154:   ShowModal;
23155:   Free;
23156: end;
23157:
23158: function CheckBox: string;
23159: var idHTTP: TIdHTTP;
23160: begin
23161:   result:= 'version not found';
23162:   if IsInternet then begin
23163:     idHTTP:= TIdHTTP.Create(NIL);
23164:     try
23165:       result:= idHTTP.Get(MXVERSIONFILE2);
23166:       result:= result[2]+result[3]+result[4]+result[5];
23167:       if result = MBVER2 then begin
23168:         //Speak(' A new Version '+vstr+' of max box is available! ');
23169:         result:= ('!!!! OK. You have latest Version: '+result+ ' available at '+MXSITE);
23170:       end; //idhttp.get2('http://www.softwareschule.ch/maxbox.htm')
23171:     finally
23172:       idHTTP.Free;
23173:     end;
23174:   end;
23175: end;
23176:
23177: //Runtimer Functions Edition
23178: function ApWinExecAndWait32(FileName:PChar; CommandLine:PChar; Visibility:Integer): Integer;
23179: function KillTask(ExeFileName: string): Integer;
23180: procedure Killprocess(hWindowHandle: HWND);
23181: function FindWindowByTitle(WindowTitle: string): Hwnd;
23182: function IntToFloat(i: Integer): double;

```

```

23183: function AddThousandSeparator(S: string; myChr: Char): string;
23184: function mciSendString(cmd: PChar; ret: PChar; len: integer; callback: integer): cardinal;
23185: procedure FormAnimation(Sender: TObject; adelay: integer);
23186: procedure LoadResourceFile2(aFile:string; ms:TMemoryStream);
23187: function putBinResTo(binresname: pchar; newpath: string): boolean;
23188: procedure ExecuteHyperlink(Sender:TObject;HyperLinkClick:TJvHyperLinkClickEvent;const LinkName:string);
23189: function IsHyperLink(Canvas:TCanvas;Rect:TRect;const Text:string; MouseX,MouseY:Integer;var HyperLink:string):Bool
23190: Function GetWindowThreadProcessId( hWnd : HWND; var dwProcessId : DWORD ) : DWORD; '';
23191: Function GetWindowTask( hWnd : HWND ) : THandle';
23192: Function LoadBitmap( hInstance : HINST; lpBitmapName : PChar ) : HBITMAP';
23193: Function GetCommConfig(hCommDev: THandle; var lpCC: TCommConfig; var lpdwSize: DWORD): BOOL';
23194: function WinExecAndWait32(FileName: string; Visibility: Integer): Longword;
23195: Function MakeHash( const s : TbtString ) : Longint';
23196: Function GetUsedUnitList( list : TStringlist ) : string';
23197: function ConsoleCapture(const _dirName, _exeName, _cmdline: string; amemo: TStringlist): Boolean;';
23198: function ConsoleCaptureDOS(const _dirName, _exeName, _cmdLine: string; amemo: TStrings): Boolean;';
23199:     srlist:= TStringlist.create;
23200:     ConsoleCapture('C:\', 'cmd.exe', '/c dir *.*',srlist);
23201:     writeln(srlist.text); srlist.Free;
23202: function RunCaptured(const _dirName, _exeName, _cmdLine: string; amemo: TStringlist): Boolean;';
23203: Function SamePropTypeName( const Name1, Name2 : ShortString ) : Boolean';
23204: Function FloatToStrEx( Value : Extended ) : string';
23205: Function StrToFloatEx( const S : string ) : Extended';
23206: Procedure PerformanceDelayMS(ams: integer); //microsecond resolution delay!
23207: //http://www.swissdelphicenter.ch/en/showcode.php?id=2179
23208: function ExecuteProcess(FileName: string;Visibility:Integer; BitMask:Integer; Synch:Boolean):Longword;
23209: Function
        ExecuteMultiProcessor(FileName:string;Visibility:Integer;BitMask:Integer;Synch:Boolean):Longword';
23210:     if ExecuteMultiProcessor('notepad.exe', SW_SHOW, 2, true) = 0 then
                writeln('Multiprocessing Runs on CPU 2');
23211: procedure StartServiceAfterInstall(aserv: TService);
23212: Function GetDllVersion2(DllName: string; var DLLVersionInfo: TDLLVersionInfo): Boolean;
23213: procedure SendCopyMessage(amess, astation: string); //communicate process-spanned with WM_COPYDATA
23214: function BrowseComputer2(DialogTitle: string; var CompName: string; bNewStyle: Boolean): Boolean;
23215:
23216:
23217:
23218: procedure SIRegister_ubigFloatV3(CL: TPSPascalCompiler);
23219: begin
23220:     CL.AddTypeS('TMaxSig', 'integer');
23221:     CL.AddTypeS('TView', '( normal, Scientific )');
23222:     SIRegister_TFloatInt(CL); SIRegister_TBigFloat(CL);
23223: end;
23224:
23225: procedure SIRegister_UBigIntsV4(CL: TPSPascalCompiler);
23226: begin
23227:     TDigits', 'array of int64'); SIRegister_TInteger(CL);
23228:     Procedure SetBaseVal( const newbase : integer)';
23229:     Function GetBasePower : integer';
23230:     Function GetBase : integer';
23231:     Procedure SetThreadSafe( newval : boolean)';
23232: end;
23233:
23234: function BigDiv(aone, atwo: string): string;
23235: var tbig1, tbig2: TInteger;
23236: begin
23237:     tbig1:= TInteger.create(10);
23238:     tbig2:= TInteger.create(10);
23239:     try
23240:         tbig1.assign2(atwo)
23241:         tbig2.assign2(aone)
23242:         tbig2.Divide(tbig1)
23243:     finally
23244:         result:= tbig2.Convert.ToDecimalString(false)
23245:         tbig1.Free;
23246:         tbig2.free;
23247:     end;
23248: end;
23249:
23250: procedure SIRegister_UDict(CL: TPSPascalCompiler);
23251: begin
23252:     CL.AddConstantN('dichighletter','String').SetString( 'z' );
23253:     SIRegister_TDicForm(CL);
23254:     SIRegister_TDic(CL);
23255: end;
23256:
23257: procedure SetArrayLength2Char2(var arr: T2CharArray; asizel, asize2: integer);
23258: var i: integer;
23259: begin
23260:     setlength(arr, asizel);
23261:     for i:= 0 to asizel do SetLength(arr[i], asize2);
23262: end;
23263:
23264: procedure SIRegister_UP10Build(CL: TPSPascalCompiler);
23265: begin
23266:     Procedure ParseFunction(FunctionString: string; Variables: TStringlist; FunctionOne, FunctionTwo: TStringList; UsePascalNumbers : boolean; var FirstOP : {TOBJECT}POperation; var Error : boolean)';
23267: end;
23268:

```

```

23269: TDLLVersionInfo=Record
23270:   cbSize, // Size of the structure, in bytes.
23271:   dwMajorVersion, // Major version of the DLL
23272:   dwMinorVersion, // Minor version of the DLL
23273:   dwBuildNumber, // Build number of the DLL
23274:   dwPlatformID: DWord; // Identifies the platform for which the DLL was built
23275: end;
23276:
23277: command1:= 'play "'+songpath+'maxbox.wav"';
23278: command2:= 'play "'+songpath+'moon.wav"';
23279: SendMCICmd('open waveaudio shareable'); //parallels
23280: SendMCICmd('play "G:\sonysavefeb2014\maxbox\maxbox3_back\examples\maxbox.wav"');
23281: SendMCICmd('play "G:\sonysavefeb2014\maxbox\maxbox3_back\examples\moon.wav"');
23282: SendMCICmd('close waveaudio');
23283:
23284:
23285: /////////////////////////////// All maXbox Tutorials Table of Content 2014 ///////////////////////////////
23286: All maXbox Tutorials Table of Content 2014
23287: ///////////////////////////////
23288: Tutorial 00 Function-Coding (Blix the Programmer)
23289: Tutorial 01 Procedural-Coding
23290: Tutorial 02 OO-Programming
23291: Tutorial 03 Modular Coding
23292: Tutorial 04 UML Use Case Coding
23293: Tutorial 05 Internet Coding
23294: Tutorial 06 Network Coding
23295: Tutorial 07 Game Graphics Coding
23296: Tutorial 08 Operating System Coding
23297: Tutorial 09 Database Coding
23298: Tutorial 10 Statistic Coding
23299: Tutorial 11 Forms Coding
23300: Tutorial 12 SQL DB Coding
23301: Tutorial 13 Crypto Coding
23302: Tutorial 14 Parallel Coding
23303: Tutorial 15 Serial RS232 Coding
23304: Tutorial 16 Event Driven Coding
23305: Tutorial 17 Web Server Coding
23306: Tutorial 18 Arduino System Coding
23307: Tutorial 18_3 RGB LED System Coding
23308: Tutorial 19 WinCOM /Arduino Coding
23309: Tutorial 20 Regular Expressions RegEx
23310: Tutorial 21 Android Coding (coming 2013)
23311: Tutorial 22 Services Programming
23312: Tutorial 23 Real Time Systems
23313: Tutorial 24 Clean Code
23314: Tutorial 25 maXbox Configuration I+II
23315: Tutorial 26 Socket Programming with TCP
23316: Tutorial 27 XML & TreeView
23317: Tutorial 28 DLL Coding (available)
23318: Tutorial 29 UML Scripting (2014)
23319: Tutorial 30 Web of Things (2014)
23320: Tutorial 31 Closures (2014)
23321: Tutorial 32 SQL Firebird (2014)
23322: Tutorial 33 Oscilloscope (available)
23323: Tutorial 34 GPS Navigation (2014)
23324: Tutorial 35 Web Box (available)
23325: Tutorial 36 Unit Testing (coming 2015)
23326: Tutorial 37 API Coding (coming 2015)
23327: Tutorial 38 3D Coding (coming 2015)
23328: Tutorial 39 GEO Map Coding (available)
23329: Tutorial 39_1 GEO Map Layers Coding (available)
23330: Tutorial 40 REST Coding (coming 2015)
23331:
23332: Doc ref Docu for all Type Class and Const in maXbox_types.pdf
23333: using Docu for this file is maxbox_functions_all.pdf
23334: PEP - Pascal Education Program Low Lib Lab ShellHell in UDEMY
23335:
23336: https://bitbucket.org/max_kleiner/maxbox3/wiki/maXbox%20Tutorials
23337: http://stackoverflow.com/tags/pascalscript/hot
23338: http://www.jrsoftware.org/ishelp/index.php?topic=scriptfunctions
23339: http://sourceforge.net/projects/maxbox #locs:51620
23340: http://sourceforge.net/apps/mediawiki/maxbox
23341: http://www.blaisepascal.eu/
23342: https://github.com/maxkleiner/maxbox3.git
23343: http://www.heise.de/download/maxbox-1176464.html
23344: http://www.softpedia.com/get/Programming/Other-Programming-Files/maxbox.shtml
23345: https://www.facebook.com/pages/Programming-maXbox/166844836691703
23346: http://www.softwareschule.ch/arduino_training.pdf
23347: http://www.delphiarea.com
23348: http://www.freepascal.org/docs-html/rtl/strutils/index-5.html
23349: http://entwickler-konferenz.de/2014/speakers/max-kleiner
23350: http://www.heise.de/download/maxbox-1176464.html
23351: https://www.udemy.com/learn-coding-from-the-scratch
23352: http://www.slideshare.net/maxkleiner1/codesign-2015
23353: https://www.dropbox.com/s/yolconwmq4oqta4/Blaise_2and3_SP_Total.pdf?dl=0
23354: http://www.softwareschule.ch/download/maxbox_promo.png
23355: http://max.kleiner.com/maxbox_functions_all.htm
23356: http://max.kleiner.com/boxart.htm
23357: http://www.jurgott.org/linkage/util.htm

```

```

23358: http://www.swissdelphicenter.ch/en/niklauswirth.php
23359: http://www.softwareschule.ch/images/maxbox_20years_delphi.jpg
23360:
23361:
23362: All maxbox Examples List
23363: https://github.com/maxkleiner/maxbox3/releases
23364: ****
23365: 000_pas_baseconvert.txt
23366: 000_pas_baseconvert.txt_encrypt
23367: 000_pas_baseconvert.txt_decrypt
23368: 001_1_pas_functest - Kopie.txt
23369: 001_1_pas_functest.txt
23370: 001_1_pas_functest2.txt
23371: 001_1_pas_functest_clx2.txt
23372: 001_1_pas_functest_clx2_2.txt
23373: 001_1_pas_functest_openarray.txt
23374: 001_pas_lottogen.txt
23375: 001_pas_lottogen_template.txt
23376: 001_pas_lottogen_txtcopy
23377: 002_pas_russianroulette.txt
23378: 002_pas_russianroulette.txtcopy
23379: 002_pas_russianroulette.txtcopy_decrypt
23380: 002_pas_russianroulette.txtcopy_encrypt
23381: 003_pas_motion.txt
23382: 003_pas_motion.txtcopy
23383: 004_pas_search.txt
23384: 004_pas_search_replace.txt
23385: 004_search_replace_allfunctionlist.txt
23386: 005_pas_oodeign.txt
23387: 005_pas_shelllink.txt
23388: 006_pas_oobatch.txt
23389: 007_pas_streamcopy.txt
23390: 008_EINMALEINS_FUNC.TXT
23391: 008_explanation.txt
23392: 008_pas_verwechselt.txt
23393: 008_pas_verwechselt_ibz_bern_func.txt
23394: 008_stack_ibz.TXT
23395: 009_pas_umrunner.txt
23396: 009_pas_umrunner_all.txt
23397: 009_pas_umrunner_componenttest.txt
23398: 009_pas_umrunner_solution.txt
23399: 009_pas_umrunner_solution_2step.txt
23400: 010_pas_oodesign_solution.txt
23401: 011_pas_puzzlepas_defect.txt
23402: 012_pas_umrunner_solution.txt
23403: 012_pas_umrunner_solution2.txt
23404: 013_pas_linenumber.txt
23405: 014_pas_primetest.txt
23406: 014_pas_primetest_first.txt
23407: 014_pas_primetest_sync.txt
23408: 015_pas_designbycontract.txt
23409: 015_pas_designbycontract_solution.txt
23410: 016_pas_searchrec.txt
23411: 017_chartgen.txt
23412: 018_data_simulator.txt
23413: 019_dez_to_bin.txt
23414: 019_dez_to_bin_grenzwert_ibz.txt
23415: 020_proc_feedback.txt
23416: 021_pas_symkey.txt
23417: 021_pas_symkey_solution.txt
23418: 022_pas_filestreams.txt
23419: 023_pas_find_searchrec.txt
23420: 023_pas_pathfind.txt
23421: 024_pas_TFileStream_records.txt
23422: 025_prime_direct.txt
23423: 026_pas_memorystream.txt
23424: 027_pas_shellexecute_beta.txt
23425: 027_pas_shellexecute_solution.txt
23426: 028_pas_dataset.txt
23427: 029_pas_assignfile.txt
23428: 029_pas_assignfile_dragndropexe.txt
23429: 030_palindrome_2.txt
23430: 030_palindrome_tester.txt
23431: 030_pas_recursion.txt
23432: 030_pas_recursion2.txt
23433: 031_pas_hashcode.txt
23434: 032_pas_crc_const.txt
23435: 033_pas_cipher.txt
23436: 033_pas_cipher_def.txt
23437: 033_pas_cipher_file_2_solution.txt
23438: 034_pas_soundbox.txt
23439: 035_pas_crcscript.txt
23440: 035_pas_CRCscript_modbus.txt
23441: 036_pas_includetest.txt
23442: 036_pas_includetest_basta.txt
23443: 037_pas_define_demo32.txt
23444: 038_pas_box_demonstrator.txt
23445: 039_pas_dllcall.txt
23446: 040_paspointer.txt
282_fadengraphik.txt
283_SQL_API_messagegettimeout.txt
284_SysTools4.txt
285_MineForm_GR32.TXT
285_MineForm_GR32main.TXT
285_MineForm_GR32mainsolution.TXT
285_MineForm_propas.TXT
285_MineForm_propas2.TXT
285_minesweeper2.TXT
285_Patterns_process.txt
286_colormixer_jpeg_charcounter.txt
286_colormixer_jpeg_charcounter2.txt
287_eventhandling.txt
287_eventhandling2.txt
287_eventhandling2_negpower.txt
288_bitblt.txt
288_bitblt_resize.txt
289_regression.txt
289_regression2.txt
290_bestofbox.txt
290_bestofbox2.txt
290_bestofbox3.txt
291_3sort_visual_thread.txt
292_refactoring2.txt
293_bold_utils.txt
293_ib_utils.txt
293_ib_utils_timetest.txt
294_maxcalc_demo.txt
294_maxcalc_demo2.txt
295_easter_calendar.txt
295_easter_calendar2.txt
295_easter_combobox.txt
297_atomimage.txt
297_atomimage2.txt
297_atomimage3.txt
297_atomimage4.txt
297_maxonmotor.TXT
297_maxon_atomimage9.txt
298_bitblt_animation.txt
298_bitblt_animation2.txt
298_bitblt_animation3.txt
298_bitblt_animation4.txt
298_bitblt_animation4_screensaver.txt
298_bitblt_animation5_screensaver.txt
299_animation.txt
299_animationmotor_arduino.txt
299_animation_formprototype.txt
299_realtimeclock_arduino.txt
299_realtimeclock_arduino2.txt
300_treeview.txt
300_treeview_test.txt
300_treeview_test2.txt
300_treeview_test3.txt
301_LED_Arduino3.txt
301_led_arduino3_simple.txt
301_led_arduino3_simplecode.txt
301_log_arduino.txt
301_log_arduino2.txt
301_SQL_DBfirebird3.txt
301_SQL_DBfirebird4.txt
302_LCLActivity.java.txt
303_Android_LCLActivity_java.txt
303_webserver.txt
303_webserver2.txt
303_webserver_alldocs2.txt
303_webserver_alldocs2_tester.txt
303_webserver_minimal.txt
303_webserver_simple.txt
304_st_system.txt
305_indy_elizahttpserver.TXT
305_indy_elizahttpserver2.TXT
305_indy_elizahttpserver3.TXT
305_indy_elizahttpserver4file.TXT
305_webserver_arduino.txt
305_webserver_arduino2.txt
305_webserver_arduino3.txt
305_webserver_arduino3ibz.txt
305_webserver_arduino3ibz_rgb_led.txt
305_webserver_arduino3test.txt
306_SPS_http_command.txt
307_all_booleanlogic.txt

```

```

23447: 040_paspointer_old.txt          308_bitbox3.txt
23448: 041_pasplotter.txt            308_bitbox3_exec.txt
23449: 041_pasplotter_plus.txt       308_boolean_animation.txt
23450: 042_pas_kgv_ggt.txt           308_boolean_animation2.txt
23451: 043_pas_proceduretype.txt     309_regex_power.txt
23452: 044_pas_14queens_solwith14.txt 309_regex_powertester2.txt
23453: 044_pas_8queens.txt          309_regex_powertester3.txt
23454: 044_pas_8queens_sol2.txt      310_regex_decorator.TXT
23455: 044_pas_8queens_solutions.txt 312_ListView.txt
23456: 044_queens_performer.txt     313_dmath_dll.txt
23457: 044_queens_performer2.txt    314_fundamentals4_tester.TXT
23458: 044_queens_performer2tester.txt 315_funcplot_dmath.TXT
23459: 045_pas_listhandling.txt      316_fileutils_cdatetime_tester.TXT
23460: 046_pas_records.txt          317_excel_export_tester.TXT
23461: 047_pas_modula10.txt         318_excel_export.TXT
23462: 048_pas_romans.txt          318_excel_export2.TXT
23463: 049_pas_ifdemo.txt          318_excel_export3.TXT
23464: 049_pas_ifdemo_BROKER.txt   318_excel_export3_tester.TXT
23465: 050_pas_primetest2.txt       319_superfunctions_math.TXT
23466: 050_pas_primetester_thieves.txt 319_superfunctions_mathdefect.TXT
23467: 050_program_starter.txt      320_superfunctions.TXT
23468: 050_program_starter_performance.txt 320_superfunctions2.TXT
23469: 051_pas_findtext_solution.txt 321_SQL_Excel.txt
23470: 052_pas_text_as_stream.txt   321_SQL_Excel2.txt
23471: 052_pas_text_as_stream_include.txt 321_SQL_Excel_Export.txt
23472: 053_pas_singleton.txt        321_SQL_ExportExec.txt
23473: 054_pas_speakpassword.txt    321_SQL_ExportTest.txt
23474: 054_pas_speakpassword2.txt   321_SQL_SAS_tester3.txt
23475: 054_pas_speakpassword_searchtest.txt 321_SQL_SAS_tester3_selfcompile.txt
23476: 055_pas_factorylist.txt     321_SQL_SAS_tester3_selfcompile2.txt
23477: 056_pas_demeter.txt          321_SQL_SAS_tester4.txt
23478: 057_pas_dirfinder.txt        321_SQL_SAS_updater.txt
23479: 058_pas_filefinder.txt       322_timezones.TXT
23480: 058_pas_filefinder_pdf.txt  323_datefind_fulltext_search.txt
23481: 058_pas_filefinder_screview.txt 323_datefind_fulltext_searchtester.txt
23482: 058_pas_filefinder_screview2.txt 324_interfacenavi.TXT
23483: 058_pas_filefinder_screview3.txt 325_ampelsteuerung.txt
23484: 059_pas_timertest.txt       325_analogclock.txt
23485: 059_pas_timertest_2.txt     326_world_analogclock.txt
23486: 059_pas_timertest_time_solution.txt 326_world_analogclock2.txt
23487: 059_timerobject_starter2.txt 327_atomimage_clock.txt
23488: 059_timerobject_starter2_ibz2_async.txt 328_starfield.txt
23489: 059_timerobject_starter2_uml.txt 329_starfield2.txt
23490: 059_timerobject_starter2.uml_main.txt 330_myclock.txt
23491: 059_timerobject_starter4_ibz.txt 330_myclock2.txt
23492: 060_pas_datefind.txt        331_SQL_DBfirebird4.txt
23493: 060_pas_datefind_exceptions2.txt 332_jprofiler.txt
23494: 060_pas_datefind_exceptions_CHECKTEST.txt 332_jprofiler_form.txt
23495: 060_pas_datefind_fulltext.txt 332_jprofiler_form2.txt
23496: 060_pas_datefind_plus.txt   333_querybyexample.txt
23497: 060_pas_datefind_plus_mydate.txt 333_querybyexample2.txt
23498: 061_pas_randomwalk.txt      334_jvutils_u.txt
23499: 061_pas_randomwalk_plus.txt 335_atomimage5.txt
23500: 062_paskorrelation.txt     335_atomimage6.txt
23501: 063_pas_calculateform.txt  335_atomimage7.txt
23502: 063_pas_calculateform_2list.txt 336_digiclock.txt
23503: 064_pas_timertest.txt      336_digiclock2.txt
23504: 065_pas_bitcounter.txt     336_digiclock2test.txt
23505: 066_pas_eliza.txt          336_digiclock3.txt
23506: 066_pas_eliza_include_sol.txt 337_4games.txt
23507: 067_pas_morse.txt         337_4games_inone.txt
23508: 068_pas_piezo_sound.txt   338_compress.txt
23509: 069_LED_Matrix_R1_3_6_NV_PSchaer.TXT 338_compress2.txt
23510: 069_my_LEDBOX.TXT        339_ntfs.txt
23511: 069_pas_ledmatrix.txt     340_docutype.txt
23512: 069_pas_LEDMATRIX_Alphabet.txt 340_logsimulation.txt
23513: 069_pas_LEDMATRIX_Alphabet_run.txt 340_logsimulation2.txt
23514: 069_pas_LEDMATRIX_Alphabet_tester.txt 340_soundControltype.txt
23515: 069_PAS_LEDMATRIX_COLOR.TXT 341_blix_clock.txt
23516: 069_pas_ledmatrix_fixedit.txt 341_blix_clock2.txt
23517: 069_pas_LEDMATRIX_soundbox.txt 341_blix_clock_tester.txt
23518: 069_pas_LEDMATRIX_soundbox2.txt 342_set_enumerator.txt
23519: 069_Richter_MATRIX.TXT    343_dice2.txt
23520: 070_pas_functionplot.txt   344_pe_header.txt
23521: 070_pas_functionplotter2.txt 344_pe_header2.txt
23522: 070_pas_functionplotter2_mx4.txt 345_velocity.txt
23523: 070_pas_functionplotter2_tester.txt 346_conversions.txt
23524: 070_pas_functionplotter3.txt 347_pictureview.txt
23525: 070_pas_functionplotter4.txt 348_duallistview.txt
23526: 070_pas_functionplotter_digital.txt 349_biginteger.txt
23527: 070_pas_functionplotter_elliptic.txt 350_parserform.txt
23528: 070_pas_function_helmholz.txt 351_chartform.txt
23529: 070_pas_textcheck_experimental.txt 351_chartform2.txt
23530: 071_pas_graphics.txt       351_chartform3.txt
23531: 071_pas_graphics_drawsym.txt 352_array_unittest.txt
23532: 071_pas_graphics_drawsym_save.txt 353_smtp_email.txt
23533: 071_pas_graphics_random.txt 353_smtp_email2.txt
23534: 072_pas_fractals.txt       354_josephus.txt
23535: 072_pas_fractals_2.txt     355_life_of_PI.txt

```

```

23536: 072_pas_fractals_blackhole.txt          356_3D_printer.txt
23537: 072_pas_fractals_performace.txt        357_fplot.TXT
23538: 072_pas_fractals_performace_new.txt    358_makesound.txt
23539: 072_pas_fractals_performace_sharp.txt  359_charsetrules.TXT
23540: 072_pas_fractals_performance.txt       360_allobjects.TXT
23541: 072_pas_fractals_performance_mx4.txt   360_JvPaintFX.TXT
23542: 073_pas_forms.txt                      361_heartbeat_wave.TXT
23543: 074_pas_chartgenerator.txt              362_maxonmotor2.TXT
23544: 074_pas_chartgenerator_solution.txt    363_compress_services.txt
23545: 074_pas_chartgenerator_solution_back.txt 363_compress_services2.txt
23546: 074_pas_charts.txt                     364_pdf_services.txt
23547: 075_bitmap_Artwork2.txt                365_memorystream.txt
23548: 075_pas_bitmappuzzle.txt               365_memorystream2.txt
23549: 075_pas_bitmappuzzle2_prod.txt         365_memorystream_test.txt
23550: 075_pas_bitmappuzzle2_prod.txt         365_U_HexView.txt
23551: 075_pas_bitmappuzzle3.txt              366_mp3player.txt
23552: 075_pas_bitmapsolve.txt                366_mp3player2.txt
23553: 075_pas_bitmap_Artwork.txt             366_mp3player2_themestest.txt
23554: 075_pas_puzzlespas_solution.txt        367_silvi_player_widgets.txt
23555: 076_pas_3dcube.txt                     367_silvi_player_widgets2.txt
23556: 076_pas_circle.txt                     367_widgets.txt
23557: 077_pas_mmshow.txt                     368_configuration_demo.txt
23558: 078_pas_pi.txt                        369_macro_demo.txt
23559: 079_pas_3dcube_animation.txt           370_callback2grid.TXT
23560: 079_pas_3dcube_animation4.txt          370_richedit.txt
23561: 079_pas_3dcube_plus.txt                370_richedit_highlight.txt
23562: 080_pas_hanoi.txt                     370_synedit.txt
23563: 080_pas_hanoi2.txt                    370_synedit2.txt
23564: 080_pas_hanoi2_file.txt               370_synedit2_mxtester.txt
23565: 080_pas_hanoi2_sol.txt                370_synedit2_mxtester2.txt
23566: 080_pas_hanoi2_tester.txt              371_maxbook_v4tester.txt
23567: 080_pas_hanoi2_tester_fast.txt         372_stackibz2_memoryalloc.TXT
23568: 080_pas_hanoi3.txt                   372_synedit_export.txt
23569: 081_pas_chartist2.txt                 373_batman.txt
23570: 082_pas_biorythmus.txt                373_fractals_tvout.txt
23571: 082_pas_biorythmus_solution.txt       374_realtime_random.txt
23572: 082_pas_biorythmus_solution_3.txt     374_realtime_random2.txt
23573: 082_pas_biorythmus_test.txt            374_realtime_randomtest.txt
23574: 083_pas_GITARRE.txt                  374_realtime_randomtest2.txt
23575: 083_pas_soundbox_tones.txt             375_G9_musicbox.txt
23576: 084_pas_waves.txt                     376_collections_list.txt
23577: 085_mxsinus_logo.txt                  377_simpleXML.txt
23578: 085_sinus_plot_waves.txt              377_smartXML.txt
23579: 086_pas_graph_arrow_heart.txt         377_smartXMLWorkshop.txt
23580: 087_bitmap_loader.txt                 377_smartXMLWorkshop2.txt
23581: 087_pas_bitmap_solution.txt            378_queryperformance3.txt
23582: 087_pas_bitmap_solution2.txt           378_REST1.txt
23583: 087_pas_bitmap_subimage.txt            378_REST2.txt
23584: 087_pas_bitmap_test.txt                379_timefunc.txt
23585: 088_pas_soundbox2_mp3.txt              379_timefuncTesterfilemon.txt
23586: 088_pas_soundbox_mp3.txt               380_coolfunc.txt
23587: 088_pas_sphere_2.txt                  380_coolfunc2.txt
23588: 089_pas_gradient.txt                 380_coolfunc_tester.txt
23589: 089_pas_maxland2.txt                 381_bitcoin_simulation.txt
23590: 090_pas_sudoku4.txt                   382_GRMath.TXT
23591: 090_pas_sudoku4_2.txt                 382_GRMath_PI_Proof.TXT
23592: 091_pas_cube4.txt                     382_GRMath_Riemann.TXT
23593: 092_pas_statistics4.txt               383_MDAC_DCOM.txt
23594: 093_variance.txt                     384_TeamViewerID.TXT
23595: 093_variance_debug.txt                386_InternetRadio.TXT
23596: 094_pas_daysold.txt                  387_fulltextfinder.txt
23597: 094_pas_stat_date.txt                387_fulltextfinder_cleancode.txt
23598: 095_pas_ki_simulation.txt              387_fulltextfinder_fast.txt
23599: 096_pas_geisen_problem.txt             387_fulltext_getscripttest.txt
23600: 096_pas_montyhall_problem.txt          388_TCPServerSock.TXT
23601: 097_lotto_proofofconcept.txt          388_TCPServerSock2.TXT
23602: 097_pas_lottocombinations_beat_plus.txt 388_TCPServerSockClient.TXT
23603: 097_pas_lottocombinations_beat_plus2.txt 389_TAR_Archive.TXT
23604: 097_pas_lottocombinations_universal.txt 389_TAR_Archive_test.TXT
23605: 097_pas_lottosimulation.txt            389_TAR_Archive_test2.TXT
23606: 098_pas_chartgenerator_plus.txt         390_Callback3.TXT
23607: 099_pas_3d_show.txt                   390_Callback3Rec.TXT
23608: 200_big_numbers.txt                   390_CallbackClean.TXT
23609: 200_big_numbers2.txt                 390_StringlistHTML.TXT
23610: 201_streamload_xml.txt                391_ToDo_List.TXT
23611: 202_systemcheck.txt                  392_Barcodex.TXT
23612: 203_webservice_simple_intftester.txt 392_Barcodex2.TXT
23613: 204_webservice_simple.txt             392_Barcodex23.TXT
23614: 205_future_value_service.txt          392_Barcodex2scholz.TXT
23615: 206_DTD_string_functions.txt          392_Barcodex3scholz.TXT
23616: 207_ibz2_async_process.txt            393_QRCode.TXT
23617: 208_crc32_hash.txt                   393_QRCode2.TXT
23618: 209_cryptohash.txt                   393_QRCode2Direct.TXT
23619: 210_public_private.txt                393_QRCode2DirectIndy.TXT
23620: 210_public_private_cryptosystem.txt   393_QRCode2Direct_detlef.TXT
23621: 211_wipe_pattern.txt                 393_QRCode3.TXT
23622: 211_wipe_pattern2.txt                394_networkgraph.TXT
23623: 211_wipe_pattern_solution.txt         394_networkgraph_depwalkutilstest.TXT
23624: 212_pas_statisticmodule4.TXT          394_networkgraph_depwalkutilstest2.TXT

```

```

23625: 212_pas_statisticmoduletxt.TXT
23626: 212_statisticmodule4.txt
23627: 213_pas_BBP_Algo.txt
23628: 214_mxdocudemo.txt
23629: 214_mxdocudemo2.txt
23630: 214_mxdocudemo3.txt
23631: 215_hints_test.TXT
23632: 216_warnings_test.TXT
23633: 217_pas_heartbeat.txt
23634: 218_biorhythmus_studio.txt
23635: 219_cipherbox.txt
23636: 219_crypt_source_comtest_solution.TXT
23637: 220_cipherbox_form.txt
23638: 220_cipherbox_form2.txt
23639: 221_bcd_explain.txt
23640: 222_memoform.txt
23641: 223_directorybox.txt
23642: 224_dialogs.txt
23643: 225_sprite_animation.txt
23644: 226_ASCII_Grid2.TXT
23645: 227_animation.txt
23646: 227_animation2.txt
23647: 228_android_calendar.txt
23648: 229_android_game.txt
23649: 229_android_game_tester.txt
23650: 230_DataProvider.txt
23651: 230_DataSetProvider.txt
23652: 230_DataSetXMLBackupScholz.txt
23653: 231_DBGrid_access.txt
23654: 231_DBGrid_XMLaccess.txt
23655: 231_DBGrid_XMLaccess2.txt
23656: 231_DBGrid_XMLaccess_locatetester.txt
23657: 231_DBGrid_XML_CDS_local.txt
23658: 232_outline.txt
23659: 232_outline_2.txt
23660: 233_modular_form.txt
23661: 234_debugoutform.txt
23662: 235_fastform.TXT
23663: 236_componentpower.txt
23664: 236_componentpower_back.txt
23665: 237_pas_4forms.txt
23666: 238_lottogen_form.txt
23667: 239_pas_sierpinski.txt
23668: 239_pas_sierpinski2.txt
23669: 240_unitGlobal_tester.txt
23670: 241_db3_sql_tutorial.txt
23671: 241_db3_sql_tutorial2.txt
23672: 241_db3_sql_tutorial2fix.txt
23673: 241_db3_sql_tutorial3.txt
23674: 241_db3_sql_tutorial3connect.txt
23675: 241_db3_sql_tutorial3_fpptest.txt
23676: 241_RTL_SET2.txt
23677: 241_RTL_SET2_tester.txt
23678: 242_Component_Control.txt
23679: 243_tutorial_loader.txt
23680: 244_script_loader_loop.txt
23681: 245_formapp2.txt
23682: 245_formapp2_tester.txt
23683: 245_formapp2_testerX.txt
23684: 246_httpapp.txt
23685: 247_datecalendar.txt
23686: 248_ASCII_Grid2_sorted.TXT
23687: 249_picture_grid.TXT
23688: 250_tipsandtricks2.txt
23689: 250_tipsandtricks3.txt
23690: 250_tipsandtricks3api.txt
23691: 250_tipsandtricks3_admin_elevation.txt
23692: 250_tipsandtricks3_tester.txt
23693: 250_tipsandtricks4_tester.txt
23694: 250_tipsandtricks4_tester2.txt
23695: 251_compare_noise_gauss.txt
23696: 251_whitenoise.txt
23697: 251_whitenoise2.txt
23698: 252_hilbert_turtle.txt
23699: 252_pas_hilbert.txt
23700: 253_opearatingsystem3.txt
23701: 254_dynarrays.txt
23702: 255_einstein.txt
23703: 256_findconsts_of_EXE.txt
23704: 256_findfunctions2_of_EXE.txt
23705: 256_findfunctions2_of_EXEeverp.txt
23706: 256_findfunctions2_of_EXEspec.txt
23707: 256_findfunctions3.txt
23708: 256_findfunctions_of_EXE.txt
23709: 257_AES_Cipher.txt
23710: 258_AES_cryptobox.txt
23711: 258_AES_cryptobox2.txt
23712: 258_AES_cryptobox2_passdlg.txt
23713: 259_AES_crypt_directory.txt

395_USBController.TXT
396_Sort.TXT
397_Hotlog.TXT
397_Hotlog2.TXT
398_ustrings.txt
399_form_templates.txt
400_fploottchart.TXT
400_fploottchart2.TXT
400_fploottchart2teetest.TXT
400_QRCodeMarket.TXT
401_tfilerun.txt
402_richedit2.txt
403_outlookspy.txt
404_simplebrowser.txt
405_datefinder_today.txt
406_portscan.txt
407_indydemo.txt
408_testroboter.txt
409_excel_control.txt
410_keyboardevent.txt
411_json_test.txt
412_Zeosutils.txt
413_listview2.txt
414_avrdude_flash.txt
415_avrdude_writeshex.txt
416_sonar_startscriptEKON.TXT
416_sonar_startscriptEKON_reporting.TXT
417_GRMath_PI_Proof2.TXT
418_functional_paradigm.txt
419_archimedes_spiral.txt
419_archimedes_spiral2.txt
420_archimedes_arduino.txt
420_Lissajous.txt
421_PI_Power.TXT
421_PI_Power2.TXT
422_world_bitboxx.txt
423_game_of_life.TXT
423_game_of_life2.TXT
423_game_of_life3.TXT
423_game_of_life3_test.TXT
423_game_of_life4.TXT
423_game_of_life4_kryptum.TXT
424_opengl_tester.txt
425_reversi_game.txt
426_IBUtils.TXT
427_IBDatabase.TXT
428_SortGrid.TXT
429_fileclass.txt
430_fileoperation.txt
430_fileoperation_tester.txt
431_performance_index.txt
432_shortstring_routines.txt
433_video_avicap.txt
433_video_avicap2.txt
434_GSM_module.TXT
435_httpcommon.txt
436_GraphicSplitter.txt
436_Graphicsplitter_form.txt
436_GraphicSplitter_form2.txt
436_teetest_screen.TXT
436_teetest_screen2.TXT
437_WinAPItop.txt
437_WinAPItop_Firebirdtester.txt
438_OvcInternational.txt
439_AsyncFreeDemo.txt
439_AsyncFreeDemoForm.txt
440_DLL_Tutor.txt
440_DLL_Tutor2.txt
440_XML_Tutor.txt
440_XML_Tutor2.txt
441_make_app.txt
442_arduino_rgb_led.txt
443_webserver_arduino_rgb_light.txt
443_webserver_arduino_rgb_light4.txt
444_webserver_arduino3ibz_rgb_led_basta.txt
445_datagrid.txt
445_datagrid2.txt
445_datagrid_android_arduino.txt
446_arduino_timer.txt
447_patternFrm_mx3.txt
448_Synapse.txt
448_Synapse2.txt
449_dweb_start_tester.txt
450_Synapse_HTTPS.txt
450_Synapse_Mime.txt
450_Synapse_ScanPing.txt
451_ocx_player.txt
451_OCX_WinPlayer2.txt
452_dbtreeview.txt

```

```

23714: 260_sendmessage_2.TXT          452_dbtreeview2.txt
23715: 260_sendmessage_beta.TXT      453_stdfuncs.txt
23716: 261_probability.txt          454_fileStream.txt
23717: 262_mxoutputdemo4.txt        455_functionfun.txt
23718: 263_async_sound.txt          455_functionfun2.txt
23719: 264_vclutils.txt            455_functionfun2_test.txt
23720: 264_VCL_utils2.txt          457_ressource_grid.txt
23721: 265_timer_API.txt          458_atomimageX.txt
23722: 266_serial_interface.txt    459_cindyfunc.txt
23723: 266_serial_interface2.txt   459_cindyfunc2.txt
23724: 266_serial_interface3.txt   460_TopTenFunctions.txt
23725: 267_ackermann_rec.txt      461_sqIFORM_calwin.txt
23726: 267_ackermann_variants.txt 462_caesarcipher.txt
23727: 268_DBGrid_tree.txt        463_global_exception.txt
23728: 269_record_grid.TXT        464_function_procedure.txt
23729: 270_Jedi_FunctionPower.txt 464_function_procedure2.txt
23730: 270_Jedi_FunctionPowerTester.txt 464_function_procedure3.txt
23731: 271_closures_study.txt     465_U_HexView.txt
23732: 271_closures_study_workingset2.txt 466_moon.txt
23733: 272_pas_function_show.txt   466_moon_inputquery.txt
23734: 273_pas_function_show2.txt  4671_cardmagic.txt
23735: 274_library_functions.txt  467_helmholtz_graphic.txt
23736: 275_turtle_language.txt    468_URLMon.txt
23737: 275_turtle_language_save.txt 468_URLMon2.txt
23738: 276_save_algo.txt          469_formarrow.txt
23739: 276_save_algo2.txt         469_formarrow_datepicker.txt
23740: 277_functionsfor39.txt    469_formarrow_datepicker_ibz_result.txt
23741: 278_DB_Dialogs.TXT        469_ibzresult.txt
23742: 279_hexer2.TXT           470_DFFUtils_compiled.txt
23743: 279_hexer2macro.TXT       470_DFFUtils_ScrollingLED.txt
23744: 279_hexer2macroback.TXT   470_Oscilloscope.txt
23745: 280_UML_process.txt       470_Oscilloscope_code.txt
23746: 280_UML_process_knabe2.txt 471_cardmagic.txt
23747: 280_UML_process_knabe3.txt 471_cardmagic2.txt
23748: 280_UML_process_TIM_Botzenhardt.txt 472_allcards.TXT
23749: 280_UML_TIM_Seitz.txt    473_comboset.txt
23750: 281_picturepuzzle.txt    474_wakeonlan.txt
23751: 281_picturepuzzle2.txt   474_wakeonlan2.txt
23752: 281_picturepuzzle3.txt   476_getscripttest.txt
23753: 281_picturepuzzle4.txt   477_filenameonly.txt
23754: 479_inputquery.txt        480_regex_pathfinder.txt
23755: 480_regex_pathfinder2.txt 481_processList.txt
23756: 482_processPipe.txt      482_processPipeGCC.txt
23757: 483_PathFuncTest_mx.txt  484_filefinder3.txt
23758: 485_InnoFunc.txt        486_VideoGrabber.txt
23759: 487_asyncKeyState.txt    488_asyncTerminal.txt
23760: 489_simpleComport.txt   490_webCamproc.txt
23761: 491_analogmeter.txt     492_snowflake2.txt
23762: 493_gadgets.txt         495_fourierfreq.txt
23763: 496_InstallX.txt        497_LED.txt
23764: 498_UnitTesting.txt      499_mulu42.txt
23765: 500_diceoflifes.txt      501_firebird_datasnap_tests.txt
23766: 502_findalldocs.txt     503_led_switch.txt
23767: 504_fileclass.txt       505_debug.txt
23768: 506_colormatrix.txt     507_derutils.txt
23769: 508_simplecomportmorse.txt 509_GEOMap2.txt
23770: 509_509_GEOMap2_SReverse.TXT 510_510_bonn_gpsdata_mx4.pas
23771: 511_LEDLabel.txt        512_LED_moon.txt
23772: 513_StreamIntegration.txt 514_LED_moon2.txt
23773: 515_ledclock3.txt       516_mapview.txt
23774: 517_animation7.txt      518_sensors_meter.txt
23775: 519_powtills.txt        520_run bytecode.txt
23776: 521_iputils2.txt        522_getgeocode.txt
23777: 523_NMEA.txt           524_NAV_Utils.txt
23778: 525_GEO084s.txt        526_Compass_meter.txt
23779: 527_GPSDemo.txt        528_linescount.txt
23780: 529_profilertest.txt    530_3DLab.txt
23781: 531_profilertest.txt    532_mcicommand.txt
23782: 533_syncasync_demo.txt  534_arduino_cockpit.TXT
23783: 535_Battleship3.pas    536_ressource_grid2.txt
23784: 537_iniplus.TXT        538_shellbatch.txt
23785: 539_timeturtle123.txt   540_NeuralNetwork.pas
23786: 541_webserver_arduino_motorturtle.txt 542_arduino_sound.txt
23787: 543_MATH_TurboP.PAS     544_UTIL01.PAS
23788: 545_strips.TXT          546_fourier3.pas
23789: 547_regexmaster.TXT    548_STExpressions.TXT - Services
23790: 549_3D_Panorama.txt     550_Expressions.TXT - 550_ADO_OLEDB.txt
23791: 551_ArduinoTester.txt   552_Watdchdog.txt - 555_CODEsign2.txt
23792: 553_ArduinoCockBit3.txt 554_Watdchdog.txt - 555_CODEsign2.txt
23793: 556_stringlistrandom.TXT 557_4dice2015.txt
23794: 558_highrestimer.TXT   558_lowrestimer2.txt
23795: 561_newfunctions399160.txt 560_PSUtils.TXT
23796: 563_moonpaper.txt       562_shellctrldemo.txt
23797: 565_ConsoleCapture.txt   564_queryperformance.txt
23798: 567_SquareWordGrids2.txt 566_queryperformance2.txt
23799: 569_keylog.txt - 569_ServiceMgr2.TXT 568_U_BigFloatTestsScript.pas
23800: 
23801: http://sourceforge.net/projects/maxbox/files/Examples/
23802:

```

```

23803: WebScript Examples:
23804:
23805: http://www.softwareschule.ch/examples/performer.txt';
23806: http://www.softwareschule.ch/examples/turtle.txt';
23807: http://www.softwareschule.ch/examples/SQLExport.txt';
23808: http://www.softwareschule.ch/examples/Richter.txt';
23809: http://www.softwareschule.ch/examples/checker.txt';
23810: http://www.softwareschule.ch/examples/demoscript.txt';
23811: http://www.softwareschule.ch/examples/ibzresult.txt';
23812: http://www.softwareschule.ch/examples/performindex.txt
23813: http://www.softwareschule.ch/examples/processlist.txt
23814: http://www.softwareschule.ch/examples/game.txt
23815: http://www.softwareschule.ch/examples/GEOGPS.txt
23816: http://www.softwareschule.ch/examples/turtle2.txt
23817: http://www.softwareschule.ch/examples/turtle3.txt
23818: http://www.softwareschule.ch/examples/asyncterminal.txt
23819: http://www.softwareschule.ch/examples/snowflake.txt'
23820: http://www.softwareschule.ch/examples/arduinoled.txt
23821: http://www.softwareschule.ch/examples/moon2.txt
23822:
23823:
23824: Delphi Basics Run Time Library listing
23825: ****
23826: A
23827: Compiler Directive $A Determines whether data is aligned or packed
23828: Compiler Directive $Align Determines whether data is aligned or packed
23829: Compiler Directive $AppType Determines the application type : GUI or Console
23830: Procedure SysUtils Abort Aborts the current processing with a silent exception
23831: Function System Abs Gives the absolute value of a number (-ve sign is removed)
23832: Directive Abstract Defines a class method only implemented in subclasses
23833: Variable System AbstractErrorProc Defines a proc called when an abstract method is called
23834: Function System Addr Gives the address of a variable, function or procedure
23835: Keyword And Boolean and or bitwise and of two arguments
23836: Type System AnsiChar A character type guaranteed to be 8 bits in size
23837: Function SysUtils AnsiCompareStr Compare two strings for equality
23838: Function SysUtils AnsiCompareText Compare two strings for equality, ignoring case
23839: Function StrUtils AnsiContainsStr Returns true if a string contains a substring
23840: Function StrUtils AnsiEndsStr Returns true if a string ends with a substring
23841: Function StrUtils AnsiIndexStr Compares a string with a list of strings - returns match index
23842: Function StrUtils AnsiLeftStr Extracts characters from the left of a string
23843: Function SysUtils AnsiLowerCase Change upper case characters in a string to lower case
23844: Function StrUtils AnsiMatchStr Returns true if a string exactly matches one of a list of strings
23845: Function StrUtils AnsiMidStr Returns a substring from the middle characters of a string
23846: Function StrUtils AnsiPos Find the position of one string in another
23847: Function StrUtils AnsiReplaceStr Replaces a part of one string with another
23848: Function StrUtils AnsiReverseString Reverses the sequence of letters in a string
23849: Function StrUtils AnsiRightStr Extracts characters from the right of a string
23850: Function StrUtils AnsiStartsStr Returns true if a string starts with a substring
23851: Type System AnsiString A data type that holds a string of AnsiChars
23852: Function SysUtils AnsiUpperCase Change lower case characters in a string to upper case
23853: Procedure System Append Open a text file to allow appending of text to the end
23854: Procedure SysUtils AppendStr Concatenate one string onto the end of another
23855: Function Math ArcCos The Arc Cosine of a number, returned in radians
23856: Function Math ArcSin The Arc Sine of a number, returned in radians
23857: Function System ArcTan The Arc Tangent of a number, returned in radians
23858: Keyword Array A data type holding indexable collections of data
23859: Keyword As Used for casting object references
23860: Procedure System Assign Assigns a file handle to a binary or text file
23861: Function System Assigned Returns true if a reference is not nil
23862: Procedure System Assignfile Assigns a file handle to a binary or text file
23863: Procedure Printers AssignPrn Treats the printer as a text file - an easy way of printing text
23864:
23865: B
23866: Compiler Directive $B Whether to short cut and and or operations
23867: Compiler Directive $BoolEval Whether to short cut and and or operations
23868: Procedure SysUtils Beep Make a beep sound
23869: Keyword Begin Keyword that starts a statement block
23870: Function System BeginThread Begins a separate thread of code execution
23871: Procedure System BlockRead Reads a block of data records from an untyped binary file
23872: Procedure System BlockWrite Writes a block of data records to an untyped binary file
23873: Type System Boolean Allows just True and False values
23874: Function Classes Bounds Create a TRect value from top left and size values
23875: Procedure System Break Forces a jump out of a single loop
23876: Type System Byte An integer type supporting values 0 to 255
23877:
23878: C
23879: Type System Cardinal The basic unsigned integer type
23880: Keyword Case A mechanism for acting upon different values of an Ordinal
23881: Function StdConv CelsiusToFahrenheit Convert a celsius temperature into fahrenheit
23882: Function SysUtils ChangeFileExt Change the extension part of a file name
23883: Type System Char Variable type holding a single character
23884: Procedure System ChDir Change the working drive plus path for a specified drive
23885: Function System Chr Convert an integer into a character
23886: Keyword Class Starts the declaration of a type of object class
23887: Procedure System Close Closes an open file
23888: Procedure System CloseFile Closes an open file
23889: Variable System Cmdline Holds the execution text used to start the current program
23890: Type System Comp A 64 bit signed integer
23891: Function SysUtils CompareStr Compare two strings to see which is greater than the other

```

```

23892: Function SysUtils CompareText Compare two strings for equality, ignoring case
23893: Function Math CompareValue Compare numeric values with a tolerance
23894: Function System Concat Concatenates one or more strings into one string
23895: Keyword Const Starts the definition of fixed data values
23896: Keyword Constructor Defines the method used to create an object from a class
23897: Procedure System Continue Forces a jump to the next iteration of a loop
23898: Function ConvUtils Convert Convert one measurement value to another
23899: Function System Copy Create a copy of part of a string or an array
23900: Function System Cos The Cosine of a number
23901: Function SysUtils CreateDir Create a directory
23902: Type System Currency A floating point type with 4 decimals used for financial values
23903: Variable SysUtils CurrencyDecimals Defines decimal digit count in the Format function
23904: Variable SysUtils CurrencyFormat Defines currency string placement in curr display functions
23905: Variable SysUtils CurrencyString The currency string used in currency display functions
23906: Function SysUtils CurrToStr Convert a currency value to a string
23907: Function SysUtils CurrToStrF Convert a currency value to a string with formatting
23908:
23909: D
23910: Compiler Directive $D Determines whether application debug information is built
23911: Compiler Directive $DebugInfo Determines whether application debug information is built
23912: Compiler Directive $Define Defines a compiler directive symbol - as used by IfDef
23913: Compiler Directive $DefinitionInfo Determines whether application symbol information is built
23914: Function SysUtils Date Gives the current date
23915: Variable SysUtils DateSeparator The character used to separate display date fields
23916: Function SysUtils DateTimeToFileDate Convert a TDateTime value to a File date/time format
23917: Function SysUtils DateTimeToStr Converts TDateTime date and time values to a string
23918: Procedure SysUtils DateTimeToString Rich formatting of a TDateTime variable into a string
23919: Function SysUtils DateToStr Converts a TDateTime date value to a string
23920: Function DateUtils DayOfTheMonth Gives day of month index for a TDateTime value (ISO 8601)
23921: Function DateUtils DayOfTheWeek Gives day of week index for a TDateTime value (ISO 8601)
23922: Function DateUtils DayOfTheYear Gives the day of the year for a TDateTime value (ISO 8601)
23923: Function SysUtils DayOfWeek Gives day of week index for a TDateTime value
23924: Function DateUtils DaysBetween Gives the whole number of days between 2 dates
23925: Function DateUtils DaysInAMonth Gives the number of days in a month
23926: Function DateUtils DaysInAYear Gives the number of days in a year
23927: Function DateUtils DaySpan Gives the fractional number of days between 2 dates
23928: Procedure System Dec Decrement an ordinal variable
23929: Variable SysUtils DecimalSeparator The character used to display the decimal point
23930: Procedure SysUtils DecodeDate Extracts the year, month, day values from a TDateTime var.
23931: Procedure DateUtils DecodeDateTime Breaks a TDateTime variable into its date/time parts
23932: Procedure SysUtils DecodeTime Break a TDateTime value into individual time values
23933: Directive Default Defines default processing for a property
23934: Function Math DegToRad Convert a degrees value to radians
23935: Procedure System Delete Delete a section of characters from a string
23936: Function SysUtils DeleteFile Delete a file specified by its file name
23937: Keyword Destructor Defines the method used to destroy an object
23938: Function SysUtils DirectoryExists Returns true if the given directory exists
23939: Function SysUtils DiskFree Gives the number of free bytes on a specified drive
23940: Function SysUtils DiskSize Gives the size in bytes of a specified drive
23941: Procedure System Dispose Dispose of storage used by a pointer type variable
23942: Keyword Div Performs integer division, discarding the remainder
23943: Keyword Do Defines the start of some controlled action
23944: Type System Double A floating point type supporting about 15 digits of precision
23945: Keyword DownTo Prefixes an decremental for loop target value
23946: Function StrUtils DupeString Creates a string containing copies of a substring
23947: Directive Dynamic Allows a class method to be overridden in derived classes
23948:
23949: E
23950: Compiler Directive $Else Starts the alternate section of an IfDef or IfNDef
23951: Compiler Directive $EndIf Terminates conditional code compilation
23952: Compiler Directive $ExtendedSyntax Controls some Pascal extension handling
23953: Keyword Else Starts false section of if, case and try statements
23954: Function SysUtils EncodeDate Build a TDateTime value from year, month and day values
23955: Function DateUtils EncodeDateTime Build a TDateTime value from day and time values
23956: Function SysUtils EncodeTime Build a TDateTime value from hour, min, sec and msec values
23957: Keyword End Keyword that terminates statement blocks
23958: Function DateUtils EndOfDay Generate a TDateTime value set to the very end of a day
23959: Function DateUtils EndOfMonth Generate a TDateTime value set to the very end of a month
23960: Procedure System EndThread Terminates a thread with an exit code
23961: Function System EOF Returns true if a file opened with Reset is at the end
23962: Function System Eoln Returns true if the current text file is pointing at a line end
23963: Procedure System Erase Erase a file
23964: Variable System ErrorAddr Sets the error address when an application terminates
23965: Keyword Except Starts the error trapping clause of a Try statement
23966: Procedure System Exclude Exclude a value in a set variable
23967: Procedure System Exit Exit abruptly from a function or procedure
23968: Variable System ExitCode Sets the return code when an application terminates
23969: Function System Exp Gives the exponent of a number
23970: Directive System Export Makes a function or procedure in a DLL externally available
23971: Type System Extended The floating point type with the highest capacity and precision
23972: Function SysUtils ExtractFileDir Extracts the dir part of a full file name
23973: Function SysUtils ExtractFileDrive Extracts the drive part of a full file name
23974: Function SysUtils ExtractFileName Extracts the extension part of a full file name
23975: Function SysUtils ExtractFileName Extracts the name part of a full file name
23976: Function SysUtils ExtractFilePath Extracts the path part of a full file name
23977:
23978: F
23979: Function StdConv FahrenheitToCelsius Convert a fahrenheit temperature into celsius
23980: Keyword File Defines a typed or untyped file

```

```

23981: Function SysUtils FileAge Get the last modified date/time of a file without opening it
23982: Function SysUtils FileDateToDateTime Converts a file date/time format to a TDateTime value
23983: Function SysUtils FileExists Returns true if the given file exists
23984: Function SysUtils FileGetAttr Gets the attributes of a file
23985: Variable System FileMode Defines how Reset opens a binary file
23986: Function System FilePos Gives the file position in a binary or text file
23987: Function SysUtils FileSearch Search for a file in one or more directories
23988: Function SysUtils FileSetAttr Sets the attributes of a file
23989: Function SysUtils FileSetDate Set the last modified date and time of a file
23990: Function System FileSize Gives the size in records of an open file
23991: Procedure System FillChar Fills out a section of storage with a fill character or byte value
23992: Keyword Finally Starts the unconditional code section of a Try statement
23993: Function SysUtils FindClose Closes a successful FindFirst file search
23994: Function SysUtils FindCmdLineSwitch Determine whether a certain parameter switch was passed
23995: Function SysUtils FindFirst Finds all files matching a file mask and attributes
23996: Function SysUtils FindNext Find the next file after a successful FindFirst
23997: Function SysUtils FloatToStr Convert a floating point value to a string
23998: Function SysUtils FloatToStrF Convert a floating point value to a string with formatting
23999: Procedure System Flush Flushes buffered text file data to the file
24000: Keyword For Starts a loop that executes a finite number of times
24001: Function SysUtils ForceDirectories Create a new path of directories
24002: Function SysUtils Format Rich formatting of numbers and text into a string
24003: Function SysUtils FormatCurr Rich formatting of a currency value into a string
24004: Function SysUtils FormatDateTime Rich formatting of a TDateTime variable into a string
24005: Function SysUtils FormatFloat Rich formatting of a floating point number into a string
24006: Function System Frac The fractional part of a floating point number
24007: Procedure SysUtils FreeAndNil Free memory for an object and set it to nil
24008: Procedure System FreeMem Free memory storage used by a variable
24009: Keyword System Function Defines a subroutine that returns a value
24010:
24011: G
24012: Function SysUtils GetCurrentDir Get the current directory (drive plus directory)
24013: Procedure System GetDir Get the default directory (drive plus path) for a specified drive
24014: Function System GetLastError Gives the error code of the last failing Windows API call
24015: Procedure SysUtils GetLocaleFormatSettings Gets locale values for thread-safe functions
24016: Function System GetMem Get a specified number of storage bytes
24017: Keyword Goto Forces a jump to a label, regardless of nesting
24018:
24019: H
24020: Compiler Directive $H Treat string types as AnsiString or ShortString
24021: Compiler Directive $Hints Determines whether Delphi shows compilation hints
24022: Procedure System Halt Terminates the program with an optional dialog
24023: Function System Hi Returns the hi-order byte of a (2 byte) Integer
24024: Function System High Returns the highest value of a type or variable
24025:
24026: I
24027: Compiler Directive $I Allows code in an include file to be incorporated into a Unit
24028: Compiler Directive $IfDef Executes code if a conditional symbol has been defined
24029: Compiler Directive $IfNDef Executes code if a conditional symbol has not been defined
24030: Compiler Directive $IfOpt Tests for the state of a Compiler directive
24031: Compiler Directive $Include Allows code in an include file to be incorporated into a Unit
24032: Compiler Directive $IOChecks When on, an IO operation error throws an exception
24033: Keyword If Starts a conditional expression to determine what to do next
24034: Keyword Implementation Starts the implementation (code) section of a Unit
24035: Keyword In Used to test if a value is a member of a set
24036: Procedure System Inc Increment an ordinal variable
24037: Function DateUtils IncDay Increments a TDateTime variable by + or - number of days
24038: Procedure System Include Include a value in a set variable
24039: Function DateUtils IncMillisecond Increments a TDateTime variable by + or - number of milliseconds
24040: Function DateUtils IncMinute Increments a TDateTime variable by + or - number of minutes
24041: Function SysUtils IncMonth Increments a TDateTime variable by a number of months
24042: Function DateUtils IncSecond Increments a TDateTime variable by + or - number of seconds
24043: Function DateUtils IncYear Increments a TDateTime variable by a number of years
24044: Directive Index Principally defines indexed class data properties
24045: Constant Math Infinity Floating point value of infinite size
24046: Keyword Inherited Used to call the parent class constructor or destructor method
24047: Variable System Input Defines the standard input text file
24048: Function Dialogs InputBox Display a dialog that asks for user text input, with default
24049: Function Dialogs InputQuery Display a dialog that asks for user text input
24050: Procedure System Insert Insert a string into another string
24051: Function System Int The integer part of a floating point number as a float
24052: Type System Int64 A 64 bit sized integer - the largest in Delphi
24053: Type System Integer The basic Integer type
24054: Keyword System Interface Used for Unit external definitions, and as a Class skeleton
24055: Function SysUtils IntToHex Convert an Integer into a hexadecimal string
24056: Function SysUtils IntToStr Convert an integer into a string
24057: Function System IOResult Holds the return code of the last I/O operation
24058: Keyword Is Tests whether an object is a certain class or descendant
24059: Function Math IsInfinite Checks whether a floating point number is infinite
24060: Function SysUtils IsLeapYear Returns true if a given calendar year is a leap year
24061: Function System IsMultiThread Returns true if the code is running multiple threads
24062: Function Math IsNaN Checks to see if a floating point number holds a real number
24063:
24064: L
24065: Compiler Directive $L Determines what application debug information is built
24066: Compiler Directive $LocalSymbols Determines what application debug information is built
24067: Compiler Directive $LongStrings Treat string types as AnsiString or ShortString
24068: Function SysUtils LastDelimiter Find the last position of selected characters in a string
24069: Function System Length Return the number of elements in an array or string

```

24070: **Function** System Ln Gives the natural logarithm of a number
24071: **Function** System Lo Returns the low-order byte of a (2 byte) Integer
24072: **Function** Math Log10 Gives the log to base 10 of a number
24073: Variable SysUtils LongDateFormat Long version of the date to string format
24074: Variable SysUtils LongDayNames An array of days of the week names, starting 1 = Sunday
24075: **Type** System LongInt An Integer whose size is guaranteed to be 32 bits
24076: Variable SysUtils LongMonthNames An array of days of the month names, starting 1 = January
24077: Variable SysUtils LongTimeFormat Long version of the time to string format
24078: **Type** System LongWord A 32 bit unsigned integer
24079: **Function** System Low Returns the lowest value of a type or variable
24080: **Function** SysUtils LowerCase Change upper case characters in a string to lower case
24081:
24082: M
24083: Compiler Directive \$MinEnumSize Sets the minimum storage used to hold enumerated types
24084: **Function** Math Max Gives the maximum of two integer values
24085: Constant System MaxInt The maximum value an Integer can have
24086: Constant System MaxLongInt The maximum value an LongInt can have
24087: **Function** Math Mean Gives the average for a set of numbers
24088: **Function** Dialogs MessageDlg Displays a message, symbol, and selectable buttons
24089: **Function** Dialogs MessageDlgPos Displays a message plus buttons at a given screen position
24090: **Function** Math Min Gives the minimum of two integer values
24091: Constant SysUtils MinsPerDay Gives the number of minutes in a day
24092: **Procedure** System MkDir Make a directory
24093: Keyword Mod Performs integer division, returning the remainder
24094: Constant SysUtils MonthDays Gives the number of days in a month
24095: **Function** DateUtils MonthOfTheYear Gives the month of the year for a TDateTime value
24096: **Procedure** System Move Copy bytes of data from a source to a destination
24097:
24098: N
24099: Constant Math NaN Not a real number
24100: Variable SysUtils NegCurrFormat Defines negative amount formatting in currency displays
24101: **Procedure** System New Create a new pointer type variable
24102: Constant System Nil A pointer value that is defined as undetermined
24103: Keyword Not Boolean Not or bitwise not of one arguments
24104: **Function** SysUtils Now Gives the current date and time
24105: Variable Variants Null A variable that has no value
24106:
24107: O
24108: Compiler Directive \$O Determines whether Delphi optimises code when compiling
24109: Compiler Directive \$Optimization Determines whether Delphi optimises code when compiling
24110: Compiler Directive \$OverFlowChecks Determines whether Delphi checks integer and enum bounds
24111: Keyword System Object Allows a subroutine data type to refer to an object method
24112: **Function** System Odd Tests whether an integer has an odd value
24113: Keyword Of Linking keyword used in many places
24114: Keyword On Defines exception handling in a Try Except clause
24115: Keyword Or Boolean or or bitwise or of two arguments
24116: **Function** System Ord Provides the Ordinal value of an integer, character or enum
24117: Directive Out Identifies a routine parameter for output only
24118: Variable System Output Defines the standard output text file
24119: Directive Overload Allows 2 or more routines to have the same name
24120: Directive Override Defines a method that replaces a virtual parent class method
24121:
24122: P
24123: Keyword Packed Compacts complex data types into minimal storage
24124: **Type** System PAnsiChar A pointer to an AnsiChar value
24125: **Type** System PAnsiString Pointer to an AnsiString value
24126: **Function** System ParamCount Gives the number of parameters passed to the current program
24127: **Function** System ParamStr Returns one of the parameters used to run the current program
24128: **Type** System PChar A pointer to a Char value
24129: **Type** System PCurrency Pointer to a Currency value
24130: **Type** System PDateTime Pointer to a TDateTime value
24131: **Type** System PExtended Pointer to a Extended floating point value
24132: **Function** System Pi The mathematical constant
24133: **Type** System PInt64 Pointer to an Int64 value
24134: **Function** Classes Point Generates a TPoint value from X and Y values
24135: **Type** System Pointer Defines a general use Pointer to any memory based data
24136: **Function** Classes PointsEqual Compares two TPoint values for equality
24137: **Function** System Pos Find the position of one string in another
24138: **Function** System Pred Decrement an ordinal variable
24139: **Function** Printers Printer Returns a reference to the global Printer object
24140: Directive Private Starts the section of private data and methods in a class
24141: Keyword System Procedure Defines a subroutine that does not return a value
24142: **Procedure** FileCtrl ProcessPath Split a drive/path/filename string into its constituent parts
24143: Keyword System Program Defines the start of an application
24144: **Function** Dialogs PromptForFileName Shows a dialog allowing the user to select a file
24145: Keyword System Property Defines controlled access to class fields
24146: Directive Protected Starts a section of class private data accesible to sub-classes
24147: **Type** System PShortString A pointer to an ShortString value
24148: **Type** System PString Pointer to a String value
24149: **Function** Types PtInRect Tests to see if a point lies within a rectangle
24150: Directive Public Starts an externally accessible section of a class
24151: Directive Published Starts a published externally accessible section of a class
24152: **Type** System PVariant Pointer to a Variant value
24153: **Type** System PWideChar Pointer to a WideChar
24154: **Type** System PWideString Pointer to a WideString value
24155:
24156: Q
24157: Compiler Directive \$Q Determines whether Delphi checks integer and enum bounds
24158: R

24159: Compiler Directive \$R Determines whether Delphi checks **array** bounds
24160: Compiler Directive \$RangeChecks Determines whether Delphi checks **array** bounds
24161: Compiler Directive \$ReferenceInfo Determines whether symbol reference information **is** built
24162: Compiler Directive \$Resource Defines a resource **file** to be included in the application linking
24163: **Function** Math RadToDeg Converts a radian value **to** degrees
24164: Keyword **Raise** Raise an exception
24165: **Function** System Random Generate a random floating point **or** integer number
24166: **Procedure** System Randomize Reposition the Random number generator next value
24167: **Function** Math RandomRange Generate a random integer number within a supplied range
24168: Variable System RandSeed Reposition the Random number generator next value
24169: **Procedure** System Read Read data from a binary **or** text **file**
24170: **Procedure** System ReadLn Read a complete line of data from a text **file**
24171: **Type** System Real A floating point **type** supporting about **15** digits of precision
24172: **Type** System Real48 The floating point **type** with the highest capacity **and** precision
24173: **Procedure** System ReallocMem Reallocate an existing block **of** storage
24174: **Function** DateUtils RecodeDate Change only the date part **of** a TDateTime variable
24175: **Function** DateUtils RecodeTime Change only the time part **of** a TDateTime variable
24176: Keyword **Record** A structured data **type** - holding fields **of** data
24177: **Function** Classes Rect Create a TRect value from **2** points **or** **4** coordinates
24178: **Function** SysUtils RemoveDir Remove a directory
24179: **Procedure** System Rename Rename a **file**
24180: **Function** SysUtils RenameFile Rename a **file** **or** directory
24181: Keyword **Repeat** Repeat statements **until** a termination condition **is** met
24182: **Procedure** SysUtils ReplaceDate Change only the date part **of** a TDateTime variable
24183: **Procedure** SysUtils ReplaceTime Change only the time part **of** a TDateTime variable
24184: **Procedure** System Reset Open a text **file** for reading, **or** binary **file** for read/write
24185: Variable System Result A variable used **to** hold the return value from a **function**
24186: **Procedure** System ReWrite Open a text **or** binary **file** for write access
24187: **Procedure** System RmDir Remove a directory
24188: **Function** System Round Rounds a floating point number **to** an integer
24189: **Procedure** System RunError Terminates the **program** with an error dialog
24190:
24191: S
24192: Constant SysUtils SecsPerDay Gives the number **of** seconds **in** a day
24193: **Procedure** System Seek Move the pointer **in** a binary **file** **to** a new record position
24194: **Function** System SeekEof Skip **to** the end **of** the current line **or** **file**
24195: **Function** System SeekEoln Skip **to** the end **of** the current line **or** **file**
24196: **Function** FileCtrl SelectDirectory Display a dialog **to** allow user selection **of** a directory
24197: Variable System Self Hidden parameter **to** a method - refers **to** the containing **object**
24198: Keyword **Set** Defines a **set** **of** up **to** **255** distinct values
24199: **Function** SysUtils SetCurrentDir Change the current directory
24200: **Procedure** System SetLength Changes the size **of** a **string**, **or** the size(s) **of** an **array**
24201: **Procedure** System SetString Copies characters **from** a buffer **into** a **string**
24202: Keyword **Shl** Shift an integer value left by a number **of** bits
24203: Variable SysUtils ShortDateFormat Compact version **of** the date **to** **string** format
24204: Variable SysUtils ShortDayNames An **array** **of** days **of** the week names, starting **1 = Sunday**
24205: **Type** System ShortInt An integer **type** supporting values **-128 to 127**
24206: Variable SysUtils ShortMonthNames An **array** **of** days **of** the month names, starting **1 = Jan**
24207: **Type** System ShortString Defines a **string** **of** up **to** **255** characters
24208: Variable SysUtils ShortTimeFormat Short version **of** the time **to** **string** format
24209: **Procedure** Dialogs ShowMessage Display a **string** **in** a simple dialog **with** an OK button
24210: **Procedure** Dialogs ShowMessageFmt Display formatted data **in** a simple dialog **with** an OK button
24211: **Procedure** Dialogs ShowMessagePos Display a **string** **in** a simple dialog at a given screen position
24212: Keyword **Shr** Shift an integer value right by a number **of** bits
24213: **Function** System Sin The Sine **of** a number
24214: **Type** System Single The smallest capacity **and** precision floating point **type**
24215: **Function** System SizeOf Gives the storage byte size **of** a **type** **or** variable
24216: **Function** System Slice Creates a slice **of** an **array** **as** an Open **Array** parameter
24217: **Type** System SmallInt An Integer **type** supporting values from **-32768 to 32767**
24218: **Function** System Sqrr Gives the square **of** a number
24219: **Function** System Sqrt Gives the square root **of** a number
24220: **Procedure** System Str Converts an integer **or** floating point number **to** a **string**
24221: **Type** System String A data **type** that holds a **string** **of** characters
24222: **Function** System StringOfChar Creates a **string** **with** one character repeated many times
24223: **Function** SysUtils StringReplace Replace one **or** more substrings found **within** a **string**
24224: **Function** System StringToWideChar Converts a normal **string** **into** a WideChar **0** terminated buffer
24225: **Function** SysUtils StrScan Searches **for** a specific character **in** a constant **string**
24226: **Function** SysUtils StrToCurr Convert a number **string** **into** a currency value
24227: **Function** SysUtils StrToDate Converts a date **string** **into** a TDateTime value
24228: **Function** SysUtils StrToDateTime Converts a date+time **string** **into** a TDateTime value
24229: **Function** SysUtils StrToFloat Convert a number **string** **into** a floating point value
24230: **Function** SysUtils StrToInt Convert an integer **string** **into** an Integer value
24231: **Function** SysUtils StrToInt64 Convert an integer **string** **into** an Int64 value
24232: **Function** SysUtils StrToInt64Def Convert a **string** **into** an Int64 value **with** default
24233: **Function** SysUtils StrToIntDef Convert a **string** **into** an Integer value **with** default
24234: **Function** SysUtils StrToTime Converts a time **string** **into** a TDateTime value
24235: **Function** StrUtils StuffString Replaces a part **of** one **string** **with** another
24236: **Function** System Succ Increment an ordinal variable
24237: **Function** Math Sum Return the sum **of** an **array** **of** floating point values
24238:
24239: T
24240: **Function** Math Tan The Tangent **of** a number
24241: **Type** Classes TBits An **object** **that** can hold an infinite number **of** Boolean values
24242: Variable ConvUtils TConvFamily Defines a family **of** measurement types **as** used by Convert
24243: **Type** ConvUtils TConvType Defines a measurement **type** **as** used by Convert
24244: **Type** System TDateTime Data **type** holding a date **and** time value
24245: **Type** System Text Defines a **file** **as** a text **file**
24246: **Type** System TextFile Declares a **file** **type** **for** storing lines **of** text
24247: **Type** SysUtils TFloatFormat Formats **for** use **in** floating point number display functions

```

24248: Type SysUtils TFormatSettings A record for holding locale values for thread-safe functions
24249: Keyword Then Part of an if statement - starts the true clause
24250: Variable SysUtils ThousandSeparator The character used to display the thousands separator
24251: Keyword ThreadVar Defines variables that are given separate instances per thread
24252: Function SysUtils Time Gives the current time
24253: Variable SysUtils TimeAMString Determines AM value in DateTimeToString procedure
24254: Variable SysUtils TimePMString Determines PM value in DateTimeToString procedure
24255: Variable SysUtils TimeSeparator The character used to separate display time fields
24256: Function SysUtils TimeToStr Converts a TDateTime time value to a string
24257: Type Classes TList General purpose container of a list of objects
24258: Keyword To Prefixes an incremental for loop target value
24259: Type System TObject The base class type that is ancestor to all other classes
24260: Function DateUtils Tomorrow Gives the date tomorrow
24261: Type Dialogs TOpenDialog Displays a file selection dialog
24262: Type Types TPoint Holds X and Y integer values
24263: Type Dialogs TPrintDialog Class that creates a printer selection and control dialog
24264: Type Types TRect Holds rectangle coordinate values
24265: Type SysUtils TReplaceFlags Defines options for the StringReplace routine
24266: Function SysUtils Trim Removes leading and trailing blanks from a string
24267: Function SysUtils TrimLeft Removes leading blanks from a string
24268: Function SysUtils TrimRight Removes trailing blanks from a string
24269: Function System Trunc The integer part of a floating point number
24270: Procedure System Truncate Truncates a file size - removes all data after the current position
24271: Keyword Try Starts code that has error trapping
24272: Type Dialogs TSaveDialog Displays a dialog for selecting a save file name
24273: Type SysUtils TSearchRec Record used to hold data for FindFirst and FindNext
24274: Type Classes TStringList Holds a variable length list of strings
24275: Type SysUtils TSysCharSet Characters used by supplied string parsing functions
24276: Type System TThreadFunc Defines the function to be called by BeginThread
24277: Variable SysUtils TwoDigitYearCenturyWindow Sets the century threshold for 2 digit year string conversions
24278: Keyword Type Defines a new category of variable or process
24279:
24280: U
24281: Compiler Directive $UnDef Undefines a compiler directive symbol - as used by IfDef
24282: Keyword Unit Defines the start of a unit file - a Delphi module
24283: Keyword Until Ends a Repeat control loop
24284: Function System UpCase Convert a Char value to upper case
24285: Function SysUtils UpperCase Change lower case characters in a string to upper case
24286: Keyword Uses Declares a list of Units to be imported
24287:
24288: V
24289: Procedure System Val Converts number strings to integer and floating point values
24290: Keyword Var Starts the definition of a section of data variables
24291: Type System Variant A variable type that can hold changing data types
24292: Function Variants VarType Gives the current type of a Variant variable
24293: Constant Variants VarTypeMask Mask for the meta-type part of a Variant variable
24294: Directive Virtual Allows a class method to be overridden in derived classes
24295:
24296: W
24297: Compiler Directive $Warnings Determines whether Delphi shows compilation warnings
24298: Keyword While Repeat statements whilst a continuation condition is met
24299: Type System WideChar Variable type holding a single International character
24300: Function System WideCharToString Copies a null terminated WideChar string to a normal string
24301: Type System WideString A data type that holds a string of WideChars
24302: Keyword With A means of simplifying references to structured variables
24303: Type System Word An integer type supporting values 0 to 65535
24304: Function SysUtils WrapText Add line feeds into a string to simulate word wrap
24305: Procedure System Write Write data to a binary or text file
24306: Procedure System WriteLn Write a complete line of data to a text file
24307:
24308: X
24309: Compiler Directive $X Controls some Pascal extension handling
24310: Keyword Xor Boolean Xor or bitwise Xor of two arguments
24311: Y
24312: Compiler Directive $Y Determines whether application symbol information is built
24313: Function DateUtils Yesterday Gives the date yesterday
24314:
24315: Z
24316: Compiler Directive $Z Sets the minimum storage used to hold enumerated types
24317:
24318: procedure SIRegister_uPSUtils(CL: TPSPascalCompiler);
24319: begin //TPSBaseType'').SetString( Byte);
24320: PSMainProcName', 'String').SetString( '!MAIN');
24321: PSMainProcNameOrg', 'String').SetString( 'Main Proc');
24322: 'PSLowBuildSupport', 'LongInt').SetInt( 12);
24323: CL.AddConstantN('PSCurrentBuildNo', 'LongInt').SetInt( 23);
24324: 'PSCurrentVersion', 'String').SetString( '1.31');
24325: 'PSValidHeader', 'LongInt').SetInt( 1397769801);
24326: 'PSAddrStackStart', 'LongInt').SetInt( 1610612736);
24327: 'PSAddrNegativeStackStart', 'LongInt').SetInt( 1073741824);
24328: 'btReturnAddress', 'LongInt').SetInt( 0);
24329: 'btU8', 'LongInt').SetInt( 1);
24330: 'btS8', 'LongInt').SetInt( 2);
24331: 'btU16', 'LongInt').SetInt( 3);
24332: 'btS16', 'LongInt').SetInt( 4);
24333: 'btU32', 'LongInt').SetInt( 5);
24334: 'btS32', 'LongInt').SetInt( 6);
24335: 'btSingle', 'LongInt').SetInt( 7);
24336: 'btDouble', 'LongInt').SetInt( 8);

```

```

24337: 'btExtended','LongInt').SetInt( 9);
24338: 'btString','LongInt').SetInt( 10);
24339: 'btRecord','LongInt').SetInt( 11);
24340: 'btArray','LongInt').SetInt( 12);
24341: 'btPointer','LongInt').SetInt( 13);
24342: 'btPChar','LongInt').SetInt( 14);
24343: 'btResourcePointer','LongInt').SetInt( 15);
24344: 'btVariant','LongInt').SetInt( 16);
24345: 'btS64','LongInt').SetInt( 17);
24346: 'btU64','LongInt').SetInt( 30);
24347: 'btChar','LongInt').SetInt( 18);
24348: 'btWideString','LongInt').SetInt( 19);
24349: 'btWideChar','LongInt').SetInt( 20);
24350: 'btProcPtr','LongInt').SetInt( 21);
24351: 'btStaticArray','LongInt').SetInt( 22);
24352: 'btSet','LongInt').SetInt( 23);
24353: 'btCurrency','LongInt').SetInt( 24);
24354: 'btClass','LongInt').SetInt( 25);
24355: 'btInterface','LongInt').SetInt( 26);
24356: 'btNotificationVariant','LongInt').SetInt( 27);
24357: 'btUnicodeString','LongInt').SetInt( 28);
24358: 'btType','LongInt').SetInt( 130);
24359: 'btEnum','LongInt').SetInt( 129);
24360: 'btExtClass','LongInt').SetInt( 131);
24361: 'CM_A','LongInt').SetInt( 0);
24362: 'CM_CA','LongInt').SetInt( 1);
24363: 'CM_P','LongInt').SetInt( 2);
24364: 'CM_PV','LongInt').SetInt( 3);
24365: 'CM_PO','LongInt').SetInt( 4);
24366: 'Cm_C','LongInt').SetInt( 5);
24367: 'Cm_G','LongInt').SetInt( 6);
24368: 'Cm(CG','LongInt').SetInt( 7);
24369: 'Cm_CNG','LongInt').SetInt( 8);
24370: 'Cm_R','LongInt').SetInt( 9);
24371: 'Cm_ST','LongInt').SetInt( 10);
24372: 'Cm_Pt','LongInt').SetInt( 11);
24373: 'CM_CO','LongInt').SetInt( 12);
24374: 'Cm_cv','LongInt').SetInt( 13);
24375: 'cm_sp','LongInt').SetInt( 14);
24376: 'cm_bn','LongInt').SetInt( 15);
24377: 'cm_vn','LongInt').SetInt( 16);
24378: 'cm_sf','LongInt').SetInt( 17);
24379: 'cm_fg','LongInt').SetInt( 18);
24380: 'cm_puevh','LongInt').SetInt( 19);
24381: 'cm_poexh','LongInt').SetInt( 20);
24382: 'cm_in','LongInt').SetInt( 21);
24383: 'cm_spc','LongInt').SetInt( 22);
24384: 'cm_inc','LongInt').SetInt( 23);
24385: 'cm_dec','LongInt').SetInt( 24);
24386: 'cm_nop','LongInt').SetInt( 255);
24387: 'Cm_PG','LongInt').SetInt( 25);
24388: 'Cm_P2G','LongInt').SetInt( 26);
24389: CL.AddTypeS('TbtU8', 'Byte');
24390: CL.AddTypeS('TbtS8', 'ShortInt');
24391: CL.AddTypeS('TbtU16', 'Word');
24392: CL.AddTypeS('TbtS16', 'SmallInt');
24393: CL.AddTypeS('TbtU32', 'Cardinal');
24394: CL.AddTypeS('TbtS32', 'Longint');
24395: CL.AddTypeS('TbtSingle', 'Single');
24396: CL.AddTypeS('TbtDouble', 'double');
24397: CL.AddTypeS('TbtExtended', 'Extended');
24398: CL.AddTypeS('tbtCurrency', 'Currency');
24399: CL.AddTypeS('tbtS64', 'int64');
24400: CL.AddTypeS('Tbtu64', 'uint64');
24401: CL.AddTypeS('TbtString', 'string');
24402: Function MakeHash( const s : TbtString ) : Longint;
24403: // TbtString = ${IFDEF DELPHI2009UP}AnsiString${ELSE}String${ENDIF};
24404: // PointerSize,'LongInt').SetInt( IPointer ( 8 4 ));
24405: end;
24406:
24407: -----
24408: mapX:
24409: if GetMAPX('html',ExePath+'cologne2mapX.html','cathedral cologne') then
24410: writeln('cologne map found');
24411: GetGeoMAP('html',ExePath+AFILENAME2,'dom cologne')
24412: writeln(GetMapXGeoReverse('XML','47.0397826','7.62914761277888'))
24413: OpenMapX('church trier');
24414: GetGeoCode(C_form,apath: string; const data: string; sfile: boolean): string;
24415: writeln(GetGeoCode('xml',ExePath+'outputmap_2cologne.xml','cathedral cologne',false));
24416: >>> //latitude: '50.94133705' longitude: '6.95812076100766'
24417: // type TPos = (tLat, tLon);TShowFmt = (sfNautical, sfStatute, sfMetric);
24418: CoordinateStr(Idx: Integer; PosInSec: Double; PosLn: TPos): string;
24419: Function SendInput( cInputs : UINT; var pInputs : TInput; cbSize : Integer ) : UINT';
24420: Function GetLastInputInfo( var plii : TLastInputInfo ) : BOOL';
24421:
24422:
24423: maXbox Ref:
24424: Signature:
24425: SHA1: maXbox3.exe 94032DDA24F18A3D8515CCA6BB256E0633475F2F

```

```
24426: CRC32: maXbox3.exe 730609A
24427:
24428: Ref:
24429:   1. writeln(SHA1(Exepath+'\maxbox3.exe'))
24430:   2. shdig: TSHA1Digest;
24431:     shdig:= GetSHA1OfFile(false,exepath+'\maxbox3.exe');
24432:       for i:= 0 to 19 do write(BytetoHex(shdig[i]));
24433:
24434:   3. writeln(IntToHex(CRC32OfFile(exepath+'\maxbox3.exe'),4));
24435:
24436:
24437: https://www.virustotal.
      com/en/file/998f9004c6bd15c2d8a3a4f55e2e77d442a3dbcadf8534f7cba17af9630afcec/analysis/1423072574/
24438:
24439: VirusTotal metadata
24440: -----
24441: First submission 2015-02-04 17:56:14 UTC ( 3 minutes ago )
24442: Last submission 2015-02-04 17:56:14 UTC ( 3 minutes ago )
24443: File names Surprise mX4
24444: maXbox3.exe
24445: maxbox3_9.exe
24446:
24447:
24448: SHA256: 998f9004c6bd15c2d8a3a4f55e2e77d442a3dbcadf8534f7cba17af9630afcec
24449: File name: maXbox3.exe
24450: Detection ratio: 0 / 56
24451: Analysis date: 2015-02-04 17:56:14 UTC ( 3 minutes ago )
24452:
24453: MD5 83ad1a56ea267968c4dbdcc59236e504
24454: SHA1 94032dda24f18a3d8515cca6bb256e0633475f2f
24455: SHA256 998f9004c6bd15c2d8a3a4f55e2e77d442a3dbcadf8534f7cba17af9630afcec
24456: ssdeep
24457: 393216:yifZP/7cJTi92/djwYt1GRQJTcOUSLI6X8YXsbPeuu:tPwJTi9GwpYchwl6rg
24458:
24459: authentihash d8c640b9d38c4462c123629268d0fb96c7adfee0c24f23993c6690325d5f4eb5
24460: imphash b931f77868cabf9f48d692a3d89a5188
24461: File size 22.8 MB ( 23956992 bytes )
24462: File type Win32 EXE
24463: Magic literal
24464: PE32 executable for MS Windows (GUI) Intel 80386 32-bit
24465:
24466: TrID Windows ActiveX control (36.4%)
24467: Inno Setup installer (34.3%)
24468: InstallShield setup (13.4%)
24469: Win32 EXE PECompact compressed (generic) (13.0%)
24470: Win32 Executable (generic) (1.4%)
24471:
24472:
24473: ExifTool file metadata
24474: -----
24475: SpecialBuild mX4
24476: CodeSize 18854400
24477: SubsystemVersion 4.0
24478: Comments reduce to the max
24479: LinkerVersion 2.25
24480: ImageVersion 0.0
24481: FileSubtype 0
24482: FileVersionNumber 3.9.9.180
24483: LanguageCode German (Swiss)
24484: FileFlagsMask 0x003f
24485: FileDescription maXbox Delphi VM
24486: CharacterSet Windows, Latin1
24487: InitializedDataSize 5101568
24488: FileOS Win32
24489: TimeStamp 2015:02:04 12:44:24+01:00
24490: MIMEType application/octet-stream
24491: LegalCopyright Free Pascal Script
24492: FileVersion 3.9.9.180
24493: SpeziellesBuild mX4 Compiler Engine
24494: FileType Win32 EXE
24495: PEType PE32
24496: InternalName Surprise mX4
24497: FileAccessDate 2015:02:04 18:56:27+01:00
24498: ProductVersion 3.9 Solar mx4
24499: UninitializedDataSize 0
24500: OSVersion 4.0
24501: FileCreateDate 2015:02:04 18:56:27+01:00
24502: OriginalFilename maxbox3_9.exe
24503: Subsystem Windows GUI
24504: MachineType Intel 386 or later, and compatibles
24505: CompanyName kleiner kommunikation
24506: LegalTrademarks maXbox
24507: ProductName maXbox
24508: ProductVersionNumber 3.9.9.180
24509: EntryPoint 0x11fce2c
24510: ObjectFileType Executable application
24511:
24512: ExifTool file metadata
24513: -----
```

```

24514: Developer metadata
24515: Publisher kleiner kommunikation
24516: Product maxbox
24517: Original name maxbox3_9.exe
24518: Internal name Surprise mX4
24519: File version 3.9.9.180
24520: Description maxbox Delphi VM
24521: Comments reduce to the max
24522:
24523: PE header basic information
24524:
24525: Target machine Intel 386 or later processors and compatible processors
24526: Compilation timestamp 2015-02-04 11:44:24
24527: Link date 12:44 PM 2/4/2015
24528: Entry Point 0x011FCE2C
24529: Number of sections 10
24530:
24531: 10 PE sections
24532: Name Virtual address Virtual size Raw size Entropy MD5
24533: .text 4096 18805048 18805248 6.60 13eff35b60582091d15aa1721d5bbe28
24534: .text 18812928 49008 49152 6.59 667acd62bc99dfbe7044ef453abae70
24535: .data 18862080 265264 265728 5.58 f0fefdc2bdef7eff8fac831eb9f77dfb
24536: .bss 19128320 381544 0 0.00 d41d8cd98f00b204e9800998ecf8427e
24537: .idata 19513344 55382 55808 5.50 4511cc90cd058ad09ada8f783fa90582
24538: .edata 19570688 77 512 0.89 e1a12f8eeb3d64b1ce22f04d16fb5c09
24539: .tls 19574784 208 0 0.00 d41d8cd98f00b204e9800998ecf8427e
24540: .rdata 19578880 24 512 0.28 638514e05dc16f0746f377a2388b1da5
24541: .reloc 19582976 1195756 1196032 6.76 55997dcf3b5ea9073e54ae39b625854
24542: .rsrc 20779008 3582976 3582976 5.28 b98c04e8198e3aa1afbb354ac5401d48
24543:
24544: PE imports
24545: PE exports CreateIncome
24546:
24547: Number of PE resources by type
24548: RT_BITMAP 810
24549: RT_STRING 305
24550: RT_RCDATA 162
24551: RT_ICON 55
24552: RT_GROUP_ICON 44
24553: RT_CURSOR 31
24554: RT_GROUP_CURSOR 26
24555: WAVE 9
24556: RT_DIALOG 2
24557: RT_HTML 2
24558: RT_MESSAGEGETABLE 1
24559: RT_MANIFEST 1
24560: RT_VERSION 1
24561:
24562: PE imports
24563: [+] AVICAP32.DLL [+] AVICAP32.dll [+] GLU32.dll
24564: [+] IMAGEHLP.DLL [+] MSVCRT.DLL [+] MSVFW32.DLL
24565: [+] OpenGL32.dll [+] SHFolder.dll [+] URLMON.DLL
24566: [+] advapi32.dll [+] comct132.dll [+] comdlg32.dll
24567: [+] gdi32.dll [+] imagehlp.dll [+] imm32.dll
24568: [+] iphpapi.dll [+] kernel32.dll [+] mspr.dll
24569: [+] msacm32.dll [+] ole32.dll [+] oleacc.dll
24570: [+] oleaut32.dll [+] oledlg.dll [+] opengl32.dll
24571: [+] shell32.dll [+] shlwapi.dll [+] user32.dll
24572: [+] usp10.dll [+] version.dll [+] winhttp.dll
24573: [+] wininet.dll [+] winmm.dll [+] winspool.drv
24574: [+] ws2_32.dll [+] wsck32.dll [+] msimg32.dll
24575:
24576: Ref:
24577: https://www.virustotal.com/en/file/998f9004c6bd15c2d8a3a4f55e2e77d442a3dbcadf8534f7cba17af9630afcec/analysis/1423072574/
24578:
24579: ****
24580: Release Notes maxbox 3.9.9.180 Feb 2015 CODEsign
24581: ****
24582: Add 6 Units, 1 Slide 1 Tutor, Big Numbers (Decimals, TInteger)
24583:
24584: 1065 unit uPSI_UDict; //DFF
24585: 1066 unit uPSI_ubigFloatV3; //DFF
24586: 1067 unit uPSI_UBigIntsV4; //DFF
24587: 1068 unit uPSI_ServiceMgr2; //mX
24588: 1069 unit uPSI_UP10Build; //PS
24589: 1070 unit uPSI_UParser10; //PS
24590:
24591: SHA1: maxbox3.exe 94032DDA24F18A3D8515CCA6BB256E0633475F2F
24592: CRC32: maxbox3.exe 730609A
24593:
24594: ****
24595: Release Notes maxbox 3.9.9.160 January 2015 CODEsign
24596: ****
24597: Add 9 Units, 2 Slides 1 Tutor, CLXUp, ExampleEdition, UnitConverter
24598: ExecuteProcess (MultiProcessor), ConsoleCapture (DOS)
24599:
24600: 1053 unit uPSI_BigIni //Hinzen
24601: 1054 unit uPSI_ShellCtrls; //VCL

```

```
24602: 1055 unit uPSI_fMath; //FMath
24603: 1056 unit uPSI_fComp; //FMath
24604: 1057 unit uPSI_HighResTimer; //Lauer
24605: 1058 unit uconvMain; (Unit Converter) //PS
24606: 1059 unit uPSI_uconvMain; //PS
24607: 1060 unit uPSI_ParserUtils; //PS
24608: 1061 unit uPSI_uPSUtils; //PS
24609: 1062 unit uPSI_ParserU; //PS
24610: 1063 unit uPSI_TypeInfo; //VCL
24611: 1064 unit uPSI_ServiceMgr; //mX
24612:
24613: ****
24614: Release Notes maXbox 3.9.9.120 December 2014 CODEsign
24615: ****
24616: Add 10 Units, 1Slides, NeuralNetwork, Pan3D View, GDIBackend
24617:
24618: 1043 unit uPSI_NeuralNetwork;
24619: 1044 unit uPSI_StExpr;
24620: 1045 unit uPSI_GR32_Geometry;
24621: 1046 unit uPSI_GR32_Containers;
24622: 1047 unit uPSI_GR32_Backends_VCL,
24623: 1048 unit uPSI_StSaturn; //Venus+Pluto+Mars+Merc+JupSat+ ++
24624: 1049 unit uPSI_JclParseUses;
24625: 1050 unit uPSI_JvFinalize;
24626: 1051 unit uPSI_panUnitl;
24627: 1052 unit uPSI_DD83ul; //Arduino Tester
24628:
24629: Published Doc maXbox Tutors Starter Introduction 2014
24630: Tutorial 00 Blix the Programmer
24631: Tutorial 01 Procedural-Coding
24632: Tutorial 02 OO-Coding
24633: Tutorial 03 Modular Coding
24634: Tutorial 04 UML Coding
24635: Tutorial 05 Internet Coding
24636: Tutorial 06 Network Coding
24637: Tutorial 07 Game Coding
24638: Tutorial 08 Operating System Coding
24639: Tutorial 09 Database Coding
24640: Tutorial 10 Statistic Coding
24641: Tutorial 11 Forms Coding
24642: Tutorial 12 SQL Coding
24643: Tutorial 13 Crypto Coding
24644: Tutorial 14 Parallel Coding
24645: Tutorial 15 Serial Coding
24646: Tutorial 16 Event Driven Coding
24647: Tutorial 17 Web Server Coding
24648: Tutorial 18 Arduino Coding and Web of Things
24649: Tutorial 18_3 Arduino RGB LED Breadboard and Source LED Zip
24650: Tutorial 19 WinCOM /Arduino Coding and Source LED COM
24651: Tutorial 20_1 Regular Expressions V2
24652: Tutorial 21 Android av. End of 2014 and Basta LED Things and Code ADK SeekBar
24653: Tutorial 22 Services Coding
24654: Tutorial 23 Real Time Code
24655: Tutorial 24 Clean Code
24656: Tutorial 25 Configuration
24657: Tutorial 26 TCP Sockets
24658: Tutorial 27 XML Coding
24659: Tutorial 28 DLL Coding
24660: Tutorial 29 UML Modeling
24661: Tutorial 30 WOT Web of Things and Basta 2014 Arduino and maXbox
24662: Tutorial 31 Closures
24663: Tutorial 32 SQL Server Firebird
24664: Tutorial 33 Oscilloscope
24665: Tutorial 34 GPS Codes
24666: Tutorial 35 Web Box
24667: Tutorial 39 Maps Coding
24668: Tutorial 39 Maps2 Coding
24669: http://www.slideshare.net/maxkleiner1/codesign-2015
24670:
24671: Published Doc maXbox Example Edition 2015
24672: \example_edition\01_Algorithm';
24673: \example_edition\02_Graphics';
24674: \example_edition\03_Games';
24675: \example_edition\04_Multimedia';
24676: \example_edition\05_Internet';
24677: \example_edition\06_Communication';
24678: \example_edition\07_Geographical';
24679: \example_edition\08_Operating';
24680: \example_edition\09_Database';
24681: \example_edition\10_Science';
24682: \example_edition\11_EMBEDDED';
24683: \example_edition\12_Security';
24684: \example_edition\13_General';
24685:
24686: ref:
24687: SHA1: maXbox3.exe 94032DDA24F18A3D8515CCA6BB256E0633475F2F
24688: CRC32: maXbox3.exe 730609A
24689:
24690: ---- bigbitbox code_cleared_checked----
```