



# Report

Maxim Melichov - 322723420

## Function from Boyd's Book



## Last Iteration Data

### Gradient Descent:

Iteration 29:  $x = [-3.46572886e-01 \ -9.76799665e-07]$ ,  $f(x) = 2.559266696664345$



Boyd's\_Book\_Function finished Gradient Descent. Success: True

### Newton Method:

Iteration 8:  $x = [-3.4657359e-01 \ 6.8068946e-12]$ ,  $f(x) = 2.5592666966582156$

Boyd's\_Book\_Function finished Newton Method. Success: True

## Linear Function:



## Last Iteration Data



Gradient Descent:

Iteration 100:  $x = [-149. \ -199.]$ ,  $f(x) = -621.5$

Linear\_Function finished Gradient Descent. Success: False

Newton Method: Missing purposefully

## Quadratic Function Circle



## Last Iteration Data

### Gradient Descent:

Iteration 1:  $x = [0.0]$ ,  $f(x) = 0.0$



Quadratic\_1\_circle\_Function finished Gradient Descent. Success: True

### Newton Method:

Iteration 1:  $x = [0.0]$ ,  $f(x) = 0.0$

Quadratic\_1\_circle\_Function finished Newton Method. Success: True

## Quadratic Function Ellipse



## Last Iteration Data

### Gradient Descent:

Iteration 100:  $x = [0.11271997 \ 0.0008856]$ ,  $f(x) = 0.012784220095399295$



Quadratic\_2\_elipse\_Function finished Gradient Descent. Success: False

### Newton Method:

Iteration 1:  $x = [0. \ 0.]$ ,  $f(x) = 0.0$

Quadratic\_2\_elipse\_Function finished Newton Method. Success: True

## Quadratic Function Rotated Ellipse



## Last Iteration Data

### Gradient Descent:

Iteration 100:  $x = [0.07682763 \ 0.13062022]$ ,  $f(x) = 0.02311258419270041$



Quadratic\_3\_elipse2\_Function finished Gradient Descent. Success: False

### Newton Method:

Iteration 1:  $x = [6.66133815e-16 \ -2.22044605e-16]$ ,  $f(x) = 4.7341985675661585e-29$

Quadratic\_3\_elipse2\_Function finished Newton Method. Success: True

## Rosenbrock Function



## Last Iteration Data

### Gradient Descent:

Iteration 7751:  $x = [0.99989437 \ 0.99978771]$ ,  $f(x) = 1.1267173492101773e-08$   
Rosenbrock\_Function finished Gradient Descent. Success: True

### Newton Method:

Iteration 21:  $x = [1. \ 1.]$ ,  $f(x) = 6.668339839446365e-30$   
Rosenbrock\_Function finished Newton Method. Success: True

GitHub [Link](#):