

Some basic tags you can use >>

The start of a basic HTML page should look similar to this >>

```
=====
<!doctype html>
<html>

<head>
    <title>siteA for all</title>
</head>

<body>
    <p>Content goes in the body of the email page</p>

    <p> content to include whatever you want</p><br>

    <a href="http://www.xxxx.com">link to another page</a>

    <ol>
        <li>Text</li>
        <li>Pictures</li>
        <li>Videos</li>
        <li>Links</li>
    </ol>

</body>

</html>
```

=====

doc type <!DOCTYPE html>

Italicize - <i></i>

bold -

strong -

paragraph - <p></p>

paragraph <p>text here</p>

header <h1></h1>, <h2></h2>, <h3></h3>, <h4></h4>, <h5></h5>, and <h6></h6>

image

image with attributes>>

images from a different folder>>

add a thumbnail image>>

add sound >>

<embed src="file.wav" width="200" height="150" autostart="false" controls="true" loop="true">
</embed>

add video >>

<embed src="video.mp4" width="200" height="150" autostart="false" controls="true" loop="true">
</embed>

break
 or
 (the break tag does not require a close tag / its self-closing)

horizontal <hr> or <hr /> (the horizontal tag does not require a close tag / its self-closing)

<hr width=50%>

<hr width=50>

<div style= color:yellow>text</div> (to change the color of the text)

<div align="center">centered text</div> (to center the text)

<div align="right">move text right</div> (move the text right)

```
<div align="left">move text left</div> (move the text left)
```

```
Link to other websites= <a href="http://www.xxxx.com">click here</a>
```

Set the background color (old way)

```
<html>
<head><title>Title goes here</title>
<body bgcolor="#FFFFFF" link="#FF0000" vlink="#00FF00">
</head>
```

```
<body>
```

```
</body>
```

```
</html>
```

Set background, text, link, viewed link= (NEW WAY)

```
<html>
<head><title>Title goes here</title>
<style>
Body {color:red; background:yellow}
:link {color:white}
:visited {color: green}
</style>
</head>
```

OR

```
<html>
<head>
<title>TABLE OF CONTENT</title>
<style>
body {color:navy; background:white}
:link {color:green}
:visited {color:red}
</style>
</head>
```

```
title <title></title>
```

```
head <head></head>
```

```
script <script></script>
```

```
body <body></body>
```

List tags >>

unordered list

```
<ul>
    <li>item 1</li>
    <li>item 2</li>
</ul>
```

ordered list

```
<ol>
    <li>item 1</li>
    <li>item 2</li>
</ol>
```

comment <!--comment text here--> (comment tags are ignored by the browser)

 (used to make space between content, no open or closed brackets needed)

FRAMES or FRAME:

```
<html>
<head><title>title here</title></head>
<frameset cols="20%,80%">
<frame src="test2.html" name="sidemenu">
<frame src="test.index.html" name="mainwindow">
</frameset>
</html>
```

Now, here are some things to think about. How would you get four even frames in two rows?
You could do:

```
<frameset rows="50%,50%">
```

```
<frameset cols="50%,50%">
<frame>
<frame>
</frameset>
<frameset cols="50%,50%">
<frame>
<frame>
</frameset>
Three even columns?
<frameset cols="33%,33%,33%">
<frame>
<frame>
<frame>
</frameset>
```

```
Tables= <table border=1-12 > or < table style="border:6px inset red">
<tr>
<th colspan=3>xxxx=text</th>
</tr>
<tr><td>xxxx=text</td>
<td>xxx=text</td>
</tr>
<tr><td>xxxx</td>
<td>xxx</td>
</tr>
<tr><td>xxxx</td>
<td>xxx </td>
</tr>
</table>
```

