


XLIFF Manager User Guide



Copyright © 2018 - 2026 Maxprograms


Table of Contents

Introduction	1
Supported File Formats	1
Supported Platforms	2
Creating and Merging XLIFF Files	4
Create XLIFF File	4
Merge XLIFF File	6
Validate XLIFF	8
Generate Word Counts and Segment Statistics	9
Translation Tasks	10
Copy Source to all Untranslated Segments	10
Pseudo-Translate Untranslated Segments	10
Remove all Targets	11
Approve all Segments	11
Settings	12
Subscriptions	14
First Registration - Evaluation Request	14
Subscription Renewal	16
Glossary	i

Introduction

XLIFF Manager provides an open source UI for [OpenXLIFF Filters](#), a set of programs that let you:

- Create [XLIFF](#) 1.2, 2.0, 2.1 and 2.2 files that can be translated in any modern [CAT](#) tool.
- Convert your translated XLIFF files to original format with a couple of clicks.
- Validate XLIFF files created by any tool. Validation is supported for XLIFF 1.0, 1.1, 1.2 and 2.0.
- Produce an HTML file with word counts and segment status statistics from an XLIFF document.



Supported File Formats

With XLIFF Manager you can create [XLIFF](#) files from the following document formats:

- **General Documentation**
 - Adobe InCopy ICML
 - Adobe InDesign Interchange (INX)
 - Adobe InDesign IDML CS4, CS5, CS6 & CC
 - HTML
 - Microsoft Office (2007 and newer)
 - Microsoft Visio XML Drawings (2007 and newer)
 - MIF (Maker Interchange Format)
 - OpenOffice / LibreOffice / StarOffice

- Plain Text
- QTI (IMS Question and Test Interoperability)
- QTI Packages
- SRT Subtitles
- **Localization Files**
 - SDLXLIFF (Trados Studio)
 - Trados Studio Packages (*.sdlppx)
 - Wordfast/GlobalLink TXML (*.txml)
 - Wordfast/GlobalLink XLIFF (*.txlf)
 - WPML XLIFF (WordPress Multilingual Plugin)
 - XLIFF from Other Tools (*.mqxliff, *.xliff)
- **XML Formats**
 - XML (Generic)
 - DITA 1.0, 1.1, 1.2 and 1.3
 - DocBook 3.x, 4.x and 5.x
 - SVG
 - Word 2003 ML
 - XHTML
- **Software Development**
 - JavaScript
 - Java Properties
 - JSON
 - PHP Arrays
 - RC (Windows C/C++ Resources)
 - ResX (Windows .NET Resources)

The XML filter is customizable. Users can define conversion rules for almost any XML vocabulary. Instructions for configuring the XML filter are available on GitHub, at [XLIFF Filter Configuration Files](#).

The JSON filter supports user-defined configuration files. Instructions for writing configuration files are available on GitHub, at [JSON Filter Configuration Files](#).

Supported Platforms

XLIFF Manager works on these Operating Systems:

- Microsoft Windows 10 and 11
- macOS Monterey (12.0), Ventura (13.0), Sonoma (14.0), Sequoia (15.0) and Tahoe (26.0)

- Linux for 64-bit x86 (Intel/AMD) processors

**NOTICE**

XLIFF Manager installers for Linux are built and tested on Ubuntu 24.04 LTS. The installers are not tested on other distributions.

Creating and Merging XLIFF Files

Create XLIFF File

About this task

Use the *Create XLIFF* panel to generate an XLIFF file from a selected document.

Procedure

1. In main menu, select **View** → **Create XLIFF** or click the **Create XLIFF** option on the left panel.
2. Type the name and location of the document to convert to XLIFF in the **Source File** text box or click the **Browse...** button next to it to select a document from the file system.



Tip

If you use the **Browse...** button to select a file, the program tries to automatically guess its file type and character set.

3. Select the language of the document to convert using the **Source Language** drop-down list.
4. Optionally, select the language of the translated document using the **Target Language** drop-down list.
5. Select or adjust the type of source document using the **File Type** drop-down list.

6. Select or adjust the **character set** of the source document using the **Character Set** drop-down list.
7. If you are converting a DITA map and need to use a .ditaval file for conditional filtering, enter its path in the **DITaval File** text box or use the **Browse...** button next to it to select a file from the file system.
8. Select the **Ignore Translatable SVG Files** checkbox if you are converting a DITA map and need to exclude SVG files from the generated XLIFF.
9. If you are converting a JSON document and need to use a custom configuration file, enter its name and location in the **JSON Configuration** text box or use the **Browse...** button next to it to select a file from the file system.

**Tip**

Information on configuration files for the JSON filter is available at <https://github.com/maxprograms-com/OpenXLIFF>

10. Use the **XLIFF Version** radio buttons to select the version of XLIFF that you want to generate.

**NOTICE**

The program generates XLIFF 2.1 by default.

11. Select the **Paragraph Segmentation** checkbox if you want source text to be segmented at paragraph level.

**NOTICE**

The program uses sentence-level segmentation by default. You can select the default **SRX** file used for segmentation in the [Settings](#) dialog.

12. Select the **Embed Skeleton** checkbox if you want the skeleton file to be inserted in the generated XLIFF.

**NOTICE**

The program generates a separated skeleton file in the folder defined in [Settings](#) dialog. An embedded skeleton allows merging the XLIFF file in any computer, not just the one where the XLIFF was generated.

13. Click the **Create XLIFF** button.

Results


The program generates an XLIFF file and the corresponding skeleton.

Merge XLIFF File

About this task

Use the *Merge XLIFF* panel to convert an [XLIFF](#) file to original format.

XLIFF Manager can only merge XLIFF files that it generated or XLIFF files created with other tools that use *OpenXLIFF Filters*.



Procedure

1. In main menu, select **View** → **Merge XLIFF** or click the  **Merge XLIFF** option on the left panel.
2. Type the name and location of the XLIFF file to merge in the **XLIFF File** text box or click the **Browse...** button next to it to select an XLIFF file from the file system.
If you use the **Browse...** button to locate the XLIFF file, the program tries to automatically generate a suitable target file or folder.
3. Type the name of the translated file or folder for translated documents in the **Target File/Folder** text box or click the **Browse...** button next to it to select a file or folder.
If the XLIFF file contains multiple documents inside, a folder is required to place all translated files in it. This is usually the case when the XLIFF was created from a DITA Map.
4. Select the **Accept Unapproved Segments** checkbox if you want to consider all segments as translated, even when the @approved attribute is not set to "yes".

5. Select the **Export Approved Segments as TMX** checkbox if you want to generate a [TMX](#) file from the XLIFF file.
6. Select the **Open Translated File/Folder After Merging** checkbox if you want to automatically open the translated document or folder after a successful merge operation.
7. Click the **Merge XLIFF** button.

XLIFF Manager merges the indicated file.


Validate XLIFF

About this task

XLIFF Manager can validate [XLIFF 1.0](#), 1.1, 1.2, 2.0, 2.1 and 2.2.

Validating XLIFF against XML grammars (DTD or XML Schemas) is not enough. XML Schema validation does not detect the use of duplicated 'id' attributes, wrong language codes and other constraints written in the different XLIFF specifications.

In addition to validating all XLIFF 2.x modules using XML Schema validation, extra validation is performed for XLIFF 2.x Core and for Metadata, Matches and Glossary modules.



Procedure


1. In main menu, select **View** → **Validate XLIFF** or click the ☒ **Validate XLIFF** option on the left panel.
2. Type the name and location of the XLIFF file to validate in the **XLIFF File** text box or click the **Browse...** button to select an XLIFF file from the file system.
3. Click the **Validate XLIFF** button.

XLIFF Manager validates the indicated file.

Generate Word Counts and Segment Statistics

About this task

XLIFF Manager lets you produce an HTML file with word counts and segment status statistics from an XLIFF document.



Procedure


1. In main menu, select **View** → **Analyse XLIFF** or click the  **Analyse XLIFF** option on the left panel.
2. Type the name and location of the XLIFF file to analyse in the **XLIFF File** text box or click the **Browse...** button to select an XLIFF file from the file system.
3. Click the **Analyse XLIFF** button.

XLIFF Manager generates an HTML report in the folder where the XLIFF file is located and its name is the name of the XLIFF plus `.log.html`.

Translation Tasks

Use the options in the **Translation Tasks** panel to:

- Copy Source to all Untranslated Segments
- Pseudo-Translate Untranslated Segments
- Remove all Targets
- Approve all Segments



Copy Source to all Untranslated Segments

Copy the content of <source> elements to new or existing empty <target> elements in an XLIFF file.

Procedure

1. In main menu, select **View** → **Translation Tasks** or click the  **Translation Tasks** option on the left panel.
2. Type the name and location of the XLIFF file to process in the **XLIFF File** text box or click the **Browse...** button to select an XLIFF file from the file system.
3. Click the **Copy Source to Target** button.

Pseudo-Translate Untranslated Segments

Copy the content of <source> elements to new or existing empty <target> elements in an XLIFF file, replacing all regular vowels with an accented version (e.g.: e => é).

About this task

Use this method to generate a fake translation that you can use to test the [Merge XLIFF File](#) process. After making sure that Merge runs successfully, you can use the [Remove all Targets](#) option to clean your XLIFF file.

Procedure

1. In main menu, select **View** → **Translation Tasks** or click the  **Translation Tasks** option on the left panel.
2. Type the name and location of the XLIFF file to process in the **XLIFF File** text box or click the **Browse...** button to select an XLIFF file from the file system.
3. Click the **Pseudo-Translate** button.

Remove all Targets

Use this feature to remove all <target> elements from your XLIFF file.

Procedure

1. In main menu, select **View** → **Translation Tasks** or click the  **Translation Tasks** option on the left panel.
2. Type the name and location of the XLIFF file to process in the **XLIFF File** text box or click the **Browse...** button to select an XLIFF file from the file system.
3. Click the **Remove all Targets** button.

Approve all Segments

Set approved="true" in all <trans-unit> elements in an XLIFF 1.2 file or set state="final" in all <unit> elements of an XLIFF 2.0, 2.1 o 2.2 document.

About this task

Some translation tools do not offer a way to confirm segments at translation time. Use this feature to confirm all segments, so you can select the **Export Approved Segments as TMX** option when using the [Merge XLIFF File](#) option.

Procedure

1. In main menu, select **View** → **Translation Tasks** or click the  **Translation Tasks** option on the left panel.
2. Type the name and location of the XLIFF file to process in the **XLIFF File** text box or click the **Browse...** button to select an XLIFF file from the file system.
3. Click the **Approve all Segments** button.


Settings

Use the **Settings** dialog to set the default languages used by the application and to configure the main XML catalog and default folder used to store skeletons when creating XLIFF files.

Procedure

1. In main menu, select **Settings (XLIFF Manager → Preferences** on macOS) or click the  **Settings** option or on the left panel.

The following dialog appears:



The screenshot shows the 'Settings' dialog box with the following fields and buttons:

- Default Source Language:** English (dropdown)
- Default Target Language:** Spanish (dropdown)
- System Catalog:** C:\Program Files\Maxprograms\XliffManager\re (text box) and **Browse...** button
- Skeletons Folder:** C:\Users\rmray\AppData\Roaming\XLIFF Manag (text box) and **Browse...** button
- Default SRX File:** C:\Program Files\Maxprograms\XliffManager\re (text box) and **Browse...** button
- Application Language:** English (dropdown)
- Theme:** System Default (dropdown)
- Save Settings** button (bottom right)

2. Select the appropriate default source and target languages to use when creating XLIFF files.
3. If you wish to use a custom catalog for XML files, enter its location in the **System Catalog** text box or use the corresponding **Browse...** button to select it from the file system.
4. If you wish to change the folder where skeleton files are saved, enter the folder name in the **Skeletons Folder** text box or use the **Browse...** button to select the new location in the file system.
5. To use a custom [SRX](#) file when creating XLIFF files, enter its location in the **Default SRX File** text box or use the **Browse...** button to select it from the file system.
6. Use the **Application Language** drop-down to select the language used in XLIFF Manager graphical user interface.

Changes to the application language will take effect after you restart the program.

7. Use the **Theme** drop-down to select the colors used in the graphical user interface. Available options are:

- **System Default:** automatically selects Dark or Light colors according to the preferences set in the operating system.
- **Dark:** Uses dark background with white text.
- **Light:** Uses light grey background with dark text

8. Click the **Save Settings** button.

Subscriptions

XLIFF Manager is available in two modes:

- Source Code
- Yearly Subscriptions for installers and support

Source Code

Source code of XLIFF Manager is free. Anyone can download the source code from [Github.com](https://github.com), compile, modify and use it at no cost in compliance with the accompanying license terms.

Subscriptions

Ready to use installers and technical support for XLIFF Manager are available as yearly subscriptions at [Maxprograms Online Store](https://maxprograms.com).

The version of XLIFF Manager included in the official installers can be used at no cost for 7 days requesting a free Evaluation Key.

Subscription keys cannot be shared or transferred to different machines.


Differences Summary

	Source Code	Subscription Based
Ready To Use Installers	No	Yes
Notarized macOS launcher	No	Yes
Signed launcher and installer for Windows	No	Yes
Associate app with .tmx extension on Windows and macOS	No	Yes
Restricted Features	None	None
Technical Support	• Peer support at Groups.io	• Direct email at tech@maxprograms.com • Peer support at Groups.io

First Registration - Evaluation Request

Procedure

1. When you open XLIFF Manager from the official installers for the first time, or when the [subscription key](#) is not registered, the following dialog is displayed:



The 'Register Subscription' dialog box has a blue title bar with a close button. It contains a folder icon with a code symbol, a list of instructions, a text input field for the 'Subscription Key', and three buttons: 'Purchase Subscription', 'Request Evaluation Key', and 'Register Subscription'.

- Enter your Subscription Key below and click on **Register Subscription**.
- Click on **Request Evaluation Key** to try this application for 7 days.
- Click on **Purchase Subscription** to get a new Subscription Key.

Subscription Key


Purchase Subscription **Request Evaluation Key** **Register Subscription**

2. If you have a subscription key, type it in the **Subscription Key** text box and click the **Register Subscription** button.

On registration success, the main editing screen will be presented.

3. If you don't have a subscription key and wish to test the program during 7 days, click the **Request Evaluation Key** button.

The following dialog appears:



The 'Request Evaluation Key' dialog box has a blue title bar with a close button. It contains four text input fields for 'First Name', 'Last Name', 'Email', and 'Repeat Email', and a 'Request Evaluation Key' button.

First Name

Last Name


Email

Repeat Email

Request Evaluation Key

4. Enter the requested data and click the **Request Evaluation Key** button.

On success, an email with the requested Evaluation Key will be sent to the indicated address and the following dialog will be displayed:



The 'XLIFF Manager' notification dialog box has a blue title bar with a close button. It contains an information icon, a message, and an 'OK' button.

XLIFF Manager

i We received your request. An Evaluation Key was sent to the indicated email address.
Check your spam filter if you don't receive the Evaluation Key in the next few minutes.

OK

Check your email and register the Evaluation Key using the instructions shown above.

Subscription Renewal


About this task

You can register a new subscription key before your existing subscription expires.

Procedure

1. In main menu, select **Help** → **Register Subscription....**

The following dialog appears:



2. If you don't have a subscription key yet, click on the **Purchase Subscription** button to open [Maxprograms Online Store](#) on your internet browser.
3. If you have a Subscription Key, type it in the **Subscription Key** text box and click the **Register Subscription** button.

Subscription is registered and subscription period is automatically adjusted.

Glossary

Computer Assisted Translation (CAT)

Computer technology application designed to assist human translators in the translation process.

Character Set

A character set (sometimes referred to as code page) is a collection of characters that are associated with a sequence of natural numbers in order to facilitate the storage of text in computers and the transmission of text through telecommunication networks.

Subscription Key

A Subscription key is a short text code that lets you register and use a software program during a pre-established time period.

SRX

Segmentation Rules eXchange (SRX) is an XML-based standard that was maintained by Localization Industry Standards Association, until it became insolvent in 2011, and then by the [Globalization and Localization Association \(GALA\)](#).

SRX provides a common way to describe how to segment text for translation and other language-related processes. It was created when it was realized that TMX was less useful than expected in certain instances due to differences in how tools segment text. SRX is intended to enhance the [TMX](#) standard so that translation memory (TM) data that is exchanged between applications can be used more effectively. Having the segmentation rules available that were used when a TM was created increases the usefulness of the TM data.

TMX

Translation Memory eXchange (TMX) is an open standard originally published by LISA (Localization Industry Standards Association). The purpose of TMX is to allow easier exchange of translation memory data between tools and/or translation vendors with little or no loss of critical data during the process.

XLIFF

XLIFF (XML Localization Interchange File Format) is an open standard developed by [OASIS](#) (Organization for the Advancement of Structured Information Standards). The purpose of this vocabulary is to store localizable data and carry it from one step of the localization process to the other, while allowing interoperability between tools.