-Instruction-

HTML Most Wanted Slot Game

Description

It is complete pack for making Most Wanted Slot and Casino Game with premade game screens, pop ups, symbols, animations and backgrounds in realistic, bandit, western, gangster style for your web game. The Asset also included Win animation for each symbols and used free sounds and fonts. The package is provided with complete source code, graphics files, properly commented code and detailed documentation for easy getting started. We use Phaser 3 – desktop and mobile HTML5 framework (https://phaser.io/). To install the game just upload folder 'game' to your server.

What Included

High Quality Graphics

- Game screen in PSD 1920 X 1080. 100% GUI editable. All elements are also in PNG, ready for code.
- PNG Background - 1920 X 1080.
- 10 slot game Icons.
- Win animations for each symbol in PNG sequence.
- 9 Pop Up (Settings, About, Message, Small Message, Jackpot, Huge Win, Mega Win, Free Spins, Pay Table (Help, Pay Lines, Minor, Major and Special Symbols)) in 100% editable PSD. All elements also in PNG, ready for code.

Professional Code

- Game screen with Slot machine 5x3
- Win animation
- Wild symbol functionality
- Free Spin functionality
- Scatter functionality
- Custom paytable
- Custom config for each slot
- Respin functionality

Free Fonts and Sounds

- We use free fonts and sounds. You can find them and the licenses in the project

Getting started

To install the game just upload folder 'game' to your server. Open your url in browser. Press spin button to play. The main parameters of the game, downloadable graphics and fonts are in the file slotConfig3x5.js. You can make changes to an existing config file or make a copy of it and add your config to the game. For local development you can use Visual Studio Code and “Live Server” plugin (https://www.codecademy.com/article/dev-phaser-locally).

```
GAME
  > audio
  > fonts
  v js
    JS mkutils.js
    JS phaser.js
    JS popups.js
    JS slot_classes.js
    JS slotConfig3x5.js
    JS slotGame.js
    JS state_machine.js
  > png
  <> index.html
```

```
index.html ×   JS slotConfig3x5.js   JS slot_classes.js   JS slotGame.js
index.html > html > head
1   <!DOCTYPE html>
2   <html>
3 >     <head> ···
24      </head>
25      <body>
26          <!-- remove or comment unused configs before publ
27          <script src = "js/slotConfig3x5.js"></script>
28          <script src = "js/mkutils.js"></script>
29          <script src = "js/popups.js"></script>
30          <script src = "js/state_machine.js"></script>
31          <script src = "js/slot_classes.js"></script>
32          <script src = "js/slotGame.js"></script>
33      </body>
34  </html>
35
```

```
index.html   JS slotGame.js ×   JS slotConfig3x5.js   JS slot_
js > JS slotGame.js > SlotGame > create
1     //"use strict";
2     let slotGame;
3     let slotConfig;
4
5     // window loads event
6   > window.onload = function() { ···
27    }
28
29  // SlotGame scene
30  class SlotGame extends Phaser.Scene{
31
32      // constructor
33  >   constructor(){ ···
35      }
36
37      loadSceneConfig()
38      {
39          slotConfig = slotConfig3x5;
40      }
41
42      // method to be executed when the scene preload
```

Customization

You can easily customize your slot machine use config files (text color, spin time, offsets..., see below)

You can also change fonts and sprites.

```
var slotConfig3x5 = {

    symbolSizeY: 245,
    spinTime: 2000,                 // time, milliseconds
    winShowTime: 3000,              // time, milliseconds
    showWinCoinsMessage : false,    // displaying a message with the amount of money won
    winMessageTime: 2000,           // win message show time
    minWin : 200,                      // to show big, mega, huge popup
    useBigWinCongratulation : true,    // to show big, mega, huge popup
    showWinFreeSpinsMessage : false,   // in this case all messages are controlled by the respin feature
    showFreeGameMessage : false,

    symbAnimFrameRate: 24,      // symbols animation frame rate
    frameWidth : 204,           // frame width
    frameHeight : 204,          // frame height

    playSpinSound: false,

    lineColor : 0xFFEA31,       // line color
    showWinLines : false,

    lineBetMaxValue: 20,        // slot line bet maxvalue
    useWild: true,              // use wild flag, wild can be substitute for any symbol to create winning combinations (exclude first reel)
    wild: 'Wild',               // wild symbol name
    useScatter: false,          // use scatter flag - we will use the scatter icon to launch the re-spin mode
    scatter: 'Scatter',         // scatter symbol name
    selectedLines: 'all',       //'all' / 'first' - selectad lines at start

    useWildInFirstPosition: false,              // substitute of the first symbol not allowed
    useLineBetMultiplier: true,                 // win multiplied by bet
    useLineBetFreeSpinMultiplier: false,        // free spins win multiplied by bet
    defaultCoins: 100000,                       // default player credit 100 000

    localOffsetX: 0,                            // x offset from center for all scene objects
    localOffsetY: 70,                           // y offset from center for all scene objects

    maxHold: 2,                                 // the maximum number of slot reels that can be held - not used
```

```
    fonts: [
        {
            fontName: 'gameFont_0',
            filePNG:  'fonts/oldtown_48_0.png',
            fileXML:  'fonts/oldtown_48_0.xml'
        },
        {
            fontName: 'gameFont_1',
            filePNG:  'fonts/oldtown_48_1.png',
            fileXML:  'fonts/oldtown_48_1.xml'
        },
        {
            fontName: 'gameFont_2',
            filePNG:  'fonts/oldtown_48_2.png',
            fileXML:  'fonts/oldtown_48_2.xml'
        },
        /*
        {
            fontName: 'gameFont_3',
            filePNG:  'fonts/*.png',
            fileXML:  'fonts/*.xml'
        },
        */
    ],
```

```
sprites: [
    // debug reference
    {
        fileName: null,
        name: 'debugreference'
    },

    // common sprites
    {
        fileName: 'SlotMachine_3x5.png',
        name: 'slot'
    },
    {
        fileName: 'ReelHolderTop.png',
        name: 'reelholdertop'
    },
    {
        fileName: 'RopeLeft.png',
        name: 'rope_left'
    },
```

Customization

Slot symbols data: file name, symbol name (unique), blurry symbol file name, animation sheet file name, use wild substitute for the symbol.

```
symbols:
[
    {
        fileName: 'Whiskey.png',                    // filename or null
        name: 'Whiskey',                            // sprite name
        fileNameBlurred: 'WhiskeyBlurred.png',      // blurry symbol file name, folder png/SymbolsBlurred
        animation: 'WhiskeySheet.png',              // animation sheet file name, folder png/SymbolsSheet
        hideWinSymbol: true,                        // temporary hide the win symbol during the win animation
        useWildSubstitute: true                     // use wild substitute for the symbol
    },
    {
        fileName: 'Dice.png',
        name: 'Dice',
        fileNameBlurred: 'DiceBlurred.png',
        animation: 'DiceSheet.png',
        hideWinSymbol: true,
        useWildSubstitute: true
    },
    {
        fileName: 'Bag.png',
        name: 'Bag',
        fileNameBlurred: 'BagBlurred.png',
        animation: 'BagSheet.png',
        hideWinSymbol: true,
        useWildSubstitute: true
    },
```



Customization

Slot reels configuration.

symbolImages - this is the field that stores the order of the symbols on the reel of the slot machine. As the reel spins, the set of symbols repeats periodically (like an endless tape).

offsetX, offsetY – offset values of the reel from center

windowImage – sprite name of the reel (not used)

windowsCount - number of windows per slot reel. In the picture below we have three windows. 0, 1, 2 - we count from the bottom up (0 – base window).

Window positions are calculated automatically based on the position of the reel, the size of the symbol in height and the number of windows (symmetrically relative to the center of the reel)

```
reels:[
    {//0
        symbolImages: ['Dice', 'Bandit1', 'Cuper', 'Dice', 'Silver', 'Whiskey', 'Bandit2', 'Gold', 'Bag', 'Scatter', 'Whiskey'],
        offsetX: -490,
        offsetY: -60,
        windowImage: 'reel',    // not used
        windowsCount: 3,
        addSpinTime: 0, // additional spin time for reel milliseconds
    },
    {//1
        symbolImages: ['Dice', 'Whiskey', 'Dice','Silver', 'Bandit1', 'Cuper', 'Whiskey', 'Gold','Bag', 'Bandit2', 'Scatter', 'Whiskey', 'Bandit1',
        offsetX: -245,
        offsetY: -60,
        windowImage: 'reel',        // not used
        windowsCount: 3,
        addSpinTime: 500, // additional spin time for reel milliseconds
    },
    { // 2
        symbolImages: ['Dice', 'Gold', 'Whiskey', 'Silver', 'Whiskey', 'Bandit1', 'Cuper','Scatter', 'Bag', 'Dice', 'Bandit2'],
        offsetX: 0,
        offsetY: -60,
        windowImage: 'reel',        // not used
        windowsCount: 3,
        addSpinTime: 1000, // additional spin time for reel milliseconds
    },
    { // 3
        symbolImages: ['Whiskey', 'Bandit1', 'Cuper', 'Silver', 'Dice', 'Whiskey', 'Gold', 'Bag', 'Dice', 'Scatter', 'Whiskey','Bandit2'],
        offsetX: 245,
        offsetY: -60,
        windowImage: 'reel',        // not used
        windowsCount: 3,
        addSpinTime: 1500, // additional spin time for reel milliseconds
    },
    { // 4
        symbolImages: ['Whiskey', 'Dice', 'Whiskey', 'Bandit1', 'Cuper', 'Whiskey', 'Silver', 'Bag', 'Scatter', 'Gold', 'Bandit2'],
        offsetX: 490,
        offsetY: -60,
        windowImage: 'reel',        // not used
        windowsCount: 3,
        addSpinTime: 2000, // additional spin time for reel milliseconds
    }
],
```

Customization

Slot reels configuration.

You can simulate the combination (or set of combinations) you want after the spin for testing. Just remove the comment. In the screenshot you see 7 consecutive simulations. You can leave only one simulation or add as many as you need. After all the simulations are done, they will start to be performed again. Set the desired positions for each reel. Here we have 5 reels, respectively 5 positions for simulation #0 [0, 0, -1, -1, -1] . "- 1" – avoid simulation for the reel. As a result, after the first spin on in window 0, the following symbols will appear: Dice, Dice, any symbol, any symbol, any symbol. Don't forget to comment out the simulations before publish.

```
JS slotConfig3x5.js ●   JS slotGame.js   JS popups.js
js > JS slotConfig3x5.js > slotConfig3x5 > createControls
985
986         slotControls.holdMultiplierTextL = scene.add.bitmapText(scene.centerX - 800, scene.centerY - 0, 'gameFont_1',
987         slotControls.holdMultiplierTextL.setVisible(true);
988         slotControls.holdMultiplierTextR = scene.add.bitmapText(scene.centerX + 800, scene.centerY - 0, 'gameFont_1',
989         slotControls.holdMultiplierTextR.setVisible(true);
990
991         slotControls.hold = new HoldFeature(scene, slotControls.holdButtons, this.maxHold); // create hold feature
992     */
993
994         slotControls.respinFeature = new RespinFeature(scene, slotControls.respinMarkers);      // create respin featu
995         // slotControls.simulateSpins = new SimulateSpins(scene, true);  // it true -> repeat, else -> clamp
996     },
997
998     createInfoPUHandler: function(popup) ···
1197    },
1198
1199    createAboutPUHandler: function(popup) ···
1238    },
```

```
1829 class SimulateSpins
1830 {
1831     constructor(scene, repeat)
1832     {
1833         this.scene = scene;
1834         this.simIndex = 0;
1835         this.repeat = repeat;
1836         this.reels_simulations = [
1837             [0, 0, -1, -1, -1],     // simulation #0, scatter on reel 0
1838             [9, -1, -1, -1, -1],    // simulation #1, scatter on reel 0
1839             [-1, 10, -1, -1, -1],   // simulation #2, scatter on reel 1
1840             [-1, -1, 7, -1, -1],    // simulation #3, scatter on reel 2
1841             [-1, -1, -1, 9, -1],    // simulation #4, scatter on reel 3
1842             [-1, -1, -1, -1, 8],    // simulation #5, scatter on reel 4
1843             [-1, -1, -1, -1, -1],   // simulation #6, full random
1844         ];
1845
```

reel 0

```
                0       1       2       ...
symbolImages: ['Dice', 'Bandit1', 'Cuper', 'Dice', 'Silver', 'Whiskey', 'Bandit2', 'Gold', 'Bag', 'Scatter', 'Whiskey'],
```

reel 1

```
                0       1       2       ...
symbolImages: ['Dice', 'Whiskey', 'Dice','Silver', 'Bandit1', 'Cuper', 'Whiskey', 'Gold','Bag', 'Bandit2', 'Scatter', 'Whiskey',
```

Customization

Slot pay table. You can adjust the payout table as you wish to get the payout probability you want.

When you increase the pay value of symbols, you increase the payouts of the slot. When you increase the number of expensive symbols on the reel, you increase the payouts of the slot.

```
payLines:[
    {
        line: ['Whiskey', 'Whiskey', 'Whiskey', 'Whiskey', 'Whiskey'],
        pay: 3,
        freeSpins: 0
    },
    {
        line: ['Whiskey', 'Whiskey', 'Whiskey', 'Whiskey', 'any'],
        pay: 2,
        freeSpins: 0
    },
    {
        line: ['Whiskey', 'Whiskey', 'Whiskey', 'any', 'any'],
        pay: 1,
        freeSpins: 0
    },
    {
        line: ['Dice', 'Dice', 'Dice', 'Dice', 'Dice'],
        pay: 5,
        freeSpins: 0
    },
    {
        line: ['Dice', 'Dice', 'Dice', 'Dice', 'any'],
        pay: 3,
        freeSpins: 0
    },
    {
        line: ['Dice', 'Dice', 'Dice', 'any', 'any'],
        pay: 1,
        freeSpins: 0
    },
    {
        line: ['Bandit1', 'Bandit1', 'Bandit1', 'Bandit1', 'Bandit1'],
        pay: 7,
        freeSpins: 0
    },
    {
        line: ['Bandit1', 'Bandit1', 'Bandit1', 'Bandit1', 'any'],
        pay: 3,
        freeSpins: 0
    },
```

Customization

Jackpot configuration (Not used in this slot machine. But you can easily enable this functionality). You can set default jackpot amount, jackpot increment, jackpot symbols count scattered on the screen for win.

```
// jackpot settings
jackpot:
    {
        symbolName: 'Jackpot',
        symbolsCount: 6,
        defaultAmount: 1000,        // coins amout at start
        increaseValue: 1,           // jackpot increment after spin
    },
```

You can save slot data locally in the browser (player balance and jackpot) - just uncomment the above lines of code.

```
JS slotConfig3x5.js   JS slot_classes.js ×   JS slotGame.js   JS popups.js
js > JS slot_classes.js > ...
    getTotalBet()
    {
        return this.selectedLinesCount * this.lineBet * this.holdMultiplier;
    }

    /*Jackpot */
    setJackpotAmount(amount)
    {
        amount = Math.max(0, amount);
        var changed = (this.jackpotAmount != amount);
        this.jackpotAmount = amount;
        if (changed)
        {
            this.changeJackpotEvent.events.forEach((eW)=>{ if (eW != null && eW.action != null) eW.action.call(eW.c
          //  localStorage.setItem('mk_donuts_jp_amount', this.jackpotAmount); // save https://www.dynetisgames.com
        }
    }

    addJackpotAmount(amount)
    {
        this.setJackpotAmount(this.jackpotAmount + amount);
    }

    loadJackpot()
    {
        var amount = this.jackpotDefaultAmount;
      //  amount = parseInt(localStorage.getItem('mk_donuts_jp_amount')) || this.jackpotDefaultAmount; // load http
        this.setJackpotAmount(amount);
    }
```

```
JS slotConfig3x5.js   JS slot_classes.js ×   JS slotGame.js   JS popups.js
js > JS slot_classes.js > ...
}

class SlotPlayer{

    constructor(defaultCoins)
    {
        this.defaultCoins = defaultCoins;
        this.coins = this.defaultCoins;
        this.changeCoinsEvents = [];
        this.winCoins = 0;
        this.changeWinCoinsEvents = [];
        this.level = 0;
        this.changeLevelEvents = [];
        this.levelProgress = 0;
        this.changeLevelProgressEvents = [];
        this.levelUpReward = 0;
        this.useLevelUpReward = false;
        this.loadCoins();
    }

    addCoins(count)
    {
        this.setCoinsCount(this.coins + count);
    }

    setCoinsCount(count)
    {
        count = Math.max(0, count);
        var changed = (this.coins != count);
        this.coins = count;
        if (changed)
        {
            this.changeCoinsEvents.forEach((eW)=>{ if (eW!=null && eW.action!=null) eW.action.call(eW.context,
           // localStorage.setItem('mk_donuts_bl_amount', this.coins); // save coins
        }
    }

    loadCoins()
    {
        var amount = this.defaultCoins;
       // amount = parseInt(localStorage.getItem('mk_donuts_bl_amount')) || this.defaultCoins; // load https:/
        this.setCoinsCount(amount);
```

Customization

Config methods.

In each configuration file you will find methods for building a slot machine. You can make small changes for each machine.

For example, make changes to the cost of symbols in the info popup

```
    createSlotGraphic: function(scene){ ···
    },

    createReels: function(scene) { ···
    },

    createControls: function(scene, slotControls) { ···
    },

    createInfoPUHandler: function(popup) ···
    },

    createAboutPUHandler: function(popup) ···
    },

    createSettingsPUHandler: function(popup) ···
    },

    createFreeGamesPUHandler(popup) ···
}
```

```
    createInfoPUHandler: function(popup)
    {
        function createSymbolPlate5x (popup, parentContainer, symbSpriteName, posX, posY, price3x,price4x, price5x) ···
        };

        function createSpecSymbolPlate(popup, parentContainer, symbSpriteName, posX, posY, info) ···
        };

        function refreshInfoPu (containers, selectors, index) ···
        };
```

```
// minor row 1
createSymbolPlate5x(popup, minorContainer, 'Whiskey',  col1X + 0.5 * colDist, row1Y, 1, 2, 3);
createSymbolPlate5x(popup, minorContainer, 'Dice', col2X + 0.5 * colDist, row1Y, 1, 3, 5);

// minor row 2
createSymbolPlate5x(popup, minorContainer, 'Bandit1', col1X + 0.5 * colDist, row2Y, 2, 3, 7);
createSymbolPlate5x(popup, minorContainer, 'Bandit2', col2X + 0.5 * colDist, row2Y, 2, 3, 8);
minorContainer.visible = false;
```

Customization

Slot controls (spin button, auto spin button, line bet loop button, output win, bet amount text ...).

You can find the main features in the configuration file (createControls method). You can customize the slot machine controls a bit.

You can also find additional settings in the SlotControls class (slot_classes.js, slotConfig3x5.js). They will work for all slot machines.

```
createControls: function(scene, slotControls) {
    let depth = 11;
    slotControls.spinTextString = 'SPIN';
    function addSprite (spriteName, posX, posY, _depth) ···
    }

    function addButton (spriteNormal, spriteHover, isSwitch, posX, posY, originX, originY, _depth) ···
    }

    // panels
    slotControls.linesPanel = addSprite('panel_lines', -572, 413, depth);
    slotControls.totalbetPanel = addSprite('panel_totalbet', -330, 413, depth);
    slotControls.balancePanel = addSprite('panel_balance', 330, 413, depth);
    slotControls.winPanel = addSprite('panel_win', 572, 413, depth);
    // slotControls.menuPanel = addSprite('panel_menu', -730, -230, depth);
    // slotControls.menuPanel.setVisible(false);

    // maxbet button
    slotControls.slotMaxBetButton = addButton('button_maxbet', 'button_maxbet_hover', false, -107, 193 + 220, 0.5, 0.5, depth);
    slotControls.slotMaxBetButton.addClickEvent(slotControls.maxBet_Click, slotControls);

    // autoSpin button
    slotControls.slotAutoSpinButton = addButton('button_autospin', 'button_autospin_hover', true, 107, 413, 0.5, 0.5, depth);
    slotControls.slotAutoSpinButton.button.setVisible(true);
    slotControls.changeAutoSpinModeEvent.add((autoSpin)=> ···
    }, this);

    // spin button
    slotControls.slotSpinButton = new SpinButton(scene, 'button_spin', 'button_spin_hover', false);
    slotControls.buttons.push(slotControls.slotSpinButton);
    slotControls.slotSpinButton.create(0, 383, 0.5, 0.5);
    slotControls.slotSpinButton.clickEvent.add(scene.handleAnimation, scene);
    slotControls.slotSpinButton.setDepth(depth);
```

```
class SlotControls
{
    constructor(scene, slotPlayer, linesData, lineColor, lineBetMaxValue, jackpotDefaultAm
    {
        this.slotPlayer = slotPlayer;
        this.scene = scene;
        this.linesController = new LinesController(this.scene, this, linesData, lineColor,
        this.lines = this.linesController.lines;

        // default settings
        this.manualStop = false;                    // not allowed in current version
        this.holdToAutoSpin = false;                // hold spin button pressed 2 sec
        this.maxLineBet = lineBetMaxValue;
        this.defaultLineBet = 1;
        this.autoPlayFreeSpins = true;
        this.jackpotDefaultAmount = jackpotDefaultAmount;
        this.spinTextString = 'Spin';

        // slot input parameters
        this.lineBet = 1;
        this.holdMultiplier = 1;
        this.selectedLinesCount = 0;
        this.freeSpins = 0;
        this.auto = false;
        this.autoSpinsCounter = 0;
        this.jackpotAmount = 0;

        // slot input controls
        this.hold = null;
        this.buttons = [];              // all control buttons array

        // slot output controls
        this.freeSpinText = null;       // freeSpinText;
        this.spinText = null;           // spinText;
        this.autoSpinsCountText = null; // autoSpinsCountText;
```

Customization

If you want to see game stats in your browser console, just uncomment this lines of code:

```
slotGame.js ×
js > slotGame.js > SlotGame > winShowC
559                 if(slotConfig.showFreeGameMessage) {
560                     var fgPU = this.guiController.showPopUp(slotConfig.createFreeGamesPUHand
561                     fgPU.messageText.text = winSpins;
562                 }
563                 this.startFreeGamesEvent.invoke();
564             }
565
566             while(this.miniGame !== null || !this.guiController.hasNoPopUp())
567             {
568                 yield null;
569             }
570             // this.slotStatistic.printStatistic();
571             completeCallBack();
572             console.log('win show end: ' + this.spinCount);
573         }
574
575         // start win show coroutine while waiting for player action
576 >       freeInputWinShow (completeCallBack) ···
580         }
```

```
611         console.log('lose show, spinCount: ' + this.spinCount);
612         console.log('play lose sound');  // play sound loseSound
613         this.slotPlayer.addLevelProgress(this.loseSpinLevelProgress);
614         this.playFreeSpins = (this.slotControls.autoPlayFreeSpins && this.slotControls
615         this.reelSpin = false;
616
617         // this.slotStatistic.printStatistic();
618         yield* this.wait_ms(1000);  // wait 1 sec before call completeCallBack
619         completeCallBack(this.slotControls.auto || this.playFreeSpins);
620     }
```

```
Elements  Console  Sources  Network  »  ⚠2
top ▾  stati ⊗  Default levels ▾  No Issues
209 hidden

Statistic, balance :99980 ; sum bet: 20 ;sum slot_classes.js:1953
payout: 1 ;spins: 1 ; payout %: 5

Statistic, balance :99961 ; sum bet: 40 ;sum slot_classes.js:1953
payout: 1 ;spins: 2 ; payout %: 2.5

Statistic, balance :99941 ; sum bet: 60 ;sum slot_classes.js:1953
payout: 23 ;spins: 3 ; payout %: 38.333333333333336

Statistic, balance :99943 ; sum bet: 80 ;sum slot_classes.js:1953
payout: 59 ;spins: 4 ; payout %: 73.75

Statistic, balance :99959 ; sum bet: 100     slot_classes.js:1953
;sum payout: 59 ;spins: 5 ; payout %: 59
```

Slot controls

1. Main menu button
2. Settings button
3. Rules button
4. About button
5. Spin button
6. Max bet button
7. Total bet buttons
8. Line info
9. Credit text
10. Total bet text
11. Auto spin button
12. Win text

Java Scripts

1. phaser.js – desktop and mobile HTML5 framework (https://phaser.io/).
2. slotGame.js – game play and logic
3. mkutils.js - set of utilities for the games
4. popups.js - common for all message popups
5. slot_classes.js - necessary classes for slot machines
6. slotConfig3x5.js – file with configuration settings
7. state_machine.js - finite state machine



WILD WEST SLOT

VIKING SLOT GAME

GOLD RUSH SLOT

Thanks!

We try to make the best products, so we are always happy to help you understand the project. If you have any issue or suggestion, please email us.

MASTER KEY

RATE US ★★★★★
FOR NEW COOL ASSETS

Homepage : www.mkeystudio.com
Tech Support: putchkov1975@gmail.com
Business Support: melanitta83@gmail.com