AGENT FIGHT CLUB · LIVE BUILDING OF AGENTS #3

AGENT FOUNDATIONS

LIVE BUILDING OF AGENTS #3

LOOP · LLM · TOOLS

AGENTFIGHTCLUB.TODAY

AGENDA

01 Introduction round

02 Part 1: Theory & First steps of agent building

03 Part 2: Build & Compete

INTRODUCTION ROUND

// 01



WHO ARE YOU?

// 02



WHAT'S YOUR EXPERIENCE WITH AI?

// 03



WHAT DO YOU EXPECT FROM THE COMMUNITY?

WHAT DOES AN AGENT CONSIST OF?

AGENT =

↻

LOOP

+



LLM

+



ENVIRONMENT INTERACTION

(TOOLS)

// PART 1



THEORY & FIRST STEPS OF AGENT BUILDING

CLONE THE REPO PLEASE



// GIT REMOTE

```
https://github.com/neuromaxer/agent-meetup
```

AGENDA

01 What is an Agent?

02 What is a Harness?

03 What's under the hood of a coding harness?

04 Existing harnesses like **pi**, **OpenCode**

LONG-TERM AGENDA

01 TODAY **Agent Foundations**

02 More harness features
Skills, MCP, hooks

03 Agent memory & search

04 Subagents and loops

05 Harness internals
Compaction, sandboxes, LLM tokenomics

06 Agent tooling
Observability, integrations

07 Self-improving agents
e.g. Hermes, OpenClaw

08 Dark factories & the future of work

LLM BASICS

MACHINE LEARNING MODEL

Trained on data to predict something.

NEURAL NETWORK

One way to build that model.

LLM

A neural network trained on an internet-scale corpus of text — to predict the next word (token).


```
// NEXT-TOKEN PREDICTION
"Hello my name _"
→ "is"
```

TEXT IN → LLM → TEXT OUT

⚠ **STATELESS**

No memory between calls. It just continues whatever input you gave it — every single time.

THE AGENT LOOP



LOOP
The model keeps calling tools until it has nothing left to call.

EXIT
No tool calls means it's done — that's the final answer.

WHAT IS AN AGENT?

> A software system that can **perceive** information, **reason** about it, and **take actions** to achieve a goal — often with limited human input.

AGENT =

MODEL
Contains the intelligence.

+

HARNESS
Makes that intelligence useful.

If it's not the model, it's the harness

Harness engineering is how we build systems around models to turn them into work engines.

// PART 2



BUILD & COMPETE

// WRAP


FEEDBACK / CONCLUSION




APPENDIX

REFERENCE MATERIAL

AGENT CONFIGURATION PRECISION TRADE-OFF



AI SOLUTION RIGIDNESS TRADE-OFF



GAME PLAYING AGENT OPTIONS

01 Tune your simple agent manually

02 Make coding agent to write game playing agent

03 Use coding agent as your agent (maybe expose later)

PRACTICAL TIPS

01 Pi as example

02 For safer daily usage use more mainstream harnesses (**Claude Code**, **Codex**, **opencode**)