

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by ☐ css

```
<!DOCTYPE html>
<html lang="en-US">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <!-- CDN FontAwesome and Bootstrap -->
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.3/css/all.min.css"
      integrity="sha512-
iBBXm8fW90+nuLcSK1bmrPcLa00T92x01BIsZ+ywDWZCvqswgcccV3gFoRBv0z+8dLJgyAHIhR35VZc2oM/
gI1w==" crossorigin="anonymous" type="text/css" />
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta3/dist/css/bootstrap.min.css" rel="stylesheet"
      integrity="sha384-
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Error** Bad value `logo` for attribute `type` on element `a`: Subtype missing.

[From line 25, column 15; to line 25, column 42](#)

```
<a type="logo" href="/home"><↵
```

2. **Error** Bad value `link` for attribute `type` on element `a`: Subtype missing.

[From line 28, column 15; to line 28, column 63](#)

```
<a type="link" class="navbar-brand" href="/home"><↵
```

3. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 60, column 7; to line 60, column 39](#)

```
r"><↵      <section class="row text-center"><↵
```

4. **Error** Bad value `link` for attribute `type` on element `a`: Subtype missing.

[From line 83, column 29; to line 83, column 141](#)

```
<a type="link" href="/add_posts" class="btn target font-bungee btn-sm" data-toggle="button" aria-pressed="false">Share
```

5. **Error** Element `a` is missing required attribute `role`.

[From line 83, column 29; to line 83, column 141](#)

```
<a type="link" href="/add_posts" class="btn target font-bungee btn-sm" data-toggle="button" aria-pressed="false">Share
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

6. **Error** Bad value `link` for attribute `type` on element `a`: Subtype missing.

[From line 106, column 37; to line 106, column 181](#)

```
<a type="link" href="/add_comment/609005a6126f1e2ef253960d" class="btn-post target font-bungee btn-sm" data-toggle="button" aria-pressed="false">Commen
```

7. **Error** Element `a` is missing required attribute `role`.

[From line 106, column 37; to line 106, column 181](#)

```
<a type="link" href="/add_comment/609005a6126f1e2ef253960d" class="btn-post target font-bungee btn-sm" data-toggle="button" aria-pressed="false">Commen
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

8. **Error** Bad value `link` for attribute `type` on element `a`: Subtype missing.

[From line 128, column 37; to line 128, column 181](#)

```
<a type="link" href="/add_comment/609004e4126f1e2ef253960b"
class="btn-post target font-bungee btn-sm" data-toggle="button" aria-
pressed="false">Commen
```

9. **Error** Element `a` is missing required attribute `role`.

[From line 128, column 37; to line 128, column 181](#)

```
<a type="link" href="/add_comment/609004e4126f1e2ef253960b"
class="btn-post target font-bungee btn-sm" data-toggle="button" aria-
pressed="false">Commen
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

Document checking completed.

Source

```
1. <!DOCTYPE html><␣
2. <html lang="en-US"><␣
3. <head><␣
4.   <meta charset="UTF-8"><␣
5.   <meta http-equiv="X-UA-Compatible" content="IE=edge"><␣
6.   <meta name="viewport" content="width=device-width, initial-scale=1.0"><␣
7.   <!-- CDN FontAwesome and Bootstrap --><␣
8.   <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.3/css/all.min.css" ␣
9.     integrity="sha512-
iBBXm8fW90+nuLcSKlbmrPcLa00T92x01BIsZ+ywDWZCvqswGccV3gFoRBv0z+8dLJgyAHIhR35VZc2
oM/gI1w==" crossorigin="anonymous" type="text/css" /><␣
10.   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta3/dist/css/bootstrap.min.css" rel="stylesheet" ␣
11.     integrity="sha384-
eOJMYsd53ii+sc0/bJGFsiCZc+5NDVN2yr8+0RDqr0Q10h+rpP48ckxlpbzKgwra6"
crossorigin="anonymous" type="text/css" /><
```

```

12.     <!-- my stylesheets -->↵
13.     <link rel="stylesheet" href="/static/css/style.css" type="text/css">↵
14.     ↵
15.     ↵
16.     ↵
17.     ↵
18.     <title>Back On Track - Home</title>↵
19. </head>↵
20. <body>↵
21.     ↵
22.     <header>↵
23.     <nav class="navbar navbar-expand-lg navbar-light bg-mycolor font-
bungee" >↵
24.         <div class="container-fluid">↵
25.             <a type="logo" href="/home">↵
26.                 ↵
27.             </a>↵
28.             <a type="link" class="navbar-brand" href="/home">↵
29.                 Back On Track↵
30.             </a>↵
31.             <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation">↵
32.                 <span class="navbar-toggler-icon"></span>↵
33.             </button>↵
34.             <div class="collapse navbar-collapse"
id="navbarSupportedContent">↵
35.                 <ul class="navbar-nav ms-auto mb-2 mb-lg-0">↵
36.                     <li class="nav-item">↵
37.                         <a class="nav-link active" href="/home">Home</a>↵
38.                     </li>↵
39.                     <li class="nav-item">↵
40.                         <a class="nav-link " href="/about">About</a>↵
41.                     </li>↵
42.                     <li class="nav-item">↵
43.                         <a class="nav-link " href="/contact">Contact</a>↵
44.                     </li>↵
45.                     ↵
46.                     <li class="nav-item">↵
47.                         <a class="nav-link "
href="/profile/ingcp">Profile</a>↵
48.                     </li>↵
49.                     <li class="nav-item">↵
50.                         <a class="nav-link" href="/logout">Logout</a>↵
51.                     </li>↵
52.                     ↵
53.                 </ul>↵
54.             </div>↵
55.         </div>↵
56.     </nav>↵
57. </header>↵
58.     ↵
59.     <main class="container">↵
60.         <section class="row text-center">↵
61.             <!-- flash messages -->↵
62.             ↵
63.             ↵
64.             ↵
65.         </section>↵
66.     ↵
67.     ↵
68.     ↵
69.         <!-- card share post from Bootstrap -->↵
70.         <section class="row justify-content-md-center">↵
71.             <h5 class="text-center font-bungee">Welcome ingcp</h5>↵
72.             <div class="card">↵
73.                 <div class="mb-2">↵
74.                     <!-- card title -->↵
75.                     <p class="m-1 text-center">Share your resume</p>↵

```

```

76.         <!-- card content -->
77.         <div class="d-flex justify-content-end">
78.             <!-- image (in future need to be changed with
profile's image) -->
79.             
80.             <!-- div to add space between the image and the
button -->
81.             <div class="card-body"></div>
82.             <!-- button link to create posts.html -->
83.             <a type="link" href="/add_posts" class="btn target
font-bungee btn-sm" data-toggle="button" aria-pressed="false">Share Post &nbsp;
<i class="fas fa-share-square"></i></a>
84.         </div>
85.     </div>
86. </div>
87. </section>
88. <h5 class="text-center font-bungee mt-1rem">From the
Community</h5>
89.     <!-- get posts -->
90.     <
91.         <
92.             <section class="row justify-content-md-center mt-1rem">
93.                 <div class="card">
94.                     <!-- card content -->
95.                     <div class="d-flex">
96.                         <!-- card body with post's info -->
97.                         <div class="card-body p-0 mt-1rem">
98.                             <h6 class="card-subtitle text-
muted">Educational</h6>
99.                             <span class="card-text">I got a Diploma in
Italy with the main subject Electrotechnical and Automation in 2006.</span>
<br/>
100.                             <span class="card-subtitle text-
muted">Carminc - 2021 May 03 03:16 PM</span>
101.                         </div>
102.                     </div>
103.                     <
104.                         <div class="mb-1 d-flex justify-content-end">
105.                             <!-- button link to comments -->
106.                             <a type="link"
href="/add_comment/609005a6126f1e2ef253960d" class="btn-post target font-bungee
btn-sm" data-toggle="button" aria-pressed="false">Comment &nbsp; <i class="far
fa-comment"></i></a>
107.                         </div>
108.                     <
109.                 </div>
110.             </section>
111.             <
112.                 <
113.                     <section class="row justify-content-md-center mt-1rem">
114.                         <div class="card">
115.                             <!-- card content -->
116.                             <div class="d-flex">
117.                                 <!-- card body with post's info -->
118.                                 <div class="card-body p-0 mt-1rem">
119.                                     <h6 class="card-subtitle text-
120.                                         muted">Skills</h6>
121.                                     <span class="card-text">I learned about
HTML and CSS at school.</span> <br/>
122.                                     <span class="card-subtitle text-
muted">Iracnem - 2021 May 03 03:12 PM</span>
123.                                 </div>
124.                             </div>
125.                             <
126.                                 <div class="mb-1 d-flex justify-content-end">
127.                                     <!-- button link to comments -->
128.                                     <a type="link"
href="/add_comment/609004e4126f1e2ef253960b" class="btn-post target font-bungee

```

```

129. btn-sm" data-toggle="button" aria-pressed="false">Comment &nbsp; <i class="far
130. fa-comment"></i></a>↵
131. ↵
132. </div>↵
133. </section>↵
134. ↵
135. ↵
136. ↵
137. </main>↵
138. ↵
139. ↵
140. <footer class="row bg-mycolor">↵
141. <p class="m-0 text-center">Copyright &copy; Back On Track 2021</p>↵
142. </footer>↵
143. ↵
144. ↵
145. <!-- JQuery -->↵
146. <script src="https://code.jquery.com/jquery-3.6.0.min.js" ↵
147. integrity="sha256-/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4="
crossorigin="anonymous"></script>↵
148. <!-- Bootstrap scripts -->↵
149. <script
src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.9.1/dist/umd/popper.min.js"
↵
150. integrity="sha384-
SR1sx49pcuLnqZUnnPwx6FCym0wLsk5JZuNx2bPPENzswTNFaQU1RDvt3wT4gWFG"
crossorigin="anonymous"></script>↵
151. <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta3/dist/js/bootstrap.min.js" ↵
152. integrity="sha384-
j0CNLUeiqtyaRmlzUHCPZ+Gy5fQu0dQ6eZ/xAww941Ai1SxSY+0EQqNXNE6DZiVc"
crossorigin="anonymous"></script>↵
153. <!-- my scripts -->↵
154. <script src="/static/js/script.js"></script>↵
155. ↵
156. ↵
157. </body>↵
158. </html>

```

Used the HTML parser.

Total execution time 17 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.4.30