

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by ☐ css

```
<!DOCTYPE html>
<html lang="en-US">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <!-- CDN FontAwesome and Bootstrap -->
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.3/css/all.min.css"
      integrity="sha512-
iBBXm8fW90+nuLcSK1bmrPcLa00T92x01BIsZ+ywDWZCvqswgcccV3gFoRBv0z+8dLJgyAHIhR35VZc2oM/
gI1w==" crossorigin="anonymous" type="text/css" />
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta3/dist/css/bootstrap.min.css" rel="stylesheet"
      integrity="sha384-
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Error** Bad value `logo` for attribute `type` on element `a`: Subtype missing.

[From line 25, column 15; to line 25, column 42](#)

```
<a type="logo" href="/home"><↵
```

2. **Error** Bad value `link` for attribute `type` on element `a`: Subtype missing.

[From line 28, column 15; to line 28, column 63](#)

```
<a type="link" class="navbar-brand" href="/home"><↵
```

3. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 60, column 7; to line 60, column 39](#)

```
r"><↵      <section class="row text-center"><↵
```

4. **Error** Bad value `link` for attribute `type` on element `a`: Subtype missing.

[From line 91, column 21; to line 91, column 146](#)

```
<a type="link" href="/delete_account/carmin" class="btn target
font-bungee btn-sm" data-toggle="button" aria-pressed="false">Delete
```

5. **Error** Element `a` is missing required attribute `role`.

[From line 91, column 21; to line 91, column 146](#)

```
<a type="link" href="/delete_account/carmin" class="btn target
font-bungee btn-sm" data-toggle="button" aria-pressed="false">Delete
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

6. **Error** Bad value `link` for attribute `type` on element `a`: Subtype missing.

[From line 93, column 21; to line 93, column 146](#)

```
<a type="link" href="/update_profile/carmin" class="btn target
font-bungee btn-sm" data-toggle="button" aria-pressed="false">Update
```

7. **Error** Element `a` is missing required attribute `role`.

[From line 93, column 21; to line 93, column 146](#)

```
<a type="link" href="/update_profile/carmin" class="btn target
font-bungee btn-sm" data-toggle="button" aria-pressed="false">Update
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

8. **Error** Bad value `link` for attribute `type` on element `a`: Subtype missing.

[From line 114, column 29; to line 114, column 173](#)

```
<a type="link" href="/delete_post/609005a6126f1e2ef253960d"
class="btn-post target font-bungee btn-sm" data-toggle="button" aria-
pressed="false">Delete
```

9. **Error** Element `a` is missing required attribute `role`.

[From line 114, column 29; to line 114, column 173](#)

```
<a type="link" href="/delete_post/609005a6126f1e2ef253960d"
class="btn-post target font-bungee btn-sm" data-toggle="button" aria-
pressed="false">Delete
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

10. **Error** Bad value `link` for attribute `type` on element `a`: Subtype missing.

[From line 116, column 29; to line 116, column 171](#)

```
<a type="link" href="/edit_post/609005a6126f1e2ef253960d"
class="btn-post target font-bungee btn-sm" data-toggle="button" aria-
pressed="false">Edit &
```

11. **Error** Element `a` is missing required attribute `role`.

[From line 116, column 29; to line 116, column 171](#)

```
<a type="link" href="/edit_post/609005a6126f1e2ef253960d"
class="btn-post target font-bungee btn-sm" data-toggle="button" aria-
pressed="false">Edit &
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

12. **Error** Bad value `link` for attribute `type` on element `a`: Subtype missing.

[From line 118, column 29; to line 118, column 173](#)

```
<a type="link" href="/add_comment/609005a6126f1e2ef253960d"
class="btn-post target font-bungee btn-sm" data-toggle="button" aria-
pressed="false">Commen
```

13. **Error** Element `a` is missing required attribute `role`.

[From line 118, column 29; to line 118, column 173](#)

```
<a type="link" href="/add_comment/609005a6126f1e2ef253960d"
class="btn-post target font-bungee btn-sm" data-toggle="button" aria-
pressed="false">Commen
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

Document checking completed.

Source

```
1. <!DOCTYPE html><↵
2. <html lang="en-US">↵
3. <head>↵
4.   <meta charset="UTF-8">↵
5.   <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
6.   <meta name="viewport" content="width=device-width, initial-scale=1.0">↵
7.   <!-- CDN FontAwesome and Bootstrap -->↵
8.   <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
  awesome/5.15.3/css/all.min.css" ↵
```

```

9.         integrity="sha512-
iBBXm8fW90+nuLcSKlbmrPcLa00T92x01BIsZ+ywDWZCvqswGccV3gFoRBv0z+8dLJgyAHIhR35VZc2
oM/gI1w==" crossorigin="anonymous" type="text/css" />
10.     <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta3/dist/css/bootstrap.min.css" rel="stylesheet"
11.         integrity="sha384-
eOJMYsd53ii+sc0/bJGFsiCZc+5NDVN2yr8+0RDqr0Ql0h+rP48ckxlpbzkGwra6"
crossorigin="anonymous" type="text/css" />
12.     <!-- my stylesheets -->
13.     <link rel="stylesheet" href="/static/css/style.css" type="text/css">
14.
15.
16.
17.
18.     <title>Back On Track - My Profile</title>
19. </head>
20. <body>
21.
22.     <header>
23.         <nav class="navbar navbar-expand-lg navbar-light bg-mycolor font-
bungee" >
24.             <div class="container-fluid">
25.                 <a type="logo" href="/home">
26.                     
27.                 </a>
28.                 <a type="link" class="navbar-brand" href="/home">
29.                     Back On Track
30.                 </a>
31.                 <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation">
32.                     <span class="navbar-toggler-icon"></span>
33.                 </button>
34.                 <div class="collapse navbar-collapse"
id="navbarSupportedContent">
35.                     <ul class="navbar-nav ms-auto mb-2 mb-lg-0">
36.                         <li class="nav-item">
37.                             <a class="nav-link" href="/home">Home</a>
38.                         </li>
39.                         <li class="nav-item">
40.                             <a class="nav-link" href="/about">About</a>
41.                         </li>
42.                         <li class="nav-item">
43.                             <a class="nav-link" href="/contact">Contact</a>
44.                         </li>
45.
46.                         <li class="nav-item">
47.                             <a class="nav-link active"
href="/profile/carmine">Profile</a>
48.                         </li>
49.                         <li class="nav-item">
50.                             <a class="nav-link" href="/logout">Logout</a>
51.                         </li>
52.                     </ul>
53.                 </div>
54.             </div>
55.         </nav>
56.     </header>
57.
58.     <main class="container">
59.         <section class="row text-center">
60.             <!-- flash messages -->
61.
62.
63.
64.
65.         </section>
66.
67.

```

```

68. <section class="row justify-content-md-center mt-1rem">↵
69.   <h4 class="font-bungee text-center">carmine's profile</h4>↵
70. </section>↵
71. <section class="row justify-content-md-center mt-1rem">↵
72.   <div class="card">↵
73.     <div class="mb-2">↵
74.       <!-- card title -->↵
75.       <h6 class="card-subtitle font-bungee text-center mt-
1">profile</h6>↵
76.       <!-- card content -->↵
77.       <div class="d-flex">↵
78.         <figure class="mt-1rem">↵
79.           <!-- image (in future need to be changed with profile's
image) -->↵
80.           ↵
81.         </figure>↵
82.         <!-- get data to user collection -->↵
83.         <div class="card-body p-1 ml-1rem">↵
84.           <span>Email <i class="fas fa-envelope text-color"></i>:
carminepastena1987@gmail.com</span><br/>↵
85.           <span>Linked<i class="fab fa-linkedin text-color"></i>:
https://www.linkedin.com/in/carmine-pastena-a34b4654/</span><br/> ↵
86.           <span>site<i class="fas fa-globe-europe text-color">
</i>: https://github.com/maxthor500</span> ↵
87.         </div>↵
88.       </div>↵
89.       <div class="mb-1 d-flex justify-content-between">↵
90.         <!-- button link to update profile.html -->↵
91.         <a type="link" href="/delete_account/carmine" class="btn
target font-bungee btn-sm" data-toggle="button" aria-pressed="false">Delete
Account &nbsp; <i class="fas fa-trash-alt"></i></a>↵
92.         <!-- button link to update profile.html -->↵
93.         <a type="link" href="/update_profile/carmine" class="btn
target font-bungee btn-sm" data-toggle="button" aria-pressed="false">Update
Profile &nbsp; <i class="fas fa-user-edit"></i></a>↵
94.       </div>↵
95.     </div> ↵
96.   </div>↵
97. </section>↵
98. <h5 class="text-center font-bungee mt-1rem">Your Posts</h5>↵
99. ↵
100. ↵
101.   <section class="row justify-content-md-center mt-1rem">↵
102.     <div class="card">↵
103.       <!-- card content -->↵
104.       <div class="d-flex">↵
105.         <!-- card body with post's info -->↵
106.         <div class="card-body p-0 mt-1rem">↵
107.           <h6 class="card-subtitle text-
muted">Educational</h6>↵
108.           <span class="card-text">I got a Diploma in Italy
with the main subject Electrotechnical and Automation in 2006.</span> <br/>↵
109.           <span class="card-subtitle text-muted">Carmine -
2021 May 03 03:16 PM</span>↵
110.         </div>↵
111.       </div>↵
112.       <div class="mb-1 d-flex justify-content-between">↵
113.         <!-- button link to delete post-->↵
114.         <a type="link"
href="/delete_post/609005a6126f1e2ef253960d" class="btn-post target font-bungee
btn-sm" data-toggle="button" aria-pressed="false">Delete &nbsp; <i class="fas
fa-trash-alt"></i></a>↵
115.         <!-- button link to edit post-->↵
116.         <a type="link"
href="/edit_post/609005a6126f1e2ef253960d" class="btn-post target font-bungee
btn-sm" data-toggle="button" aria-pressed="false">Edit &nbsp; <i class="fas fa-
edit"></i></a>↵
117.         <!-- button link to comment post-->↵
118.         <a type="link"
href="/add_comment/609005a6126f1e2ef253960d" class="btn-post target font-bungee

```

```

119.         btn-sm" data-toggle="button" aria-pressed="false">Comment &nbsp; <i class="far
120.         fa-comment"></i></a><
121.     </div><
122. </div><
123. </section><
124. <
125. <
126. </main><
127. <
128. <
129. <
130. <footer class="row bg-mycolor"><
131.     <p class="m-0 text-center">Copyright &copy; Back On Track 2021</p><
132. </footer><
133. <
134. <
135. <!-- JQuery --><
136. <script src="https://code.jquery.com/jquery-3.6.0.min.js" <
137.     integrity="sha256-/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4="
138.     crossorigin="anonymous"></script><
139. <!-- Bootstrap scripts --><
140. <script
141.     src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.9.1/dist/umd/popper.min.js"
142.     integrity="sha384-
143.     SR1sx49pcuLnqZUnnPwx6FCym0wLsk5JZuNx2bPPENzswTNFaQU1RDvt3wT4gWFG"
144.     crossorigin="anonymous"></script><
145. <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
146.     beta3/dist/js/bootstrap.min.js" <
147.     integrity="sha384-
148.     j0CNLUeiqtYarmlzUHCPZ+Gy5fQu0dQ6eZ/xAww941Ai1SxSY+0EQqNXNE6DZiVc"
149.     crossorigin="anonymous"></script><
150. <!-- my scripts --><
151. <script src="/static/js/script.js"></script><
152. <
153. </body><
154. </html>

```

Used the HTML parser.

Total execution time 10 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.5.3