

StatsIntro

Maxwell Greene

October 16, 2019

Importing data to table

From clipboard

First, copy the entire dataset to the clipboard, including the header row. Then run the following code to assign it to a variable: (I've commented this portion out since I will be loading from a file when running it in this notebook.)

```
#dataset <- read.table("clipboard",header=TRUE)
```

From saved file

I've saved the dataset in a .csv and .xlsx file in the same folder as this notebook, so I can use the read.table command from the file instead of the clipboard.

```
dataset <- read.table("dataset1.csv",  
                      header=TRUE,sep=",")
```

A note about notation (the "<-" operator, specific to R):

You can think of the "<-" operator as "=". More accurately, though, we should say the LHS "gets" or "is assigned" the value of the RHS. There are subtle differences between "<-" and "=" (I'll show one below), but "<-" is more flexible and should be used by default.


```
sum(x=1,2); exists('x')  #returns FALSE  
sum((x=1),2); exists('x') #returns TRUE  
sum(y<-1,2); exists('y') #returns TRUE  
#Notice the equals assignment is only stored when in parenthesis,  
#whereas the y assignment need not be in parenthesis.
```

Boxplots

Creating Plots of Difference (Start - End)


Create a boxplot for diff vs. vision:

```
boxplot(diff~Vis,data=dataset,  
        main="Diff vs. Vision",  
        xlab="Can this person see?",  
        ylab="Difference (start-end)")
```




Create a scatterplot for diff vs. height:

```
plot(x=dataset$Height,y=dataset$diff,  
     main="Height vs. Diff",  
     xlab="Height (cm)",  
     ylab="Difference (start-end)")
```



Create a plot of diff vs. person, an easy way to visualize the distribution of differences among individuals:


```
plot(x=dataset$Person,y=dataset$diff)
```



Create Plots of Walking (Tstart-End)

Create a bixplot for walking vs. vision:

```
boxplot(Walking~Vis,data=dataset,  
        main="Walking vs. Vision",  
        xlab="Can this person see?",  
        ylab="Walking (Tstart-end)")
```



Create a scatterplot for walking vs. height:

```
plot(x=dataset$Height,y=dataset$Walking,  
     main="Height vs. Walking",  
     xlab="Height (cm)",  
     ylab="Walking (Tstart-end)")
```

Height vs. Walking

