## Math Programming Final Project


#### **Maxwell Greene**

Wednesday, May 16th, 2018

#### **Import Variables & Plot Data**

```
global sData gData speedData;
sData = csvread('SData//sData.csv');
gData = csvread('GData//gData.csv');
speedData = csvread('speedData//speedData.csv');

figure('Name','Plot of data'); hold on;
plot(sData(:,1),sData(:,2),'.r');
plot(gData(:,1),gData(:,2),'ob');
plot(speedData(:,1),speedData(:,2),'*g');
title('Initial Data');
hold off;
legend('sData','gData','speedData');
```



## **GData**

I assume the form of a polynomial function for fitting this data. The functions 'ExpEval' and 'ExpError' accept a vector of variable length corrosponding to the coefficients of each exponent of x in a polynomial function.


I start with a guess of a 2nd order polynomial:  $y = .05x^2 - .05x + 5$ 

The error from these values was

```
error = 8.1433e+03
```

Plot the data to visualize the guess curve.

```
plot(gData(:,1),gData(:,2),'ob',gData(:,1),value,'-r'); title('GData with Estimate Curve');
```



Now, I find the funciton with a minimum error.

```
x0 = zeros(evalNum+1);
optInputs = fminsearch(@ExpError,x0);
[optError,optValue] = ExpEval(gData(:,1),gData(:,2),optInputs);
```

The error for the optimized inputs values is

```
optError
optError = 210.9412
```


Notice this error is drastically smaller than our guess.

Our optimum values were:

```
optInputs(:,1)

ans =
    2.1374
    0.0944
    0.0256
```

plot(gData(:,1),gData(:,2),'ob',gData(:,1),optValue,'-r'); title('GData with Calculated Fitte



### **SData**

I assume the form of a sin function for fitting this data. The functions 'SinEval' and 'SinError' accept a vector of length 3, which corrospond to the amplitude, period and phase shift, respectively.


I start with a guess of a sin function:  $y = 2sin(1.5(x + \frac{\pi}{4}))$ .

The error for this guess was

```
error = 163.4848
```

Plot the data to visualize the guess curve.

```
plot(sData(:,1),sData(:,2),'ob',sData(:,1),value,'-r');
title(['SData with Estimated Curve: ',num2str(guess(1)),'sin(',num2str(guess(2)),'(t+',num2str(guess(2)),'));
```



Now, I find the function with a minimum error.

```
x0 = [1 2 0];
optInputs = fminsearch(@SinError,x0);
[optError,optValue] = SinEval(sData,optInputs);
```

The error for the optimized inputs values is


```
optError
optError = 12.9819
```


Notice this error is drastically smaller than our guess.

Our optimum values were:

```
optInputs(:,1)
ans = 0.9490

plot(sData(:,1),sData(:,2),'ob',sData(:,1),optValue,'-r'); title('SData with Calculated Fitted)
```





# SpeedData

I assume the form of a polynomial function for fitting this data. The functions 'LinEval' and 'LinError' accept a vector of variable length corrosponding to the coefficients of each exponent of x in a polynomial function.


I start with a guess of a 1st order polynomial: y = 10x + 5

The error from these values was

```
error = 7.2033e+04
```

Plot the data to visualize the guess curve.

```
plot(speedData(:,1), speedData(:,2), 'ob', speedData(:,1), value, '-r'); title('SpeedData with Est
```



Now, I find the function with a minimum error.

```
x0 = zeros(evalNum+1);
```

```
optInputs = fminsearch(@LinError,x0);
[optError,optValue] = ExpEval(speedData(:,1),speedData(:,2),optInputs);
```

The error for the optimized inputs values is

```
optError
optError = 48.7744
```

Notice this error is drastically smaller than our guess.

Our optimum values were:

```
optInputs(:,1)

ans =
   6.9871
   3.2323

plot(speedData(:,1),speedData(:,2),'ob',speedData(:,1),optValue,'-r'); title('SpeedData with options)
```

