

--- Modul 1 prac 3 num 1 ---

ps -eLf

```
eltex-v14@eltex-2026-summer: ~ — ssh eltex-v14@217.71.138.1 -p 44556
root      692      1      778    0      2 Jul09 ?      00:00:00 /usr/sbin/qemu-ga
root      700      1      700    0      1 Jul09 ?      00:00:00 /usr/lib/systemd/systemd-logind
root      702      1      702    0      7 Jul09 ?      00:00:00 /usr/libexec/udisks2/udisksd
root      702      1      725    0      7 Jul09 ?      00:00:03 /usr/libexec/udisks2/udisksd
root      702      1      760    0      7 Jul09 ?      00:00:00 /usr/libexec/udisks2/udisksd
root      702      1      763    0      7 Jul09 ?      00:00:00 /usr/libexec/udisks2/udisksd
root      702      1      783    0      7 Jul09 ?      00:00:00 /usr/libexec/udisks2/udisksd
root      702      1      784    0      7 Jul09 ?      00:00:00 /usr/libexec/udisks2/udisksd
root      702      1      16556  0      7 08:15 ?      00:00:00 /usr/libexec/udisks2/udisksd
syslog    707      1      707    0      4 Jul09 ?      00:00:00 /usr/sbin/rsyslogd -n -iNONE
syslog    707      1      722    0      4 Jul09 ?      00:00:00 /usr/sbin/rsyslogd -n -iNONE
syslog    707      1      723    0      4 Jul09 ?      00:00:00 /usr/sbin/rsyslogd -n -iNONE
syslog    707      1      724    0      4 Jul09 ?      00:00:00 /usr/sbin/rsyslogd -n -iNONE
root      719      1      719    0      1 Jul09 tty1    00:00:00 /sbin/agetty -o -p -- \u --noclear - linux
root      729      1      729    0      2 Jul09 ?      00:00:00 /usr/bin/python3 /usr/share/unattended-upgrades/u
root      729      1      789    0      2 Jul09 ?      00:00:00 /usr/bin/python3 /usr/share/unattended-upgrades/u
root      777      1      777    0      4 Jul09 ?      00:00:00 /usr/sbin/ModemManager
root      777      1      781    0      4 Jul09 ?      00:00:00 /usr/sbin/ModemManager
root      777      1      785    0      4 Jul09 ?      00:00:00 /usr/sbin/ModemManager
root      777      1      788    0      4 Jul09 ?      00:00:00 /usr/sbin/ModemManager
root      906      1      906    0      4 Jul09 ?      00:00:00 /usr/libexec/upowerd
root      906      1      908    0      4 Jul09 ?      00:00:00 /usr/libexec/upowerd
root      906      1      909    0      4 Jul09 ?      00:00:00 /usr/libexec/upowerd
root      906      1      910    0      4 Jul09 ?      00:00:00 /usr/libexec/upowerd
root      1502     2      1502    0      1 Jul09 ?      00:00:00 [kworker/R-tls-s]
root      2764     1      2764    0      6 Jul10 ?      00:00:01 /usr/libexec/fwupd/fwupd
root      2764     1      2768    0      6 Jul10 ?      00:00:03 /usr/libexec/fwupd/fwupd
root      2764     1      2769    0      6 Jul10 ?      00:00:00 /usr/libexec/fwupd/fwupd
root      2764     1      2770    0      6 Jul10 ?      00:00:05 /usr/libexec/fwupd/fwupd
root      2764     1      2771    0      6 Jul10 ?      00:00:00 /usr/libexec/fwupd/fwupd
root      2764     1      2773    0      6 Jul10 ?      00:00:00 /usr/libexec/fwupd/fwupd
root      12853    1      12853   0      1 Jul13 ?      00:00:00 sshd: root@pts/0
root      12858    1      12858   0      1 Jul13 ?      00:00:00 /usr/lib/systemd/systemd --user
root      12861    12858  12861   0      1 Jul13 ?      00:00:00 (sd-pam)
root      12866     2      12866   0      1 Jul13 ?      00:00:00 [psimon]
root      12927    12853  12927   0      1 Jul13 pts/0    00:00:00 -bash
root      12982    12927  12982   0      1 Jul13 pts/0    00:00:00 awk -F: /etc/group
root      12983    12927  12983   0      1 Jul13 pts/0    00:00:00 awk -F: /etc/group
root      12984    12927  12984   0      1 Jul13 pts/0    00:00:00 head -5
root      15932     2      15932   0      1 06:10 ?      00:00:00 [psimon]
root      16254     2      16254   0      1 07:30 ?      00:00:00 [kworker/0:0-events]
root      16263     2      16263   0      1 07:32 ?      00:00:00 [kworker/u4:3-events_unbound]
root      16282     2      16282   0      1 07:50 ?      00:00:00 [kworker/1:1-events]
root      16284     2      16284   0      1 07:52 ?      00:00:00 [kworker/u4:0-events_power_efficient]
root      16291     2      16291   0      1 08:00 ?      00:00:00 [kworker/1:0]
root      16294     1      16294   0      1 08:00 ?      00:00:00 sshd: /usr/sbin/sshd -D [listener] 0 of 10-100 st
root      16441     2      16441   0      1 08:00 ?      00:00:00 [kworker/u4:1-events_unbound]
root      16449     2      16449   0      1 08:10 ?      00:00:00 [kworker/0:3-cgroup_free]
root      16451     2      16451   0      1 08:10 ?      00:00:00 [kworker/u4:2-events_power_efficient]
root      16452    16294  16452   0      1 08:10 ?      00:00:00 sshd: root@pts/1
root      16508    16452  16508   0      1 08:10 pts/1    00:00:00 -bash
root      16520    16508  16520   0      1 08:10 pts/1    00:00:00 su - user1
user1     16521    16520  16521   0      1 08:10 pts/1    00:00:00 -bash
user1     16557    16521  16557   0      1 08:15 pts/1    00:00:00 ps -eLf
user1@eltex-practice2-v14:~$
```

ps -eLf | awk '{print \$2}' | sort | uniq -c | sort -nr | head -20

6 702

6 2764

4 906

4 777

4 707

4 691

2 729

2 692

2 565

1 PID

1 94

1 85

1 80

1 78

1 719

1 700

1 7

1 69

1 685

```
ps -eLf | awk '{print $2}' | sort | uniq -c | awk '$1 > 1' | wc -l
```

10

top

```
eltex-v14@eltex-2026-summer: ~ — ssh eltex-v14@217.71.138.1 -p 44556
top - 08:18:13 up 4 days, 17:14, 2 users, load average: 0.02, 0.01, 0.00
Tasks: 113 total, 1 running, 109 sleeping, 3 stopped, 0 zombie
%Cpu(s): 0.0 us, 0.0 sy, 0.0 ni,100.0 id, 0.0 wa, 0.0 hi, 0.0 si, 0.0 st
MiB Mem : 3915.9 total, 2699.4 free, 482.0 used, 993.8 buff/cache
MiB Swap: 3185.0 total, 3185.0 free, 0.0 used. 3433.8 avail Mem

  PID USER      PR  NI  VIRT  RES  SHR S %CPU  %MEM    TIME+  COMMAND
    1 root        20   0   22548 13760 9556 S   0.0   0.3   0:07.31 systemd
    2 root        20   0         0     0     0 S   0.0   0.0   0:00.06 kthreadd
    3 root        20   0         0     0     0 S   0.0   0.0   0:00.00 pool_workqueue_release
    4 root         0 -20         0     0     0 I   0.0   0.0   0:00.00 kworker/R-rcu_g
    5 root         0 -20         0     0     0 I   0.0   0.0   0:00.00 kworker/R-rcu_p
    6 root         0 -20         0     0     0 I   0.0   0.0   0:00.00 kworker/R-slub_
    7 root         0 -20         0     0     0 I   0.0   0.0   0:00.00 kworker/R-netns
   10 root         0 -20         0     0     0 I   0.0   0.0   0:00.00 kworker/0:0H-events_highpri
   12 root         0 -20         0     0     0 I   0.0   0.0   0:00.00 kworker/R-mm_pe
   13 root        20   0         0     0     0 I   0.0   0.0   0:00.00 rcu_tasks_kthread
   14 root        20   0         0     0     0 I   0.0   0.0   0:00.00 rcu_tasks_rude_kthread
   15 root        20   0         0     0     0 I   0.0   0.0   0:00.00 rcu_tasks_trace_kthread
   16 root        20   0         0     0     0 S   0.0   0.0   0:00.07 ksoftirqd/0
   17 root        20   0         0     0     0 I   0.0   0.0   0:02.94 rcu_preempt
   18 root        rt   0         0     0     0 S   0.0   0.0   0:01.65 migration/0
   19 root       -51   0         0     0     0 S   0.0   0.0   0:00.00 idle_inject/0
   20 root        20   0         0     0     0 S   0.0   0.0   0:00.01 cpuhp/0
   21 root        20   0         0     0     0 S   0.0   0.0   0:00.00 cpuhp/1
   22 root       -51   0         0     0     0 S   0.0   0.0   0:00.00 idle_inject/1
   23 root        rt   0         0     0     0 S   0.0   0.0   0:01.92 migration/1
   24 root        20   0         0     0     0 S   0.0   0.0   0:00.09 ksoftirqd/1
   26 root         0 -20         0     0     0 I   0.0   0.0   0:00.00 kworker/1:0H-events_highpri
   27 root        20   0         0     0     0 S   0.0   0.0   0:00.04 kdevtmpfs
   28 root         0 -20         0     0     0 I   0.0   0.0   0:00.00 kworker/R-inet_
   29 root        20   0         0     0     0 S   0.0   0.0   0:00.01 kauditd
   30 root        20   0         0     0     0 S   0.0   0.0   0:00.08 khungtaskd
   32 root        20   0         0     0     0 S   0.0   0.0   0:00.00 oom_reaper
   34 root         0 -20         0     0     0 I   0.0   0.0   0:00.00 kworker/R-write
   35 root        20   0         0     0     0 S   0.0   0.0   0:09.28 kcompactd0
   36 root        25   5         0     0     0 S   0.0   0.0   0:00.00 ksmd
   37 root        39  19         0     0     0 S   0.0   0.0   0:00.00 khugepaged
   38 root         0 -20         0     0     0 I   0.0   0.0   0:00.00 kworker/R-kinte
   39 root         0 -20         0     0     0 I   0.0   0.0   0:00.00 kworker/R-kbloc
   40 root         0 -20         0     0     0 I   0.0   0.0   0:00.00 kworker/R-blkcg
   41 root       -51   0         0     0     0 S   0.0   0.0   0:00.00 irq/9-acpi
   42 root         0 -20         0     0     0 I   0.0   0.0   0:00.00 kworker/R-tpm_d
   43 root         0 -20         0     0     0 I   0.0   0.0   0:00.00 kworker/R-ata_s
   44 root         0 -20         0     0     0 I   0.0   0.0   0:00.00 kworker/R-md
   45 root         0 -20         0     0     0 I   0.0   0.0   0:00.00 kworker/R-md_bi
   46 root         0 -20         0     0     0 I   0.0   0.0   0:00.00 kworker/R-edac-
   47 root         0 -20         0     0     0 I   0.0   0.0   0:00.00 kworker/R-devfr
   49 root       -51   0         0     0     0 S   0.0   0.0   0:00.00 watchdogd
   50 root         0 -20         0     0     0 I   0.0   0.0   0:00.00 kworker/R-quota
   52 root        20   0         0     0     0 S   0.0   0.0   0:00.00 kswapd0
   53 root        20   0         0     0     0 S   0.0   0.0   0:00.00 ecryptfs-kthread
   54 root         0 -20         0     0     0 I   0.0   0.0   0:00.00 kworker/R-kthro
   55 root         0 -20         0     0     0 I   0.0   0.0   0:00.00 kworker/R-acpi_
   58 root        20   0         0     0     0 S   0.0   0.0   0:00.00 scsi_eh_0
```

```
eltex-v14@eltex-2026-summer: ~ — ssh eltex-v14@217.71.138.1 -p 44556

Fields Management for window 1:Def, whose current sort field is %CPU
Navigate with Up/Dn, Right selects for move then <Enter> or Left commits,
'd' or <Space> toggles display, 's' sets sort. Use 'q' or <Esc> to end!

* PID      = Process Id
* USER     = Effective User Name
* PR       = Priority
* NI       = Nice Value
* VIRT     = Virtual Image (KiB)
* RES      = Resident Size (KiB)
* SHR      = Shared Memory (KiB)
* S        = Process Status
* %CPU     = CPU Usage
* %MEM     = Memory Usage (RES)
* TIME+    = CPU Time, hundredths
* COMMAND  = Command Name/Line
PPID      = Parent Process pid
UID       = Effective User Id
RUID      = Real User Id
RUSER     = Real User Name
SUID      = Saved User Id
SUSER     = Saved User Name
GID       = Group Id
GROUP     = Group Name
PGRP      = Process Group Id
TTY       = Controlling Tty
TPGID     = Tty Process Grp Id
SID       = Session Id
nTH       = Number of Threads
P         = Last Used Cpu (SMP)
TIME      = CPU Time
SWAP      = Swapped Size (KiB)
CODE      = Code Size (KiB)
DATA      = Data+Stack (KiB)
nMaj      = Major Page Faults
nMin      = Minor Page Faults
nDRT      = Dirty Pages Count
WCHAN     = Sleeping in Function
Flags     = Task Flags <sched.h>
CGROUPS   = Control Groups
SUPGIDS   = Supp Groups IDs
SUPGRPS   = Supp Groups Names
TGID      = Thread Group Id
OOMa      = OOMEM Adjustment
OOMs      = OOMEM Score current
ENVIRON   = Environment vars
vMj       = Major Faults delta
vMn       = Minor Faults delta
USED      = Res+Swap Size (KiB)
nsIPC     = IPC namespace Inode
nsMNT     = MNT namespace Inode
nsNET     = NET namespace Inode
nsPID     = PID namespace Inode
nsUSER    = USER namespace Inode
nsUTS     = UTS namespace Inode
LXC       = LXC container name
RSan      = RES Anonymous (KiB)
RSfd      = RES File-based (KiB)
RSlk      = RES Locked (KiB)
RSsh      = RES Shared (KiB)
CGNAME    = Control Group name
NU        = Last Used NUMA node
LOGID     = Login User Id
EXE       = Executable Path
RSS       = Res Mem (smaps), KiB
PSS       = Proportion RSS, KiB
PSan      = Proportion Anon, KiB
PSfd      = Proportion File, KiB
PSsh      = Proportion Shrd, KiB
USS       = Unique RSS, KiB
ioR       = I/O Bytes Read
ioRop     = I/O Read Operations
ioW       = I/O Bytes Written
ioWop     = I/O Write Operations
AGID      = Autogroup Identifier
AGNI      = Autogroup Nice Value
STARTED   = Start Time from boot
ELAPSED   = Elapsed Running Time
%CUU      = CPU Utilization
%CUC      = Utilization + child
nsCGROUP  = CGRP namespace Inode
nsTIME    = TIME namespace Inode
```

d отключить

enter + right выделить и переместить вверх

```
eltex-v14@eltex-2026-summer: ~ — ssh eltex-v14@217.71.138.1 -p 44556

Fields Management for window 1:Def, whose current sort field is RUSER
  Navigate with Up/Dn, Right selects for move then <Enter> or Left commits,
  'd' or <Space> toggles display, 's' sets sort. Use 'q' or <Esc> to end!

* PID      = Process Id
* USER     = Effective User Name
* RUSER    = Real User Name
* PR       = Priority
* NI       = Nice Value
VIRT      = Virtual Image (KiB)
RES       = Resident Size (KiB)
SHR       = Shared Memory (KiB)
* S        = Process Status
* %CPU     = CPU Usage
* %MEM     = Memory Usage (RES)
* TIME+   = CPU Time, hundredths
* COMMAND = Command Name/Line
PPID      = Parent Process pid
UID       = Effective User Id
RUID      = Real User Id
SUID      = Saved User Id
SUSER     = Saved User Name
GID       = Group Id
GROUP     = Group Name
PGRP      = Process Group Id
TTY       = Controlling Tty
TPGID     = Tty Process Grp Id
SID       = Session Id
nTH       = Number of Threads
P         = Last Used Cpu (SMP)
TIME      = CPU Time
SWAP      = Swapped Size (KiB)
CODE      = Code Size (KiB)
DATA      = Data+Stack (KiB)
nMaj      = Major Page Faults
nMin      = Minor Page Faults
nDRT      = Dirty Pages Count
WCHAN     = Sleeping in Function
Flags     = Task Flags <sched.h>
CGROUPS   = Control Groups
SUPGIDS   = Supp Groups IDs
SUPGRPS   = Supp Groups Names
TGID      = Thread Group Id
OOMa      = OOMEM Adjustment
OOMs      = OOMEM Score current
ENVIRON   = Environment vars
vMj       = Major Faults delta
vMn       = Minor Faults delta
USED      = Res+Swap Size (KiB)
nsIPC     = IPC namespace Inode
nsMNT     = MNT namespace Inode
nsNET     = NET namespace Inode
nsPID     = PID namespace Inode
nsUSER    = USER namespace Inode
nsUTS     = UTS namespace Inode
LXC       = LXC container name
RSan      = RES Anonymous (KiB)
RSfd      = RES File-based (KiB)
RSlk      = RES Locked (KiB)
RSsh      = RES Shared (KiB)
CGNAME    = Control Group name
NU        = Last Used NUMA node
LOGID     = Login User Id
EXE       = Executable Path
RSS       = Res Mem (smaps), KiB
PSS       = Proportion RSS, KiB
PSan      = Proportion Anon, KiB
PSfd      = Proportion File, KiB
PSsh      = Proportion Shrd, KiB
USS       = Unique RSS, KiB
ioR       = I/O Bytes Read
ioRop     = I/O Read Operations
ioW       = I/O Bytes Written
ioWop     = I/O Write Operations
AGID      = Autogroup Identifier
AGNI      = Autogroup Nice Value
STARTED   = Start Time from boot
ELAPSED   = Elapsed Running Time
%CUU      = CPU Utilization
%CUC      = Utilization + child
nsCGROUP  = CGRP namespace Inode
nsTIME    = TIME namespace Inode
```

```
eltex-v14@eltex-2026-summer: ~ — ssh eltex-v14@217.71.138.1 -p 44556
top - 08:25:17 up 4 days, 17:21, 2 users, load average: 0.00, 0.00, 0.00
Tasks: 113 total, 1 running, 109 sleeping, 3 stopped, 0 zombie
%Cpu(s): 0.0 us, 0.2 sy, 0.0 ni, 99.8 id, 0.0 wa, 0.0 hi, 0.0 si, 0.0 st
MiB Mem : 3915.9 total, 2705.8 free, 475.6 used, 993.9 buff/cache
MiB Swap: 3185.0 total, 3185.0 free, 0.0 used. 3440.3 avail Mem

  PID USER   RUSER   PR    NI   S   %CPU   %MEM   TIME+   COMMAND
 16521 user1   user1   20     0    S   0.0    0.1    0:00.01 bash
 16573 user1   user1   20     0    R   0.0    0.2    0:00.05 top
   565 systemd+ systemd+ 20     0    S   0.0    0.2    0:00.91 systemd-timesyn
   564 systemd+ systemd+ 20     0    S   0.0    0.3    0:00.53 systemd-resolve
   553 systemd+ systemd+ 20     0    S   0.0    0.2    0:05.21 systemd-network
   707 syslog syslog   20     0    S   0.0    0.2    0:00.29 rsyslogd
    1 root    root    20     0    S   0.0    0.3    0:07.32 systemd
    2 root    root    20     0    S   0.0    0.0    0:00.06 kthreadd
    3 root    root    20     0    S   0.0    0.0    0:00.00 pool_workqueue_release
    4 root    root    0 -20    I   0.0    0.0    0:00.00 kworker/R-rcu_g
    5 root    root    0 -20    I   0.0    0.0    0:00.00 kworker/R-rcu_p
    6 root    root    0 -20    I   0.0    0.0    0:00.00 kworker/R-slub_
    7 root    root    0 -20    I   0.0    0.0    0:00.00 kworker/R-netns
   10 root    root    0 -20    I   0.0    0.0    0:00.00 kworker/0:0H-events_highpri
   12 root    root    0 -20    I   0.0    0.0    0:00.00 kworker/R-mm_pe
   13 root    root    20     0    I   0.0    0.0    0:00.00 rcu_tasks_kthread
   14 root    root    20     0    I   0.0    0.0    0:00.00 rcu_tasks_rude_kthread
   15 root    root    20     0    I   0.0    0.0    0:00.00 rcu_tasks_trace_kthread
   16 root    root    20     0    S   0.0    0.0    0:00.07 ksoftirqd/0
   17 root    root    20     0    I   0.0    0.0    0:02.94 rcu_preempt
   18 root    root    rt     0    S   0.0    0.0    0:01.65 migration/0
   19 root    root   -51     0    S   0.0    0.0    0:00.00 idle_inject/0
   20 root    root    20     0    S   0.0    0.0    0:00.01 cpuhp/0
   21 root    root    20     0    S   0.0    0.0    0:00.00 cpuhp/1
   22 root    root   -51     0    S   0.0    0.0    0:00.00 idle_inject/1
   23 root    root    rt     0    S   0.0    0.0    0:01.92 migration/1
   24 root    root    20     0    S   0.0    0.0    0:00.09 ksoftirqd/1
   26 root    root    0 -20    I   0.0    0.0    0:00.00 kworker/1:0H-events_highpri
   27 root    root    20     0    S   0.0    0.0    0:00.04 kdevtmpfs
   28 root    root    0 -20    I   0.0    0.0    0:00.00 kworker/R-inet_
   29 root    root    20     0    S   0.0    0.0    0:00.01 kauditd
   30 root    root    20     0    S   0.0    0.0    0:00.08 khungtaskd
   32 root    root    20     0    S   0.0    0.0    0:00.00 oom_reaper
   34 root    root    0 -20    I   0.0    0.0    0:00.00 kworker/R-write
   35 root    root    20     0    S   0.0    0.0    0:09.29 kcompactd0
   36 root    root    25     5    S   0.0    0.0    0:00.00 ksmd
   37 root    root    39    19    S   0.0    0.0    0:00.00 khugepaged
   38 root    root    0 -20    I   0.0    0.0    0:00.00 kworker/R-kinte
   39 root    root    0 -20    I   0.0    0.0    0:00.00 kworker/R-kbloc
   40 root    root    0 -20    I   0.0    0.0    0:00.00 kworker/R-blkcg
   41 root    root   -51     0    S   0.0    0.0    0:00.00 irq/9-acpi
   42 root    root    0 -20    I   0.0    0.0    0:00.00 kworker/R-tpm_d
   43 root    root    0 -20    I   0.0    0.0    0:00.00 kworker/R-ata_s
   44 root    root    0 -20    I   0.0    0.0    0:00.00 kworker/R-md
   45 root    root    0 -20    I   0.0    0.0    0:00.00 kworker/R-md_bi
   46 root    root    0 -20    I   0.0    0.0    0:00.00 kworker/R-edac-
   47 root    root    0 -20    I   0.0    0.0    0:00.00 kworker/R-devfr
   49 root    root   -51     0    S   0.0    0.0    0:00.00 watchdogd
```

root@eltex-practice2-v14:~# passwd

New password:

```
eltex-v14@eltex-2026-summer: ~ — ssh eltex-v14@217.71.138.1 -p 44556
top - 07:34:42 up 12 days, 16:31, 3 users, load average: 0.00, 0.00, 0.00
Tasks: 123 total, 1 running, 119 sleeping, 3 stopped, 0 zombie
%Cpu(s): 0.0 us, 0.0 sy, 0.0 ni,100.0 id, 0.0 wa, 0.0 hi, 0.0 si, 0.0 st
MiB Mem : 3909.0 total, 2101.7 free, 539.7 used, 1559.8 buff/cache
MiB Swap: 3185.0 total, 3185.0 free, 0.0 used. 3369.3 avail Mem

  PID USER   RUSER   PR  NI  S   %CPU %MEM    TIME+  COMMAND
 12927 root    root    20   0  S   0.0  0.1   0:00.03 bash
 12982 root    root    20   0  T   0.0  0.1   0:00.00 awk
 12983 root    root    20   0  T   0.0  0.1   0:00.00 awk
 12984 root    root    20   0  T   0.0  0.1   0:00.00 head
 16294 root    root    20   0  S   0.0  0.2   0:00.00 sshd
 26330 root    root    -2   0  S   0.0  0.0   0:00.00 psimon
 47244 root    root    20   0  S   0.0  1.1   0:03.60 fwupd
 49405 root    root    20   0  I   0.0  0.0   0:01.92 kworker/0:0-events
 49446 root    root    20   0  I   0.0  0.0   0:00.35 kworker/1:3-cgroup_free
 49625 root    root    20   0  I   0.0  0.0   0:00.20 kworker/u4:2-events_power_efficient
 49632 root    root    20   0  I   0.0  0.0   0:00.20 kworker/u4:1-events_power_efficient
 49666 root    root    20   0  I   0.0  0.0   0:00.00 kworker/0:2-events
 49672 root    root    20   0  I   0.0  0.0   0:00.10 kworker/1:0-events
 49683 root    root    20   0  I   0.0  0.0   0:00.03 kworker/u4:3-events_power_efficient
 49685 root    root    20   0  S   0.0  0.3   0:00.04 sshd
 49787 root    root    20   0  S   0.0  0.1   0:00.00 bash
 49831 root    root    20   0  S   0.0  0.1   0:00.06 su
 49833 user1   user1    20   0  S   0.0  0.1   0:00.01 bash
 49859 root    root    20   0  I   0.0  0.0   0:00.00 kworker/1:1
 49860 root    root    20   0  I   0.0  0.0   0:00.00 kworker/1:2-cgroup_release
 49861 root    root    20   0  S   0.0  0.3   0:00.00 sshd
 49918 root    root    20   0  S   0.0  0.1   0:00.00 bash
 49929 root    root    20   0  I   0.0  0.0   0:00.01 kworker/u4:0-events_power_efficient
 49930 root    root    20   0  S   0.0  0.1   0:00.00 su
 49931 user1   user1    20   0  S   0.0  0.1   0:00.01 bash
 49942 root    user1    20   0  S   0.0  0.1   0:00.02 su
 49943 user1   user1    20   0  S   0.0  0.1   0:00.01 bash
 49953 root    user1    20   0  S   0.0  0.1   0:00.00 passwd
```

49953 — PID процесса passwd


```
eltex-v14@eltex-2026-summer: ~ — ssh eltex-v14@217.71.138.1 -p 44556
top - 07:37:53 up 12 days, 16:34, 3 users, load average: 0.00, 0.00, 0.00
Tasks: 121 total, 1 running, 117 sleeping, 3 stopped, 0 zombie
%Cpu(s): 0.0 us, 0.0 sy, 0.0 ni, 99.9 id, 0.1 wa, 0.0 hi, 0.0 si, 0.0 st
MiB Mem : 3892.2 total, 2092.1 free, 532.4 used, 1559.8 buff/cache
MiB Swap: 3185.0 total, 3185.0 free, 0.0 used, 3359.8 avail Mem
PID to signal/kill [default pid = 12982] 49953
  PID USER   RUSER   PR  NI  S  %CPU  %MEM    TIME+  COMMAND
 12982 root     root    20   0  T   0.0   0.1   0:00.00  awk
 12983 root     root    20   0  T   0.0   0.1   0:00.00  awk
 12984 root     root    20   0  T   0.0   0.1   0:00.00  head
 16294 root     root    20   0  S   0.0   0.2   0:00.00  sshd
 26330 root     root    -2   0  S   0.0   0.0   0:00.00  psimon
 47244 root     root    20   0  S   0.0   1.1   0:03.60  fwupd
 49405 root     root    20   0  I   0.0   0.0   0:01.93  kworker/0:0-mm_percpu_wq
 49625 root     root    20   0  I   0.0   0.0   0:00.21  kworker/u4:2-events_unbound
 49666 root     root    20   0  I   0.0   0.0   0:00.00  kworker/0:2-events
 49672 root     root    20   0  I   0.0   0.0   0:00.12  kworker/1:0-events
 49683 root     root    20   0  I   0.0   0.0   0:00.03  kworker/u4:3-events_power_efficient
 49685 root     root    20   0  S   0.0   0.3   0:00.04  sshd
 49787 root     root    20   0  S   0.0   0.1   0:00.00  bash
 49831 root     root    20   0  S   0.0   0.1   0:00.06  su
 49833 user1    user1    20   0  S   0.0   0.1   0:00.01  bash
 49856 user1    user1    20   0  R   0.0   0.2   0:00.46  top
 49860 root     root    20   0  I   0.0   0.0   0:00.00  kworker/1:2-cgroup_release
 49861 root     root    20   0  S   0.0   0.3   0:00.00  sshd
 49918 root     root    20   0  S   0.0   0.1   0:00.00  bash
 49929 root     root    20   0  I   0.0   0.0   0:00.03  kworker/u4:0-events_power_efficient
 49930 root     root    20   0  S   0.0   0.1   0:00.00  su
 49931 user1    user1    20   0  S   0.0   0.1   0:00.01  bash
 49942 root     user1    20   0  S   0.0   0.1   0:00.02  su
 49943 user1    user1    20   0  S   0.0   0.1   0:00.01  bash
 49953 root     user1    20   0  S   0.0   0.1   0:00.00  passwd
 49956 root     root    20   0  I   0.0   0.0   0:00.02  kworker/0:1-events
```

top k 15 (SIGTERM) не завершилось

2 (SIGINT) не завершилось

3 (SIGQUIT) не завершилось

9 (SIGKILL) завершилось

passwd

Changing password for user1.

Current password: Killed

vim ~/file_task3.txt

[1]+ Stopped vim ~/file_task3.txt

sleep 600

^Z

[2]+ Stopped sleep 600

jobs

[1]- Stopped vim ~/file_task3.txt

[2]+ Stopped sleep 600

bg %2

[2]+ sleep 600 &

renice 10 -p \$(pgrep sleep)

49973 (process ID) old priority 0, new priority 10

ps -o pid,nice,cmd -C sleep

PID NI CMD

49973 10 sleep 600

fg %1

kill -15 %2

[2]+ Terminated sleep 600

jobs

user1@eltex-practice2-v14:~\$

trap 'echo "Меня голыми руками не возьмёшь!"' SIGINT SIGQUIT

kill -SIGINT \$\$

Меня голыми руками не возьмёшь!

kill -SIGQUIT \$\$

Меня голыми руками не возьмёшь!