APPROVAL PAGE

Generic Name: Isoplasma (INTRAVENOUS INJECTION) B.P.

Each 500 ml Contains:

Sodium Chloride B.P 4.225gm

Potassium Chloride B.P. 0.25gm

Poly Vinyl Pyrrolidone B.P. 20.0gm

Water for injection USP. q.s.

Packing Size: 500ml in a PVC pouch.

Shelf Life: 3 years, proceeding date of production

PRODUCT MASTER FORMULA	**BML/QA/MFR/015**
BMR CODE. No.:	**BML/BMR/QA/015**
Review date:	**January, 2026**
Next Review Date:	**January, 2028**

Document Issued by: **Sign/Date:**	**Collected by:** **Sign/Date:**

Batch to be manufactured according to the Product Master Formula Number: BML/QA/MFR/015 without any modification / with the following modifications.

_____

Authorized by / Date (Superintendent Pharmacist)

TABLE OF CONTENT

S/n	Title	Page number
1.	APPROVAL PAGE	1
2.	TABLE OF CONTENTS	2
3.	MATERIAL REQUISITION	3
4.	PRODUCTION EQUIPMENT LIST	4
5.	MANUFACTURING CHECK LIST	6
6.	WEIGHING RECORDS	7
7.	DISPENSING CHECKLIST/CLEARANCE	7
8.	DISPENSING ROOM STATUS	7
9.	APPROVAL TO START DISPENSING OPERATION	7
10.	ACTIVE INGREDIENT IDENTIFICATION	7
11.	PVC POUCH DISPENSING FOR CODING	8
12.	BATCH CODING LINE CLEARANCE	8
13.	CODING SETTING AND IMPRESSION	8
14.	APPROVED POUCH CODING SPECIMEN ATTACH	10
15.	RECONCILIATION OF POUCH CODING ACTIVITIES	11
16.	MIXING ROOM CHECKLIST	11
17.	MIXING LINE CLEARANCE MONITORING FORM	12
18.	MIXING INSTRUCTION PROCEDURE	13
19.	IN-PROCESS SAMPLE ANALYSIS INTIMATION AND REPORT	14
20.	FILLING LINE CLEARANCE	15
21.	FILLING RECORDS	16
22.	PERIODIC VOLUME CHECK PAGE	17
23.	RECONCILIATION OF FILLING PROCESS	17
24.	STERILIZATION RECORDS PAGE	18
25.	PACKAGING RECORDS/CHECKLIST	19
26.	PACKAGING INSTRUCTIONS	20
27.	PACKAGING RECONCILIATION	20
28.	GENERAL RECONCILIATION	21
29.	CHECK LIST OF BATCH RECORDS	22
30.	DECLARATION PAGE AND PRODUCT RELEASE	22

MATERIALS REQUISITION				
Product Name: Isoplasma Injection				
Raw Materials Requisition				
Raw Material Name	**Material code**	**QC A. R. No.**	**Quantity Requested**	**Quantity Issued**
Polyvinylpyrrolidone	**RMA0010**			

Requested By Production Pharmacist	Issued By Store officer	Checked By IPQA
Sign/ Date	Sign/ Date	Sign/ Date

Packaging Materials Requisition					
Packaging Material	**Material code**	**QC A. R. No.**	**Quantity Requested**	**Quantity Issued**	**Quantity used**
PVC Pouches (500ml)	**PK0001**	PM/AR/QC/			
Polycarbonate Stoppers	**PK0002**	PM/AR/QC/			
Wrapping Nylons	**PK0003**	PM/AR/QC/			
Mono-cartons	**PK0004**	PM/AR/QC/			
Labels	**PK0005**	PM/AR/QC/			
Shippers Cartons	**PK0006**	PM/AR/QC/			

Requested By Production Pharmacist	Issued By Store officer	Checked By IPQA
Sign/ Date	Sign/ Date	Sign/ Date

PRODUCTION EQUIPMENT LIST

Equipment Description	Machine Code	Sop Operation Number	Sop Cleaning Number	Equip. used	Cleaned / Cal. by	Checked By
LOCATION: SOLUTION PREPARATION ROOM						
Digital Balance (15kg)	BL/SPR/PE/001	BML-QDG-QA-079	BML-PDF-PR-006			
Electronic Balance (50kg)	BL/SPR/PE/002	BML-QDG-QA-079	BML-PDF-PR-006			
Dispensing Booth	BL/DSB/PE/001	BML-PDF-PR-015	BML-QDG-QA-064			
Mixing Vat 1 (2,000 litres)	BL/SPR/PE/007-1	BML-PDF-PR-007	BML-PDF-PR-007			
Mixing Vat 2 (2,000 litres)	BL/SPR/PE/007-2	BML-PDF-PR-007	BML-PDF-PR-007			
Mixing Vat 3 (2,000 litres)	BL/SPR/PE/007-3	BML-PDF-PR-007	BML-PDF-PR-007			
Pass box 1	BL/FR/PE/001	BML-PDF-PR-029	BML-PDF-PR-029			
LOCATION: FILLING ROOM						
Semi Automatic Filling Machine 1	BL/FR/PE/001	BML-PDF-PR-010	BML-PDF-PR-010			
Semi Automatic Filling Machine 2	BL/FR/PE/002	BML-PDF-PR-010	BML-PDF-PR-010			
Semi Automatic Filling Machine 3	BL/FR/PE/003	BML-PDF-PR-010	BML-PDF-PR-010			
Semi Automatic Filling Machine 4	BL/FR/PE/004	BML-PDF-PR-010	BML-PDF-PR-010			
Semi Automatic Filling Machine 5	BL/FR/PE/005	BML-PDF-PR-010	BML-PDF-PR-010			
Pass Box 2	BL/FR/PE/002	BML-PDF-PR-029	BML-PDF-PR-029			
Pass Box 3	BL/FR/PE/003	BML-PDF-PR-029	BML-PDF-PR-029			
LOCATION: BATCH CODING ROOM						
Batch Coding Machine 1	BL/BC/PE/001	BML-PDF-PR-020	BML-PDF-PR-020			
Batch Coding Machine 2	BL/BC/PE/002	BML-PDF-PR-020	BML-PDF-PR-020			
Batch coding machine (S.A.1)	BL/BC/PE/003	BML-PDF-PR-020	BML-PDF-PR-020			

Batch coding machine (S.A.2)	BL/BC/PE/004	BML-PDF-PR-020	BML-PDF-PR-020			
Pass Box 4	BL/FR/PE/002	BML-PDF-PR-029	BML-PDF-PR-029			
LOCATION: AUTOCLAVING AREA						
De Lama Autoclave	BL/AC/PM/001	BML-PDF-PR-017	BML-PDF-PR-017			
Pharmalab Autoclave	BL/AC/PM/002	BML-PDF-PR-018	BML-PDF-PR-018			
Production Pharmacist/Supervisor		**Date**	**Quality Assurance Officer**			**Date**

Equipment Description	**Machine Code**	**Sop Operation Number**	**Sop Cleaning Number**	**Equip. used**	**Cleaned / Cal. by**	**Checked By**
LOCATION: PACKAGING UNIT						
Leak testing machine 1	BL/LKM/PE/001	BML-PDF-PK-035	BML-PDF-PK-035			
Leak testing machine 2	BL/LKM/PE/002	BML-PDF-PK-035	BML-PDF-PK-035			
Sighting board 1	BL/SB/PE/001	BML-PDF-PK-027	BML-PDF-PK-027			
Sighting board 2	BL/SB/PE/002	BML-PDF-PK-027	BML-PDF-PK-027			
Overwrapping machine 1	BL/SWM/PE/001	BML-PDF-PK-046	BML-PDF-PK-045			
Overwrapping machine 2	BL/SWM/PE/002	BML-PDF-PK-046	BML-PDF-PK-046			
Others1						
Others2						
Packaging Supervisor	**Date**	**Quality Assurance Officer**				**Date**

MANUFACTURING CHECKLIST

1. General Safety Procedures

- All staff should clean hands with antiseptic liquid soap, use disinfectants and dry them using hand dryers as per sop proper use of lavatory (BML-QDG-QA-008)
- All staff should wear face masks, hand gloves, factory overalls and clean rubber shoes as per sop on gowning and use of change room (BML-QDG-QA-011)

2. General Good Documentation Practice

- All manufacturing process activities should be recorded in the BMR
- All documentation work should be recorded online and properly
- All entries in the BMR should be legible and clear with no overwriting. If any mistake cross with a single line and rewrites the correct form, sign the error as per sop on document control and management (BML-QDG-QA-002)

	Remark (Yes/No)	Comments (ok/Not ok)	Checked by	Verified by
3. Cleaning/Sterilization • Ensure that all machinery and equipment have been cleaned according to their respective SOP's				
4. Materials Availability • Ensure sufficient demineralised water is available for cooling of Autoclave				
• Ensure sufficient WFI water is available for manufacturing of the batch				
• Ensure sufficient filters (**0.8 whatman, 0.45 and 0.2 Micron filters**) is available for manufacturing of the batch				
• Ensure that QC test materials and chemicals are available for in-process analysis				
• Ensure that primary packaging materials are available				

WEIGHING RECORDS

DISPENSING LINE CLEARANCE

s/n	Checks	Remark (Yes/No)	Comments (ok/Not ok)	Checked by	Verified by
1.	Dispensing room and Dispensing booth cleaned?				
2.	Scoops, Spatulas, Weighing Balance verified?				
3.	Verification of scales and balances done?				
4.	Waste from the previous product has been cleared?				
5.	Floors, Walls, Pass Box been clean/cleared				
6.	Papers, Tags, Forms needed affixed properly?				

DISPENSING ROOM STATUS

ROOM	CONDITIONS				
	TEMPERATURE NMT 25°C	RELATIVE HUMIDITY NMT 75%	DIFFERENTIAL PRESSURE NLT 1mmH20	VERIFIED BY	REMARKS
DISPENSING BOOTH					

APPROVAL TO START DISPENSING OPERATION

IPQA Analyst Yes ☐ No ☐

Sign:	Date:	Time:

QC ACTIVE INGREDIENT IDENTIFICATION

Material	Specification		Result
Poly Vinyl Pyrrolidone	Stp ref. no	BML/QA/STP/RMA/010	
Sodium Chloride	Stp ref. no	BML/QA/STP/RMA/001	
Potassium Chloride	Stp ref. no	BML/QA/STP/RMA/003	

Description of Materials	Q.C AR. Number	Quantity Weighed		Unit (Kg)	Weighed by	Checked by	Verified by QA
Poly Vinyl Pyrrolidone B.P.		Std QTY	64.00	kg			
		Net					
Sodium Chloride B.P.		Std QTY	13.52	Kg			
		Net					
Potassium Chloride B.P.		Std QTY	0.80	Kg			
		Net					

Production Pharmacist/Supervisor	Date	Q. A. Officer	Date

PVC POUCH DISPENSE FOR CODING					
Description of Materials	**Q.C AR. Number**	**Quantity Required**	**Quantity Issued**	**Checked by**	**Verified by QA**
500ml PVC Pouches		**3050Pouches**			
Polycarbonate Stoppers		**3050 stoppers**			

BATCH CODING LINE CLEARANCE		
Previous Product :	**B.No:**	
Present Product:	**B.No:**	
Check List	**Checked by (Production)**	**Verified by (QA)**
Area Cleanliness (Floor, walls, ceiling, Machines, Pass box).		
Ensure Proper pouches are taken for coding.		
Ensure Proper Coder setting is printed on the pouches.		
Environmental Conditions : Std Temp. : NMT 27°C, Actual Temp. : ^{0}C		

CODING SETTING AND IMPRESSION	
Coder setting and Impressions given by	**Name:** Sign/Date:
Clarity	
Batch No Setting	
Mfg. Setting	
Exp. Setting	
CHECKED BY: Production Pharmacist/Supervisor	**VERIFIED BY: QA Officer**
Sign & Date:	Sign & Date:

MASTER COPY

CHECKLIST					
Check the cleanliness of individual workstations, and the environment is adequately termed "clean"					
Ensure all operators are properly kitted					
Inspect each code station to conformity to product, batch and period.					
Ensure coding is adequately filled in the print area. Repeat procedures 15 minutes from the commencement of the batch.					
Time	**Checked by**	**Verified by**	**Time**	**Checked by**	**Verified by**

CONTROL COPY

Pouch Coding: First pouch impression setting to be checked by Production Pharmacist/Supervisor verified by Q.A. Officer & retained in the BMR.

Specimen of Pouch After Setting (Production Supervisor and IPQA personnel shall verify and Sign the Specimen Label)

Production Pharmacist/Supervisor

sign/date: ……

IPQA officer

sign/date: ……

RECONCILIATION OF POUCH CODING ACTIVITY	
ITEM/ PARAMETER	**PVC POUCH**
Qty. Received	
Qty. Printed	
Qty. Rejected	
Unprinted Qty. Return to store	
Quantity submitted for approval	
Percentage yield (%)	
Batch coding done by	
Checked by (Production Supervisors):	
Verified by (QA):	

MIXING ROOM CHECKILIST	
s/n	**Instructions**
1.	Ensure that the area, equipment and accessories are clean. All remnant material of previous batch is removed.
2.	Line clearance is taken before starting the mixing operation.
3.	Gloves, nose masks are to be worn during mixing.
4.	Environmental conditions are to be recorded properly.
5.	All weighed materials must be properly labelled
6.	Ensure WFI is cleared by QC before mixing
7.	Carry out the mixing operation according to cGMP

Previous Product:	**B. NO.:**	
Check List	**Checked by(Production)**	**Verified by (QA)**
Area Cleanliness		
Equipment &accessories (Mixing tank, stirrer, transfer pumps etc.) cleanliness		
Absence of previous product / batch materials		
Personnel Accessories (PPE and cleanliness)		

MIXING LINE CLEARANCE MONITORING FORM				
Time:	Clean		Not clean	
Area				
Personnel				
Equipment/Vessel	Equipment/Vessel No.	Cleaned by	Status	Inspected by QA
Weighing Balance	BL/SPR/PE/002			
Lamina Air flow (Dispensing Booth)	BL/DSB/PE/001			
Mixing Vessel (2000litres)	BL/SPR/PE/007			
Present / Absent of previous product	**Parameters**		**Specification**	**Result**
Previous product:	Colour		colourless	
Batch No:	Identification		Must comply	
Present product:	pH		5.0-7.0	
Batch No:	Conductivity		NMT 1.3µs	
Remark :			QA Officer	Date

MIXING INSTRUCTIONS PROCEDURE

Date:		Time Started	Time Stopped	Done by Operator	Checked by Supervisor	Verified by QA
1.	Transfer 1400 Liters of WFI required into the appropriate mixing vat					
2.	Switch on the stirrer and add **13.52kg Sodium Chloride, 0.80kg Potassium Chloride** and **64.00kg povidone** gradually until the total quantity is transferred into the water. Stir for 10 minutes					
3.	Stir until an homogenous solution is obtained					
4.	Switch off the stirrer and make the volume of the solution with sterile apyrogenic water to the batch volume					
5.	Switch on the stirrer and stir for 10 minutes					
6.	Request for the QC department to take a sample for in-process analysis					
7.	On QC department release, switch off the stirrer					
8.	Transfer the solution to the filling room through the Millipore filtration system					
9.	*N.B.* Use **0.8 whatman filter as pre-filter, then 0.45and 0.2 micron filters** for final filtration & record number of filter pads used.					
Time Process completed:						
Production Pharmacist/Supervisor		**Date**		**Q.A. Officer**		**Date**

MASTER COPY

IN – PROCESS SAMPLE ANALYSIS INTIMATION AND REPORT

Product: Isoplasma solution	Batch No.: IS25
Time given:	Date:
Intimation given by:	Received by:
Sampled by:	Release Time:
STP Ref no: BML/QA/STP/FPF/014	
QC Equipment Status	

Equipment Description	Machine Code	Sop Operation No.	Sop Cleaning No.	Equip. used	Equip. Status	Checked By
Digital PH Meter	BL/EQ /QAE/007	BML-QDF-CL-009	BML-QDF-CL-009			
Hand-held PH	BL/EQ /QAE/010	BML-QDF-CL-008	BML-QDF-CL-008			
Digital Conductivity Meter	BL/EQ /QAE/008	BML-QDF-CL-010	BML-QDF-CL-010			
Hand-held Cond. meter	BL/EQ /QAE/009	BML-QDF-CL-028	BML-QDF-CL-028			
Auto. Polarimeter	BL/EQ /QAE/002	BML-QDF-CL-027	BML-QDF-CL-027			
Analogue Polarimeter	BL/ EQ/QAE/003	BML-QDF-CL-013	BML-QDF-CL-013			
UV Spectrophotometer	BL/EQ /QAE/001	BML-QDF-CL-011	BML-QDF-CL-011			
Fume cupboard	BL/EQ /QAE/013	BML-QDF-CL-014	BML-QDF-CL-014			

pH of Water result	Limits	pH of sample result	Limits	Description	Remark
	5.0 – 7.0		4.0 – 7.0	Clear and particles free solution	

In – process sample Assay result

Sample quantity	Active Ingredient	Specification	Active Content (%)	Remark
500ml	Povidone B.P.	1.215 – 1.275 (Relative viscosity)		
	Total Chloride	95% - 105%		

Remark: The batch is released / not released for filling. (Attach the released slip into the BMR)

Q.A. Analyst Sign/Date	**Q.C Head Sign /Date**

Prepared By	RABIU I.M	Reviewed By	Agbowle L.W	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

CONTROL COPY

FILLING LINE CLEARANCE				
Time:	Clean		Not Clean	
Area				
Personnel				
Equipment/Vessel	Equipment/Vessel No.	Cleaned by	Status	*Inspected by QA*
Semi-Automatic filling machine 1	BL/FR/PE/001			
Semi-Automatic filling machine 2	BL/FR/PE/002			
Semi-Automatic filling machine 3	BL/FR/PE/003			
Semi-Automatic filling machine 4	BL/FR/PE/004			
Semi-Automatic filling machine 5	BL/FR/PE/005			
Dynamic pass box	BL/PTB/PE/001			
Present / Absent of previous product	Parameters	specification	*Result*	
Previous Product:	Colour	Colourless		
Batch No.:	Identification	Must comply		
Present Product:	pH	5.0-7.0		
Batch No.:	Conductivity	NMT 1.3µs		
Remark:	QA Officer:		Sign/ Date	

FILLING RECORDS						
Stage	**FILLING INSTRUCTIONS**	**Time Started**	**Time Stopped**	**Done by**	**Checked by Pharmacist/Supervisor**	**Verified by QA**
A.	*Time :*					
1.	Collect the appropriate product pouches & pouch size/batch size from batch coding section					
2.	Rinse filling machine with 75 litres of hot sterile apyrogenic water					
3.	Rinse filling machine with 15 litres of prepared product					
4.	Fill products into PVC Pouches					
5.	Take samples of initial filling for QC with green/masking tape tags					
6.	Check volume filled on each machine every 20-30 minutes and take necessary corrective action. Record volume filled in log sheet					
7.	Use stoppers to seal the filled bags					
8.	Transfer bags through the pass-box to the loading bay					
9.	Load filled bags onto trays/trolleys and record total quantity loaded					
10.	N.B. Use **0.8-, 0.45**- and **0.2**-micron filters					

Production Pharmacist/Supervisor	**Date**	**Quality Assurance Officer**	**Date**

MASTER COPY

PERIODIC VOLUME CHECK

Stage	CORRELATED IN TERMS OF FILLED VOLUME	
	Date : ***Time started:***	**Filling Specification: 500ml – 510ml** **Time Stopped:**

1. Adjust the volume to not less than the expected final volume.
2. Cross check using measuring cylinder at delivery point of the nozzles.
3. Check the volume of filled pouch by cutting with a stainless steel scissors and measure the content volume using a measuring cylinder
4. Check the volume every 20-30 minutes of filling operation

	FILLED VOLUME FROM DELIVERED NOZZLES									
TIME	**1**	**2**	**3**	**4**	**5**	**6**	**7**	**8**	**9**	**CHECKED BY**
	FILLED VOLUME FROM DELIVERED NOZZLES									
TIME	**10**	**11**	**12**	**13**	**14**	**15**	**16**	**17**	**18**	**CHECKED BY**
	FILLED VOLUME FROM DELIVERED NOZZLES									
TIME	**19**	**20**	**21**	**22**	**23**	**24**	**25**	**26**	**27**	**CHECKED BY**

RECONCILIATION OF FILLING:

A. Total no. of Pouches coded =_____No. of Pouches.
B. Actual no. of Pouches filled =_____No. of Pouches.
C. No. of Pouches rejected =_____No. of Pouches.
D. No. of Pouches unfilled =_____No. of Pouches.
E. Retention sample with BMR =_____No. of Pouches.
F. Net yield (B + E) =_____No. of Pouches.
G. % Net yield (F x 100 / A) =_____%

Destroy rejected Pouches as per **SOP No.: BML/PR/031** **Done by:**

Production Pharmacist/Supervisor	**DATE**	**Q.A. Officer**	**DATE**

Prepared By	RABIU I.M	Reviewed By	Agbowle L.W	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

CONTROL COPY

STERILIZATION RECORDS

Previous Product:	**B.NO:**	
Check List	**Checked by (Production)**	**Verified by (QA)**
Area Cleanliness		
Check the cleanliness of the Autoclave		
Ensure absence of materials from Previous product/batch.		
Thermograph paper is in place		
Chemical indicator availability		

Stage	**INSTRUCTIONS**	**Record**				**Operator**	**DATE**
Loading	*Pharmalab Autoclave*	**Name**					
		Sign					
	Autoclave number						
	Machine Code						
	Quantity loaded						
	Parameters	Start time	End time	Pressure	Temperature		
	Pure water in						
Sterilization	Recirculation						
	Heating						
	Sterilization						
	Post treatment						
Cooling	Cooling 1						
	Cooling 2						
	Pressure Equalization						
	Process Ended						
	Total Time						
Off Loading	Quantity leaked						
	QA samples						
	Total quantity offloaded						
	Percentage yield(%)						
	Remark						
	. Signature	Engineer In charge	Production Pharm/Supervisor	QA Officer			

Stage	*De lama Autoclave*	**Record**					**Operator**	**DATE**
Loading	Machine Code							
	Cleaned By	**Name**						
		Sign						
	Quantity Loaded							
Sterilization	**Stage**	**Parameter**						
		Start time	End time	Pressure	Temp	F0		
	Water Loading							

Prepared By	RABIU I.M	Reviewed By	Agbowle L.W	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

CONTROL COPY

	Water Recycling							
	Heating							
	Sterilization							
	Slow Cooling							
	Cooling							
	Water Drainage & Pressure Exhaust							
	End Cycle							
Offloading	Quantity leaked							
	QA samples							
	Total quantity offloaded							
	Percentage yield(%)							
	Remarks							
Engineer in-charge		Production Pharmacist/Supervisor				QA Officer		
Thermograph to be checked & signed by Operator, Engineering in charge & Pharmacist/Supervisor & attach to BMR.								

PACKAGING RECORDS/CHECKLIST

Time Sterilization Ended:	**Time Packaging starts:**	
LINE CLEARANCE – Packing Operation	**Date:**	
Previous Product :	**B.NO:**	
Check List	**Checked by (Production)**	**Verified by (QA)**
Ensure all the personnel are in appropriate overall.		
Check area and equipment cleanliness (Floor, walls, ceiling, conveyor belt, viewing board leak-test machine).		
Check the cleanliness of the Packing Line		
Ensure absence of materials from Previous product/batch.		
Ensure proper batch sterilized filled Pouches are brought in from offloading area		
Ensure sterilized filled pouches are already cleared by QA before packing		
Ensure all proper material for packing are available		
Check the coded Cartons for details of coding and if it tallies with the batch details on the product for packing		

Stage	Packaging Instructions	Signature	Date
1.	Offload sterilized product from the trolleys. **QUANTITY OFFLOADED**:		

2.	Check and record all leakages on sterilization **QUANTITY LEAKED: .....**		
PACKAGING INSTRUCTIONS			
1.	Ensure that all packaging materials are assembled and are in their correct quantities		
2.	Check individual pouches for particles using viewing light. **QUANTITY OF BAGS WITH PARTICLES**:		
3.	Check individual bags for leakages. **QUANTITY OF LEAKING POUCHES: .....** **% OF LEAKAGES**:		
4.	Complete packing of the sterilized product Time completed		
5.	Record quantity packed for each product/pack. **QUANTITY PACKED: .....** **TIME TAKEN: .....** **NUMBER OF STAFF: .....** **PACKAGING LINE LEADER: .....**		
6.	Store in quarantine store area until QA release		
7.	**Transfer of finished product to store**		
	Quantity transferred:		
	Quantity checked by Internal auditor:		
	Production Supervisor:		
	Store officer:		
	Quantity received by store officer:		

PACKAGING RECONCILIATION			
Date:	Time started:	Time Completed:	
Number of filled pouches received from autoclaving section			
Leakages			
Deformed			
Visible particles			
Under filled			
Over filled			
Bleached			
TOTAL REJECT			
Retention/Stability sample	Quantity sampled:	Sampled by:	
Percentage yield (%)			
Packaging Supervisor sign	Date	Quality Assurance Officer sign	Date

GENERAL RECONCILIATION			
Number of bags coded		Batch coding reject(s):	Batch coding actual % yield:
Number of bags filled		Number of bags unfilled Filling reject(s)	Filling actual %yield
Number of bags loaded		Loading reject(s)	Loading actual yield%
Number of bags autoclaved		Autoclaving reject(s)	Autoclaving actual yield %
Number of pouches packed		Packaging reject(s)	Packing actual yield %
QA pouch sample (must be attached to BMR)			
Total quantities sampled for both Q.A. analysis and retention.			
Quantity transferred to FG Store			
Standard yield(No's)			
Actual Yield (No's)			
Actual Yield (%)			
Production Manager	**Date**	**Released By Quality Assurance Manager**	**Date**

(Investigation should be made if the yield result does not meet specification)

Comment: _____

Deviation (if any) ……

……

Declaration:

The above-mentioned batch has been manufactured in accordance with In-House & B.P/USP, Specifications following strict adherence to cGMP procedures and is duly released for sales after all production records, environmental monitoring records and Q.C. analytical reports are checked and found to be satisfactory.

MASTER COPY

CHECKLIST OF BATCH RECORD

SN	Description	Document availability checked by	
		Production	QA
1	BATCH DETAILS		
2	DISPENSING MATERIAL LABELS (IF ANY)		
3	APPROVED CODED POUCH FOR THE BATCH		
4	APPROVED CODED MONO CARTON FOR THE BATCH (IF ANY)		
5	THERMOGRAPH/CHEMICAL INDICATOR		
6	PRODUCT RECONCILIATION		
7	INVESTIGATION/DEVIATION REPORT (IF ANY)		
8	DULY FILLED AND SIGNED?		
QUALITY CONTROL REPORT AND MISCELLANOUS DOCUMENTS (Checked by QA)			
9	BET REPORT/PYROGEN REPORT		
10	STERILITY TEST REPORT		
11	FINISHED PRODUCT (CERTIFICATE OF ANALYSIS		
12	PRODUCT RELEASE SLIP		

BMR CHECKED BY:	DATE:	SIGN:

CONTROL COPY