MASTER COPY

	Biomedical Limited, *1, Ohimege Road, Ind. Estate, Ilorin, Kwara State*		
	BATCH MANUFACTURING RECORD		**Page 1 of 25**
	BIOBABE SYRUP		
	Batch No.: BB2	**MFD:**	**Pack Size: 60ml**
	Batch Size: 2500 Liters (41,666 bottles)	**EXD:**	

APPROVAL PAGE

Generic Name: Paracetamol +Diphenhydramine HCL+ Conc. dill water B.P.

Each 5ml Contains:

Paracetamol BP	120mg
Diphenhydramine hydrochloride BP	7mg
Conc. Dill water BP	0.1ml

Packing Size: 60ml per Amber Colour Bottle duly labelled & packed in a Monocarton.

Shelf Life: 3 years from the date of manufacture.

PRODUCT MASTER FORMULA MANUAL NUMBER:	**BML/QA/MFR/012SYP**
BMR. No.:	**BML/BMR/QA/012SYP**
Review date:	**FEBRUARY, 2024**
Next Review Date:	**JANUARY, 2026**

Document Issued by: **Sign/Date:**	**Collected by:** **Sign/Date:**

Batch to be manufactured according to the Product Master Formula Record Number: **BML/QA/MFR/012SYP** without any modification / with the following modifications.

_____

Authorized by / Date (Superintendent Pharmacist)

Prepared By	RABIU I.M	Reviewed By	Agbowla L.W	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

CONTROL COPY

MASTER COPY

TABLE OF CONTENT

S/n	Title	Page number
1.	APPROVAL PAGE	1
2.	TABLE OF CONTENTS	2
3.	MATERIAL REQUISITION	3-4
4.	PRODUCTION EQUIPMENT LIST	5-6
5.	MANUFACTURING CHECK LIST	7
6.	WEIGHING RECORDS	8
7.	DISPENSING CHECKLIST/CLEARANCE	8
8.	DISPENSING ROOM STATUS	8
9.	APPROVAL TO START DISPENSING OPERATION	8
10.	ACTIVE/EXCIPIENT INGREDIENT IDENTIFICATION	8-9
11.	COMPOUNDING GENERAL INSTRUCTION	10
12.	COMPOUNDING QUALITY CHECK LIST	10
13.	MANUFACTURING PROCESS	11-12
14.	COMPOUNDING RECONCILIATION	12
15.	IN-PROCESS SAMPLE ANALYSIS INTIMATION AND REPORT	13
16.	PACKAGING MATERIAL REQUISITION	14
17.	BATCH CODING SETTING	15
18.	CODER SETTING AND IMPRESSION	15
19.	BATCH CODING VERIFICATION	15
20.	LABEL/MONO CARTON INFORMATION ASSURANCE SHEET	16
21.	RECONCILIATION OF CODING ACTIVITIES	17
22.	BATCH PACKING GENERAL CHECK LIST	17
23.	BOTTLE PACKING MACHINE INFORMATION	18
24.	LINE CLEARANCE FOR LIQUID AND PACKING AREA	19
25.	LIQUID FILLING SETUP	19
26.	BOTTLE WASHING RECORD	20
27.	BOTTLE FILLING AND PACKING INSTRUCTIONS	20
28.	VOLUME CHECK-UP FOR THE NOZZLES	21
29.	PACKING IN-PROCESS CHECKS	22
30.	SHIPPER WEIGHING LOG	22
31.	PACKING ACTIVITIES RECORD	22-23
32.	PACKED SHIPPERS TRANSFER TO FINISHED GOOD STORE	23
33.	PACKAGING MATERIAL RECONCILIATION SHEET	23-24
34.	YIELD RECONCILIATION	24
35.	CHECK LIST OF BATCH RECORDS	25
36.	DECLARATION PAGE AND PRODUCT RELEASE	25

CONTROL COPY

MASTER COPY

MATERIALS REQUISITION

Product Name: Biobabe Syrup (B.P)

Raw Materials Requisition

S/N	**Raw Material Name**		**Material code**	**Std. Qty. (Kg)**	**Quantity Requested**	**Quantity Issued**
1	Paracetamol Powder BP		**RMA0016**	60.000kg		
2	Diphenhydramine HCl BP		**RMA0011**	3.500kg		
3	Conc. Dill water, 50L	Ethanol 90%	**RME0005**	30.000L		
		Talc	**RME0034**	2.500kg		
		Dill Oil	**RMA0046**	1.000L		
4	Propylene glycol		**RME0002**	500kg		
5	Sucrose		**RME0009**	937.500kg		
6	Sorbitol		**RME0001**	250kg		
7	Sodium benzoate		**RME0011**	2.500kg		
8	Purified water BP			Qs		

Requested By Production Pharmacist	Issued By Store officer	Checked By IPQA
Sign/ Date	Sign/ Date	Sign/ Date

CONTROL COPY

MASTER COPY

	Biomedical Limited, *1, Ohimege Road, Ind. Estate, Ilorin, Kwara State*		
	BATCH MANUFACTURING RECORD		**Page 4 of 25**
	BIOBABE SYRUP		
	Batch No.: BB2	**MFD:**	**Pack Size: 60ml**
	Batch Size: 2500 Liters (41,666 bottles)	**EXD:**	

Requested By: Production Supervisor	Issued By Store officer	Checked By IPQA
Sign/ Date	Sign/ Date	Sign/ Date

Product Name: Biobabe Syrup (BB)

Packaging Materials Requisition

S/N	**Packaging Material Name**	**Material code**	**Std. Qty.**	**Quantity Requested**	**Quantity Issued**
1.	Amber colour 60 ml PET Bottle	**PKS010**	41,666		
2.	28mm ROPP cap with Biomedical logo	**PKS002**	41,666		
3.	Biobabe Syrup – Printed Mono cartons	**PKS024**	41,666		
4.	Biobabe Syrup – Printed Labels	**PKS025**	41,666		
5.	Measuring Cup 10 ml	**PKS005**	41,666		
6.	Biobabe Syrup – Leaflet	**PKS026**	41,666		
7.	Shrink wrap Sleeves	**PKS007**	4160		
8.	Biobabe Syrup Printed Shipper Cartons	**PKS027**	416		
9.	BOPP Tape	**PKS009**	6 rolls		

PRODUCTION EQUIPMENT LIST

Equipment Description	**Machine ID**	**Sop Operation Number**	**Sop Cleaning Number**	**Equip. used**	**Cleaned / Calibrated by**	**Checked By**

CONTROL COPY

Prepared By	RASIU I.M	Reviewed By	Agbowla L.W	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

MASTER COPY

	Biomedical Limited, *1, Ohimege Road, Ind. Estate, Ilorin, Kwara State*		
	BATCH MANUFACTURING RECORD		**Page 5 of 25**
	BIOBABE SYRUP		
	Batch No.: BB2	**MFD:**	**Pack Size: 60ml**
	Batch Size: 2500 Liters (41,666 bottles)	**EXD:**	

LOCATION: PROCESSING						
Dispensing booth	BL/SYP/PE/001	BML-PDS-PR-023	BML-PDS-PR-028			
Analytical Weighing balance 200g	BL/SYP/PE/002	BML-PDS-PR-023	BML-PDS-PR-003			
Weighing balance 150kg	BL/SYP/PE/003	BML-PDS-PR-023	BML-PDS-PR-003			
Sugar melting vessel (2000 litres)	BL/SYP/PE/004	BML-PDS-PR-022	BML-PDS-PR-007			
Manufacturing Vessel (3000 litres) 1	BL/SYP/PE/005	BML-PDS-PR-022	BML-PDS-PR-007			
Manufacturing Vessel 2	BL/SYP/PE/039	BML-PDS-PR-022	BML-PDS-PR-007			
Storage Vessel 1 (3,000 litres)	BL/SYP/PE/006	BML-PDS-PR-022	BML-PDS-PR-007			
Storage Vessel 2(3,000 litres)	BL/SYP/PE/007	BML-PDS-PR-022	BML-PDS-PR-007			
Storage Vessel 3	BL/SYP/PE/040	BML-PDS-PR-022	BML-PDS-PR-007			
Storage Vessel 4(3,000 litres)	BL/SYP/PE/007	BML-PDS-PR-022	BML-PDS-PR-007			
Bag Filter	BL/SYP/PE/008	BML-PDS-PR-009	BML-PDS-PR-009			
Filter Press 1	BL/SYP/PE/009	BML-PDS-PR-009	BML-PDS-PR-009			
Filter Press 2	BL/SYP/PE/042	BML-PDS-PR-009	BML-PDS-PR-009			
Transfer Pump 1	BL/SYP/PE/010	BML-PDS-PR-025	BML-PDS-PR-007			
Transfer Pump 2	BL/SYP/PE/043	BML-PDS-PR-025	BML-PDS-PR-025			
Transfer Pump 3	BL/SYP/PE/044	BML-PDS-PR-025	BML-PDS-PR-025			
Solvent Transfer pump	BL/SYP/PE/045	BML-PDS-PR-025	BML-PDS-PR-025			
Silverson Mixer 1	BL/SYP/PE/011	BML-PDS-PR-021	BML-PDS-PR-021			
Silverson Mixer 2	BL/SYP/PE/046	BML-PDS-PR-021	BML-PDS-PR-021			
Homogenizer	BL/SYP/PE/014	BML-PDS-PR-025	BML-PDS-PR-025			
In-Line Colloid Mill	BL/SYP/PE/014	BML-PDS-PR-025	BML-PDS-PR-025			
Service Tank(500 litres)	BL/SYP/PE/017	BML-PDS-PR-022	BML-PDS-PR-007			
Magnehelic gauge	BL/SYP/PE/018	BML-QDS-QA-096	BML-QDS-PR-096			
Prod. Pharm.	**Date**	**Quality Assurance Officer**			**Date**	

PRODUCTION EQUIPMENT LIST						
Equipment Description	**Machine ID**	**Sop Operation Number**	**Sop Cleaning Number**	**Equip. used**	**Cleaned / Calibrated by**	**Checked By**

CONTROL COPY

Prepared By	RASIU I.M	Reviewed By	Agbowla L.W	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

MASTER COPY

	Biomedical Limited, *1, Ohimege Road, Ind. Estate, Ilorin, Kwara State*		
	BATCH MANUFACTURING RECORD		**Page 6 of 25**
	BIOBABE SYRUP		
	Batch No.: BB2	**MFD:**	**Pack Size: 60ml**
	Batch Size: 2500 Liters (41,666 bottles)	**EXD:**	

LOCATION: PROCESSING						
Dispensing booth	BL/SYP/PE/001	BML-PDS-PR-023	BML-PDS-PR-028			
Analytical Weighing balance 200g	BL/SYP/PE/002	BML-PDS-PR-023	BML-PDS-PR-003			
Weighing balance 150kg	BL/SYP/PE/003	BML-PDS-PR-023	BML-PDS-PR-003			
Sugar melting vessel (2000 litres)	BL/SYP/PE/004	BML-PDS-PR-022	BML-PDS-PR-007			
Manufacturing Vessel (3000 litres) 1	BL/SYP/PE/005	BML-PDS-PR-022	BML-PDS-PR-007			
Manufacturing Vessel 2	BL/SYP/PE/039	BML-PDS-PR-022	BML-PDS-PR-007			
Storage Vessel 1 (3,000 litres)	BL/SYP/PE/006	BML-PDS-PR-022	BML-PDS-PR-007			
Storage Vessel 2(3,000 litres)	BL/SYP/PE/007	BML-PDS-PR-022	BML-PDS-PR-007			
Storage Vessel 3	BL/SYP/PE/040	BML-PDS-PR-022	BML-PDS-PR-007			
Storage Vessel 4(3,000 litres)	BL/SYP/PE/007	BML-PDS-PR-022	BML-PDS-PR-007			
Bag Filter	BL/SYP/PE/008	BML-PDS-PR-009	BML-PDS-PR-009			
Filter Press 1	BL/SYP/PE/009	BML-PDS-PR-009	BML-PDS-PR-009			
Filter Press 2	BL/SYP/PE/042	BML-PDS-PR-009	BML-PDS-PR-009			
Transfer Pump 1	BL/SYP/PE/010	BML-PDS-PR-025	BML-PDS-PR-007			
Transfer Pump 2	BL/SYP/PE/043	BML-PDS-PR-025	BML-PDS-PR-025			
Transfer Pump 3	BL/SYP/PE/044	BML-PDS-PR-025	BML-PDS-PR-025			
Solvent Transfer pump	BL/SYP/PE/045	BML-PDS-PR-025	BML-PDS-PR-025			
Silverson Mixer 1	BL/SYP/PE/011	BML-PDS-PR-021	BML-PDS-PR-021			
Silverson Mixer 2	BL/SYP/PE/046	BML-PDS-PR-021	BML-PDS-PR-021			
Homogenizer	BL/SYP/PE/014	BML-PDS-PR-025	BML-PDS-PR-025			
In-Line Colloid Mill	BL/SYP/PE/014	BML-PDS-PR-025	BML-PDS-PR-025			
Service Tank(500 litres)	BL/SYP/PE/017	BML-PDS-PR-022	BML-PDS-PR-007			
Magnehelic gauge	BL/SYP/PE/018	BML-QDS-QA-096	BML-QDS-PR-096			
Prod. Pharm.	**Date**	**Quality Assurance Officer**			**Date**	

MANUFACTURING CHECKLIST

1. General Safety Procedures

CONTROL COPY

Prepared By	RASIU I.M	Reviewed By	Agbowla L.W	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

- All staff should clean hands with antiseptic liquid soap, use disinfectant and dry them using hand dryers as per sop proper use of lavatory (BML-QDG-QA-008)
- All staff should wear face masks, hand gloves, factory overalls and clean rubber shoes as per sop on gowning and use of change room (BML-QDG-QA-019)

2. General Good Documentation Practice

- All manufacturing process activities should be recorded in the BMR
- Ensure proper line clearance is taken before processing new batch/product.
- All documentation work should be recorded online and properly.
- All entries in the BMR should be legible and clear with no overwriting. If any mistake cross with a single line and rewrite the correct form, sign the error as per sop on document control and management (BML-QDG-QA-002)
- Report about any deviations immediately to the Production Pharmacist.

3. Cleaning	**Remark (Yes/No)**	**Comments (ok/Not ok)**	**Checked by**	**Verified by**
• Ensure that all machinery and equipment have been cleaned according to their respective SOP's				
4. Materials Availability • Ensure sufficient demineralised water is available.				
• Ensure that **all** the packaging materials are available.				

WEIGHING RECORDS	
Previous Product:	**B.NO:**
DISPENSING LINE CLEARANCE	

MASTER COPY

Biomedical Limited, *1, Ohimege Road, Ind. Estate, Ilorin, Kwara State*		
BATCH MANUFACTURING RECORD		**Page 8 of 25**
BIOBABE SYRUP		
Batch No.: BB2	**MFD:**	**Pack Size: 60ml**
Batch Size: 2500 Liters (41,666 bottles)	**EXD:**	

s/n	Checks	Remark (Yes/No)	Comments (ok/Not ok)	Checked by	Verified by
1.	Dispensing room and Dispensing booth cleaned?				
2.	Scoops, Spatulas, Weighing Balance verified?				
3.	Verification of scales and balances done?				
4.	Waste from the previous product has been cleared?				
5.	Floors, Walls, Pass Box been clean/cleared				
6.	Papers, Tags, Forms needed affixed properly?				

DISPENSING ROOM STATUS				
ROOM	**CONDITIONS**			
	TEMPERATURE NMT 25°C	**RELATIVE HUMIDITY NMT 65%**	**VERIFIED BY**	**REMARKS**
DISPENSING BOOTH				

APPROVAL TO START DISPENSING OPERATION		
IPQA Analyst Yes ☐ **No** ☐		
Sign:	**Date:**	**Time:**

QC ACTIVE INGREDIENT IDENTIFICATION							
Material		**Specification**				**Result**	
Paracetamol Powder		Stp ref. no.	BML/QA/STP/RMA/016				
Diphenhydramine HCl		Stp ref. no.	BML/QA/STP/RMA/011				
Conc. Dill.Water							
Description of Materials	**Q.C AR. Number**	**Std QTY**	**Quantity Requested**	**Quantity Weighed**	**Weighed by**	**Checked by**	**Verified by QA**
Paracetamol Powder		**60.00Kg**					
Diphenhydramine HCl		**3.500Kg**					
Dill.Water		**50L**					

QC EXCIPIENT INGREDIENT IDENTIFICATION			
Material	**Specification**		**Result**
Ethanol	Stp ref. no.	BML/QA/STP/RME/005	
Talcum powder	Stp ref. no.	BML/QA/STP/RME/034	
Propylene glycol	Stp ref. no.	BML/QA/STP/RME/002	
Sucrose	Stp ref. no.	BML/QA/STP/RME/009	

CONTROL COPY

Prepared By	RASIU I.M	Reviewed By	Agbowla L.W	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

MASTER COPY

Sorbitol		Stp ref. no.	BML/QA/STP/RME/001				
Sodium benzoate		Stp ref. no.	BML/QA/STP/RME/011				
Description of Materials	**Q.C AR. Number**	**Std QTY**	**Quantity Requested**	**Quantity Weighed**	**Weighed by**	**Checked by**	**Verified by QA**
Ethanol		**30.000L**					
Talcum powder		**2.500Kg**					
Propylene glycol		**500Kg**					
Sucrose		**937.500Kg**					
Sorbitol		**250Kg**					
Sodium benzoate		**2.500Kg**					
Production Pharmacist		**Date**		**Q. A. Officer**			**Date**

COMPOUNDING

GENERAL INSTRUCTIONS

CONTROL COPY

Prepared By	RASIU I.M	Reviewed By	Agbowla L.W	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

MASTER COPY

	Biomedical Limited, *1, Ohimege Road, Ind. Estate, Ilorin, Kwara State*		
	BATCH MANUFACTURING RECORD		**Page 10 of 25**
	BIOBABE SYRUP		
	Batch No.: BB2	**MFD:**	**Pack Size: 60ml**
	Batch Size: 2500 Liters (41,666 bottles)	**EXD:**	

1. Ensure that the area, equipment and accessories are clean and line clearance is taken before starting the operation.
2. Gloves, nose masks are to be worn during manufacturing operations.
3. Environmental conditions and balance calibration and equipment logs are to be recorded properly.
4. Check the labels and weight of all materials as per the work order and in case of any discrepancy report immediately to the Production Pharmacist.
5. Enclose all dispensing labels of materials to BMR.

QC Demineralised water release slip reference number: …….

COMPOUNDING QUALITY CHECK LIST		
Previous Product:	**B.NO:**	
Check List	**Checked by (Production)**	**Verified by (QA)**
Area Cleanliness (floor, walls, ceiling, risers)		
Check weighing balance, weights, scoops, spatulas, utensil are cleaned		
Check Syrup Preparation vessel, SS vessels, Buffer Tank are cleaned		
Check Filter Press is cleaned		
Check required Filter pads are cleaned and intact.		
Check Swab test analysis is carried out in case of product change over		
Check all previous batch/product materials are removed from the area		
Perform the compounding as per SOP BML-QDS-QA-019		
Environmental Conditions: Std. Temp: NMT 25°C ±2, Actual Temp: _____°C Std. RH: NMT 65 %±5, Actual RH: _____%		
Balance calibration done on Date:		

MANUFACTURING PROCESS

Step No.	Action	Date	Time		Done by Operator	Checked by Prod.Sup	Verified by QA
			From	To			

CONTROL COPY

Prepared By	RASIU I.M	Reviewed By	Agbowla L.M	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

MASTER COPY

biomedical Limited pioneer manufacturers of intravenous fluids	**Biomedical Limited,** *1, Ohimege Road, Ind. Estate, Ilorin, Kwara State*		
	BATCH MANUFACTURING RECORD		**Page 11 of 25**
	BIOBABE SYRUP		
	Batch No.: BB2	**MFD:**	**Pack Size: 60ml**
	Batch Size: 2500 Liters (41,666 bottles)	**EXD:**	

1	Preparation of **concentrated Dill Oil.** Measure **30litres** of **Ethanol (90%)**, add **1ltr of dill oil**, and add **2.5kg of talc powder**. Make up to **50 litres** volume with water and leave overnight.						
2	Decant the top solution and set aside for use.						
3	Discharge **375 litres** of **demineralised water** into the sugar melting vessel.						
4	Dissolve **2.5kg** of **sodium benzoate** in the water and stir until homogenous.						
5	Transfer **937.5kg** of **sucrose** into the sugar melting vessel and stir.						
6	In a separate vessel, dissolve **60kg** of **Paracetamol** in **500kg** of **propylene glycol**. Add the blend to the bulk syrup.						
7	Dissolve **3.50kg** of **Diphenhydramine HCL** in sufficient quantity of **DM water** and add to the bulk syrup. Stir thoroughly						
8	To the bulk syrup, add **50 litres** of **conc. Dill water** and stir.						
9	Stop the stirrer. Make up to **2500litres** volume with **demineralised water**. Stir well for about 1 hour.						
10	Complete the request for analysis form and send to the quality assurance department.						

Production Pharmacist	**Date**	**Q.A. Officer**	**Date**

COMPOUNDING RECONCILIATION:

Theoretical Volume of the batch (A)	**2500L**

CONTROL COPY

Prepared By	RASIU I.M	Reviewed By	Agbowla L.M	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

MASTER COPY

Actual volume transferred (B)	
Estimated loss during filtrations (A-B) = C	

Deviation (if any)……

……

……

IN – PROCESS SAMPLE ANALYSIS INTIMATION AND REPORT

Product: BIOBABE SYRUP	**Batch No.: BB2**
Time given:	**Date:**
Intimation given by:	**Received by:**
Sampled by:	**Release Time:**
STP Ref no: BML/QA/STP/FPS/012	

CONTROL COPY

Prepared By	RASIU I.M	Reviewed By	Agbowla L.W	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

MASTER COPY

QC Equipment Status						
Equipment Description	**Machine Code**	**Sop Operation No.**	**Sop Cleaning No.**	**Equip. used**	**Equip. Status**	**Checked By**
Digital PH Meter	BML/QAE/SYP/006	BML-QDS-CL-009	BML-QDS-CL-009			
Handheld PH	BML/QAE/SYP/007	BML-QDS-CL-008	BML-QDS-CL-008			
Digital Conductivity Meter	BML/QAE/SYP/008	BML-QDS-CL-010	BML-QDS-CL-010			
Handheld Cond. Meter	BML/QAE/SYP/009	BML-QDS-CL-009	BML-QDS-CL-009			
Refractometer	BML/QAE/SYP/0016	BML-QDS-CL-013	BML-QDS-CL-013			
HPLC	BML/QAE/SYP/028	BML-QDS-CL-025	BML-QDS-CL-025			
UV Spectrophotometer	BML/QAE/SYP/001	BML-QDS-CL-011	BML-QDS-CL-011			
Fume cupboard	BML/QAE/SYP/013	BML-QDS-CL-014	BML-QDS-CL-014			
Water bath	BML/QAE/SYP/012	BML-QDS-CL-022	BML-QDS-CL-022			
Viscometer	BML/QAE/SYP/005	BML-QDS-CL-025	BML-QDS-CL-025			
Analytical weighing balance	BML/QAE/SYP/004	BML-QDS-CL-030	BML-QDS-CL-030			
Colorimeter	BML/QAE/SYP/014	BML-QDS-CL-035	BML-QDS-CL-035			

pH of Water	**Limits**	**pH of sample result**	**Limits**	**Description**	**Remark**
	5.5-7.5		4.8 – 6.8	Colourless non viscous Syrup	

In – process sample Assay result

Sample quantity	**Active Ingredient**	**Specification**	**Active Content**	**Remark**
500ml	Paracetamol	**95.0% – 105.0%**		
	Diphenhydramine	**90.0 – 110.0%**		
	Dill			
	Relative density	**1.10g/ml – 1.20g/ml**		

Remark: The batch is released / not released for filling. (Attach the released slip into the BMR)

Q.A. Analyst **Sign/Date**	**QC Head** **Sign /Date**

PACKAGING

PAKAGING MATERIALS REQUISITION

Sr. No.	**Name of the Packing Material**	**QC. AR. No.**	**Std Qty**	**Qty Issued**	**Issued by Store**	**Checked by Prod.**	**Verified by QA**

CONTROL COPY

Prepared By Sign / Date	RASIU I.M 03/01/2026	Reviewed By Sign/ Date	Agbowla L.W 03/01/26	Approved By Sign / Date	Koroma A 03/01/26

MASTER COPY

1.	Amber colour 100 ml PET Bottle		41,666				
2.	28mm ROPP cap with Biomedical logo		41,666				
3.	Biobabe Syrup – Printed Mono cartons		41,666				
4.	Biobabe Syrup – Printed Labels		41,666				
5.	Measuring Cup 15 ml		41,666				
6.	Biobabe Syrup – Leaflet		41,666				
7.	Shrink wrap Sleeves		4160				
8.	Biobabe Syrup Printed Shipper Cartons		416				
9.	BOPP Tape		6 rolls				

Production Pharmacist	**Date**	**Q. A. Officer**	**Date**

BATCH CODING SETTING

Previous Product:	**B.NO:**	
Check List	Checked by Prod.	Verified by QA
Area, personnel & equipment cleanliness.		
Absence of previous product / batch materials		

CONTROL COPY

Prepared By	RASIU I.M	Reviewed By	Agbowla L.W	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

MASTER COPY

	Biomedical Limited, *1, Ohimege Road, Ind. Estate, Ilorin, Kwara State*		
	BATCH MANUFACTURING RECORD		**Page 15 of 25**
	BIOBABE SYRUP		
	Batch No.: BB2	**MFD:**	**Pack Size: 60ml**
	Batch Size: 2500 Liters (41,666 bottles)	**EXD:**	

Setup & operate the Batch coding Equipment according to SOP **BML-PDS-PR-022**

Sr. No.	Equipment Name	Equipment ID No.	Cleanliness as per SOP	Operation As per SOP
1	Batch coding machine	BML/SYP/PRE/016	BML-PDS-PR-022	BML-PDS-PR-022

CODER SETTING AND IMPRESSION			
NAFDAC NO	**A11-1171**		
BATCH NO			
MFD			
EXP			
Comment by Production Pharmacist (Sign/Date)		**Verified by (QA) (sign/ Date)**	

BATCH CODING VERIFICATION

PARTICULARS	LABELS	MONO CARTONS	SHIPPER
Batch No.:			
MFD :			
EXP :			
Any other details			
NAFDAC No:			
Instructions given by Prod. Pharmacist Sign/Date:			
Checked by Line Leader: Sign/Date:			
Verified by (QA): Sign/Date:			

<u>LABEL/MONO CARTON INFORMATION ASSURANCE SHEET</u>

AFIIX **LABEL** SPECIMEN **(signed on it by QA officer**) IN THE SPACE PROVIDED:

Prepared By	RASIU I.M	Reviewed By	Agbowla L.W	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

CONTROL COPY

MASTER COPY

Line Supervisor **sign/date: ……**	**Production Pharmacist** **sign/date…….**	**IPQA officer** **sign/date: ……..……**

AFIIX THE **MONO CARTON** SPECIMEN (**signed on it by QA officer**) IN THE SPACE PROVIDED:

Line Supervisor **sign/date: ……**	**Production Pharmacist** **sign/date…….**	**IPQA officer** **sign/date: ……..……**

RECONCILIATION OF CODING ACTIVITY

PARTICULAR	LABEL	MONO CARTONS	SHIPPERS
Qty. Received			
Qty. Printed			
Qty. Rejected			

CONTROL COPY

Prepared By	RASIU I.M	Reviewed By	Agbowla L.W	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

Unprinted Qty. Return to store vide GRN No.			
Batch coding done by			
Checked by Production Supervisors:			
Verified by (QA):			

Deviation (if any)……

……

……

BATCH PACKING GENERAL CHECK LIST

1. Ensure that the area, equipment and accessories are clean and line clearance is taken before starting the operation. Cleaning to be done as per respective SOPs.
2. Gloves, nose masks, Headgears & Safety Devices are to be worn during manufacturing operations.
3. Environmental conditions and balance calibration and equipment logs are to be recorded properly & online.
4. Check the proper quantity of Amber colored bottle, ROPP Caps, labels, mono cartons, Shrink-wraps, Shippers are received as per the work order and incase of any discrepancy report immediately to the Production Pharmacist OR Quality Assurance Manager.

BOTTLE PACKING MACHINE INFORMATIONS

Setup & operate the Equipment as per the SOP's

Sr. No.	Equipment Name	Equipment ID No.	Cleanliness as per SOP	Operation As per SOP
1	Bottle Washing Machine	BL/SYP/PE/015	BML-PDS-PR-010	BML-PDS-PR-017
2	Bottle washing machine 2	BL/SYP/PE/055	BML-PDS-PR-035	BML-PDS-PR-037

MASTER COPY

3	Bottle Filling Machine	BL/SYP/PE/012	BML-PDS-PR-011	BML-PDS-PR-016
4	Bottle ROPP Cap Sealing Machine	BL/SYP/PE/013	BML-PDS-PR-012	BML-PDS-PR-018
5	Automatic Rotary Piston Filling/capping Machine	BL/SYP/PE/048	BML-PDS-PR-030	BML-PDS-PR-031
6	Bottle Labeling Machine	BL/SYP/PE/023	BML-PDS-PR-019	BML-PDS-PR-013
7	Automatic Labelling Machine 2	**BL/SYP/PE/051**	BML-PDS-PR-035	BML-PDS-PR-037
8	Sighting Board 1	BL/SYP/PE/022	BML-PDS-PR-020	BML-PDS-PR-020
9	Sighting Board 2	BL/SYP/PE/050	BML-PDS-PR-020	BML-PDS-PR-015
10	Bottle Shrink Wrap M/c	BL/SYP/PE/021	BML-PDS-PR-031	BML-PDS-PR-032
11	Automatic Shrink Wrapping Machine 2	BL/SYP/PE/052	BML-PDS-PR-036	BML-PDS-PR-038

LINE CLEARANCE – LIQUID FILLING & PACKING AREA
SOP No.: BML-PDS-PR-015/017

Previous Product:	**Batch No.:**	
Check List	Checked by (Production)	Verified by (QA)
Area Cleanliness (walls, ceiling, floor)		

CONTROL COPY

Prepared By	RASIU I.M	Reviewed By	Agbowla L.W	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

MASTER COPY

Check Equipment Cleanliness-		
Accessories cleanliness (Scoops, drums, pallets, stools etc.,)		
Absence of previous product / batch materials in all areas and machineries (Glass bottles, ROPP Caps, Measuring Cups, Labels, Mono-carton, Shippers, Leaflets, Shrink Wrap sleeves, BOPP tape)		
Check that all finished goods of the previous batch/product are removed from the line.		
Environmental Conditions: Std Temp: NMT 30±2°C, Actual Temp: °C Std RH : NMT 65±5%, Actual RH : %		
Balance calibration done on date :		

LIQUID FILLING SET-UP

Transfer the Liquid product to the filling line according to SOP

Estimated loss during transfer of the product to the service tank through the pipe/hose .....

Estimated loss during liquid filling standardization .....

Estimated loss during fill volume check .....

Line Set by (QA): Witnessed by (Prod Sup.):

BOTTLE WASHING RECORD

Checking Parameter	**Observation**	**date**	**Time**	**Done by**	Checked by (Pro.)	Verified by (QA)
Bottle and area cleanliness.						

CONTROL COPY

MASTER COPY

Bottle defects						
Washing temperature						

BOTTLE FILLING AND PACKAGING INSTRUCTIONS

Actions	**Done by operator**	Checked by Prod. Sup.
1. Arrange the bottles in the Bottle Washing Machine & wash the bottles.		
2. Check for any breakage & rejection. Remove any such bottles. 3. Take line clearance for line as per SOP No BML-PR-SYP-016 4. Check the volume dispensed from each nozzle initially & periodically every hour. 5. Transfer gradually the released syrup into the floor level reservoir of bottle-filling machine. 6. Adjust the fill volume of the machine to 60 ml of syrup & fill the bottle. 7. Seal the bottle.		
8. Check the bottle by inverting the same against black & white background for any suspended matter & remove any such bottle.		
9. Label the bottle, put plastic cup on the top & put the bottle in overprinted Mono-carton. 10. Put the leaflets in the Mono-carton.		
11. Now arrange 10 mono cartons into the shrink-wrap sleeve and then pass through the shrinking machine by adjusting the appropriate temperature & speed. The dwell time should not exceed 7 seconds. 12. Finally check for the quality of shrinking. 13. Finally arrange 3 rows of shrink-wrapped mono cartons in 2 decks into the coded printed shipper.		
14. After completing the packing of a batch, transfer the packed shippers to Finished Goods store with proper Stock Transfer Note.		

VOLUME CHECK UP FOR THE NOZZLES OF LINEAR ☐ AND MONOBLOCK ☐ FILLING MACHINE

DATE:	Time started:	Time stopped:	**FILLING SPEC.: 58mL – 62 mL**
DATE:	Time started:	Time stopped:	

1. Adjust the volume to not less than the expected final volume.
2. Cross check using measuring cylinder at delivery point of the nozzles

CONTROL COPY

Prepared By	RASIU I.M	Reviewed By	Agbowla L.W	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

MASTER COPY

Biomedical Limited, *1, Ohimege Road, Ind. Estate, Ilorin, Kwara State*		
BATCH MANUFACTURING RECORD		**Page 21 of 25**
BIOBABE SYRUP		
Batch No.: BB2	**MFD:**	**Pack Size: 60ml**
Batch Size: 2500 Liters (41,666 bottles)	**EXD:**	

3. Check the volume of the filled bottle by removing the ROPP cap and measure the content volume using a clean measuring cylinder.
4. Check the volume every 20 - 30 minutes of filling operation

	FILLED VOLUME FROM DELIVERED NOZZLES													**CHECKED BY**
TIME (Linear) ☐	**1**	**2**	**3**	**4**	**5**	**6**	**TIME**	**1**	**2**	**3**	**4**	**5**	**6**	
TIME(Monoblock) ☐	**1**	**2**	**3**	**4**	**5**	**6**		**7**	**8**	**9**	**10**	**11**	**12**	
	FILLED VOLUME FROM DELIVERED NOZZLES													**CHECKED BY**
TIME (Linear) ☐	**1**	**2**	**3**	**4**	**5**	**6**	**TIME**	**1**	**2**	**3**	**4**	**5**	**6**	
TIME(Monoblock) ☐	**1**	**2**	**3**	**4**	**5**	**6**		**7**	**8**	**9**	**10**	**11**	**12**	
	FILLED VOLUME FROM DELIVERED NOZZLES													**CHECKED BY**
TIME (Linear) ☐	**1**	**2**	**3**	**4**	**5**	**6**	**TIME**	**1**	**2**	**3**	**4**	**5**	**6**	
TIME(Monoblock) ☐	**1**	**2**	**3**	**4**	**5**	**6**		**7**	**8**	**9**	**10**	**11**	**12**	

PACKING INPROCESS CHECKS-(To be done hourly basis)

D A	T I	Bottles	ROPP Caps.	Mono cartons over printing Checks	Leaflet	Shrink wrap	Qty per Shipper	Shipper coding		Verified by QA

CONTROL COPY

Prepared By Sign / Date	RASIU I.M 03/01/2026	Reviewed By Sign/ Date	Agbowla L.W 03/01/26	Approved By Sign / Date	Koroma A 03/01/26

MASTER COPY

biomedical Limited pioneer manufacturers of intravenous fluids	**Biomedical Limited,** *1, Ohimege Road, Ind. Estate, Ilorin, Kwara State*		
	BATCH MANUFACTURING RECORD		**Page 22 of 25**
	BIOBABE SYRUP		
	Batch No.: BB2	**MFD:**	**Pack Size: 60ml**
	Batch Size: 2500 Liters (41,666 bottles)	**EXD:**	

T E	M E			B.No.	MFD.	EXP.	Printing		Quality		Nos.	Checked by Prod. Supervisor.	

_____ No. of Shippers Packed.

SHIPPER WEIGHING LOG – RANDOM CHECK

1. Check the weight of each packed shippers to ensure that the correct quantity is being packed.
2. Record the shipper weight and report any discrepancies found to Production Pharmacist.

Weight of Packed Mono carton : Kg.	Weight of Packed Shipper: Kg.
Packed Shipper weight range (Avg. wt ± weight of packed Mono carton) : Kg.	

Balance Code:

Balance Calibration Done On:

S/No.	Weight
1.	
2.	
3.	
4.	
Done by:	**Checked by Pro. Supt:**

PACKING ACTIVITY RECORD

Date					
Time From					
Time To					
Bottle Washing Done by					
Filling M/c Operator					
Sealing M/c Operator					
Filled Bottle checked by					

CONTROL COPY

Reviewed By Sign / Date	RASIU I.M 03/01/2026	Reviewed By Sign/ Date	Agbowla L.M 03/01/26	Approved By Sign / Date	Koroma A 03/01/26

MASTER COPY

	Biomedical Limited, *1, Ohimege Road, Ind. Estate, Ilorin, Kwara State*		
	BATCH MANUFACTURING RECORD		**Page 23 of 25**
	BIOBABE SYRUP		
	Batch No.: BB2	**MFD:**	**Pack Size: 60ml**
	Batch Size: 2500 Liters (41,666 bottles)	**EXD:**	

Labeling M/c Operator										
Measuring Cup put by										
Leaflets inserted by										
Mono cartons packed by										
Shrink wrap & final pkg. In Shipper done by										
Weighing Done by										
Qty packed Shipper number	**From**	**To**	**From**	**To**	**From**	**To**	**From**	**To**	**From**	**To**
Supervised by Prod. Supervisor										
Checked by Pharmacist										

PACKED SHIPPERS TRANSFER TO FINISHED GOODS STORE

S.No.	1	2	3	4	5	**Total Qty**
Date & Shift:						
Qty transferred. Shippers + Loose						
Transferred by						
Received by						

PACKING MATERIAL RECONCILIATION

Sr. No.	**Particular**	**Bottle (Glass/PET)**	**ROPP Cap**	**Labels**	**Leaflet**	**Measuring Cup**	**Mono Cartons**	**Shippers**	**BOPP Tape**
1	**Qty. Received**								
2	**Additional Qty Received**								
3	**SMR NO.**								
4	**Total (=1+2)**								
5	**Qty. Consumed**								
6	**Qty retained in BPR**								
7	**Qty retained by QC Retention Sample**								
8	**I. Coding**	**NA**	**NA**		**NA**	**NA**			**NA**
	II. Online								
	Rejection Total=I+II								
9	**Total Consumed = 5+6+7+8**								
10	**Qty. Return to Store for reissue**								
11	**Qty. Return to Stores not for reuse**								

CONTROL COPY

Prepared By	RASIU I.M	Reviewed By	Agbowla L.W	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

MASTER COPY

12	**Stock Return Note No.**								
13	**A.R. Number of returned Material**								
14	**% Rejection=8/9 x 100**								
15	**Mfg. Defects**								
16	**% Mfg. Defect =15/4x100**								

YIELD RECONCILIATION

A. Theoretical Batch Size:	Liters:
B. Actual Batch Size:	No. of Bottles.
C. Quantity Packed & Transferred to FGS:	No. of Bottles.
D. QC Analysis Samples:	No. of Bottles.
E. Retention Samples:	No. of Bottles.
F. Total Qty Produced :(C+D+E+F):	No. of Bottles.
G. Net % Yield: (G/B X 100)	% NLT 96%.

REMARK: ……

Done by Production Supervisor: **Sign & Date:**

Checked by Production Pharmacist: **Sign & Date:**

Verified by QA: **Sign & Date:**

(Investigation should be made if the yield result does not meet specification)

Comment: _____

Deviation (if any)……

……

CHECKLIST OF BATCH RECORD

CONTROL COPY

Prepared By	RASIU I.M	Reviewed By	Agbowla L.W	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

MASTER COPY

	Biomedical Limited, *1, Ohimege Road, Ind. Estate, Ilorin, Kwara State*		
	BATCH MANUFACTURING RECORD		**Page 25 of 25**
	BIOBABE SYRUP		
	Batch No.: BB2	**MFD:**	**Pack Size: 60ml**
	Batch Size: 2500 Liters (41,666 bottles)	**EXD:**	

SN	**Description**	**Document availability checked by**	
		Production	**QA**
1	BATCH DETAILS		
2	DISPENSING MATERIAL LABELS (IF ANY)		
3	MATERIAL REQUISITION RECORD		
4	APPROVED CODED LABEL FOR THE BATCH		
5	APPROVED CODED MONO CARTON FOR THE BATCH		
6	INVESTIGATION/DEVIATION REPORT (IF ANY)		
QUALITY CONTROL REPORT AND MISCELLANOUS DOCUMENTS (Checked by QA)			
7	FINISHED PRODUCT (CERTIFICATE) OF ANALYSIS		
8	PRODUCT RELEASE SLIP		

Declaration:

The above mentioned batch has been manufactured in accordance with In-House & B.P/USP, Specifications following strict adherence to cGMP procedures and is duly released for sales after all production records, environmental monitoring records and Q.C. analytical reports are checked and found to be satisfactory.

PRODUCT RELEASE AND APPROVAL			
	REVIEWED BY	**RELEASED BY**	
Name			
Designation	Production Manager	QA Manager	
Date/Signature			
Superintendent Pharmacist (Authorized)		Signature:	Date:

CONTROL COPY

Prepared By	RASIU I.M	Reviewed By	Agbowla L.W	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26