APPROVAL PAGE

Generic Name: Biomedical Co-trimoxazole Suspension

Each 5ml Contains:

Biozale Suspension	Sulphamethoxazole BP	200mg
	Trimethoprim BP	40mg

In Flavoured base.

Flavor: Vanilla flavor

Colour: Red

Packing Size: 50ml per Amber Colour Bottle duly labelled & packed in a Monocarton.

Shelf Life: 3 years from the date of manufacture.

PRODUCT MASTER FORMULA MANUAL NUMBER:	**BML/QA/MFR/021SYP**
BMR. No.:	**BML/BMR/QA/021SYP**
Review date:	**JANUARY, 2026**
Next Review Date:	**JANUARY, 2028**

Document Issued by: **Sign/Date:**	**Collected by:** **Sign/Date:**

Batch to be manufactured according to the Product Master Formula Record Number: **BML/QA/MFR/021SYP** without any modification / with the following modifications.

_____

Authorized by / Date (Superintendent Pharmacist)

TABLE OF CONTENT

S/n	Title	Page number
1.	APPROVAL PAGE	1
2.	TABLE OF CONTENTS	2
3.	MATERIAL REQUISITION	3-4
4.	PRODUCTION EQUIPMENT LIST	5-6
5.	MANUFACTURING CHECK LIST	7
6.	WEIGHING RECORDS	8
7.	DISPENSING CHECKLIST/CLEARANCE	8
8.	DISPENSING ROOM STATUS	8
9.	APPROVAL TO START DISPENSING OPERATION	8
10.	ACTIVE/EXCIPIENT INGREDIENT IDENTIFICATION	8-9
11.	COMPOUNDING GENERAL INSTRUCTION	10
12.	COMPOUNDING QUALITY CHECK LIST	10
13.	MANUFACTURING PROCESS	11-13
14.	COMPOUNDING RECONCILIATION	13
15.	IN-PROCESS SAMPLE ANALYSIS INTIMATION AND REPORT	14
16.	PACKAGING MATERIAL REQUISITION	15
17.	BATCH CODING SETTING	16
18.	CODER SETTING AND IMPRESSION	16
19.	BATCH CODING VERIFICATION	16
20.	LABEL/MONO CARTON INFORMATION ASSURANCE SHEET	17
21.	RECONCILIATION OF CODING ACTIVITIES	18
22.	BATCH PACKING GENERAL CHECK LIST	18
23.	BOTTLE PACKING MACHINE INFORMATION	19
24.	LINE CLEARANCE FOR LIQUID AND PACKING AREA	20
25.	LIQUID FILLING SETUP	20
26.	BOTTLE WASHING RECORD	21
27.	BOTTLE FILLING AND PACKING INSTRUCTIONS	21
28.	VOLUME CHECK-UP FOR THE NOZZLES	22
29.	PACKING IN-PROCESS CHECKS	23
30.	SHIPPER WEIGHING LOG	23
31.	PACKING ACTIVITIES RECORD	23-24
32.	PACKED SHIPPERS TRANSFER TO FINISHED GOOD STORE	24
33.	PACKAGING MATERIAL RECONCILIATION SHEET	24-25
34.	YIELD RECONCILIATION	25
35.	CHECK LIST OF BATCH RECORDS	26
36.	DECLARATION PAGE AND PRODUCT RELEASE	26

MATERIALS REQUISITION

Product Name: BIOCOTRIM SUSPENSION (B.P)

Raw Materials Requisition

S/N	**Raw Material Name**	**Material code**	**Std. Qty.**	**Quantity Requested**	**Quantity Issued**
1	Sulphamethoxazole	**RMA0014**	100.00kg		
2	Trimethoprim	**RMA0013**	20.000kg		
3	Ammonium glycyrrhizinate	**RME0028**	6.250kg		
4	Sodium carboxyl methyl cellulose	**RMA0018**	5.625kg		
5	Sucrose	**RMA0009**	1250kg		
6	Vanilla flavour	**RME0026**	6.25L		
7	Methyl paraben	**RME0012**	2.500kg		
8	Glycerol	**RME0023**	375kg		
9	Polysorbate 80	**RME0014**	5.000kg		
10	Avicel RC 581	**RME0008**	56.250kg		
11	Aniseed oil	**RME0033**	0.750L		
12	Ethanol 96%	**RME0005**	6.675L		
13	Allura Red	**RME0035**	0.075kg		
14	Purified Water		QS		

Requested By Production Pharmacist	Issued By Store officer	Checked By IPQA
Sign/ Date	Sign/ Date	Sign/ Date

Product Name : BIOCOTRIM SUSPENSION (B.P)

Packaging Materials Requisition

S/N	**Packaging Material Name**	**Material code**	**Std. Qty.**	**Quantity Requested**	**Quantity Issued**
1.	Amber colour 50 ml PET Bottle	**PKS083**	50,000		
2.	28mm ROPP cap with Biomedical logo	**PKS002**	50,000		
3.	BIOCOTRIM – Printed Mono cartons	**PKS084**	50,000		
4.	BIOCOTRIM – Printed Labels	**PKS085**	50,000		
5.	Measuring Cup 15ml	**PKS013**	50,000		
6.	BIOCOTRIM – Leaflet	**PKS086**	50,000		
7.	Shrink wrap Sleeves	**PKS007**	5000		
8.	BIOCOTRIM Printed Shipper Cartons	**PKS087**	700		
9.	BOPP Tape	**PKS009**	12 rolls		

Requested By Production Pharmacist	Issued By Store officer	Checked By IPQA
Sign/ Date	Sign/ Date	Sign/ Date

MASTER COPY

PRODUCTION EQUIPMENT LIST						
Equipment Description	**Machine ID**	**Sop Operation Number**	**Sop Cleaning Number**	**Equip. used**	**Cleaned / Calibrated by**	**Checked By**
LOCATION: PROCESSING						
Dispensing booth	BL/SYP/PE/001	BML-PDS-PR-023	BML-PDS-PR-028			
Analytical Weighing balance 200g	BL/SYP/PE/002	BML-PDS-PR-023	BML-PDS-PR-003			
Weighing balance 150kg	BL/SYP/PE/003	BML-PDS-PR-023	BML-PDS-PR-003			
Sugar melting vessel (2000 litres)	BL/SYP/PE/004	BML-PDS-PR-022	BML-PDS-PR-007			
Manufacturing Vessel (3000 litres) 1	BL/SYP/PE/005	BML-PDS-PR-022	BML-PDS-PR-007			
Manufacturing Vessel 2	BL/SYP/PE/039	BML-PDS-PR-022	BML-PDS-PR-007			
Storage Vessel 1 (3,000 litres)	BL/SYP/PE/006	BML-PDS-PR-022	BML-PDS-PR-007			
Storage Vessel 2(3,000 litres)	BL/SYP/PE/007	BML-PDS-PR-022	BML-PDS-PR-007			
Storage Vessel 3	BL/SYP/PE/040	BML-PDS-PR-022	BML-PDS-PR-007			
Storage Vessel 4(3,000 litres)	BL/SYP/PE/007	BML-PDS-PR-022	BML-PDS-PR-007			
Bag Filter	BL/SYP/PE/008	BML-PDS-PR-009	BML-PDS-PR-009			
Filter Press 1	BL/SYP/PE/009	BML-PDS-PR-009	BML-PDS-PR-009			
Filter Press 2	BL/SYP/PE/042	BML-PDS-PR-009	BML-PDS-PR-009			
Transfer Pump 1	BL/SYP/PE/010	BML-PDS-PR-025	BML-PDS-PR-007			
Transfer Pump 2	BL/SYP/PE/043	BML-PDS-PR-025	BML-PDS-PR-025			
Transfer Pump 3	BL/SYP/PE/044	BML-PDS-PR-025	BML-PDS-PR-025			
Solvent Transfer pump	BL/SYP/PE/045	BML-PDS-PR-025	BML-PDS-PR-025			
Silverson Mixer 1	BL/SYP/PE/011	BML-PDS-PR-021	BML-PDS-PR-021			
Silverson Mixer 2	BL/SYP/PE/046	BML-PDS-PR-021	BML-PDS-PR-021			
Homogenizer	BL/SYP/PE/014	BML-PDS-PR-025	BML-PDS-PR-025			
In-Line Colloid Mill	BL/SYP/PE/014	BML-PDS-PR-025	BML-PDS-PR-025			
Service Tank(500 litres)	BL/SYP/PE/017	BML-PDS-PR-022	BML-PDS-PR-007			
Magnehelic gauge	BL/SYP/PE/018	BML-QDS-QA-096	BML-QDS-PR-096			
Prod. Pharm.	**Date**	**Quality Assurance Officer**			**Date**	

CONTROL COPY

Equipment Description	**Machine ID**	**Sop Operation Number**	**Sop Cleaning Number**	**Equip. used**	**Cleaned / Calibrated by**	**Checked By**
LOCATION: PROCESSING						
Bottle Washing Machine	BL/SYP/PE/015	BML-PDS-PR-017	BML-PDS-PR-017			
Bottle washing machine 2	BL/SYP/PE/055	BML-PDS-PR-037	BML-PDS-PR-037			
Bottle Filling Machine	BL/SYP/PE/012	BML-PDS-PR-016	BML-PDS-PR-016			
Bottle ROPP Cap Sealing Machine	BL/SYP/PE/013	BML-PDS-PR-018	BML-PDS-PR-018			
Automatic Rotary Piston Filling/capping Machine	BL/SYP/PE/048	BML-PDS-PR-031	BML-PDS-PR-031			
LOCATION: PACKAGING						
Bottle Labeling Machine	BL/SYP/PE/023	BML-PDS-PR-013	BML-PDS-PR-013			
Automatic Labelling Machine2	BL/SYP/PE/051	BML-PDS-PR-037	BML-PDS-PR-037			
Sighting Board 1	BL/SYP/PE/022	BML-PDS-PR-020	BML-PDS-PR-020			
Sighting Board 2	BL/SYP/PE/050	BML-PDS-PR-015	BML-PDS-PR-015			
Bottle Shrink Wrap M/c	BL/SYP/PE/021	BML-PDS-PR-032	BML-PDS-PR-032			
Automatic Shrink-Wrapping Machine 2	BL/SYP/PE/052	BML-PDS-PR-038	BML-PDS-PR-038			
Prod. Pharm.	**Date**	**Quality Assurance Officer**			**Date**	

MANUFACTURING CHECKLIST

MASTER COPY

1. General Safety Procedures

- All staff should clean hands with antiseptic liquid soap, use disinfectant and dry them using hand dryers as per sop proper use of lavatory (BML-QDG-QA-008)
- All staff should wear face masks, hand gloves, factory overalls and clean rubber shoes as per sop on gowning and use of change room (BML-QDG-QA-019)

2. General Good Documentation Practice

- All manufacturing process activities should be recorded in the BMR
- Ensure proper line clearance is taken before processing new batch/product.
- All documentation work should be recorded online and properly.
- All entries in the BMR should be legible and clear with no overwriting. If any mistake cross with a single line and rewrite the correct form, sign the error as per sop on document control and management (BML-QDG-QA-002)
- Report about any deviations immediately to the Production Pharmacist.

3. Cleaning	**Remark (Yes/No)**	**Comments (ok/Not ok)**	**Checked by**	**Verified by**
• Ensure that all machinery and equipment have been cleaned according to their respective SOP's				
4. Materials Availability				
• Ensure sufficient demineralised water is available.				
• Ensure that **all** the packaging materials are available.				

WEIGHING RECORDS

CONTROL COPY

Prepared by	Rabiu I.M	Reviewed By	Agbowola L.M	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

Previous Product: **B.NO:**

DISPENSING LINE CLEARANCE

s/n	Checks	Remark (Yes/No)	Comments (ok/Not ok)	Checked by	Verified by
1.	Dispensing room and Dispensing booth cleaned?				
2.	Scoops, Spatulas, Weighing Balance verified?				
3.	Verification of scales and balances done?				
4.	Waste from the previous product has been cleared?				
5.	Floors, Walls, Pass Box been clean/cleared				
6.	Papers, Tags, Forms needed affixed properly?				

DISPENSING ROOM STATUS

ROOM	CONDITIONS			
	TEMPERATURE NMT 25°C	RELATIVE HUMIDITY NMT 65%	VERIFIED BY	REMARKS
DISPENSING BOOTH				

APPROVAL TO START DISPENSING OPERATION

IPQA Analyst **Yes** ☐ **No** ☐

Sign:	Date:	Time:

QC ACTIVE INGREDIENT IDENTIFICATION

Material	Specification		Result
Sulphamethoxazole	Stp ref. no.	BML/QA/STP/RMA/014	
Trimethoprim	Stp ref. no.	BML/QA/STP/RMA/013	

Description of Materials	Q.C AR. Number	Std QTY	Quantity Requested	Quantity Weighed	Weighed by	Checked by	Verified by QA
Sulphamethoxazole		**100.00Kg**					
Trimethoprim		**20.000Kg**					

QC EXCIPIENT INGREDIENT IDENTIFICATION

Material	Specification		Result
Ammonium glycyrrhizinate	Stp ref. no.	BML/QA/STP/RME/028	
Sodium carboxyl methyl cellulose	Stp ref. no.	BML/QA/STP/RME/018	
Sucrose	Stp ref. no.	BML/QA/STP/RME/009	
Vanilla flavour	Stp ref. no.	BML/QA/STP/RME/026	
Methyl paraben	Stp ref. no.	BML/QA/STP/RME/012	

Glycerol		Stp ref. no.	BML/QA/STP/RME/023				
Polysorbate 80		Stp ref. no.	BML/QA/STP/RME/014				
Avicel RC 581		Stp ref. no.	BML/QA/STP/RME/008				
Aniseed oil		Stp ref. no.	BML/QA/STP/RME/033				
Ethanol 96%		Stp ref. no.	BML/QA/STP/RME/005				
Allura Red		Stp ref. no.	BML/QA/STP/RME/035				
Description of Materials	**Q.C AR. Number**	**Std QTY**	**Quantity Requested**	**Quantity Weighed**	**Weighed by**	**Checked by**	**Verified by QA**
Ammonium glycyrrhizinate		**6.250kg**					
Sodium carboxyl methyl cellulose		**5.625Kg**					
Sucrose		**1250Kg**					
Vanilla flavour		**6.25L**					
Methyl paraben		**2.500Kg**					
Glycerol		**375Kg**					
Polysorbate 80		**5.000Kg**					
Avicel RC 581		**56.250Kg**					
Aniseed oil		**0.750L**					
Ethanol 96%		**6.675L**					
Allura Red		**0.075Kg**					
Production Pharmacist		**Date**		**Q. A. Officer**			

COMPOUNDING

MASTER COPY

GENERAL INSTRUCTIONS

1. Ensure that the area, equipment and accessories are clean and line clearance is taken before starting the operation.
2. Gloves, nose masks are to be worn during manufacturing operations.
3. Environmental conditions and balance calibration and equipment logs are to be recorded properly.
4. Check the labels and weight of all materials as per the work order and in case of any discrepancy report immediately to the Production Pharmacist.
5. Enclose all dispensing labels of materials to BMR.

QC Demineralised water release slip reference number: …….

COMPOUNDING QUALITY CHECK LIST

Previous Product:	**B.NO:**	
Check List	**Checked by (Production)**	**Verified by (QA)**
Area Cleanliness (floor, walls, ceiling, risers)		
Check weighing balance, weights, scoops, spatulas, utensil are cleaned		
Check Syrup Preparation vessel, SS vessels, Buffer Tank are cleaned		
Check Filter Press is cleaned		
Check required Filter pads are cleaned and intact.		
Check Swab test analysis is carried out in case of product change over		
Check all previous batch/product materials are removed from the area		
Perform the compounding as per SOP BML-QDS-QA-019		
Environmental Conditions: Std. Temp: NMT 25°C ±2, Actual Temp: _____°C Std. RH: NMT 65 %±5, Actual RH: _____%		
Balance calibration done on Date:		

MANUFACTURING PROCESS

	Action	Date	Time			

CONTROL COPY

Prepared By Sign / Date	RABIU I.M 03/01/2026	Reviewed By Sign/ Date	Agbowle L.M 03/01/26	Approved By Sign / Date	Koroma A 03/01/26

MASTER COPY

Step No.			From	To	Done by Operator	Checked by Prod.Sup	Verified by QA
1.	Disperse slowly **5.625kg** of **Sodium carboxyl methyl cellulose** in about **225ltrs** of **DM water**. Stir and allow to stand in water for about 24 hours.						
2.	Discharge about **625litres** of **demineralised (DM) water** into the clean sugar melting tank and heat to about to about 65°C.						
3.	Dissolve **2.5kg** of **Methyl paraben** with the stirrer running.						
4.	Add **1250kg** of **sucrose** into the sugar melting vessel. Stir until it dissolves completely to form a clear solution.						
5.	Filter the sugar solution while hot filter bag into the manufacturing vessel and allow to cool down to room temperature						
6.	Disperse slowly **56.25kg** of **Avicel** in the sugar solution in the manufacturing vessel, ensuring no lump is formed						
7.	Transfer the dissolved **SCMC** in step 1 to the manufacturing vessel while stirring slowly.						
8.	Transfer **300kg** of **Glycerol** to a separate container. To the **Glycerol**, add **6.25kg** of **Ammonium glycyrrhizinate** and stir. Then raise the temperature of the mixture to about 80°C. Add, **4kg** of **Polysorbate 80**, add **100kg** of **Sulphamethoxazole**. Stir the mixture at a very high speed for 1hour at 80°C to achieve a smooth suspension.						
9.	Transfer the mixture in step 8 into the manufacturing vessel						

CONTROL COPY

10	Transfer **75kg** of **Glycerol** to a separate container. Then raise the temperature of the mixture to about 60°C. Add, **1.0kg** of **Polysorbate 80**, add 20kg of Trimethoprim. Stir the mixture at a very high speed for **1hour** at 60°C to achieve a smooth suspension.						
11	In a separate vessel, mix **6.675ltr** of **Ethanol** and **0.6ltr** of **Aniseed oil** and transfer to the manufacturing vessel.						
12	Dissolve **0.75kg of Allura Red** in about **2ltrs of water** and add to the mixture in the manufacturing vessel.						
13	Add **6.25ltrs** of **Vanilla flavour** to the mixture in the manufacturing vessel.						
14	Stop the stirrer and make up to **2500 litres** of volume with **purified water**. Then continue stirring.						
15	Pass the mixture through the homogenizer for 6hours. Date: Time Start: Time Stopped: **CAUTION** If for any reason, shearing is stopped before completion and restarted, an extra 20% should be added to the total shearing time. Note: At no time must the temperature of the suspension exceed 45°C Apply chilled water to the jacket of product vessel to bring the temperature of the bulk to 25°C BEFORE SHEARING BEGINS						
16	At the end of the shearing time, ensure that the mixer is not turned on again						

MASTER COPY

17	Complete the request for analysis form and send to the Quality Assurance department.						
18	Disperse slowly **5.625kg** of **Sodium carboxyl methyl cellulose** in about **225ltrs** of **DM wate**r. Stir and allow to stand in water for about 24 hours.						
19	Discharge about **625litres** of **demineralised (DM) water** into the clean sugar melting tank and heat to about to about 65°C.						
Production Pharmacist		**Date**		**Q.A. Officer**		**Date**	

COMPOUNDING RECONCILIATION:

Theoretical Volume of the batch (A)	**2500L**
Actual volume transferred (B)	
Estimated loss during filtrations (A-B) = C	

Deviation (if any)……

……

……

IN – PROCESS SAMPLE ANALYSIS INTIMATION AND REPORT

CONTROL COPY

Prepared By Sign / Date	RABIU I.M 03/01/2026	Reviewed By Sign/ Date	Agbowle L.M 03/01/26	Approved By Sign / Date	Koroma A 03/01/26

Product: BIOMEDICAL CO-TRIMOXAZOLE SUSPENSION	**Batch No.: BX2**
Time given:	**Date:**
Intimation given by:	**Received by:**
Sampled by:	**Release Time:**
STP Ref no: BML/QA/STP/FPS/021	
QC Equipment Status	

Equipment Description	**Machine Code**	**Sop Operation No.**	**Sop Cleaning No.**	**Equip. used**	**Equip. Status**	**Checked By**
Digital PH Meter	BML/QAE/SYP/006	BML-QDS-CL-009	BML-QDS-CL-009			
Handheld PH	BML/QAE/SYP/007	BML-QDS-CL-008	BML-QDS-CL-008			
Digital Conductivity Meter	BML/QAE/SYP/008	BML-QDS-CL-010	BML-QDS-CL-010			
Handheld Cond. Meter	BML/QAE/SYP/009	BML-QDS-CL-009	BML-QDS-CL-009			
Refractometer	BML/QAE/SYP/0016	BML-QDS-CL-013	BML-QDS-CL-013			
HPLC	BML/QAE/SYP/028	BML-QDS-CL-025	BML-QDS-CL-025			
UV Spectrophotometer	BML/QAE/SYP/001	BML-QDS-CL-011	BML-QDS-CL-011			
Fume cupboard	BML/QAE/SYP/013	BML-QDS-CL-014	BML-QDS-CL-014			
Water bath	BML/QAE/SYP/012	BML-QDS-CL-022	BML-QDS-CL-022			
Viscometer	BML/QAE/SYP/005	BML-QDS-CL-025	BML-QDS-CL-025			
Analytical weighing balance	BML/QAE/SYP/004	BML-QDS-CL-030	BML-QDS-CL-030			
Colorimeter	BML/QAE/SYP/014	BML-QDS-CL-035	BML-QDS-CL-035			

pH of Water	**Limits**	**pH of sample result**	**Limits**	**Description**	**Remark**
	5.5-7.5		5.0 – 6.5	Peach Viscous Suspension	

In – process sample Assay result

Sample quantity	**Active Ingredient**	**Specification**	**Active Content**	**Remark**
500ml	Sulphamethoxazole	**95.0 – 105%**		
	Trimethoprim	**95.0 – 105%**		

Remark: The batch is released / not released for filling. (Attach the released slip into the BMR)

Q.A. Analyst Sign/Date	**QC Head Sign /Date**

PACKAGING

PAKAGING MATERIALS REQUISITION

Prepared By Sign / Date	R.A.Biu I.M 03/01/2026	Reviewed By Sign/ Date	Agbowle L.M 03/01/26	Approved By Sign / Date	Koroma A 03/01/26

CONTROL COPY

Sr. No.	Name of the Packing Material	QC. AR. No.	Std Qty	Qty Issued	Issued by Store	Checked by Prod.	Verified by QA
1.	Amber colour 50 ml PET Bottle		50,000				
2.	28mm ROPP cap with Biomedical logo		50,000				
3.	BIOCOTRIM – Printed Mono cartons		50,000				
4.	BIOCOTRIM – Printed Labels		50,000				
5.	Measuring Cup 15ml		50,000				
6.	BIOCOTRIM – Leaflet		50,000				
7.	Shrink wrap Sleeves		5000				
8.	BIOCOTRIM Printed Shipper Cartons		700				
9.	BOPP Tape		12 rolls				

Production Pharmacist	Date	Q. A. Officer	Date

BATCH CODING SETTING

Previous Product: **B.NO:**

MASTER COPY

Check List	Checked by Prod.	Verified by QA
Area, personnel & equipment cleanliness.		
Absence of previous product / batch materials		

Setup & operate the Batch coding Equipment according to SOP **BML-PDS-PR-022**

Sr. No.	Equipment Name	Equipment ID No.	Cleanliness as per SOP	Operation As per SOP
1	Batch coding machine	BML/SYP/PRE/016	BML-PDS-PR-022	BML-PDS-PR-022

CODER SETTING AND IMPRESSION			
NAFDAC NO	**A11-1169**		
BATCH NO			
MFD			
EXP			
Comment by Production Pharmacist (Sign/Date)		**Verified by (QA) (sign/ Date)**	

BATCH CODING VERIFICATION

PARTICULARS	LABELS	MONO CARTONS	SHIPPER
Batch No.:			
MFD :			
EXP :			
Any other details			
NAFDAC No:			
Instructions given by Prod. Pharmacist Sign/Date:			
Checked by Line Leader: Sign/Date:			
Verified by (QA): Sign/Date:			

LABEL/MONO CARTON INFORMATION ASSURANCE SHEET

CONTROL COPY

AFIIX **LABEL** SPECIMEN **(signed on it by QA officer**) IN THE SPACE PROVIDED:

Line Supervisor sign/date: ……	**Production Pharmacist sign/date…….**	**IPQA officer sign/date: ……..……**

AFIIX THE **MONO CARTON** SPECIMEN (**signed on it by QA officer**) IN THE SPACE PROVIDED:

Line Supervisor sign/date: ……	**Production Pharmacist sign/date…….**	**IPQA officer sign/date: ……..……**

RECONCILIATION OF CODING ACTIVITY

PARTICULAR	LABEL	MONO CARTONS	SHIPPERS

MASTER COPY

Qty. Received			
Qty. Printed			
Qty. Rejected			
Unprinted Qty. Return to store vide GRN No.			
Batch coding done by			
Checked by Production Supervisors:			
Verified by (QA):			

Deviation (if any)……

……

……

BATCH PACKING GENERAL CHECK LIST

1. Ensure that the area, equipment and accessories are clean and line clearance is taken before starting the operation. Cleaning to be done as per respective SOPs.
2. Gloves, nose masks, Headgears & Safety Devices are to be worn during manufacturing operations.
3. Environmental conditions and balance calibration and equipment logs are to be recorded properly & online.
4. Check the proper quantity of Amber colored bottle, ROPP Caps, labels, mono cartons, Shrink-wraps, Shippers are received as per the work order and incase of any discrepancy report immediately to the Production Pharmacist OR Quality Assurance Manager.

BOTTLE PACKING MACHINE INFORMATIONS

Setup & operate the Equipment as per the SOP's

Sr. No.	Equipment Name	Equipment ID No.	Cleanliness as per SOP	Operation As per SOP

CONTROL COPY

Prepared By Sign / Date	Rabiu I.M 03/01/2026	Reviewed By Sign/ Date	Agbowle L.M 03/01/26	Approved By Sign / Date	Koroma A 03/01/26

MASTER COPY

1	Bottle Washing Machine	BL/SYP/PE/015	BML-PDS-PR-010	BML-PDS-PR-017
2	Bottle washing machine 2	BL/SYP/PE/055	BML-PDS-PR-035	BML-PDS-PR-037
3	Bottle Filling Machine	BL/SYP/PE/012	BML-PDS-PR-011	BML-PDS-PR-016
4	Bottle ROPP Cap Sealing Machine	BL/SYP/PE/013	BML-PDS-PR-012	BML-PDS-PR-018
5	Automatic Rotary Piston Filling/capping Machine	BL/SYP/PE/048	BML-PDS-PR-030	BML-PDS-PR-031
6	Bottle Labeling Machine	BL/SYP/PE/023	BML-PDS-PR-019	BML-PDS-PR-013
7	Automatic Labelling Machine 2	**BL/SYP/PE/051**	BML-PDS-PR-035	BML-PDS-PR-037
8	Sighting Board 1	BL/SYP/PE/022	BML-PDS-PR-020	BML-PDS-PR-020
9	Sighting Board 2	BL/SYP/PE/050	BML-PDS-PR-020	BML-PDS-PR-015
10	Bottle Shrink Wrap M/c	BL/SYP/PE/021	BML-PDS-PR-031	BML-PDS-PR-032
11	Automatic Shrink Wrapping Machine 2	BL/SYP/PE/052	BML-PDS-PR-036	BML-PDS-PR-038

LINE CLEARANCE – LIQUID FILLING & PACKING AREA
SOP No.: BML-PDS-PR-015/017

Previous Product:	**Batch No.:**

CONTROL COPY

Prepared By	RABIU I.M	Reviewed By	Agbowle L.M	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

Check List	Checked by (Production)	Verified by (QA)
Area Cleanliness (walls, ceiling, floor)		
Check Equipment Cleanliness-		
Accessories cleanliness (Scoops, drums, pallets, stools etc.,)		
Absence of previous product / batch materials in all areas and machineries (Glass bottles, ROPP Caps, Measuring Cups, Labels, Mono-carton, Shippers, Leaflets, Shrink Wrap sleeves, BOPP tape)		
Check that all finished goods of the previous batch/product are removed from the line.		
Environmental Conditions: Std Temp: NMT 30±2°C, Actual Temp: °C Std RH : NMT 65±5%, Actual RH : %		
Balance calibration done on date :		

LIQUID FILLING SET-UP

Transfer the Liquid product to the filling line according to SOP

Estimated loss during transfer of the product to the service tank through the pipe/hose .....

Estimated loss during liquid filling standardization .....

Estimated loss during fill volume check .....

Line Set by (QA): Witnessed by (Prod Sup.):

BOTTLE WASHING RECORD

MASTER COPY

Checking Parameter	**Observation**	**date**	**Time**	**Done by**	Checked by (Pro.)	Verified by (QA)
Bottle and area cleanliness.						
Bottle defects						
Washing temperature						

BOTTLE FILLING AND PACKAGING INSTRUCTIONS

Actions	**Done by operator**	Checked by Prod. Sup.
1. Arrange the bottles in the Bottle Washing Machine & wash the bottles.		
2. Check for any breakage & rejection. Remove any such bottles. 3. Take line clearance for line as per SOP No BML-PR-SYP-016 4. Check the volume dispensed from each nozzle initially & periodically every hour. 5. Transfer gradually the released syrup into the floor level reservoir of bottle-filling machine. 6. Adjust the fill volume of the machine to 50 ml of syrup & fill the bottle. 7. Seal the bottle.		
8. Check the bottle by inverting the same against black & white background for any suspended matter & remove any such bottle.		
9. Label the bottle, put plastic cup on the top & put the bottle in overprinted Mono-carton. 10. Put the leaflets in the Mono-carton.		
11. Now arrange 10 mono cartons into the shrink-wrap sleeve and then pass through the shrinking machine by adjusting the appropriate temperature & speed. The dwell time should not exceed 7 seconds. 12. Finally check for the quality of shrinking. 13. Finally arrange 3 rows of shrink-wrapped mono cartons in 2 decks into the coded printed shipper.		
14. After completing the packing of a batch, transfer the packed shippers to Finished Goods store with proper Stock Transfer Note.		

VOLUME CHECK UP FOR THE NOZZLES OF LINEAR ☐ AND MONOBLOCK ☐ FILLING MACHINE

DATE:	Time started:	Time stopped:	**FILLING SPEC.: 48mL – 52 mL**

CONTROL COPY

Prepared By	RABIU I.M	Reviewed By	Agbowola L.M	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

DATE:	Time started:	Time stopped:

1. Adjust the volume to not less than the expected final volume.
2. Cross check using measuring cylinder at delivery point of the nozzles
3. Check the volume of the filled bottle by removing the ROPP cap and measure the content volume using a clean measuring cylinder.
4. Check the volume every 20 - 30 minutes of filling operation

	FILLED VOLUME FROM DELIVERED NOZZLES													**CHECKED BY**
TIME (Linear) ☐	**1**	**2**	**3**	**4**	**5**	**6**	**TIME**	**1**	**2**	**3**	**4**	**5**	**6**	
TIME(Monoblock) ☐	**1**	**2**	**3**	**4**	**5**	**6**		**7**	**8**	**9**	**10**	**11**	**12**	
	FILLED VOLUME FROM DELIVERED NOZZLES													**CHECKED BY**
TIME (Linear) ☐	**1**	**2**	**3**	**4**	**5**	**6**	**TIME**	**1**	**2**	**3**	**4**	**5**	**6**	
TIME(Monoblock) ☐	**1**	**2**	**3**	**4**	**5**	**6**		**7**	**8**	**9**	**10**	**11**	**12**	
	FILLED VOLUME FROM DELIVERED NOZZLES													**CHECKED BY**
TIME (Linear) ☐	**1**	**2**	**3**	**4**	**5**	**6**	**TIME**	**1**	**2**	**3**	**4**	**5**	**6**	
TIME(Monoblock) ☐	**1**	**2**	**3**	**4**	**5**	**6**		**7**	**8**	**9**	**10**	**11**	**12**	

PACKING INPROCESS CHECKS-(To be done hourly basis)

DATE	TIME	Bottles	ROPP Caps.	Mono cartons over printing Checks				Leaflet	Shrink wrap Quality	Qty per Shipper	Shipper coding Nos.	Checked by Prod. Supervisor.	Verified by QA
				B.No.	MFD.	EXP.	Printing						

_____ No. of Shippers Packed.

SHIPPER WEIGHING LOG – RANDOM CHECK

1. Check the weight of each packed shippers to ensure that the correct quantity is being packed.
2. Record the shipper weight and report any discrepancies found to Production Pharmacist.

Weight of Packed Mono carton : Kg.	Weight of Packed Shipper: Kg.
Packed Shipper weight range (Avg. wt ± weight of packed Mono carton) : Kg.	

Balance Code:
Balance Calibration Done On:

S/No.	Weight
1.	
2.	
3.	
4.	
Done by:	**Checked by Pro. Supt:**

PACKING ACTIVITY RECORD

Date					
Time From					
Time To					
Bottle Washing Done by					
Filling M/c Operator					
Sealing M/c Operator					
Filled Bottle checked by					
Labeling M/c Operator					
Measuring Cup put by					

Leaflets inserted by										
Mono cartons packed by										
Shrink wrap & final pkg. In Shipper done by										
Weighing Done by										
Qty packed Shipper number	**From**	**To**	**From**	**To**	**From**	**To**	**From**	**To**	**From**	**To**
Supervised by Prod. Supervisor										
Checked by Pharmacist										

PACKED SHIPPERS TRANSFER TO FINISHED GOODS STORE

S.No.	1	2	3	4	5	**Total Qty**
Date & Shift:						
Qty transferred. Shippers + Loose						
Transferred by						
Received by						

PACKING MATERIAL RECONCILIATION

Sr. No.	Particular	Bottle (Glass/PET)	ROPP Cap	Labels	Leaflet	Measuring Cup	Mono Cartons	Shippers	BOPP Tape
1	**Qty. Received**								
2	**Additional Qty Received**								
3	**SMR NO.**								
4	**Total (=1+2)**								
5	**Qty. Consumed**								
6	**Qty retained in BPR**								
7	**Qty retained by QC Retention Sample**								
8	**I. Coding**	**NA**	**NA**		**NA**	**NA**			**NA**
	II. Online								
	Rejection Total=I+II								
9	**Total Consumed = 5+6+7+8**								
10	**Qty. Return to Store for reissue**								
11	**Qty. Return to Stores not for reuse**								
12	**Stock Return Note No.**								
13	**A.R. Number of returned Material**								

14	**% Rejection=8/9 x 100**								
15	**Mfg. Defects**								
16	**% Mfg. Defect =15/4x100**								

YIELD RECONCILIATION

A. Theoretical Batch Size:	Liters:
B. Actual Batch Size:	No. of Bottles.
C. Quantity Packed & Transferred to FGS:	No. of Bottles.
D. QC Analysis Samples:	No. of Bottles.
E. Retention Samples:	No. of Bottles.
F. Total Qty Produced :(C+D+E+F):	No. of Bottles.
G. Net % Yield: (G/B X 100)	% NLT 96%.

REMARK: ……

Done by Production Supervisor: **Sign & Date:**

Checked by Production Pharmacist: **Sign & Date:**

Verified by QA: **Sign & Date:**

(Investigation should be made if the yield result does not meet specification)

Comment: _____

Deviation (if any)……

……

MASTER COPY

CHECKLIST OF BATCH RECORD

SN	Description	Document availability checked by	
		Production	QA
1	BATCH DETAILS		
2	DISPENSING MATERIAL LABELS (IF ANY)		
3	MATERIAL REQUISITION RECORD		
4	APPROVED CODED LABEL FOR THE BATCH		
5	APPROVED CODED MONO CARTON FOR THE BATCH		
6	INVESTIGATION/DEVIATION REPORT (IF ANY)		
QUALITY CONTROL REPORT AND MISCELLANOUS DOCUMENTS (Checked by QA)			
7	FINISHED PRODUCT (CERTIFICATE) OF ANALYSIS		
8	PRODUCT RELEASE SLIP		

Declaration:

The above mentioned batch has been manufactured in accordance with In-House & B.P/USP, Specifications following strict adherence to cGMP procedures and is duly released for sales after all production records, environmental monitoring records and Q.C. analytical reports are checked and found to be satisfactory.

PRODUCT RELEASE AND APPROVAL			
	REVIEWED BY	**RELEASED BY**	
Name			
Designation	Production Manager	QA Manager	
Date/Signature			
Superintendent Pharmacist (Authorized)		Signature:	Date:

CONTROL COPY