MASTER COPY

APPROVAL PAGE

Generic Name: Diphenhydramine+Sodium citrate+Menthol

Each 5ml Contains:

Diphenhydramine HCL 7.0mg

Packing Size: 100ml per Amber Colour Bottle duly labelled & packed in a Monocarton.

Shelf Life: 3 years from date of manufacture.

PRODUCT MASTER FORMULA MANUAL NUMBER:	**BML/QA/MFR/010SYP**
BMR. No.:	**BML/BMR/QA/010SYP**
Review date:	**JANUARY, 2026**
Next Review Date:	**JANUARY, 2028**

Document Issued by: **Sign/Date:**	**Collected by:** **Sign/Date:**

Batch to be manufactured according to the Product Master Formula Record Number: **BML/QA/MFR/010SYP** without any modification / with the following modifications.

_____

Authorized by / Date (Superintendent Pharmacist)

Prepared By	RABIU I.M	Reviewed By	Agbowla L.W	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

CONTROL COPY

MASTER COPY

TABLE OF CONTENT

S/n	Title	Page number
1.	APPROVAL PAGE	1
2.	TABLE OF CONTENTS	2
3.	MATERIAL REQUISITION	3-4
4.	PRODUCTION EQUIPMENT LIST	5-6
5.	MANUFACTURING CHECK LIST	7
6.	WEIGHING RECORDS	8
7.	DISPENSING CHECKLIST/CLEARANCE	8
8.	DISPENSING ROOM STATUS	8
9.	APPROVAL TO START DISPENSING OPERATION	8
10.	ACTIVE/EXCIPIENT INGREDIENT IDENTIFICATION	8-9
11.	COMPOUNDING GENERAL INSTRUCTION	10
12.	COMPOUNDING QUALITY CHECK LIST	10
13.	MANUFACTURING PROCESS	11-12
14.	COMPOUNDING RECONCILIATION	12
15.	IN-PROCESS SAMPLE ANALYSIS INTIMATION AND REPORT	13
16.	PACKAGING MATERIAL REQUISITION	14
17.	BATCH CODING SETTING	15
18.	CODER SETTING AND IMPRESSION	15
19.	BATCH CODING VERIFICATION	15
20.	LABEL/MONO CARTON INFORMATION ASSURANCE SHEET	16
21.	RECONCILIATION OF CODING ACTIVITIES	17
22.	BATCH PACKING GENERAL CHECK LIST	17
23.	BOTTLE PACKING MACHINE INFORMATION	18
24.	LINE CLEARANCE FOR LIQUID AND PACKING AREA	19
25.	LIQUID FILLING SETUP	19
26.	BOTTLE WASHING RECORD	20
27.	BOTTLE FILLING AND PACKING INSTRUCTIONS	20
28.	VOLUME CHECK-UP FOR THE NOZZLES	21
29.	PACKING IN-PROCESS CHECKS	22
30.	SHIPPER WEIGHING LOG	22
31.	PACKING ACTIVITIES RECORD	22-23
32.	PACKED SHIPPERS TRANSFER TO FINISHED GOOD STORE	23
33.	PACKAGING MATERIAL RECONCILIATION SHEET	23-24
34.	YIELD RECONCILIATION	24
35.	CHECK LIST OF BATCH RECORDS	25
36.	DECLARATION PAGE AND PRODUCT RELEASE	25

CONTROL COPY

MASTER COPY

MATERIALS REQUISITION

Product Name: EXCOFF (B.P)					
Raw Materials Requisition					
S/N	**Raw Material Name**	**Material code**	**Std. Qty.**	**Quantity Requested**	**Quantity Issued**
1	Diphenhydramine HCl	**RMA0011**	3.500kg		
2	Sodium citrate	**RME0024**	14.25kg		
3	Sucrose	**RME0009**	750kg		
4	Sodium benzoate	**RME0011**	2.50kg		
5	Sorbitol	**RME0001**	500kg		
6	SCMC	**RME0018**	25.00kg		
7	Sweet cherry flavor	**RME0013**	10.00L		
8	Carmosine red	**RME0043**	0.042kg		
9	Menthol	**RME0039**	0.275kg		
10	Purified water BP		qs		

Requested By Production Pharmacist	Issued By Store officer	Checked By IPQA
Sign/ Date	Sign/ Date	Sign/ Date

CONTROL COPY

MASTER COPY

Product Name: EXCOFF (B.P)

Packaging Materials Requisition

S/N	**Packaging Material Name**	**Material code**	**Std. Qty.**	**Quantity Requested**	**Quantity Issued**
1.	Amber colour 100 ml PET Bottle	**PKS001**	25,000		
2.	28mm ROPP cap with Biomedical logo	**PKS002**	25,000		
3.	Ex-COFF – Printed Mono cartons	**PKS032**	25,000		
4.	Ex-COFF – Printed Labels	**PKS033**	25,000		
5.	Measuring Cup 10 ml	**PKS005**	25,000		
6.	Ex-COFF – Leaflet	**PKS034**	25,000		
7.	Shrink wrap Sleeves	**PKS007**	2500		
8.	Ex-COFF Printed Shipper Cartons	**PKS035**	416		
9.	BOPP Tape	**PKS009**	4 rolls		

Requested By Production Pharmacist	Issued By Store officer	Checked By IPQA
Sign/ Date	Sign/ Date	Sign/ Date

MASTER COPY

biomedical Limited pioneer manufacturers of intravenous fluids	**Biomedical Limited,** *1, Ohimege Road, Ind. Estate, Ilorin, Kwara State*		
	BATCH MANUFACTURING RECORD		**Page 5 of 25**
	EXCOFF		
	Batch No.: EX2	**MFD:**	**Pack Size: 100ml**
	Batch Size: 2500 Liters (25,000 bottles)	**EXD:**	

PRODUCTION EQUIPMENT LIST						
Equipment Description	**Machine ID**	**Sop Operation Number**	**Sop Cleaning Number**	**Equip. used**	**Cleaned / Calibrated by**	**Checked By**
LOCATION: PROCESSING						
Dispensing booth	BL/SYP/PE/001	BML-PDS-PR-023	BML-PDS-PR-028			
Analytical Weighing balance 200g	BL/SYP/PE/002	BML-PDS-PR-023	BML-PDS-PR-003			
Weighing balance 150kg	BL/SYP/PE/003	BML-PDS-PR-023	BML-PDS-PR-003			
Sugar melting vessel (2000 litres)	BL/SYP/PE/004	BML-PDS-PR-022	BML-PDS-PR-007			
Manufacturing Vessel (3000 litres) 1	BL/SYP/PE/005	BML-PDS-PR-022	BML-PDS-PR-007			
Manufacturing Vessel 2	BL/SYP/PE/039	BML-PDS-PR-022	BML-PDS-PR-007			
Storage Vessel 1 (3,000 litres)	BL/SYP/PE/006	BML-PDS-PR-022	BML-PDS-PR-007			
Storage Vessel 2(3,000 litres)	BL/SYP/PE/007	BML-PDS-PR-022	BML-PDS-PR-007			
Storage Vessel 3	BL/SYP/PE/040	BML-PDS-PR-022	BML-PDS-PR-007			
Storage Vessel 4(3,000 litres)	BL/SYP/PE/007	BML-PDS-PR-022	BML-PDS-PR-007			
Bag Filter	BL/SYP/PE/008	BML-PDS-PR-009	BML-PDS-PR-009			
Filter Press 1	BL/SYP/PE/009	BML-PDS-PR-009	BML-PDS-PR-009			
Filter Press 2	BL/SYP/PE/042	BML-PDS-PR-009	BML-PDS-PR-009			
Transfer Pump 1	BL/SYP/PE/010	BML-PDS-PR-025	BML-PDS-PR-007			
Transfer Pump 2	BL/SYP/PE/043	BML-PDS-PR-025	BML-PDS-PR-025			
Transfer Pump 3	BL/SYP/PE/044	BML-PDS-PR-025	BML-PDS-PR-025			
Solvent Transfer pump	BL/SYP/PE/045	BML-PDS-PR-025	BML-PDS-PR-025			
Silverson Mixer 1	BL/SYP/PE/011	BML-PDS-PR-021	BML-PDS-PR-021			
Silverson Mixer 2	BL/SYP/PE/046	BML-PDS-PR-021	BML-PDS-PR-021			
Homogenizer	BL/SYP/PE/014	BML-PDS-PR-025	BML-PDS-PR-025			
In-Line Colloid Mill	BL/SYP/PE/014	BML-PDS-PR-025	BML-PDS-PR-025			
Service Tank(500 litres)	BL/SYP/PE/017	BML-PDS-PR-022	BML-PDS-PR-007			
Magnehelic gauge	BL/SYP/PE/018	BML-QDS-QA-096	BML-QDS-PR-096			
Prod. Pharm.	**Date**	**Quality Assurance Officer**			**Date**	

CONTROL COPY

Prepared By	RABIU I.M	Reviewed By	Agbowla L.M	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

MASTER COPY

Equipment Description	**Machine ID**	**Sop Operation Number**	**Sop Cleaning Number**	**Equip. used**	**Cleaned / Calibrated by**	**Checked By**
LOCATION: PROCESSING						
Bottle Washing Machine	BL/SYP/PE/015	BML-PDS-PR-017	BML-PDS-PR-017			
Bottle washing machine 2	BL/SYP/PE/055	BML-PDS-PR-037	BML-PDS-PR-037			
Bottle Filling Machine	BL/SYP/PE/012	BML-PDS-PR-016	BML-PDS-PR-016			
Bottle ROPP Cap Sealing Machine	BL/SYP/PE/013	BML-PDS-PR-018	BML-PDS-PR-018			
Automatic Rotary Piston Filling/capping Machine	BL/SYP/PE/048	BML-PDS-PR-031	BML-PDS-PR-031			
LOCATION: PACKAGING						
Bottle Labeling Machine	BL/SYP/PE/023	BML-PDS-PR-013	BML-PDS-PR-013			
Automatic Labelling Machine2	BL/SYP/PE/051	BML-PDS-PR-037	BML-PDS-PR-037			
Sighting Board 1	BL/SYP/PE/022	BML-PDS-PR-020	BML-PDS-PR-020			
Sighting Board 2	BL/SYP/PE/050	BML-PDS-PR-015	BML-PDS-PR-015			
Bottle Shrink Wrap M/c	BL/SYP/PE/021	BML-PDS-PR-032	BML-PDS-PR-032			
Automatic Shrink-Wrapping Machine 2	BL/SYP/PE/052	BML-PDS-PR-038	BML-PDS-PR-038			
Prod. Pharm.	**Date**	**Quality Assurance Officer**			**Date**	

MANUFACTURING CHECKLIST

CONTROL COPY

Prepared By	Rabiu I.M	Reviewed By	Agbowo L.M	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

MASTER COPY

1. General Safety Procedures

- All staff should clean hands with antiseptic liquid soap, use disinfectant and dry them using hand dryers as per sop proper use of lavatory (BML-QDG-QA-008)
- All staff should wear face masks, hand gloves, factory overalls and clean rubber shoes as per sop on gowning and use of change room (BML-QDG-QA-019)

2. General Good Documentation Practice

- All manufacturing process activities should be recorded in the BMR
- Ensure proper line clearance is taken before processing new batch/product.
- All documentation work should be recorded online and properly.
- All entries in the BMR should be legible and clear with no overwriting. If any mistake cross with a single line and rewrite the correct form, sign the error as per sop on document control and management (BML-QDG-QA-002)
- Report about any deviations immediately to the Production Pharmacist.

3. Cleaning	**Remark (Yes/No)**	**Comments (ok/Not ok)**	**Checked by**	**Verified by**
• Ensure that all machinery and equipment have been cleaned according to their respective SOP's				
4. Materials Availability • Ensure sufficient demineralised water is available.				
• Ensure that **all** the packaging materials are available.				

WEIGHING RECORDS

CONTROL COPY

Prepared By	RABIU I.M	Reviewed By	Agbowo L.M	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

MASTER COPY

biomedical Limited pioneer manufacturers of intravenous fluids	**Biomedical Limited,** *1, Ohimege Road, Ind. Estate, Ilorin, Kwara State*		
	BATCH MANUFACTURING RECORD		**Page 8 of 25**
	EXCOFF		
	Batch No.: EX2	**MFD:**	**Pack Size: 100ml**
	Batch Size: 2500 Liters (25,000 bottles)	**EXD:**	

Previous Product:	**B.NO:**

DISPENSING LINE CLEARANCE

s/n	Checks	Remark (Yes/No)	Comments (ok/Not ok)	Checked by	Verified by
1.	Dispensing room and Dispensing booth cleaned?				
2.	Scoops, Spatulas, Weighing Balance verified?				
3.	Verification of scales and balances done?				
4.	Waste from the previous product has been cleared?				
5.	Floors, Walls, Pass Box been clean/cleared				
6.	Papers, Tags, Forms needed affixed properly?				

DISPENSING ROOM STATUS

ROOM	CONDITIONS			
	TEMPERATURE NMT 25°C	RELATIVE HUMIDITY NMT 65%	VERIFIED BY	REMARKS
DISPENSING BOOTH				

APPROVAL TO START DISPENSING OPERATION

IPQA Analyst **Yes** ☐ **No** ☐

Sign:	Date:	Time:

QC ACTIVE INGREDIENT IDENTIFICATION

Material	Specification		Result
Diphenhydramine HCl	Stp ref. no.	BML/QA/STP/RMA/011	
Sodium Citrate	Stp ref. no.	BML/QA/STP/RMA/024	

Description of Materials	Q.C AR. Number	Std QTY	Quantity Weighed	Quantity Weighed	Weighed by	Checked by	Verified by QA
Diphenhydramine HCl		**3.500Kg**					
Sodium Citrate		**14.25Kg**					

QC EXCIPIENT INGREDIENT IDENTIFICATION

Material	Specification		Result
Menthol	Stp ref. no.	BML/QA/STP/RME/039	
Sucrose	Stp ref. no.	BML/QA/STP/RME/009	
Sodium benzoate	Stp ref. no.	BML/QA/STP/RME/011	

CONTROL COPY

Prepared By	Reviewed By	Approved By
Sign / Date: Rabiu I.M 03/01/2026	Sign/ Date: Agbowla L.M 03/01/26	Sign / Date: Koroma A 03/01/26

MASTER COPY

Sorbitol	Stp ref. no.	BML/QA/STP/RME/001	
SCMC	Stp ref. no.	BML/QA/STP/RME/018	
Sweet cherry flavor	Stp ref. no.	BML/QA/STP/RME/013	
Carmosine red	Stp ref. no.	BML/QA/STP/RME/043	

Description of Materials	**Q.C AR. Number**	**Std QTY**	**Quantity Weighed**	**Quantity Weighed**	**Weighed by**	**Checked by**	**Verified by QA**
Menthol		**0.275Kg**					
Sucrose		**750Kg**					
Sodium benzoate		**2.50Kg**					
Sorbitol		**500Kg**					
SCMC		**25.00Kg**					
Sweet cherry flavor		**10.00L**					
Carmosine red		**0.042Kg**					

Production Pharmacist	**Date**	**Q. A. Officer**	**Date**

CONTROL COPY

MASTER COPY

COMPOUNDING

GENERAL INSTRUCTIONS

1. Ensure that the area, equipment and accessories are clean and line clearance is taken before starting the operation.
2. Gloves, nose masks are to be worn during manufacturing operations.
3. Environmental conditions and balance calibration and equipment logs are to be recorded properly.
4. Check the labels and weight of all materials as per the work order and in case of any discrepancy report immediately to the Production Pharmacist.
5. Enclose all dispensing labels of materials to BMR.

QC Demineralised water release slip reference number: …….

COMPOUNDING QUALITY CHECK LIST		
Previous Product:	**B.NO:**	
Check List	**Checked by (Production)**	**Verified by (QA)**
Area Cleanliness (floor, walls, ceiling, risers)		
Check weighing balance, weights, scoops, spatulas, utensil are cleaned		
Check Syrup Preparation vessel, SS vessels, Buffer Tank are cleaned		
Check Filter Press is cleaned		
Check required Filter pads are cleaned and intact.		
Check Swab test analysis is carried out in case of product change over		
Check all previous batch/product materials are removed from the area		
Perform the compounding as per SOP BML-QDS-QA-019		
Environmental Conditions: Std. Temp: NMT 25°C ±2, Actual Temp: _____°C Std. RH: NMT 65 %±5, Actual RH: _____%		
Balance calibration done on Date:		

CONTROL COPY

MASTER COPY

MANUFACTURING PROCESS

Step No.	Action	Date	Time		Done by Operator	Checked by Prod.Sup	Verified by QA
			From	To			
1.	Discharge about **700 litres** of **demineralised water** into the sugar melting tank and heat to about to about 80°C.						
2.	Dissolve completely **2.5kg** of **sodium benzoate**; transfer **750 kg of sucrose** and Stir until it dissolves. Add **500 kg** of **sorbitol solution**						
3.	Filter the solution in step 2 into the manufacturing vessel through the bag filter, making sure the temperature is maintained at 80°c.						
4.	Gradually add the **Sodium CMC powder** directly to the filtered syrup solution in the mixing tank. Add gently to prevent excessively big lumps from forming. Stir thoroughly. Homogenize the bulk until a fine blend is obtained.						
6.	Cool the solution in stage 5 above to room temperature						
7.	Dissolve **14.25kg of sodium citrate** in **50 litres of DM water** and add to the bulk in step 6						
8.	Dissolve completely **3.5kg** of **Diphenylhydramine HCl** in about **20litres** of **demineralized water** and add to the mixture in manufacturing vessel						
9.	Dissolve **0.042 kg** of **Carmosine red** in about 2 liters of purified water. Add to the bulk and stir thoroughly.						

CONTROL COPY

MASTER COPY

10.	In **10 liters** of **Sweet cherry flavour**, dissolve completely **0.5 kg** of **menthol crystals**. Add to the bulk and stir thoroughly.						
11.	Stop the stirrer. Make up to **2500 Litres** volume with **demineralised water**. Stir well for about 1 hour						
12.	Complete the request for analysis form and send to the quality assurance department.						
Production Pharmacist		**Date**		**Q.A. Officer**			**Date**

COMPOUNDING RECONCILIATION:

Theoretical Volume of the batch (A)	**2500L**
Actual volume transferred (B)	
Estimated loss during filtrations (A-B) = C	

Deviation (if any)……

……

……

CONTROL COPY

MASTER COPY

IN – PROCESS SAMPLE ANALYSIS INTIMATION AND REPORT

Product: EXCOFF	**Batch No.: EX2**
Time given:	**Date:**
Intimation given by:	**Received by:**
Sampled by:	**Release Time:**
STP Ref no: BML/QA/STP/FPS/010	
QC Equipment Status	

Equipment Description	Machine Code	Sop Operation No.	Sop Cleaning No.	Equip. used	Equip. Status	Checked By
Digital PH Meter	BML/QAE/SYP/006	BML-QDS-CL-009	BML-QDS-CL-009			
Handheld PH	BML/QAE/SYP/007	BML-QDS-CL-008	BML-QDS-CL-008			
Digital Conductivity Meter	BML/QAE/SYP/008	BML-QDS-CL-010	BML-QDS-CL-010			
Handheld Cond. Meter	BML/QAE/SYP/009	BML-QDS-CL-009	BML-QDS-CL-009			
Refractometer	BML/QAE/SYP/0016	BML-QDS-CL-013	BML-QDS-CL-013			
HPLC	BML/QAE/SYP/028	BML-QDS-CL-025	BML-QDS-CL-025			
UV Spectrophotometer	BML/QAE/SYP/001	BML-QDS-CL-011	BML-QDS-CL-011			
Fume cupboard	BML/QAE/SYP/013	BML-QDS-CL-014	BML-QDS-CL-014			
Water bath	BML/QAE/SYP/012	BML-QDS-CL-022	BML-QDS-CL-022			
Viscometer	BML/QAE/SYP/005	BML-QDS-CL-025	BML-QDS-CL-025			
Analytical weighing balance	BML/QAE/SYP/004	BML-QDS-CL-030	BML-QDS-CL-030			
Colorimeter	BML/QAE/SYP/014	BML-QDS-CL-035	BML-QDS-CL-035			

pH of Water	Limits	pH of sample result	Limits	Description	Remark
	5.5-7.5		6.8.0 – 8.0	Red Slightly Viscous Syrup with Menthol	

In – process sample Assay result

Sample quantity	Active Ingredient	Specification	Active Content	Remark
500ml	Diphenhydramine HCl	**90.0% – 110.0%**		
	Relative density	**1.10g/ml – 1.20g/ml**		

Remark: The batch is released / not released for filling. (Attach the released slip into the BMR)

Q.A. Analyst Sign/Date	**QC Head Sign /Date**

PACKAGING

CONTROL COPY

Prepared By Sign / Date	RABIU I.M 03/01/2026	Reviewed By Sign/ Date	Agbowo L.M 03/01/26	Approved By Sign / Date	Koroma A 03/01/26

MASTER COPY

PAKAGING MATERIALS REQUISITION

Sr. No.	Name of the Packing Material	QC. AR. No.	Std Qty	Qty Issued	Issued by Store	Checked by Prod.	Verified by QA
1.	Amber colour 100 ml PET Bottle		25,000				
2.	28mm ROPP cap with Biomedical logo		25,000				
3.	Ex-COFF – Printed Mono cartons		25,000				
4.	Ex-COFF – Printed Labels		25,000				
5.	Measuring Cup 15 ml		25,000				
6.	Ex-COFF – Leaflet		25,000				
7.	Shrink wrap Sleeves		2500				
8.	Ex-COFF Printed Shipper Cartons		416				
9.	BOPP Tape		4 rolls				

Production Pharmacist	**Date**	**Q. A. Officer**	**Date**

BATCH CODING SETTING

CONTROL COPY

MASTER COPY

	Biomedical Limited, *1, Ohimege Road, Ind. Estate, Ilorin, Kwara State*		
	BATCH MANUFACTURING RECORD		**Page 15 of 25**
	EXCOFF		
	Batch No.: EX2	**MFD:**	**Pack Size: 100ml**
	Batch Size: 2500 Liters (25,000 bottles)	**EXD:**	

Previous Product:	**B.NO:**	
Check List	Checked by Prod.	Verified by QA
Area, personnel & equipment cleanliness.		
Absence of previous product / batch materials		

Setup & operate the Batch coding Equipment according to SOP **BML-PDS-PR-022**

Sr. No.	Equipment Name	Equipment ID No.	Cleanliness as per SOP	Operation As per SOP
1	Batch coding machine	BML/SYP/PRE/016	BML-PDS-PR-022	BML-PDS-PR-022

CODER SETTING AND IMPRESSION			
NAFDAC NO			
BATCH NO			
MFD			
EXP			
Comment by Production Pharmacist (Sign/Date)		**Verified by (QA) (sign/ Date)**	

BATCH CODING VERIFICATION

PARTICULARS	LABELS	MONO CARTONS	SHIPPER
Batch No.:			
MFD :			
EXP :			
Any other details			
NAFDAC No:			
Instructions given by Prod. Pharmacist Sign/Date:			
Checked by Line Leader: Sign/Date:			
Verified by (QA): Sign/Date:			

LABEL/MONO CARTON INFORMATION ASSURANCE SHEET

CONTROL COPY

Prepared By	RABIU I.M	Reviewed By	Agbowo L.M	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

MASTER COPY

AFIIX **LABEL** SPECIMEN **(signed on it by QA officer**) IN THE SPACE PROVIDED:

Line Supervisor **sign/date: ……**	**Production Pharmacist** **sign/date…….**	**IPQA officer** **sign/date: ……..……**

AFIIX THE **MONO CARTON** SPECIMEN (**signed on it by QA officer**) IN THE SPACE PROVIDED:

Line Supervisor **sign/date: ……**	**Production Pharmacist** **sign/date…….**	**IPQA officer** **sign/date: ……..……**

RECONCILIATION OF CODING ACTIVITY

CONTROL COPY

Prepared By	RABIU I.M	Reviewed By	Agbowo L.M	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

MASTER COPY

PARTICULAR	LABEL	MONO CARTONS	SHIPPERS
Qty. Received			
Qty. Printed			
Qty. Rejected			
Unprinted Qty. Return to store vide GRN No.			
Batch coding done by			
Checked by Production Supervisors:			
Verified by (QA):			

Deviation (if any)……

……

……

BATCH PACKING GENERAL CHECK LIST

1. Ensure that the area, equipment and accessories are clean and line clearance is taken before starting the operation. Cleaning to be done as per respective SOPs.
2. Gloves, nose masks, Headgears & Safety Devices are to be worn during manufacturing operations.
3. Environmental conditions and balance calibration and equipment logs are to be recorded properly & online.
4. Check the proper quantity of Amber colored bottle, ROPP Caps, labels, mono cartons, Shrink-wraps, Shippers are received as per the work order and incase of any discrepancy report immediately to the Production Pharmacist OR Quality Assurance Manager.

BOTTLE PACKING MACHINE INFORMATIONS

Setup & operate the Equipment as per the SOP's

CONTROL COPY

Sr. No.	Equipment Name	Equipment ID No.	Cleanliness as per SOP	Operation As per SOP
1	Bottle Washing Machine	BL/SYP/PE/015	BML-PDS-PR-010	BML-PDS-PR-017
2	Bottle washing machine 2	BL/SYP/PE/055	BML-PDS-PR-035	BML-PDS-PR-037
3	Bottle Filling Machine	BL/SYP/PE/012	BML-PDS-PR-011	BML-PDS-PR-016
4	Bottle ROPP Cap Sealing Machine	BL/SYP/PE/013	BML-PDS-PR-012	BML-PDS-PR-018
5	Automatic Rotary Piston Filling/capping Machine	BL/SYP/PE/048	BML-PDS-PR-030	BML-PDS-PR-031
6	Bottle Labeling Machine	BL/SYP/PE/023	BML-PDS-PR-019	BML-PDS-PR-013
7	Automatic Labelling Machine 2	**BL/SYP/PE/051**	BML-PDS-PR-035	BML-PDS-PR-037
8	Sighting Board 1	BL/SYP/PE/022	BML-PDS-PR-020	BML-PDS-PR-020
9	Sighting Board 2	BL/SYP/PE/050	BML-PDS-PR-020	BML-PDS-PR-015
10	Bottle Shrink Wrap M/c	BL/SYP/PE/021	BML-PDS-PR-031	BML-PDS-PR-032
11	Automatic Shrink Wrapping Machine 2	BL/SYP/PE/052	BML-PDS-PR-036	BML-PDS-PR-038

MASTER COPY

Previous Product:	**Batch No.:**	
Check List	Checked by (Production)	Verified by (QA)
Area Cleanliness (walls, ceiling, floor)		
Check Equipment Cleanliness-		
Accessories cleanliness (Scoops, drums, pallets, stools etc.,)		
Absence of previous product / batch materials in all areas and machineries (Glass bottles, ROPP Caps, Measuring Cups, Labels, Mono-carton, Shippers, Leaflets, Shrink Wrap sleeves, BOPP tape)		
Check that all finished goods of the previous batch/product are removed from the line.		
Environmental Conditions: Std Temp: NMT 30±2°C, Actual Temp: °C Std RH : NMT 65±5%, Actual RH : %		
Balance calibration done on date :		

LIQUID FILLING SET-UP

Transfer the Liquid product to the filling line according to SOP

Estimated loss during transfer of the product to the service tank through the pipe/hose .....

Estimated loss during liquid filling standardization .....

Estimated loss during fill volume check .....

Line Set by (QA): Witnessed by (Prod Sup.):

BOTTLE WASHING RECORD

CONTROL COPY

MASTER COPY

	Biomedical Limited, *1, Ohimege Road, Ind. Estate, Ilorin, Kwara State*		
	BATCH MANUFACTURING RECORD		**Page 20 of 25**
	EXCOFF		
	Batch No.: EX2	**MFD:**	**Pack Size: 100ml**
	Batch Size: 2500 Liters (25,000 bottles)	**EXD:**	

Checking Parameter	**Observation**	**date**	**Time**	**Done by**	Checked by (Pro.)	Verified by (QA)
Bottle and area cleanliness.						
Bottle defects						
Washing temperature						

BOTTLE FILLING AND PACKAGING INSTRUCTIONS

Actions	**Done by operator**	Checked by Prod. Sup.
1. Arrange the bottles in the Bottle Washing Machine & wash the bottles.		
2. Check for any breakage & rejection. Remove any such bottles. 3. Take line clearance for line as per SOP No BML-PR-SYP-016 4. Check the volume dispensed from each nozzle initially & periodically every hour. 5. Transfer gradually the released syrup into the floor level reservoir of bottle-filling machine. 6. Adjust the fill volume of the machine to 100 ml of syrup & fill the bottle. 7. Seal the bottle.		
8. Check the bottle by inverting the same against black & white background for any suspended matter & remove any such bottle.		
9. Label the bottle, put plastic cup on the top & put the bottle in overprinted Mono-carton. 10. Put the leaflets in the Mono-carton.		
11. Now arrange 10 mono cartons into the shrink-wrap sleeve and then pass through the shrinking machine by adjusting the appropriate temperature & speed. The dwell time should not exceed 7 seconds. 12. Finally check for the quality of shrinking. 13. Finally arrange 3 rows of shrink-wrapped mono cartons in 2 decks into the coded printed shipper.		
14. After completing the packing of a batch, transfer the packed shippers to Finished Goods store with proper Stock Transfer Note.		

VOLUME CHECK UP FOR THE NOZZLES OF LINEAR ☐ AND MONOBLOCK ☐ FILLING MACHINE

DATE:	Time started:	Time stopped:	**FILLING SPEC.: 98mL – 102 mL**

CONTROL COPY

Prepared By	RABIU I.M	Reviewed By	Agbowo L.M	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

MASTER COPY

	Biomedical Limited, *1, Ohimege Road, Ind. Estate, Ilorin, Kwara State*		
	BATCH MANUFACTURING RECORD		**Page 21 of 25**
	EXCOFF		
	Batch No.: EX2	**MFD:**	**Pack Size: 100ml**
	Batch Size: 2500 Liters (25,000 bottles)	**EXD:**	

DATE:	Time started:	Time stopped:

1. Adjust the volume to not less than the expected final volume.
2. Cross check using measuring cylinder at delivery point of the nozzles
3. Check the volume of the filled bottle by removing the ROPP cap and measure the content volume using a clean measuring cylinder.
4. Check the volume every 20 - 30 minutes of filling operation

	FILLED VOLUME FROM DELIVERED NOZZLES													**CHECKED BY**
TIME (Linear) ☐	**1**	**2**	**3**	**4**	**5**	**6**	**TIME**	**1**	**2**	**3**	**4**	**5**	**6**	
TIME(Monoblock) ☐	**1**	**2**	**3**	**4**	**5**	**6**		**7**	**8**	**9**	**10**	**11**	**12**	
	FILLED VOLUME FROM DELIVERED NOZZLES													**CHECKED BY**
TIME (Linear) ☐	**1**	**2**	**3**	**4**	**5**	**6**	**TIME**	**1**	**2**	**3**	**4**	**5**	**6**	
TIME(Monoblock) ☐	**1**	**2**	**3**	**4**	**5**	**6**		**7**	**8**	**9**	**10**	**11**	**12**	
	FILLED VOLUME FROM DELIVERED NOZZLES													**CHECKED BY**
TIME (Linear) ☐	**1**	**2**	**3**	**4**	**5**	**6**	**TIME**	**1**	**2**	**3**	**4**	**5**	**6**	
TIME(Monoblock) ☐	**1**	**2**	**3**	**4**	**5**	**6**		**7**	**8**	**9**	**10**	**11**	**12**	

PACKING INPROCESS CHECKS-(To be done hourly basis)

CONTROL COPY

Prepared By	RABIU I.M	Reviewed By	Agbowo L.M	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

MASTER COPY

	Biomedical Limited, *1, Ohimege Road, Ind. Estate, Ilorin, Kwara State*		
	BATCH MANUFACTURING RECORD		**Page 22 of 25**
	EXCOFF		
	Batch No.: EX2	**MFD:**	**Pack Size: 100ml**
	Batch Size: 2500 Liters (25,000 bottles)	**EXD:**	

DATE	TIME	Bottles	ROPP Caps.	Mono cartons over printing Checks				Leaflet	Shrink wrap Quality	Qty per Shipper	Shipper coding Nos.	Checked by Prod. Supervisor.	Verified by QA
				B.No.	MFD.	EXP.	Printing						

_____ No. of Shippers Packed.

SHIPPER WEIGHING LOG – RANDOM CHECK

1. Check the weight of each packed shippers to ensure that the correct quantity is being packed.
2. Record the shipper weight and report any discrepancies found to Production Pharmacist.

Weight of Packed Mono carton : Kg.	Weight of Packed Shipper: Kg.
Packed Shipper weight range (Avg. wt ± weight of packed Mono carton) : Kg.	

Balance Code:

Balance Calibration Done On:

S/No.	Weight
1.	
2.	
3.	
4.	
Done by:	**Checked by Pro. Supt:**

PACKING ACTIVITY RECORD

Date					
Time From					
Time To					
Bottle Washing Done by					
Filling M/c Operator					
Sealing M/c Operator					
Filled Bottle checked by					

CONTROL COPY

Prepared By	RABIU I.M	Reviewed By	Agbowo L.M	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26

MASTER COPY

	Biomedical Limited, *1, Ohimege Road, Ind. Estate, Ilorin, Kwara State*		
	BATCH MANUFACTURING RECORD		Page 23 of 25
	EXCOFF		
	Batch No.: EX2	MFD:	Pack Size: 100ml
	Batch Size: 2500 Liters (25,000 bottles)	EXD:	

Labeling M/c Operator										
Measuring Cup put by										
Leaflets inserted by										
Mono cartons packed by										
Shrink wrap & final pkg. In Shipper done by										
Weighing Done by										
Qty packed Shipper number	From	To	From	To	From	To	From	To	From	To
Supervised by Prod. Supervisor										
Checked by Pharmacist										

PACKED SHIPPERS TRANSFER TO FINISHED GOODS STORE

S.No.	1	2	3	4	5	Total Qty
Date & Shift:						
Qty transferred. Shippers + Loose						
Transferred by						
Received by						

PACKING MATERIAL RECONCILIATION

Sr. No.	Particular	Bottle (Glass/PET)	ROPP Cap	Labels	Leaflet	Measuring Cup	Mono Cartons	Shippers	BOPP Tape
1	Qty. Received								
2	Additional Qty Received								
3	SMR NO.								
4	Total (=1+2)								
5	Qty. Consumed								
6	Qty retained in BPR								
7	Qty retained by QC Retention Sample								
8	I. Coding	NA	NA		NA	NA			NA
	II. Online								
	Rejection Total=I+II								
9	Total Consumed = 5+6+7+8								
10	Qty. Return to Store for reissue								
11	Qty. Return to Stores not for reuse								

CONTROL COPY

Prepared By	Reviewed By	Approved By
Sign / Date	Sign/ Date	Sign / Date

MASTER COPY

12	**Stock Return Note No.**								
13	**A.R. Number of returned Material**								
14	**% Rejection=8/9 x 100**								
15	**Mfg. Defects**								
16	**% Mfg. Defect =15/4x100**								

YIELD RECONCILIATION

A. Theoretical Batch Size:	Liters:
B. Actual Batch Size:	No. of Bottles.
C. Quantity Packed & Transferred to FGS:	No. of Bottles.
D. QC Analysis Samples:	No. of Bottles.
E. Retention Samples:	No. of Bottles.
F. Total Qty Produced :(C+D+E+F):	No. of Bottles.
G. Net % Yield: (G/B X 100)	% NLT 96%.

REMARK: ……

Done by Production Supervisor: **Sign & Date:**

Checked by Production Pharmacist: **Sign & Date:**

Verified by QA: **Sign & Date:**

(Investigation should be made if the yield result does not meet specification)

Comment: _____

Deviation (if any)……

……

CHECKLIST OF BATCH RECORD

CONTROL COPY

MASTER COPY

	Biomedical Limited, *1, Ohimege Road, Ind. Estate, Ilorin, Kwara State*		
	BATCH MANUFACTURING RECORD		**Page 25 of 25**
	EXCOFF		
	Batch No.: EX2	**MFD:**	**Pack Size: 100ml**
	Batch Size: 2500 Liters (25,000 bottles)	**EXD:**	

SN	**Description**	**Document availability checked by**	
		Production	**QA**
1	BATCH DETAILS		
2	DISPENSING MATERIAL LABELS (IF ANY)		
3	MATERIAL REQUISITION RECORD		
4	APPROVED CODED LABEL FOR THE BATCH		
5	APPROVED CODED MONO CARTON FOR THE BATCH		
6	INVESTIGATION/DEVIATION REPORT (IF ANY)		
QUALITY CONTROL REPORT AND MISCELLANOUS DOCUMENTS (Checked by QA)			
7	FINISHED PRODUCT (CERTIFICATE) OF ANALYSIS		
8	PRODUCT RELEASE SLIP		

Declaration:

The above mentioned batch has been manufactured in accordance with In-House & B.P/USP, Specifications following strict adherence to cGMP procedures and is duly released for sales after all production records, environmental monitoring records and Q.C. analytical reports are checked and found to be satisfactory.

PRODUCT RELEASE AND APPROVAL			
	REVIEWED BY	**RELEASED BY**	
Name			
Designation	Production Manager	QA Manager	
Date/Signature			
Superintendent Pharmacist (Authorized)		Signature:	Date:

CONTROL COPY

Prepared By	RABIU I.M	Reviewed By	Agbowo L.M	Approved By	Koroma A
Sign / Date	03/01/2026	Sign/ Date	03/01/26	Sign / Date	03/01/26