| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | |
|---|---|---|---|
| **S/N** | **ISSUE(S)** | **ACTIONS TO FIX** | **TO BE DONE BY** |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| EQUIPMENT USAGE | | | |
|---|---|---|---|
| **BOILER USAGE** | | **CHILLER & COOLING TOWER** | |
| **Time ON** | **Time OFF** | **Time ON** | **Time OFF** |
| | | | |
| | | | |
| | | | |
| **DIESEL USAGE (LTRS)** | | | |
| **BATCHES MANUFACTURED** | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | **AREA/EQUIPMENT** | **NUMBER OF SCRAP** | **REASON(S)** | **JOB ORDER RECEIVED** | **STATUS** | **REASON(S) IF OPEN** |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**

| | BIOMEDICAL LIMITED<br>1, Ohimege Road, Ilorin, Kwara State | | | |
|---|---|---|---|---|
| | **Title** | **SYRUP FACTORY ENGINEERING HANDOVER BOOKLET** | | |
| | **Document control number** | **BML/QA/ENGR/SYR/0001** | **Form number** | ENGR/SYR/001 |
| | **SOP Reference Number** | NA | **Review date** | NA |
| | **Reason for review** | NA | **Review number** | 00 |
| | **DATE:** | **SHIFT:** | **TEAM NAME(S):** | |

| STOP TIME | START TIME | PROBLEM STATEMENTS | INITIAL CAUSE | INITIAL ACTION | STATUS | BY |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| WATCH OUT/ OPEN ISSUES AND RECOMMENDATIONS | | | | EQUIPMENT USAGE | | | |
|---|---|---|---|---|---|---|---|
| S/N | ISSUE(S) | ACTIONS TO FIX | TO BE DONE BY | BOILER USAGE | | CHILLER & COOLING TOWER | |
| | | | | Time ON | Time OFF | Time ON | Time OFF |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | DIESEL USAGE (LTRS) | | | |
| | | | | BATCHES MANUFACTURED | | | |

| SCRAP(S) | | | | JOB ORDER(S) | | |
|---|---|---|---|---|---|---|
| | AREA/EQUIPMENT | NUMBER OF SCRAP | REASON(S) | JOB ORDER RECEIVED | STATUS | REASON(S) IF OPEN |
| | | | | | | |
| | | | | | | |

**CHECKED BY:**